

ABSORBENT & SPILL CONTROL

www.BradyID.com/SPC












Table Of Contents

Learning Center & Guides3 Use our guides to guickly and easily pinpoint the right absorbent for your spills. Universal Absorbent Pads & Rolls......8 All-purpose absorbents for cleaning up oils, coolants, solvents and water-based fluids. Oil Only Absorbent Pads & Rolls16 Oil Only absorbents to clean-up all of your oil or petroleum-based spills. Chemical Absorbent Pads & Bolls24 Chemical absorbents can be used on a wide range of chemicals. Re-Form[™] Absorbent Pads & Rolls......28 Eco-friendly absorbents are green to produce, and green to use. Available in Universal and Oil Only absorbencies. Absorbents designed to prevent slips, trips, and falls with small spills in the retail, hospitality and grocery markets. VendSorb Absorbents......36 Absorbents designed for your vending program to help control usage and reduce waste. SOCs, Pillows & Drum Covers......38 Spill containment products designed to fit in and around machinery. Mat & Rug Absorbents44 Absorbents specifically designed with a barrier backing to withstand heavy foot and even vehicle traffic. Marine Absorbents48 Absorbents designed for cleaning up oil spills in marine environments Loose granular absorbents ideal for liquid spill clean-up, lab packing and stabilizing free liquids. Spill Control & Containment......52 Products designed to protect employees, facilities and the environment in the event of an unexpected spill. Drain Protection, Decks, Pallets and Pans......53 Spill Kits.....56 View a wide range of safety and facility products that complete your spill clean-up task and keep you safe. Reference & Index68





Learning Center





Regulations

The following OSHA and EPA regulations protect your employees and the environment;

29 CFR 1910.22(a)(2) Clean, dry workplace floors.

40 CFR 112.7(c)(1)(vii)

Absorbent materials are one option for preventing oil spills from reaching waterways.

29 CFR 1910.120(j)(1)(vii)

DOT-specified containers and suitable quantities of absorbents shall be kept available for response to spills.

Why SPC Products?

For more than 30 years, SPC products have helped customers protect against leaks, drips and spills that create safety hazards in the workplace. Brady provides high-quality service, application expertise and product knowledge to SPC distributors and customers.

Brady SPC has a history of innovation and continues to develop industry-leading products and applications. Brady provides on-going lean initiatives to help offset raw material increases to keep costs stable and maintain maximum cost savings for our customers.

Brady SPC—An Environmentally Friendly Company

As a socially responsible company, Brady SPC continually strives to reduce waste by reusing 97 percent of materials. In working to sustain unused materials, Brady SPC replenishes all wasted raw materials and reduces the amount of materials sent to landfills. Brady SPC's ultimate goal is to eliminate waste, conserve energy, recover resources and continue to work towards a zero waste facility.

Why Is Spill Control Important?

Beyond the obvious need to protect our environment and to reuse or recycle as often as we can, a proper spill control program can create a safe and productive work environment for your employees.

By complying with EPA and OSHA regulations around spill control we provide our people with conditions that allow for the greatest productivity and the least amount of down time for our facilities. The cost of non-compliance around this area of regulation can be devastating to any business.

Spill Prevention Control & Countermeasure (SPCC) Plan

The EPA issued its final rule amending the SPCC under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.

What is an SPCC Plan?

An SPCC Plan is a facility-specific comprehensive description of a facility's containment and counter measures that would prevent an oil spill from occurring as well as procedures to respond and clean-up an oil spill that does occur.

The SPCC plan addresses the following three areas:

- Operating procedures that prevent oil spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean-up and mitigate the effects of an oil spill that reaches the environment

Cost Savings

More and more industries are using a variety of absorbents for the control and clean-up of oils, industrial liquids and chemicals in their workplace. They reduce cost, increase productivity and improve safety. See why Brady's SPC absorbents are the product of choice!

The examples below show how much money an average facility can save by switching their spill control products to SPC absorbents. We've used Re-Form[™] 100 absorbents as an example - now fill in your current spill control solution to find out how much you could be saving!

| Total | \$15,960.00 | \$7,350.00 | \$5,040.00 | |
|--|-------------|--------------------|-----------------|--------------------------|
| Disposal cost per drum | \$150.00 | \$150.00 | \$150.00 | |
| Total drum cost | \$4,560.00 | \$2,100.00 | \$1,440.00 | |
| Estimated cost per drum | \$60.00 | \$60.00 | \$60.00 | |
| Number of drums required | 76 | 35 | 24 | |
| | Clay | Leading Competitor | SPC Re-Form 100 | Your Costs |
| Cost Comparison #3: Disposal Costs | | | | Fill in your costs |
| Total | \$1,875.00 | \$500.00 | \$500.00 | |
| Average hourly wage & benefits | \$20.00 | \$20.00 | \$20.00 | |
| Total man-hours to clean-up | 75 | 25 | 25 | |
| Estimated minutes per gallon to clean-up | 3.0 | 1.0 | 1.0 | |
| | Clay | Leading Competitor | SPC Re-Form 100 | Your Costs |
| Cost Comparison #2: Labor Costs | | | | Fill in your costs |
| Fotal | \$1,875.00 | \$3,613.64 | \$2,812.50 | |
| Total bags or boxes of absorbent required | 375 | 68 | 38 | |
| Absorbency (gallons per package) | 4 | 22 | 40 | |
| Cost per bag or box | \$5.00 | \$53.00 | \$75.00 | |
| | Clay | Leading Competitor | SPC Re-Form 100 | Your Costs |
| Cost Comparison #1: Absorbent Materials | | | | Fill in your costs |

Grand Total \$19,335.00 \$11,463.6[,] Comparison is based on a facility with 1,500 gallons of spill clean-up per year. The values included in this cost comparison are based on the products' average costs as published online in 2011. Re-Form[™] Absorbents Cost Savings vs. Clay

Re-Form[™] Absorbents Cost Savings vs. Leading Competitor

\$10,982.50 57% Savings \$3,111.14 27% Savings

Did You Know? SPC Absorbents vs. Clay

There is a negative financial impact of using clay to clean-up your leaks, drips and spills. It may be cheaper to buy, but the benefits stop there.

Still not convinced? Consider these points:

- OSHA considers silica a serious health hazard.
- Granular clean-up is difficult and labor intensive and the small particles can easily enter and damage machinery or your finished product.
- Clay has limited chemical resistance.

With Brady's SPC Absorbents, all of these shortcomings are eliminated!



?

Think you're already using the correct absorbent? Put it to the test!

Want to know if your absorbent is working for you? Start at the end, in the trash. One of the best ways to pick the right absorbent is to see what it looks like when you're done with it. Take a look...



Check Product Type

Looks like this absorbent roll is being used to contain a leak – instead consider using a SOC for containing leaky equipment.

Brady offers SPC pads, rolls, SOCs, pillows and more so that you have the right type of product to contain your spill.



Check Durability

Are your absorbents falling apart or tearing due to heavy traffic?

Choose a tough absorbent for tough jobs so that you can take advantage of the full absorbent potential without your absorbent falling apart.



Check Absorbency

Are your absorbents being used to their absorbency capacity? Or maybe your current absorbent isn't absorbing the whole spill.

For small spills, choose a medium or lightweight pad to avoid wasting absorbents.

For large spills, use a heavyweight pad to cut down on the number of lighter pads you go through.

Not Sure What Absorbents To Use?

We understand that surveying a facility for potential trouble spots, proper absorbent usage and product selection can be extremely time consuming and confusing. But we also believe that it can be extremely beneficial.

• Free Absorbent Survey

Brady's Absorbent Survey is a free service – helping facilities keep their employees and their equipment clean and safe, while coming into compliance with OSHA, EPA and SPCC regulations. This detailed survey asks the right questions and identifies the way in which Brady and its distributor can provide solutions for the proper use of SPC absorbents in the plant. Many organizations use these surveys as an "Environmental Audit" and keep them on file.

Cost Savings Worksheet

Seeing is believing! This simple worksheet helps you compare the absorbents you are currently buying with our recommendations – quickly showing you the price difference and your cost savings.

Contact your Brady SPC Representative for more information and for assistance if finding the right sorbent for your facility or to set up your own Sorbent Survey!





Choosing Your Absorbents

Having the right absorbent for the job makes a big difference. Proper product selection can make your employee's jobs easier, create a safer work environment, and even save you money!

These three easy steps will help you find the correct SPC absorbent product for your application.

Step One: Know What You're Absorbing

Your Spill:

- Coolants
- Solvents
- Gasoline
- Vegetable oil • Kerosene
- And other
- water-based fluids

Your Absorbent Solution:

Universal Absorbents

All-purpose products that clean-up oils, coolants. solvents and water-based fluids anywhere in your facility. Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects.

Page 8

Your Spill:

- Hydraulic oil • Motor oil
- Brake fluid
- Cooking oil
- Turpentine
- And other
- oil-based fluids

Your Absorbent Solution:

Oil Only Absorbents

These absorbents are specialized for oil and other petroleum-based spills including paints and other non-water soluble chemicals. These absorbents will not absorb water and will float indefinitely.

Page 16



• Aggressive chemicals

- Citric acid
- Sodium hydroxide • And other

chemicals

unknown

Your Absorbent Solution:

Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid, and are chemically inert, so they will not react with aggressive fluids.

Page 24



Your Spill:

- Cutting fluids
- Gasoline
- Coolants
- Non-aggressive chemicals
- And other water-based fluids

Your Absorbent Solution:

Re-Form[™] Eco-Friendly Absorbents

These all-purpose absorbents are made from a minimum of 80% recycled material. They are green to produce and green to use, and are up to 50% more absorbent than polypropylene absorbents. They also meet NFPA Class A Fire Retardancy.

Page 28







2 Step Two: Identify Your Absorbent Application



Wiping, Dripping or Foot Traffic Applications

Pads & Rolls

For use for wiping, dripping and leaks. Pads are pre-cut absorbents, while rolls allow you to choose the length you need.

SOCs & Pillows

For use around equipment or under drips.

Barrier-backed or Heavy Traffic Applications

Mats & Rugs

For use with heavy foot or vehicle traffic, or where a barrier-backed mat is needed.

Emergency Spill Response

Spill Containment and Spill Kits

Be prepared for emergency spills with a variety of products already bundled together - so you can be confident you have the products you need to contain unexpected spills.

Additional spill control available through the use of spill pallets, drain plugs and absorbent storage centers.


3 Step Three: Select Your Absorbent Size and Weight

Now that you know what you're absorbing, and what style of product you need, you can choose your absorbent from the many sizes and absorbency weights that Brady SPC offers.

Quickly and easily compare absorbents in the following sections:

| Universal Absorbents | Page 8 |
|---------------------------------|---------|
| Oil Only Absorbents | Page 16 |
| Chemical Absorbents | Page 24 |
| Re-Form [™] Absorbents | Page 28 |
| SOCs & Pillows | Page 38 |
| Mats & Rugs | Page 44 |
| Spill Control & Containment | Page 52 |





• Unique to some of the High Traffic Universal rolls

UNIVERSAL FOR INDOOR SPILL CONTROL

Universal Absorbency:

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

The Technology:

The technology or structure behind each of the universal products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.



Common Liquids Absorbed:

- CoolantsSolvents
- Oils
- Gasoline
- Vegetable oil
- Kerosene
- Latex paint
- And other water-based fluids
- View Products Online

Scan to quickly view these Universal Absorbents online or visit: www.BradyID.com/SPC

Universal Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

| | Applications | Durab | ling Linting | cost | Absorbency Grades | Construction |
|--|---|-------|-------------------|--------|---------------------------------|--|
| Battlemat [®] Absorbent Rolls Page 10 | High wear resistance is ideal for heavy foot traffic, forklifts and walkways. | J | Low Linting | \$\$\$ | Heavy Weight | Tough spunbound coverstock |
| UXT Xtra Tough Absorbent Pads & Rolls Page 11 | Extra durable general purpose absorbent for wiping, drips, and leaks | J | Low Linting | \$\$\$ | Heavy, Medium & Light Weight | 3-ply (SMS) construction, spunbound coverstock on both sides |
| HT High Traffic Absorbent Rolls Page 12 | Economical for foot traffic, walkways, and around work stations. | J | Low Linting | \$\$ | Heavy & Medium Weight | 2-ply (SM) construction, spunbound coverstock on one side |
| MRO Plus [®] Absorbent Pads & Rolls Page 13 | Best for industrial applications where greater durability and lower linting is needed | 55 | Medium Linting | \$\$\$ | Heavy & Medium Weight | 3-ply (MMM) Meltblown Polypropylene |
| GP General Purpose Absorbent Pads & Rolls Page 14 | Maintenance absorbent for general industrial applications | 5 | Medium Linting | \$\$ | Heavy, Medium & Light Weight | Single-ply, made with MAXX technology to improve adsorption & strength |
| Basic Universal Absorbent Pads & Rolls Page 15 | Value absorbent for general purpose wiping, drips or leaks | 5 | Medium Linting | \$ | Heavy & Light Weight | Single-ply Meltblown Polypropylene |

Universal Absorbency



BattleMat® Absorbent Rolls

Tough camouflage patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic.

- Tough, universal 2-ply construction perfect for use as a mat in high traffic areas
- A durable, abrasion-resistant upper layer
- Perforated to help you reduce waste by using only what you need

BattleMat[®] rolls and pads, with their unique construction and camouflage pattern, are tough enough to take whatever you dish out. Ideal as walk-on mats or single use absorbents in manufacturing plants and similar environments.

| Product | Summary |
|-------------------|---|
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids |
| Durability: | $\int \int \int$ |
| Linting: | Low Linting |
| Absorbencies: | Heavy Weight |
| Cost: | \$\$\$ |
| | |
| Recommende | d Applications |
| Walkways and high | Under assembly |

traffic areas

Production &

machine areas

- Under assembly lines, equipment or vehicles
- On workbenches or as a work surface



| Catalog # BattleMat Pads | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|-----------------------------|----------------|----------|--------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| BM100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 27.5 | 16.5 | 40 | 100/bale |
| BattleMat Rolls | | | | | | | | |
| BM30 | Heavy Wt. Roll | 30"×150' | Yes, 15" and every 15" | 12.5 | 52 | 34.5 | 12 | 1/case |
| BM30X | Heavy Wt. Roll | 30"x150' | No | 12.5 | 52 | 34.5 | 12 | 1/case |
| BM15 | Heavy Wt. Roll | 15"x150' | Yes, 7.5" and 12" across | 12.5 | 25 | 17 | 30 | 1/case |





UXT - Universal "Xtra Tough" **Absorbents**

Extra tough maintenance rolls for applications that require a durable, non-linting and abrasionresistant absorbent!

- High performance, all-purpose absorbent made to handle virtually any liquid
- Universal Meltblown Polypropylene core
- 3-ply (SMS) construction with spunbond coverstock on both sides for maximum durability and very low linting
- Both abrasion resistant and non-abrasive performance – perfect for wipe down applications
- The extra strength required for the wringing and re-using of absorbents
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need

| Product | Summary |
|----------------------|---|
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids |
| Durability: | $\int \int \int$ |
| Linting: | Low Linting |
| Absorbencies: | Heavy, Medium & Light Weight |
| Cost: | \$\$\$ |
| Recommende | d Applications |
| or drips, spills and | Pharmaceutical |
| wiping applications | Food processing |

• Machining small parts

Paint room

- wiping
- Printing industries
- High tech industries

| Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|-----------|-----------------|----------|------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| UXT Pads | | | | | | | | |
| UXT100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 11 | 19 | 14.5 | 30 | 100/case |
| UXT300 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 11 | 17 | 12 | 30 | 100/case |
| UXT200 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 14 | 31.5 | 18.5 | 24 | 200/case |
| UXT Rolls | | | | | | | | |
| UXT15P | Heavy Wt. Roll | 15"x150' | Yes, every 18" | 11 | 17 | 14.5 | 30 | 1/case |
| UXT30DP | Medium Wt. Roll | 30"x150' | Yes, 15" and every 15" | 11 | 35 | 27.5 | 12 | 1/case |

Universal Absorbency



- Anywhere foot traffic
 General
 manufacturing
 Equipment repair &
- Metal fabrication
- Utility

HT - "High Traffic" Absorbents

Multi-use maintenance absorbent built for durability and high absorbency in "high traffic" and busy problem areas.

- Absorbs all water-based industrial liquids, oil and petroleum-based fluids
- Universal Meltblown Polypropylene
- 2-ply (SM) construction with spunbond coverstock makes it extra tough and abrasion resistant
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need
- Gray color masks drips and spills, encourages longer use



| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|-----------|-----------------|----------|---------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | HT Pads | | | | | | | | |
| NEW! | HT200 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 27 | 16.5 | 24 | 200/case |
| NEW! | HT500 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 13.5 | 8.5 | 30 | 100/case |
| | HT Rolls | | | | | | | | |
| | HT30 | Heavy Wt. Roll | 30"x150' | Yes, 15" and every 15" | 12.5 | 47 | 32 | 12 | 1/case |
| | HT555 | Heavy Wt. Roll | 15"x150' | Yes (3), 5" and every 18" | 12.5 | 23 | 16 | 30 | 1/case |
| | HT15 | Heavy Wt. Roll | 15"x150' | Yes, every 15" | 12.5 | 23 | 16 | 30 | 1/case |
| NEW! | HT550 | Heavy Wt. Roll | 15"x50' | Yes (3), 5" and every 18" | 12.5 | 8 | 5 | 60 | 1/case |
| | HT303 | Medium Wt. Roll | 30"x300' | Yes, 15" and every 15" | 12 | 63 | 40 | 12 | 1/bale |
| NEW! | HT303X | Medium Wt. Roll | 30"x300' | No | 12.5 | 65 | 40 | 12 | 1/bale |
| | HT350 | Medium Wt. Roll | 30"x150' | Yes, 15" and every 18" | 12.5 | 35 | 20 | 12 | 1/bale |
| | HT153 | Medium Wt. Roll | 15"x300' | Yes, every 15" | 12.5 | 32 | 20 | 24 | 1/bale |
| NEW! | HT230 | Light Wt. Roll | 30"x300' | Yes, 15" and every 15" | 12.5 | 42.5 | 29.5 | 18 | 1/bale |
| NEW! | HT215 | Light Wt. Roll | 15"x300' | Yes, every 15" | 12.5 | 21.5 | 15 | 18 | 1/bale |

HT550 and HT555 - Versatile Multi-Perforated Rolls

servicing

• Precision engineering

- Convenient dispenser box
- Triple perforated lengthwise every 5"
- Cross-wise perforation every 18"



12





| | SPC | |
|-------------------|---|--|
| Product | Summary | |
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids | |
| Durability | 11 | |

Durability: VV

Linting: Medium Linting Absorbencies: Heavy & Medium Weight

Cost: \$\$\$

Recommended Applications

• Anywhere there is a leak, drip or spill • Production/machine

areas

- Under assembly lines or equipment
- Maintenance areas
- · Liquid storage areas

MRO Plus® Absorbents

Our number one universal absorbent and the standard in all-purpose, gray maintenance absorbents.

- Absorbs all industrial liquids (water, petroleum and chemical-based fluids)
- 3-ply (MMM) Meltblown Polypropylene construction makes it stronger, more durable and reduces lint
- Perforated to help you reduce waste by using only what you need
- Dimpled for added durability & reduced linting, and gray color masks drips and spills

MRO150DND features 150 heavyweight pads in a unique Dispense-n-Dispose™ system - packaging doubles as a dispenser and a disposal bin all at once.





| Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|----------------|-----------------|----------|------------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| MRO Plus Pads | | | | | | , í | | |
| MRO50 | Heavy Wt. Pad | 30"x30" | Yes, 15" | 12.5 | 41 | 26.5 | 13 | 50/bale |
| MRO150DND* | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 39 | 27 | 18 | 150/case |
| MRO100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 26 | 17.5 | 30 | 100/case |
| MRO100-2 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 13.5 | 8 | 36 | 50/bale |
| MRO300 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 20.5 | 14 | 30 | 100/case |
| MRO Plus Rolls | 6 | | | | | | | |
| MRO30DP | Heavy Wt. Roll | 30"x150' | Yes, every 15" and up center | 12.5 | 49 | 32 | 12 | 1/case |
| MRO30P | Heavy Wt. Roll | 30"x150' | Yes, every 30" | 12.5 | 49 | 32 | 12 | 1/case |
| MRO30 | Heavy Wt. Roll | 30"x150' | No | 12.5 | 49 | 33 | 12 | 1/case |
| MRO24DP | Heavy Wt. Roll | 24"x150' | Yes, every 12" and up center | 12.5 | 39 | 22.5 | 27 | 1/bale |
| MRO15DP | Heavy Wt. Roll | 15"x150' | Yes, 7.5" and 12" across | 12.5 | 24 | 17.5 | 30 | 1/case |
| MRO15P | Heavy Wt. Roll | 15"x150' | Yes, every 18" | 12.5 | 24 | 17.5 | 30 | 1/case |
| MRO15 | Heavy Wt. Roll | 15"x150' | No | 12.5 | 24 | 17.5 | 30 | 1/case |
| MRO15DPS | Heavy Wt. Roll | 15"x73' | Yes, 7.5" and 12" across | 12.5 | 12 | 8 | 80 | 1/bale |
| MRO12P | Heavy Wt. Roll | 12"x150' | Yes, every 12" | 12.5 | 20 | 11.5 | 36 | 1/bale |
| MRO350DP | Medium Wt. Roll | 30"x150' | Yes, 15" and every 15" | 12.5 | 38 | 26.5 | 12 | 1/case |
| MRO350 | Medium Wt. Roll | 30"x150' | No | 12.5 | 38 | 26.5 | 12 | 1/case |
| MRO315P | Medium Wt. Roll | 15"x150' | Yes, every 18" | 12.5 | 20 | 14 | 30 | 1/case |

*Features Dispense-N-Dispose System

Universal Absorbency



GP - "General Purpose" Absorbents

These economical, general purpose absorbents offer the look, feel and performance of a premium product.

- Universal in nature so it absorbs basically all fluids (water, petroleum and chemical-based fluids)
- Universal Meltblown Polypropylene
- Efficient single-ply construction
- Made with MAXX Technology improved adsorption and strength without the extra weight
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need

| Product | Summary |
|-------------------------------|---|
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids |
| Durability: | 1 |
| Linting: | Medium Linting |
| Absorbencies: | Heavy, Medium & Light Weight |
| Cost: | \$\$ |
| Recommende | d Applications |
| Ideal for industrial settings | Transportation maintenance |

- Machine shop
- Refineries
- Paper mills
- maintenanceSteel manufacturing
- Anywhere there is a
- leak, spill or drip



| Catalog # GP Pads | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|----------------------|------------------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| GP100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 18 | 28 | 11.5 | 24 | 100/case |
| GP100-B | Heavy Wt. Pad (bagged) | 15"x19" | Yes, 7.5" | 18 | 30 | 12 | 24 | 100/bale |
| GP300 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 20 | 28 | 10 | 30 | 100/bale |
| GP200-B | Light Wt. Pad (bagged) | 15"x19" | Yes, 7.5" | 20 | 44 | 16 | 18 | 200/bale |
| GP500 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 20 | 22 | 8.2 | 30 | 100/bale |
| MXU1000 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 24 | 27 | 11 | 30 | 100/case |
| GP Rolls | | | | | | | | |
| GP30 | Heavy Wt. Roll | 30"x150' | No | 13 | 48 | 28 | 18 | 1/bale |



14



Basic Universal Absorbent

Our value-priced universal all-purpose absorbent.

- Absorbs all water-based industrial liquids, oils and petroleum-based fluids
- Universal Meltblown Polypropylene
- Economical single-ply construction
- Perforated to help you reduce waste by using only what you need
- Dimpled for added durability and reduced linting

| Product | Summary |
|---------|---------|
|---------|---------|

- Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids
 - Durability: 🗸
 - Linting: Medium Linting
 - Absorbencies: Heavy, Medium & Light Weight
 - Cost: \$

Recommended Applications

Printing

Transportation

- General industrial universal applications
- Manufacturing



| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|------------------------|----------------|----------|----------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | Basic Universal | Pads | | | | | | | |
| NEW! | BPU100 | Heavy Wt. Pad | 15"x17" | Yes, 7.5" | 18 | 20.5 | 8.5 | 30 | 100/bale |
| NEW! | BPU200 | Light Wt. Pad | 15"x17" | Yes, 7.5" | 18 | 34 | 13.7 | 18 | 200/bale |
| NEW! | BPU500 | Light Wt. Pad | 15"x17" | Yes, 7.5" | 18 | 17 | 7 | 30 | 100/bale |
| | Basic Universal | Rolls | | | | | | | |
| NEW! | BRU150 | Heavy Wt. Roll | 30"x150" | Yes, every 30" | 14.5 | 38 | 19.5 | 18 | 1/bale |

Request a SPC Absorbent Sample Pack

Absorbents can protect your employees from the hazards that result from leaks, drips and spills.



Visit www.BradyID.com/SPC

to request a free Absorbent Sample Pack to see what SPC absorbents can do for you!



CLEANING UP SPILLS ON LAND OR WATER

Oil Only Absorbency

Specialized for oil and other petroleum-based spills, oil only pads and rolls will not absorb water and will float indefinitely. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for outside use, Brady's oil only SPC products are equally effective in soaking up petroleum-based solvents and paints, vegetable oils and other nonwater soluble oil-based fluids.

The Technology:

The technology (construction layers, weave and loft) behind each of the oil only products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.



Common Liquids Absorbed:

- Drilling and cutting Gasoline, diesel fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids And other oils and
- Lubricants

View Products Online

Scan to quickly view these Oil Only Absorbents online or visit: www.BradyID.com/SPC

- and aircraft fuels • Cooking oils
- Oil-based paints and solvents
- petroleum-based fluids

Oil Only Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

| | Applications | Dura | bility Linting | cost | Absorbency Grades | Construction | |
|--|--|-------|-------------------|--------|---------------------------------|--|---|
| SXT [®] Oil Absorbent Pads & Rolls Page 18 | Quality absorbent for wiping tools or component parts that require high durability | J J J | Low Linting | \$\$\$ | Heavy Weight | 3-ply (SMS) Meltblown Polypropylene, spunbound coverstock on both sides | |
| Oil Plus Absorbent Pads & Rolls Page 19 | Durable for general industrial applications such as wiping, drips and leaks | 55 | Medium Linting | \$\$\$ | Heavy, Medium & Light Weight | 3-ply (MMM) Meltblown Polypropylene | |
| SPC [®] Oil Absorbent Pads & Rolls Page 20 | Cost effective and ideal for industrial applications or marine spills | 55 | Medium Linting | \$\$ | Heavy & Medium Weight | Single-ply Meltblown Polypropylene | |
| ENV [®] Oil Absorbent Pads & Rolls Page 21 | Contractor grade for emergency marine spills and maximum absorbency | 55 | High Linting | \$ | Heavy & Medium Weight | Single-ply Meltblown Polypropylene | |
| Basic Oil Only Absorbent Pads & Rolls Page 22 | Value absorbent for general purpose wiping, drips or leaks and marine applications | s | High Linting | \$ | Heavy & Light Weight | Single-ply Meltblown Polypropylene | * |
| Static Resistant Absorbent Pads & Rolls Page 23 | For wherever static electricity is a concern, around fuel or other ignitable fumes | 55 | High Linting | \$\$\$ | Heavy & Medium Weight | Single-ply Meltblown Polypropylene | |

Oil Only Absorbency



| Product | Summary |
|-------------------|---|
| Liquids Absorbed: | Oils, Coolants, Solvents and Oil-based Fluids |
| Durability: | $\int \int \int$ |
| Linting: | Low Linting |
| Absorbencies: | Heavy Weight |
| Cost: | \$\$\$ |

Recommended Applications

- For drips, spills and wiping applications
- Machining of small parts
 - Food processing

 Precision engineering

- High tech industriesPharmaceutical
- Paper industries

SXT® Oil Absorbents

The ideal absorbent when durability, abrasion resistance and low linting is required.

- High performance, oil only absorbent made to handle petroleum-based spills
- Repels water and floats indefinitely; also remains intact even when saturated with oil
- 3-ply (SMS) construction and Oil Only Meltblown Polypropylene
- Spunbond coverstock on both sides maximizes durability with very low linting
- Both abrasion resistant and non-abrasive performance – ideal for wiping down tools or component parts
- The extra strength required for the wringing and reusing of absorbents
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need



| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|---------------|----------------|----------|------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | SXT Oil Pads | | | | | | | | |
| | SXT100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 12 | 19.5 | 14.5 | 30 | 100/case |
| NEW! | SXT300 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 12 | 17 | 10 | 30 | 100/case |
| | SXT200 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 14 | 31.5 | 18 | 24 | 200/case |
| | SXT Oil Rolls | | | | | | | | |
| | SXT30DP | Heavy Wt. Roll | 30"×150' | Yes, 15" and every 15" | 12 | 37 | 26.5 | 12 | 1/case |
| | SXT15P | Heavy Wt. Roll | 15"x150' | Yes, every 18" | 12 | 18 | 14 | 30 | 1/case |





Oil Plus Oil Absorbents

Perfect for general everyday use and emergency spill clean-up.

- Absorbs petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply (MMM) Meltblown Polypropylene construction
- Multi-ply, heavyweight quality you can count on
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need
- Wide selection of roll sizes makes it ideal for industrial applications

OP150DND features 150 heavyweight pads in a unique Dispense-n-Dispose™ system - packaging doubles as a dispenser and a disposal bin all at once.





| Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|----------------|-----------------|----------|--------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| Oil Plus Pads | Type | 5126 | renorated | | Capacity (gai) | Wr (ibs) | Gry. | Guantity |
| OP50 | Heavy Wt. Pad | 30"x30" | Yes, 15" | 12.5 | 41 | 24 | 13 | 50/bale |
| OP150DND* | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 39 | 27 | 18 | 150/case |
| OP100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 26 | 17.5 | 30 | 100/case |
| OP300 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 20.5 | 14 | 30 | 100/case |
| Oil Plus Rolls | | | | | | | | |
| OP30DP | Heavy Wt. Roll | 30"x150' | Yes, 15" and every 15" | 12.5 | 49 | 33 | 12 | 1/case |
| OP30P | Heavy Wt. Roll | 30"x150' | Yes, every 30" | 12.5 | 49 | 33 | 12 | 1/case |
| OP30 | Heavy Wt. Roll | 30"x150' | No | 12.5 | 49 | 33 | 15 | 1/case |
| OP15DP | Heavy Wt. Roll | 15"x150' | Yes, 7.5" and 12" across | 12.5 | 24 | 17.5 | 30 | 1/case |
| OP15P | Heavy Wt. Roll | 15"x150' | Yes, every 18" | 12.5 | 24 | 17.5 | 30 | 1/case |
| OP15 | Heavy Wt. Roll | 15"x150' | No | 12.5 | 24 | 17.5 | 30 | 1/case |
| OP15DPS | Heavy Wt. Roll | 15"x73' | Yes, 7.5" and 12" across | 12.5 | 12 | 7.5 | 80 | 1/bale |
| OP550 | Heavy Wt. Roll | 15"x50' | Yes, every 18" | 12.5 | 9 | 5 | 60 | 1/case |
| OP350DP | Medium Wt. Roll | 30"x150' | Yes, 15" and every 15" | 12.5 | 38 | 26.5 | 12 | 1/case |
| OP315P | Medium Wt. Roll | 15"x150' | Yes, every 18" | 12.5 | 19 | 14 | 30 | 1/case |

*Features Dispense-N-Dispose System

| Product | Summary |
|-------------------|---|
| Liquids Absorbed: | Oils, Coolants, Solvents and Oil-Based Fluids |
| Durability: | \checkmark |
| Linting: | Medium Linting |
| Absorbencies: | Heavy, Medium & Light Weight |
| Cost: | \$\$\$ |
| | |

Recommended Applications

- Ideal for industrial applications
- Automotive industries
- Precision engineering
- Heavy manufacturingFuel stations
- Printing industries

Oil Only Absorbency



SPC® Oil Absorbents

Our standard oil only pads for industrial or marine use.

Convenient and cost-effective, Brady's original SPC absorbent is still one of our most popular lines. It is made with MAXX® Technology, meaning greater performance without the extra weight.

- Single-ply Oil Only Meltblown Polypropylene
- Absorbs petroleum-based liquids and repels water making it ideal for outdoor marine or environmental applications, as well as for general industrial use.
- Floats indefinitely even when saturated with oil
- Dimpled for added durability & reduced linting
- Perforated to help you reduce waste by using only what you need
- All SPC® Oil Absorbents are packaged in a blue colored bag to streamline absorbent identification in your facility



| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|------------|--|------------|------------------------|------------------------------|------------------------------|----------------------|----------------|-----------|
| | SPC Oil Pa | | | | | | . , | í | , |
| | SPC50 | Heavy Wt. Pad | 33"x39" | No | 18 | 73 | 33.5 | 7 | 50/bale* |
| | SPC100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 18 | 35 | 14 | 30 | 100/bale* |
| NEW! | SPC100B | Heavy Wt. Pad (Blue MBPP Pad) | 15"x19" | Yes, 7.5" | 18 | 35 | 14 | 30 | 100/bale* |
| NEW! | SPC105 | Heavy Wt. Pad (1 side w/blue coverstock) | 15"x19" | Yes, 7.5" | 18 | 35 | 14 | 30 | 100/bale* |
| | SPC300 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 18 | 30 | 11 | 30 | 100/bale* |
| | SPC200 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 18 | 40 | 16 | 18 | 200/bale* |
| | SPC500 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 18 | 20 | 8.2 | 30 | 100/bale* |
| | SPC Oil Ro | lls | | | | | | | |
| | SPC150 | Heavy Wt. Roll | 38"x144' | No | 15 | 70 | 33 | 18 | 1/bale* |
| | SPC152 | Heavy Wt. Roll | 19"x144' | No | 15 | 70 | 33 | 18 | 2/bale* |
| NEW! | SPC19150 | Heavy Wt. Roll | 19" x 144' | No | 15 | 35 | 17 | 36 | 1/bale* |
| NEW! | SPC156 | Medium Wt. Roll (1 side w/blue coverstock) | 30"x150' | Yes, 15" and every 15" | 15 | 37 | 26.5 | 18 | 1/bale* |



*SPC Oil Absorbents packaged in a blue bag.

| Liquids Absorbed: | Oils, Coolants, Solvents and Oil-based Fluids |
|---------------------------|---|
| Durability: | \checkmark |
| Linting: | Medium Linting |
| Absorbencies: | Heavy & Medium Weight |
| Cost: | \$\$ |
| Recommende | d Applications |
| General industrial use | Oil refineries/Fuel chemical |

Product Summary

- us Marine and
 - General environmental spills manufacturing

20



ENV® Oil Absorbents

Made with MAXX® Technology for superior absorbency and greater strength. Plus, they weight less - which means lower disposal costs!

Highly economical, contractor grade Oil Only Meltblown Polypropylene for oil clean-up on land or water.

- Absorbs petroleum-based liquids and repels water
- Economical single-ply construction
- Floats indefinitely even when saturated with oil
- Perforated to help you reduce waste by using only what you need
- All ENV® Oil Absorbents are packaged in a green colored bag to streamline absorbent identification in your facility

| | Product | Summary | |
|-----|-------------------------------------|---|--|
| Lie | quids Absorbed: | Oils, Coolants, Solvents and Oil-based Fluids | |
| | Durability: | \checkmark | |
| | Linting: | High Linting | |
| | Absorbencies: | Heavy & Medium Weight | |
| | Cost: | \$ | |
| R | ecommende | d Applications | |
| | ne and ronmental spills | Emergency spill response | |
| | eral industrial oil applications | On-board vesselsOff-shore oil rigs | |

Coast guard

• er • G



| Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|---------------|-----------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|-----------|
| ENV Oil Pads | | | | | | | | |
| ENV100 | Heavy Wt. Pad | 15"x19" | No | 20 | 33 | 12.5 | 24 | 100/bale* |
| ENV50 | Medium Wt. Pad | 30"x30" | No | 20 | 50 | 19 | 7 | 50/bale* |
| ENV300 | Medium Wt. Pad | 15"x19" | No | 20 | 28 | 10 | 24 | 100/bale* |
| ENV200 | Light Wt. Pad | 15"x19" | No | 23 | 51 | 16 | 18 | 200/bale* |
| ENV500 | Light Wt. Pad | 15"x19" | No | 23 | 24.5 | 8 | 30 | 100/bale* |
| MXO1000 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 23 | 26 | 11 | 30 | 100/case* |
| ENV Oil Rolls | | | | | | | | |
| ENV150 | Medium Wt. Roll | 30"x150' | No | 15 | 44 | 22 | 18 | 1/bale* |

*ENV Oil Absorbents packaged in a green bag.

Oil Only Absorbency



| Product | Summary |
|--|---|
| Liquids Absorbed: | Oils, Coolants, Solvents and Oil-based Fluids |
| Durability: | 1 |
| Linting: | High Linting |
| Absorbencies: | Heavy & Light Weight |
| Cost: | \$ |
| Recommende | d Applications |
| Marine and | Transportation |
| environmental spills | Emergency spill |
| General industrial oil | response |
| only applications | Coast guard |
| Manufacturing | On-board vessels |
| | |

- Printing
- Off-shore oil rigs

Basic Oil Absorbents

Our value-priced oil only absorbent.

- Oil Only Meltblown Polypropylene
- Absorbs petroleum-based liquids and repels water
- Floats indefinitely even when saturated with oil
- Economical single-ply construction
- Perforated to help you reduce waste by using only what you need
- Dimpled for added durability and reduced linting
- All Basic Oil Absorbents are packaged in a clear bag to streamline absorbent identification in your facility



| | Catalog # Basic Oil Pads | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|-----------------------------|----------------|----------|----------------|------------------------------|------------------------------|----------------------|----------------|----------|
| NEW! | BPO100 | Heavy Wt. Pad | 15"x17" | Yes, 7.5" | 18 | 20.5 | 8.5 | 30 | 100/bale |
| NEW! | BPO200 | Light Wt. Pad | 15"x17" | Yes, 7.5" | 18 | 34 | 13.7 | 18 | 200/bale |
| NEW! | BPO500 | Light Wt. Pad | 15"x17" | Yes, 7.5" | 18 | 17 | 7 | 30 | 100/bale |
| | Basic Oil Rolls | | | | | | | | |
| NEW! | BRO150 | Heavy Wt. Roll | 30"x150" | Yes, every 30" | 14.5 | 38 | 19.5 | 18 | 1/bale |

*Basic Oil Absorbents packaged in a clear bag.

Perforations - Saving you time and money

Perforated absorbents allow you to quickly and easily select the perfect size absorbent. Choose a small for small spills, or a larger section for bigger spills. Multiple size options mean less waste since you only use what you need.





22



For areas where static electricity is a concern.


- Oil Only pads and rolls are specially treated to resist static electricity build up
- Oil only so they do not absorb water perfect for outdoor use
- Economical single-ply construction
- Meets National Fire Protection Association (NFPA) specifications



- Cold environments



| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|------------------|----------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | Static Resistant | Oil Pads | | | | | | | |
| | SR3625 | Heavy Wt. Pad | 30"x30" | No | 13 | 16 | 9 | 14 | 25/bale |
| NEW! | SR100 | Heavy Wt. Pad | 15" x19" | No | 13 | 26 | 14.5 | 30 | 100/bale |
| | SR1825 | Medium Wt. Pad | 15"x19" | No | 15 | 6 | 3.2 | 90 | 25/bale |
| | Static Resistant | Oil Rolls | | | | | | | |
| | SR3600 | Heavy Wt. Roll | 30"x150' | No | 15 | 44 | 22 | 18 | 1/bale |



CHEMICAL PADS & ROLLS COLOR-CODED FOR SAFETY

Chemical Absorbency

Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals, including hydrofluoric acid and are chemically inert, so they will not react with aggressive fluids.

The Technology:

The technology or structure behind each of the chemical products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.

Common Liquids Absorbed:

- Acids and bases
- Aggressive chemicals
- Oils
- Solvents
- Citric acid
- Water-based fluids
- Sodium hydroxide
- And other unknown chemicals

View Products Online



Scan to quickly view these Chemical Absorbents online or visit: www.BradyID.com/SPC



Chemical Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

| | Applications | Dur | ability Lintif | ¹⁹ cost | Absorbency Grades | Construction | |
|---|---|-----|-------------------|--------------------|----------------------|---|---|
| Universal Plus Pads & Rolls Page 26 | For industrial applications where greater durability is needed with hazardous chemicals | 55 | Medium Linting | \$\$\$ | Medium Weight | 3-ply Meltblown Polypropylene, spunbound coverstock on both sides | • |
| Chemical Pads & Rolls Page 27 | Economical absorbent for picking up hazardous chemicals. | 55 | Medium Linting | \$\$ | Medium Weight | Single-ply Meltblown Polypropylene | |

Increase Safety and Save: Color Coded Waste Stream

Save on disposal costs by using different colored absorbents in specific parts of you facility and throughout your waste streams.

For example: a facility might use yellow absorbents in radioactive areas and green absorbents in their chlorine areas. Then the facility would use gray universal absorbents for the rest of their facility.

A color coded system benefits your employees' understanding of the waste stream because they will assume yellow absorbents are saturated with radioactive waste and green absorbents are saturated with chlorine.



Chemical Absorbency



Universal Plus Absorbents

Green color (the universal symbol for safety) indicates that it is intended for use on hazardous materials

- Green universal absorbent for any liquids including oil and hazardous chemicals and acids
- Universal Meltblown Polypropylene
- Dimpled for added durability and reduced linting
- 3-ply construction makes it stronger, more durable and reduces lint
- Perforated to help you reduce waste by using only what you need
- Chemically inert making it ideal for use with aggressive fluids



| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|------------------|-----------------|----------|------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | Universal Plus F | Pads | | | | | | | |
| | SPCUN1719 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 12.5 | 20.5 | 14.5 | 30 | 100/case |
| | SPCUN1113 | Medium Wt. Pad | 12"x12" | No | 16 | 12.5 | 16 | 30 | 200/case |
| NEW! | SPCUN1113-50 | Medium Wt. Pad | 12"X12" | No | 12.5 | 5.5 | 4 | 120 | 50/case |
| | Universal Plus F | Rolls | | | | | | | |
| | SPCUN3800 | Medium Wt. Roll | 30"x150' | Yes, 15" and every 15" | 12.5 | 39 | 27 | 12 | 1/case |
| | SPCUN1019 | Medium Wt. Roll | 15"x150' | Yes, 15" and every 15" | 12.5 | 39 | 24 | 15 | 2/case |



Product Summary

Liquids Absorbed: Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals Durability: ✓✓ Linting: Medium Linting Absorbencies: Medium Weight Cost: \$\$\$

Recommended Applications

- Where hazardous chemicals and acids are involved
- Laboratories
- Hospitals
- Research institutesPharmaceutical
- Chemical plants



CH - "Chemical" Absorbents

And economical yellow absorbent that offers high visibility for your hazardous chemical applications.

- Color-coded yellow for safety and easy separation of hazardous waste
- Meltblown Polypropylene
- Economical single-ply construction
- Made with MAXX[®] technology improved adsorption and strength with less weight
- Dimpled for added durability and reduced linting
- Product will not react with aggressive fluids

| Product | Summary |
|---------|---------|
| | |

| Liquids Absorbed: | Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals |
|-------------------|---|
| Durability: | \checkmark |
| Linting: | Medium Linting |
| Absorbencies: | Medium Weight |

Cost: \$\$

Recommended Applications

- For use where hazardous chemicals and acids are involved
 - re Labs • Any ir
- Nuclear power facilities
- response unitsLabs and hospitalsAny industrial
- application utilizing aggressive fluids

· Chemical spill



| | Catalog # Chemical Pads | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|----------------------------|-----------------|----------|------------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | Chemical Paus | | | | | | | | |
| | CH100 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 18 | 30 | 16 | 30 | 100/case |
| | CH1212 | Medium Wt. Pad | 12"x12" | No | 18 | 30 | 14.5 | 30 | 200/case |
| NEW! | CH1212-50 | Medium Wt. Pad | 12"X12" | No | 12.5 | 7.5 | 4 | 120 | 50/case |
| | Chemical Rolls | | | | | | | | |
| | CH30DP | Medium Wt. Roll | 30"×150' | Yes, every 15" and up center | 12.5 | 40 | 25 | 12 | 1/case |
| | CH15P | Medium Wt. Roll | 15"x150' | Yes, every 18" | 12.5 | 20 | 14 | 30 | 1/bale |

Re-Form™ Eco-Friendly Absorbents

ECO-FRIENDLY AND HIGH PERFORMANCE

Re-Form[™] Absorbents

Re-Form[™] absorbents are made from a minimum of 80% recycled newsprint and other cellulose for Universal products, and 80% cotton and other cellulose fibers for oil only products. Plus, Re-Form[™] absorbents offer greater absorbency, which means you'll have less waste and lower disposal costs.

The Technology:

The unique construction of Re-Form[™] absorbent material offers superior absorbency. In fact, Re-Form absorbents have been tested to be 25-50% more absorbent than oil-based polypropylene absorbents, so you'll use less product to get the job done. Less waste makes this absorbent both green and lean!

Cost Savings:

Re-Form[™] absorbents are typically less expensive than polypropylene absorbents which are oil-based and dependant upon volatile oil prices.



Re-Form[™] Universal Absorbents Recommended For:

- Coolants
- Solvents
- Oils & Gasoline
- And other waterbased fluids

Re-Form[™] Oil Only Absorbents Recommended For:

- Grease
- Coolants &
 Transmission fluids
- And other petroleum-based fluids

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.

View Products Online



Scan to quickly view these Re-Form[™] Absorbents online or visit: www.BradyID.com/SPC

28

Re-Form[™] Absorbent Family:

All of these pads and rolls start with a highly absorbent core made from recycled materials - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

| | Applications | Durr | ability Lintin | a) Cost | Absorbency Grades | Construction | |
|--|---|------|-------------------|------------|---------------------------------|---|---------|
| Re-Form [™] XPlus Absorbent Pads & Rolls Page 30 | When durability and lower linting is needed for foot traffic, walkways, and around work stations. | 55 | Medium Linting | \$\$\$ | Medium Weight | Minimum 80% recycled cellulose with 2-sided MBPP coverstock | 6 9 |
| Re-Form [™] Plus Absorbent Pads & Rolls Page 31 | Maintenance absorbent for general industrial applications | 55 | Medium Linting | \$\$ | Heavy, Medium & Light Weight | Minimum 80% recycled newsprint and cellulose with 1-sided coverstock | |
| Re-Form[™] Absorbent Pads Page 32 | Value absorbent for general purpose wiping, drips or leaks | 1 | High Linting | \$ | Heavy, Medium & Light Weight | Minimum 80% recycled newsprint and cellulose | The sta |
| Re-Form [™] Oil Only Absorbent Pads & Rolls Page 33 | High absorbency for petroleum- based drips, spills and wiping applications | J | Low Linting | \$\$\$ | Heavy Weight | Minimum 80% recycled cotton and cellulose with 2-sided coverstock | |

Request a SPC Absorbent Sample Pack

Absorbents can protect your employees from the hazards that result from leaks, drips and spills.



Visit www.BradyID.com/SPC

to request a free Absorbent Sample Pack to see what SPC absorbents can do for you!





Re-Form[™] XPlus Absorbents

A medium weight absorbent with the same absorbency capacity as Re-Form[™] Plus Absorbents but with meltblown coverstock on both sides.

- Made from 80% recycled cellulose
- Supports corporate sustainability and LEED initiatives
- · Absorbs water-based chemicals, oils and petroleum-based products
- Up to 50% more absorbent than comparable MBPP absorbents
- Meltblown coverstock on both sides for better traction
- Dimpled and perforated to help you use only what vou need

| Oils, Coolants, Solvents and Water-based Fluids |
|---|
| \checkmark |
| Medium Linting |
| Medium Weight |
| \$\$\$ |
| d Application |
| |

- · For drips, spills, and wiping applications
- General purpose absorbent
- Indoor use or dryweather outdoor use
- Light foot traffic




| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|----------------------|-----------------|------------|---------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | Re-Form XPlus | Pads | | | | | | | |
| NEW! | RFDP300 | Medium Wt. Pad | 15"x19" | Yes, 7.5" | 16.5 | 32 | 16.6 | 30 | 100/case |
| | Re-Form XPlus | Rolls | | | | | | | |
| NEW! | RFDP328-DP | Medium Wt. Roll | 28.5"x150' | Yes, 14.25" and every 19" | 16.5 | 55 | 33.3 | 12 | 1/case |
| | | | | | | | | | |

*Re-Form[™] Absorbents are not intended for use with highly aggressive chemicals.

Did You Know? Re-Form[™] XPlus Now Offers Better Traction

Re-Form[™] XPlus Absorbents have been updated to include a meltblown coverstock on both sides. This improvement offers you better traction and durability than its original construction, helping you prevent slips, trips and falls in your facility.







Re-Form[™] Plus Absorbents

Eco-friendly general purpose absorbent with spunbond coverstock on one side to make it ideal for wiping applications and light foot traffic.

- Made from 80% recycled newsprint and cellulose
- Supports corporate sustainability and LEED initiatives
- Spunbond coverstock on one side for durability
- Absorbs water-based chemicals, oils and petroleum-based products
- Up to 50% more absorbent than comparable polypropylene absorbents
- Perforated to help you reduce waste by using only what you need
- Class A fire retardant

| Product | Summary |
|---|---|
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids |
| Durability: | \checkmark |
| Linting: | Medium Linting |
| Absorbencies: | Heavy, Medium & Light Weight |
| Cost: | \$\$ |
| Recommende | d Applications |
| For drips, spills and viping applications | Production/Machine areas |

- Indoor use or dry-• weather outdoor use Maintenance areas
- Under assembly
- lines, equipment or vehicles
- Light foot traffic areas Liquid storage area



| Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|-----------------------|-----------------|-------------|---------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| Re-Form Plus F | Pads | | | | | | | |
| RFP100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 17 | 40 | 19.5 | 24 | 100/case |
| RFP500 | Light Wt. Pad | 15"x19" | Yes, 7.5" | 17 | 24 | 12.7 | 36 | 100/case |
| Re-Form Plus F | Rolls | | | | | | | |
| RFP28-DP | Heavy Wt. Roll | 28.5"x150' | Yes, 14.25" and every 19" | 17 | 62 | 33 | 12 | 1/case |
| RFP328-DP | Medium Wt. Roll | 28.5"x150' | Yes, 14.25" and every 19" | 17 | 53 | 30.5 | 12 | 1/case |
| RFP314P | Medium Wt. Roll | 14.25"x150' | Yes, every 19" | 17 | 29 | 15.5 | 24 | 1/case |

*Re-Form[™] Absorbents are not intended for use with highly aggressive chemicals.



Re-Form[™] Absorbents

Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene.

- Made from 80% recycled newsprint & cellulose
- Absorbs water-based chemicals, oils and petroleumbased products
- Up to 50% more absorbent than comparable polypropylene absorbents
- Nylon mesh construction provides extra durability and strength
- Class A fire retardant
- Supports corporate sustainability and LEED initiatives

| Product | Summary |
|----------------------------------|---|
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids |
| Durability: | 1 |
| Linting: | High Linting |
| Absorbencies: | Heavy, Medium & Light Weight |
| Cost: | \$ |
| Recommende | d Applications |
| For drips and spill applications | Liquid storage areasProduction/Machine |

- Indoor use or dryweather outdoor use
- Maintenance areas
- areas
 Under assembly/ equipment lines or vehicles



| Catalog # Re-Form Pads | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|---------------------------|----------------|---------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| RF100 | Heavy Wt. Pad | 15"×19" | No | 17.5 | 40 | 19 | 24 | 100/case |
| RF300 | Medium Wt. Pad | 15"x19" | No | 17.5 | 32 | 14.8 | 30 | 100/case |
| RF500 | Light Wt. Pad | 15"x19" | No | 17.5 | 24 | 12 | 36 | 100/case |

*Re-Form[™] Absorbents are not intended for use with highly aggressive chemicals.

Absorbents vs. Rags

Absorbent pads are a clean, safe and cost efficient way to clean-up small spills compared to laundered rags. Laundered rags oftentimes contain residual oil, grease or metal shavings.

By using absorbents, you're assured to always have a clean and safe product in hand.







Product Summary Liquids Absorbed: Oils, Coolants,

> Linting: Low Linting Absorbencies: Heavy Weight Cost: \$\$\$

Recommended Applications

· For drips, spills and

• Paper industries

• Pharmaceutical

wiping applications

• High tech industries

Durability: $\sqrt{\sqrt{2}}$

Solvents and Water-based Fluids

• Machining of small

Food processing

Precision engineering

environmental spills

parts

• Marine and

Re-Form[™] Oil Only Absorbents

Repels water and floats making it ideal for outdoor applications.

- Absorbs more than 34 times its weight in liquid
- 40% higher absorption ratio than the next leading absorbent
- Spunbond coverstock adds durability and reduces linting
- Made from 80% all natural cotton fibers
- Perforated to help you reduce waste by using only what you need
- Supports corporate sustainability and LEED initiatives



| Catalog # Re-Form Oil Or | Type | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|-----------------------------|----------------|-------------|---------------------------|------------------------------|------------------------------|----------------------|----------------|----------|
| RFODP100 | Heavy Wt. Pad | 15"x19" | Yes, 7.5" | 30 | 39 | 12 | 24 | 100/case |
| Re-Form Oil Or | ily Rolls | | | | | | | |
| RFOP28-DP | Heavy Wt. Roll | 28.5"x150' | Yes, 14.25" and every 19" | 30 | 74 | 21 | 12 | 1/case |
| RFOP14P | Heavy Wt. Roll | 14.25"x150' | Yes, every 19" | 30 | 37 | 10.5 | 24 | 1/case |

*Re-Form[™] Absorbents are not intended for use with highly aggressive chemicals.

See Re-Form[™] Absorbents In Action!

Re-Form[™] absorbents have been tested to be up to 50% more absorbent than oil-based polypropylene absorbents, so you'll use less product to get the job done.



Watch the online videos at **www.BradyID.com/SPC** to see for yourself!



SPILL RESPONSE PLUS FOR RETAIL, HOSPITALITY AND GROCERY MARKETS

Spill Response Plus Absorbents

This smaller absorbent works to prevent slips, trips and falls that commonly occur in the retail, hospitality and grocery markets. Designed to be highly absorbent, durable and reduce waste, the Spill Response Plus absorbent is available to clean-up universal, chemical and oil only spills. By using proper absorbents for your small spill applications, employee and customer injuries will decrease and lower the risk of accidents.

The Technology

The technology behind the small absorbent product make it ideal for high traffic areas where large pads, rolls and spill prevention kits do not always fit. These absorbent products were designed to help prepare and protect your facility and staff with solutions to unexpected accidents and spills.

Recommended For:

- Perfumes
- Cleaning chemicals
- Motor oil
- Vegetable oil
- Soda
- Milk
 And other common small spills

Soup

View Products Online



Scan to quickly view these Spill Response Plus Absorbents online or visit: www.BradyID.com/SPC



Spill Response Plus



Spill Response Plus Universal Absorbents

- Small convenient size for employees to fold and carry in pockets for quick response time
- Highly absorbent, multi-purpose absorbents made to handle water-based liquids and oils
- Dimpled for added durability and reduced linting

| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | | Quantity |
|------|------------------|----------------------|------------|------------|------------------------------|------------------------------|----------------------|----|----------|
| | Spill Response I | Plus Universal Pads | | | | | | | |
| NEW! | SRP100 | Heavy Wt. Pad | 7.5"x10" | No | 12.5 | 5.5 | 4 | 96 | 100/case |
| NEW! | SRP200 | Heavy Wt. Pad | 7.5"x10" | No | 12.5 | 11.1 | 7.5 | 96 | 200/case |
| | Spill Response | Plus Universal Rolls | | | | | | | |
| NEW! | SRP75P | Heavy Wt. Roll | 7.5" x 50' | Yes, 10" | 12.5 | 3.3 | 1.85 | 96 | 1/bale |

*Rolls do not include dispenser



Spill Response Plus Oil Only Absorbents

- Employees can fold and carry pads in their pockets, allowing for quick response to spills
- Highly absorbent, absorbs paints, vegetable oils and other non-water soluble oil-based fluids
- Dimpled for added durability and reduced linting

| | Catalog # | Type Plus Oil Only Pads | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|----------------|----------------------------|------------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | SRPO100 | Heavy Wt. Pad | 7.5"x10" | No | 12.5 | 5.5 | 4 | 96 | 100/case |
| NEW! | SRPO200 | Heavy Wt. Pad | 7.5"x10" | No | 12.5 | 11.1 | 7.5 | 96 | 200/case |
| | Spill Response | Plus Oil Only Rolls | | | | | | | |
| NEW! | SRPO75P | Heavy Wt. Roll | 7.5" x 50' | Yes, 10" | 12.5 | 3.3 | 1.85 | 96 | 1/bale |

*Rolls do not include dispenser



Spill Response Plus Universal Plus Absorbents

- Small custom size reduces waste use only what you need
- Highly absorbent, multi-purpose absorbents made to handle virtually any liquid
- Dimpled for added durability and reduced linting

| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|------------------|------------------------|------------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| | Spill Response I | Plus Universal Plus Pa | ds | | | | | | |
| NEW! | SRPH100 | Heavy Wt. Plus Pad | 7.5"x10" | No | 12.5 | 5.5 | 4 | 96 | 100/case |
| NEW! | SRPH200 | Heavy Wt. Plus Pad | 7.5"x10" | No | 12.5 | 11.1 | 7.5 | 96 | 200/case |
| | Spill Response | Plus Universal Plus Ro | olls | | | | | | |
| NEW! | SRPH75P | Heavy Wt. Plus Roll | 7.5" x 50' | Yes, 10" | 12.5 | 3.3 | 1.85 | 96 | 1/bale |

*Rolls do not include dispenser



Contents:

20 pads (7.5" x 10") 1 disposal bag 1 pair goggles 1 pair nitrile gloves 1 instruction sheet

2-Gallon Spill Response Plus Spill Kit

- Highly absorbent, durable and reduced waste
- Ideal for small spills such as perfumes, cleaning chemicals, motor oils, soda, soups, etc.
- Absorbs up to 4.5 gallons per kit (9.75"D X 10.5"h)

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|-----------|-----------|------------------------------|----------------------|----------------|----------|
| NEW! | SKA-SRP | Universal | 1.1 | 2.5 | 90 | 1/each |
| NEW! | SKO-SRP | Oil Only | 1.1 | 2.5 | 90 | 1/each |
| NEW! | SKH-SRP | Chemical | 1.1 | 2.5 | 90 | 1/each |



VENDSORB ABSORBENTS

VendSorb Absorbents

Brady SPC now offers vending friendly absorbent rolls and 2-gallon spill kits. These absorbent products are ideal for creating a safe and productive work environment and dispensing the correct amount of absorbents to meet all of your spill response needs.

Available in a variety of vending sizes, VendSorb absorbents rolls and kits meet a range of applications, including universal, oil only and chemical products.

The Technology

The technology behind each of the VendSorb Absorbent products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics are what helps you decide which absorbent is best for your application.

Recommended For:

- Controlled flow of product to the point of use
- Multiple configurations and on-site applications
- Clean-up oils, coolants, water-based fluids and hazardous fluids

View Products Online



Scan to quickly view these VendSorb Absorbents online or visit: www.BradyID.com/SPC





VendSorb Universal Absorbents

- High performance, universal absorbent conveniently sized to handle most spills
- Absorbs all water-based industrial liquids, oils and petroleum-based fluids
- Reduce waste by using only what yu need, dimpled for added durability

| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|-----|-----------|----------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| NEW | VS75P | Heavy Wt. Roll | 7.5"x50" | Yes, 10" | 12.5 | 5.56 | 4.27 | 40 | 20/case |
| NEW | VS12P | Heavy Wt. Roll | 12"x60" | Yes, 12" | 12.5 | 13.6 | 9.5 | 30 | 20/case |



VendSorb Oil Only Absorbents

- Absorbs petroleum-based oils, solvents and other non-water liquids
- Floats indefinitely even when saturated with oil
- Reduce waste by using only what you need, dimpled for added durability

| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|-----------|----------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| NEW! | VSO75P | Heavy Wt. Roll | 7.5"x50" | Yes, 10" | 12.5 | 5.56 | 4.27 | 40 | 20/case |
| NEW | VSO12P | Heavy Wt. Roll | 12"x60" | Yes, 12" | 12.5 | 13.6 | 9.5 | 30 | 20/case |



VendSorb Chemical Absorbents

- Green universal absorbent for any liquids including oil and hazardous chemicals and acids
- Chemically inert making it ideal for use with aggressive fluids
- Reduce waste by using only what you need, dimpled for added durability

| | Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|-----------|----------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| NEW! | VSH75P | Heavy Wt. Roll | 7.5"x50" | Yes, 10" | 12.5 | 5.56 | 4.27 | 40 | 20/case |
| NFW! | VSH12P | Heavy Wt. Roll | 12"x60" | Yes, 12" | 12.5 | 13.6 | 9.5 | 30 | 20/case |



2-Gallon VendSorb Spill Kit

- Convenient and specialized for your spill response application needs
- Reduce waste by using only what you need
- Clean-up oils, water-based fluids and hazardous fluids
- Absorbs up to 4.5 gallons per kit (9.75"D X 10.5"h)

| L | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|-----------|-----------|------------------------------|----------------------|----------------|----------|
| NEW! | SKA-SRP | Universal | 1.1 | 2.5 | 90 | 1/each |
| NEW! | SKO-SRP | Oil Only | 1.1 | 2.5 | 90 | 1/each |
| NEW! | SKH-SRP | Chemical | 1.1 | 2.5 | 90 | 1/each |
| | | | | | | |

SOCS, PILLOWS & DRUM COVERS

FOR ABSORBING LEAKS AND SPILLS AROUND MACHINES

SOCs, Pillows & Drum Covers

Specialty absorbent products including SOCs, pillows and drum covers can be used around a facility when a pad or roll may not be sufficient. These flexible absorbents allow you to place the absorbent exactly where you need it.

Absorbent SOCs are dependable, flexible tubes that contain and absorb liquids. SOCs mold around corners and conform to uneven surfaces to soak up spills and drips, preventing fluid from escaping to other areas.

Absorbent pillows are ideal for use under the bottom of spill pallets or machines that are known to drip or leak. Pillows are easy to retrieve, and can soak up oil and water-based fluids in hard-to-reach areas such as sumps, catch basins or even outdoor ponds.

Absorbent drum covers eliminate the messy drips and overflow when mixing or pumping liquids from the drum barrel. SPC drum covers keep drums, the floor and surrounding storage areas dry and clean.

Recommended for:

- Wrap a SOC around your machine to stop leaks from reaching the floor
- Place a pillow in a tight space between machines to catch splashes or overspray
- Keep drum storage areas clean and dry with pre-cut drum covers

View Products Online



Scan to quickly view SOC absorbents online or visit: www.BradyID.com/SPC



SOCs, Pillows & Drum Cover Absorbents:

Keep your work areas clean and dry with a variety of highly absorbent products. Use the following table to quickly compare which SOC, pillow or drum cover works best for your application.

| | Liquids Absorbed | Construction | Available Products | & PILLOWS |
|--|--|---|---|------------|
| Universal SOCs, Pillows & Drum Covers Page 36 | Water-based Liquids Oil-based Liquids | Vermiculite, Polypropylene or Corn Cob Filled | ALLWIK [®] SOCs, Pillows & Drum Covers SLIKWIK [®] SOCs Cobra Coil [®] SOCs BASIC SOCs | SOCs & PIL |
| Oil Only SOCs, Pillows & Drum Covers Page 38 | Oil-based Liquids | Polypropylene Filled | Oil Only SOCS, Pillows & Drum Covers | |
| Chemical SOCs & Pillows Page 39 | Water-based Liquids Oil-based Liquids Aggressive Chemicals | Polypropylene Filled | HAZWIK® SOCS & Pillows | |
| Re-Form[™] SOCs Page 39 | Water-based Liquids Oil-based Liquids | Cellulose Filled | Re-Form™ Universal SOCs Re-Form™ Oil Only SOCs | |
| AND COR | | | | |
| | | | | 20 |



Universal Absorbency

Use these all-purpose absorbents to cleanup oils, coolants, solvents and water-based fluids throughout your facility. Their gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

ALLWIK[®] Universal SOCs

- All-purpose polypropylene SOC
- Suitable for most industrial applications
- Wringable and can be incinerated

| 6 | |
|---|--|

| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity | |
|-----------|------|--------|------------------------------|------------------------------|-------------------|-------------|----------|--|
| AW124 | SOC | 3"x12' | 9 | 12 | 12 | 40 | 4/case | |
| AW806 | SOC | 3"x8' | 9 | 12 | 12 | 40 | 6/case | |
| AW430 | SOC | 3"x4' | 9 | 30 | 26 | 20 | 30/case | |
| AW412 | SOC | 3"x4' | 9 | 12 | 12 | 40 | 12/case | |

SLIKWIK[®] Universal SOCs

- Corn cob-filled SOC
- Exceptional value for picking up of all non-aggressive liquids

| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|--------|------------------------------|------------------------------|-------------------|-------------|----------|
| SW46 | SOC | 3"x42" | 3 | 20 | 50 | 16 | 40/case |

Cobra Coil[®] Universal SOCs

- Vermiculite-filled SOC
- Excellent for diking applications
- Suitable for all liquids including aggressive chemicals

| Par C | Q | | | 17 |
|-------|------------------------|-------------------|-------------|----------|
| | orbency acity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
| 20 | | 50 | 16 | 40/case |
| | | | | |



| | Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|-----------|------|-------|------------------------------|------------------------------|-------------------|-------------|----------|
| NEW! | CC440V | SOC | 3"x4' | 4.5 | 25 | 30 | 16 | 40/case |
| | CC400 | SOC | 3"x4' | 8.5 | 3.3 | 29 | 32 | 12/case |

BASIC Universal SOCs

- NEW economical absorbent SOC with a cellulose fill
- Suitable for most non-aggressive fluids



| | Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|------|-----------|------|--------|------------------------------|------------------------------|-------------------|-------------|----------|
| NEW! | BSC40 | SOC | 3"x42" | 15 | 81 | 47.5 | 16 | 40/case |
| NEW! | BSC20 | SOC | 3"x42" | 15 | 40.5 | 24 | 20 | 20/case |



ALLWIK[®] Universal Pillows

- All-purpose polypropylene pillow
- Suitable for most industrial applications
- Ideal for under valves and other dripping applications



| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|--------|---------|------------------------------|------------------------------|-------------------|-------------|----------|
| AW1818 | Pillow | 18"x18" | 12.5 | 28 | 19 | 20 | 16/case |
| AW1818-2 | Pillow | 18"x18" | 12.5 | 14 | 9.5 | 40 | 8/case |
| AW99 | Pillow | 9"×9" | 12.5 | 14 | 10 | 40 | 32/case |

Abso

Factor

6

12.5

• All-purpose polypropylene drum cover

Туре

Catalog #

DTA25

- Fits 55-gallon drums either with 1 or 2 bungholes
- Create a clean and safe work floor by preventing pump drips from reaching the floor

| bency r (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|--------------------|------------------------------|---------------------------|-------------|---------------------------------------|
| 0 | | | | |
| | A | THE REPORT OF THE REAL OF | | · · · · · · · · · · · · · · · · · · · |

6

48

25/case

| SOC Usage Tips: | |
|------------------------|--|
|------------------------|--|

Medium Wt. Drum Cover

Use these tips to help ensure that you get the most out of your SOCs:

Size

22" dia.

- Clean-up all loose materials, rags and other debris around the spill
- SOCs work best when they lay flat against the floor
- Replace your SOC when liquid begins pooling or seeping underneath
- When installing your SOC, shake vigorously to evenly distribute absorbent within the SOC
- Overlap the ends of your SOC approximately 5" to extend your spill protection





Oil Only Absorbency

Specialized for oil and other petroleum-based spills, Oil Only SOCs, pillows and drum covers will not absorb water making them idea for outdoor use. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil based fluids.

Oil Only SOCs

- Specialized oil only polypropylene SOC
- Absorbs oil and petroleum based liquids while repelling water
- Wringable and can be incinerated
- Strong wicking action: adsorption begins instantly after contact with the spilled liquid, no need to turn the SOC



| | | | Absorbency | Absorbency | | | |
|-----------|------|--------|----------------|----------------|-------------------|-------------|----------|
| Catalog # | Туре | Size | Factor (gl/gs) | Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
| OIL124 | SOC | 3"x12' | 9 | 12 | 11 | 40 | 4/case |
| OIL806 | SOC | 3"x8' | 9 | 12 | 11 | 40 | 6/case |
| OIL430 | SOC | 3"x4' | 9 | 28 | 30 | 20 | 30/case |
| OIL412 | SOC | 3"x4' | 9 | 12 | 11 | 40 | 12/case |

Oil Only Pillows

- Specialized oil only polypropylene pillow
- Will not absorb water or water-based solutions
- Oil only pillows are ideal for use in waste troughs, coolant tanks, fluid reservoirs and sump wells

| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity | | |
|-----------|--------|---------|------------------------------|------------------------------|-------------------|-------------|----------|--|--|
| OIL1818 | Pillow | 18"x18" | 12.5 | 28 | 19 | 20 | 16/case | | |
| OIL1818-2 | Pillow | 18"x18" | 12.5 | 14 | 9.5 | 40 | 8/case | | |
| OIL99 | Pillow | 9"x9" | 12.5 | 14 | 10 | 40 | 32/case | | |

Oil Only Drum Covers

- Specialized oil only polypropylene drum cover
- Fits 55-gallon drums either with 1 or 2 bungholes
- Will not absorb water or water-based solutions
- Create a clean and safe work floor by preventing pump drips from reaching the floor

| | | | | | | - Cartoline | |
|-----------|-----------------------|----------|------------------------------|------------------------------|-------------------|-------------|----------|
| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
| DTO25 | Medium Wt. Drum Cover | 22" dia. | 12.5 | 6 | 6 | 48 | 25/case |



42

Pre-cut holes fit 1-2 bungholes.





HAZWIK[®] SOCs

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills

Chemical Absorbency

These surfactant-treated polypropylene SOCs and pillows can be used on a wide range of chemicals, including hydrofluoric acid. They also are chemically inert, so they will not react with aggressive fluids.



| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|--------|------------------------------|------------------------------|-------------------|-------------|----------|
| HAZ124 | SOC | 3"x12' | 9 | 12 | 12 | 40 | 4/case |
| HAZ412 | SOC | 3"x4' | 9 | 12 | 12 | 40 | 12/case |

HAZWIK[®] Pillows

- Absorbs chemicals, acids and bases
- Ideal for extra protection during packaging and transport

| | | | Absorbency | Absorbency | | | |
|-----------|--------|---------|----------------|----------------|-------------------|-------------|----------|
| Catalog # | Туре | Size | Factor (gl/gs) | Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
| HAZ1818 | Pillow | 18"x18" | 12.5 | 14 | 9.5 | 20 | 16/case |
| HAZ1818-2 | Pillow | 18"x18" | 12.5 | 14 | 9.5 | 40 | 8/case |
| HAZ99 | Pillow | 9"x9" | 12.5 | 10 | 14 | 40 | 32/case |



Re-Form[™] Universal SOCs

- Made from recycled newsprint and other cellulose
- Absorbs oils, coolants, solvents and water-based fluid

Re-Form[™] SOCs

Re-Form SOCs are up to 50% more absorbent than polypropylene SOCs meaning you can soak up more with less.



| | | | Absorbency | Absorbency | | | |
|-----------|------|--------|----------------|----------------|-------------------|-------------|----------|
| Catalog # | Туре | Size | Factor (gl/gs) | Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
| MS124 | SOC | 3"x12' | 8.5 | 12 | 12 | 42 | 4/case |
| MS806 | SOC | 3"x8' | 8.5 | 12 | 12 | 42 | 6/case |
| MS50 | SOC | 3"x4' | 7 | 40 | 43 | 15 | 40/case |
| MS412 | SOC | 3"x4' | 8.5 | 12 | 12 | 42 | 12/case |

Re-Form[™] Oil Only SOCs

- Made from 80% all natural cotton fibers
- Absorbs oil, grease, transmission fluid, coolant and other liquids.
- Repels water and floats for outdoor applications

| 1 | | | | | | | | | |
|-----------|------|-------|------------------------------|------------------------------|-------------------|-------------|----------|--|--|
| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity | | |
| RFO412 | SOC | 3"x4' | 13.5 | 15 | 10.5 | 40 | 12/case | | |

MATS & RUGS CLEAN, DRY FLOORS PREVENT SLIPS, TRIPS & FALLS

Mats & Rugs

SPC absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up in your toughest applications and are ideal for high traffics areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction, reduce slipperiness and keep liquids from being tracked from one area to the next.

The Technology:

SPC absorbent mats and rugs are constructed from durable, needle punched, polypropylene fibers - a more durable manufacturing process with a larger fiber diameter than meltblown fibers. This technology means that fibers or absorbent materials will not come loose around high traffic areas or workstations.



Common Liquids Absorbed:

View Products Online

- Bases
- Solvents
- Oils
- Water-based fluids
- Chemicals

Scan to quickly view these Mats & Rugs online or visit: www.BradyID.com/SPC

Mats & Rugs Absorbent Family:

All of these mats and rugs start with a highly absorbent core - the difference is what happens from there... Features such as durability, absorbency grades and construction give you versatile absorbent options for your specific application. Use the table below to help you choose the appropriate mat or rug for your applications.

| | Applications | Durr | ability Lintin | ³ cost | Absorbency Grades | Construction | RUGS |
|--|---|------------|-------------------|-------------------|----------------------|---|-------------|
| TrackMat Absorbent Rolls Page 42 | The ultimate oil only barrier mat for high volume spills. Ideal for all high traffic applications indoors or outdoors. | J | Low Linting | \$\$\$ | Heavy Weight | 3-ply construction with UV-resistant top layer and highly absorbent polypropylene core | MATS & RUGS |
| BSM Barrier Spill Matting Rolls Page 42 | Barrier backed for heavy foot or forklift traffic in aisles and walkways. Excellent wear resistance. | J | Low Linting | \$\$\$ | Medium Weight | Needle-punched polypropylene and non-stick backing | |
| SIR Sorbent Industrial Rug Rolls Page 42 | Economical rug for use in high traffic areas including aisles and walkways. | <i>JJJ</i> | Low Linting | \$\$ | Heavy Weight | Needle-punched polypropylene | |
| Rag Rug Pads & Rolls Page 42 | Economical rug for use in high traffic areas including aisles and walkways. | 55 | Medium Linting | \$ | Heavy Weight | Economy rug made from recycled cotton and polyester fibers | 5 |

Mats & Rugs



TrackMat Matting

The ultimate barrier absorbent for high volume petroleum spills.

- Extremely strong and durable 3-ply construction features UV-resistant top layer making it ideal for outdoor applications and suitable for heavy foot or vehicle traffic
- Highly absorbent polypropylene core
- Non-slip and non-leak barrier backing prevents liquids from penetrating into the ground
- Dimpled for added durability and reduced linting

| Product | Summary | Applications | | |
|------------------------------------|---|---|--|--|
| Liquids Absorbed: Durability: | Oils, Coolants, Solvents and Water-based Fluids | Where strength, absorbency and impermeability is needed | | |
| | | Transportation companies | | |
| Linting: Absorbencies: Cost: | Low Linting Heavy Weight \$\$\$ | Refineries and Steel MillsRailway or Military | | |

| Catalog # TrackMat Pads | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|----------------------------|----------------|---------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| TM30 | Heavy Wt. Pad | 29"x29" | No | 9 | 25 | 15 | 15 | 30/bale |
| TrackMat Rolls | | | | | | | | |
| TM58 | Heavy Wt. Roll | 58"x80' | No | 9 | 55 | 34 | 9 | 1/bale |



BSM - Barrier Spill Matting

Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations.

- Needle-punched polypropylene is durable for high traffic areas and eliminates slippery areas and unsightly tracking
- Tear resistant and will not curl or buckle
- Absorbs water, oil or chemicals

| Product | Summary | Applications |
|-------------------|---|--|
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids | Ideal for high traffic industrial applications and in workstations |
| Durability: | $\sqrt{\sqrt{3}}$ | Premium surface protection |
| Linting: | Low Linting | during renovation work |
| Absorbencies: | Medium Weight | |
| Cost: | \$\$\$ | |

| Catalog # | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity | | | |
|---------------------|----------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|----------|--|--|--|
| Barrier Spill Rolls | | | | | | | | | | | |
| BSM300 | Medium Wt. Rug | 36"x300' | No | 8 | 74 | 67 | 12 | 1/bale | | | |
| BSM100 | Medium Wt. Rug | 36"x100' | No | 8 | 25 | 24 | 40 | 1/bale | | | |
| BSM3650 | Medium Wt. Rug | 36"x50' | No | 8 | 12 | 12 | 40 | 1/case | | | |



Mats & Rugs



SIR - Sorbent Industrial Rug

Designed for high traffic areas and workstations where there's a need for clean and safe work floors and walkways.

- Made of durable, needle-punched polypropylene fibers for high traffic areas
- Universal absorbent roll for water-based chemicals or oil
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Can stand up to most aggressive fluids

| Product | Summary | Applications |
|--|---|--|
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids | Vehicles repair and service Warehouse and container |
| J. J | Low Linting | terminalSurface protection during renovation work |
| Absorbencies: Cost: | , , | Marine spills/wildlife preservation |

| Catalog # Sorbent Indu | Type strial Rolls | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|---------------------------|----------------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| SIR36 | Heavy Wt. Rug | 36"x300' | No | 8.5 | 59 | 50 | 12 | 1/bale |
| SIR36150 | Heavy Wt. Rug | 36"x150' | No | 12.5 | 45 | 25 | 24 | 1/bale |
| SIR72 | Heavy Wt. Rug | 72"x150' | No | 8.5 | 59 | 50 | 12 | 1/bale |



Rag Rug Matting

Economy rug made from recycled cotton and polyester fibers.

- Provides good footing, masks dirt and absorbs spills
- Soaks up oil, water-based and solvent-based liquids
- Ideal for maintenance, repair and industrial environments

| Product | Summary | Applications |
|-------------------|---|--|
| Liquids Absorbed: | Oils, Coolants, Solvents and Water-based Fluids | Ideal for high traffic industrial applications and in workstations |
| Durability: | \checkmark | Premium surface protection |
| Linting: | Low Linting | during renovation work |
| Absorbencies: | Medium Weight | |
| Cost: | \$ | |

| Catalog # Rag Rug Rolls | Туре | Size | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|----------------------------|---------------|----------|------------|------------------------------|------------------------------|----------------------|----------------|----------|
| RAG36150 | Heavy Wt. Rug | 36"x150' | No | 9 | 55 | 47 | 12 | 1/bale |
| RAG24150 | Heavy Wt. Rug | 24"X150 | No | 9 | 37 | 52 | 10 | 1/bale |
| RAG3030 | Heavy Wt. Rug | 30"x30" | No | 9 | 38 | 32 | 7 | 50/case |
| RAG1818 | Heavy Wt. Rug | 18"x18" | No | 9 | 38 | 32 | 18 | 50/case |

in nin ni

MARINE HIGH ABSORBENCY ON THE WATER

Marine

SPC marine specialty absorbents are designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents will soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.

The Technology:

SPC absorbent booms are constructed of highly absorbent polypropylene fibers encased in a durable skin that is lined with a heavy duty tow rope. The booms are fastened with three stainless steel connectors on each end to link booms together for fast retrieval. This is extremely important when towing heavy booms are saturated with oil.



Recommended For:

- Marinas
- On Boats & ships
- Loading docks
- Fuel storage tanks
- Affluent pipes
- tanks

• Outdoor liquid

transfer points

View Products Online

Scan to quickly view these Marine Absorbents online or visit: www.BradyID.com/SPC



FNV510

Absorbent Booms

- Premium SPC[®] Booms are lint free and easy to handle
- Economical ENV[®] booms feature a lint-free blue sleeve

| | Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|----|-----------|----------|--------|------------------------------|------------------------------|----------------------|----------------|---------|
| | ENV810 | ENV Boom | 8"x10' | 13 | 65 | 38 | 10 | 4/bale |
| | ENV510 | ENV Boom | 5"x10' | 12.6 | 32 | 19 | 20 | 4/bale |
| | SPC810 | SPC Boom | 8"x10' | 13.3 | 71 | 40 | 10 | 4/bale |
| | SPC510 | SPC Boom | 5"x10' | 12.6 | 32 | 19 | 16 | 4/bale |
| | SPC5510* | SPC Boom | 5"x10' | 12.1 | 61 | 38 | 12 | 2/bale |
| | SPC818 | SPC Boom | 8"x18" | 12.5 | 28 | 17 | 16 | 10/bale |
| | SPC518 | SPC Boom | 5"x18" | 12.6 | 12 | 8 | 40 | 10/case |
| t. | SPC318 | SPC Boom | 3"x18" | 9.5 | 14 | 10 | 40 | 25/case |

*SPC5510 features two 5"x10' booms attached side by side.

MARINE



Containment Booms

- Cost-effective solution for containment of oil spills on water
- Also used as barriers in holding ponds to retain waste and debris

| Catalog # | Туре | Size | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|-----------|------|------------------------------------|----------------------|----------------|----------|
| CB612 | Boom | 6" Float, 12" Skirt, 100' Sections | 200 | 3 | 1/case |
| CB305 | Boom | 3" Float, 4.5" Skirt, 25' Sections | 22.5 | 11 | 1/case |



Sweeps & Pillows

- Features a 2-ply construction, and durable blue coverstock for extra strength (for use with oil and petroleum-based fluids)
- "Sweep" the water to remove surface oil
- 100' sections are ideal for dragging behind or connecting between two ships

| Catalog # | Туре | Size | | Absorbency Capacity (gal) | | | Quantity |
|-----------|--------|----------|------|------------------------------|----|----|----------|
| SPC1900 | Sweep | 19"X100' | 15 | 25 | 13 | 36 | 1/bale |
| SPC10 | Pillow | 14"x25" | 12.5 | 52 | 30 | 10 | 10/bale |

Oil Nets/Drag Nets

- Flat, chemical-resistant filaments in half-pound units float in water and entrap heavy oil
- Reusable after draining or dousing with #1 or #2 weight oils; extracted oil can be recycled or downgraded as fuel oil
- Use the Drag Net as a sweep between two boats or deployed along a shoreline

| Catalog # | Туре | Size | | Absorbency Capacity (gal) | | Pallet Qty. | Quantity |
|-----------|----------|---------------|----|------------------------------|----|----------------|----------|
| ODN08 | Oil Only | 50' (30 nets) | 15 | 15 | 16 | 24 | 1/bale |
| ONO30* | Oil Only | 50' (30 nets) | 15 | 15 | 17 | 24 | 1/bale |

*ONO30 includes 30 nets, no rope

Granular Absorbents

Granular absorbents are loose, multi-purpose absorbents that are ideal for liquid spill clean-up, lab packing and stabilization of free liquids. Brady offers standard granular absorbents, as well all-natural, ecofriendly absorbents and bio-degradable absorbents. These absorbents are ideal for facilities that prefer or require the use of traditional granular absorbents.

ANNAL AND

The Technology:

The small, loose particles of a granular absorbent make it ideal for applications where a pad or roll would not offer a proper fit. Liquids don't always spill on a smooth surface, and when they do, a granular absorbent can absorb liquids from the cracks and crevices on surfaces such as asphalt or other outdoor surfaces.

Recommended For:

• Absorbing oils, solvents, lubricates, coolant and water on uneven surfaces including on roads or parking lots.

View Products Online



Scan to quickly view these Granular Absorbents online or visit: www.BradyID.com/SPC



Granular Absorbents









Re-Form[™] Granular

- 100% recycled material safe for the environment and employee use
- Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio absorbs its own weight in oil

| | Catalog # | Туре | Size | | Absorbency Capacity (gal) | | | Quantity |
|------|------------|---------------------|--------|---|------------------------------|----|----|----------|
| NEW! | RFGRANULAR | Re-Form Granular | 30 lbs | 1 | 16.7 | 30 | 65 | 1 pallet |

Dri-Zorb Granular Absorbent

- All natural corn cob product for oil, grease, water and other liquids
- Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations
- Not for use with aggressive fluids

| Catalog # | Туре | Size | | Absorbency Capacity (gal) | | Pallet Qty. | Quantity |
|-----------|-----------------------|--------|-----|------------------------------|------|----------------|----------|
| DZ100 | Universal Granular | 40 lbs | 1.5 | 8.5 | 1600 | 40 | 1 pallet |

Cansorb Oil Only Granular Absorbent

- All-organic oil only absorbent, manufactured from high quality fiber sphagnum peat moss
- Ideal for oil only clean-up on open water and land applications
- Absorbs 8 times its weight

| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|-----------|----------------------|--------|------------------------------|------------------------------|----------------------|----------------|----------|
| CS-CB18 | Oil Only Granular | 18 lbs | 8 | 18/bag | 1000 | 50 | 1 pallet |
| CS-LFB10 | Oil Only Granular | 10 lbs | 8 | 10/bag | 640 | 64 | 1 pallet |

Oil Gator Granular

- All natural biodegradable absorbent captures 2-6 times its weight in oil
- Will not harm environment and stops leaching of contaminants into the soil and groundwater

| Catalog # | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|----------------------|--------|------------------------------|------------------------------|----------------------|----------------|----------|
| GS-10 | Oil Only Granular | 30 lbs | 2 to 6 | 23 | 1800 | 60 | 1 pallet |

1-888-272-3946 www.BradyID.com/SPC

SPILL CONTROL & CONTAINMENT

KEEPING YOU SAFE FROM UNEXPECTED SPILLS OR LEAKS.

Spill Containment

A proper spill containment plan can help create a safe and productive work environment for your employees. SPC spill containment products help to prepare and protect any facility with solutions for unexpected, critical accidents. Absorbent storage centers and SPC spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. SPC drains, spill decks, berms, pans and pallets also ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.

Common Liquids Absorbed:

- Accidental or unexpected spills
- Indoor and outdoor drain applications

CAUTION

- Drain pans for dripping valves or facets
- Storing absorbent products at the point of need

View Products Online

Scan to quickly view these Spill Containment Products online or visit: www.BradyID.com/SPC



Spill Control & Containment













Drip Pans

- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid
- Wide base prevents tipping

| Catalog # | Туре | Size | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|----------|---------|-------------------|-------------|----------|
| DPA24 | Drip Pan | 10"x10" | 6 | 20 | 24/case |

Drain Plugs

- Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and features a "metal eye" for easy insertion or removal
- Just rinse and re-use when finished

| Catalog # | Туре | Size | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------------|---------|-------------------|-------------|----------|
| PLUG6 | Drain Plug | 6" Plug | 6 | 250 | 1/case |
| PLUG4 | Drain Plug | 4" Plug | 4 | 250 | 1/case |
| PLUG3 | Drain Plug | 3" Plug | 3 | 250 | 1/case |
| PLUG2 | Drain Plug | 2" Plug | 2 | 250 | 1/case |

RuptureSEAL

- Designed to stop liquids from accidental ruptures in seconds
- Seal small-to-normal sized holes quick and easy

| | Catalog # | Туре | Size | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|-----------|-----------------------|-----------------|-------------------|-------------|----------|
| NEW! | RS-3PACK | RuptureSeal Plug Pack | 1", 2.5" & 2x6" | 6 | 300 | 3/case |

Drain Seals

Spill Magnet™ Drain Seal

- Resists water, oil and most aggressive fluids
- Easy application; soap and water cleanup for re-use
- SLIKSTOPPER Drain Seals' flexible, chemical-resistant PVC seals drains to prevent spills from flowing into the drainage system
- Spill Magnet Drain Seals are backed with a strong magnet to tightly seal drains

| Catalog # | Туре | Size | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|--------------|----------|-------------------|-------------|----------|
| PVC36 | Slikstopper | 36"x36" | 34 | 25 | 1/case |
| PVC24 | Slikstopper | 24"x24" | 14 | 30 | 1/case |
| PVC18 | Slikstopper | 18"x18" | 9 | 100 | 1/case |
| 96229 | Spill Magnet | 12" dia. | 1 | 100 | 1/each |

Storm Drain Guards

- Keep oil, sediment and contaminants from entering the water system
- Made from non-woven polypropylene
- Holds up to 40 lbs of sediment; flow rate is 500 gpm (new) and 700 gpm bypass
- DGUARD14 and DGUARD1410 feature X-TEX filter strips which increase absorbency

| | Catalog # | Туре | Size | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------|------------|-------------|-----------------|------------------------------|----------------------|----------------|----------|
| NEW! | DGUARD14 | Drain Guard | 36" X 48" X 18" | 1.4 | 2 | 36 | 1/case |
| NEW! | DGUARD1410 | Drain Guard | 36" X 48" X 18" | 14 | 20 | 20 | 10/case |
| NEW! | DGUARD9 | Drain Guard | 36" X 48" X 18" | 0.9 | 1 | 36 | 1/case |
| NEW! | DGUARD910 | Drain Guard | 36" X 48" X 18" | 9 | 10 | 20 | 10/case |

Spill Containment

SPC spill containment products are designed with your efficiency in mind - keeping your employees and work environment safe from unexpected drum spills or leaks.

Spill Containment decks and pallets feature:

- Solid Construction: Injection molding ensures exceptional durability and consistent specifications
- Standard Lip and Grate Heights: Manufactured to standard heights to allow uninhibited movement
- Nestable: Remove the grates and stack for storage
- **Grate Pins:** Pins keep the grates in place during use and prevent the walls from bulging
- Interchangeable Grates with Large Openings: Removable grates can be used with spill decks or spill pallets (even between two and four drum pallets)
- Forklift Friendly: Easily use your forklift to re-locate your decks or pallets and drums



Spill Decks

- Low profile, 21.2-gallon capacity, two-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips to easily connect multiple decks
- creating a 4, 6, 8 or more drum storage platform

| Catalog # | Туре | Size | Absorbency Capacity (gal) | | Shipping Wt (lbs) | | |
|-----------|---------------------|------------------------|------------------------------|-------|----------------------|-----|--------|
| SC-SD2 | 2 Drum Spill Deck | 26"W X 52"L X 6"H | 21.2 | 2,500 | 31 | 15 | 1/each |
| SC-DK | Sump Drain Kit to s | hare capacity across i | multiple decks | | 2 | 100 | 1/case |



Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128.9 gallons of containment
- 2-drum or 4-drum configuration

| Catalog # | Туре | Size | Absorbency Capacity (gal) | Load Cap. (Ibs) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|---------------------|--------------------|------------------------------|--------------------|----------------------|----------------|----------|
| SC-DP4 | 4-Drum Spill Pallet | 52"W X 52"L X 17"H | 128.9 | 5,000 | 89 | 10 | 1/each |
| SC-DP2 | 2-Drum Spill Pallet | 26"W X 52"L X 17"H | 68.7 | 2,500 | 46.5 | 10 | 1/each |
| SC-DPR | Spill Pallet Ramp | 32.5"W X 70"L | n/a | 650 | 47.5 | 3 | 1/each |

Easy loading ramp works with both the 2-drum and 4-drum spill pallets. (sold separately)



S BRADY

Spill Berms

- Standard and lightweight available
- Self contained portable containment systems feature a one-piece design
- Requires no assembly, tools or inflation

| Catalog # | Туре | Size | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Quantity |
|-----------|------------------------|------------|------------------------------|----------------------|----------------|----------|
| SB-1236 | Standard Spill Berm | 12'x36'x1' | n/a | 149 | 1 | 1/each |
| SB-1226 | Standard Spill Berm | 12'x26'x1' | n/a | 112 | 1 | 1/each |
| SB-1212 | Standard Spill Berm | 12'x12'x1' | 1,077 | 60 | 1 | 1/each |
| SB-1010 | Standard Spill Berm | 10'x10'x1' | 748 | 47 | 1 | 1/each |
| SB-SL46 | Lightweight Spill Berm | 4'x6'x8" | 119 | 8 | 10 | 1/each |
| SB-SL44 | Lightweight Spill Berm | 4'x4'x8" | 79 | 6 | 20 | 1/each |

Spill Control & Containment

Absorbent Storage

This absorbent center's modular cabinet is designed to hold all of your essential absorbents for storage and easy access - so your spill response team can quickly grab the right absorbent for the job. With the ability to hold full cases of SPC absorbent products, there is no special refill required for restocking. Also, because it's modular, customizable and mobile, the size of your absorbent storage is entirely up to you.





Absorbent Centers

- Use as an absorbent deployment station or mobile spill control unit
- Holds up to a 38" roll and full bales of product no special refills required!
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench
- Optional casters, wall mounting bracket, dowel rods and an accessory pack also available

Casters 15" or 40" Dowel Rods



Accessory Pack (goggles, gloves, disposal bags with ties and an emergency handbook)



Wall Mount

| Catalog # | Туре | Size | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------------------|---|----------------------|----------------|----------|
| SC-3000 | Absorbent Center | 50"L X 26"W X 7.75"H | 50 | 15 | 1/each |
| SC-ACC | Accessory Pack | Includes goggles, gloves ties, and an emergency | | ags with | 1 pack |
| SC-D15 | 15" Dowel Rod | 15" | n/a | n/a | 1 rod |
| SC-D40 | 40" Dowel Rod | 40" | n/a | n/a | 1 rod |
| SC-4 | Set of 4 casters | | n/a | n/a | 1 pack |
| SC-MB | Wall Mount | n/a | n/a | n/a | 1 each |
| | | | | | |



Spill Control Cabinet

- Allows easy access for emergency situations
- 2 fully adjustable shelves included
- Durable construction and keyhole slots for wall hanging
- Plexiglas window allows for easy content inventory



Spill Control Cart

- Secure storage with locking handle (2 keys included)
- Convenient sturdy work surface with one fixed interior shelf
- 3" backstop on top surface
- Tubular handle and wheels for ease of mobility
- Extremely durable 16 gauge all welded steel

| Take the guess work out of filling |
|--------------------------------------|
| your cart or cabinet by ordering one |
| of SPC's absorbent fills. |



| | Catalog # | Туре | Size | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|------|---------------|-------------------------|-------------------------|----------------------|----------------|--------|
| NEW! | SC-Cart | Spill Control Cart | 36 x 18 x 38-3/8 | 180 | 1 | 1/each |
| NEW! | SC-Cart-UF | Universal Absorbent Ca | rt Fill | | | |
| NEW! | SC-Cart-OF | Oil Only Absorbent Cart | | | | |
| NEW! | SC-Cart-HF | Chemical Absorbent Ca | rt Fill | | | |
| NEW! | SC-Cabinet | Spill Control Cabinet | 19-7/8 x 14-1/4x 32-3/4 | 45 | 9 | 1/each |
| NEW! | SC-Cabinet-UF | Universal Absorbent Ca | binet Fill | | | |
| NEW! | SC-Cabinet-OF | Oil Only Absorbent Cab | inet Fill | | | |
| NEW! | SC-Cabinet-HF | Chemical Absorbent Ca | binet Fill | | | |
| | | | | | | |

SC-Cart Fills includes: 100 pads, 5 SOCs, 8 pillows, 5 bags, 1 pair of gloves, 1 goggle, Emergency Response Guidebook. SC-Cabinet Fills includes: 50 pads, 4 SOCs, 6 pillows, 5 bags, 1 pair of gloves, 1 goggle, Emergency Response Guidebook.

Spill Control & Containment

Spill Kits

A range of emergency response kits to handle any type of spill.

Accidents do happen, so it's better to be prepared. Brady offers a complete selection of SPC spill kits in a variety of types and sizes to equip you with everything you need to clean-up accidents when they happen. Quickly and easily clean-up spills of oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.

Many of our kits are available in the following types:

- Universal/Maintenance Kits For oil, water-based and chemical liquids
- Oil Only Spill Kits For oil and petroleum-based liquids
- Chemical Spill Kits For aggressive and hazardous liquids
- Re-Form[™] Spill Kits Universal absorbents that are eco-friendly
- TAA Compliant Spill Kits Complies with the Trade Agreements Act

Spill Kits Increase Efficiency

Worker productivity and efficiencies can be improved dramatically by placing spill kits or absorbent storage centers strategically around the facility and closer to the areas of need. For both emergency response and routine maintenance and safety, you don't want employees wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.



Trade Agreement (TAA) Compliant Kits

GSA Schedule Contracts are subject to the Trade Agreements Act (TAA), meaning all products listed on the GSA Schedule Contract must be manufactured or "substantially transformed" in a "designated country." The designated countries are comprised of:

- World Trade Organization government procurement agreement countries
- Free trade agreement countries
- Least developed countries
- Caribbean basin countries

View Products Online

Scan to quickly view Spill Kits online or visit: www.BradyID.com/SPC

Be prepared: make sure you have spill kits on hand throughout your facility!



Shipping Docks



Freight Vehicles





Maintenance Areas

Plant Floor



56

Spill Procedure Guide: What To Do When A Spill Occurs

When a spill occurs, time is of the essence to make sure a quick and safe clean-up occurs. Here are some helpful hints to make sure you, your employees and the environment are protected.

1. Risk Assessment

Evaluate the type of material spilled and identify the source. If you are NOT familiar with the liquid and its chemical properties, vacate the area and contact proper authorities.

2. Protective Clothing

Wear the appropriate protective gear for the situation. If the source or the material is not identifiable, assume the worst.

3. Containment

Contain the liquid and seal drains.

4. Stop the Source

Close valves, rotate punctured drums and plug leaks where it is possible and safe to do so.

5. Begin Clean Up

Use SPC absorbents to absorb spilled liquids.





6. Contact Authorities

Report the spill to proper legal authorities in your community. Be sure to fill out all necessary reports in accordance with local laws.

7. Disposal of Used Material

Absorbent materials take on the characteristics of whatever they absorb. Be sure to dispose of used absorbents and spilled liquids in accordance with local laws.

8. Decontaminate

Clean all tools and reusable materials properly before reuse.

9. Restock Materials

Replace absorbent materials and safety equipment used in any clean-up operation.

10. Review Contingency Plans and Procedures!

PLEASE NOTE: THE SPC SPILL KIT IS A STOP-GAP MEASURE FOR MINOR SPILL CLEAN-UP. IF A SERIOUS SPILL OCCURS, CONTACT LOCAL AUTHORITIES FOR DIRECTION AND ASSISTANCE FOR THE PROBLEM. DUE TO THE POSSIBLE TOXIC AND HAZARDOUS FLUID ABSORBED, BRADY DOES NOT RECOMMEND DISPOSAL PROCEDURES.

Spill Control & Containment



Contents: 20 pads (15" x 19")

MAXX[®] Packs

- Mini-packs in re-sealable zipper bags
- 20 economic, single ply pads
- Kit dimensions: 15.5"L x 19.5"W x 20.5"H

| Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|-----------|-----------|------------------------------|----------------------|----------------|--------|
| MXP-U20 | Universal | 30 | 14.4 | 18 | 5/case |
| MXP-O20 | Oil Only | 35 | 15 | 18 | 5/case |
| MXP-C20 | Chemical | 30 | 14 | 18 | 5/case |



Contents:

15 pads (15" x 19") 3 SOCs (3" x 4') 1 disposal bag 1 pair goggles 1 pair nitrile gloves 1 instruction sheet Hanging rack sold separately.

Attack Pac Spill Kit

- Space saving, single use kit, packed in puncture and UV resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|----|-------------|-------------|------------------------------|----------------------|----------------|--------|
| | SKA-ATK | Universal | 7 | 36.5 | 24 | 4/case |
| N1 | SKA-ATK-TAA | Universal | 7 | 36.5 | 24 | 4/case |
| | SKO-ATK | Oil Only | 7 | 23 | 24 | 4/case |
| | SKH-ATK | Chemical | 7 | 25 | 24 | 4/case |
| | SKR-ATK | Re-Form | 7 | 36.5 | 24 | 4/case |
| | ATKRO1 | Hanging Rac | k for Attack Pack | Spill Kit | | 1/each |



Contents:

10 pads (15" x 19") 2 SOCs (3" x 4') 1 disposal bag 1 pair nitrile gloves 1 instruction sheet

Economy Spill Kit

- Highly visible yellow PVC bag for small spills; the right price, the right size and the right value
- Absorbs up to 5 gallons per kit, sold 5 kits per case
- Kit dimensions: 20"L X 16"W X 4"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Qty. |
|----|------------|-----------|------------------------------|----------------------|----------------|--------|
| | SKA-PP | Universal | 5 | 24 | 20 | 1/each |
| W! | SKA-PP-TAA | Universal | 5 | 24 | 20 | 1/each |
| | SKH-PP | Chemical | 5 | 24 | 20 | 1/each |
| | SKO-PP | Oil Only | 5 | 24 | 20 | 1/each |
| | SKR-PP | Re-Form | 5 | 24 | 20 | 1/each |

Contents:

32 pads (15" x 19") 5 SOCs (3" x 12') 1 pillow (17" x 19") 2 disposal bags 1 pair goggles 1 pair nitrile gloves 1 instruction sheet

Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit, sold 2 kits per case
- Kit dimensions: 20"L X 16"W X 4"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Qty. |
|---|-------------|-----------|------------------------------|----------------------|----------------|--------|
| | SKA-CFB | Universal | 15 | 25 | 20 | 2/case |
| ١ | SKA-CFB-TAA | Universal | 15 | 25 | 20 | 2/case |
| | SKO-CFB | Oil Only | 15 | 25 | 20 | 2/case |
| | SKH-CFB | Chemical | 15 | 25 | 20 | 2/case |
| | SKR-CFB | Re-Form | 15 | 25 | 20 | 2/case |
| | | | | | | |



58



Emergency Spill Sak

- Easily portable economy spill kit packed in a reusable sack
- Absorbs up to 9 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|------|-------------|-----------|------------------------------|----------------------|----------------|--------|
| | SKA-SAK | Universal | 10.75 | 10 | 20 | 1/each |
| NEW! | SKA-SAK-TAA | Universal | 10.75 | 10 | 20 | 1/each |
| | SKO-SAK | Oil Only | 10.75 | 10 | 20 | 1/each |
| | SKH-SAK | Chemical | 10.75 | 10 | 20 | 1/each |
| | SKR-SAK | Re-Form | 10.75 | 10 | 20 | 1/each |

Vehicle Spill Kits

- Mobile, compact emergency kit for fast spill
- Easily fits in your truck, cab or storage cubby
- Universal and oil only products allow kit to be used for mixed fluid applications
- Available in camouflage (durable, rugged construction) or clear (economical) portable bag

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Qty. |
|------|------------|---|------------------------------|----------------------|----------------|--------|
| NEW! | BSCSK-CB | BASIC Vehicle Spill Kit | 7.75 | 7 | 50 | 1/each |
| NEW! | SK-CAMO | Camouflaged Vehicle Spill Kit | 11.5 | 9 | 50 | 1/each |
| NEWI | SK-CAMO-RS | Camouflaged Vehicle Spill Kit with RuptureSEAL | 11.5 | 9 | 50 | 1/each |

BASIC Vehicle Spill Kit (BSCSK-CB) Contents:

| 10 oil only pads (15" x 19") |
|-------------------------------|
| 10 universal pads (15" x 19") |
| 2 SOCs (3"x 4') |
| 1 putty |

1 set of nine plugs 2 disposable bags 1 pair of goggles 1 pair of nitrile gloves

Camouflaged Vehicle Spill Kit (SK-CAMO) Contents:

20 oil only pads (15" x 19") 10 universal pads (15" x 19") 3 SOCs (3"x 4') 1 putty 1 set of nine plugs 2 disposable bags 1pair of nitrile gloves 1 pair of goggles

Camouflaged Vehicle Spill Kit with RuptureSEAL (SK-CAMO-RS) Contents:

20 oil only pads (15" x 19") 10 universal pads (15" x 19") 3 SOCs (3"x 4') 1 set of 3 RuptureSEAL (1", 2.5", 2,6")







Camouflaged Vehicle Spill Kit with RuptureSEAL

Spill Control & Containment



Contains:

20 pads (7.5" x 10") 1 disposable bag 1 pair of nitrile gloves

- 1 pair of goggles 1 instruction sheet

2-Gallon Spill Response Plus Spill Kit

- Designed to be highly absorbent, durable and reduce waste
- Ideal for small spills such as perfumes, cleaning chemicals, motor oils, soda, soups, etc.
- Absorbs up to 4.5 gallons per kit (9.75"D X 10.5"H)

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|------|-----------|-----------|------------------------------|----------------------|----------------|--------|
| NEW! | SKA-SRP | Universal | 4.5 | 2.5 | 90 | 1/each |
| NEW! | SKO-SRP | Oil Only | 4.5 | 2.5 | 90 | 1/each |
| NEW! | SKH-SRP | Chemical | 4.5 | 2.5 | 90 | 1/each |



Contents:

1 roll (15" x 73" 5 SOCs (3" x 4" 8 pillows (10" x 10") 5 disposal bags 1 pair goggles 1 pair nitrile gloves Emergency Response Guidebook

Mobile Spill Kaddie

- Mobile, compact emergency kit for fast spill response anywhere in the plant
- Absorbs up to 22 gallons per kit
- Kit Dimensions: 18"L X 17"W X 39"H

| Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Qty. |
|-----------|-----------|------------------------------|----------------------|----------------|--------|
| SKA-K2 | Universal | 22 | 42 | 10 | 1/each |
| SKH-K2 | Chemical | 22 | 42 | 10 | 1/each |
| SKO-K2 | Oil Only | 22 | 42 | 10 | 1/each |



Contents:

Contents:

10 pads (15" x 19")

2 SOCs (3" x 4')

1 pair goggles

1 hazmat suit 1 scoop

1 base neutralizer shaker (2 lb.)

10 pads (15" x 19") 2 SOCs (3" x 4') 1 acid neutralizer shaker (2 lb.) 1 pair goggles 1 hazmat suit 1 scoop

NE

6.5 Gallon Acid Neutralizer Spill Kit

- Versatile provides safe spill control for most acids (including battery spills)
- Color change indicator reflects neutralization
- Non-toxin, non-corrosive and non-hazardous
- Absorbs up to 4.5 gallons per kit
- Kit Dimensions: 13.5" Dia. x 18"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|-----|-------------|--------------------------------|------------------------------|----------------------|----------------|--------|
| EW! | SKA-BKTACID | Acid Neutralizing Spill Kit | 4.5 | 16.5 | 60 | 1/each |
| EW! | SPC-ACID* | Acid Neutralizing Polymer | 0.65 | 2 | 1200 | 1/each |

*SPC-ACID minimum order of 10.


6.5 Gallon Base Neutralizing Spill Kit

- Use for lab equipment and most bases
- Color change indicator reflects neutralization
- Non-toxin, non-corrosive and non-hazardous
- Absorbs up to 4.5 gallons per kit
- Kit Dimensions: 13.5" Dia. x 18"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Qty. |
|------|-------------|-------------------------------|------------------------------|----------------------|----------------|--------|
| NEW! | SKA-BKTBASE | Base Neutralizer Spill Kit | 4.5 | 16.5 | 60 | 1/each |
| NEW! | SPC-BASE* | Base Neutralizing Polymer | 0.65 | 2 | 1200 | 1/each |
| | | | +0.54 | | | 6.40 |



*SPC-BASE minimum order of 10.



60



Contents:

Contents:

10 pads (15" x 19") 3 SOCs (3" x 4') 2 disposal bags 1 pair nitrile gloves 1 instruction sheet

MF

6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 10 gallons per kit
- Kit Dimensions: 14"Dia. X 18"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|-----|-------------|-----------|------------------------------|----------------------|----------------|--------|
| | SKA-BKT | Universal | 9 | 9 | 60 | 1/each |
| EW! | SKA-BKT-TAA | Universal | 6 | 9 | 60 | 1/each |
| | SKO-BKT | Oil Only | 9 | 9 | 60 | 1/each |
| | SKH-BKT | Chemical | 9 | 8 | 60 | 1/each |
| | SKR-BKT | Re-Form | 6 | 9 | 60 | 1/each |



12 pads (15" x 19") 3 SOCs (3" x 12') 2 pillows (18" x 18") 3 disposal bags 1 pair goggles 1 pair nitrile gloves Emergency Response Guidebook

20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw top lid for small-medium response
- Absorbs up to 17 gallons per kit
- Kit Dimensions: 21"Dia. X 18"H

| Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Qty. |
|------------|-----------|------------------------------|----------------------|----------------|--------|
| SKA-20 | Universal | 15 | 27 | 18 | 1/each |
| SKA-20-TAA | Universal | 15 | 26 | 18 | 1/each |
| SKH-20 | Chemical | 15 | 26 | 18 | 1/each |
| SKO-20 | Oil Only | 15 | 20 | 18 | 1/each |
| SKR-20 | Re-Form | 15 | 27 | 18 | 1/each |



Contents:

25 pads (15" x 19") 6 SOCs (3" x 12') 6 pillows (18" x 18") 3 disposal bags 1 pair goggles 1 pair of nitrile gloves Emergency Response Guidebook

30-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for small-medium responses
- Absorbs up to 36 gallons per kit
- Kit dimensions: 21.125"Dia. X 28.5"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|------|------------|-----------|------------------------------|----------------------|----------------|--------|
| IEW! | SKA-30 | Universal | 36 | 41 | 18 | 1/each |
| IEW! | SKA-30-TAA | Universal | 36 | 41 | 18 | 1/each |
| IEW! | SKO-30 | Oil Only | 36 | 41 | 18 | 1/each |
| IEW! | SKH-30 | Chemical | 36 | 41 | 18 | 1/each |

Don't See The Kit You Need? Custom Spill Kits Available

Create your own Custom Spill Kits with an assortment of Brady's most popular absorbent products, accessories and containers. Choose the products you need, and in the quantities you want.

View page 64-65 or contact Brady Customer Service at 1-888-272-3946 for more information on creating your Custom Spill Kits.



Spill Control & Containment



Contents:

50 pads (15" x 19") 4 SOCs (3" x 12') 8 pillows (18" x 18") 5 disposal bags 1 pair goggles 1 pair nitrile gloves Emergency Response Guidebook

55-Gallon Drum

- Lever locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 24"Dia, X 37"H

| Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|------------|--|---|--|---|--|
| SKA-55 | Universal | 38 | 57 | 8 | 1/each |
| SKA-55W* | Universal | 38 | 57 | 8 | 1/each |
| SKA-55-TAA | Universal | 38 | 56 | 8 | 1/each |
| SKO-55 | Oil Only | 38 | 56 | 8 | 1/each |
| SKO-55W* | Oil Only | 38 | 56 | 8 | 1/each |
| SKH-55 | Chemical | 38 | 52 | 8 | 1/each |
| SKH-55W* | Chemical | 38 | 52 | 8 | 1/each |
| SKR-55 | Re-Form | 38 | 57 | 8 | 1/each |
| | SKA-55 SKA-55W* SKA-55-TAA SKO-55 SKO-55W* SKH-55 SKH-55W* | SKA-55UniversalSKA-55W*UniversalSKA-55-TAAUniversalSKO-55Oil OnlySKO-55W*Oil OnlySKH-55ChemicalSKH-55W*Chemical | Catalog # Type Capacity (gal) SKA-55 Universal 38 SKA-55W* Universal 38 SKA-55-TAA Universal 38 SKO-55 Oil Only 38 SKO-55W* Oil Only 38 SKO-55W* Oil Only 38 SKH-55 Chemical 38 SKH-55W* Oil Only 38 | Catalog # Type Capacity (gal) Wt (lbs) SKA-55 Universal 38 57 SKA-55W* Universal 38 57 SKA-55-TAA Universal 38 56 SKO-55 Oil Only 38 56 SKO-55W* Oil Only 38 56 SKH-55 Chemical 38 52 SKH-55W* Chemical 38 52 | Catalog # Type Capacity (gal) Wt (lbs) Qty. SKA-55 Universal 38 57 8 SKA-55W* Universal 38 57 8 SKA-55-TAA Universal 38 56 8 SKO-55 Oil Only 38 56 8 SKO-55W* Oil Only 38 56 8 SKO-55W* Oil Only 38 56 8 SKH-55 Chemical 38 52 8 SKH-55W* Chemical 38 52 8 |

*W indicates spill kit drum includes wheels for added mobility.



Contents:

100 pads (15" x 19") 7 SOCs (3" x 12')

7 pillows (18" x 18") 5 disposal bags

1 pair goggles

1 pair of nitrile gloves NE Emergency Response Guidebook

65-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for medium-large spill responses
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31"Dia. X 33.5"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|-----|------------|-----------|------------------------------|----------------------|----------------|--------|
| EW! | SKA-65 | Universal | 63 | 100 | 3 | 1/each |
| EW! | SKA-65-TAA | Universal | 63 | 100 | 3 | 1/each |
| EW! | SKO-65 | Oil Only | 63 | 100 | 3 | 1/each |
| EW! | SKH-65 | Chemical | 63 | 100 | 3 | 1/each |



Contents:

110 pads (15" x 19") 12 SOCs (3" x 4') 8 SOCs (3" x 12') 8 pillows (18" x 18") 10 disposal bags 1 pair goggles 1 pair nitrile gloves Emergency Response Guidebook

NEV

NEV

95-Gallon Overpack

- Tough, secure, screw-topped overpack drum for large spills meets UN and DOT specifications
- Absorbs up to 75 gallons per kit
- Kit Dimensions: 31.5"Dia. X 35"H

| | Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|----|-----------|-----------|------------------------------|----------------------|----------------|--------|
| | SKA-95 | Universal | 75 | 107 | 3 | 1/each |
| W! | SKA-95W* | Universal | 75 | 107 | 3 | 1/each |
| | SKO-95 | Oil Only | 75 | 107 | 3 | 1/each |
| W! | SKO-95W* | Oil Only | 75 | 107 | 3 | 1/each |
| | SKH-95 | Chemical | 75 | 104 | 3 | 1/each |
| W! | SKH-95W* | Chemical | 75 | 104 | 3 | 1/each |
| | SKR-95 | Re-Form | 75 | 107 | 3 | 1/each |
| | - | | | | | |

62

*W indicates spill kit drum includes wheels for added mobility.

- Absorbs up to 126 gallons per kit.
- Kit Dimensions: 47"L X 34"W X 43"H

| Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (Ibs) | Pallet Qty. | Qty. |
|-----------|-----------|------------------------------|----------------------|----------------|--------|
| SKA-LT | Universal | 126 | 164 | 1 | 1/each |
| SKO-LT | Oil Only | 126 | 185 | 1 | 1/each |
| SKH-LT | Chemical | 115 | 158 | 1 | 1/each |
| SKM-LT | Marine | 153 | 164 | 1 | 1/each |

Contents of SKA-LT. SKH-LT and SKO-LT:

200 pads (15" x 19") 24 SOCs (3" x 4') 12 SOCs (3" x 12') 8 pillows (17" x 19") 15 disposal bags 1 pair goggles 3 pair nitrile gloves Emergency Response Guidebook Contents of SKM-LT Marine Kit:

400 pads (15" x 19") 4 booms (5" x 10') 1 sweep (19" x 100') 15 disposal bags 1 pair goggles 3 pairs of nitrile gloves Emergency Response Guidebook

Mobile Spill Truck - X-Large

- Mobile spill response kit in water/chemical resistant large bin
- Absorbs up to 174 gallons per kit
- Kit Dimensions: 57.5"L X 40.5"W X 47"H

| Catalog # | Туре | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty. |
|-----------|-----------|------------------------------|----------------------|----------------|--------|
| SKA-XLT | Universal | 174 | 221 | 1 | 1/each |
| SKO-XLT | Oil Only | 174 | 221 | 1 | 1/each |
| SKH-XLT | Chemical | 160 | 221 | 1 | 1/each |
| SKM-XLT | Marine | 160 | 221 | 1 | 1/each |

Contents of SKA-XLT, SKH-XLT and SKO-XLT:

250 pads (15" x 19") 36 SOCs (3" x 4') 20 SOCs (3" x 12') 8 pillows (18" x 18") 30 disposal bags 3 pairs of nitrile gloves 1 pair goggles Emergency Response Guidebook

Contents of SKM-XLT Marine Kit:

600 pads (15" x 19") 8 booms (5" x 10') 2 sweeps (19" x 100') 30 disposal bags *3 pairs of nitrile gloves* 1 pair goggles Emergency Response Guidebook







Spill Control & Containment

Custom Spill Kit Program

Only the products you need - in the quantities you want.

Brady also offers customers the opportunity to create their own Custom Spill Kits with an assortment of Brady's most popular pads, SOCs, booms, pillows, safety accessories and containers.

With no minimum requirements, these Custom Spill Kits give you the flexibility to pick only the products you need without the extra cost of items you don't want.

Create a safer work environment and save time, money and space with a Brady SPC Custom Spill Kit.

Create your Custom Spill Kit and start eliminating waste and extra cost!

Simply follow these 3 easy steps...

- 1) Select your item(s)
- 2) Contact your authorized Brady Distributor for quotation and recommended spill container size.
- 3) Receive your prices and quotation number, then place your order.



Create Your Kit Now

Contact Brady Customer Service at 1-888-272-3946 for more information or to create your Custom Spill Kit.



Absorbent Pads

| Individual Pads | Туре | Absorbency Weight | Size | Absorbency (gal/pad) |
|--------------------|-----------|----------------------|---------|-------------------------|
| RF100 | Universal | Heavy Wt. | 15"x19" | .40 |
| RFP100 | Universal | Heavy Wt. | 15"x19" | .40 |
| RFDP300 | Universal | Medium Wt. | 15"x19" | .32 |
| RF500 | Universal | Light Wt. | 15"x19" | .24 |
| GP100* | Universal | Heavy Wt. | 15"x19" | .30 |
| BPU100* | Universal | Heavy Wt. | 15"x17" | .20 |
| BPU500* | Universal | Light Wt. | 15"x17" | .17 |
| RFODP100 | Oil Only | Heavy Wt. | 15"x19" | .39 |
| SPC100* | Oil Only | Heavy Wt. | 15"x19" | .35 |
| BPO100* | Oil Only | Heavy Wt. | 15"x17" | .20 |
| BPO500* | Oil Only | Light Wt. | 15"x17" | .17 |
| SPCUN1719 | Chemical | Medium Wt. | 15"x19" | .20 |

* Also available in bales of 100 pads



Absorbent SOCs

| SOCs | Туре | Size |
|--------|--------------------|--------|
| AW412 | Universal Allwik | 3"x4' |
| MS50 | Universal Re-Form | 3"x4' |
| CC400V | Universal Corn Cob | 3"×4' |
| AW806 | Universal Allwik | 3"×8' |
| AW124 | Universal Allwik | 3"x12' |
| MS124 | Universal Re-Form | 3"x12' |
| HAZ412 | Chemical Hazwik | 3"×4' |
| OIL412 | Oil Only | 3"×4' |
| OIL806 | Oil Only | 3"×8' |
| OIL124 | Oil Only | 3"x12' |

Spill Control & Containment



Pillows

| Pillows | Туре | Size |
|---------|-----------|---------|
| AW99 | Universal | 10"x10" |
| OIL99 | Oil Only | 10"x10" |
| HAZ99 | Chemical | 10"x10" |
| AW1818 | Universal | 17"x19" |
| OIL1818 | Oil Only | 17"x19" |
| HAZ1818 | Chemical | 17"x19" |



Marine Booms

| Booms | Туре | Size |
|--------|----------|--------|
| ENV510 | Oil Boom | 5"x10' |
| SPC510 | Oil Boom | 5"x10' |



Granular

| | Graunular | Туре | Wt. |
|------|------------|------------------|--------|
| NEW! | RFGRANULAR | Re-Form | 30lbs. |
| | DZ100 | Corn cob | 40lbs. |
| | CS-CB-18 | Peat Moss Compr. | 18lbs. |
| | CS-LFB-10 | Peat Moss | 10lb. |
| | GS10 | Bioremediate | 30lb. |
| | SOL25 | Clay | 25lbs. |



Custom Spill Kit Storage & Containment

| | Catalog # | Storage & Containers |
|------|-----------|----------------------------|
| | BAG-TK | Canvas Velcro Bag |
| | BAG-DUF | Canvas Duffel Zipper |
| | ECONO-BAG | Empty PVC Tote Bag |
| | BAG110 | Nylon Sack Black |
| | 121651 | 6-Gallon Bucket |
| | 121652 | 6-Gallon Bucket Lid |
| | 89151 | 20-Gallon Drum |
| | 89154-SPC | 30-Gallon Drum |
| | 89130 | 50/55-Gallon Drum w/wheels |
| | 89165 | 65-Gallon Drum |
| | 89142 | 95-Gallon Drum |
| | K2-G | Empty Kaddie |
| | SC-LBIN | Large Spill Truck |
| | SC-XLBIN | Extra Large Spill Truck |
| NEW! | SPC-BASE | Base Neutralizing Polymer |
| NEW! | SPC-ACID | Acid Neutralizing Polymer |



Custom Spill Kit Accessories

| | Catalog # | Accessories |
|---|-------------|------------------------------|
| | CFB-AC | Clear Spill Kit Bags |
| | BAG104 | Disposal Bag |
| | SCOOP | Scoop |
| | SHOVEL | Plastic Safety Shovel |
| | SHOVEL-T | 2pc Shovel |
| | PVC24 | SLIKSTOPPER Drain Cover |
| | PLUG2 | Drain Plugs 2" |
| | PLUG3 | Drain Plugs 3" |
| | PLUG4 | Drain Plugs 4" |
| | PLUG6 | Drain Plugs 6" |
| | PUTPAT | Putty Patty |
| | INSTR SHEET | Instruction sheet |
| | MIS114 | Emergency Response Guidebook |
| | 58255 | Caution Tape w/stripes |
| | 58257 | Caution Tape Stripes Only |
| N | RS-3PACK | RuptureSEAL Plug Pack |



Personal **Protection Equipment**

| Catalog # | PPE Products |
|------------|-------------------|
| COVERALL-D | Coverall - White |
| COVERALL-H | Coverall - Yellow |
| 00313 | Nitrile Gloves |
| 00338 | Goggles |
| 00371 | Latex Boots |

No minimum requirements means you can create your spill kit as large or small as you need!

Facility Safety Products

Facility Safety Products

Brady offers a complete line of products and solutions to keep your facility safe, productive and compliant. Products such as cones, warning tapes and signs help to communicate important safety and facility messages to individuals.

Safety, Facility & Equipment Identification Catalog

Check out Brady's S-32 Catalog for thousands of safety products for your entire facility!

Visit www.BradyID.com to view an online interactive catalog or to request a printed catalog.



Handy Cone[™] Floor Signs

- Collapsible, spring-loaded, pyramid-shaped sign sets up in seconds
- Stored in a 2" diameter tube



Reversible Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of lightweight corrugated polypropylene material (B-836)

Caution - Slippery When Wet/Wet Floor

• Size: 12"wide x 20"h (closed)


Catalog # Description



Traffic Cones and Snap-On Signs

- Flexible, yet durable warning cone in a high visibility fluorescent orange color
- Plastic snap-on signs are designed to fit on top of traffic cone like a paperclip

| Catalog # | Description |
|-----------|---|
| 80111 | 18" Orange Vinyl Cone |
| 80118 | 10 1/2" H x 12 3/4" W Black on Orange WET FLOOR Snap-On Sign |





Reinforced Barricade Tape

- Provides fast on the spot warning
- 250 lbs tensile strength

| Catalog # | Legend | Size | Qty. |
|-----------|----------------------|---------|--------|
| 91100 | | 3"x500' | 1 roll |
| 91102 | CAUTION DO NOT ENTER | 3"x500' | 1 roll |
| 91104 | | 3"x500' | 1 roll |



BradyLink Warning Posts

- Non-conductive, Non-rusting, Fillable base
- Post dimension: 3" O.D., 41" high, 16"dia. base

| Catalog # | Description | Color |
|-----------|-------------------|--------|
| 92116 | Black Large Post | Black |
| 92117 | White Large Post | White |
| 92118 | Yellow Large Post | Yellow |



BradyLink Warning Chain & Links

- Polyethylene chain designed to prevent kinking
- Chain links used to permanently attach or repair lengths of chain

| Catalog # | Description |
|-----------|-----------------------------|
| 78241 | 100' Orange Chain |
| 78239 | 100' White Chain |
| 78238 | 100' Yellow Chain |
| 78246 | 2" Chain Links (36/package) |



Safety Signs

Brady signs feature bright colors, bold text and intuitive pictographs and are designed to withstand even the harshest industrial environments.

Materials available: aluminum (AL), plastic (PL) and self-sticking polyester (SS)



Sight


PERSONAL Protection

NFPA Format

Custom Signs at www.BradyID.com

Create made-to-order signs online, 24 hours a day and avoid paying any set-up charges.





Color Bar Format

Catalog #

121056

121446

Write-On Right-To-Know Labels

- Blank R-T-K Labels allow you to write your own message
- 50 per package

Format

Color Bar

NFPA



5" x 3" Container Labels

- Economical option for secondary container labeling
- 500 labels per roll

| Size | Catalog # | Format | Material | Size | Cat | | |
|---------|-----------|----------------|----------|---------|-----|--|--|
| 3" x 5" | 58261 | HMIG Color Bar | Vinyl | 5" x 3" | 604 | | |
| 3" x 5" | 58263 | NFPA | Vinyl | 5" x 3" | 604 | | |



Hazardous Waste Labels

- Complies with current federal regulations for transportation off-site
- 100 per package

| Catalog # | Format | Material | Size |
|-----------|---------------------|----------|---------|
| 60448 | Hazardous Waste | Vinyl | 6" x 6" |
| 60452 | Non-Regulated Waste | Vinyl | 6" x 6" |
| 60453 | Non-Hazardous Waste | Vinyl | 6" x 6" |
| 60451 | Hazardous Waste | Vinyl | 4" x 6" |

ToughStripe[®] Floor Marking Tape

Material

Vinyl

Vinyl

ToughStripe[®] floor marking products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- 2 mil thickness, resists harsh chemicals
- Service temperature range of 0°F 129°F
- Variety of die-cut shapes also available

Solid Tape



| | Black | White | Red | Green | Blue | Orange | Yellow | Black/Yellow Striped | Red/White Striped | Black/White Striped |
|-----------|--------|--------|--------|--------|--------|--------|--------|-------------------------|----------------------|------------------------|
| 2" x 100' | 104310 | 104311 | 104313 | 104315 | 104314 | 104316 | 104312 | 104317 | 104318 | 104319 |
| 3" x 100' | 104340 | 104341 | 104343 | 104345 | 104344 | 104346 | 104342 | 104347 | 104348 | 104349 |
| 4" × 100' | 104370 | 104371 | 104373 | 104375 | 104374 | 104376 | 104372 | 104377 | 104378 | 104379 |

Waste

Facility Safety Products

Chemical Application Guide

.

.

Х Х

Х

Х

Χ Х

Х

Х Х

Х Х

Х

Х Х

Х Х

Х

Х Х

Х Х

Х Х

Х

Х Х

Х Х

Х

Х

Х

Х Х

Х

Х

Х

Х Х

Х Х

Х

Х

Х

Х Х

Х Х

Х

Х

Х

Х Х

Х

Х

Х

Х X

Х Х

Х

Х

X

Univers

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х Х Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х Х Х Х

Х

Х

Х

Х X Х

Х

Х Х Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х Х Х Х

Х Х Х Х

Х Х Х Х

X

Use the following guide to determine the compatibility of SPC absorbents with common chemicals.

Chemical

Polypropylene Products:

• Universal Plus Absorbents

HAZWIK SOC's & Pillows

Chemical Absorbents

Universal

Chemical Acetaldehyde

Acetic Acid

Acetone

Acrolein

Acrylonitrile

Allyl Alcohol

Amyl Acetate

Amyl Alcohol

Aniline

Antifreeze

Benzene

Aqua Regia

Aviation Fuel

Benzoic Acid

Benzoyl Chloride

Benzyl Alcohol

Benzonitrile

Boric Acid

Brake Fluid

Butyl Acetate

Butyl Alcohol

Butyric Acid

Butylamine Butyric Acid

Carbolic Acid

Castor Oil

Chlorine Water

Chlorobenzene

Chloroform

Citric Acid

Corn Oil

Cresol

Cottonseed Oil

Cyclohexane

Chloroacetic Acid

Chromic Acid (50%)

Chlorosulfonic Acid

Clorox (Full Strength)

Carbon Disulfide

Carbon Tetrachloride

Calcium Hydroxide

Bromine

Aminobenzoic Acid

Ammonia (Anhydrous)

Ammonium Hydroxide

Acetic Anhydride

Acetyl Chloride

- Polypropylene Products:
- Battlemat® Absorbents ٠
- **UXT** Absorbents
- HT Absorbents
- MRO Plus® Absorbents
- **GP** Absorbents ٠
- Basic Universal Absorbents
- SIR & BSM Mats
- AllWIK® SOCs & Pillows
- Cobra Coil® SOC

- Oil Only Polypropylene Products:
- ٠ Oil Only SOCs & Pillows •
 - Trackmat Absorbents SXT[®] Oil Absorbents
 - Oil Plus Absorbents
 - SPC[®] Oil Absorbents
 - ENV[®] Oil Absorbents
- •

Organic

- Basic Oil Only Absorbents ٠ . Static Resistant Absorbents

| Chemical | Universa | Oil Only | Chemica | Organic |
|---------------------|----------|----------|---------|---------|
| Detergents | Х | | X | Х |
| Dichlorobenzene | X | Х | X | |
| Diethylamine | X | Х | X | |
| Diethyl Ether | X | Х | X | Х |
| Disooctyl Phthalate | X | Х | X | X |
| Dinitrobenezene | X | Х | X | |
| Dioxan | Х | | Х | Х |
| Ether | Х | Х | Х | Х |
| Ethyl Acetate | Х | Х | Х | Х |
| Ethyl Alcohol | X | Х | X | X |
| Ethyl Benzene | Х | Х | Х | |
| Ethyl Chloride | Х | Х | Х | |
| Ethyl Ether | Х | Х | Х | Х |
| Ethyl Propionate | Х | Х | Х | Х |
| Ethylene Glycol | Х | | Х | Х |
| Formaldehyde | Х | | Х | Х |
| Formic Acid | Х | | Х | |
| Fuel Oil | Х | Х | Х | Х |
| Gasoline | Х | Х | Х | Х |
| Gearbox Oil | Х | Х | Х | Х |
| Glacial Acetic Acid | Х | | Х | |
| Glycerol | Х | | Х | Х |
| Heptane | Х | Х | Х | Х |
| Hexane | Х | Х | Х | Х |
| Hydrazine | Х | | Х | |
| Hydrochloric Acid | Х | | Х | |
| Hydrofluoric Acid | Х | | Х | |
| Hydrogen Cyanide | Х | Х | Х | |
| Hydrogen Peroxide | Х | | Х | Х |
| Isobutyl Alcohol | Х | Х | Х | Х |
| Isobutyric Acid | Х | Х | Х | |
| Isopropyl Acetate | Х | Х | Х | Х |
| Isopropyl Alcohol | Х | Х | Х | Х |
| Kerosene | Х | Х | Х | Х |
| Keytones | Х | Х | Х | Х |
| Linseed Oil | Х | Х | Х | Х |
| Lubricating Oil | Х | Х | Х | Х |
| Magnesium Hydroxide | Х | | Х | |
| Methyl Alcohol | Х | Х | Х | Х |
| Methyl Chloride | Х | Х | Х | |
| Methyl Ether | Х | Х | Х | Х |
| Methyl Ethyl Ketone | Х | Х | Х | Х |
| Methyl Propionate | Х | Х | Х | Х |
| Mineral Oil | Х | Х | Х | Х |
| Motor Oil | Х | Х | Х | Х |
| Naphthalene | Х | Х | Х | Х |

| 0 | Chemical | Universal | Oil Only | Chemical | Organic |
|---|---------------------------------|-----------|----------|----------|---------|
| | Nitrobenzene | Х | | Х | |
| | Nitrobenzoic Acid | Х | | Х | |
| | Nitrotoluene | Х | Х | Х | Х |
| | Octane | Х | Х | Х | Х |
| | Oleic Acid | Х | Х | Х | |
| | Olive Oil | Х | Х | Х | Х |
| | Paraffin | Х | Х | Х | Х |
| | Perchloroethylene | Х | Х | Х | Х |
| | Petroleum Ether | Х | Х | Х | Х |
| | Phenol | Х | | Х | Х |
| | Phosphoric Acid | Х | | Х | |
| | Plating Solutions | Х | | Х | |
| | Potassium Hydroxide | Х | | Х | |
| | Propanol | Х | | Х | Х |
| | Propionic Acid | Х | Х | Х | |
| | Propyl Alcohol | Х | Х | Х | Х |
| | Propylene Glycol | Х | Х | Х | Х |
| | Quinoline | Х | | Х | |
| | Resorcinol | Х | | Х | |
| | Salt Solutions (metallic) | Х | | Х | Х |
| | Silicone Oil | Х | Х | Х | Х |
| | Silver Nitrate | Х | | Х | Х |
| - | Soap Solution (concentrated) | Х | Х | Х | Х |
| | Sodium Bicarbonate | Х | | Х | Х |
| _ | Sodium Chloride | Х | | Х | Х |
| | Sodium Hydroxide | Х | | Х | |
| | Sodium Hypochlorite | Х | | Х | Х |
| _ | Sodium Nitrate | Х | | Х | Х |
| | Stannic Chloride | Х | | Х | |
| | Starch | Х | | Х | Х |
| | Styrene | Х | Х | Х | Х |
| | Sucrose | Х | | Х | Х |
| | Sulfuric Acid | Х | | Х | |
| | Synthetic Motor Oil | Х | Х | Х | Х |
| | Tannic Acid | Х | | Х | |
| | Toluene | Х | Х | Х | Х |
| | Transformer Oil | Х | Х | Х | Х |
| | Trichloroethylene | Х | Х | Х | Х |
| | Triethylene Glycol | Х | Х | Х | Х |
| | Turpentine | Х | Х | Х | Х |
| | Urine | Х | | Х | Х |
| | | | | | |

Organic Products:

Re-Form[™] Absorbents

• Dri-zorb Granular Re-Form[™] Granular

• Rag Rug Absorbents

 Re-Form[™] Plus Absorbents • Re-Form[™] XPlus Absorbents

Re-Form[™] Oil Only Absorbents

• MULTIWIK[®] & SLIKWIK[®] SOCs

Х

Х Х

Х Х

Х

Х

Х

Х

Vinyl Acetate

Vinegar

Xylene

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test samplings by user is always recommended to ensure safe application.

Х

Х

Nitric Acid



68

Chemical Application Guide

| Part Numbers | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt. (Ibs) | Pallet Qty. * | Quantity | Page # |
|--------------|----------------------------|------------------------------------|------------------------------|------------------------------|-----------------------|---------------------------------------|----------|-----------|
| 00313 | Nitrile Gloves | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 00338 | Goggles | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 00371 | Latex Boots | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 121651 | 6-Gallon Bucket | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 121652 | 6-Gallon Bucket Lid | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 58255 | Caution Tape w/stripes | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 58257 | Caution Tape Stripes Only | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 89151 | 20-Gallon Drum | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 89154-SPC | 30-Gallon Drum | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 89130 | 50/55-Gallon Drum w/wheels | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 89165 | 65-Gallon Drum | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| | | | · · · | | · · · | · · · · · · · · · · · · · · · · · · · | - | |
| 89142 | 95-Gallon Drum | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| 96229 | Spill Magnet | 12" dia. | n/a | n/a | 1 | 100 | 1/each | 53 |
| ATKRO1 | Attack Pack Hanging Rack | n/a | n/a | n/a | n/a | n/a | 1/each | 58 |
| AW99 | Pillow | 9"×9" | 12.5 | 14 | 10 | 40 | 32/case | 41 |
| AW124 | SOC | 3"x12' | 9 | 12 | 12 | 40 | 4/case | 40 |
| AW412 | SOC | 3"x4' | 9 | 12 | 12 | 40 | 12/case | 40 |
| AW430 | SOC | 3"x4' | 9 | 30 | 26 | 20 | 30/case | 40 |
| AW806 | SOC | 3"x8' | 9 | 12 | 12 | 40 | 6/case | 40 |
| AW1818 | Pillow | 18"x18" | 12.5 | 28 | 19 | 20 | 16/case | 41 |
| AW1818-2 | Pillow | 18"×18" | 12.5 | 14 | 9.5 | 40 | 8/case | 41 |
| BAG-TK | Canvas Velcro Bag | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| BAG-DUF | Canvas Duffel Zipper | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| BAG104 | Disposal Bag | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| BAG110 | Nylon Sack Black | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| BM15 | Heavy Wt. Roll | 15"×150' | 12.5 | 25 | 17 | 30 | 1/case | 10 |
| BM30 | Heavy Wt. Roll | 30"×150' | 12.5 | 52 | 34.5 | 12 | 1/case | 10 |
| BM30X | Heavy Wt. Roll | 30"x150' | 12.5 | 52 | 34.5 | 12 | 1/case | 10 |
| BM100 | Heavy Wt. Pad | 15"x19" | 12.5 | 27.5 | 16.5 | 40 | 100/bale | 10 |
| BPO100 | Heavy Wt. Pad | 15"x17" | 18 | 20.5 | 8.5 | 30 | 100/bale | 22 |
| BPO200 | Light Wt. Pad | 15"x17" | 18 | 34 | 13.7 | 18 | 200/bale | 22 |
| BPO500 | Light Wt. Pad | 15"x17" | 18 | 17 | 7 | 30 | 100/bale | 22 |
| BPU100 | | | 18 | 20.5 | 8.5 | 30 | 100/bale | 15 |
| BPU200 | Heavy Wt. Pad | 15"x17" | 18 | | | | | 15 |
| | Light Wt. Pad | 15"x17" | | 34 | 13.7 | 18 | 200/bale | |
| BPU500 | Light Wt. Pad | 15"x17" | 18 | 17 | 7 | 30 | 100/bale | 15 |
| BRO150 | Heavy Wt. Roll | 30"×150" | 14.5 | 38 | 19.5 | 18 | 1/bale | 22 |
| BRU150 | Heavy Wt. Roll | 30"×150" | 14.5 | 38 | 19.5 | 18 | 1/bale | 15 |
| BSC20 | SOC | 3"x42" | 15 | 40.5 | 24 | 20 | 20/case | 40 |
| BSC40 | SOC | 3"x42" | 15 | 81 | 47.5 | 16 | 40/case | 40 |
| BSM100 | Medium Wt. Rug | 36"x100' | 8 | 25 | 24 | 40 | 1/bale | 46 |
| BSM300 | Medium Wt. Rug | 36"x300' | 8 | 74 | 67 | 12 | 1/bale | 46 |
| BSM3650 | Medium Wt. Rug | 36"x50' | 8 | 12 | 12 | 40 | 1/case | 46 |
| BSCSK-CB | BASIC Vehicle Spill Kit | n/a | n/a | 7.75 | 7 | 50 | 1/each | 60 |
| CB305 | Boom | 3" Float, 4.5" Skirt, 25' Sections | n/a | n/a | 22.5 | 11 | 1/case | 49 |
| CB612 | Boom | 6" Float, 12" Skirt, 100' Sections | n/a | n/a | 200 | 3 | 1/case | 49 |
| CC400 | SOC | 3"x4' | 8.5 | 3.3 | 29 | 32 | 12/case | 40 |
| CC440V | SOC | 3"x4' | 4.5 | 25 | 30 | 16 | 40/case | 40 |
| CH15P | Medium Wt. Roll | 15"x150' | 12.5 | 20 | 14 | 30 | 1/bale | 27 |
| CH30DP | Medium Wt. Roll | 30"x150' | 12.5 | 40 | 25 | 12 | 1/case | 27 |
| CH100 | Medium Wt. Pad | 15"x19" | 18 | 30 | 16 | 30 | 100/case | 27 |
| CH1212 | Medium Wt. Pad | 12"x12" | 18 | 30 | 14.5 | 30 | 200/case | 27 |
| CH1212-50 | Medium Wt. Pad | 12"X12" | 12.5 | 7.5 | 4 | 120 | 50/case | 27 |
| | | | | | | | | |
| CFB-AC | Clear Spill Kit Bags | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| COVERALL-D | Coverall - White | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| COVERALL-H | Coverall - Yellow | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| CS-CB18 | Oil Only Granular | 18 lbs | 8 | 18 | 1000 | 50 | 1 pallet | 49 |
| CS-LFB10 | Oil Only Granular | 10 lbs | 8 | 10 | 640 | 64 | 1 pallet | 49 |
| DGUARD9 | Drain Guard | 36" X 48" X 18" | n/a | 0.9 | 1 | 36 | 1/case | 53 |

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

| | | | Absorbency | Absorbency | Shipping | Pallet | | Page |
|------------------|------------------------------|----------------------|----------------|----------------|----------|----------|----------|----------|
| Part Numbers | Type Drain Cuard | Size | Factor (gl/gs) | Capacity (gal) | | Qty. * | Quantity | # |
| DGUARD14 | Drain Guard | 36" X 48" X 18" | n/a | 1.4 | 2 | 36 | 1/case | 53 |
| DGUARD910 | Drain Guard | 36" X 48" X 18" | n/a | 9 | 10 | 20 | 10/case | 53 |
| DGUARD1410 | Drain Guard | 36" X 48" X 18" | n/a | 14 | 20 | 20 | 10/case | 53 |
| DPA24 | Drip Pan | 10"x10" | n/a | n/a | 6 | 20 | 24/case | 53 |
| DTA25 | Medium Wt. Drum Cover | 22" dia. | 12.5 | 6 | 6 | 48 | 25/case | 41 |
| DTO25 | Medium Wt. Drum Cover | 22" dia. | 12.5 | 6 | 6 | 48 | 25/case | 42 |
| DZ100 | Universal Granular | 40 lbs | 1.5 | 8.5 | 1600 | 40 | 1 pallet | 49 |
| ECONO-BAG | Empty PVC Tote Bag | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| ENV50 | Medium Wt. Pad | 30"x30" | 20 | 50 | 19 | 7 | 50/bale | 21 |
| ENV100 | Heavy Wt. Pad | 15"x19" | 20 | 33 | 12.5 | 24 | 100/bale | 21 |
| ENV150 | Medium Wt. Roll | 30"x150' | 15 | 44 | 22 | 18 | 1/bale | 21 |
| ENV200 | Light Wt. Pad | 15"×19" | 23 | 51 | 16 | 18 | 200/bale | 21 |
| ENV300 | Medium Wt. Pad | 15"x19" | 20 | 28 | 10 | 24 | 100/bale | 21 |
| ENV500 | Light Wt. Pad | 15"×19" | 23 | 24.5 | 8 | 30 | 100/bale | 21 |
| ENV510 | ENV Boom | 5"x10' | 12.6 | 32 | 19 | 20 | 4/bale | 49 |
| ENV810 | ENV Boom | 8"x10' | 13 | 65 | 38 | 10 | 4/bale | 49 |
| GP30 | Heavy Wt. Roll | 30"×150' | 13 | 48 | 28 | 18 | 1/bale | 14 |
| GP100 | Heavy Wt. Pad | 15"x19" | 18 | 28 | 11.5 | 24 | 100/case | 14 |
| GP100-B | Heavy Wt. Pad (bagged) | 15"×19" | 18 | 30 | 12 | 24 | 100/bale | 14 |
| GP200-B | Light Wt. Pad (bagged) | 15"x19" | 20 | 44 | 16 | 18 | 200/bale | 14 |
| GP300 | Medium Wt. Pad | 15"x19" | 20 | 28 | 10 | 30 | 100/bale | 14 |
| GP500 | Light Wt. Pad | 15"x19" | 20 | 22 | 8.2 | 30 | 100/bale | 14 |
| GS-10 | Oil Only Granular | 30 lbs | 2 to 6 | 23 | 1800 | 60 | 1 pallet | 49 |
| HAZ99 | Pillow | 9"x9" | 12.5 | 10 | 14 | 40 | 32/case | 43 |
| HAZ124 | SOC | 3"x12' | 9 | 12 | 12 | 40 | 4/case | 43 |
| HAZ412 | SOC | 3"x4' | 9 | 12 | 12 | 40 | 12/case | 43 |
| HAZ1818 | Pillow | 18"x18" | 12.5 | 14 | 9.5 | 20 | 16/case | 43 |
| HAZ1818-2 | Pillow | 18"x18" | 12.5 | 14 | 9.5 | 40 | 8/case | 43 |
| HT15 | Heavy Wt. Roll | 15"x150' | 12.5 | 23 | 16 | 30 | 1/case | 12 |
| HT30 | Heavy Wt. Roll | 30"×150' | 12.5 | 47 | 32 | 12 | 1/case | 12 |
| HT153 | Medium Wt. Roll | 15"x300' | 12.5 | 32 | 20 | 24 | 1/bale | 12 |
| HT200 | Light Wt. Pad | 15"x19" | 12.5 | 27 | 16.5 | 24 | 200/case | 12 |
| HT215 | Light Wt. Roll | 15"x300' | 12.5 | 21.5 | 15 | 18 | 1/bale | 12 |
| HT230 | Light Wt. Roll | 30"×300' | 12.5 | 42.5 | 29.5 | 18 | 1/bale | 12 |
| HT303 | Medium Wt. Roll | 30"×300' | 12 | 63 | 40 | 12 | 1/bale | 12 |
| HT303X | Medium Wt. Roll | 30"x300' | 12.5 | 65 | 40 | 12 | 1/bale | 12 |
| HT350 | Medium Wt. Roll | 30"x150' | 12.5 | 35 | 20 | 12 | 1/bale | 12 |
| HT500 | Light Wt. Pad | 15"x19" | 12.5 | 13.5 | 8.5 | 30 | 100/case | 12 |
| HT550 | Heavy Wt. Roll | 15"x50' | 12.5 | 8 | 5 | 60 | 1/case | 12 |
| HT555 | Heavy Wt. Roll | 15"x150' | 12.5 | 23 | 16 | 30 | 1/case | 12 |
| K2-G | Empty Kaddie | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| INSTR SHEET | Instruction sheet | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| MIS114 | Emergency Response Guidebook | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| MRO50 | Heavy Wt. Pad | 30"x30" | 12.5 | 41 | 26.5 | 13 | 50/bale | 13 |
| MRO12P | Heavy Wt. Roll | 12"x150' | 12.5 | 20 | 11.5 | 36 | 1/bale | 13 |
| MRO15 | Heavy Wt. Roll | 15"x150' | 12.5 | 24 | 17.5 | 30 | 1/case | 13 |
| MRO15P | Heavy Wt. Roll | 15"x150' | 12.5 | 24 | 17.5 | 30 | 1/case | 13 |
| MRO15DP | Heavy Wt. Roll | 15"x150' | 12.5 | 24 | 17.5 | 30 | 1/case | 13 |
| MRO15DPS | | 15"x73' | 12.5 | 12 | 8 | 80 | 1/bale | 13 |
| MRO24DP | Heavy Wt. Roll | | | 39 | 22.5 | | 1/bale | |
| MRO24DP MRO30 | Heavy Wt. Roll | 24"x150' 30"x150' | 12.5 12.5 | 49 | 33 | 27 12 | 1/case | 13 13 |
| | Heavy Wt. Roll | | | | | | | |
| MRO30P | Heavy Wt. Roll | 30"x150' | 12.5 | 49 | 32 | 12 | 1/case | 13 |
| MRO30DP | Heavy Wt. Roll | 30"x150' | 12.5 | 49 | 32 | 12 | 1/case | 13 |
| MRO100 | Heavy Wt. Pad | 15"x19" | 12.5 | 26 | 17.5 | 30 | 100/case | 13 |
| MRO100-2 | Heavy Wt. Pad | 15"x19" | 12.5 | 13.5 | 8 | 36 | 50/bale | 13 |
| MRO150DND* | Heavy Wt. Pad | 15"x19" | 12.5 | 39 | 27 | 18 | 150/case | 13 |
| MRO300 | Medium Wt. Pad | 15"x19" | 12.5 | 20.5 | 14 | 30 | 100/case | 13 |
| MRO315P | Medium Wt. Roll | 15"x150' | 12.5 | 20 | 14 | 30 | 1/case | 13 |

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.



70

| | | | Absorbency | Absorbency | Shipping | | | Page |
|--------------|---------------------------------|--------------------------|----------------|---------------|----------|--------|----------|------|
| Part Numbers | Туре | Size | Factor (gl/gs) | Capacity (gal | | Qty. * | Quantity | # |
| MRO350 | Medium Wt. Roll | 30"x150' | 12.5 | 38 | 26.5 | 12 | 1/case | 13 |
| MRO350DP | Medium Wt. Roll | 30"x150' | 12.5 | 38 | 26.5 | 12 | 1/case | 13 |
| MS50 | SOC | 3"x4' | 7 | 40 | 43 | 15 | 40/case | 43 |
| MS124 | SOC | 3"x12' | 8.5 | 12 | 12 | 42 | 4/case | 43 |
| MS412 | SOC | 3"x4' | 8.5 | 12 | 12 | 42 | 12/case | 43 |
| MS806 | SOC | 3"x8' | 8.5 | 12 | 12 | 42 | 6/case | 43 |
| MXO1000 | Light Wt. Pad | 15"×19" | 23 | 26 | 11 | 30 | 100/case | 21 |
| MXP-C20 | Chemical | 15.5"L x 19.5"W x 20.5"H | n/a | 30 | 14 | 18 | 5/case | 58 |
| MXP-O20 | Oil Only | 15.5"L x 19.5"W x 20.5"H | n/a | 35 | 15 | 18 | 5/case | 58 |
| MXP-U20 | Universal | 15.5"L x 19.5"W x 20.5"H | n/a | 30 | 14.4 | 18 | 5/case | 58 |
| MXU1000 | Light Wt. Pad | 15"×19" | 24 | 27 | 11 | 30 | 100/case | 14 |
| ODN08 | Oil Only | 50' (30 nets) | 15 | 15 | 16 | 24 | 1/bale | 49 |
| OIL99 | Pillow | 9"×9" | 12.5 | 14 | 10 | 40 | 32/case | 42 |
| OIL124 | SOC | 3"x12' | 9 | 12 | 11 | 40 | 4/case | 42 |
| OIL412 | SOC | 3"x4' | 9 | 12 | 11 | 40 | 12/case | 42 |
| OIL430 | SOC | 3"×4' | 9 | 28 | 30 | 20 | 30/case | 42 |
| OIL430 | SOC | 3"x8' | 9 | 12 | 11 | 40 | 6/case | 42 |
| - | | | 12.5 | | | | | |
| OIL1818 | Pillow | 18"x18" | | 28 | 19 | 20 | 16/case | 42 |
| OIL1818-2 | Pillow | 18"x18" | 12.5 | 14 | 9.5 | 40 | 8/case | 42 |
| ONO30* | Oil Only | 50' (30 nets) | 15 | 15 | 17 | 24 | 1/bale | 49 |
| OP15 | Heavy Wt. Roll | 15"x150' | 12.5 | 24 | 17.5 | 30 | 1/case | 19 |
| OP15P | Heavy Wt. Roll | 15"x150' | 12.5 | 24 | 17.5 | 30 | 1/case | 19 |
| OP15DP | Heavy Wt. Roll | 15"x150' | 12.5 | 24 | 17.5 | 30 | 1/case | 19 |
| OP15DPS | Heavy Wt. Roll | 15"×73' | 12.5 | 12 | 7.5 | 80 | 1/bale | 19 |
| OP30 | Heavy Wt. Roll | 30"×150' | 12.5 | 49 | 33 | 15 | 1/case | 19 |
| OP30P | Heavy Wt. Roll | 30"×150' | 12.5 | 49 | 33 | 12 | 1/case | 19 |
| OP30DP | Heavy Wt. Roll | 30"×150' | 12.5 | 49 | 33 | 12 | 1/case | 19 |
| OP50 | Heavy Wt. Pad | 30"×30" | 12.5 | 41 | 24 | 13 | 50/bale | 19 |
| OP100 | Heavy Wt. Pad | 15"×19" | 12.5 | 26 | 17.5 | 30 | 100/case | 19 |
| OP150DND* | Heavy Wt. Pad | 15"×19" | 12.5 | 39 | 27 | 18 | 150/case | 19 |
| OP300 | Medium Wt. Pad | 15"×19" | 12.5 | 20.5 | 14 | 30 | 100/case | 19 |
| OP315P | Medium Wt. Roll | 15"×150' | 12.5 | 19 | 14 | 30 | 1/case | 19 |
| OP350DP | Medium Wt. Roll | 30"×150' | 12.5 | 38 | 26.5 | 12 | 1/case | 19 |
| OP550 | Heavy Wt. Roll | 15"x50' | 12.5 | 9 | 5 | 60 | 1/case | 19 |
| PLUG2 | Drain Plug | 2" Plug | n/a | n/a | 2 | 250 | 1/case | 53 |
| PLUG3 | Drain Plug | 3" Plug | n/a | n/a | 3 | 250 | 1/case | 53 |
| PLUG4 | Drain Plug | 4" Plug | n/a | n/a | 4 | 250 | 1/case | 53 |
| PLUG6 | Drain Plug | 6" Plug | n/a | n/a | 6 | 250 | 1/case | 53 |
| PUTPAT | | - | | | | | | |
| | Putty Patty | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| PVC18 | Slikstopper | 18"x18" | n/a | n/a | 9 | 100 | 1/case | 53 |
| PVC24 | Slikstopper | 24"x24" | n/a | n/a | 14 | 30 | 1/case | 53 |
| PVC36 | Slikstopper | 36"x36" | n/a | n/a | 34 | 25 | 1/case | 53 |
| RAG1818 | Heavy Wt. Rug | 18"x18" | 9 | 38 | 32 | 18 | 50/case | 47 |
| RAG3030 | Heavy Wt. Rug | 30"x30" | 9 | 38 | 32 | 7 | 50/case | 47 |
| RAG24150 | Heavy Wt. Rug | 24"X150 | 9 | 37 | 52 | 10 | 1/bale | 47 |
| RAG36150 | Heavy Wt. Rug | 36"×150' | 9 | 55 | 47 | 12 | 1/bale | 47 |
| RF100 | Heavy Wt. Pad | 15"×19" | 17.5 | 40 | 19 | 24 | 100/case | 32 |
| RF300 | Medium Wt. Pad | 15"×19" | 17.5 | 32 | 14.8 | 30 | 100/case | 32 |
| RF500 | Light Wt. Pad | 15"×19" | 17.5 | 24 | 12 | 36 | 100/case | 32 |
| RFDP300 | Medium Wt. Pad | 15"x19" | 16.5 | 32 | 16.6 | 30 | 100/case | 30 |
| RFDP328-DP | Medium Wt. Roll | 28.5"x150' | 16.5 | 55 | 33.3 | 12 | 1/case | 30 |
| RFGRANULAR | Re-Form Granular | 30 lbs | 1 | 16.7 | 30 | 65 | 1 pallet | 49 |
| RFO412 | SOC | 3"x4' | 13.5 | 15 | 10.5 | 40 | 12/case | 43 |
| RFODP100 | Heavy Wt. Pad | 15"x19" | 30 | 39 | 12 | 24 | 100/case | 33 |
| RFOP14P | Heavy Wt. Pau Heavy Wt. Roll | 14.25"x150' | 30 | 37 | 10.5 | 24 | 1/case | 33 |
| - | , | | | | | | | |
| RFOP28-DP | Heavy Wt. Roll | 28.5"x150' | 30 | 74 | 21 | 12 | 1/case | 33 |
| RFP28-DP | Heavy Wt. Roll | 28.5"x150' | 17 | 62 | 33 | 12 | 1/case | 31 |
| RFP100 | Heavy Wt. Pad | 15"x19" | 17 | 40 | 19.5 | 24 | 100/case | 31 |
| | | | | | | | | |

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

| | | | Absorbency | Absorbency | Shipping | Pallet | | Page |
|-------------------------|----------------------------------|-------------------------|----------------|----------------------|-------------------|---------------------|--------------------|---------|
| Part Numbers REP314P | Type Medium Wt. Roll | Size 14.25"x150' | Factor (gl/gs) | Capacity (gal) 29 | Wt. (Ibs) 15.5 | Qty. * 24 | Quantity 1/case | # 31 |
| RFP314P RFP328-DP | Medium Wt. Roll | 28.5"x150 | 17 | 53 | 30.5 | 12 | 1/case | 31 |
| RFP500 | Light Wt. Pad | 15"x19" | 17 | 24 | 12.7 | 36 | 100/case | 31 |
| RS-3PACK | RuptureSeal Plug Pack | 1", 2.5" & 2x6" | n/a | n/a | 6 | 300 | 3/case | 53 |
| SB-1010 | Standard Spill Berm | 10'x10'x1' | n/a | 748 | 47 | 1 | 1/each | 54 |
| SB-1212 | Standard Spill Berm | 12'x12'x1' | n/a | 1,077 | 60 | 1 | 1/each | 54 |
| SB-1212 | Standard Spill Berm | 12'x26'x1' | n/a | n/a | 112 | 1 | 1/each | 54 |
| SB-1236 | Standard Spill Berm | 12'x36'x1' | n/a | n/a | 149 | 1 | 1/each | 54 |
| SB-SL44 | Lightweight Spill Berm | 4'x4'x8" | n/a | 79 | 6 | 20 | 1/each | 54 |
| SB-SL44 SB-SL46 | Lightweight Spill Berm | 4'x6'x8" | n/a | 119 | 8 | 10 | 1/each | 54 |
| SC-4 | Set of 4 casters | n/a | n/a | n/a | n/a | n/a | 1 pack | 55 |
| SC-3000 | Absorbent Center | 50"L X 26"W X 7.75"H | n/a | n/a | 50 | 15 | 1/each | 55 |
| SC-ACC | Accessory Pack | n/a | n/a | n/a | n/a | n/a | 1 pack | 55 |
| SC-Cabinet | Spill Control Cabinet | 19-7/8 x 14-1/4x 32-3/4 | n/a | n/a | 45 | 9 | 1/each | 55 |
| SC-Cabinet-UF | Universal Absorbent Cabinet Fill | n/a | n/a | n/a | n/a | n/a | n/a | 55 |
| SC-Cabinet-OF | Oil Only Absorbent Cabinet Fill | n/a | n/a | n/a | n/a | n/a | n/a | 55 |
| SC-Cabinet-HF | Chemical Absorbent Cabinet Fill | n/a | n/a | n/a | n/a | n/a | n/a | 55 |
| SC-Cart | Spill Control Cart | 36 x 18 x 38-3/8 | n/a | n/a | 180 | 1 | 1/each | 55 |
| SC-Cart-UF | Universal Absorbent Cart Fill | n/a | n/a | n/a | n/a | n/a | n/a | 55 |
| SC-Cart-OF | Oil Only Absorbent Cart Fill | n/a | n/a | n/a | n/a | n/a | n/a | 55 |
| SC-Cart-HF | Chemical Absorbent Cart Fill | n/a | n/a | n/a | n/a | n/a | n/a | 55 |
| SC-D15 | 15" Dowel Rod | 15" | n/a | n/a | n/a | n/a | 1 rod | 55 |
| SC-D40 | 40" Dowel Rod | 40" | n/a | n/a | n/a | n/a | 1 rod | 55 |
| SC-DK | Sump Drain Kit | n/a | n/a | n/a | 2 | 100 | 1/case | 54 |
| SC-DP2 | 2-Drum Spill Pallet | 26"W X 52"L X 17"H | 68.7 | 2,500 | 46.5 | 100 | 1/each | 54 |
| SC-DP4 | 4-Drum Spill Pallet | 52"W X 52"L X 17"H | 128.9 | 5,000 | 89 | 10 | 1/each | 54 |
| SC-DPR | Spill Pallet Ramp | 32.5"W X 70"L | n/a | 650 | 47.5 | 3 | 1/each | 54 |
| SC-MB | Wall Mount | n/a | n/a | n/a | n/a | n/a | 1 each | 55 |
| SC-SD2 | 2 Drum Spill Deck | 26"W X 52"L X 6"H | 21.2 | 2,500 | 31 | 15 | 1/each | 54 |
| SCOOP | Scoop | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| SHOVEL | Plastic Safety Shovel | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| SHOVEL-T | 2pc Shovel | n/a | n/a | n/a | n/a | n/a | 1/each | 59 |
| SIR36 | Heavy Wt. Rug | 36"x300' | 8.5 | 59 | 50 | 12 | 1/bale | 47 |
| SIR72 | Heavy Wt. Rug | 72"x150' | 8.5 | 59 | 50 | 12 | 1/bale | 47 |
| SIR36150 | Heavy Wt. Rug | 36"x150' | 12.5 | 45 | 25 | 24 | 1/bale | 47 |
| SKA-20 | Universal | 21"Dia. X 18"H | n/a | 15 | 27 | 18 | 1/each | 61 |
| SKA-20-TAA | Universal | 21"Dia. X 18"H | n/a | 15 | 26 | 18 | 1/each | 61 |
| SKA-30 | Universal | 21.125"Dia. X 28.5"H | n/a | 36 | 41 | 18 | 1/each | 61 |
| SKA-30-TAA | Universal | 21.125"Dia. X 28.5"H | n/a | 36 | 41 | 18 | 1/each | 61 |
| SKA-55 | Universal | 24"Dia. X 37"H | n/a | 38 | 57 | 8 | 1/each | 62 |
| SKA-55-TAA | Universal | 24"Dia, X 37"H | n/a | 38 | 56 | 8 | 1/each | 62 |
| SKA-55W | Universal | 24"Dia. X 37"H | n/a | 38 | 57 | 8 | 1/each | 62 |
| SKA-65 | Universal | 31"Dia. X 33.5"H | n/a | 63 | 100 | 3 | 1/each | 62 |
| SKA-65-TAA | Universal | 31"Dia. X 33.5"H | n/a | 63 | 100 | 3 | 1/each | 62 |
| SKA-95 | Universal | 31.5"Dia. X 35"H | n/a | 75 | 107 | 3 | 1/each | 62 |
| SKA-95W | Universal | 31.5"Dia. X 35"H | n/a | 75 | 107 | 3 | 1/each | 62 |
| SKA-ATK | Universal | 20"L X 16"W X 4"H | n/a | 7 | 36.5 | 24 | 4/case | 58 |
| SKA-ATK-TAA | Universal | 20"L X 16"W X 4"H | n/a | 7 | 36.5 | 24 | 4/case | 58 |
| SKA-BKT | Universal | 14"Dia. X 18"H | n/a | 9 | 9 | 60 | 1/each | 61 |
| SKA-BKT-TAA | Universal | 14"Dia. X 18"H | n/a | 6 | 9 | 60 | 1/each | 61 |
| SKA-BKTACID | Acid Neutralizing Spill Kit | 13.5" Dia. x 18"H | n/a | 4.5 | 16.5 | 60 | 1/each | 60 |
| SKA-BKTBASE | Base Neutralizer Spill Kit | 13.5" Dia. x 18"H | n/a | 4.5 | 16.5 | 60 | 1/each | 60 |
| SKA-CFB | Universal | 20"L X 16"W X 4"H | n/a | 15 | 25 | 20 | 2/case | 58 |
| SKA-CFB-TAA | Universal | 20"L X 16"W X 4"H | n/a | 15 | 25 | 20 | 2/case | 58 |
| SKA-K2 | Universal | 18"L X 17"W X 39"H | n/a | 22 | 42 | 10 | 1/each | 60 |
| SKA-LT | Universal | 47"L X 34"W X 43"H | n/a | 126 | 164 | 1 | 1/each | 63 |
| SKA-PP | Universal | 20"L X 16"W X 4"H | n/a | 5 | 24 | 20 | 1/each | 58 |
| SKA-PP-TAA | Universal | 20"L X 16"W X 4"H | n/a | 5 | 24 | 20 | 1/each | 58 |
| | Universal | 20 27 10 10 4 4 11 | 11/0 | 5 | 24 | 20 | 1/64611 | |

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.



72

| Part Numbers | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping | Pallet Qty. * | Quantity | Page # |
|--------------|--|------------------------|------------------------------|------------------------------|----------|------------------|----------|----------------|
| SKA-SAK | Universal | 20"L X 16"W X 4"H | n/a | 10.75 | 10 | 20 | 1/each | # 59 |
| SKA-SAK-TAA | Universal | 20"L X 16"W X 4"H | n/a | 10.75 | 10 | 20 | 1/each | 59 |
| SKA-SRP | Universal | 9.75"D X 10.5"H | n/a | 4.5 | 2.5 | 90 | 1/each | 60 |
| SKA-XLT | Universal | 57.5"L X 40.5"W X 47"H | n/a | 174 | 221 | 1 | 1/each | 63 |
| SK-CAMO | Camouflaged Vehicle Spill Kit | n/a | n/a | 11.5 | 9 | 50 | 1/each | 60 |
| | Camouflaged Vehicle Spill Kit with | | n/a | | | 50 | I/each | 00 |
| SK-CAMO-RS | RuptureSEAL | n/a | n/a | 11.5 | 9 | 50 | 1/each | 60 |
| SKH-20 | Chemical | 21"Dia. X 18"H | n/a | 15 | 26 | 18 | 1/each | 61 |
| SKH-30 | Chemical | 21.125"Dia. X 28.5"H | n/a | 36 | 41 | 18 | 1/each | 61 |
| SKH-55 | Chemical | 24"Dia. X 37"H | n/a | 38 | 52 | 8 | 1/each | 62 |
| SKH-55W | Chemical | 24"Dia. X 37"H | n/a | 38 | 52 | 8 | 1/each | 62 |
| SKH-65 | Chemical | 31"Dia. X 33.5"H | n/a | 63 | 100 | 3 | 1/each | 62 |
| SKH-95 | Chemical | 31.5"Dia. X 35"H | n/a | 75 | 104 | 3 | 1/each | 62 |
| SKH-95W | Chemical | 31.5"Dia. X 35"H | n/a | 75 | 104 | 3 | 1/each | 62 |
| SKH-ATK | Chemical | 20"L X 16"W X 4"H | n/a | 7 | 25 | 24 | 4/case | 58 |
| SKH-BKT | Chemical | 14"Dia. X 18"H | n/a | 9 | 8 | 60 | 1/each | 61 |
| SKH-CFB | Chemical | 20"L X 16"W X 4"H | n/a | 15 | 25 | 20 | 2/case | 58 |
| SKH-K2 | Chemical | 18"L X 17"W X 39"H | n/a | 22 | 42 | 10 | 1/each | 60 |
| SKH-LT | Chemical | 47"L X 34"W X 43"H | n/a | 115 | 158 | 1 | 1/each | 63 |
| SKH-PP | Chemical | 20"L X 16"W X 4"H | n/a | 5 | 24 | 20 | 1/each | 58 |
| SKH-SAK | Chemical | 20"L X 16"W X 4"H | n/a | 10.75 | 10 | 20 | 1/each | 59 |
| SKH-SRP | Chemical | 9.75"D X 10.5"H | n/a | 4.5 | 2.5 | 90 | 1/each | 60 |
| SKH-XLT | Chemical | 57.5"L X 40.5"W X 47"H | n/a | 160 | 2.5 | 1 | 1/each | 63 |
| | | | | | | | | |
| SKM-LT | Marine | 47"L X 34"W X 43"H | n/a | 153 | 164 | 1 | 1/each | 63 |
| SKM-XLT | Marine | 57.5"L X 40.5"W X 47"H | n/a | 160 | 221 | 1 | 1/each | 63 |
| SKO-20 | Oil Only | 21"Dia. X 18"H | n/a | 15 | 20 | 18 | 1/each | 61 |
| SKO-30 | Oil Only | 21.125"Dia. X 28.5"H | n/a | 36 | 41 | 18 | 1/each | 61 |
| SKO-55 | Oil Only | 24"Dia. X 37"H | n/a | 38 | 56 | 8 | 1/each | 62 |
| SKO-55W | Oil Only | 24"Dia. X 37"H | n/a | 38 | 56 | 8 | 1/each | 62 |
| SKO-65 | Oil Only | 31"Dia. X 33.5"H | n/a | 63 | 100 | 3 | 1/each | 62 |
| SKO-95 | Oil Only | 31.5"Dia. X 35"H | n/a | 75 | 107 | 3 | 1/each | 62 |
| SKO-95W | Oil Only | 31.5"Dia. X 35"H | n/a | 75 | 107 | 3 | 1/each | 62 |
| SKO-ATK | Oil Only | 20"L X 16"W X 4"H | n/a | 7 | 23 | 24 | 4/case | 58 |
| SKO-BKT | Oil Only | 14"Dia. X 18"H | n/a | 9 | 9 | 60 | 1/each | 61 |
| SKO-CFB | Oil Only | 20"L X 16"W X 4"H | n/a | 15 | 25 | 20 | 2/case | 58 |
| SKO-K2 | Oil Only | 18"L X 17"W X 39"H | n/a | 22 | 42 | 10 | 1/each | 60 |
| SKO-LT | Oil Only | 47"L X 34"W X 43"H | n/a | 126 | 185 | 1 | 1/each | 63 |
| SKO-PP | Oil Only | 20"L X 16"W X 4"H | n/a | 5 | 24 | 20 | 1/each | 58 |
| SKO-SAK | Oil Only | 20"L X 16"W X 4"H | n/a | 10.75 | 10 | 20 | 1/each | 59 |
| SKO-SRP | Oil Only | 9.75"D X 10.5"H | n/a | 4.5 | 2.5 | 90 | 1/each | 60 |
| SKO-XLT | Oil Only | 57.5"L X 40.5"W X 47"H | n/a | 174 | 221 | 1 | 1/each | 63 |
| SKR-20 | Re-Form | 21"Dia. X 18"H | n/a | 15 | 27 | 18 | 1/each | 61 |
| SKR-55 | Re-Form | 24"Dia. X 37"H | n/a | 38 | 57 | 8 | 1/each | 62 |
| SKR-95 | Re-Form | 31.5"Dia. X 35"H | n/a | 75 | 107 | 3 | 1/each | 62 |
| SKR-ATK | Re-Form | 20"L X 16"W X 4"H | n/a | 7 | 36.5 | 24 | 4/case | 58 |
| SKR-BKT | Re-Form | 14"Dia. X 18"H | n/a | 6 | 9 | 60 | 1/each | 61 |
| SKR-CFB | Re-Form | 20"L X 16"W X 4"H | n/a | 15 | 25 | 20 | 2/case | 58 |
| SKR-PP | Re-Form | 20"L X 16"W X 4"H | n/a | 5 | 24 | 20 | 1/each | 58 |
| SKR-SAK | Re-Form | 20"L X 16"W X 4"H | n/a | 10.75 | 10 | 20 | 1/each | 59 |
| SPC10 | Pillow | 14"x25" | 12.5 | 52 | 30 | 10 | 10/bale | 49 |
| SPC50 | Heavy Wt. Pad | 33"x39" | 18 | 73 | 33.5 | 7 | 50/bale | 20 |
| SPC100 | Heavy Wt. Pad | 15"x19" | 18 | 35 | 14 | 30 | 100/bale | 20 |
| SPC100B | Heavy Wt. Pad (Blue MBPP Pad) | 15"x19" | 18 | 35 | 14 | 30 | 100/bale | 20 |
| SPC105 | Heavy Wt. Pad (1 side w/blue coverstock) | 15"×19" | 18 | 35 | 14 | 30 | 100/bale | 20 |
| SPC150 | Heavy Wt. Roll | 38"x144' | 15 | 70 | 33 | 18 | 1/bale | 20 |
| SPC152 | Heavy Wt. Roll | 19"x144' | 15 | 70 | 33 | 18 | 2/bale | 20 |
| | Medium Wt. Roll (1 side w/blue | | | | | | | |
| SPC156 | coverstock) | 30"x150' | 15 | 37 | 26.5 | 18 | 1/bale | 20 |

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

| 5 |
|-----------------------|
| 0 |
| D |
| $\boldsymbol{\times}$ |

| Part Numbers | Туре | Size | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt. (Ibs) | Pallet Qty. * | Quantity | Page # |
|--------------|---------------------------|-------------------|------------------------------|------------------------------|-----------------------|------------------|----------|-----------|
| SPC200 | Light Wt. Pad | 15"×19" | 18 | 40 | 16 | 18 | 200/bale | 20 |
| SPC300 | Medium Wt. Pad | 15"×19" | 18 | 30 | 11 | 30 | 100/bale | 20 |
| SPC318 | SPC Boom | 3"×18" | 9.5 | 14 | 10 | 40 | 25/case | 49 |
| SPC500 | Light Wt. Pad | 15"×19" | 18 | 20 | 8.2 | 30 | 100/bale | 20 |
| SPC510 | SPC Boom | 5"×10' | 12.6 | 32 | 19 | 16 | 4/bale | 49 |
| SPC518 | SPC Boom | 5"x18" | 12.6 | 12 | 8 | 40 | 10/case | 49 |
| SPC810 | SPC Boom | 8"x10' | 13.3 | 71 | 40 | 10 | 4/bale | 49 |
| SPC818 | SPC Boom | 8"x18" | 12.5 | 28 | 17 | 16 | 10/bale | 49 |
| SPC1900 | Sweep | 19"X100' | 15 | 25 | 13 | 36 | 1/bale | 49 |
| SPC5510* | SPC Boom | 5"x10' | 12.1 | 61 | 38 | 12 | 2/bale | 49 |
| SPC19150 | Heavy Wt. Roll | 19" x 144' | 15 | 35 | 17 | 36 | 1/bale | 20 |
| SPC-ACID | Acid Neutralizing Polymer | 13.5" Dia. x 18"H | n/a | 0.65 | 2 | 1200 | 1/each | 60 |
| SPC-BASE | Base Neutralizing Polymer | 13.5" Dia. x 18"H | n/a | 0.65 | 2 | 1200 | 1/each | 60 |
| SPCUN1019 | Medium Wt. Roll | 15"×150' | 12.5 | 39 | 24 | 15 | 2/case | 26 |
| SPCUN1113 | Medium Wt. Pad | 12"x12" | 16 | 12.5 | 16 | 30 | 200/case | 26 |
| SPCUN1113-50 | Medium Wt. Pad | 12"X12" | 12.5 | 5.5 | 4 | 120 | 50/case | 26 |
| SPCUN1719 | Medium Wt. Pad | 15"×19" | 12.5 | 20.5 | 14.5 | 30 | 100/case | 26 |
| SPCUN3800 | Medium Wt. Roll | 30"×150' | 12.5 | 39 | 27 | 12 | 1/case | 26 |
| SR100 | Heavy Wt. Pad | 15" ×19" | 13 | 26 | 14.5 | 30 | 100/bale | 23 |
| SR1825 | Medium Wt. Pad | 15"×19" | 15 | 6 | 3.2 | 90 | 25/bale | 23 |
| SR3600 | Heavy Wt. Roll | 30"×150' | 15 | 44 | 22 | 18 | 1/bale | 23 |
| SR3625 | Heavy Wt. Pad | 30"×30" | 13 | 16 | 9 | 14 | 25/bale | 23 |
| SRP75P | Heavy Wt. Roll | 7.5" x 50' | 12.5 | 3.3 | 1.85 | 96 | 1/bale | 35 |
| SRP100 | Heavy Wt. Pad | 7.5"×10" | 12.5 | 5.5 | 4 | 96 | 100/case | 35 |
| SRP200 | Heavy Wt. Pad | 7.5"×10" | 12.5 | 11.1 | 7.5 | 96 | 200/case | 35 |
| SRPH75P | Heavy Wt. Plus Roll | 7.5" × 50' | 12.5 | 3.3 | 1.85 | 96 | 1/bale | 35 |
| SRPH100 | Heavy Wt. Plus Pad | 7.5"×10" | 12.5 | 5.5 | 4 | 96 | 100/case | 35 |
| SRPH200 | Heavy Wt. Plus Pad | 7.5"×10" | 12.5 | 11.1 | 7.5 | 96 | 200/case | 35 |
| SRP075P | Heavy Wt. Roll | 7.5" × 50' | 12.5 | 3.3 | 1.85 | 96 | 1/bale | 35 |
| SRPO100 | Heavy Wt. Pad | 7.5"×10" | 12.5 | 5.5 | 4 | 96 | 100/case | 35 |
| SRPO200 | Heavy Wt. Pad | 7.5"×10" | 12.5 | 11.1 | 7.5 | 96 | 200/case | 35 |
| SW46 | SOC | 3"x42" | 3 | 20 | 50 | 16 | 40/case | 40 |
| SXT15P | Heavy Wt. Roll | 15"x150' | 12 | 18 | 14 | 30 | 1/case | 16 |
| SXT30DP | Heavy Wt. Roll | 30"×150' | 12 | 37 | 26.5 | 12 | 1/case | 16 |
| SXT100 | Heavy Wt. Pad | 15"x19" | 12 | 19.5 | 14.5 | 30 | 100/case | 16 |
| SXT200 | Light Wt. Pad | 15"x19" | 14 | 31.5 | 18 | 24 | 200/case | 16 |
| SXT300 | Medium Wt. Pad | 15"x19" | 12 | 17 | 10 | 30 | 100/case | 16 |
| TM30 | Heavy Wt. Pad | 29"x29" | 9 | 25 | 15 | 15 | 30/bale | 46 |
| TM58 | Heavy Wt. Roll | 58"x80' | 9 | 55 | 34 | 9 | 1/bale | 46 |
| UXT15P | Heavy Wt. Roll | 15"x150' | 11 | 17 | 14.5 | 30 | 1/case | 11 |
| UXT30DP | Medium Wt. Roll | 30"x150' | 11 | 35 | 27.5 | 12 | 1/case | 11 |
| UXT100 | Heavy Wt. Pad | 15"x19" | 11 | 19 | 14.5 | 30 | 100/case | 11 |
| UXT200 | Light Wt. Pad | 15"x19" | 14 | 31.5 | 18.5 | 24 | 200/case | 11 |
| UXT300 | Medium Wt. Pad | 15"x19" | 11 | 17 | 12 | 30 | 100/case | 11 |
| VS12P | Heavy Wt. Roll | 12"x60" | 12.5 | 13.6 | 9.5 | 30 | 20/case | 37 |
| VS75P | Heavy Wt. Roll | 7.5"x50" | 12.5 | 5.56 | 4.27 | 40 | 20/case | 37 |
| VSH12P | Heavy Wt. Roll | 12"x60" | 12.5 | 13.6 | 9.5 | 30 | 20/case | 37 |
| VSH75P | Heavy Wt. Roll | 7.5"x50" | 12.5 | 5.56 | 4.27 | 40 | 20/case | 37 |
| VSO12P | Heavy Wt. Roll | 12"x60" | 12.5 | 13.6 | 9.5 | 30 | 20/case | 37 |
| VSO75P | Heavy Wt. Roll | 7.5"x50" | 12.5 | 5.56 | 4.27 | 40 | 20/case | 37 |

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.



Product Index

Product Index

| 55 |
|----|
| 56 |
| 56 |
| 54 |
| 56 |
| 56 |
| |

Α

| Absorbent Storage Centers | 51 |
|-------------------------------|----|
| ALLWIK® Universal Drum Covers | 37 |
| ALLWIK® Universal Pillows | 37 |
| ALLWIK® Universal SOCs | 36 |
| Attack Pac Spill Kit | 54 |

В

| Barricade Tape | 0 |
|----------------------------------|---|
| Basic Oil Absorbents2 | 2 |
| Basic Universal Absorbents1 | 5 |
| Basic Universal SOCs | 6 |
| BattleMat® Absorbent Rolls 1 | 0 |
| Booms4 | 5 |
| BradyLink Warning Chain & Links6 | 0 |
| BradyLink Warning Posts6 | 0 |
| BSM Barrier Spill Matting4 | 2 |

С

| Cansorb Oil Only Granular Absorbent | 47 |
|-------------------------------------|----|
| CH "Chemical" Absorbents | 27 |
| Chemical Application Guide | 62 |
| Chemical Pads & Rolls | 24 |
| Cobra Coil® Universal SOCs | 36 |
| Custom Spill Kit Program | 58 |

D

| Drag Nets | . 45 |
|-----------------------------|------|
| Drain Plugs | . 49 |
| Drain Seals | . 49 |
| Dri-Zorb Granular Absorbent | . 47 |
| Drip Pans | . 49 |
| Drum Covers | .34 |

Е

| Economy Spill Kit | .54 |
|------------------------|------|
| Emergency Response Kit | . 55 |
| Emergency Spill Sak | . 55 |
| ENV® Oil Absorbents | .21 |
| Environmental Survey | 5 |
| | |

F

| Facility Safety Products | C |
|--------------------------|---|
| Floor Stands60 | С |

G

| GP "General Purpose" Absorbents | 14 |
|---------------------------------|----|
| Granular Absorbents | 46 |

Н

| Handy Cone™ Floor Signs | 60 |
|------------------------------|----|
| Hazard Communication Labels | 61 |
| Hazardous Waste Labels | 61 |
| HAZWIK® Pillows | 39 |
| HAZWIK® SOCs | 39 |
| HT "High Traffic" Absorbents | 12 |
| | |

Μ

| Marine Absorbents44 | 4 |
|--------------------------------|---|
| Mats & Rugs40 | 0 |
| MAXX® Packs54 | 4 |
| Mobile Spill Kaddie55 | 5 |
| Mobile Spill Truck - Large57 | 7 |
| Mobile Spill Truck - X-Large57 | 7 |
| MRO Plus® Absorbents 13 | 3 |

0

| Oil Gator Granular Absorbent | 47 |
|------------------------------|----|
| Oil Nets | 45 |
| Oil Only Drum Covers | 38 |
| Oil Only Pads & Rolls | 16 |
| Oil Only Pillows | 38 |
| Oil Only SOCs | 38 |
| Oil Plus Oil Absorbents | 19 |

Ρ

R

| Rag Rug Matting | 43 |
|--|----|
| Re-Form Pads & Rolls | 28 |
| Re-Form [™] Absorbents | 32 |
| Re-Form™ Industrial Granular Absorbent | 47 |
| Re-Form™ Oil Only Absorbents | 33 |
| Re-Form™ Oil Only SOCs | 39 |
| Re-Form™ Plus Absorbents | 31 |
| Re-Form™ Universal SOCs | 39 |
| Re-Form™ XPlus Absorbents | 30 |
| Right-To-Know Labels | 61 |

S

| Safety Signs | 61 |
|----------------------------------|----|
| SIR Absorbent Industrial Rug | 43 |
| SLIKWIK® Universal SOCs | 36 |
| SOCs | 34 |
| SPC® Oil Absorbents | 20 |
| Spill Berms | 50 |
| Spill Control & Containment | 48 |
| Spill Control Cabinet | 51 |
| Spill Control Cart | 51 |
| Spill Decks | 50 |
| Spill Kits | 52 |
| Spill Pallets | 50 |
| Spill Procedure Guide | 53 |
| Spill Response Plus Pads & Rolls | 35 |
| Static Resistant Oil Absorbents | 23 |
| Storage Centers | 51 |
| Storm Drain Guards | 49 |
| Sweeps | 45 |
| SXT® Oil Absorbents | 18 |

Т

| ToughStripe® Floor Marking Tape | 61 |
|---------------------------------|----|
| TrackMat Matting | 42 |
| Traffic Cones and Snap-On Signs | 60 |

U

| Universal Pads & Rolls8 | |
|--|--|
| Universal Plus Absorbents26 | |
| UXT Universal "Xtra Tough" Absorbents 11 | |

V

| VendSorb Absorbent Pads & Rolls | 35 |
|---------------------------------|----|
| Vehicle Spill Kits | 59 |

Try SPC Absorbents With A Free Sample Pack!



Scan this barcode to request your free sample pack of SPC Absorbents

www.BradyID.com/SPC

Brady warrants only to the buyer that the products and parts set forth herein will be free from defects in material and workmanship from the date of purchase for a period of one year. Brady's sole obligation under the above warranty shall be to repair or replace the defective products or parts during the warranty period. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GIVEN, AND BRADY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, INCLUDING AND WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. All statements, technical information, or recommendations relating to the products or parts are based upon tests believed to be reliable, but do not constitute a guaranty or warranty. BRADY SHALL NOT UNDER ANY CIRCUMSTANCES WHATSOEVER BE LIABLE TO ANY PARTY FOR LOSS OF PROFITS, DIMINUTION OF GOOD WILL, OR ANY OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES WHATSOEVER WITH RESPECT TO ANY CLAIM IN CONNECTION WITH BRADY PRODUCTS AND/OR PARTS. Brady's maximum liability for warranty claims is limited to the invoice price of the product or price claimed defective.

PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

In an effort to reduce shipping costs for our customers, pallet quantities may vary.



© 2012 Brady Worldwide Inc. ALL RIGHTS RESERVED

USA

Customer Service: 1-888-272-3946 Inside Sales: 1-888-311-0775 www.BradyID.com

Canada

Customer Service: 1-800-263-6179 www.BradyCanada.ca

Mexico

Customer Service: 1-800-262-7777 Inside Sales: 1-800-262-7777 ext 177 www.BradyLatinAmerica.com

