



TOOLS, KITS & CASES



2014EDGE
CATALOG

1019-00-1100 – OPT;PERM L;KIT;1.5M NEXANS LTK



OPT;PERM L;KIT;1.5M NEXANS LTK

IDEAL
OPT;PERM L;KIT;1.5M NEXANS LTK

Part Number	Weight	Min. Quantity
1019-00-1100	1.5	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
20-LA-U	0.2188	1



OPT;TERA ADPT KIT;CAT7;LTK

IDEAL
OPT;TERA ADPT KIT;CAT7;LTK

Part Number	Weight	Min. Quantity
1019-00-1105	1.05	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
20-LC	0.2332	1



KIT;F OPT;CLEANING;LTK

IDEAL
KIT;F OPT;CLEANING;LTK

Part Number	Weight	Min. Quantity
1219-00-1621	0.4	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
20-LC-U	0.2292	1



CARRY CASE; NAVITEK II

IDEAL
CARRY CASE; NAVITEK II

Part Number	Weight	Min. Quantity
151054	0.01	1



LV KIT

IDEAL
LV KIT

Part Number	Weight	Min. Quantity
20U	0.24	1



CARRY CASE, SIGNALTEK II

IDEAL
CARRY CASE, SIGNALTEK II

Part Number	Weight	Min. Quantity
156050	N-A	1



BRUSH SEATER; SPECIFY H

IDEAL
BRUSH SEATER; SPECIFY H

Part Number	Weight	Min. Quantity
23-001H	0.0192	12

23-007H – BRUSH SEATER; SPECIFY H

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-001M	0.0208	12

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-004M	0.0625	4

BRUSH SEATER; SPECIFY H



IDEAL
BRUSH SEATER; SPECIFY H

Part Number	Weight	Min. Quantity
23-002H	0.0417	6

BRUSH SEATER; SPECIFY S



IDEAL
BRUSH SEATER; SPECIFY S

Part Number	Weight	Min. Quantity
23-004S	0.0575	4

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-002M	0.04	6

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-005M	0.1	20

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-003M	0.05	4

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-006M	0.1	20

BRUSH SEATER; SPECIFY H



IDEAL
BRUSH SEATER; SPECIFY H

Part Number	Weight	Min. Quantity
23-004H	0.06	4

BRUSH SEATER; SPECIFY H



IDEAL
BRUSH SEATER; SPECIFY H

Part Number	Weight	Min. Quantity
23-007H	0.12	20



23-007M – BRUSH SEATER; SPECIFY M

TOOLS, KITS & CASES

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-007M	0.15	20

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-027M	0.16	10

BRUSH SEATER; SPECIFY S



IDEAL
BRUSH SEATER; SPECIFY S

Part Number	Weight	Min. Quantity
23-007S	0.15	20

BRUSH SEATER; SPECIFY S



IDEAL
BRUSH SEATER; SPECIFY S

Part Number	Weight	Min. Quantity
23-027S	0.16	10

BRUSH SEATER; SPECIFY H



IDEAL
BRUSH SEATER; SPECIFY H

Part Number	Weight	Min. Quantity
23-008H	0.23	10

BRSH SEATR 1X1X4-3/4 SOFT



IDEAL
BRSH SEATR 1X1X4-3/4 SOFT

Part Number	Weight	Min. Quantity
23-035S	0.3	4

BRUSH SEATER; SPECIFY M



IDEAL
BRUSH SEATER; SPECIFY M

Part Number	Weight	Min. Quantity
23-008M	0.21	10

BRSH SEATR 2X1X4-3/4 SOFT



IDEAL
BRSH SEATR 2X1X4-3/4 SOFT

Part Number	Weight	Min. Quantity
23-036S	0.55	2

BRUSH SEATER; SPECIFY S



IDEAL
BRUSH SEATER; SPECIFY S

Part Number	Weight	Min. Quantity
23-008S	0.22	10

BRSH SEATR 3 X 2 X 6 SOFT



IDEAL
BRSH SEATR 3 X 2 X 6 SOFT

Part Number	Weight	Min. Quantity
23-041S	2	2



30-072 – WIRENUT 72B BLUE 100PC/BX



BRSH SEATR 3 X 2 X 8 SOFT

IDEAL
BRSH SEATR 3 X 2 X 8 SOFT

Part Number	Weight	Min. Quantity
23-042S	2.8	1



MODEL 64; BLUE/DK BLUE; 2/CARD

IDEAL
MODEL 64; BLUE/DK BLUE; 2/CARD

Part Number	Weight	Min. Quantity
30-064	0.0341	10



UNDGD 60; BLUE/BLEUE 2 /CARD

IDEAL
UNDGD 60; BLUE/BLEUE 2 /CARD

Part Number	Weight	Min. Quantity
30-060	0.0375	10



MODEL 65; PURPLE; 2/CARD

IDEAL
MODEL 65; PURPLE; 2/CARD

Part Number	Weight	Min. Quantity
30-065	0.0338	10



MODEL 61; BLUE/ORG; 6/CARD

IDEAL
MODEL 61; BLUE/ORG; 6/CARD

Part Number	Weight	Min. Quantity
30-061	0.015	30



UNDGD 66; BLUE/DK BLUE; 2/CARD

IDEAL
UNDGD 66; BLUE/DK BLUE; 2/CARD

Part Number	Weight	Min. Quantity
30-066	0.052	10



MODEL 62; BLUE/RED; 5/CARD

IDEAL
MODEL 62; BLUE/RED; 5/CARD

Part Number	Weight	Min. Quantity
30-062	0.14	25



WIRENUT 71B GRAY 100PC/BX

IDEAL
Wire Nut Wire Connector with Gray The Original IDEAL Wire-Nut®; wire connectors continue to set industry standards. Twist-on quickly and easily. Fixed, square-wire spring creates its own threads as it draws the conductors all the way into the connector. Wire connector with 22-16 AWG wire size.

Part Number	Weight	Min. Quantity
30-071	0.0016	1000



MODEL 63; BLUE/DK BLUE; 3/CARD

IDEAL
MODEL 63; BLUE/DK BLUE; 3/CARD

Part Number	Weight	Min. Quantity
30-063	0.0179	15



WIRENUT 72B BLUE 100PC/BX

IDEAL
Wire Nut Wire Connector with Blue The Original IDEAL Wire-Nut®; wire connectors continue to set industry standards. Twist-on quickly and easily. Fixed, square-wire spring creates its own threads as it draws the conductors all the way into the connector. Wire connector with 22-16 AWG wire size.

Part Number	Weight	Min. Quantity
30-072	0.0021	1000



30-073 – WIRENUT 73B ORAN 100PC/BX



WIRENUT 73B ORAN 100PC/BX

IDEAL

Wire Connector, 20-16 AWG Wire Size, 600 V Rated Voltage, Orange Color The Original IDEAL Wire-Nut®; wire connectors continue to set industry standards. Twist-on quickly and easily. Fixed, square-wire spring creates its own threads as it draws the conductors all the way into the connector. Reusab

Part Number	Weight	Min. Quantity
30-073	0.0032	1000



WIRENUT 74B YELL 100PC/BX

IDEAL

Wire Connector, 18-12 AWG Wire Size, 600 V Rated Voltage The Original IDEAL Wire-Nut®; wire connectors continue to set industry standards. Twist-on quickly and easily. Fixed, square-wire spring creates its own threads as it draws the conductors all the way into the connector. Rated for 600 V maxi

Part Number	Weight	Min. Quantity
30-074	0.0057	1000



WIRENUT 76B RED 100PC/BX

IDEAL

Wire Connector, 14-12 AWG Wire Size, 600 V Rated Voltage The Original IDEAL Wire-Nut®; wire connectors continue to set industry standards. Twist-on quickly and easily. Fixed, square-wire spring creates its own threads as it draws the conductors all the way into the connector. Rated for 600 V maxi

Part Number	Weight	Min. Quantity
30-076	0.0093	1000



5-PORT JAR (150 CT.)

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-087J	0.0098	900



12AWG;PUSH-IN;2-PORT;100 BOX

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1032	0.0044	1000



12AWG;PUSH-IN;2-PORT;300 JAR

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1032J	0.0044	1800



12AWG PUSH-IN;3-PORT;100 BOX

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1033	0.0047	1000



12AWG PUSH-IN;3-PORT;250 JAR

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1033J	0.0061	1500



12AWG PUSH-IN;4-PORT;100 BOX

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1034	0.0051	1000



12AWG PUSH-IN;4-PORT;200 JAR

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1034J	0.0078	1200



30-165 – MODEL 65; PURPLE; 25/CARD



10AWG;PUSH-IN;3-PORT;50 BOX

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1039	0.0048	500



MODEL 63; BLUE/BLUE; 15/CARD

IDEAL

MODEL 63; BLUE/BLUE; 15/CARD

Part Number	Weight	Min. Quantity
30-163	0.0179	75



10AWG;PUSH-IN;3-PORT;150 JAR

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1039J	0.0093	900



12AWG PUSH-IN;2-PORT;5000 BOX

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1632	0.004	5000



TWISTER-PRO CONNECTR;BOX OF 50

IDEAL

TWISTER-PRO CONNECTR;BOX OF 50

Part Number	Weight	Min. Quantity
30-144	0.0095	500



12AWG PUSH-IN;3-PORT;5000 BOX

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1633	0.0052	5000



MODEL 61; BLUE/ORG; 25/CARD

IDEAL

MODEL 61; BLUE/ORG; 25/CARD

Part Number	Weight	Min. Quantity
30-161	0.0053	125



12AWG PUSH-IN;4-PORT;5000 BOX

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-1634	0.0068	5000



MODEL 62; BLUE/RED/ 20/CARD

IDEAL

MODEL 62; BLUE/RED/ 20/CARD

Part Number	Weight	Min. Quantity
30-162	0.0195	100



MODEL 65; PURPLE; 25/CARD

IDEAL

MODEL 65; PURPLE; 25/CARD

Part Number	Weight	Min. Quantity
30-165	0.01	125

30-171 – WIRENUT 71B GRAY



WIRENUT 71B GRAY

IDEAL

Features Accepts 2 #22 to 2 #16 AWG wire combinations Rated for 300 Volt maximum Fixed, square-wire spring No pre-twisting required UL Listed and CSA Certified Reusable Shell rated for 105°C Flame-retardant shell

Part Number	Weight	Min. Quantity
30-171	0.0012	1000



WIRENUT 73B ORANGE

IDEAL

Features Accepts 1 #18 w/1 #20 to 4 #16 AWG wire combinations Rated for 600 Volt maximum Fixed, square-wire spring No pre-twisting required UL Listed and CSA Certified Reusable Shell rated for 105°C Flame-retardant shell

Part Number	Weight	Min. Quantity
30-173	0.0029	1000



NUMBER 87 PUSH-IN(1M PK)

IDEAL

Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-187	0.0057	1000



TWISTER-PRO;250 PC JAR

IDEAL

TWISTER-PRO;250 PC JAR

Part Number	Weight	Min. Quantity
30-244J	0.0085	1500



12 AWG STRD 8RING/SCRW;STRIP

IDEAL

12 AWG STRD 8RING/SCRW;STRIP

Part Number	Weight	Min. Quantity
30-3201	0.0224	1000



TWIST-A-NUT PRO #2X6 SQUARE

IDEAL

TWIST-A-NUT PRO #2X6 SQUARE

Part Number	Weight	Min. Quantity
30-330	0.2	1



TWIST-A-NUT PRO 1/4X4 KEYSTONE

IDEAL

TWIST-A-NUT PRO 1/4X4 KEYSTONE

Part Number	Weight	Min. Quantity
30-331	0.2	1



TWIST-A-NUT PRO 4X#2 PHILLIPS

IDEAL

TWIST-A-NUT PRO 4X#2 PHILLIPS

Part Number	Weight	Min. Quantity
30-332	0.2	1



TWIST-A-NUT PRO 1/4X6 CABINET

IDEAL

TWIST-A-NUT PRO 1/4X6 CABINET

Part Number	Weight	Min. Quantity
30-333	0.2	1



50PK 14 GA 8 SOLID GRD

IDEAL

50PK 14 GA 8 SOLID GRD

Part Number	Weight	Min. Quantity
30-3390	0.0193	50

30-3430 – SMART-GRIP 9 1/4 SIDE CUTTER

50PK 12 GA 8 SOLID GRD

IDEAL

50PK 12 GA 8 SOLID GRD

Part Number	Weight	Min. Quantity
30-3392	0.023	50



341 TWISTER WIRENUT CONN.

IDEAL

341 TWISTER WIRENUT CONN.

Part Number	Weight	Min. Quantity
30-341	0.0052	1000

100 CNT BOX 12 GA 8 SOLID GRD

IDEAL

100 CNT BOX 12 GA 8 SOLID GRD

Part Number	Weight	Min. Quantity
30-3399	0.0235	400



341 TAN TWISTER 750 CT JAR

IDEAL

341 TAN TWISTER 750 CT JAR

Part Number	Weight	Min. Quantity
30-341J	0.0047	3000



340 TWISTER CONNECTOR;BOX 100

IDEAL

340 TWISTER CONNECTOR;BOX 100

Part Number	Weight	Min. Quantity
30-340	0.0033	1000



342 TWISTER WIRENUT CONN.

IDEAL

342 TWISTER WIRENUT CONN.

Part Number	Weight	Min. Quantity
30-342	0.0112	500

1000 PK 12 GA 6.5 SOLID GRD

IDEAL

1000 PK 12 GA 6.5 SOLID GRD

Part Number	Weight	Min. Quantity
30-3402	0.0183	1000



SMART GRIP MULTI-CRIMP TOOL

IDEAL

SMART GRIP MULTI-CRIMP TOOL

Part Number	Weight	Min. Quantity
30-3429	0.95	1

50 PK;6.5 GRD WIRE W/SCREW

IDEAL

50 PK;6.5 GRD WIRE W/SCREW

Part Number	Weight	Min. Quantity
30-3404	0.0212	1000



SMART-GRIP 9 1/4 SIDE CUTTER

IDEAL

SMART-GRIP 9 1/4 SIDE CUTTER

Part Number	Weight	Min. Quantity
30-3430	1.3	1

30-3496 – 1M PK 12 AWG SOLID GRD WIRE

1M PK 12 AWG SOLID GRD WIRE



IDEAL

1M PK 12 AWG SOLID GRD WIRE

Part Number	Weight	Min. Quantity
30-3496	0.0217	1000

MULTI CRIMP TOOL



IDEAL

MULTI CRIMP TOOL

Part Number	Weight	Min. Quantity
30-429	1.02	1

1000PK;8WIRE STRPD W/FORK



IDEAL

1000PK;8WIRE STRPD W/FORK

Part Number	Weight	Min. Quantity
30-3580	0.0166	1000

SIDE CUTTER W/CRIMP 9 IN



IDEAL

SIDE CUTTER W/CRIMP 9 IN

Part Number	Weight	Min. Quantity
30-430	1.18	1

H.D. CRIMPING TOOL



IDEAL

H.D. CRIMPING TOOL

Part Number	Weight	Min. Quantity
30-425	1.1376	1

COAX STRIP AND CRIMP TOOL



IDEAL

COAX STRIP AND CRIMP TOOL

Part Number	Weight	Min. Quantity
30-433	0.7	1

D-SUB DOUBLE D SERV TOOL



IDEAL

D-SUB DOUBLE D SERV TOOL

Part Number	Weight	Min. Quantity
30-426	0.54	1

COAX STRIP&CRIMP TOOL W/F CONN



IDEAL

COAX STRIP&CRIMP TOOL W/F CONN

Part Number	Weight	Min. Quantity
30-433F	0.7	1

COMBO CRIMP/STRIP TOOL



IDEAL

Combination Crimp and Strip Tool, Yellow Color Handle Crimps bare and insulated terminals Strips #8 to #20 AWG solid and #10 to #22 AWG stranded wire Cuts unhardened screws 4-40, 6-32, 8-32, 10-24, and 10-32, and reforms threads Cushioned comfort-grip handles Precision ground stripping holes and kni

Part Number	Weight	Min. Quantity
30-428	0.62	1



341 TAN TWISTER 400 CT. JAR

IDEAL

341 TAN TWISTER 400 CT. JAR

Part Number	Weight	Min. Quantity
30-441J	0.0052	2400



30-518 – CRIMP TOOL;22-10 AWG INS TERM



9 3/4 MULTI-CRIMP TOOL

IDEAL

9 3/4 MULTI-CRIMP TOOL

Part Number	Weight	Min. Quantity
30-4429	0.95	1



RATCHET CRIMP TOOL

IDEAL

Crimpmaster™ Crimp Tool, Insulated Ring Tongue Terminals and Splices Provides good and consistent crimp every time Dies change quickly and easily with a screwdriver Interchangeable dies provide versatility in a single tool.

Part Number	Weight	Min. Quantity
30-500	1.55	1



9 1/4 SIDE CUTTER W/CRIMP

IDEAL

9 1/4 SIDE CUTTER W/CRIMP

Part Number	Weight	Min. Quantity
30-4430	1.15	1



RATCHET CRIMP TOOL

IDEAL

Crimpmaster™ Crimp Tool, 3-Piece Hex Type Connectors, Blue Color Handle Provides good and consistent crimp every time Dies change quickly and easily with a screwdriver Interchangeable dies provide versatility in a single tool.

Part Number	Weight	Min. Quantity
30-502	1.55	1



WINGNUT 452 RED 100PC/BOX

IDEAL

Features: Accepts 2 #18 to 4#10 AWG Wire Combinations Rated for 600 Volt Maximum Contoured Wing Design for Secure Grip Live-Action, Square-Wing Spring No Pre-Twisting Required UL Listed and CSA Certified Reusable Shell Rated for 105°C Flame Retardant Shell

Part Number	Weight	Min. Quantity
30-452	0.0085	1000



RATCHET CRIMP TOOL

IDEAL

RATCHET CRIMP TOOL

Part Number	Weight	Min. Quantity
30-503	1.5	1



WINGNUT 454 BLUE 25PC/BOX

IDEAL

Features: Accepts 3 #12 to 2 #6 w/1 #12 AWG Wire Combinations Rated for 600 Volt Maximum Contoured Wing Design for Secure Grip Live-Action, Square-Wire Spring No Pre-Twisting Required UL Listed and CSA Certified Reusable Shell Rated for 105°C Flame Retardant Shell

Part Number	Weight	Min. Quantity
30-454	0.02	250



RATCHET CRIMP TOOL

IDEAL

Features: Crimp Release Provides Operator Safety Pressure for Actuation Force Ratchet Crimp Action Provides Repeatable and Reliable Terminations Dies Change Quickly and Easily with a Screwdriver Cushioned, Comfort-Grip Handle

Part Number	Weight	Min. Quantity
30-506	1.4	1



CRIMP TOOL;INS TERM W/LOC

IDEAL

CRIMP TOOL;INS TERM W/LOC

Part Number	Weight	Min. Quantity
30-479	1.425	1



CRIMP TOOL;22-10 AWG INS TERM

IDEAL

CRIMP TOOL;22-10 AWG INS TERM

Part Number	Weight	Min. Quantity
30-518	1.4	1

30-541 – 341 TWISTER; 1;000 CT. BULK



341 TWISTER; 1;000 CT. BULK

IDEAL

341 TWISTER; 1;000 CT. BULK

Part Number	Weight	Min. Quantity
30-541	0.0053	1000



DIE SET;INSUL TERM 22-10

IDEAL

Needle-Nosed Plier, Ergonomic Rubber Grip, 58-60 Rockwell Hardness H_{RC} Full cycle, compound leverage and triple ratcheted to give exact precision to every crimp connection. All the dies in the Crimpmaster \textregistered ; Series are interchangeable. 30-506. IDEAL Crimpmaster \textregistered ; crimp tool frame. $\text{\textcircled{R}}$ Provid

Part Number	Weight	Min. Quantity
30-579	0.175	1

WM 9 3/4 MULTI-CRIMP TOOL

IDEAL

WM 9 3/4 MULTI-CRIMP TOOL



Part Number	Weight	Min. Quantity
30-5429	0.95	1



DIESET;CMBO 58/59;BNC/TNC

IDEAL

Plier $\text{\textcircled{R}}$ Full cycle, compound leverage and triple ratcheted to give exact precision to every crimp connection. All the dies in the Crimpmaster \textregistered ; Series are interchangeable. IDEAL Crimpmaster \textregistered ; crimp tool frame. $\text{\textcircled{R}}$ Provides good and consistent crimp every time. Dies change quickly

Part Number	Weight	Min. Quantity
30-581	0.175	1

WM 9-1/4 SIDE CUTTER W/CRIMP

IDEAL

WM 9-1/4 SIDE CUTTER W/CRIMP



Part Number	Weight	Min. Quantity
30-5430	1.2	1



DIESET;F-TYPE CATV;RG59/6

IDEAL

Plier $\text{\textcircled{R}}$ Full cycle, compound leverage and triple ratcheted to give exact precision to every crimp connection. All the dies in the Crimpmaster \textregistered ; Series are interchangeable. 30-506. IDEAL Crimpmaster \textregistered ; crimp tool frame. $\text{\textcircled{R}}$ Provides good and consistent crimp every time. Dies change quickly

Part Number	Weight	Min. Quantity
30-582	0.175	1

DIE SET; RG-174; MINI-59

IDEAL

Aluminum Handle 5-3&frac;4 in. Length Medium Duty Precision Knife $\text{\textcircled{R}}$ Full cycle, compound leverage and triple ratcheted to give exact precision to every crimp connection. All the dies in the Crimpmaster \textregistered ; Series are interchangeable. 30-506. IDEAL Crimpmaster \textregistered ; crimp tool frame. $\text{\textcircled{R}}$ Provid



Part Number	Weight	Min. Quantity
30-576	0.175	1



DIE SET;OPN BRL;COMM TYPE

IDEAL

Plier $\text{\textcircled{R}}$ Full cycle, compound leverage and triple ratcheted to give exact precision to every crimp connection. All the dies in the Crimpmaster \textregistered ; Series are interchangeable. 30-506. IDEAL Crimpmaster \textregistered ; crimp tool frame. $\text{\textcircled{R}}$ Provides good and consistent crimp every time. Dies change quickly

Part Number	Weight	Min. Quantity
30-586	0.175	1

DIE SET;RG-59/8281/QD HEX

IDEAL

Needle-Nosed Plier, Ergonomic Rubber Grip, 58-60 Rockwell Hardness $\text{\textcircled{R}}$ Full cycle, compound leverage and triple ratcheted to give exact precision to every crimp connection. All the dies in the Crimpmaster \textregistered ; Series are interchangeable. 30-506. IDEAL Crimpmaster \textregistered ; crimp tool frame. $\text{\textcircled{R}}$ Provid



Part Number	Weight	Min. Quantity
30-578	0.175	1



DIE SET;RG-58/59 PLENUM

IDEAL

Diagonal Cushion Grip Plier $\text{\textcircled{R}}$ Full cycle, compound leverage and triple ratcheted to give exact precision to every crimp connection. All the dies in the Crimpmaster \textregistered ; Series are interchangeable. 30-506. IDEAL Crimpmaster \textregistered ; crimp tool frame. $\text{\textcircled{R}}$ Provides good and consistent crimp e

Part Number	Weight	Min. Quantity
30-591	0.175	1





REPL DIE - 5 CAVITY

IDEAL
REPL DIE - 5 CAVITY

Part Number	Weight	Min. Quantity
30-593	0.2	1



340 TWISTER CONNECTOR; 500 JAR

IDEAL
340 TWISTER CONNECTOR; 500 JAR

Part Number	Weight	Min. Quantity
30-640J	0.0037	3000



REPL DIE-INS SLIDEON TERM

IDEAL
REPL DIE-INS SLIDEON TERM

Part Number	Weight	Min. Quantity
30-594	0.175	1



341 TWISTER WIRENUT CONN.

IDEAL
341 TWISTER WIRENUT CONN.

Part Number	Weight	Min. Quantity
30-641	0.0047	5000



DIE SET; 30-18 AWG

IDEAL
Die Set for use with 30-506 Crimpmaster Tool Use with 30-506 crimpmaster tool Used for open barrel pins and sockets

Part Number	Weight	Min. Quantity
30-599	0.2	1



342 TWISTER WIRENUT CONN.

IDEAL
342 TWISTER WIRENUT CONN.

Part Number	Weight	Min. Quantity
30-642	0.0096	2500



OMNISEAL COMPRESSION TOOL

IDEAL
Uniseal Compression Tool Connects RG-6, RG-6 quad shield and RG-59 compression connectors on coaxial cable Fast and reliable solution to home theater, CATV, satellite systems and security applications Permanent connection so your connector never comes loose Fast, Reliable and Consistent Connections

Part Number	Weight	Min. Quantity
30-603	1.1	1



TWISTER-PRO;500 COUNT IN JAR

IDEAL
TWISTER-PRO;500 COUNT IN JAR

Part Number	Weight	Min. Quantity
30-644J	0.0085	2000



COMPRESSION TOOL; F-CONNECTOR

IDEAL
COMPRESSION TOOL; F-CONNECTOR

Part Number	Weight	Min. Quantity
30-633	0.7	1



3M PACK MODEL 87

IDEAL
Features No-twist connection reduces repetitive motion fatigue Low insertion force for fast and easy connections Compact size makes installation easy Clear shell gives visual verification of connection UL Listed to 486C and CSA Certified to C22.2 #188 UL 467 Listed for grounding and bonding applicati

Part Number	Weight	Min. Quantity
30-687	0.0083	3000

30-764 – MODEL 64; BLUE/BBLUE; 10/CARD



MODEL 64; BLUE/BBLUE; 10/CARD

IDEAL

MODEL 64; BLUE/BBLUE; 10/CARD

Part Number	Weight	Min. Quantity
30-764	0.042	50



SPIN-TWIST CONNECTOR TOOL

IDEAL

SPIN-TWIST CONNECTOR TOOL

Part Number	Weight	Min. Quantity
30-902	0.05	1



MODEL 65; PURPLE; 10/CARD

IDEAL

MODEL 65; PURPLE; 10/CARD

Part Number	Weight	Min. Quantity
30-765	0.0167	50



INSULATED MULTI CRIMP TOOL

IDEAL

INSULATED MULTI CRIMP TOOL

Part Number	Weight	Min. Quantity
30-9429	1.1	1



UNGD 66; BLUE/DK BLUE; 6/CARD

IDEAL

UNGD 66; BLUE/DK BLUE; 6/CARD

Part Number	Weight	Min. Quantity
30-766	0.0493	30



TWISTER-PRO;20000 PER DRUM

IDEAL

TWISTER-PRO;20000 PER DRUM

Part Number	Weight	Min. Quantity
30-944	0.0077	20000



OMNISEAL PRO XL

IDEAL

The new IDEAL OmniSeal® compression tool now offers additional features and increased connector compatibility in a smaller, more compact tool designed to meet the demands of the professional installer. OmniSeal requires no calibration or accessory attachment to terminate IDEAL branded compress

Part Number	Weight	Min. Quantity
30-793	0.95	1



TUFF-GRIP-PRO 50FT;.125X.06

IDEAL

TUFF-GRIP-PRO 50FT;.125X.06

Part Number	Weight	Min. Quantity
31-033	2.1	1



340 TWISTER CONNECTOR;BARL 35K

IDEAL

340 TWISTER CONNECTOR;BARL 35K

Part Number	Weight	Min. Quantity
30-840	0.0031	35000



REPLACEMENT COIL; 1/8 X 60'

IDEAL

REPLACEMENT COIL; 1/8 X 60'

Part Number	Weight	Min. Quantity
31-035	1.7	1

31-066 – TUFFGRIP 120 FTX1/8 IN STNLESS

TOOLS, KITS & CASES



TUFF-GRIP-PRO 120'X1/8 STEEL

IDEAL

TUFF-GRIP-PRO 120'X1/8 STEEL

Part Number	Weight	Min. Quantity
31-056	4.8	1



SPEED-GRIP 100'S-CLASS W/LEADR

IDEAL

Feature Length Marked by laser etched in 12" increments; Increments Tuff-Grip®; Tape Retaining Tape Properly Positioned in the Opening Tuff-Grip®; Handle is Large, Comfortable Ergonomically-Designed

Part Number	Weight	Min. Quantity
31-061	3.35	1



TUFF-GRIP-PRO 120'X1/824PALLT

IDEAL

TUFF-GRIP-PRO 120'X1/824PALLT

Part Number	Weight	Min. Quantity
31-056BP	4.6	24



SPEED-GRIP 50'S-CLASS W/EYELET

IDEAL

SPEED-GRIP 50'S-CLASS W/EYELET

Part Number	Weight	Min. Quantity
31-062	2.6333	1



TUFF-GRIP-PRO 240'X1/824PALLT

IDEAL

TUFF-GRIP-PRO 240'X1/824PALLT

Part Number	Weight	Min. Quantity
31-057BP	7.6	24



SPEED-GRIP 100'S-CLASS W/EYELET

IDEAL

SPEED-GRIP 100'S-CLASS W/EYELET

Part Number	Weight	Min. Quantity
31-063	3	1



TUFF-GRIP 100 FT X 1/4 IN STEL

IDEAL

TUFF-GRIP 100 FT X 1/4 IN STEL

Part Number	Weight	Min. Quantity
31-058	7.15	1



200' S-CLASS FISHTAPE W/LEADER

IDEAL

Feature Length Marked by laser etched in 12" increments; Increments Tuff-Grip®; Tape Retaining Tape Properly Positioned in the Opening Tuff-Grip®; Handle is Large, Comfortable Ergonomically-Designed

Part Number	Weight	Min. Quantity
31-064	5.8	1



TUFF-GRIP 50 FT X 1/4 IN STEEL

IDEAL

TUFF-GRIP 50 FT X 1/4 IN STEEL

Part Number	Weight	Min. Quantity
31-059	4.75	1



TUFFGRIP 120 FTX1/8 IN STNLESS

IDEAL

TUFFGRIP 120 FTX1/8 IN STNLESS

Part Number	Weight	Min. Quantity
31-066	4.25	1



31-067 – TUFFGRIP 240 FTX1/8 IN STNLESS

TOOLS, KITS & CASES



TUFFGRIP 240 FTX1/8 IN STNLESS

IDEAL

TUFFGRIP 240 FTX1/8 IN STNLESS

Part Number	Weight	Min. Quantity
31-067	7.8	1



ZOOM FISHTAPE 200FT.REPLACEMNT

IDEAL

ZOOM FISHTAPE 200FT.REPLACEMNT

Part Number	Weight	Min. Quantity
31-097	6.4	1



ZOOM FISHTAPE 50FT.REPLACEMENT

IDEAL

ZOOM FISHTAPE 50FT.REPLACEMENT

Part Number	Weight	Min. Quantity
31-091	3.2	1



TUFF-GRIP F-TAPE 50' GOLD-FISH

IDEAL

TUFF-GRIP F-TAPE 50' GOLD-FISH

Part Number	Weight	Min. Quantity
31-144	5.2	1



SPEED-GRIP 100 FT.W/EYELET

IDEAL

SPEED-GRIP 100 FT.W/EYELET

Part Number	Weight	Min. Quantity
31-092	3.5	1



S-CLASS REPAIR KIT

IDEAL

S-CLASS REPAIR KIT

Part Number	Weight	Min. Quantity
31-156	2.6	1



ZOOM FISHTAPE 100FT.REPLACEMNT

IDEAL

ZOOM FISHTAPE 100FT.REPLACEMNT

Part Number	Weight	Min. Quantity
31-093	3.4	1



S-CLASS DIE SET KIT

IDEAL

S-CLASS DIE SET KIT

Part Number	Weight	Min. Quantity
31-164	0.35	1



EYELET;REPLACEMENT;ZOOM TAPE

IDEAL

EYELET;REPLACEMENT;ZOOM TAPE

Part Number	Weight	Min. Quantity
31-094	0.1	1



CRANK ASSY REPLACEMENT

IDEAL

CRANK ASSY REPLACEMENT

Part Number	Weight	Min. Quantity
31-220	0.1	1

31-611 – TUFF-ROD REGULAR FLEX KIT 12



VELOCITY LUBE QUART SQZ BOTTLE

IDEAL

VELOCITY LUBE QUART SQZ BOTTLE

Part Number	Weight	Min. Quantity
31-276	2.362	12



YELLOW 77 PLUS QT SQU BOT

IDEAL

YELLOW 77 PLUS QT SQU BOT

Part Number	Weight	Min. Quantity
31-398	2.2667	12



AQUA-GEL CW QUART SQUEEZE

IDEAL

AQUA-GEL CW QUART SQUEEZE

Part Number	Weight	Min. Quantity
31-298	2.4583	12



VOLT-GUARD EYELET REPAIR KIT

IDEAL

VOLT-GUARD EYELET REPAIR KIT

Part Number	Weight	Min. Quantity
31-541	0.05	1



CONDUIT MSURNG TAP 3000FT

IDEAL

CONDUIT MSURNG TAP 3000FT

Part Number	Weight	Min. Quantity
31-347	4.645	1



VOLT-GUARD 60FT; REPLACEMENT

IDEAL

VOLT-GUARD 60FT; REPLACEMENT

Part Number	Weight	Min. Quantity
31-552	0.088	1



YELLOW 77 QT. SQUEEZE BOT

IDEAL

YELLOW 77 QT. SQUEEZE BOT

Part Number	Weight	Min. Quantity
31-358	2.3083	12



VOLT-GUARD 120FT; REPLACEMENT

IDEAL

VOLT-GUARD 120FT; REPLACEMENT

Part Number	Weight	Min. Quantity
31-554	1.8	1



AQUA-GEL II QT SQUEEZ BOT

IDEAL

AQUA-GEL II QT SQUEEZ BOT

Part Number	Weight	Min. Quantity
31-378	2.3167	12



TUFF-ROD REGULAR FLEX KIT 12

IDEAL

TUFF-ROD REGULAR FLEX KIT 12

Part Number	Weight	Min. Quantity
31-611	1.1	1



31-612 – TUFF-ROD REGULAR FLEX KIT 24



TUFF-ROD REGULAR FLEX KIT 24

IDEAL

TUFF-ROD REGULAR FLEX KIT 24

Part Number	Weight	Min. Quantity
31-612	1.8	1



TUFF-ROD TIP ACCESSRY KIT 3/16

IDEAL

TUFF-ROD TIP ACCESSRY KIT 3/16

Part Number	Weight	Min. Quantity
31-651	0.1	1



TUFF-ROD XTRA FLEX GLOW KIT 12

IDEAL

TUFF-ROD XTRA FLEX GLOW KIT 12

Part Number	Weight	Min. Quantity
31-631	0.8	1



TUFF-ROD TIP ACCESSRY KIT 1/4

IDEAL

TUFF-ROD TIP ACCESSRY KIT 1/4

Part Number	Weight	Min. Quantity
31-652	0.1	1



TUFF-ROD XTRA FLEX GLOW KIT 30

IDEAL

TUFF-ROD XTRA FLEX GLOW KIT 30

Part Number	Weight	Min. Quantity
31-633	1.4	1



POLYPROP ROPE 1/4 IN X 250 FT

IDEAL

POLYPROP ROPE 1/4 IN X 250 FT

Part Number	Weight	Min. Quantity
31-839	3.45	1



TUFF-ROD REPAIR KIT 3/16

IDEAL

TUFF-ROD REPAIR KIT 3/16

Part Number	Weight	Min. Quantity
31-641	0.1	1



POLYPROP ROPE 1/4 IN X 600 FT

IDEAL

POLYPROP ROPE 1/4 IN X 600 FT

Part Number	Weight	Min. Quantity
31-840	10.35	1



TUFF-ROD REPAIR KIT 1/4

IDEAL

TUFF-ROD REPAIR KIT 1/4

Part Number	Weight	Min. Quantity
31-642	0.15	1



POLYPROP ROPE 1/4 IN X 1000FT

IDEAL

POLYPROP ROPE 1/4 IN X 1000FT

Part Number	Weight	Min. Quantity
31-841	12.15	1

31-855 – POLYPROP ROPE 3/4 IN X 300 FT



POLYPROP ROPE 3/8 IN X 250 FT

IDEAL

POLYPROP ROPE 3/8 IN X 250 FT

Part Number	Weight	Min. Quantity
31-844	9.9	1



POLYPROP ROPE 1/2 IN X 1200 FT

IDEAL

POLYPROP ROPE 1/2 IN X 1200 FT

Part Number	Weight	Min. Quantity
31-851	66	1



POLYPROP ROPE 3/8 IN X 600 FT

IDEAL

POLYPROP ROPE 3/8 IN X 600 FT

Part Number	Weight	Min. Quantity
31-845	18.5	1



POLYPROP ROPE 5/8 IN X 250 FT

IDEAL

POLYPROP ROPE 5/8 IN X 250 FT

Part Number	Weight	Min. Quantity
31-852	26	1



POLYPROP ROPE 3/8 IN X 1200FT

IDEAL

POLYPROP ROPE 3/8 IN X 1200FT

Part Number	Weight	Min. Quantity
31-846	39.5	1



POLYPROP ROPE 5/8 IN X 600 FT

IDEAL

POLYPROP ROPE 5/8 IN X 600 FT

Part Number	Weight	Min. Quantity
31-853	57.5	1



POLYPROP ROPE 1/2 IN X 250 FT

IDEAL

POLYPROP ROPE 1/2 IN X 250 FT

Part Number	Weight	Min. Quantity
31-849	14.95	1



POLYPROP ROPE 5/8 IN X 1200 FT

IDEAL

POLYPROP ROPE 5/8 IN X 1200 FT

Part Number	Weight	Min. Quantity
31-854	104	1



POLYPROP ROPE 1/2 IN X 600 FT

IDEAL

POLYPROP ROPE 1/2 IN X 600 FT

Part Number	Weight	Min. Quantity
31-850	36.5	1



POLYPROP ROPE 3/4 IN X 300 FT

IDEAL

POLYPROP ROPE 3/4 IN X 300 FT

Part Number	Weight	Min. Quantity
31-855	41	1



31-856 – POLYPROP ROPE 3/4 IN X 600 FT



POLYPROP ROPE 3/4 IN X 600 FT

IDEAL

POLYPROP ROPE 3/4 IN X 600 FT

Part Number	Weight	Min. Quantity
31-856	64	1



BASIC COMPRESSION KIT

IDEAL

BASIC COMPRESSION KIT

Part Number	Weight	Min. Quantity
33-620	3.3	1



POLYPROP ROPE 3/4 IN X 1200 FT

IDEAL

POLYPROP ROPE 3/4 IN X 1200 FT

Part Number	Weight	Min. Quantity
31-857	149	1



F-Compression Hip Kit, Linear X!, D...

IDEAL

F-Compression Hip Kit, Linear X!, Data T, PrepPRO

Part Number	Weight	Min. Quantity
33-622	N-A	1



RJ45/RJ11 MOD PLUG CRIMPER KIT

IDEAL

RJ45/RJ11 MOD PLUG CRIMPER KIT

Part Number	Weight	Min. Quantity
33-396	0.9	1



SERVICE COMPRESSION KIT

IDEAL

SERVICE COMPRESSION KIT

Part Number	Weight	Min. Quantity
33-630	5.95	1



TECHNICIAN'S SERVICE KIT

IDEAL

Technicians Service Kit, Nylon Case with Belt Clip Kit Contains (One of Each): Punchmaster II Punchdown tool with 110 blade, 66 blade, electricians scissor with stripping notch, UTP/STP stripper, cabinet tip screwdriver, probe pick and spudger, nylon case. Basic technicians tool kit with nylon case

Part Number	Weight	Min. Quantity
33-505	1.2	1



F-COMPRESSION KIT-4 CONNECTORS

IDEAL

F-COMPRESSION KIT-4 CONNECTORS

Part Number	Weight	Min. Quantity
33-631	1.08	1



PRO NETWORK/TELCO INSTALLR KIT

IDEAL

PRO NETWORK/TELCO INSTALLR KIT

Part Number	Weight	Min. Quantity
33-506	3.5	1



Linear X3 Adj Compression Tool

IDEAL

Linear X3 Adj Compression Tool

Part Number	Weight	Min. Quantity
33-632	N-A	1

33-990-CC02 – CASE;CARR;FTEK;LTK II



RJ45/11 TLMSTR TERM KIT

IDEAL

Telemaster Kit, Durable Hard Case Kit Contains: One Telemaster®; for RJ-11/RJ-45 plugs 30-496; 15 4-position, RJ-11 stranded modular plugs 85-351; 15 6-position, RJ-11 stranded modular plugs 85-352; 15 8-position, RJ-45 stranded modular plugs 85-353. Telemaster basic kit with multifunctional te

Part Number	Weight	Min. Quantity
33-704	2	1



DATA/VIDEO KIT

IDEAL

DATA/VIDEO KIT

Part Number	Weight	Min. Quantity
33-917	7.75	1



MASTER SERIES NETWRK SERVC KIT

IDEAL

MASTER SERIES NETWRK SERVC KIT

Part Number	Weight	Min. Quantity
33-706	7.6	1



LOW VOLTAGE STARTER KIT

IDEAL

LOW VOLTAGE STARTER KIT

Part Number	Weight	Min. Quantity
33-920	4.9	1



TELEPH/DATA SPLICE & REPAIR KIT

IDEAL

TELEPH/DATA SPLICE & REPAIR KIT

Part Number	Weight	Min. Quantity
33-719	0.45	1



PRO INSTALLER KIT

IDEAL

PRO INSTALLER KIT

Part Number	Weight	Min. Quantity
33-945	12.45	1



ECON 10BASE-T KT W/30-496

IDEAL

Economy Telecaster Tool Kit, Use With 10Base-T Telemaster Kit Basic Termination Kit for 10Base-T. Kit Includes (One of Each): UTP/Coax Stripper Telemaster RJ-11/RJ-45; Tool 50 8-Position RJ-45 Non-Keyed Solid Plugs; Durable Hard Case Economy 10 base-T telema

Part Number	Weight	Min. Quantity
33-750	2.1333	1



CASE;CARR;LTK II

IDEAL

CASE;CARR;LTK II

Part Number	Weight	Min. Quantity
33-990-CC01	10	1



PRO COMPRESSION HIP KIT F/BNC/RCA

IDEAL

PRO COMPRESSION HIP KIT F/BNC/RCA

Part Number	Weight	Min. Quantity
33-793	N-A	1



CASE;CARR;FTEK;LTK II

IDEAL

CASE;CARR;FTEK;LTK II

Part Number	Weight	Min. Quantity
33-990-CC02	4.6	1

33-990-FA01 – FTEK FDX;MM 850/1300 LED



FTEK FDX;MM 850/1300 LED

IDEAL

Contents: Two FiberTEK FDX modules; lockable semi-rigid carrying case; SC; FC; ST adapters for modules (2 ea); SC-SC patch cords (MM kits: 3x 62.5√0-ø-Ωm; 3x 50√0-ø-Ωm; SM kits: 3x 9um SMF) compliant to ISO/IEC 14763-3 standard; quick reference guide; and electroni

Part Number	Weight	Min. Quantity
33-990-FA01	8	1



FTEK FDX;MM 850/1300 LASER

IDEAL

Contents: Two FiberTEK FDX modules; lockable semi-rigid carrying case; SC; FC; ST adapters for modules (2 ea); SC-SC patch cords (MM kits: 3x 62.5√0-ø-Ωm; 3x 50√0-ø-Ωm; SM kits: 3x 9um SMF) compliant to ISO/IEC 14763-3 standard; quick reference guide; and electroni

Part Number	Weight	Min. Quantity
33-990-FA02	8	1



FTEK FDX;SM 1310/1550 LASER

IDEAL

Contents: Two FiberTEK FDX modules; lockable semi-rigid carrying case; SC; FC; ST adapters for modules (2 ea); SC-SC patch cords (MM kits: 3x 62.5√0-ø-Ωm; 3x 50√0-ø-Ωm; SM kits: 3x 9um SMF) compliant to ISO/IEC 14763-3 standard; quick reference guide; and electroni

Part Number	Weight	Min. Quantity
33-990-FA03	8	1



FTEK FDX;MM LED+SM LASER

IDEAL

Contents: Two FiberTEK FDX modules; lockable semi-rigid carrying case; SC; FC; ST adapters for modules (2 ea); SC-SC patch cords (MM kits: 3x 62.5√0-ø-Ωm; 3x 50√0-ø-Ωm; SM kits: 3x 9um SMF) compliant to ISO/IEC 14763-3 standard; quick reference guide; and electroni

Part Number	Weight	Min. Quantity
33-990-FA04	8	1



FTEK FDX;MM LASER+SM LASER

IDEAL

Contents: Two FiberTEK FDX modules; lockable semi-rigid carrying case; SC; FC; ST adapters for modules (2 ea); SC-SC patch cords (MM kits: 3x 62.5√0-ø-Ωm; 3x 50√0-ø-Ωm; SM kits: 3x 9um SMF) compliant to ISO/IEC 14763-3 standard; quick reference guide; and electroni

Part Number	Weight	Min. Quantity
33-990-FA05	8	1



LTKII;350MHZ;CAT6 W/CAT6 ADPT

IDEAL

LTKII;350MHZ;CAT6 W/CAT6 ADPT

Part Number	Weight	Min. Quantity
33-991	16.2	1



LTKII500MHZ;CAT6A W/CAT6A ADPT

IDEAL

LTKII500MHZ;CAT6A W/CAT6A ADPT

Part Number	Weight	Min. Quantity
33-992	16.2	1



LTKII1000MHZ;CAT7A W/CAT6AADPT

IDEAL

LTKII1000MHZ;CAT7A W/CAT6AADPT

Part Number	Weight	Min. Quantity
33-993	16.2	1



LTII-1000+MMLED FIBER

IDEAL

LTII-1000+MMLED FIBER

Part Number	Weight	Min. Quantity
33-993-FA01	24	1



LTKII-1000+MM LSR FBR

IDEAL

LTKII-1000+MM LSR FBR

Part Number	Weight	Min. Quantity
33-993-FA02	24	1

35-028 – 8 IN DIAG. CUTTING PLIER

TOOLS, KITS & CASES



LTII-1000+SMLSR FIBER

IDEAL
LTII-1000+SMLSR FIBER

Part Number	Weight	Min. Quantity
33-993-FA03	24.3	1



FUSE PULLER; GIANT

IDEAL
Safe-T-Grip®; Fuse Puller, 250 V Voltage Rating Clearly marked amperage ranges Notched handles provide safe, no-slip grip Fully insulated, high dielectric, glass filled polypropylene construction.

Part Number	Weight	Min. Quantity
34-003	0.5	1



LTII-1000+MMLED+SMLSR

IDEAL
LTII-1000+MMLED+SMLSR

Part Number	Weight	Min. Quantity
33-993-FA04	19.75	1



H.L.; NE HEAD PLIER; 9 IN

IDEAL
H.L.; NE HEAD PLIER; 9 IN

Part Number	Weight	Min. Quantity
35-012	1.18	1



LTII-1000+MMLSR+SMLSR

IDEAL
LTII-1000+MMLSR+SMLSR

Part Number	Weight	Min. Quantity
33-993-FA05	24.3	1



8 ADJUSTABLE WRENCH

IDEAL
Features: Narrow Profile Head Reaches into Tight Spaces Tight Tolerance on Thumbscrew Won't Loosen or Wobble with Use Extra Wide Jaw Capacity with Standard and Metric Marking Jaw Capacity of 1-1/8";

Part Number	Weight	Min. Quantity
35-020	0.3	1



FUSE PULLER MIDGET

IDEAL
Fuse Puller, 250 V Voltage Rating, 0 to 600 A Current Rating Fully insulated, high dielectric, glass filled polypropylene construction Clearly marked amperage ranges Notched handles provide safe, no-slip grip Clearly marked amperage ranges.

Part Number	Weight	Min. Quantity
34-001	0.1	1



10 ADJUSTABLE WRENCH

IDEAL
Features: Narrow Profile Head Reaches into Tight Spaces Tight Tolerance on Thumbscrew Won't Loosen or Wobble with Use Extra Wide Jaw Capacity with Standard and Metric Marking Jaw Capacity of 1-5/8";

Part Number	Weight	Min. Quantity
35-021	0.46	1



FUSE PULLER; POCKET

IDEAL
Safe-T-Grip®; Fuse Puller, Glass Filled Polypropylene Material, 7-1/2"; 2 in. L, Notched Handles Handy and convenient for removing or replacing cartridge-type fuses Fully insulated, high dielectric Notched handles provide safe, no-slip grip Clearly marked amperage ranges

Part Number	Weight	Min. Quantity
34-002	0.2	1



8 IN DIAG. CUTTING PLIER

IDEAL
8 IN DIAG. CUTTING PLIER

Part Number	Weight	Min. Quantity
35-028	0.74	1



35-029 – 8 IN OFFSET DIAG.CTTNG PLIER



8 IN OFFSET DIAG.CTTNG PLIER

IDEAL
8 IN OFFSET DIAG.CTTNG PLIER

Part Number	Weight	Min. Quantity
35-029	0.8	1



32LG ARM CABL CUTTER(1000MCM)

IDEAL
32LG ARM CABL CUTTER(1000MCM)

Part Number	Weight	Min. Quantity
35-033	8.1	1



14LG ARM CABL CUTTER(250MCM)

IDEAL
14LG ARM CABL CUTTER(250MCM)

Part Number	Weight	Min. Quantity
35-031	1.55	1



REPLACEMENT BLADE 35-033(PAIR)

IDEAL
REPLACEMENT BLADE 35-033(PAIR)

Part Number	Weight	Min. Quantity
35-033B	2.66	1



REPLACEMENT BLADE 35-031(PAIR)

IDEAL
REPLACEMENT BLADE 35-031(PAIR)

Part Number	Weight	Min. Quantity
35-031B	0.45	1



6 IN LONG NOSE PLIER W/CUTTR

IDEAL
6 IN LONG NOSE PLIER W/CUTTR

Part Number	Weight	Min. Quantity
35-036	0.4	1



22LG ARM CABL CUTTER(500MCM)

IDEAL
22LG ARM CABL CUTTER(500MCM)

Part Number	Weight	Min. Quantity
35-032	4	1



7 IN LONG NOSE PLIER W/CUTTR

IDEAL
7 IN LONG NOSE PLIER W/CUTTR

Part Number	Weight	Min. Quantity
35-037	0.55	1



REPLACEMENT BLADE 35-032(PAIR)

IDEAL
REPLACEMENT BLADE 35-032(PAIR)

Part Number	Weight	Min. Quantity
35-032B	1.405	1



8 IN LONG NOSE PLIER W/CUTTR

IDEAL
8 IN LONG NOSE PLIER W/CUTTR

Part Number	Weight	Min. Quantity
35-038	0.66	1

35-083 – TWIST-A-NUT CONDUIT DEBURRER

TOOLS, KITS & CASES



8 IN LNG NS PLIER W/SKN HOLE

IDEAL

8 IN LNG NS PLIER W/SKN HOLE

Part Number	Weight	Min. Quantity
35-039	0.66	1



400MCM RATCHETING CABLE CUTTER

IDEAL

400MCM RATCHETING CABLE CUTTER

Part Number	Weight	Min. Quantity
35-056	1.45	1



12 IN BNC/TNC REMOVAL TOOL

IDEAL

The newly redesigned coax connector tool features a patent pending socket that accommodates most popular styles and brands of F, BNC, and TNC connectors. This tool combines two tools into one — a 7⅙in. hex socket and a 3⅛in. 8-32 threaded end. Features Works on compression and hex c

Part Number	Weight	Min. Quantity
35-042	0.32	1



BLADE;REPLACEM'T.(35-053)

IDEAL

BLADE;REPLACEM'T.(35-053)

Part Number	Weight	Min. Quantity
35-057	0.4375	1



CABLE CUTTER; 2/0

IDEAL

IDEAL offers wire cutters for coaxial, twisted pair, telephone, electrical, and flat ribbon cable. High-grade carbon-steel cutting edges of this tool are precision ground to give clean cuts with minimum cable distortion. Features Drop-forged high carbon steel construction Precision ground, hardened

Part Number	Weight	Min. Quantity
35-052	0.9333	1



TWST-A-NUT CNDUIT DEBUR-SQ TIP

IDEAL

TWST-A-NUT CNDUIT DEBUR-SQ TIP

Part Number	Weight	Min. Quantity
35-075	0.5	1



RATCHETING CABLE CUTTER

IDEAL

RATCHETING CABLE CUTTER

Part Number	Weight	Min. Quantity
35-053	2.8667	1



DRILL POWERED CABLE CUTTER

IDEAL

DRILL POWERED CABLE CUTTER

Part Number	Weight	Min. Quantity
35-078	9.6	1



REPL BLADE FOR 35-055

IDEAL

REPL BLADE FOR 35-055

Part Number	Weight	Min. Quantity
35-054	0.95	1



TWIST-A-NUT CONDUIT DEBURRER

IDEAL

TWIST-A-NUT CONDUIT DEBURRER

Part Number	Weight	Min. Quantity
35-083	0.3333	1



35-084 – BURMASTER BLADE



BURMASTER BLADE

IDEAL
BURMASTER BLADE

Part Number	Weight	Min. Quantity
35-084	0.03	1



CONDUIT DEBURR HEAD W/SQ TIP

IDEAL
CONDUIT DEBURR HEAD W/SQ TIP

Part Number	Weight	Min. Quantity
35-098	0.3	1



REPLACEMENT MOVE. BLADE

IDEAL
REPLACEMENT MOVE. BLADE

Part Number	Weight	Min. Quantity
35-085	0.3	1



9.5 LINESMAN PLIER W/CRIMP

IDEAL
9.5 LINESMAN PLIER W/CRIMP

Part Number	Weight	Min. Quantity
35-1062	1.1	5



LEVER SNIP ELECTRICIAN SCISSORS

IDEAL
PowerBlade™ Cable Cutter IDEAL offers wire cutters for coaxial, twisted pair, telephone, electrical, and flat ribbon cable. Ergonomic design gives added leverage. 22 and 24 AWG stripping notches. No need to mess with battery packs or special chargers, this tool works with the drill you already

Part Number	Weight	Min. Quantity
35-087	0.3	1



7.5 LINESMAN PLIER

IDEAL
7.5 LINESMAN PLIER

Part Number	Weight	Min. Quantity
35-1064	0.7983	5



SCISSOR / KNIFE KIT

IDEAL
SCISSOR / KNIFE KIT

Part Number	Weight	Min. Quantity
35-093	0.8	1



CRIMPING/STAKING TOOL

IDEAL
CRIMPING/STAKING TOOL

Part Number	Weight	Min. Quantity
35-1065	0.8	5



DEBURRING TOOL BLADE

IDEAL
DEBURRING TOOL BLADE

Part Number	Weight	Min. Quantity
35-097	0.0001	1



8 NEEDLE NOSE PLIER

IDEAL
8 NEEDLE NOSE PLIER

Part Number	Weight	Min. Quantity
35-1067	0.6666	5

35-152 – SCREWDRIVER (8 IN CABINET TIP)



8 ANGLED-HEAD PLIER

IDEAL
8 ANGLED-HEAD PLIER

Part Number	Weight	Min. Quantity
35-1069	0.87	5



2 PIECE STUBBY SCREWDRIVER KIT

IDEAL
2 PIECE STUBBY SCREWDRIVER KIT

Part Number	Weight	Min. Quantity
35-1300	0.3	1



6LNG NOSE PLIER W/STRIP&CRIMP

IDEAL
6LNG NOSE PLIER W/STRIP&CRIMP

Part Number	Weight	Min. Quantity
35-1071	0.44	5



4 PC MINI-CUSH GRIP ELECSRDRV

IDEAL
4 PC MINI-CUSH GRIP ELECSRDRV

Part Number	Weight	Min. Quantity
35-1301	0.3	1



6 DIAGONAL CUTTING PLIER

IDEAL
6 DIAGONAL CUTTING PLIER

Part Number	Weight	Min. Quantity
35-1072	0.4766	5



SCREWDRIVER (4 IN CABINET TIP)

IDEAL
SCREWDRIVER (4 IN CABINET TIP)

Part Number	Weight	Min. Quantity
35-150	0.3167	1



CABLE SPLICING KNIFE

IDEAL
CABLE SPLICING KNIFE

Part Number	Weight	Min. Quantity
35-1091	0.35	1



SCREWDRIVER (6 IN CABINET TIP)

IDEAL
SCREWDRIVER (6 IN CABINET TIP)

Part Number	Weight	Min. Quantity
35-151	0.3	1



7 PC CUSH GRIP SCREWDRIVER SET

IDEAL
7 PC CUSH GRIP SCREWDRIVER SET

Part Number	Weight	Min. Quantity
35-1298	1.9	1



SCREWDRIVER (8 IN CABINET TIP)

IDEAL
SCREWDRIVER (8 IN CABINET TIP)

Part Number	Weight	Min. Quantity
35-152	0.3833	1

35-153 – SCREWDRIVER(10 IN CABINET TIP)



SCREWDRIVER(10 IN CABINET TIP)

IDEAL
SCREWDRIVER(10 IN CABINET TIP)

Part Number	Weight	Min. Quantity
35-153	0.4	1



RD SHANK SCREWDR; 1/4X4 IN

IDEAL
RD SHANK SCREWDR; 1/4X4 IN

Part Number	Weight	Min. Quantity
35-164	0.2833	1



SQ SHANK SCREDR 1/4X4 IN

IDEAL
SQ SHANK SCREDR 1/4X4 IN

Part Number	Weight	Min. Quantity
35-154	0.3333	1



RD SHANK SCREWDRIVER; 5/16X6

IDEAL
RD SHANK SCREWDRIVER; 5/16X6

Part Number	Weight	Min. Quantity
35-166	0.3833	1



SQ SHANK SCREWDR;5/16X6 IN

IDEAL
SQ SHANK SCREWDR;5/16X6 IN

Part Number	Weight	Min. Quantity
35-156	0.4167	1



RD SHANK SCREWDRIVER; 3/8X8

IDEAL
RD SHANK SCREWDRIVER; 3/8X8

Part Number	Weight	Min. Quantity
35-168	0.5167	1



SQ SHANK SCREWDRIVER;3/8 X 8

IDEAL
SQ SHANK SCREWDRIVER;3/8 X 8

Part Number	Weight	Min. Quantity
35-158	0.6667	1



RD SHANK SCREWDRIVER; 1/4X4

IDEAL
RD SHANK SCREWDRIVER; 1/4X4

Part Number	Weight	Min. Quantity
35-173	0.2667	1



RD SHANK SCREWDRIVER;1/4 X 1

IDEAL
RD SHANK SCREWDRIVER;1/4 X 1

Part Number	Weight	Min. Quantity
35-161	0.1333	1




CAB TIP SCREWDRIVER 3/16X3

IDEAL
CAB TIP SCREWDRIVER 3/16X3

Part Number	Weight	Min. Quantity
35-183	0.1833	1

35-196 – PHILLIP SCREWDRIVER 5/16X6X#3



CAB TIP SCREWDRIVER; 3/16X4

IDEAL

CAB TIP SCREWDRIVER; 3/16X4

Part Number	Weight	Min. Quantity
35-184	0.1833	1



PHILLIPS SCREWDRIVER 1/4X1X#2

IDEAL

PHILLIPS SCREWDRIVER 1/4X1X#2

Part Number	Weight	Min. Quantity
35-191	0.1333	1



ECONOMY PUNCH DOWN TOOL

IDEAL

ECONOMY PUNCH DOWN TOOL

Part Number	Weight	Min. Quantity
35-185	0.1	1




PHILLIP SCREWDRIVER 3/16X3X#1

IDEAL

PHILLIP SCREWDRIVER 3/16X3X#1

Part Number	Weight	Min. Quantity
35-193	0.1833	1



CAB TIP SCREWDRIVER; 3/16X6

IDEAL

CAB TIP SCREWDRIVER; 3/16X6

Part Number	Weight	Min. Quantity
35-186	0.288	1



PHILLIP SCREWDRIVER 1/4X4X#2

IDEAL

PHILLIP SCREWDRIVER 1/4X4X#2

Part Number	Weight	Min. Quantity
35-194	0.2833	1



CAB TIP SCREWDRIVER; 3/16X8

IDEAL

CAB TIP SCREWDRIVER; 3/16X8

Part Number	Weight	Min. Quantity
35-188	0.2167	1



PHILLIP SCREWDRIVER 1/4X6X#2

IDEAL

PHILLIP SCREWDRIVER 1/4X6X#2

Part Number	Weight	Min. Quantity
35-195	0.3667	1



CAB TIP SCREWDRIVER; 3/16X10

IDEAL

CAB TIP SCREWDRIVER; 3/16X10

Part Number	Weight	Min. Quantity
35-190	0.2167	1



PHILLIP SCREWDRIVER 5/16X6X#3

IDEAL

PHILLIP SCREWDRIVER 5/16X6X#3

Part Number	Weight	Min. Quantity
35-196	0.4333	1



35-200 – SPEED-DRIVER; 3/16 X 6



SPEED-DRIVER; 3/16 X 6

IDEAL
SPEED-DRIVER; 3/16 X 6

Part Number	Weight	Min. Quantity
35-200	0.2333	1



BI-METAL BLADE; 18T

IDEAL
BI-METAL BLADE; 18T

Part Number	Weight	Min. Quantity
35-271	0.051	10



COMBO HEAD SCREWDRIVER; CARDED

IDEAL
COMBO HEAD SCREWDRIVER; CARDED

Part Number	Weight	Min. Quantity
35-204	0.3	1



BI-METAL BLADE; 24T

IDEAL
BI-METAL BLADE; 24T

Part Number	Weight	Min. Quantity
35-272	0.051	10



BULK-BI-METAL BLADE; 18T

IDEAL
BULK-BI-METAL BLADE; 18T

Part Number	Weight	Min. Quantity
35-262	0.047	100



BI-METAL BLADE; 32T

IDEAL
BI-METAL BLADE; 32T

Part Number	Weight	Min. Quantity
35-273	0.051	10



BULK-BI-METAL BLADE; 24T

IDEAL
BULK-BI-METAL BLADE; 24T

Part Number	Weight	Min. Quantity
35-263	0.047	100



ELECTRICIAN'S KNIFE

IDEAL
ELECTRICIAN'S KNIFE

Part Number	Weight	Min. Quantity
35-285	0.2833	1



BULK; BI-METAL BLADE; 32T

IDEAL
BULK; BI-METAL BLADE; 32T

Part Number	Weight	Min. Quantity
35-264	0.046	100



HAWKBILL KNIFE

IDEAL
HAWKBILL KNIFE

Part Number	Weight	Min. Quantity
35-286	0.3	1

35-3038 – SMART GRIP8LG NOSE PLIER/CTTR

LINEMAN'S JACK KNIFE



IDEAL

LINEMAN'S JACK KNIFE

Part Number	Weight	Min. Quantity
35-287	0.1	1

SMART GRIP 9HL; NE HEAD PLIER



IDEAL

SMART GRIP 9HL; NE HEAD PLIER

Part Number	Weight	Min. Quantity
35-3012	1.1	1

5 PC CUSH GRIP SCREWDRIVER SET



IDEAL

5 PC CUSH GRIP SCREWDRIVER SET

Part Number	Weight	Min. Quantity
35-297	1.5	1

CANVAS/LEATHER TOOL BAG



IDEAL

CANVAS/LEATHER TOOL BAG

Part Number	Weight	Min. Quantity
35-302	3.8	1

8 PC CUSH GRIP SCREWDRIVER SET



IDEAL

8 PC CUSH GRIP SCREWDRIVER SET

Part Number	Weight	Min. Quantity
35-298	2.1	1

SMART GRIP8DIAG CUTTING PLIER



IDEAL

SMART GRIP8DIAG CUTTING PLIER

Part Number	Weight	Min. Quantity
35-3028	0.7	1

UTILITY KNIFE



IDEAL

Features: Quick-Change Retractable Blade System — No Disassembly Require Built in Pull-Line Cutter Non-Slip Soft Comfort Grip Slide Out Blade Storage Compartment Includes Three Blades

Part Number	Weight	Min. Quantity
35-300	0.5	1

SMART GRIP80FST DIAG CTNG PLR



IDEAL

SMART GRIP80FST DIAG CTNG PLR

Part Number	Weight	Min. Quantity
35-3029	0.75	1

REPLACEMENT BLADE (5 PER CARD)



IDEAL

REPLACEMENT BLADE (5 PER CARD)

Part Number	Weight	Min. Quantity
35-301	0.06	1

SMART GRIP8LG NOSE PLIER/CTTR



IDEAL

SMART GRIP8LG NOSE PLIER/CTTR

Part Number	Weight	Min. Quantity
35-3038	0.65	1

35-3052 – SMART GRIP CABLE CUTTER; 2/0



SMART GRIP CABLE CUTTER; 2/0

IDEAL

SMART GRIP CABLE CUTTER; 2/0

Part Number	Weight	Min. Quantity
35-3052	0.9	1



REPLDRL 4-1/2 IN X1/4 IN PILOT

IDEAL

REPLDRL 4-1/2 IN X1/4 IN PILOT

Part Number	Weight	Min. Quantity
35-397	0.07	1



TUFF-TOTE TOOL PCH STD LEATHER

IDEAL

TUFF-TOTE TOOL PCH STD LEATHER

Part Number	Weight	Min. Quantity
35-311	1.65	1



REPL DRILL 3-1/4 IN PILOT

IDEAL

REPL DRILL 3-1/4 IN PILOT

Part Number	Weight	Min. Quantity
35-398	0.07	1



ERGO JUNIOR POUCH (STANDARD)

IDEAL

ERGO JUNIOR POUCH (STANDARD)

Part Number	Weight	Min. Quantity
35-312	0.95	1



9 1/4 SIDE CUTTER PLIERS

IDEAL

9 1/4 SIDE CUTTER PLIERS

Part Number	Weight	Min. Quantity
35-4012	0.7	1



TUFF-TOTE ULT.TL CARRIER W/LTR

IDEAL

TUFF-TOTE ULT.TL CARRIER W/LTR

Part Number	Weight	Min. Quantity
35-325	4.75	1



6 DIAGONAL PLIERS

IDEAL

6 DIAGONAL PLIERS

Part Number	Weight	Min. Quantity
35-4026	0.5	1



SMART GRIP 10TONGUE&GRV PLIER

IDEAL

SMART GRIP 10TONGUE&GRV PLIER

Part Number	Weight	Min. Quantity
35-3430	0.95	1



8 DIAGONAL PLIERS

IDEAL

8 DIAGONAL PLIERS

Part Number	Weight	Min. Quantity
35-4028	0.7	1

35-423 – REPL TAP;10-24;12-24;1/4-20



8 DIAGONAL PLIER W/ANGLE HEAD

IDEAL

8 DIAGONAL PLIER W/ANGLE HEAD

Part Number	Weight	Min. Quantity
35-4029	0.7	1



TRIPLE TAP TOOL

IDEAL

TRIPLE TAP TOOL

Part Number	Weight	Min. Quantity
35-412	0.35	1



6 LONG NOSE PLIERS

IDEAL

6 LONG NOSE PLIERS

Part Number	Weight	Min. Quantity
35-4036	0.4	1



ZIPKIT

IDEAL

ZIPKIT

Part Number	Weight	Min. Quantity
35-419	1.4	1



8 LONG NOSE PLIERS

IDEAL

8 LONG NOSE PLIERS

Part Number	Weight	Min. Quantity
35-4038	0.7	1



9.5 IN TONGUE&GROOVE PLIER

IDEAL

9.5 IN TONGUE&GROOVE PLIER

Part Number	Weight	Min. Quantity
35-420	0.85	1



9 1/2 CABLE CUTTER

IDEAL

9 1/2 CABLE CUTTER

Part Number	Weight	Min. Quantity
35-4052	1	1



REPLACEMNT TAP;10-32;8-32;6-32

IDEAL

REPLACEMNT TAP;10-32;8-32;6-32

Part Number	Weight	Min. Quantity
35-422	0.03	1



TURN-LOCK 110/66 BLADE

IDEAL

TURN-LOCK 110/66 BLADE

Part Number	Weight	Min. Quantity
35-407	0.125	1



REPL TAP;10-24;12-24;1/4-20

IDEAL

REPL TAP;10-24;12-24;1/4-20

Part Number	Weight	Min. Quantity
35-423	0.04	1

35-426 – 7 IN TONGUE & GROOVE PLIER



7 IN TONGUE & GROOVE PLIER

IDEAL
7 IN TONGUE & GROOVE PLIER

Part Number	Weight	Min. Quantity
35-426	0.42	1



INDENT TOOL;RND PIN&SCKT

IDEAL
INDENT TOOL;RND PIN&SCKT

Part Number	Weight	Min. Quantity
35-465	0.675	1



10.5 IN TONGUE & GROOVE PLIER

IDEAL
10.5 IN TONGUE & GROOVE PLIER

Part Number	Weight	Min. Quantity
35-430	0.95	1



PUNCHMASTER II KRONE BLADE

IDEAL
PUNCHMASTER II KRONE BLADE

Part Number	Weight	Min. Quantity
35-478	0.1	1



13 IN TONGUE & GROOVE PLIER

IDEAL
13 IN TONGUE & GROOVE PLIER

Part Number	Weight	Min. Quantity
35-440	0.86	1



PUNCHMASTER II BIX BLADE

IDEAL
PUNCHMASTER II BIX BLADE

Part Number	Weight	Min. Quantity
35-479	0.1	1



10 TONGUE & GROOVE PLIERS

IDEAL
10 TONGUE & GROOVE PLIERS

Part Number	Weight	Min. Quantity
35-4430	1.05	1



TURN-LOCK PD TOOL W/110 BLADE

IDEAL
Punch Down Tool with 110 Blade, Red Color Style blade holding design Punchmaster II and Non-Impact Tool has Turn-Lock

Part Number	Weight	Min. Quantity
35-485	0.5	1



9 3/4 MULTI-CRIMP TOOL;INSUL

IDEAL
9 3/4 MULTI-CRIMP TOOL;INSUL

Part Number	Weight	Min. Quantity
35-4431	0.95	1



NON-IMPACT PD TOOL W/110 BLADE

IDEAL
NON-IMPACT PD TOOL W/110 BLADE

Part Number	Weight	Min. Quantity
35-492	0.3	1

35-512 – STEP DRILL 1/4-3/4



TURN LOCK 110 BLADE ONLY

IDEAL

TURN LOCK 110 BLADE ONLY

Part Number	Weight	Min. Quantity
35-495	0.1125	1



WM 6 LONG NOSE PLIERS

IDEAL

WM 6 LONG NOSE PLIERS

Part Number	Weight	Min. Quantity
35-5036	0.4	1



TURN-LOCK 66 BLADE ONLY

IDEAL

Replacement Blade, Punchmaster™ II Turn-Lock™ Style, with 66 Blade

Part Number	Weight	Min. Quantity
35-497	0.125	1



WM 8 LONG NOSE PLIERS

IDEAL

WM 8 LONG NOSE PLIERS

Part Number	Weight	Min. Quantity
35-5038	0.7	1



WM 9 1/4 SIDE CUTTER PLIERS

IDEAL

WM 9 1/4 SIDE CUTTER PLIERS

Part Number	Weight	Min. Quantity
35-5012	1.2	1



WM 9 1/2 CABLE CUTTER

IDEAL

WM 9 1/2 CABLE CUTTER

Part Number	Weight	Min. Quantity
35-5052	0.95	1



WM 8 DIAGONAL PLIERS

IDEAL

WM 8 DIAGONAL PLIERS

Part Number	Weight	Min. Quantity
35-5028	0.7	1



STEP DRILL 1/8-1/2

IDEAL

STEP DRILL 1/8-1/2

Part Number	Weight	Min. Quantity
35-511	0.1	1



WM 8 DIAG PLIER W/ANGLE HEAD

IDEAL

WM 8 DIAG PLIER W/ANGLE HEAD

Part Number	Weight	Min. Quantity
35-5029	0.65	1



STEP DRILL 1/4-3/4

IDEAL

STEP DRILL 1/4-3/4

Part Number	Weight	Min. Quantity
35-512	0.2	1

35-513 – STEP DRILL 1/4-7/8



STEP DRILL 1/4-7/8

IDEAL
STEP DRILL 1/4-7/8

Part Number	Weight	Min. Quantity
35-513	0.15	1



STEP DRILL 1/2-1

IDEAL
STEP DRILL 1/2-1

Part Number	Weight	Min. Quantity
35-514	0.25	1



STEP DRILL 1/4 IN - 1-1/8 IN

IDEAL
STEP DRILL 1/4 IN - 1-1/8 IN

Part Number	Weight	Min. Quantity
35-515	0.34	1



3/16 IN TO 1/2 IN STEP DRILL

IDEAL
3/16 IN TO 1/2 IN STEP DRILL

Part Number	Weight	Min. Quantity
35-516	0.1	1



1/4 IN TO 1-3/8 IN STEP DRILL

IDEAL
1/4 IN TO 1-3/8 IN STEP DRILL

Part Number	Weight	Min. Quantity
35-517	0.4	1



STEP DRILL 1/8-1/2;BLACK OXIDE

IDEAL
STEP DRILL 1/8-1/2;BLACK OXIDE

Part Number	Weight	Min. Quantity
35-521	0.24	1



STEP DRILL 1/4-7/8;BLACK OXIDE

IDEAL
STEP DRILL 1/4-7/8;BLACK OXIDE

Part Number	Weight	Min. Quantity
35-522	0.29	1



STEP DRILL 1/4-1-1/8;BLK OXIDE

IDEAL
STEP DRILL 1/4-1-1/8;BLK OXIDE

Part Number	Weight	Min. Quantity
35-523	0.45	1



STEP DRILL;3-PC KIT;BLK OXIDE

IDEAL
Features: New Aggressive Split-Point Tip That Lasts Longer and Starts Faster Than Competition High Speed Tool Steel — Most Durable Steel Available for Cutting Tools Double-Tempered for Superior Tip Life Double Fluted and Blended Radius Steps for Smooth, Accurate Drilling 1&frac44; Quick

Part Number	Weight	Min. Quantity
35-524	1.76	1



SM GEN PURP BAG;NATURAL CANVAS

IDEAL
Tool Bag, with 17 in. Length, 6-1&frac44; 4 in. Width, 7-1&frac82; 2 in. Depth Compact tool bag for smaller storage requirements 18 stitched outer pockets provide quick access to small tools Velcro closure protects contents from loss Natural canvas construction

Part Number	Weight	Min. Quantity
35-533	1.05	1

35-692 – SQ-RECESS TIP SCRWDVR #1 X 8



WM 10 TONGUE & GROOVE PLIERS

IDEAL

WM 10 TONGUE & GROOVE PLIERS

Part Number	Weight	Min. Quantity
35-5430	1	1



9 1/4SIDE CUTTER W/LASEREDGE

IDEAL

9 1/4SIDE CUTTER W/LASEREDGE

Part Number	Weight	Min. Quantity
35-6012	1.2	1



WM 9-3/4MULTI-CRIMP TOOL;INSL

IDEAL

WM 9-3/4MULTI-CRIMP TOOL;INSL

Part Number	Weight	Min. Quantity
35-5431	0.9	1



21-IN-1 TWIST-A-NUT SCREWDRVR

IDEAL

21-IN-1 TWIST-A-NUT SCREWDRVR

Part Number	Weight	Min. Quantity
35-688	0.8	1



5PC WIREMAN DIPPEDGRIP TOOL ST

IDEAL

5PC WIREMAN DIPPEDGRIP TOOL ST

Part Number	Weight	Min. Quantity
35-5792	2.45	1



SQ-RECESS TIP SCRWDVR #0 X 4

IDEAL

SQ-RECESS TIP SCRWDVR #0 X 4

Part Number	Weight	Min. Quantity
35-690	0.15	1



4PC ELECTRICIANS TOOL KIT

IDEAL

4PC ELECTRICIANS TOOL KIT

Part Number	Weight	Min. Quantity
35-5799	2.4	1




SQ-RECESS TIP SCRWDVR #1 X 4

IDEAL

SQ-RECESS TIP SCRWDVR #1 X 4

Part Number	Weight	Min. Quantity
35-691	0.25	1



12PC WIREMAN DIPPEDGRIP TOOLST

IDEAL

12PC WIREMAN DIPPEDGRIP TOOLST

Part Number	Weight	Min. Quantity
35-5805	7.6	1



SQ-RECESS TIP SCRWDVR #1 X 8

IDEAL

SQ-RECESS TIP SCRWDVR #1 X 8

Part Number	Weight	Min. Quantity
35-692	0.4	1



35-693 – SQ-RECESS TIP SCRWDVR #2 X 4



SQ-RECESS TIP SCRWDVR #2 X 4

IDEAL

SQ-RECESS TIP SCRWDVR #2 X 4

Part Number	Weight	Min. Quantity
35-693	0.005	1



SNGL HELX LONG SHIP AUGR 1/2

IDEAL

SNGL HELX LONG SHIP AUGR 1/2

Part Number	Weight	Min. Quantity
35-726	0.6	1



SQ-RECESS TIP SCRWDVR #2 X 8

IDEAL

SQ-RECESS TIP SCRWDVR #2 X 8

Part Number	Weight	Min. Quantity
35-694	0.4	1



SNGL HELX LONG SHIP AUGR 11/16

IDEAL

SNGL HELX LONG SHIP AUGR 11/16

Part Number	Weight	Min. Quantity
35-727	0.8	1



SQ-RECESS TIP SCRWDVR #3 X 4

IDEAL

SQ-RECESS TIP SCRWDVR #3 X 4

Part Number	Weight	Min. Quantity
35-695	0.4	1



SNGL HELX LONG SHIP AUGR 13/16

IDEAL

SNGL HELX LONG SHIP AUGR 13/16

Part Number	Weight	Min. Quantity
35-728	1.1	1



SQ-RECESS TIP SCRWDVR #3 X 8

IDEAL

SQ-RECESS TIP SCRWDVR #3 X 8

Part Number	Weight	Min. Quantity
35-696	0.4	1



SNGL HELX LONG SHIP AUGR 1-1/4

IDEAL

SNGL HELX LONG SHIP AUGR 1-1/4

Part Number	Weight	Min. Quantity
35-729	2.4	1



RECESSED CAN LIGHT TOOL KIT

IDEAL

RECESSED CAN LIGHT TOOL KIT

Part Number	Weight	Min. Quantity
35-698	0.35	1



SNGL HELX SHRT SHIP AUGR 11/16

IDEAL

SNGL HELX SHRT SHIP AUGR 11/16

Part Number	Weight	Min. Quantity
35-730	0.35	1

35-804 – PREMIUM TOOL CARRIER TOOL KIT



SNGL HELX SHRT SHIP AUGR 13/16

IDEAL

SNGL HELX SHRT SHIP AUGR 13/16

Part Number	Weight	Min. Quantity
35-731	0.45	1



JOURNEYMAN ELECTRICIAN'S KIT

IDEAL

JOURNEYMAN ELECTRICIAN'S KIT

Part Number	Weight	Min. Quantity
35-790	8	1



SNGL HELX SHRT SHIP AUGR 1-1/4

IDEAL

SNGL HELX SHRT SHIP AUGR 1-1/4

Part Number	Weight	Min. Quantity
35-732	0.85	1



JOURNEYMAN ELECTRICIAN'S KIT

IDEAL

JOURNEYMAN ELECTRICIAN'S KIT

Part Number	Weight	Min. Quantity
35-790ATI	8	10



REPL BLADES (5)PK

IDEAL

REPL BLADES (5)PK

Part Number	Weight	Min. Quantity
35-781	0.07	1



6 PC LASEREDGE DIPDGRP TOOLSET

IDEAL

6 PC LASEREDGE DIPDGRP TOOLSET

Part Number	Weight	Min. Quantity
35-794	3.8	1



BX CUTTER REPLACMNT BLADE;1PK

IDEAL

BX CUTTER REPLACMNT BLADE;1PK

Part Number	Weight	Min. Quantity
35-781-1	0.05	1



16PC LASEREDGE DIPDGRP TOOLSET

IDEAL

16PC LASEREDGE DIPDGRP TOOLSET

Part Number	Weight	Min. Quantity
35-800	11.6	1



SIR NICKLESS ARMORED CABLECUTR

IDEAL

Handles all common BX, MCAP, MC and Flex cables Blade cuts armor without damage to internal conductors Splices cleanly through casings with only a few turns Handle knob stores up to six replacement blades

Part Number	Weight	Min. Quantity
35-782	1.2	1



PREMIUM TOOL CARRIER TOOL KIT

IDEAL

PREMIUM TOOL CARRIER TOOL KIT

Part Number	Weight	Min. Quantity
35-804	9.65	1



35-805 – 12PC LASEREDGE DIPDGRP TOOLSET

TOOLS, KITS & CASES



12PC LASEREDGE DIPDGRP TOOLSET

IDEAL

12PC LASEREDGE DIPDGRP TOOLSET

Part Number	Weight	Min. Quantity
35-805	7.55	1



SHORT SHIP AUGER 13/16 IN

IDEAL

SHORT SHIP AUGER 13/16 IN

Part Number	Weight	Min. Quantity
35-813	0.45	1



MASTER ELECTRICIAN'S KIT

IDEAL

MASTER ELECTRICIAN'S KIT

Part Number	Weight	Min. Quantity
35-809	11.65	1



SHORT SHIP AUGER 7/8 IN

IDEAL

SHORT SHIP AUGER 7/8 IN

Part Number	Weight	Min. Quantity
35-814	0.5	1



SHORT SHIP AUGER 5/8 IN

IDEAL

SHORT SHIP AUGER 5/8 IN

Part Number	Weight	Min. Quantity
35-810	0.3	1



SHORT SHIP AUGER 1 IN

IDEAL

SHORT SHIP AUGER 1 IN

Part Number	Weight	Min. Quantity
35-815	0.75	1



SHORT SHIP AUGER 11/16 IN

IDEAL

SHORT SHIP AUGER 11/16 IN

Part Number	Weight	Min. Quantity
35-811	0.3	1



SHORT SHIP AUGER 1-1/8 IN

IDEAL

SHORT SHIP AUGER 1-1/8 IN

Part Number	Weight	Min. Quantity
35-816	0.75	1



SHORT SHIP AUGER 3/4 IN

IDEAL

SHORT SHIP AUGER 3/4 IN

Part Number	Weight	Min. Quantity
35-812	0.45	1



SHORT SHIP AUGER 1-1/4 IN

IDEAL

SHORT SHIP AUGER 1-1/4 IN

Part Number	Weight	Min. Quantity
35-817	0.8	1



35-829 – LONG SHIP AUGER 1-1/4 IN



LONG SHIP AUGER 1/2 IN

IDEAL

LONG SHIP AUGER 1/2 IN

Part Number	Weight	Min. Quantity
35-820	0.65	1



LONG SHIP AUGER 7/8 IN

IDEAL

LONG SHIP AUGER 7/8 IN

Part Number	Weight	Min. Quantity
35-825	1.2	1



LONG SHIP AUGER 5/8 IN

IDEAL

LONG SHIP AUGER 5/8 IN

Part Number	Weight	Min. Quantity
35-821	1.1	1



LONG SHIP AUGER 15/16 IN

IDEAL

LONG SHIP AUGER 15/16 IN

Part Number	Weight	Min. Quantity
35-826	1.3	1



LONG SHIP AUGER 11/16 IN

IDEAL

LONG SHIP AUGER 11/16 IN

Part Number	Weight	Min. Quantity
35-822	0.95	1



LONG SHIP AUGER 1 IN

IDEAL

LONG SHIP AUGER 1 IN

Part Number	Weight	Min. Quantity
35-827	1.6	1



LONG SHIP AUGER 3/4 IN

IDEAL

LONG SHIP AUGER 3/4 IN

Part Number	Weight	Min. Quantity
35-823	1.1	1



LONG SHIP AUGER 1-1/8 IN

IDEAL

LONG SHIP AUGER 1-1/8 IN

Part Number	Weight	Min. Quantity
35-828	1.8	1



LONG SHIP AUGER 13/16 IN

IDEAL

LONG SHIP AUGER 13/16 IN

Part Number	Weight	Min. Quantity
35-824	1.2	1



LONG SHIP AUGER 1-1/4 IN

IDEAL

LONG SHIP AUGER 1-1/4 IN

Part Number	Weight	Min. Quantity
35-829	2.2	1



35-862 – 5/8 X 4-3/4 AUGER



5/8 X 4-3/4 AUGER

IDEAL
5/8 X 4-3/4 AUGER

Part Number	Weight	Min. Quantity
35-862	0.2	1



SNGL HELX SHORT SHIP AUGR 3/4

IDEAL
SNGL HELX SHORT SHIP AUGR 3/4

Part Number	Weight	Min. Quantity
35-893	0.4	1



3/4 X 4-3/4 AUGER

IDEAL
3/4 X 4-3/4 AUGER

Part Number	Weight	Min. Quantity
35-864	0.2	1



SNGL HELX SHORT SHIP AUGR 7/8

IDEAL
SNGL HELX SHORT SHIP AUGR 7/8

Part Number	Weight	Min. Quantity
35-896	0.5	1



7/8 X 4-3/4 AUGER

IDEAL
7/8 X 4-3/4 AUGER

Part Number	Weight	Min. Quantity
35-866	0.3	1



SNGL HELX SHRT SHIP AUGR 15/16

IDEAL
SNGL HELX SHRT SHIP AUGR 15/16

Part Number	Weight	Min. Quantity
35-897	0.55	1



1 X 4-3/4 AUGER

IDEAL
1 X 4-3/4 AUGER

Part Number	Weight	Min. Quantity
35-868	0.35	1



SNGL HELX SHORT SHIP AUGER 1 1/8

IDEAL
SNGL HELX SHORT SHIP AUGER 1 1/8

Part Number	Weight	Min. Quantity
35-898	0.65	1



SNGL HELX SHORT SHIP AUGR 5/8

IDEAL
SNGL HELX SHORT SHIP AUGR 5/8

Part Number	Weight	Min. Quantity
35-892	0.35	1



SNGL HELX SHRT SHIP AUGR 1 1/8

IDEAL
SNGL HELX SHRT SHIP AUGR 1 1/8

Part Number	Weight	Min. Quantity
35-899	0.75	1

35-9108 – 9 PC INSULATED TOOL KIT W/BAG



INS. 8OFFSET DIAG.CUT.PLIER

IDEAL
INS. 8OFFSET DIAG.CUT.PLIER

Part Number	Weight	Min. Quantity
35-9029	0.9	1



BASE KIT INSULATED TOOL KIT

IDEAL
BASE KIT INSULATED TOOL KIT

Part Number	Weight	Min. Quantity
35-9100	6.9	1



INSULATED 8.5LONG NOSE PLIER

IDEAL
INSULATED 8.5LONG NOSE PLIER

Part Number	Weight	Min. Quantity
35-9038	0.8	1



STD KIT INSULATED TOOL KIT

IDEAL
STD KIT INSULATED TOOL KIT

Part Number	Weight	Min. Quantity
35-9101	9.35	1



INSULATED CABLE CUTTER; 2/0

IDEAL
INSULATED CABLE CUTTER; 2/0

Part Number	Weight	Min. Quantity
35-9052	1.1	1



J-MAN INSULATED TOOL KIT

IDEAL
J-MAN INSULATED TOOL KIT

Part Number	Weight	Min. Quantity
35-9102	13.95	1



7-IN-1 TWST-A-NUT SCRWDVR W/SQ

IDEAL
7-IN-1 TWST-A-NUT SCRWDVR W/SQ

Part Number	Weight	Min. Quantity
35-909	0.35	1



9 PC INSULATED SCREWDRIVER SET

IDEAL
9 PC INSULATED SCREWDRIVER SET

Part Number	Weight	Min. Quantity
35-9103	6.15	1



11-IN-1 SCREWDRIVER

IDEAL
11-IN-1 SCREWDRIVER

Part Number	Weight	Min. Quantity
35-910	0.35	1



9 PC INSULATED TOOL KIT W/BAG

IDEAL
9 PC INSULATED TOOL KIT W/BAG

Part Number	Weight	Min. Quantity
35-9108	5.35	1

35-9147 – INSUL SCRWDVR SLOTTD 7/32X5



INSUL SCRWDVR SLOTTD 7/32X5

IDEAL

INSUL SCRWDVR SLOTTD 7/32X5

Part Number	Weight	Min. Quantity
35-9147	0.2	1



INSUL SCRWDVR SLOTTD 5/16X7

IDEAL

INSUL SCRWDVR SLOTTD 5/16X7

Part Number	Weight	Min. Quantity
35-9166	0.45	1



INSUL SCRWDVR SLOTTD 3/32X3

IDEAL

INSUL SCRWDVR SLOTTD 3/32X3

Part Number	Weight	Min. Quantity
35-9148	0.04	1



INSUL SCRWDVR SLOTTD 3/8X8

IDEAL

INSUL SCRWDVR SLOTTD 3/8X8

Part Number	Weight	Min. Quantity
35-9168	0.55	1



INSUL SCRWDVR SLOTTD 1/8X4

IDEAL

INSUL SCRWDVR SLOTTD 1/8X4

Part Number	Weight	Min. Quantity
35-9149	0.1	1



INSUL SCRWDVR PHLPS #0X2-3/8

IDEAL

INSUL SCRWDVR PHLPS #0X2-3/8

Part Number	Weight	Min. Quantity
35-9169	0.02	1



INSUL SCRWDVR SLOTTD 1/4X4

IDEAL

INSUL SCRWDVR SLOTTD 1/4X4

Part Number	Weight	Min. Quantity
35-9150	0.3	1



INSUL SCRWDVR PHLPS #1X3-3/16

IDEAL

INSUL SCRWDVR PHLPS #1X3-3/16

Part Number	Weight	Min. Quantity
35-9193	0.15	1



INSUL SCRWDVR SLOTTD 1/4X6

IDEAL

INSUL SCRWDVR SLOTTD 1/4X6

Part Number	Weight	Min. Quantity
35-9151	0.3	1



INSUL SCRWDVR PHLPS #2X4

IDEAL

INSUL SCRWDVR PHLPS #2X4

Part Number	Weight	Min. Quantity
35-9194	0.25	1

35-9351 – TOOL ROLL CASE;STD KIT 35-9301



INSUL SCRWDVR PHLPS #3X6

IDEAL

INSUL SCRWDVR PHLPS #3X6

Part Number	Weight	Min. Quantity
35-9196	0.4	1



INSUL SCRWDVR PHLPS #3 X 6

IDEAL

INSUL SCRWDVR PHLPS #3 X 6

Part Number	Weight	Min. Quantity
35-9312	0.45	1



6-IN-1 TWIST-A-NUT TAP TOOL

IDEAL

6-IN-1 TWIST-A-NUT TAP TOOL

Part Number	Weight	Min. Quantity
35-922	0.3	1



INSUL SCRWDVR SLOTTD 3/8X 8

IDEAL

INSUL SCRWDVR SLOTTD 3/8X 8

Part Number	Weight	Min. Quantity
35-9325	0.5	1



TWIST-A-NUT COMBO PACK

IDEAL

TWIST-A-NUT COMBO PACK

Part Number	Weight	Min. Quantity
35-926	1.25	1



INSULATED KNIFE

IDEAL

INSULATED KNIFE

Part Number	Weight	Min. Quantity
35-9340	0.3	1



TWIST-A-NUT CARRYING POUCH

IDEAL

TWIST-A-NUT CARRYING POUCH

Part Number	Weight	Min. Quantity
35-927	0.25	1



TOOLROLL CASE;BASIC KIT35-9300

IDEAL

TOOLROLL CASE;BASIC KIT35-9300

Part Number	Weight	Min. Quantity
35-9350	1.35	1



2-PC INSULATED SCREWDRIVER KIT

IDEAL

2-PC INSULATED SCREWDRIVER KIT

Part Number	Weight	Min. Quantity
35-9305	0.75	1



TOOL ROLL CASE;STD KIT 35-9301

IDEAL

TOOL ROLL CASE;STD KIT 35-9301

Part Number	Weight	Min. Quantity
35-9351	1.7	1



35-9352 – TOOLROLL CASE;JRNYMKNKIT35-9302



TOOLROLL CASE;JRNYMKNKIT35-9302

IDEAL

TOOLROLL CASE;JRNYMKNKIT35-9302

Part Number	Weight	Min. Quantity
35-9352	2.95	1



PRM TUFF-TOTE TL CARRIER W/STR

IDEAL

PRM TUFF-TOTE TL CARRIER W/STR

Part Number	Weight	Min. Quantity
35-969	3.8	1



HARD CASE;SCREWDRVR KIT35-9303

IDEAL

HARD CASE;SCREWDRVR KIT35-9303

Part Number	Weight	Min. Quantity
35-9353	3.3	1



INSULATED SCRWDVR SQ#0 1/4X4

IDEAL

INSULATED SCRWDVR SQ#0 1/4X4

Part Number	Weight	Min. Quantity
35-9690	0.3	1



INSULATED 10 TNGUE&GRVE PLIER

IDEAL

INSULATED 10 TNGUE&GRVE PLIER

Part Number	Weight	Min. Quantity
35-9430	0.35	1



INSULATED SCRWDVR SQ#1 X4

IDEAL

INSULATED SCRWDVR SQ#1 X4

Part Number	Weight	Min. Quantity
35-9691	0.01	1



PREM TUFF-TOTE TOOL PCH W/STP

IDEAL

PREM TUFF-TOTE TOOL PCH W/STP

Part Number	Weight	Min. Quantity
35-950	2.6	1



INSULATED SCRWDVR SQ#2 X4

IDEAL

INSULATED SCRWDVR SQ#2 X4

Part Number	Weight	Min. Quantity
35-9693	0.01	1



BLACK PREM TUFFTOTE TOOL POUCH

IDEAL

BLACK PREM TUFFTOTE TOOL POUCH

Part Number	Weight	Min. Quantity
35-950BLK	2.6	1



INSULATED SCRWDVR SQ#3 X6

IDEAL

INSULATED SCRWDVR SQ#3 X6

Part Number	Weight	Min. Quantity
35-9695	0.01	1

36-046 – 6X1X.042 14TPI LL MTL CUT BLAD



SNGL HELX LONG SHIP AUGR 5/8

IDEAL

SNGL HELX LONG SHIP AUGR 5/8

Part Number	Weight	Min. Quantity
35-971	0.8	1



SNGL HELX LONG SHIP AUGR 15/16

IDEAL

SNGL HELX LONG SHIP AUGR 15/16

Part Number	Weight	Min. Quantity
35-977	1.4	1



SNGL HELX LONG SHIP AUGER 3/4

IDEAL

SNGL HELX LONG SHIP AUGER 3/4

Part Number	Weight	Min. Quantity
35-972	0.95	1



SNGL HELX LONG SHIP AUGER 1 IN

IDEAL

SNGL HELX LONG SHIP AUGER 1 IN

Part Number	Weight	Min. Quantity
35-978	1.7	1



PREM TUFF-TOTE ULTIMATE TL CRR

IDEAL

PREM TUFF-TOTE ULTIMATE TL CRR

Part Number	Weight	Min. Quantity
35-975	4.9	1



SNGL HELX LONG SHIP AUGR 1 1/8

IDEAL

SNGL HELX LONG SHIP AUGR 1 1/8

Part Number	Weight	Min. Quantity
35-979	2	1



BLACK PREM TUFFTOTE ULT.TL CRR

IDEAL

BLACK PREM TUFFTOTE ULT.TL CRR

Part Number	Weight	Min. Quantity
35-975BLK	4.8	1



6X3/4X.035 18TPI LL MTL CT BLD

IDEAL

6X3/4X.035 18TPI LL MTL CT BLD

Part Number	Weight	Min. Quantity
36-043	0.04	5



SNGL HELX LONG SHIP AUGER 7/8

IDEAL

SNGL HELX LONG SHIP AUGER 7/8

Part Number	Weight	Min. Quantity
35-976	1.3	1



6X1X.042 14TPI LL MTL CUT BLAD

IDEAL

6X1X.042 14TPI LL MTL CUT BLAD

Part Number	Weight	Min. Quantity
36-046	0.07	5

36-056 – 6X3/4X.035 PROG. MET.CT.REC.BL



6X3/4X.035 PROG. MET.CT.REC.BL

IDEAL

6X3/4X.035 PROG. MET.CT.REC.BL

Part Number	Weight	Min. Quantity
36-056	0.04	5



6X3/4X.035 14TPI MTL CT REC BL

IDEAL

6X3/4X.035 14TPI MTL CT REC BL

Part Number	Weight	Min. Quantity
36-059B	0.044	25



6X3/4X.035 18TPI MET.CT.REC.BL

IDEAL

6X3/4X.035 18TPI MET.CT.REC.BL

Part Number	Weight	Min. Quantity
36-057	0.044	5



6X3/4X.050 WD W/NAIL RECIP.BL

IDEAL

6X3/4X.050 WD W/NAIL RECIP.BL

Part Number	Weight	Min. Quantity
36-065	0.04	5



6X3/4X.035 18TPI MTL CT REC BL

IDEAL

6X3/4X.035 18TPI MTL CT REC BL

Part Number	Weight	Min. Quantity
36-057B	0.044	25



6X3/4X.050 6TPI WD W/NLS RECIP

IDEAL

6X3/4X.050 6TPI WD W/NLS RECIP

Part Number	Weight	Min. Quantity
36-065B	0.044	25



6X3/4X.035 24TPI MET.CT.REC.BL

IDEAL

6X3/4X.035 24TPI MET.CT.REC.BL

Part Number	Weight	Min. Quantity
36-058	0.05	5



6X3/4X.035 GEN.PURP.RECIP.BLD

IDEAL

6X3/4X.035 GEN.PURP.RECIP.BLD

Part Number	Weight	Min. Quantity
36-075	0.24	5



6X3/4X.035 14TPI MTL CT REC BL

IDEAL

6X3/4X.035 14TPI MTL CT REC BL

Part Number	Weight	Min. Quantity
36-059	0.04	5



6X3/4X.050 18TPI H.D.REC.BLADE

IDEAL

6X3/4X.050 18TPI H.D.REC.BLADE

Part Number	Weight	Min. Quantity
36-085	0.1	2

36-249 – 4 PC SET ELECTRONIC SCR



PLASTER RECIPROCATING BLADE

IDEAL

PLASTER RECIPROCATING BLADE

Part Number	Weight	Min. Quantity
36-088	0.05	2

8X3/4X.050 SPEC.CUT.REC.BLADE



IDEAL

8X3/4X.050 SPEC.CUT.REC.BLADE

Part Number	Weight	Min. Quantity
36-090	0.1	2

CAB TIP; 3/32 IN X 2-1/2 IN



IDEAL

Cabinet Tip, 3/32 in. x 2-1/2 in. Size Shank, Chrome Plating, Electronic Screwdriver Designed for maximum handling comfort when working in tight areas, ball end handle with guiding point, vapor blasted tip prevents chipping, nickel chrome plating for corrosion resistance, tough chrome va

Part Number	Weight	Min. Quantity
36-240	0.05	1

CAB TIP 3/32 IN X 3 IN



IDEAL

Cabinet Tip, Ball-Ended Handle Type, Electronic Screwdriver Designed for maximum handling comfort when working in tight areas, ball end handle with guiding point, vapor blasted tip prevents chipping, nickel chrome plating for corrosion resistance, tough chrome vanadium steel shank, life guarantee.

Part Number	Weight	Min. Quantity
36-241	0.05	1

CAB TIP; 1/8 IN X 4 IN



IDEAL

Cabinet Tip, Polished Chrome Plating, Round Shape, Electronic Screwdriver Designed for maximum handling comfort when working in tight areas, ball end handle with guiding point, vapor blasted tip prevents chipping, nickel chrome plating for corrosion resistance, tough chrome vanadium steel shank, lif

Part Number	Weight	Min. Quantity
36-242	0.05	1

CAB TIP; 1/8 IN X 6 IN



IDEAL

CAB TIP; 1/8 IN X 6 IN

Part Number	Weight	Min. Quantity
36-243	0.1	1

CAB TIP; 5/32 IN X 4 IN



IDEAL

CAB TIP; 5/32 IN X 4 IN

Part Number	Weight	Min. Quantity
36-244	0.05	1

CAB TIP; 5/32 IN X 6 IN



IDEAL

CAB TIP; 5/32 IN X 6 IN

Part Number	Weight	Min. Quantity
36-245	0.1	1

7 PC SET ELECTRONIC SCR



IDEAL

Ball-Ended Handle Type, Vapor-Blasted Tip, Screwdriver Designed for maximum handling comfort when working in tight areas, ball end handle with guiding point, vapor blasted tip prevents chipping, nickel chrome plating for corrosion resistance, tough chrome vanadium steel shank, life guarantee.

Part Number	Weight	Min. Quantity
36-248	0.45	1

4 PC SET ELECTRONIC SCR



IDEAL

Set Electronic Screwdrivers, Ball-Ended Handle Type Designed for maximum handling comfort Shanks are polished chrome vanadium steel Ball-ended handles with guiding point. Vapor-blasted tips prevent plate chipping.

Part Number	Weight	Min. Quantity
36-249	0.25	1



36-270 – 3-PACK LG REPLACEMENT LD SCREW



3-PACK LG REPLACEMENT LD SCREW

IDEAL
3-PACK LG REPLACEMENT LD SCREW

Part Number	Weight	Min. Quantity
36-270	0.2	1



1 CARBIDE HOLE CUTTER

IDEAL
1 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-302	0.35	1

3-PACK SM REPLACEMENT LD SCREW



IDEAL
3-PACK SM REPLACEMENT LD SCREW

Part Number	Weight	Min. Quantity
36-271	0.1	1



1-1/8 CARBIDE HOLE CUTTER

IDEAL
1-1/8 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-303	0.35	1

SHARPENING FILE (CARD OF 1)



IDEAL
SHARPENING FILE (CARD OF 1)

Part Number	Weight	Min. Quantity
36-272	0.25	1



1-1/4 CARBIDE HOLE CUTTER

IDEAL
1-1/4 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-304	0.4	1



3/4 CARBIDE HOLE CUTTER

IDEAL
3/4 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-300	0.2	1



1-3/8 CARBIDE HOLE CUTTER

IDEAL
1-3/8 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-305	0.45	1



7/8 CARBIDE HOLE CUTTER

IDEAL
7/8 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-301	0.25	1



1-7/16 CARBIDE HOLE CUTTER

IDEAL
1-7/16 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-306	0.5	1



42-052 – TAPE-DGR HI VLT KP OUT/RD



1-1/2 CARBIDE HOLE CUTTER

IDEAL
1-1/2 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-307	0.5	1



2-7/8 CARBIDE HOLE CUTTER

IDEAL
2-7/8 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-315	1.75	1



1-3/4 CARBIDE HOLE CUTTER

IDEAL
1-3/4 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-308	0.65	1



3-1/2 CARBIDE HOLE CUTTER

IDEAL
3-1/2 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-316	1.75	1



2 CARBIDE HOLE CUTTER

IDEAL
2 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-309	0.75	1



4 CARBIDE HOLE CUTTER

IDEAL
4 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-317	2.25	1



2-1/2 CARBIDE HOLE CUTTER

IDEAL
2-1/2 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-310	1.05	1



4-1/2 CARBIDE HOLE CUTTER

IDEAL
4-1/2 CARBIDE HOLE CUTTER

Part Number	Weight	Min. Quantity
36-318	2.7	1



TKO MASTER ELECTRICIANS KIT

IDEAL
TKO MASTER ELECTRICIANS KIT

Part Number	Weight	Min. Quantity
36-314	4.75	1



TAPE-DGR HI VLT KP OUT/RD

IDEAL
TAPE-DGR HI VLT KP OUT/RD

Part Number	Weight	Min. Quantity
42-052	5.0333	1

42-101 – TAPE-CAUT ELEC LN BURI/RD



TAPE-CAUT ELEC LN BURI/RD

IDEAL

TAPE-CAUT ELEC LN BURI/RD

Part Number	Weight	Min. Quantity
42-101	4.55	1



MARKER CARDS DANGER/STYLE A

IDEAL

MARKER CARDS DANGER/STYLE A

Part Number	Weight	Min. Quantity
44-289	0.1	25



TAPE-CAUT ELEC LN BURI/RD

IDEAL

TAPE-CAUT ELEC LN BURI/RD

Part Number	Weight	Min. Quantity
42-151	10.3167	1



MARKER CARDS HI VOLTGE/STYLE A

IDEAL

MARKER CARDS HI VOLTGE/STYLE A

Part Number	Weight	Min. Quantity
44-292	0.02	25



TAPE-CAUT ELEC LN BURI/RD

IDEAL

TAPE-CAUT ELEC LN BURI/RD

Part Number	Weight	Min. Quantity
42-201	6.1666	1



MARKER CARD;ONE MARK/CARD

IDEAL

MARKER CARD;ONE MARK/CARD

Part Number	Weight	Min. Quantity
44-314	0.1	25



TAPE-CAUT ELEC LN BURI/RD

IDEAL

TAPE-CAUT ELEC LN BURI/RD

Part Number	Weight	Min. Quantity
42-251	12.6667	1



MARKER CARD;FOUR MARK/CRD

IDEAL

MARKER CARD;FOUR MARK/CRD

Part Number	Weight	Min. Quantity
44-353	0.025	25



CARD CONSEC NUMBER REPEAT

IDEAL

CARD CONSEC NUMBER REPEAT

Part Number	Weight	Min. Quantity
43-953	0.0213	25



MARKER CARD;FOUR MARK/CRD

IDEAL

MARKER CARD;FOUR MARK/CRD

Part Number	Weight	Min. Quantity
44-355	0.1	25

44-941 – REAL LIFE LOTO DVD KIT

MARKER CARD;FOUR MARK/CRD



IDEAL

MARKER CARD;FOUR MARK/CRD

Part Number	Weight	Min. Quantity
44-358	0.1	25

10 LOCK LOCKOUT STATION; KIT



IDEAL

10 LOCK LOCKOUT STATION; KIT

Part Number	Weight	Min. Quantity
44-806	14.95	1

MARKER CARD;FOUR MARK/CRD



IDEAL

MARKER CARD;FOUR MARK/CRD

Part Number	Weight	Min. Quantity
44-364	0.025	25

480/600V SP CIRCT BREAKER



IDEAL

Features 480/600 V lockout device designed primarily for Square D single-throw/multi-pole circuit breaker switches

Part Number	Weight	Min. Quantity
44-807	0.16	1

MARKER CARD 18 MARKER/CRD



IDEAL

MARKER CARD 18 MARKER/CRD

Part Number	Weight	Min. Quantity
44-410	0.1	25

GATE VALVE ASSORTMENT KIT



IDEAL

GATE VALVE ASSORTMENT KIT

Part Number	Weight	Min. Quantity
44-817	5.65	1

SNAP-ON CBL LO; SQUARE-D NQO



IDEAL

SNAP-ON CBL LO; SQUARE-D NQO

Part Number	Weight	Min. Quantity
44-768	0.05	1



TAG;STD;REDSTRDO NOT OPERATE

IDEAL

TAG;STD;REDSTRDO NOT OPERATE

Part Number	Weight	Min. Quantity
44-849	0.016	25

POWER CORD LOCK



IDEAL

POWER CORD LOCK

Part Number	Weight	Min. Quantity
44-782	0.16	1



REAL LIFE LOTO DVD KIT

IDEAL

REAL LIFE LOTO DVD KIT

Part Number	Weight	Min. Quantity
44-941	1.9	1

44-953 – REAL LIFE; LOTO HANDBOOK



REAL LIFE; LOTO HANDBOOK

IDEAL

REAL LIFE; LOTO HANDBOOK

Part Number	Weight	Min. Quantity
44-953	0.09	10



LOCKOUT/TAGOUT KIT-STARTER

IDEAL

LOCKOUT/TAGOUT KIT-STARTER

Part Number	Weight	Min. Quantity
44-973	1.4	1



PERSONAL LOCKOUT POUCH KIT

IDEAL

PERSONAL LOCKOUT POUCH KIT

Part Number	Weight	Min. Quantity
44-969	1.6	1



LOCKOUT/TAGOUT KIT-INDUSTRIAL

IDEAL

LOCKOUT/TAGOUT KIT-INDUSTRIAL

Part Number	Weight	Min. Quantity
44-974	4.9	1



LO/TO KIT - BASIC

IDEAL

LO/TO KIT - BASIC

Part Number	Weight	Min. Quantity
44-970	1.7	1



JOB-SITE LOCKOUT TAGOUT KIT

IDEAL

JOB-SITE LOCKOUT TAGOUT KIT

Part Number	Weight	Min. Quantity
44-979	4.75	1



LO/TO KIT - STANDARD

IDEAL

LO/TO KIT - STANDARD

Part Number	Weight	Min. Quantity
44-971	1.7	1



LIL' RIPPER STRIPPER

IDEAL

LIL' RIPPER STRIPPER

Part Number	Weight	Min. Quantity
45-025	0.1	10



LO/TO KIT-PLANT/FACILITY

IDEAL

LO/TO KIT-PLANT/FACILITY

Part Number	Weight	Min. Quantity
44-972	4.4	1



DATA T-CUTTER

IDEAL

IDEAL offers wire cutters for coaxial, twisted pair, telephone, electrical, and flat ribbon cable. Features Cuts round communication cables up to 0.5 inch (12.7 mm) and coaxial cable up to RG-9/U Curved cutting blades maintain cable geometry for better cable performance Steel reinforced center condu

Part Number	Weight	Min. Quantity
45-074	0.32	1

45-098 – STM STD 20-30GA



STM STD 30VAL HOLES

IDEAL
STM STD 30VAL HOLES

Part Number	Weight	Min. Quantity
45-089	0.9	1



STM STD 12 GA

IDEAL
STM STD 12 GA

Part Number	Weight	Min. Quantity
45-094	0.9	1



STM STD 8-12GA

IDEAL
STM STD 8-12GA

Part Number	Weight	Min. Quantity
45-090	0.9	1



STM STD 16-18GA

IDEAL
STM STD 16-18GA

Part Number	Weight	Min. Quantity
45-095	0.9	1



STM STD 10-18GA

IDEAL
STM STD 10-18GA

Part Number	Weight	Min. Quantity
45-091	0.9	1



C/STM KBLD 6-8 GA STPGP

IDEAL
C/STM KBLD 6-8 GA STPGP

Part Number	Weight	Min. Quantity
45-096	0.9	1



STM STD 10-22GA

IDEAL
Stripmaster® Wire Stripper #10 to #22 AWG The IDEAL Stripmaster® and Stripmaster® Lite wire strippers have knife-type blades. One-step stripping action reduces stripping time for increased productivity and reduced operator fatigue.

Part Number	Weight	Min. Quantity
45-092	0.9	1



STM STD 16-26GA

IDEAL
Stripmaster® Wire Stripper #16 to #26 AWG The IDEAL Stripmaster® and Stripmaster® Lite wire strippers have knife-type blades. One-step stripping action reduces stripping time for increased productivity and reduced operator fatigue.

Part Number	Weight	Min. Quantity
45-097	1	1



STM STD 14-22GA

IDEAL
Stripmaster® Wire Stripper #14 to #22 AWG The IDEAL Stripmaster® and Stripmaster® Lite wire strippers have knife-type blades. One-step stripping action reduces stripping time for increased productivity and reduced operator fatigue.

Part Number	Weight	Min. Quantity
45-093	0.9	1



STM STD 20-30GA

IDEAL
STM STD 20-30GA

Part Number	Weight	Min. Quantity
45-098	0.9	1



45-099 – STM STD 8;10;16;18GA



STM STD 8;10;16;18GA

IDEAL

STM STD 8;10;16;18GA

Part Number	Weight	Min. Quantity
45-099	0.9	1



DBLD-SET C/STM 10-14GA

IDEAL

DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1159-1	0.04	1



V-NOTCH STRIPPER W/SPRING

IDEAL

V-NOTCH STRIPPER W&frac;SPRING Cuts copper or aluminum wire, solid or stranded Rotating cam wheel adjusts to strip 10-24 AWG wire Looping holes for solid wire Locking hasp Cuts Copper or Aluminum Wire Solid or Stranded Rotating Cam Wheel Adjust to Strip 10-24 AWG Wire Looping Holes for Solid Wire

Part Number	Weight	Min. Quantity
45-101	0.2	1



Side Cable Ripper 6-Pack

IDEAL

Side Cable Ripper 6-Pack

Part Number	Weight	Min. Quantity
45-118SRS	N-A	1



RG-11 1/4 BY 1/4 COAX STRIPPER

IDEAL

RG-11 1/4 BY 1/4 COAX STRIPPER

Part Number	Weight	Min. Quantity
45-111	1	1



C/STM STD 8-12GA

IDEAL

C/STM STD 8-12GA

Part Number	Weight	Min. Quantity
45-1192	0.86	1



KBLD-SET STM 760BF

IDEAL

KBLD-SET STM 760BF

Part Number	Weight	Min. Quantity
45-1150-1	0.05	1



DBLD-SET C/STM 8-12GA

IDEAL

DBLD-SET C/STM 8-12GA

Part Number	Weight	Min. Quantity
45-1192-1	0.034	1



C/STM STD 10-14GA

IDEAL

C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-1159	0.9	1



DBLD-SET C/STM 14-22GA

IDEAL

DBLD-SET C/STM 14-22GA

Part Number	Weight	Min. Quantity
45-1195-1	0.034	1

45-1277-1 – DBLD-SET C/STM 14-22GA



T-5 STRIPPER

IDEAL

T®-5 T®-Stripper Wire Stripper These strippers feature looping holes, cushioned plastic grips and precision, form-ground, knife-type blades. The IDEAL Premium T®-Strippers are designed for greater operator comfort and feature a versatile plier-type nose.

Part Number	Weight	Min. Quantity
45-120	0.315	1



T-CUTTER

IDEAL

Features Wire Range Up to 1&frac22quot; O.D. Fine Stranded Wire and #10 AWG Solid Wire Hardened Steel, Sheer Type Blades Spring-Loaded Automatic Opening Convenient Pliers Nose for Extra Gripping Strength

Part Number	Weight	Min. Quantity
45-123	0.2667	1



DBLD-SET C/STM 10-14GA

IDEAL

DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1207-1	0.034	1



T-8 STRIPPER

IDEAL

T®-8 T®-Stripper Wire Stripper These strippers feature looping holes, cushioned plastic grips and precision, form-ground, knife-type blades. The IDEAL Premium T®-Strippers are designed for greater operator comfort and feature a versatile plier-type nose.

Part Number	Weight	Min. Quantity
45-124	0.28	1



T-6 STRIPPER

IDEAL

T®-6 T®-Stripper Wire Stripper Stripper, Wire Stripper, Steel, Yellow Handles, Wire Range: 16-26 AWG Stranded

Part Number	Weight	Min. Quantity
45-121	0.2667	1



DBLD-SET C/STM JA-10

IDEAL

DBLD-SET C/STM JA-10

Part Number	Weight	Min. Quantity
45-1248-1	0.034	1



C/STM STD 12-16GA

IDEAL

C/STM STD 12-16GA

Part Number	Weight	Min. Quantity
45-1221	0.848	1



T-7 STRIPPER

IDEAL

T®-7 T®-Stripper Wire Stripper These strippers feature looping holes, cushioned plastic grips and precision, form-ground, knife-type blades. The IDEAL Premium T®-Strippers are designed for greater operator comfort and feature a versatile plier-type nose.

Part Number	Weight	Min. Quantity
45-125	0.29	1



DBLD-SET C/STM 12-16GA

IDEAL

DBLD-SET C/STM 12-16GA

Part Number	Weight	Min. Quantity
45-1221-1	0.034	1



DBLD-SET C/STM 14-22GA

IDEAL

DBLD-SET C/STM 14-22GA

Part Number	Weight	Min. Quantity
45-1277-1	0.034	1



45-128 – SWIVEL CABL STRPPR 3/4 IN OD



SWIVEL CABL STRPPR 3/4 IN OD

IDEAL

IDEAL Swivel-Blade Cable Stripper for 3/4 inch and smaller outside diameter cables. Features For single or multiple conductor cables up to 3/4 inch O.D. Blade adjusts for jacket thicknesses up to 1/8 inch

Part Number	Weight	Min. Quantity
45-128	0.28	1



SWIVEL CABL STPR 1-1/2 IN OD

IDEAL

IDEAL Swivel-Blade Cable Stripper for 1 1/2 inch and smaller outside diameter cable. Features For single or multiple conductor cable up to 1-1/2 inch(44mm) O.D. lade adjusts for jacket thicknesses up to 1/8 inch

Part Number	Weight	Min. Quantity
45-129	0.3	1



C/STM STD 16-22GA

IDEAL

C/STM STD 16-22GA

Part Number	Weight	Min. Quantity
45-1302	0.85	1



DBLD-SET C/STM 16-22GA

IDEAL

DBLD-SET C/STM 16-22GA

Part Number	Weight	Min. Quantity
45-1302-1	0.034	1



COAX T-STRIPPING TOOL

IDEAL

COAX T-STRIPPING TOOL

Part Number	Weight	Min. Quantity
45-131	0.3	1



DUBLD-SET C/STM 16-22GA

IDEAL

DUBLD-SET C/STM 16-22GA

Part Number	Weight	Min. Quantity
45-1314-1	0.01	1



C/STM STD 16-26GA

IDEAL

C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1316	0.86	1



DBLD-SET C/STM 16-26GA

IDEAL

DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1316-1	0.04	1



RND CABLE SLIT/RING TOOL

IDEAL

96 Pin Connector, 1000 VAC for 1 Minute Dielectric Withstanding Voltage IDEAL offers wire cutters for coaxial, twisted pair, telephone, electrical, and flat ribbon cable. Can be used on single or multiple conductor cable up to 1.75" O.D. Blade can be adjusted for jacket thickness up to 0.125"

Part Number	Weight	Min. Quantity
45-144	0.35	1



DBLD-SET C/STM 10-26GA

IDEAL

DBLD-SET C/STM 10-26GA

Part Number	Weight	Min. Quantity
45-1441-1	0.034	1

45-1551 – C/STM STD 16-26GA



DBLD-SET C/STM COAX

IDEAL
DBLD-SET C/STM COAX


Part Number	Weight	Min. Quantity
45-1498-1	0.034	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1523	0.86	1



GRIPPER-SET C/STM 3HOLE

IDEAL
GRIPPER-SET C/STM 3HOLE

Part Number	Weight	Min. Quantity
45-1501-4	0.5	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1523-1	0.034	1



DBLD-SET C/STM 16;20;22GA

IDEAL
DBLD-SET C/STM 16;20;22GA

Part Number	Weight	Min. Quantity
45-1512-1	0.035	1



DBLD-SET C/STM MINICOAX

IDEAL
DBLD-SET C/STM MINICOAX

Part Number	Weight	Min. Quantity
45-1538-1	0.034	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1513	0.86	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1540-1	0.034	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1513-1	0.04	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1551	0.95	1

45-1551-1 – DBLD-SET C/STM 16-26GA



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1551-1	0.04	1



C/STM STD 12-14GA

IDEAL
C/STM STD 12-14GA

Part Number	Weight	Min. Quantity
45-1581-1	0.034	1



DBLD-SET C/STM RC-316COAX

IDEAL
DBLD-SET C/STM RC-316COAX

Part Number	Weight	Min. Quantity
45-1552-1	0.034	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1594	0.9	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1578	0.9	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1594-1	0.034	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1578-1	0.034	1



DBLD-SET C/STM 12-14GA

IDEAL
DBLD-SET C/STM 12-14GA

Part Number	Weight	Min. Quantity
45-1599-1	0.034	1



C/STM STD 12-14GA

IDEAL
C/STM STD 12-14GA

Part Number	Weight	Min. Quantity
45-1581	0.848	1



C/STM 10-14GA

IDEAL
C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1608	0.9	1

45-1611-12 – C/STM STEEL 10-14GA

TOOLS, KITS & CASES



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1608-1	0.04	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1610-1	0.05	1



C/STM STEEL/INSP 10-14GA

IDEAL
C/STM STEEL/INSP 10-14GA

Part Number	Weight	Min. Quantity
45-1608-12	0.86	1



C/STM STEEL/INSP 16-26GA

IDEAL
C/STM STEEL/INSP 16-26GA

Part Number	Weight	Min. Quantity
45-1610-12	0.86	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-1609	0.9	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-1611	0.86	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1609-1	0.04	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1611-1	0.04	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1610	0.86	1



C/STM STEEL 10-14GA

IDEAL
C/STM STEEL 10-14GA

Part Number	Weight	Min. Quantity
45-1611-12	0.86	1



45-162 – COAX STRIPPER; UP TO 1/8 IN



COAX STRIPPER; UP TO 1/8 IN

IDEAL

96 Pin Connector, 1000 VAC for 1 Minute Dielectric Withstanding Voltage These lightweight, compact strippers are inexpensive and simple to operate. The adjustable blades can be set for any depth to help assure nick-free strips on a variety of coaxial cable up to 9&frac;16" in diameter. Also us

Part Number	Weight	Min. Quantity
45-162	0.12	1



COAX STRPPR 1/8 IN TO 7/32 IN

IDEAL

96 Pin Connector, 1000 VAC for 1 Minute Dielectric Withstanding Voltage These lightweight, compact strippers are inexpensive and simple to operate. The adjustable blades can be set for any depth to help assure nick-free strips on a variety of coaxial cable up to 9&frac;16" in diameter. Also us

Part Number	Weight	Min. Quantity
45-163	0.12	1



DBLD-SET C/STM 16;4H24 GA

IDEAL

DBLD-SET C/STM 16;4H24 GA

Part Number	Weight	Min. Quantity
45-1632-1	0.034	1



C/STM STD 16-26GA

IDEAL

C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1633	0.86	1



C.STM. BLADE SET ONLY

IDEAL

C.STM. BLADE SET ONLY

Part Number	Weight	Min. Quantity
45-1633-1	0.05	1



C/STM STD 16-26GA;PRL PAD

IDEAL

C/STM STD 16-26GA;PRL PAD

Part Number	Weight	Min. Quantity
45-1633P	0.86	1



C/STM STD 16;20;22GA

IDEAL

C/STM STD 16;20;22GA

Part Number	Weight	Min. Quantity
45-1637	0.86	1



DBLD-SET C/STM 16;20;22GA

IDEAL

DBLD-SET C/STM 16;20;22GA

Part Number	Weight	Min. Quantity
45-1637-1	0.034	1



C/STM STD 20-26GA

IDEAL

C/STM STD 20-26GA

Part Number	Weight	Min. Quantity
45-1638	0.86	1



YBLD-SET C/STM 20-26GA

IDEAL

YBLD-SET C/STM 20-26GA

Part Number	Weight	Min. Quantity
45-1638-1	0.034	1

45-168 – RINGER 1 BLADE UTP/STP STRIPPR



COAX STRPPR 1/4 IN TO 9/16 IN

IDEAL

PVC Insulated Tinned Copper Jumper Wire, 22 AWG Wire Size, 1/4" Stripping Length These lightweight, compact strippers are inexpensive and simple to operate. The adjustable blades can be set for any depth to help assure nick-free strips on a variety of coaxial cable up to 9/16" in diameter;

Part Number	Weight	Min. Quantity
45-164	0.4	1



DBLD-SET C/STM 22-26GA

IDEAL

DBLD-SET C/STM 22-26GA

Part Number	Weight	Min. Quantity
45-1668-1	0.034	1



DBLD-SET C/STM 3H24GA

IDEAL

DBLD-SET C/STM 3H24GA

Part Number	Weight	Min. Quantity
45-1645-1	0.032	1



ECONOMY UTP STRIPPER

IDEAL

ECONOMY UTP STRIPPER

Part Number	Weight	Min. Quantity
45-167	0.05	1



UTP/COAX CABLE STRIPPER

IDEAL

96 Pin Connector, 1000 VAC for 1 Minute Dielectric Withstanding Voltage These lightweight, compact strippers are inexpensive and simple to operate. The adjustable blades can be set for any depth to help assure nick-free strips on a variety of coaxial cable up to 9/16" in diameter. Also us

Part Number	Weight	Min. Quantity
45-165	0.1	1



C/STM STD 16-26GA

IDEAL

C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1672	0.88	1



C/STM STD 16-26GA

IDEAL

C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1654	0.86	1



DBLD-SET C/STM 16-26GA

IDEAL

DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1672-1	0.04	1



DBLD-SET C/STM 16-26GA

IDEAL

DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1654-1	0.034	1



RINGER 1 BLADE UTP/STP STRIPPR

IDEAL

RINGER 1 BLADE UTP/STP STRIPPR

Part Number	Weight	Min. Quantity
45-168	0.1	1

45-169 – C/STM STD 24-30GA



C/STM STD 24-30GA

IDEAL

C/STM STD 24-30GA

Part Number	Weight	Min. Quantity
45-169	0.9	1



C/STM STD 16-26GA

IDEAL

Features Die-type blades For PVC & Other misc. insulations For accuracy and precision to meet tough MIL-specs Strips solid or stranded wire

Part Number	Weight	Min. Quantity
45-171	1	1



C/STM STD 26;28;30;30GA

IDEAL

C/STM STD 26;28;30;30GA

Part Number	Weight	Min. Quantity
45-1696	0.9	1



C/STM STD 16-26GA

IDEAL

C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1715	0.848	1



DBLD-SET C/STM 26;28;30;30GA

IDEAL

DBLD-SET C/STM 26;28;30;30GA

Part Number	Weight	Min. Quantity
45-1696-1	0.034	1



DBLD-SET C/STM 16-26GA

IDEAL

DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1715-1	0.05	1



DBLD-SET C/STM 10-14;18GA

IDEAL

DBLD-SET C/STM 10-14;18GA

Part Number	Weight	Min. Quantity
45-1699-1	0.034	1



C/STM STD 26-30GA

IDEAL

C/STM STD 26-30GA

Part Number	Weight	Min. Quantity
45-172	0.9	1



C/STM STD 10-14GA

IDEAL

C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-170	0.848	1



C/STM STD 10-14GA

IDEAL

C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-173	0.848	1

45-1757 – C/STM STD 16-24GA



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1739-1	0.034	1



C/STM STD 24-30GA

IDEAL
C/STM STD 24-30GA

Part Number	Weight	Min. Quantity
45-1753	0.848	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-174	1	1



DBLD-SET C/STM 24-30GA

IDEAL
DBLD-SET C/STM 24-30GA

Part Number	Weight	Min. Quantity
45-1753-1	0.034	1



C/STM STD 18-28GA

IDEAL
C/STM STD 18-28GA

Part Number	Weight	Min. Quantity
45-1741	0.85	1



C/STM STD 16-24GA

IDEAL
C/STM STD 16-24GA

Part Number	Weight	Min. Quantity
45-1754	0.9	1



DBLD-SET C/STM 18-28GA

IDEAL
DBLD-SET C/STM 18-28GA

Part Number	Weight	Min. Quantity
45-1741-1	0.034	1



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-1754-1	0.034	1



C/STM STD 26-30GA

IDEAL
C/STM STD 26-30GA

Part Number	Weight	Min. Quantity
45-175	0.9	1



C/STM STD 16-24GA

IDEAL
C/STM STD 16-24GA

Part Number	Weight	Min. Quantity
45-1757	0.848	1



45-1757-1 – DBLD-SET C/STM 16-24GA



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-1757-1	0.034	1



DBLD-SET C/STM 5H20GA

IDEAL
DBLD-SET C/STM 5H20GA

Part Number	Weight	Min. Quantity
45-1760-1	0.034	1



C/STM STD 12-14GA

IDEAL
C/STM STD 12-14GA

Part Number	Weight	Min. Quantity
45-1758	0.86	1



C/STM STD 5H22GA

IDEAL
C/STM STD 5H22GA

Part Number	Weight	Min. Quantity
45-1761	0.7	1



DBLD-SET C/STM 12-14GA

IDEAL
DBLD-SET C/STM 12-14GA

Part Number	Weight	Min. Quantity
45-1758-1	0.034	1



DBLD-SET C/STM 5H22GA

IDEAL
DBLD-SET C/STM 5H22GA

Part Number	Weight	Min. Quantity
45-1761-1	0.034	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-176	0.95	1



C/STM STD 5H24GA

IDEAL
C/STM STD 5H24GA

Part Number	Weight	Min. Quantity
45-1762	0.9	1



C/STM STD 5H20GA

IDEAL
C/STM STD 5H20GA

Part Number	Weight	Min. Quantity
45-1760	0.9	1



DBLD-SET C/STM 5H24GA

IDEAL
DBLD-SET C/STM 5H24GA

Part Number	Weight	Min. Quantity
45-1762-1	0.034	1

45-1776-1 – DBLD-SET C/STM 20-24GA



C/STM STD 5H26GA

IDEAL
C/STM STD 5H26GA

Part Number	Weight	Min. Quantity
45-1763	0.9	1



C/STM STD 1.2-0.2MM

IDEAL
C/STM STD 1.2-0.2MM

Part Number	Weight	Min. Quantity
45-1773	0.848	1



DBLD-SET C/STM 5H26GA

IDEAL
DBLD-SET C/STM 5H26GA

Part Number	Weight	Min. Quantity
45-1763-1	0.034	1



DBLD-SET C/STM 1.2-0.2MM

IDEAL
DBLD-SET C/STM 1.2-0.2MM

Part Number	Weight	Min. Quantity
45-1773-1	0.04	1



C/STM STD 5H28GA

IDEAL
C/STM STD 5H28GA

Part Number	Weight	Min. Quantity
45-1764	0.01	1



C/STM STD 12-14GA

IDEAL
C/STM STD 12-14GA

Part Number	Weight	Min. Quantity
45-1774	0.848	1



DBLD-SET C/STM 5H28GA

IDEAL
DBLD-SET C/STM 5H28GA

Part Number	Weight	Min. Quantity
45-1764-1	0.034	1



DBLD-SET C/STM 12-14GA

IDEAL
DBLD-SET C/STM 12-14GA

Part Number	Weight	Min. Quantity
45-1774-1	0.034	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-177	1	1



DBLD-SET C/STM 20-24GA

IDEAL
DBLD-SET C/STM 20-24GA

Part Number	Weight	Min. Quantity
45-1776-1	0.34	1

45-1779-1 – DBLD-SET C/STM 5H16GA



DBLD-SET C/STM 5H16GA

IDEAL
DBLD-SET C/STM 5H16GA

Part Number	Weight	Min. Quantity
45-1779-1	0.034	1



C/STM STD 20-24GA

IDEAL
C/STM STD 20-24GA

Part Number	Weight	Min. Quantity
45-1792	0.86	1



C/STM STD 26-30GA

IDEAL
C/STM STD 26-30GA

Part Number	Weight	Min. Quantity
45-178	0.9	1



DBLD-SET C/STM 20-24GA

IDEAL
DBLD-SET C/STM 20-24GA

Part Number	Weight	Min. Quantity
45-1792-1	0.034	1



DBLD-SET C/STM 22-26;30;30GA

IDEAL
DBLD-SET C/STM 22-26;30;30GA

Part Number	Weight	Min. Quantity
45-1782-1	0.034	1



C/STM STD 16-18GA

IDEAL
C/STM STD 16-18GA

Part Number	Weight	Min. Quantity
45-1793	0.86	1



C/STM STD 3H30GA

IDEAL
C/STM STD 3H30GA

Part Number	Weight	Min. Quantity
45-179	0.9	1



DBLD-SET C/STM 16-18GA

IDEAL
DBLD-SET C/STM 16-18GA

Part Number	Weight	Min. Quantity
45-1793-1	0.034	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1790-1	0.034	1



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-1813-1	0.034	1

45-1837-1 – DBLD-SET C/STM 16-20GA



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1814-1	0.034	1



DBLD-SET C/STM 8;8GA

IDEAL
DBLD-SET C/STM 8;8GA

Part Number	Weight	Min. Quantity
45-1824-1	0.034	1



C/STM STD 12;12GA

IDEAL
C/STM STD 12;12GA

Part Number	Weight	Min. Quantity
45-1819	0.86	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-1836	0.9	1



DBLD-SET C/STM 12;12GA

IDEAL
DBLD-SET C/STM 12;12GA

Part Number	Weight	Min. Quantity
45-1819-1	0.034	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1836-1	0.034	1



C/STM STD 14-18GA

IDEAL
C/STM STD 14-18GA

Part Number	Weight	Min. Quantity
45-1820	0.9	1



C/STM STD 16-20GA

IDEAL
C/STM STD 16-20GA

Part Number	Weight	Min. Quantity
45-1837	0.816	1



DBLD-SET C/STM 14-18GA

IDEAL
DBLD-SET C/STM 14-18GA

Part Number	Weight	Min. Quantity
45-1820-1	0.034	1



DBLD-SET C/STM 16-20GA

IDEAL
DBLD-SET C/STM 16-20GA

Part Number	Weight	Min. Quantity
45-1837-1	0.034	1


45-1855-1 – DBLD-SET C/STM 16-26GA



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1855-1	0.034	1



DBLD-SET C/STM 10-18GA

IDEAL
DBLD-SET C/STM 10-18GA

Part Number	Weight	Min. Quantity
45-1881-1	0.04	1



DBLD-SET C/STM 18-24GA

IDEAL
DBLD-SET C/STM 18-24GA

Part Number	Weight	Min. Quantity
45-1857-1	0.034	1



DBLD-SET C/STM 20;20GA

IDEAL
DBLD-SET C/STM 20;20GA

Part Number	Weight	Min. Quantity
45-1907-1	0.034	1



DBLD-SET C/STM 20GA

IDEAL
DBLD-SET C/STM 20GA

Part Number	Weight	Min. Quantity
45-1874-1	0.04	1



C/STM STD 12;16;18;22GA

IDEAL
C/STM STD 12;16;18;22GA

Part Number	Weight	Min. Quantity
45-1915	0.85	1



DBLD-SET C/STM 24GA

IDEAL
DBLD-SET C/STM 24GA

Part Number	Weight	Min. Quantity
45-1875-1	0.04	1



DBLD-SET C/STM 12;16;18;22GA

IDEAL
DBLD-SET C/STM 12;16;18;22GA

Part Number	Weight	Min. Quantity
45-1915-1	0.034	1



C/STM STD 10-18GA

IDEAL
C/STM STD 10-18GA

Part Number	Weight	Min. Quantity
45-1881	0.86	1



DBLD-SET C/STM 22;22GA

IDEAL
DBLD-SET C/STM 22;22GA

Part Number	Weight	Min. Quantity
45-1918-1	0.034	1

45-1934-1 – DBLD-SET C/STM 16GA

TOOLS, KITS & CASES

DBLD-SET C/STM 20;20GA



IDEAL
DBLD-SET C/STM 20;20GA

Part Number	Weight	Min. Quantity
45-1919-1	0.05	1

DBLD-SET C/STM 10-14GA



IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1925-1	0.05	1

C/STM STD 16-26GA



IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1923	0.86	1

DBLD-SET C/STM 24;24AGA



IDEAL
DBLD-SET C/STM 24;24AGA

Part Number	Weight	Min. Quantity
45-1926-1	0.034	1



C/STM STD 16-24GA

IDEAL
C/STM STD 16-24GA

Part Number	Weight	Min. Quantity
45-1924	0.9	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1927-1	0.04	1



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-1924-1	0.04	1



DBLD-SET C/METR T2;T2;14GA

IDEAL
DBLD-SET C/METR T2;T2;14GA

Part Number	Weight	Min. Quantity
45-1928-1	0.034	1

C/STM STD 10-14GA



IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-1925	0.88	1



DBLD-SET C/STM 16GA

IDEAL
DBLD-SET C/STM 16GA

Part Number	Weight	Min. Quantity
45-1934-1	0.034	1



45-1939 – C/STM STD 10-14GA



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA


Part Number	Weight	Min. Quantity
45-1939	0.9	1



C/STM STD 14-18;22GA

IDEAL
C/STM STD 14-18;22GA

Part Number	Weight	Min. Quantity
45-1957	0.95	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-1939-1	0.05	1



DBLD-SET C/STM 14-18;22GA

IDEAL
DBLD-SET C/STM 14-18;22GA

Part Number	Weight	Min. Quantity
45-1957-1	0.035	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1952	0.9	1



DBLD-SET C/STM 12;18-22;26GA

IDEAL
DBLD-SET C/STM 12;18-22;26GA

Part Number	Weight	Min. Quantity
45-1958-1	0.034	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1952-1	0.04	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-1964	0.848	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1956-1	0.04	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1965	0.86	1

45-1991 – C/STM STD 16-26GA KBLD



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1973	0.85	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1983-1	0.034	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-1975	0.88	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1987	1	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-1976	0.848	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-1987-1	0.05	1



C/STM STD 18-26GA

IDEAL
C/STM STD 18-26GA

Part Number	Weight	Min. Quantity
45-1980	0.01	1



C/STM STEEL 16-26GA

IDEAL
C/STM STEEL 16-26GA

Part Number	Weight	Min. Quantity
45-1987-12	0.95	1



DBLD-SET C/STM 18-26GA

IDEAL
DBLD-SET C/STM 18-26GA

Part Number	Weight	Min. Quantity
45-1980-1	0.035	1



C/STM STD 16-26GA KBLD

IDEAL
C/STM STD 16-26GA KBLD

Part Number	Weight	Min. Quantity
45-1991	0.848	1

45-1992 – C/STM STD 10-22GA KBLD



C/STM STD 10-22GA KBLD

IDEAL
C/STM STD 10-22GA KBLD

Part Number	Weight	Min. Quantity
45-1992	0.848	1



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-2024-1	0.034	1



DBLD-SET C/STM 16-20GA

IDEAL
DBLD-SET C/STM 16-20GA

Part Number	Weight	Min. Quantity
45-2012-1	0.05	1



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-2025-1	0.01	1



DBLD-SET C/STM 24;24GA

IDEAL
DBLD-SET C/STM 24;24GA

Part Number	Weight	Min. Quantity
45-2014-1	0.04	1



C/STM STD 12-14GA

IDEAL
C/STM STD 12-14GA

Part Number	Weight	Min. Quantity
45-2026	0.9	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-2020	0.9	1



DBLD-SET C/STM 12-14GA

IDEAL
DBLD-SET C/STM 12-14GA

Part Number	Weight	Min. Quantity
45-2026-1	0.01	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2020-1	0.04	1



DBLD-SET C/STM 22GA

IDEAL
DBLD-SET C/STM 22GA

Part Number	Weight	Min. Quantity
45-2033-1	0.034	1

45-2114 – C/STMLT STD 20-26GA



DBLD-SET C/STM 24GA

IDEAL
DBLD-SET C/STM 24GA

Part Number	Weight	Min. Quantity
45-2034-1	0.034	1



C/STMLT STD 20-26GA

IDEAL
C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2112	0.018	1



DBLD-SET C/STM 24GA

IDEAL
DBLD-SET C/STM 24GA

Part Number	Weight	Min. Quantity
45-2035-1	0.034	1



DBLD-SET C/STMLT 20-26GA

IDEAL
DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2112-1	0.01	1



DBLD-SET C/STM 24;24GA

IDEAL
DBLD-SET C/STM 24;24GA

Part Number	Weight	Min. Quantity
45-2105-1	0.034	1



C/STMLT STD 16-22GA

IDEAL
C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2113	0.5	1



C/STM STD 3H22GA

IDEAL
C/STM STD 3H22GA

Part Number	Weight	Min. Quantity
45-2110	0.01	1



DBLD-SET C/STMLT 16-22GA

IDEAL
DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2113-1	0.02	1



DBLD-SET C/STM 3H22GA

IDEAL
DBLD-SET C/STM 3H22GA

Part Number	Weight	Min. Quantity
45-2110-1	0.034	1



C/STMLT STD 20-26GA

IDEAL
C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2114	0.5	1

45-2114-1 – DBLD-SET C/STMLT 20-26GA



DBLD-SET C/STMLT 20-26GA

IDEAL

DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2114-1	0.02	1



C/STMLT STD 20-26GA

IDEAL

C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2118	0.45	1



C/STMLT STD 16-22GA

IDEAL

C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2115	0.5	1



DBLD-SET C/STMLT 20-26GA

IDEAL

DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2118-1	0.02	1



DBLD-SET C/STMLT 16-22GA

IDEAL

DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2115-1	0.035	1



C/STMLT STD 16-22GA

IDEAL

C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2119	0.05	1



DBLD-SET C/STMLT 16-22GA

IDEAL

DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2116-1	0.01	1



DBLD-SET C/STMLT 16-22GA

IDEAL

DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2119-1	0.02	1



DBLD-SET C/STMLT 16-22GA

IDEAL

DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2117-1	0.02	1



C/STMLT STD 20-26GA

IDEAL

C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2120	0.5	1

45-2125 – C/STMLT STD 20-26GA



DBLD-SET C/STMLT 20-26GA

IDEAL
DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2120-1	0.02	1



C/STMLT STD 16-22GA

IDEAL
C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2123	0.848	1



C/STMLT STD 16-22GA

IDEAL
C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2121	0.45	1



DBLD-SET C/STMLT 16-22GA

IDEAL
DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2123-1	0.034	1



DBLD-SET C/STMLT 16-22GA

IDEAL
DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2121-1	0.05	1



C/STMLT STD 16-22GA

IDEAL
C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2124	0.4	1



C/STMLT STD 20-26GA

IDEAL
C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2122	0.45	1



DBLD-SET C/STMLT 16-22GA

IDEAL
DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2124-1	0.35	1



DBLD-SET C/STMLT 20-26GA

IDEAL
DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2122-1	0.35	1



C/STMLT STD 20-26GA

IDEAL
C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2125	0.4	1

45-2125-1 – BLD-SET C/STPM LITE 20-26



BLD-SET C/STPM LITE 20-26

IDEAL
BLD-SET C/STPM LITE 20-26

Part Number	Weight	Min. Quantity
45-2125-1	0.02	1



C/STMLT STD 16-22GA

IDEAL
C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2128	0.018	1



C/STMLT STD 16-22GA

IDEAL
C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2126	0.4	1



DBLD-SET C/STMLT 16-22GA

IDEAL
DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2128-1	0.02	1



C/STMLT STD 20-26GA

IDEAL
C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2126-1	0.034	1



C/STMLT STD 20-26GA

IDEAL
C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2129	0.4	1



CUSTOM STRIPMASTER LITE

IDEAL
CUSTOM STRIPMASTER LITE

Part Number	Weight	Min. Quantity
45-2127	0.84	1



DBLD-SET C/STMLT 20-26GA

IDEAL
DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2129-1	0.02	1



DBLD-SET C/STMLT 20-26GA

IDEAL
DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2127-1	0.034	1



C/STMLT STD 18-24GA

IDEAL
C/STMLT STD 18-24GA

Part Number	Weight	Min. Quantity
45-2130	0.1	1


45-2137-1 – DBLD-SET C/STMLT 16-24GA



DBLD-SET C/STMLT 18-24GA

IDEAL
DBLD-SET C/STMLT 18-24GA

Part Number	Weight	Min. Quantity
45-2130-1	0.02	1



DBLD-SET C/STMLT 16-24GA

IDEAL
DBLD-SET C/STMLT 16-24GA

Part Number	Weight	Min. Quantity
45-2133-1	0.02	1



C/STMLT STD 16-24GA

IDEAL
C/STMLT STD 16-24GA

Part Number	Weight	Min. Quantity
45-2131	0.5	1



DBLD-SET C/STMLT 18-24GA

IDEAL
DBLD-SET C/STMLT 18-24GA

Part Number	Weight	Min. Quantity
45-2135-1	0.025	1



DBLD-SET C/STMLT 16-24GA

IDEAL
DBLD-SET C/STMLT 16-24GA

Part Number	Weight	Min. Quantity
45-2131-1	0.025	1



C/STMLT STD 16-24GA

IDEAL
C/STMLT STD 16-24GA

Part Number	Weight	Min. Quantity
45-2136	0.01	1



C/STMLT STD 16-24GA

IDEAL
C/STMLT STD 16-24GA

Part Number	Weight	Min. Quantity
45-2132-1	0.02	1



DBLD-SET C/STMLT 16-24GA

IDEAL
DBLD-SET C/STMLT 16-24GA

Part Number	Weight	Min. Quantity
45-2136-1	0.034	1



C/STMLT STD 16-24GA

IDEAL
C/STMLT STD 16-24GA

Part Number	Weight	Min. Quantity
45-2133	0.5	1



DBLD-SET C/STMLT 16-24GA

IDEAL
DBLD-SET C/STMLT 16-24GA

Part Number	Weight	Min. Quantity
45-2137-1	0.034	1

45-2138 – C/STMLT STD 16-24GA



C/STMLT STD 16-24GA

IDEAL

C/STMLT STD 16-24GA

Part Number	Weight	Min. Quantity
45-2138	0.45	1



DBLD-SET C/STMLT 5H20GA

IDEAL

DBLD-SET C/STMLT 5H20GA

Part Number	Weight	Min. Quantity
45-2140-1	0.034	1



DBLD-SET C/STMLT 16-24GA

IDEAL

DBLD-SET C/STMLT 16-24GA

Part Number	Weight	Min. Quantity
45-2138-1	0.035	1



C/STMLT STD 5H22GA

IDEAL

C/STMLT STD 5H22GA

Part Number	Weight	Min. Quantity
45-2141	0.5	1



C/STMLT STD 18-26GA

IDEAL

C/STMLT STD 18-26GA

Part Number	Weight	Min. Quantity
45-2139	0.6	1



DBLD-SET C/STMLT 5H22GA

IDEAL

DBLD-SET C/STMLT 5H22GA

Part Number	Weight	Min. Quantity
45-2141-1	0.032	1



DBLD-SET C/STMLT 18-26GA

IDEAL

DBLD-SET C/STMLT 18-26GA

Part Number	Weight	Min. Quantity
45-2139-1	0.035	1



C/STMLT STD 5H24GA

IDEAL

C/STMLT STD 5H24GA

Part Number	Weight	Min. Quantity
45-2142	0.4	1



C/STMLT STD 5H20GA

IDEAL

C/STMLT STD 5H20GA

Part Number	Weight	Min. Quantity
45-2140	0.45	1



DBLD-SET C/STMLT 5H24GA

IDEAL

DBLD-SET C/STMLT 5H24GA

Part Number	Weight	Min. Quantity
45-2142-1	0.034	1

45-2148-1 – DBLD-SET C/STMLT 16;20-26GA



C/STMLT STD 24-30GA

IDEAL
C/STMLT STD 24-30GA

Part Number	Weight	Min. Quantity
45-2143	0.45	1



DBLD-SET C/STMLT 22-28GA

IDEAL
DBLD-SET C/STMLT 22-28GA

Part Number	Weight	Min. Quantity
45-2146-1	0.02	1



DBLD-SET C/STMLT 24-30GA

IDEAL
DBLD-SET C/STMLT 24-30GA

Part Number	Weight	Min. Quantity
45-2143-1	0.025	1



C/STMLT STD 18-26GA

IDEAL
C/STMLT STD 18-26GA

Part Number	Weight	Min. Quantity
45-2147	0.01	1



C/STMLT STD 16-22GA

IDEAL
C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2145	0.018	1



DBLD-SET C/STMLT 18-26GA

IDEAL
DBLD-SET C/STMLT 18-26GA

Part Number	Weight	Min. Quantity
45-2147-1	0.02	1



DBLD-SET C/STMLT 16-22GA

IDEAL
DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
45-2145-1	0.025	1



C/STMLT STD 16;20-26GA

IDEAL
C/STMLT STD 16;20-26GA

Part Number	Weight	Min. Quantity
45-2148	0.5	1



C/STMLT STD 22-28GA

IDEAL
C/STMLT STD 22-28GA

Part Number	Weight	Min. Quantity
45-2146	0.45	1



DBLD-SET C/STMLT 16;20-26GA

IDEAL
DBLD-SET C/STMLT 16;20-26GA

Part Number	Weight	Min. Quantity
45-2148-1	0.02	1



45-2149 – C/STMLT STD 16;20-26GA



C/STMLT STD 16;20-26GA

IDEAL

C/STMLT STD 16;20-26GA

Part Number	Weight	Min. Quantity
45-2149	0.5	1



DBLD-SET C/STMLT 16;20-26GA

IDEAL

DBLD-SET C/STMLT 16;20-26GA

Part Number	Weight	Min. Quantity
45-2149-1	0.02	1



C/STMLT STD 16;20-26GA

IDEAL

C/STMLT STD 16;20-26GA

Part Number	Weight	Min. Quantity
45-2150	0.848	1



DBLD-SET C/STMLT 16;20-26GA

IDEAL

DBLD-SET C/STMLT 16;20-26GA

Part Number	Weight	Min. Quantity
45-2150-1	0.02	1



C/STMLT STD 3H20;2H22GA

IDEAL

C/STMLT STD 3H20;2H22GA

Part Number	Weight	Min. Quantity
45-2152	0.01	1



DBLD-SET C/STMLT 3H20;2H22GA

IDEAL

DBLD-SET C/STMLT 3H20;2H22GA

Part Number	Weight	Min. Quantity
45-2152-1	0.1	1



C/STMLT HELI 16;20-26GA

IDEAL

C/STMLT HELI 16;20-26GA

Part Number	Weight	Min. Quantity
45-2153	0.848	1



DBLD-SET C/STMLT 16;20-26GA

IDEAL

DBLD-SET C/STMLT 16;20-26GA

Part Number	Weight	Min. Quantity
45-2153-1	0.01	1



C/STMLT HELI 16;20-26GA

IDEAL

C/STMLT HELI 16;20-26GA

Part Number	Weight	Min. Quantity
45-2154	0.45	1



DBLD-SET C/STMLT 16;20-26GA

IDEAL

DBLD-SET C/STMLT 16;20-26GA

Part Number	Weight	Min. Quantity
45-2154-1	0.01	1

45-249 – PREMIUM NM CABLE STRIPPER 12/2



DBLD-SET C/STMLT 16;20-26GA

IDEAL

DBLD-SET C/STMLT 16;20-26GA

Part Number	Weight	Min. Quantity
45-2155-1	0.01	1



DBLD-SET C/STMLT 20-26GA

IDEAL

DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2156-1	0.01	1



DBLD-SET C/STMLT 20-26GA

IDEAL

DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2157-1	0.02	1



GRIP-N-STRIP END STRIPPER

IDEAL

Grip-N-Strip® End Stripper This handy tool features self-adjusting stripping blades. Strips 12 AWG solid through 20 AWG stranded PVC insulated wire, including U.S. type THHN and THWN wire.

Part Number	Weight	Min. Quantity
45-227	0.34	1



C/STM STD 16-26GA

IDEAL

C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-2324	0.01	1



REPL BLADES FOR 45-235

IDEAL

REPL BLADES FOR 45-235

Part Number	Weight	Min. Quantity
45-234	0.3337	1



UF CABLE STRIPPER

IDEAL

UF CABLE STRIPPER

Part Number	Weight	Min. Quantity
45-235	0.332	1



PREMIUM T-14 STRIPPER

IDEAL

PREMIUM T-14 STRIPPER

Part Number	Weight	Min. Quantity
45-247	0.28	1



PREMIUM NM CABLE STRIPPER

IDEAL

PREMIUM NM CABLE STRIPPER

Part Number	Weight	Min. Quantity
45-248	0.3	1



PREMIUM NM CABLE STRIPPER 12/2

IDEAL

PREMIUM NM CABLE STRIPPER 12/2

Part Number	Weight	Min. Quantity
45-249	0.32	1

45-2492-1 – DBLD-SET C/STM 3H12GA



DBLD-SET C/STM 3H12GA

IDEAL
DBLD-SET C/STM 3H12GA

Part Number	Weight	Min. Quantity
45-2492-1	0.035	1



DBLD-SET C/STM 6H20GA

IDEAL
DBLD-SET C/STM 6H20GA

Part Number	Weight	Min. Quantity
45-2503-1	0.034	1



DBLD-SET C/STM 6H22GA

IDEAL
DBLD-SET C/STM 6H22GA

Part Number	Weight	Min. Quantity
45-2497-1	0.034	1



C/STM STD 6H24GA

IDEAL
C/STM STD 6H24GA

Part Number	Weight	Min. Quantity
45-2504	1	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-2500	0.9	1



DBLD-SET C/STM 6H24GA

IDEAL
DBLD-SET C/STM 6H24GA

Part Number	Weight	Min. Quantity
45-2504-1	0.034	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2500-1	0.035	1



STMLT STD 24-30GA

IDEAL
STMLT STD 24-30GA

Part Number	Weight	Min. Quantity
45-2507	0.88	1



RINGER CABLE STRIPPER

IDEAL
RINGER CABLE STRIPPER

Part Number	Weight	Min. Quantity
45-2502	0.1	1



DBLD-SET C/STM 6H20GA

IDEAL
DBLD-SET C/STM 6H20GA

Part Number	Weight	Min. Quantity
45-2507-1	0.035	1

45-2543-1 – DBLD-SET C/STM 16-24GA



POW-R-MASTER II WIRE STRIPPER

IDEAL

POW-R-MASTER II WIRE STRIPPER

Part Number	Weight	Min. Quantity
45-2530	2.05	1



DBLD-SET C/STM 10-14GA

IDEAL

DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2541-1	0.04	1



DBLD-SET C/STM 26-30GA

IDEAL

DBLD-SET C/STM 26-30GA

Part Number	Weight	Min. Quantity
45-2537-1	0.034	1



C/STM STD 10-14GA

IDEAL

C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-2542	0.9	1



C/STMLT STD 20;22;20;22GA

IDEAL

C/STMLT STD 20;22;20;22GA

Part Number	Weight	Min. Quantity
45-2539	0.01	1



DBLD-SET C/STM 10-14GA

IDEAL

DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2542-1	0.04	1



DBLD-SET C/STMLT 20;22;20;22GA

IDEAL

DBLD-SET C/STMLT 20;22;20;22GA

Part Number	Weight	Min. Quantity
45-2539-1	0.034	1



C/STM STD 16-24GA

IDEAL

C/STM STD 16-24GA

Part Number	Weight	Min. Quantity
45-2543	1	1



C/STM STD 10-14GA

IDEAL

C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-2541	0.9	1



DBLD-SET C/STM 16-24GA

IDEAL

DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-2543-1	0.04	1



45-2544 – C/STM STD 16-24GA



C/STM STD 16-24GA

IDEAL
C/STM STD 16-24GA

Part Number	Weight	Min. Quantity
45-2544	0.9	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2565-1	0.04	1



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-2544-1	0.04	1



C/STMLT STD 16-24GA

IDEAL
C/STMLT STD 16-24GA

Part Number	Weight	Min. Quantity
45-2566	0.18	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-2564	0.035	1



DBLD-SET C/STMLT 16-24GA

IDEAL
DBLD-SET C/STMLT 16-24GA

Part Number	Weight	Min. Quantity
45-2566-1	0.025	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2564-1	0.05	1



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-2577-1	0.035	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-2565	0.9	1



T-CUTTER LITE

IDEAL
T-CUTTER LITE

Part Number	Weight	Min. Quantity
45-260	0.3	1

45-2618-1 – DBLD-SET C/STM 16-26GA



C/STMLT STD 16-26GA

IDEAL
C/STMLT STD 16-26GA

Part Number	Weight	Min. Quantity
45-2608	0.848	1



DBLD-SET C/STMLT 16-26GA

IDEAL
DBLD-SET C/STMLT 16-26GA

Part Number	Weight	Min. Quantity
45-2612-1	0.034	1



DBLD-SET C/STMLT 16-26GA

IDEAL
DBLD-SET C/STMLT 16-26GA

Part Number	Weight	Min. Quantity
45-2608-1	0.02	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-2617	0.848	1



C/STMLT STD 16-26GA

IDEAL
C/STMLT STD 16-26GA

Part Number	Weight	Min. Quantity
45-2610	0.01	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2617-1	0.04	1



DBLD-SET C/STMLT 16-26GA

IDEAL
DBLD-SET C/STMLT 16-26GA

Part Number	Weight	Min. Quantity
45-2610-1	0.035	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-2618	0.9	1



C/STMLT STD 16-26GA

IDEAL
C/STMLT STD 16-26GA

Part Number	Weight	Min. Quantity
45-2612	0.45	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2618-1	0.04	1



45-2620-1 – DBLD-SET C/STM 16-26GA



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2620-1	0.034	1



DBLD-SET C/STM 16;20-24GA

IDEAL
DBLD-SET C/STM 16;20-24GA

Part Number	Weight	Min. Quantity
45-2688-1	0.04	1



C/STMLT STD 16-24GA

IDEAL
C/STMLT STD 16-24GA

Part Number	Weight	Min. Quantity
45-2685	0.45	1



DBLD-SET C/STM 12-18GA

IDEAL
DBLD-SET C/STM 12-18GA

Part Number	Weight	Min. Quantity
45-2689-1	0.05	1



DBLD-SET C/STMLT 16-24GA

IDEAL
DBLD-SET C/STMLT 16-24GA

Part Number	Weight	Min. Quantity
45-2685-1	0.05	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-2691	0.86	1



C/STM STD 16-24GA

IDEAL
C/STM STD 16-24GA

Part Number	Weight	Min. Quantity
45-2686	0.9	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2691-1	0.05	1



DBLD-SET C/STM 16-24GA

IDEAL
DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-2686-1	0.003	1



C/STMLT STD 20-26GA

IDEAL
C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2692	0.45	1

45-2698 – C/STMLT STD 20-26GA



DBLD-SET C/STMLT 20-26GA

IDEAL
DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2692-1	0.04	1



C/STM STD FRAME ONLY

IDEAL
C/STM STD FRAME ONLY

Part Number	Weight	Min. Quantity
45-2695	0.85	1



C/STMLT STD 16-22GA

IDEAL
C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-2693	0.45	1



C/STM STD FRAME ONLY

IDEAL
C/STM STD FRAME ONLY

Part Number	Weight	Min. Quantity
45-2696	0.85	1



DBLD-SET C/STM 16-22GA

IDEAL
DBLD-SET C/STM 16-22GA

Part Number	Weight	Min. Quantity
45-2693-1	0.04	1



C/STMLT STD 16-24GA

IDEAL
C/STMLT STD 16-24GA

Part Number	Weight	Min. Quantity
45-2697	0.01	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-2694	0.86	1



DBLD-SET C/STMLT 16-24GA

IDEAL
DBLD-SET C/STMLT 16-24GA

Part Number	Weight	Min. Quantity
45-2697-1	0.038	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2694-1	0.01	1



C/STMLT STD 20-26GA

IDEAL
C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-2698	0.45	1

45-2698-1 – DBLD-SET C/STMLT 20-26GA



DBLD-SET C/STMLT 20-26GA

IDEAL
DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
45-2698-1	0.04	1



DBLD-SET C/STM 12;24;28;30GA

IDEAL
DBLD-SET C/STM 12;24;28;30GA

Part Number	Weight	Min. Quantity
45-2704-1	0.034	1



DBLD-SET C/STM 16-22GA

IDEAL
DBLD-SET C/STM 16-22GA

Part Number	Weight	Min. Quantity
45-2699-1	0.05	1



DBLD-SET C/STM 20-26GA

IDEAL
DBLD-SET C/STM 20-26GA

Part Number	Weight	Min. Quantity
45-2705-1	0.034	1



DBLD-SET C/STM 16;20-26GA

IDEAL
DBLD-SET C/STM 16;20-26GA

Part Number	Weight	Min. Quantity
45-2701-1	0.034	1



C/STM STD 10-14GA

IDEAL
C/STM STD 10-14GA

Part Number	Weight	Min. Quantity
45-2717	0.848	1



DBLD-SET C/STM 12;18;28;30GA

IDEAL
DBLD-SET C/STM 12;18;28;30GA

Part Number	Weight	Min. Quantity
45-2702-1	0.034	1



C/STM STD 16-26GA

IDEAL
C/STM STD 16-26GA

Part Number	Weight	Min. Quantity
45-2718	0.848	1



DBLD-SET C/STM 16;20-26GA

IDEAL
DBLD-SET C/STM 16;20-26GA

Part Number	Weight	Min. Quantity
45-2703-1	0.034	1



C/STM STD 16-26GA POP

IDEAL
C/STM STD 16-26GA POP

Part Number	Weight	Min. Quantity
45-272	0.9	1

45-2761-1 – DBLD-SET C/STM 2H24GA



DBLD-SET C/STMLT 16;20-24GA

IDEAL

DBLD-SET C/STMLT 16;20-24GA

Part Number	Weight	Min. Quantity
45-2721-1	0.025	1



STRIPMASTER; BELDEN MEDIATWIST

IDEAL

STRIPMASTER; BELDEN MEDIATWIST

Part Number	Weight	Min. Quantity
45-274	0.9	1



C/STM STD 16-26GA POP

IDEAL

C/STM STD 16-26GA POP

Part Number	Weight	Min. Quantity
45-273	0.9	1



DBLD-SET C/STM 12-14GA

IDEAL

DBLD-SET C/STM 12-14GA

Part Number	Weight	Min. Quantity
45-2744-1	0.0048	1



DBLD-SET C/STM 12-18GA

IDEAL

DBLD-SET C/STM 12-18GA

Part Number	Weight	Min. Quantity
45-2735-1	0.04	1



DBLD-SET C/STM 16-26GA

IDEAL

DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2745-1	0.0048	1



DBLD-SET C/STM 12-18GA

IDEAL

DBLD-SET C/STM 12-18GA

Part Number	Weight	Min. Quantity
45-2736-1	0.04	1



DBLD-SET C/STM 26-30GA

IDEAL

DBLD-SET C/STM 26-30GA

Part Number	Weight	Min. Quantity
45-2746-1	0.0048	1



DBLD-SET C/STM 16-24GA

IDEAL

DBLD-SET C/STM 16-24GA

Part Number	Weight	Min. Quantity
45-2737-1	0.01	1



DBLD-SET C/STM 2H24GA

IDEAL

DBLD-SET C/STM 2H24GA

Part Number	Weight	Min. Quantity
45-2761-1	0.01	1

45-2776 – C/STM STD 12-14GA



C/STM STD 12-14GA

IDEAL
C/STM STD 12-14GA

Part Number	Weight	Min. Quantity
45-2776	0.9	1



DBLD SET C/STM 12-14GA

IDEAL
DBLD SET C/STM 12-14GA

Part Number	Weight	Min. Quantity
45-2776-1	0.05	1



C/STM STD 16-26GA PRLPD

IDEAL
C/STM STD 16-26GA PRLPD

Part Number	Weight	Min. Quantity
45-2800	0.8	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2800-1	0.04	1



C.STM. BLADE SET ONLY

IDEAL
C.STM. BLADE SET ONLY

Part Number	Weight	Min. Quantity
45-2805-1	0.05	1



STRIPMASTER

IDEAL
STRIPMASTER

Part Number	Weight	Min. Quantity
45-2811	0.95	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2811-1	0.034	1



STRIPMASTER

IDEAL
STRIPMASTER

Part Number	Weight	Min. Quantity
45-2812	1	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2812-1	0.034	1



CUST STRIPMASTER 16-26GA

IDEAL
CUST STRIPMASTER 16-26GA

Part Number	Weight	Min. Quantity
45-2814	0.9	1

45-2822 – RINGER CABLE STRIPPER

DBLD-SET C/STM 16-26GA



IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2814-1	0.05	1

C/STM FRAME 10-14 PRLPD PRPSL



IDEAL
C/STM FRAME 10-14 PRLPD PRPSL

Part Number	Weight	Min. Quantity
45-2819	0.85	1

CUST STRIPMASTER 10-14GA



IDEAL
CUST STRIPMASTER 10-14GA

Part Number	Weight	Min. Quantity
45-2815	0.9	1



COAX STRIPMASTER-QUAD 6

IDEAL
COAX STRIPMASTER-QUAD 6

Part Number	Weight	Min. Quantity
45-282	1.1	1

DBLD-SET C/STM 10-14GA



IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2815-1	0.034	1



C/STM FRAME 10-14 PRLPD GRNSL

IDEAL
C/STM FRAME 10-14 PRLPD GRNSL

Part Number	Weight	Min. Quantity
45-2820	0.9	1

CUST STRIPMASTER 10-14GA



IDEAL
CUST STRIPMASTER 10-14GA

Part Number	Weight	Min. Quantity
45-2816	0.9	3



C/STM FRAME 16-26 PRLPD GRNSL

IDEAL
C/STM FRAME 16-26 PRLPD GRNSL

Part Number	Weight	Min. Quantity
45-2821	0.085	1

C/STM FRAME 16-26 PRLPD PRPSL



IDEAL
C/STM FRAME 16-26 PRLPD PRPSL

Part Number	Weight	Min. Quantity
45-2818	0.09	1



RINGER CABLE STRIPPER

IDEAL
RINGER CABLE STRIPPER

Part Number	Weight	Min. Quantity
45-2822	1.2	1



45-2824 – C/STM STD 16-26GA PRLPD PRLSL



C/STM STD 16-26GA PRLPD PRLSL

IDEAL
C/STM STD 16-26GA PRLPD PRLSL

Part Number	Weight	Min. Quantity
45-2824	0.9	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
45-2825-1	0.034	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2824-1	0.034	1



WIRESTOP PLATE C/STM 10-14 AWG

IDEAL
WIRESTOP PLATE C/STM 10-14 AWG

Part Number	Weight	Min. Quantity
45-2825-5	0.05	1



WIRESTOP PLATE C/STM 16-26 AWG

IDEAL
WIRESTOP PLATE C/STM 16-26 AWG

Part Number	Weight	Min. Quantity
45-2824-5	0.05	1



C/STM WSP 10-14GA PRLPD PRLSL

IDEAL
C/STM WSP 10-14GA PRLPD PRLSL

Part Number	Weight	Min. Quantity
45-2825-9	0.9	1



C/STM WSP 16-26GA PRLPD PRLSL

IDEAL
C/STM WSP 16-26GA PRLPD PRLSL

Part Number	Weight	Min. Quantity
45-2824-9	0.9	1



C/STM STD 16-26GA PRLPD GRNSL

IDEAL
C/STM STD 16-26GA PRLPD GRNSL

Part Number	Weight	Min. Quantity
45-2834	0.9	1



C/STM STD 10-14GA PRLPD PRLSL

IDEAL
C/STM STD 10-14GA PRLPD PRLSL

Part Number	Weight	Min. Quantity
45-2825	0.9	1



C/STM STD 10-14GA PRLPD GRNSL

IDEAL
C/STM STD 10-14GA PRLPD GRNSL

Part Number	Weight	Min. Quantity
45-2835	0.9	1

C/STMLT STD FRAME ONLY-PAR GRP



IDEAL

C/STMLT STD FRAME ONLY-PAR GRP

Part Number	Weight	Min. Quantity
45-2836	0.4	1



STM STD 8-12GA BLPK

IDEAL

STM STD 8-12GA BLPK

Part Number	Weight	Min. Quantity
45-290	0.84	1

C/STM STD FRAME ONLY-PAR GRPPR



IDEAL

C/STM STD FRAME ONLY-PAR GRPPR

Part Number	Weight	Min. Quantity
45-2837	0.9	1



C/STMLT STD 2H20

IDEAL

C/STMLT STD 2H20

Part Number	Weight	Min. Quantity
45-2903	0.5	1

C/STM STD FRAME ONLY-PAR GRPPR



IDEAL

C/STM STD FRAME ONLY-PAR GRPPR

Part Number	Weight	Min. Quantity
45-2838	0.9	1



DBLD-SET C/STMLT 2H20

IDEAL

DBLD-SET C/STMLT 2H20

Part Number	Weight	Min. Quantity
45-2903-1	0.02	1

CUST STRIPMASTER 16-26GA



IDEAL

CUST STRIPMASTER 16-26GA

Part Number	Weight	Min. Quantity
45-2887	0.034	3



STM STD 10-18GA POP

IDEAL

STM STD 10-18GA POP

Part Number	Weight	Min. Quantity
45-291	0.9	1

DBLD-SET C/STM 16-26GA



IDEAL

DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
45-2887-1	0.034	1



STM STD 10-22GA POP

IDEAL

STM STD 10-22GA POP

Part Number	Weight	Min. Quantity
45-292	0.89	1

45-2921 – C/STMLT STD 22GA



C/STMLT STD 22GA

IDEAL
C/STMLT STD 22GA

Part Number	Weight	Min. Quantity
45-2921	0.45	3



MAXIM STRIPPER

IDEAL
MAXIM STRIPPER

Part Number	Weight	Min. Quantity
45-327	0.64	1



DBLD-SET C/STMLT 22GA

IDEAL
DBLD-SET C/STMLT 22GA

Part Number	Weight	Min. Quantity
45-2921-1	0.05	3



100X CONNECTR INSPECTION SCOPE

IDEAL
Features 100X magnification for viewing multimode connectors. Includes 2.5 mm connector "Universal Adapter" for FC, ST and SC style connectors. Oblique illumination provides excellent view of ferrule cleanliness and core condition. Rugged, rubberized metal housing, precision glass optics and

Part Number	Weight	Min. Quantity
45-332	0.9	1



STM STD 14-22GA POP

IDEAL
STM STD 14-22GA POP

Part Number	Weight	Min. Quantity
45-293	0.9	1



IDEAL GRIPPER SLUG REMOVR

IDEAL
IDEAL GRIPPER SLUG REMOVR

Part Number	Weight	Min. Quantity
45-333	0.06	5



STM STD 16-26GA POP

IDEAL
STM STD 16-26GA POP

Part Number	Weight	Min. Quantity
45-297	0.9	1



SERRATED CUTTER W/BREAKR NOTCH

IDEAL
SERRATED CUTTER W/BREAKR NOTCH

Part Number	Weight	Min. Quantity
45-344	0.2	1



STM STD 20-30GA POP

IDEAL
STM STD 20-30GA POP

Part Number	Weight	Min. Quantity
45-298	0.9	1



FIBR OPTIC STRPR 900/2500

IDEAL
FIBR OPTIC STRPR 900/2500

Part Number	Weight	Min. Quantity
45-350	0.3	1

45-377 – C/STM STD 16-26GA FLPD

TOOLS, KITS & CASES



MINILITE-STRIP F/O STRIPPER

IDEAL

MiniLite-Strip®; Optical Fiber Stripper Small stripping v-notch is designed to remove buffer and coating material from 125u fiber Large stripping v-notch is designed to strip wide range of outer cable jacket insulations Blade area heat-treated for durability Laser marked for easy identification

Part Number	Weight	Min. Quantity
45-352	0.3	1



C/STM STD 10-14GA FLPD

IDEAL

C/STM STD 10-14GA FLPD

Part Number	Weight	Min. Quantity
45-373	0.84	1



C/STM STD 24-30GA FLPD

IDEAL

C/STM STD 24-30GA FLPD

Part Number	Weight	Min. Quantity
45-369	0.84	1



C/STM STD 16-26GA FLPD

IDEAL

C/STM STD 16-26GA FLPD

Part Number	Weight	Min. Quantity
45-374	0.84	1



C/STM STD 10-14GA FLPD

IDEAL

C/STM STD 10-14GA FLPD

Part Number	Weight	Min. Quantity
45-370	0.84	1



C/STM STD 26-30GA FLPD

IDEAL

C/STM STD 26-30GA FLPD

Part Number	Weight	Min. Quantity
45-375	0.84	1



C/STM STD 16-26GA FLPD

IDEAL

C/STM STD 16-26GA FLPD

Part Number	Weight	Min. Quantity
45-371	0.84	1



C/STM STD 10-14GA FLPD

IDEAL

C/STM STD 10-14GA FLPD

Part Number	Weight	Min. Quantity
45-376	0.84	1



C/STM STD 26-30GA FLPD

IDEAL

C/STM STD 26-30GA FLPD

Part Number	Weight	Min. Quantity
45-372	0.84	1



C/STM STD 16-26GA FLPD

IDEAL

C/STM STD 16-26GA FLPD

Part Number	Weight	Min. Quantity
45-377	0.84	1



45-378 – C/STM STD 26-30GA FLPD



C/STM STD 26-30GA FLPD

IDEAL

C/STM STD 26-30GA FLPD

Part Number	Weight	Min. Quantity
45-378	0.84	1



C/STM STD/WSL 10-14GA FLPD

IDEAL

C/STM STD/WSL 10-14GA FLPD

Part Number	Weight	Min. Quantity
45-383	0.84	1



C/STM STD 30GA FLPD

IDEAL

C/STM STD 30GA FLPD

Part Number	Weight	Min. Quantity
45-379	0.84	1



C/STM STD/WSL 16-26GA FLPD

IDEAL

C/STM STD/WSL 16-26GA FLPD

Part Number	Weight	Min. Quantity
45-384	0.84	1



C/STM STD/WSL 10-14GA FLPD

IDEAL

C/STM STD/WSL 10-14GA FLPD

Part Number	Weight	Min. Quantity
45-380	0.84	1



C/STM STD/WSL 26-30GA FLPD

IDEAL

C/STM STD/WSL 26-30GA FLPD

Part Number	Weight	Min. Quantity
45-385	0.84	1



C/STM STD/WSL 16-26GA FLPD

IDEAL

C/STM STD/WSL 16-26GA FLPD

Part Number	Weight	Min. Quantity
45-381	0.84	1



C/STM STD/WSL 10-14GA FLPD

IDEAL

C/STM STD/WSL 10-14GA FLPD

Part Number	Weight	Min. Quantity
45-386	0.84	1



C/STM STD/WSL 26-30GA FLPD

IDEAL

C/STM STD/WSL 26-30GA FLPD

Part Number	Weight	Min. Quantity
45-382	0.84	1



C/STM STD/WSL 16-26GA FLPD

IDEAL

C/STM STD/WSL 16-26GA FLPD

Part Number	Weight	Min. Quantity
45-387	0.84	1

45-418 – REFLEX T-8 STRIPPER



C/STM STD/WSL 26-30GA FLPD

IDEAL

C/STM STD/WSL 26-30GA FLPD

Part Number	Weight	Min. Quantity
45-388	0.84	1



RINGR CABL STRPR (DEEP-V)

IDEAL

RINGR CABL STRPR (DEEP-V)

Part Number	Weight	Min. Quantity
45-404	0.1	1



RINGER CABLE STRIPPER

IDEAL

RINGER CABLE STRIPPER

Part Number	Weight	Min. Quantity
45-400	0.1	1



REFLEX T-5 STRIPPER

IDEAL

Reflex® Premium T®-5 T®-Stripper Wire Stripper The Reflex® Premium T®-Stripper with ergonomic handles is the next evolution in total-comfort, total-control wire strippers. The stripper's ergonomic design fits natural grip for maximum comfort. The handles are curved at 45&

Part Number	Weight	Min. Quantity
45-415	0.35	1



RINGR CABL STRPR (KAPTON)

IDEAL

RINGR CABL STRPR (KAPTON)

Part Number	Weight	Min. Quantity
45-401	0.1	1



REFLEX T-6 STRIPPER

IDEAL

Reflex® Premium T®-6 T®-Stripper Wire Stripper The Reflex® Premium T®-Stripper with ergonomic handles is the next evolution in total-comfort, total-control wire strippers. The stripper's ergonomic design fits natural grip for maximum comfort. The handles are curved at 45&

Part Number	Weight	Min. Quantity
45-416	0.32	1



RINGR CABL STRPR (KYNAR)

IDEAL

RINGR CABL STRPR (KYNAR)

Part Number	Weight	Min. Quantity
45-402	0.1	1



REFLEX T-7 STRIPPER

IDEAL

Reflex® Premium T®-7 T®-Stripper Wire Stripper The Reflex® Premium T®-Stripper with ergonomic handles is the next evolution in total-comfort, total-control wire strippers. The stripper's ergonomic design fits natural grip for maximum comfort. The handles are curved at 45&

Part Number	Weight	Min. Quantity
45-417	0.34	1



RINGR CABL STRPPR (STD)

IDEAL

RINGR CABL STRPPR (STD)

Part Number	Weight	Min. Quantity
45-403	0.1	1



REFLEX T-8 STRIPPER

IDEAL

Reflex® Premium T®-8 T®-Stripper Wire Stripper The Reflex® Premium T®-Stripper with ergonomic handles is the next evolution in total-comfort, total-control wire strippers. The stripper's ergonomic design fits natural grip for maximum comfort. The handles are curved at 45&

Part Number	Weight	Min. Quantity
45-418	0.34	1



45-423 – REFLEX T-CUTTER

TOOLS, KITS & CASES



REFLEX T-CUTTER

IDEAL
REFLEX T-CUTTER

Part Number	Weight	Min. Quantity
45-423	0.3	1



C/STM STD 26-30GA PRLPD

IDEAL
C/STM STD 26-30GA PRLPD

Part Number	Weight	Min. Quantity
45-472	0.84	1



RINGER CABLE STRIPPER

IDEAL
RINGER CABLE STRIPPER

Part Number	Weight	Min. Quantity
45-4433	0.05	20



C/STM STD 10-14GA PRLPD

IDEAL
C/STM STD 10-14GA PRLPD

Part Number	Weight	Min. Quantity
45-473	0.84	1



C/STM STD 24-30GA PRLPD

IDEAL
C/STM STD 24-30GA PRLPD

Part Number	Weight	Min. Quantity
45-469	0.84	1



C/STM STD 16-26GA PRLPD

IDEAL
C/STM STD 16-26GA PRLPD

Part Number	Weight	Min. Quantity
45-474	0.84	1



CUSTM STD 10-14GA PRLPD

IDEAL
CUSTM STD 10-14GA PRLPD

Part Number	Weight	Min. Quantity
45-470	0.84	1



C/STM STD 26-30GA PRLPD

IDEAL
C/STM STD 26-30GA PRLPD

Part Number	Weight	Min. Quantity
45-475	0.84	1



C/STM STD 16-26GA PRLPD

IDEAL
C/STM STD 16-26GA PRLPD

Part Number	Weight	Min. Quantity
45-471	0.84	1



C/STM STD 10-14GA PRLPD

IDEAL
C/STM STD 10-14GA PRLPD

Part Number	Weight	Min. Quantity
45-476	0.84	1



45-486 – C/STM STD/WSL 10-14GA PRLPD



C/STM STD 16-26GA PRLPD

IDEAL

C/STM STD 16-26GA PRLPD

Part Number	Weight	Min. Quantity
45-477	0.9	1



C/STM STD/WSL 26-30GA PRLPD

IDEAL

C/STM STD/WSL 26-30GA PRLPD

Part Number	Weight	Min. Quantity
45-482	0.84	1



C/STM STD 26-30GA PRLPD

IDEAL

C/STM STD 26-30GA PRLPD

Part Number	Weight	Min. Quantity
45-478	0.84	1



C/STM STD/WSL 10-14GA PRLPD

IDEAL

C/STM STD/WSL 10-14GA PRLPD

Part Number	Weight	Min. Quantity
45-483	0.84	1



C/STM STD 30GA PRLPD

IDEAL

C/STM STD 30GA PRLPD

Part Number	Weight	Min. Quantity
45-479	0.84	1



C/STM STD/WSL 16-26GA PRLPD

IDEAL

C/STM STD/WSL 16-26GA PRLPD

Part Number	Weight	Min. Quantity
45-484	0.84	1



C/STM STD/WSL 10-14GA PRLPD

IDEAL

C/STM STD/WSL 10-14GA PRLPD

Part Number	Weight	Min. Quantity
45-480	0.84	1



C/STM STD/WSL 26-30GA PRLPD

IDEAL

C/STM STD/WSL 26-30GA PRLPD

Part Number	Weight	Min. Quantity
45-485	0.84	1



C/STM STD/WSL 16-26GA PRLPD

IDEAL

C/STM STD/WSL 16-26GA PRLPD

Part Number	Weight	Min. Quantity
45-481	0.84	1



C/STM STD/WSL 10-14GA PRLPD

IDEAL

C/STM STD/WSL 10-14GA PRLPD

Part Number	Weight	Min. Quantity
45-486	0.84	1



45-487 – C/STM STD/WSL 16-26GA PRLPD



C/STM STD/WSL 16-26GA PRLPD

IDEAL

C/STM STD/WSL 16-26GA PRLPD

Part Number	Weight	Min. Quantity
45-487	0.84	1



REPL CASSETTE; 3 STEP BLK

IDEAL

REPL CASSETTE; 3 STEP BLK

Part Number	Weight	Min. Quantity
45-522	0.05	1



C/STM STD/WSL 26-30GA PRLPD

IDEAL

C/STM STD/WSL 26-30GA PRLPD

Part Number	Weight	Min. Quantity
45-488	0.84	1



REPL CASSETTE; 3 STEP BRN

IDEAL

REPL CASSETTE; 3 STEP BRN

Part Number	Weight	Min. Quantity
45-523	0.05	1



STRPPR/UNSHLD&SHLD TWS PR

IDEAL

96 Pin Connector, 1000 VAC for 1 Minute Dielectric Withstanding Voltage Fast, easy removal of outer sheath insulations (PVC and Plenum types) from all UTP, STP and multicore cables up to 11 mm in diameter. The stripper works on PVC and plenum type insulation.

Part Number	Weight	Min. Quantity
45-514	0.15	1



REPL CASSETTE; 2 STEP BLUE

IDEAL

REPL CASSETTE; 2 STEP BLUE

Part Number	Weight	Min. Quantity
45-524	0.0375	1



PRO AX STRPR; 3 STEP BLK

IDEAL

PVC Insulated Tinned Copper Jumper Wire, 22 AWG Wire Size, 1/4" Stripping Length Adjustable coax wire strippers allow blade adjustment for 2 or 3-step stripping of RG-58, RG-59/62, RG-8281, Twinax, RG-6 or RG-8/11 coaxial cable. Specific adjustments needed for each cable size. Coaxial st

Part Number	Weight	Min. Quantity
45-520	0.3	1



PRO AX STRPR; 3 STEP BRN

IDEAL

PRO AX STRPR; 3 STEP BRN

Part Number	Weight	Min. Quantity
45-521	0.26	1



COAX STRIPPER W/BLUE CASS

IDEAL

PVC Insulated Tinned Copper Jumper Wire, 22 AWG Wire Size, 1/4" Stripping Length Adjustable coax wire strippers allow blade adjustment for 2 or 3-step stripping of RG-58, RG-59/62, RG-8281, Twinax, RG-6 or RG-8/11 coaxial cable. Specific adjustments needed for each cable size. Coaxial st

Part Number	Weight	Min. Quantity
45-526	0.35	1

PNEUMATIC WIRE STRIPPER

IDEAL

PNEUMATIC WIRE STRIPPER

Part Number	Weight	Min. Quantity
45-600	1.9	1



PREPRO REPL COAX CARTRIDGE

IDEAL

PREPRO REPL COAX CARTRIDGE

Part Number	Weight	Min. Quantity
45-6051	0.05	1



C/STMLT STD 16-22GA

IDEAL

C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-632	0.45	1



PREPRO REPL UTP CARTRIDGE

IDEAL

PREPRO REPL UTP CARTRIDGE

Part Number	Weight	Min. Quantity
45-6052	0.05	1



C/STMLT STD 20-26GA

IDEAL

C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-633	0.5	1



SUPER T; REFLEX STRIPPER (YEL)

IDEAL

Reflex®; Super T®; -Stripper Wire Stripper The Reflex®; Super T®; -Stripper's ergonomic design fits natural grip for maximum comfort. The handles are curved to reduce wrist fatigue. Sleeves extend to stripping head to cushion thumb and fingers. Sleeve texture provides extra cushion

Part Number	Weight	Min. Quantity
45-615	0.37	1



C/STMLT STD 24-30GA

IDEAL

C/STMLT STD 24-30GA

Part Number	Weight	Min. Quantity
45-634	0.5	1



SUPER T; REFLEX STRIPPER

IDEAL

Reflex®; Super T®; -Stripper Wire Stripper The Reflex®; Super T®; -Stripper's ergonomic design fits natural grip for maximum comfort. The handles are curved to reduce wrist fatigue. Sleeves extend to stripping head to cushion thumb and fingers. Sleeve texture provides extra cushion

Part Number	Weight	Min. Quantity
45-618	0.36	1



C/STMLT STD 16-22GA

IDEAL

C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-635	0.5	1



C/STMLT STD 24-30GA

IDEAL

C/STMLT STD 24-30GA

Part Number	Weight	Min. Quantity
45-631	0.5	1



C/STMLT STD 20-26GA

IDEAL

C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-636	0.5	1



45-637 – C/STMLT STD 24-30GA



C/STMLT STD 24-30GA

IDEAL

C/STMLT STD 24-30GA

Part Number	Weight	Min. Quantity
45-637	0.45	1



C/STMLT STD 16-22GA

IDEAL

C/STMLT STD 16-22GA

Part Number	Weight	Min. Quantity
45-638	0.45	1



C/STMLT STD 20-26GA

IDEAL

C/STMLT STD 20-26GA

Part Number	Weight	Min. Quantity
45-639	0.45	1



C/STMLT STD 24-30GA

IDEAL

C/STMLT STD 24-30GA

Part Number	Weight	Min. Quantity
45-640	0.45	1



C/STMLT STD 4H30GA

IDEAL

C/STMLT STD 4H30GA

Part Number	Weight	Min. Quantity
45-641	0.45	1



STMLT STD 16-22GA

IDEAL

Premium T®-7 T®-Stripper Wire Stripper The IDEAL Stripmaster® and Stripmaster® Lite wire strippers have knife-type blades. One-step stripping action reduces stripping time for increased productivity and reduced operator fatigue.

Part Number	Weight	Min. Quantity
45-671	0.45	1



STMLT STD 24-30GA

IDEAL

STMLT STD 24-30GA

Part Number	Weight	Min. Quantity
45-672	0.5	1



STMLT STD 12-18GA

IDEAL

STMLT STD 12-18GA

Part Number	Weight	Min. Quantity
45-673	0.54	1



STMLT STD 12-18GA

IDEAL

STMLT STD 12-18GA

Part Number	Weight	Min. Quantity
45-674	0.54	1



KINETIC T-STRIP;16-26 AWG STR

IDEAL

Kinetic Super™ Wire Stripper 16-26 AWG Stranded Wire Thumb-Valley™ thumb guide promotes comfort while focusing kinetic energy for faster wire stripping Pocket-Locket™ locks even tighter when tool is slipped into holster or pants pocket for added safety Thumb-Valley™ Thumb Gui

Part Number	Weight	Min. Quantity
45-716	0.3	1

45-894 – C/STM STEEL .060GAP/18GA



KINETIC T-STRIP;8-16 AWG STR

IDEAL

Kinetic Super®; Wire Stripper Wire size with -16 AWG Stranded Thumb-Valley®; thumb guide promotes comfort while focusing kinetic energy for faster wire stripping Pocket-Locket®; locks even tighter when tool is slipped into holster or pants pocket for added safety Thumb-Valley®; T

Part Number	Weight	Min. Quantity
45-718	0.3	1



7 IN 1 WIRE STRIPPER

IDEAL

7-in-1 Stripper This 7-function tool strips 6-16 AWG solid and 8-18 AWG stranded wire, cuts stranded, solid and U.F. wire up to 6 gauge, crimps bare and insulated terminals for 10-22 AWG wires sizes, cuts unhardened, commonly sized bolts and screws, gauges solid and stranded wire, loops wire, and re

Part Number	Weight	Min. Quantity
45-777	0.5	1



MULTI CRIMP/STRIP TOOL

IDEAL

MULTI CRIMP/STRIP TOOL

Part Number	Weight	Min. Quantity
45-778	0.55	1



C/STM STEEL 16-20GA

IDEAL

C/STM STEEL 16-20GA

Part Number	Weight	Min. Quantity
45-877	1.5	1



C/STM STEEL/WSL 16-20GA

IDEAL

C/STM STEEL/WSL 16-20GA

Part Number	Weight	Min. Quantity
45-887	1	1



C/STM STEEL .022GAP/26GA

IDEAL

C/STM STEEL .022GAP/26GA

Part Number	Weight	Min. Quantity
45-890	0.9	1



C/STM STEEL .030GAP/24GA

IDEAL

C/STM STEEL .030GAP/24GA

Part Number	Weight	Min. Quantity
45-891	0.95	1



C/STM STEEL .038GAP/22GA

IDEAL

C/STM STEEL .038GAP/22GA

Part Number	Weight	Min. Quantity
45-892	0.9	1



C/STM STEEL .050GAP/20GA

IDEAL

C/STM STEEL .050GAP/20GA

Part Number	Weight	Min. Quantity
45-893	0.9	1



C/STM STEEL .060GAP/18GA

IDEAL

C/STM STEEL .060GAP/18GA

Part Number	Weight	Min. Quantity
45-894	0.9	1



45-895 – C/STM STEEL .075GAP/16GA



C/STM STEEL .075GAP/16GA

IDEAL
C/STM STEEL .075GAP/16GA

Part Number	Weight	Min. Quantity
45-895	0.9	1



HEAT SHRNK#2-#8AWG UNDRGRDKIT

IDEAL
HEAT SHRNK#2-#8AWG UNDRGRDKIT

Part Number	Weight	Min. Quantity
46-405	0.1	1

INSULATED T-5 STRIPPER

IDEAL
INSULATED T-5 STRIPPER

Part Number	Weight	Min. Quantity
45-9120	0.4	1



UF STRETCHER SPLICE KIT

IDEAL
UF STRETCHER SPLICE KIT

Part Number	Weight	Min. Quantity
46-410	0.55	1

HEAT ELITE PLUS LCD HT GUN KIT

IDEAL
HEAT ELITE PLUS LCD HT GUN KIT

Part Number	Weight	Min. Quantity
46-204	3.65	1



UF SPLICE KIT-SELF SEALING

IDEAL
UF SPLICE KIT-SELF SEALING

Part Number	Weight	Min. Quantity
46-411	0.4	1

UF SPLICE KIT

IDEAL
UF SPLICE KIT

Part Number	Weight	Min. Quantity
46-400	0.2	1



P CORD;RJ45 TO RJ45;SIEMON

IDEAL
P CORD;RJ45 TO RJ45;SIEMON

Part Number	Weight	Min. Quantity
6011-50-0001	0.2	1

HEAT SHRNK#8-#14AWG UNDRGRDKIT

IDEAL
HEAT SHRNK#8-#14AWG UNDRGRDKIT

Part Number	Weight	Min. Quantity
46-404	0.1	6



P CORD;RJ45 TO RJ45

IDEAL
P CORD;RJ45 TO RJ45

Part Number	Weight	Min. Quantity
6011-50-0029	0.5	1

61-445 – NYLON CARRYING CASE

TOOLS, KITS & CASES



Case; Leather

IDEAL

Case, Leather for 61-065/61-076

Part Number	Weight	Min. Quantity
61-010	0.45	1



DIGITAL MULTIMETER

IDEAL

DIGITAL MULTIMETER

Part Number	Weight	Min. Quantity
61-312	0.95	1



EXTENSION CORD

IDEAL

EXTENSION CORD

Part Number	Weight	Min. Quantity
61-177	0.3	1



DIGITAL MULTIMETER

IDEAL

DIGITAL MULTIMETER

Part Number	Weight	Min. Quantity
61-340	1.35	1



CARRYING CASE

IDEAL

CARRYING CASE

Part Number	Weight	Min. Quantity
61-179	0.38	1



DIGITAL MULTIMETER

IDEAL

DIGITAL MULTIMETER

Part Number	Weight	Min. Quantity
61-342	1.15	1



REPLMT;PWR CORD;SURETEST ARCFA

IDEAL

REPLMT;PWR CORD;SURETEST ARCFA

Part Number	Weight	Min. Quantity
61-182	0.2	1



DIGITAL MULTIMETER

IDEAL

DIGITAL MULTIMETER

Part Number	Weight	Min. Quantity
61-361	1.28	1



DIGITAL MULTIMETER

IDEAL

DIGITAL MULTIMETER

Part Number	Weight	Min. Quantity
61-310	1.15	1



NYLON CARRYING CASE

IDEAL

NYLON CARRYING CASE

Part Number	Weight	Min. Quantity
61-445	0.35	1

61-497 – DIGITAL MULTIMETER

TOOLS, KITS & CASES



DIGITAL MULTIMETER

IDEAL
DIGITAL MULTIMETER

Part Number	Weight	Min. Quantity
61-497	3.1	1



PWR QUALTY RECORDR W/BKLT&NEUT

IDEAL
PWR QUALTY RECORDR W/BKLT&NEUT

Part Number	Weight	Min. Quantity
61-807	20.5	1



DIGITAL MULTIMETER

IDEAL
DIGITAL MULTIMETER

Part Number	Weight	Min. Quantity
61-498	3.1	1



CARRYING CASE FOR 61-844

IDEAL
CARRYING CASE FOR 61-844

Part Number	Weight	Min. Quantity
61-844CC	1.6	1



POCKETPRO DIGITAL MULTIMETER

IDEAL
POCKETPRO DIGITAL MULTIMETER

Part Number	Weight	Min. Quantity
61-605	0.4	1



HARD TRANSIT CASE

IDEAL
HARD TRANSIT CASE

Part Number	Weight	Min. Quantity
61-846HC	6	1



ANALOG MULTIMETER(SP5A)

IDEAL
ANALOG MULTIMETER(SP5A)

Part Number	Weight	Min. Quantity
61-610	0.3333	1



S.L. KIT

IDEAL
S.L. KIT

Part Number	Weight	Min. Quantity
65-LA	0.155	1



ANALOG MULTIMETER(SP152A)

IDEAL
ANALOG MULTIMETER(SP152A)

Part Number	Weight	Min. Quantity
61-614	0.3	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
65-LA-U	0.1604	1



STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
65-LC	0.1758	1

STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
65-UA	0.151	1

S.L. KIT



IDEAL
S.L. KIT

Part Number	Weight	Min. Quantity
65-UA-U	0.1588	1

S.L. KIT



IDEAL
S.L. KIT

Part Number	Weight	Min. Quantity
65LC-U	0.171	1

STREET LIGHT KIT



IDEAL
STREET LIGHT KIT

Part Number	Weight	Min. Quantity
65U	0.18	1

DUCTILE IRON BENDER 3/4 IN EMT



IDEAL
DUCTILE IRON BENDER 3/4 IN EMT

Part Number	Weight	Min. Quantity
74-002	3.3625	1

DUCTILE IRON BENDER 1 IN EMT



IDEAL
DUCTILE IRON BENDER 1 IN EMT

Part Number	Weight	Min. Quantity
74-003	5.225	1

DUCTILE IRON BENDER 1-1/4 EMT



IDEAL
DUCTILE IRON BENDER 1-1/4 EMT

Part Number	Weight	Min. Quantity
74-006	14	1

HICKEY; 1/2 IN EMT



IDEAL
HICKEY; 1/2 IN EMT

Part Number	Weight	Min. Quantity
74-010	1.25	1

HICKEY; 3/4 IN EMT



IDEAL
HICKEY; 3/4 IN EMT

Part Number	Weight	Min. Quantity
74-011	1.53	1

74-012 – HICKEY; 1 IN EMT



HICKEY; 1 IN EMT

IDEAL
HICKEY; 1 IN EMT

Part Number	Weight	Min. Quantity
74-012	2.4	1



BENDER 74-001 W/HANDLE

IDEAL
BENDER 74-001 W/HANDLE

Part Number	Weight	Min. Quantity
74-026	6.3	1



HICKEY; 1-1/4 IN EMT

IDEAL
HICKEY; 1-1/4 IN EMT

Part Number	Weight	Min. Quantity
74-013	4.15	1



BENDER 74-002 W/HANDLE

IDEAL
BENDER 74-002 W/HANDLE

Part Number	Weight	Min. Quantity
74-027	7.8	1



BENDER HANDLE; 3/4 X 38

IDEAL
BENDER HANDLE; 3/4 X 38

Part Number	Weight	Min. Quantity
74-019	3.2	1



BENDER 74-003 W/HANDLE

IDEAL
BENDER 74-003 W/HANDLE

Part Number	Weight	Min. Quantity
74-028	12.3	1



BENDER HANDLE; 1 X 44

IDEAL
BENDER HANDLE; 1 X 44

Part Number	Weight	Min. Quantity
74-020	6	1



ALUMINUM BENDER; 1/2 IN EMT

IDEAL
ALUMINUM BENDER; 1/2 IN EMT

Part Number	Weight	Min. Quantity
74-031	1.18	1



BENDER HANLE; 1-1/4 X 54

IDEAL
BENDER HANLE; 1-1/4 X 54

Part Number	Weight	Min. Quantity
74-021	10	1



ALUMINUM BENDER; 3/4 IN EMT

IDEAL
ALUMINUM BENDER; 3/4 IN EMT

Part Number	Weight	Min. Quantity
74-032	1.5	1

78-0104-25 – DE SQUARE #2/PHILLIPS#2;BAG 25

TOOLS, KITS & CASES



1-1/4 IRON BENDER W/74-021 HDL

IDEAL

1-1/4 IRON BENDER W/74-021 HDL

Part Number	Weight	Min. Quantity
74-034	28.1	1



SWITCH;BATLVR;SPST;O-GRD;SPD

IDEAL

SWITCH;BATLVR;SPST;O-GRD;SPD

Part Number	Weight	Min. Quantity
774007	0.088	1



BENDER BOOT FOR CONDUIT BENDER

IDEAL

BENDER BOOT FOR CONDUIT BENDER

Part Number	Weight	Min. Quantity
74-037	0.25	6



SWITCH;RCKR;SPST;O-F;SPD;RDL

IDEAL

SWITCH;RCKR;SPST;O-F;SPD;RDL

Part Number	Weight	Min. Quantity
774039	0.1	1



BENDER 74-031 W/HANDLE

IDEAL

BENDER 74-031 W/HANDLE

Part Number	Weight	Min. Quantity
74-046	5.32	1



SWITCH;CORD-TGL;SPST;O-F;BRWN

IDEAL

SWITCH;CORD-TGL;SPST;O-F;BRWN

Part Number	Weight	Min. Quantity
774073	0.1	1



BENDER 74-032 W/HANDLE

IDEAL

BENDER 74-032 W/HANDLE

Part Number	Weight	Min. Quantity
74-047	7	1



DE SLOTTED 1/4/SQUARE #2

IDEAL

DE SLOTTED 1/4/SQUARE #2

Part Number	Weight	Min. Quantity
78-0103	0.025	6



175 PC KIT; CRIMP TERM ASSORT.

IDEAL

175 PC KIT; CRIMP TERM ASSORT.

Part Number	Weight	Min. Quantity
770412L	0.82	5



DE SQUARE #2/PHILLIPS#2;BAG 25

IDEAL

DE SQUARE #2/PHILLIPS#2;BAG 25

Part Number	Weight	Min. Quantity
78-0104-25	0.026	25



78-0111 – MAG NUT SETTER 1/4 X 2;CARDED



MAG NUT SETTER 1/4 X 2;CARDED

IDEAL

MAG NUT SETTER 1/4 X 2;CARDED

Part Number	Weight	Min. Quantity
78-0111	0.05	6



SQ DR 1/4X2SOCKTADPTR;1-CARD

IDEAL

SQ DR 1/4X2SOCKTADPTR;1-CARD

Part Number	Weight	Min. Quantity
78-0218	0.042	6



MAG NUT SETTER 3/8 X 2;CARDED

IDEAL

MAG NUT SETTER 3/8 X 2;CARDED

Part Number	Weight	Min. Quantity
78-0113	0.05	6



RESRF.FAN.75X.5X.38

IDEAL

RESRF.FAN.75X.5X.38

Part Number	Weight	Min. Quantity
80-012A	0.1	1



MAG NUT SETTR 5/16X2;1 PERCARD

IDEAL

MAG NUT SETTR 5/16X2;1 PERCARD

Part Number	Weight	Min. Quantity
78-0114	0.05	6



RESRF.FAN.75X.5X.38

IDEAL

RESRF.FAN.75X.5X.38

Part Number	Weight	Min. Quantity
80-012B	0.1	1



SQ DR 1/4X1SOCKTADPTR;1-CARD

IDEAL

SQ DR 1/4X1SOCKTADPTR;1-CARD

Part Number	Weight	Min. Quantity
78-0217	0.025	6



RESRF.FAN.75X.5X.38

IDEAL

RESRF.FAN.75X.5X.38

Part Number	Weight	Min. Quantity
80-012D	0.2	1



SQ DR 1/4X1SOCKETADPTR;BAG25

IDEAL

SQ DR 1/4X1SOCKETADPTR;BAG25

Part Number	Weight	Min. Quantity
78-0217-25	0.018	25



RESURFACER

IDEAL

RESURFACER

Part Number	Weight	Min. Quantity
80-075C	0.15	1

80-265M – RESRF.TRAMWAY 2X2X2



RESURFACER

IDEAL
RESURFACER

Part Number	Weight	Min. Quantity
80-075F	0.15	1



RESURFACER

IDEAL
RESURFACER

Part Number	Weight	Min. Quantity
80-075M	0.1333	1



RESURFACER

IDEAL
RESURFACER

Part Number	Weight	Min. Quantity
80-075P	0.15	1



RESRF.STR.1X1X1

IDEAL
RESRF.STR.1X1X1

Part Number	Weight	Min. Quantity
80-155F	0.2	1



RESRF.STR.1X1X1

IDEAL
RESRF.STR.1X1X1

Part Number	Weight	Min. Quantity
80-155M	0.2	1



RESRF.TRAMWAY 2X1.5X2

IDEAL
RESRF.TRAMWAY 2X1.5X2

Part Number	Weight	Min. Quantity
80-255F	1.2	1



RESRF.TRAMWAY 2X1.5X2

IDEAL
RESRF.TRAMWAY 2X1.5X2

Part Number	Weight	Min. Quantity
80-255M	1.2	1



RESRF.TRAMWAY 2X2X2

IDEAL
RESRF.TRAMWAY 2X2X2

Part Number	Weight	Min. Quantity
80-265C	1.3	1



RESRF.TRAMWAY 2X2X2

IDEAL
RESRF.TRAMWAY 2X2X2

Part Number	Weight	Min. Quantity
80-265F	1.4	1



RESRF.TRAMWAY 2X2X2

IDEAL
RESRF.TRAMWAY 2X2X2

Part Number	Weight	Min. Quantity
80-265M	1.3	1



80-454C – RESRF.TOOL 1X1.5X6.5



RESRF.TOOL 1X1.5X6.5

IDEAL

RESRF.TOOL 1X1.5X6.5

Part Number	Weight	Min. Quantity
80-454C	0.9	1



RESRF.TOOL 1X2X8

IDEAL

RESRF.TOOL 1X2X8

Part Number	Weight	Min. Quantity
80-461F	1.3	1



RESRF.TOOL 1X1.5X6.5

IDEAL

RESRF.TOOL 1X1.5X6.5

Part Number	Weight	Min. Quantity
80-454F	0.8	1



RESRF.TOOL 1X2X8

IDEAL

RESRF.TOOL 1X2X8

Part Number	Weight	Min. Quantity
80-461M	1.4	1



RESRF.TOOL 1X1.5X6.5

IDEAL

RESRF.TOOL 1X1.5X6.5

Part Number	Weight	Min. Quantity
80-454M	0.8	1



RESRF.TOOL 1X2X8

IDEAL

RESRF.TOOL 1X2X8

Part Number	Weight	Min. Quantity
80-461P	1.3	1



RESRF.TOOL 1X1.5X6.5

IDEAL

RESRF.TOOL 1X1.5X6.5

Part Number	Weight	Min. Quantity
80-454P	0.8	1



FESRF.TOOL 2X2X8

IDEAL

FESRF.TOOL 2X2X8

Part Number	Weight	Min. Quantity
80-475C	2.7	1



RESRF.TOOL 1X2X8

IDEAL

RESRF.TOOL 1X2X8

Part Number	Weight	Min. Quantity
80-461C	1.3	1



RESRF.TOOL 2X2X8

IDEAL

RESRF.TOOL 2X2X8

Part Number	Weight	Min. Quantity
80-475F	2.6	1

82S-ADB1-LA – STREET LIGHTING KIT



RESRF.TOOL 2X2X8

IDEAL
RESRF.TOOL 2X2X8

Part Number	Weight	Min. Quantity
80-475M	2.8	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82-ADB3-C	0.3482	1



RESRF-1X1.5X5

IDEAL
RESRF-1X1.5X5

Part Number	Weight	Min. Quantity
80-503M	0.65	2



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82-EAFB1-C	0.4128	1



RESRF.TOOL.75X.75X3

IDEAL
RESRF.TOOL.75X.75X3

Part Number	Weight	Min. Quantity
80-504C	0.15	2



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-ADB1-A	0.33	1



LV KIT

IDEAL
LV KIT

Part Number	Weight	Min. Quantity
82-ADB1-C	0.3854	1



LV KIT

IDEAL
LV KIT

Part Number	Weight	Min. Quantity
82S-ADB1-C	0.35	1



LV KIT

IDEAL
LV KIT

Part Number	Weight	Min. Quantity
82-ADB2-C	0.3666	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-ADB1-LA	0.3302	1



82S-ADB1-LC – LV KIT



LV KIT

IDEAL

LV KIT

Part Number	Weight	Min. Quantity
82S-ADB1-LC	0.3406	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-EAFB1-A	0.3558	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-ADB10-A	0.3284	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-EAFB1-C	0.4	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-ADB10-C	0.3358	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-EAFB1-LA	0.3576	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-ADB10-LA	0.36	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-EAFB1-LC	0.368	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-ADB10-LC	0.365	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-EAFB10-A	0.4	1



LV KIT

IDEAL

LV KIT

Part Number	Weight	Min. Quantity
82S-EAFB10-C	0.3632	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83-ADB2-C	0.4198	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-EAFB10-LA	0.3576	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83-ADB3-C	0.4014	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
82S-EAFB10-LC	0.368	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83-EAFB1-C	0.4672	1



RATCHET CRIMP TOOL

IDEAL

RATCHET CRIMP TOOL

Part Number	Weight	Min. Quantity
83-001	0.8	1



LV KIT

IDEAL

LV KIT

Part Number	Weight	Min. Quantity
83S-ADB1-C	0.3898	1



STREET LIGHTING KIT

IDEAL

STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83-ADB1-C	0.4383	1



LV KIT

IDEAL

LV KIT

Part Number	Weight	Min. Quantity
83S-ADB1-LC	0.3926	1

83S-ADB10-C – STREET LIGHTING KIT

TOOLS, KITS & CASES

STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83S-ADB10-C	0.452	1

STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83S-EAFB10-LC	0.42	1

STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83S-ADB10-LC	0.42	1

RG-59 TWIST-ON CONNECTOR 4/CD



IDEAL
RG-59 TWIST-ON CONNECTOR 4/CD

Part Number	Weight	Min. Quantity
84-018	0.025	4

STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83S-EAFB1-C	0.42	1

LV KIT



IDEAL
LV KIT

Part Number	Weight	Min. Quantity
84S-ADB1	0.3196	1

LV KIT



IDEAL
LV KIT

Part Number	Weight	Min. Quantity
83S-EAFB1-LC	0.42	1

STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
84S-ADB10	0.3196	1

STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
83S-EAFB10-C	0.4164	1

STREET LIGHTING KIT



IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
84S-EAFB1	0.35	1

89-582 – RG6 RCA COMPR CONN 10/CARD



S.L. KIT

IDEAL

S.L. KIT

Part Number	Weight	Min. Quantity
84S-EAFB10	0.347	1




BNC 59 TWIST-ON 1PC DCAST PVC

IDEAL

BNC 59 TWIST-ON 1PC DCAST PVC

Part Number	Weight	Min. Quantity
85-480	0.048	5



F-CONN;RG-59/62 TWIST-ON

IDEAL

F-CONN;RG-59/62 TWIST-ON

Part Number	Weight	Min. Quantity
85-035	0.002	10




RG59 BNC COMPR CONN 15/CD

IDEAL

IDEAL Compression Connectors are manufactured to meet the demands of the satellite and cable TV industry. All series of connectors are permanently connected when terminated with an IDEAL OmniSeal™; Compression Tool. All IDEAL compression connectors require a standard 1&frac4; × 1&f

Part Number	Weight	Min. Quantity
89-047	0.0433	15



F-CONN;TWIST-ON RG-6

IDEAL

F-CONN;TWIST-ON RG-6

Part Number	Weight	Min. Quantity
85-039	0.0148	50



RG-11 COMPRESSION CONN 10/CARD

IDEAL

RG-11 COMPRESSION CONN 10/CARD

Part Number	Weight	Min. Quantity
89-211	0.065	10



F-CONNECTOR; RG-6 TWIST-ON

IDEAL

F-Type Connector, Twist-On, RG-6 Cable, 10&frac1;card Utilizes threaded couplings and cable conductors as contacts For CATV and other UHF applications Connector with twist-on covers both plenum and non-plenum cable jackets.

Part Number	Weight	Min. Quantity
85-053	0.02	10



TERMINAL STRIP JUMPER-10/CARD

IDEAL

TERMINAL STRIP JUMPER-10/CARD

Part Number	Weight	Min. Quantity
89-229	0.09	1



RJ-45 8 POS 8 CONTCT MOD PLUGS

IDEAL

Features All plugs are manufactured to comply with FCC 86 guidelines and are UL listed IDEAL modular plugs are capable of supporting the latest EIA/TIA cable system performance categories when installed in compliance with appropriate EIA/TIA standards and methods The position and contact configurati

Part Number	Weight	Min. Quantity
85-346	0.008	25



RG6 RCA COMPR CONN 10/CARD

IDEAL

RG6 RCA COMPR CONN 10/CARD

Part Number	Weight	Min. Quantity
89-582	0.025	10



90-051 – 90-G ANCHOR KIT YELLOW #8



90-G ANCHOR KIT YELLOW #8

IDEAL

90-G ANCHOR KIT YELLOW #8

Part Number	Weight	Min. Quantity
90-051	0.92	1



B-TWIST BT2 RED 100/BOX

IDEAL

B-TWIST BT2 RED 100/BOX

Part Number	Weight	Min. Quantity
BT2-1	0.0069	1000



FLANG ANCHOR KIT; RED #10

IDEAL

FLANG ANCHOR KIT; RED #10

Part Number	Weight	Min. Quantity
90-052	1.28	1



B-TWIST;BT2 RED CONNECTOR-500J

IDEAL

B-TWIST;BT2 RED CONNECTOR-500J

Part Number	Weight	Min. Quantity
BT2-500JR	0.0075	2000



ANCHOR KIT; RED #10

IDEAL

ANCHOR KIT; RED #10

Part Number	Weight	Min. Quantity
90-055	1.18	1



B-TWIST;BT2 RED CON;25000/BARL

IDEAL

B-TWIST;BT2 RED CON;25000/BARL

Part Number	Weight	Min. Quantity
BT2-SK	0.0067	25000



RG6 REG/TRI/QUAD COMPRCONN10PK

IDEAL

IDEAL Compression Connectors are manufactured to meet the demands of the satellite and cable TV industry. All series of connectors are permanently connected when terminated with an IDEAL OmniSeal®; Compression Tool. All IDEAL compression connectors require a standard 1/4" x 1/8" hex key.

Part Number	Weight	Min. Quantity
92-651	0.025	10



TROUBLESHOOTING CASE

IDEAL

TROUBLESHOOTING CASE

Part Number	Weight	Min. Quantity
C-2004	1.3	1



CIR TRCR BP-958

IDEAL

CIR TRCR BP-958

Part Number	Weight	Min. Quantity
BP-958	1.6	1



Carrying Case For 630 Series

IDEAL

Carrying Case For 630 Series

Part Number	Weight	Min. Quantity
C-230	N-A	1



CARRYING CASE 490 SERIES

IDEAL
CARRYING CASE 490 SERIES

Part Number	Weight	Min. Quantity
C-290	0.4	1



CARRYING CASE

IDEAL
CARRYING CASE

Part Number	Weight	Min. Quantity
C-90	0.1333	1



Case for Sure Test ARC 056

IDEAL
Case for SureTest-Æ 61-059

Part Number	Weight	Min. Quantity
C-50	0.4	1



BLOW MOLD CASE RC-954

IDEAL
BLOW MOLD CASE RC-954

Part Number	Weight	Min. Quantity
C-954	3.2	1



CARRYING CASE

IDEAL
CARRYING CASE

Part Number	Weight	Min. Quantity
C-760	0.2	1



Blow Mold Case Rc-956

IDEAL
Blow Mold Case Rc-956

Part Number	Weight	Min. Quantity
C-956	N-A	1



CARRYING CASE

IDEAL
CARRYING CASE

Part Number	Weight	Min. Quantity
C-770	0.25	1



BLOW MOLD CASE RC-958

IDEAL
BLOW MOLD CASE RC-958

Part Number	Weight	Min. Quantity
C-958	4.48	1



HARD CARRYING CASE

IDEAL
HARD CARRYING CASE

Part Number	Weight	Min. Quantity
C-806	9.95	1



CRIMP TOOL

IDEAL
CRIMP TOOL

Part Number	Weight	Min. Quantity
C24	0.92	1


D65-LA – STREET LIGHTING KIT



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
D65-LA	0.2918	1



LV KIT

IDEAL
LV KIT


Part Number	Weight	Min. Quantity
D65PN-LC	0.3904	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
D65-LC	0.3334	1



LV KIT

IDEAL
LV KIT

Part Number	Weight	Min. Quantity
D65PN-U	0.3724	1



ST.LIGHT KIT;D65;30A-600V;FUSD

IDEAL
ST.LIGHT KIT;D65;30A-600V;FUSD

Part Number	Weight	Min. Quantity
D65-LC-U	0.3238	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
D65U	0.3	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
D65-UA	0.284	1



DOUBLE LV KIT; 10AWG

IDEAL
DOUBLE LV KIT; 10AWG

Part Number	Weight	Min. Quantity
D82S-ADB1-C	0.53	1



STREET LIGHTING KIT

IDEAL
STREET LIGHTING KIT

Part Number	Weight	Min. Quantity
D65PN-LA-U	0.35	1



DOUBLE 82S SL KIT

IDEAL
DOUBLE 82S SL KIT

Part Number	Weight	Min. Quantity
D82S-EAFB10-C	0.545	1

L-4420 – KBLD-SET STM 10-18GA

FUSE;958;REPLACEMENT



IDEAL
FUSE;958;REPLACEMENT

Part Number	Weight	Min. Quantity
F-958	0.001	1

CARRYING CASE FOR 35-078



IDEAL
CARRYING CASE FOR 35-078

Part Number	Weight	Min. Quantity
K-8926	3.45	1

TOOL BOX



IDEAL
TOOL BOX

Part Number	Weight	Min. Quantity
IA-3241	1.01	1

POWER BLADE REPL HANDLE



IDEAL
POWER BLADE REPL HANDLE

Part Number	Weight	Min. Quantity
K-8947R	0.4	1

CIR TRCR;IC-958;INDUCT CLAMP



IDEAL
CIR TRCR;IC-958;INDUCT CLAMP

Part Number	Weight	Min. Quantity
IC-958	0.62	1

MOVEABLE GRIPPER



IDEAL
MOVEABLE GRIPPER

Part Number	Weight	Min. Quantity
L-1953	0.001	1

POWER BLADE REPL BLADE ASSY



IDEAL
POWER BLADE REPL BLADE ASSY

Part Number	Weight	Min. Quantity
K-8906R	1.6	1

KBLD-SET STM 8-10GA



IDEAL
KBLD-SET STM 8-10GA


Part Number	Weight	Min. Quantity
L-4419	0.038	1

POWER BLADE TORQUE ARM ASSY



IDEAL
POWER BLADE TORQUE ARM ASSY

Part Number	Weight	Min. Quantity
K-8909	0.026	1



KBLD-SET STM 10-18GA

IDEAL
KBLD-SET STM 10-18GA

Part Number	Weight	Min. Quantity
L-4420	0.038	1

L-4421 – KBLD-SET STM 10-22GA



KBLD-SET STM 10-22GA

IDEAL

KBLD-SET STM 10-22GA

Part Number	Weight	Min. Quantity
L-4421	0.036	1




DBLD-SET C/STM 10-14GA

IDEAL

DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
L-5210	0.034	1



KBLD-SET STM 14-22GA

IDEAL

KBLD-SET STM 14-22GA

Part Number	Weight	Min. Quantity
L-4422	0.036	1




DBLD-SET C/STM 16-26GA

IDEAL

DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
L-5211	0.034	1




KBLD-SET STM SPTCORD

IDEAL

KBLD-SET STM SPTCORD

Part Number	Weight	Min. Quantity
L-4452	0.038	1



GRIPPER(MOVEABLE)

IDEAL

GRIPPER(MOVEABLE)

Part Number	Weight	Min. Quantity
L-5212	0.0625	1



KBLD-SET 6-8AWG

IDEAL

KBLD-SET 6-8AWG

Part Number	Weight	Min. Quantity
L-4453	0.05	1




GRIPPER(STATIONARY)

IDEAL

GRIPPER(STATIONARY)

Part Number	Weight	Min. Quantity
L-5215	0.0364	1



KBLD-SET STM 16-26GA

IDEAL

KBLD-SET STM 16-26GA

Part Number	Weight	Min. Quantity
L-4994	0.038	1



GRIPPER(STATIONARY)

IDEAL

GRIPPER(STATIONARY)

Part Number	Weight	Min. Quantity
L-5217	0.13	1

L-5562 – BLADES FOR 45-173; -183



SHORT STOP LATCH C/STM

IDEAL
SHORT STOP LATCH C/STM

Part Number	Weight	Min. Quantity
L-5269	0.03	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
L-5541	0.036	1



WIRESTOP C/STM STEEL

IDEAL
WIRESTOP C/STM STEEL


Part Number	Weight	Min. Quantity
L-5270	0.02	1



DBLD-SET C/STM 10-14GA

IDEAL
DBLD-SET C/STM 10-14GA

Part Number	Weight	Min. Quantity
L-5559	0.034	1



KBLD-SET STM 20-30GA

IDEAL
KBLD-SET STM 20-30GA

Part Number	Weight	Min. Quantity
L-5361	0.038	1



DBLD-SET C/STM 16-26GA

IDEAL
DBLD-SET C/STM 16-26GA

Part Number	Weight	Min. Quantity
L-5560	0.038	1



DBLD-SET C/STM 26-30GA

IDEAL
DBLD-SET C/STM 26-30GA

Part Number	Weight	Min. Quantity
L-5436	0.036	1



BLADES 45-178;-188

IDEAL
BLADES 45-178;-188

Part Number	Weight	Min. Quantity
L-5561	0.0352	1



DBLD-SET C/STM 26-30GARC)

IDEAL
DBLD-SET C/STM 26-30GARC)

Part Number	Weight	Min. Quantity
L-5524	0.036	1



BLADES FOR 45-173;-183

IDEAL
BLADES FOR 45-173;-183

Part Number	Weight	Min. Quantity
L-5562	0.034	1

L-5563 – BLADES FOR 45-174; -184



BLADES FOR 45-174; -184

IDEAL

BLADES FOR 45-174; -184

Part Number	Weight	Min. Quantity
L-5563	0.034	1



C/STM STD/WSL FRAME ONLY

IDEAL

C/STM STD/WSL FRAME ONLY

Part Number	Weight	Min. Quantity
L-5619	0.9	1



DBLD-SET C/STM 26-30GA

IDEAL

DBLD-SET C/STM 26-30GA

Part Number	Weight	Min. Quantity
L-5564	0.034	1



STM STD FRAME ONLY

IDEAL

STM STD FRAME ONLY

Part Number	Weight	Min. Quantity
L-5620	0.9	1



C/STM STD FRAME ONLY

IDEAL

C/STM STD FRAME ONLY

Part Number	Weight	Min. Quantity
L-5616	0.9	1



DUBLD-SET C/STM 16-22GA

IDEAL

DUBLD-SET C/STM 16-22GA

Part Number	Weight	Min. Quantity
L-7084	0.1	1



C/STM STD FRAME ONLY

IDEAL

C/STM STD FRAME ONLY

Part Number	Weight	Min. Quantity
L-5617	0.9	1



REPL BLADES 45-128

IDEAL

REPL BLADES 45-128

Part Number	Weight	Min. Quantity
L-7486	0.02	1



C/STM STD/WSL FRAME ONLY

IDEAL

C/STM STD/WSL FRAME ONLY

Part Number	Weight	Min. Quantity
L-5618	0.9	1



DBLD-SET C/STM 3H30GA

IDEAL

DBLD-SET C/STM 3H30GA

Part Number	Weight	Min. Quantity
L-7625	0.034	1

LA-4102 – REPL BLADE SET FOR 30-696


TOOLS, KITS & CASES

KBLD-SET STM LAMPCORD



IDEAL
KBLD-SET STM LAMPCORD

Part Number	Weight	Min. Quantity
L-8762	0.036	1



KBLD-SET STM 8;10;16;18GA

IDEAL
KBLD-SET STM 8;10;16;18GA

Part Number	Weight	Min. Quantity
L-8763	0.036	1



REPL BLADES FOR 45-164

IDEAL
Replacement Blade for Coaxial Cable Stripper These lightweight, compact strippers are inexpensive and simple to operate. The adjustable blades can be set for any depth to help assure nick-free strips on a variety of coaxial cable up to 9⅙ in diameter. Also used for shielded twisted-pai

Part Number	Weight	Min. Quantity
L-9226	0.0222	1



DBLD-SET C/STM 24-30GA

IDEAL
DBLD-SET C/STM 24-30GA

Part Number	Weight	Min. Quantity
L-9300	0.016	1



C/STM STD/INSP FRAME ONLY

IDEAL
C/STM STD/INSP FRAME ONLY

Part Number	Weight	Min. Quantity
L-9038	0.9	1



STM STD FRAME ONLY

IDEAL
STM STD FRAME ONLY

Part Number	Weight	Min. Quantity
LA-2358	0.9	1



C/STM STD/INSP FRAME ONLY

IDEAL
C/STM STD/INSP FRAME ONLY

Part Number	Weight	Min. Quantity
L-9039	0.9	1



REPL BLADE SET; MAXIM

IDEAL
REPL BLADE SET; MAXIM

Part Number	Weight	Min. Quantity
LA-2524	0.0667	1



REPL BLADES FOR 45-126

IDEAL
REPL BLADES FOR 45-126

Part Number	Weight	Min. Quantity
L-9127	0.024	1



REPL BLADE SET FOR 30-696

IDEAL
REPL BLADE SET FOR 30-696

Part Number	Weight	Min. Quantity
LA-4102	0.04	1



LANTEK10GBKIT – LANTEK 10GB;KIT



LANTEK 10GB;KIT

IDEAL
LANTEK 10GB;KIT

Part Number	Weight	Min. Quantity
LANTEK10GBKIT	15	1



C/STM STD FRAME ONLY

IDEAL
C/STM STD FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1024	0.4	1



KBLD-SET STMLT 16-22GA

IDEAL
KBLD-SET STMLT 16-22GA


Part Number	Weight	Min. Quantity
LB-1001	0.05	1



C/STM STD FRAME ONLY

IDEAL
C/STM STD FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1025	0.5	1



KBLD-SET STMLT 24-30GA

IDEAL
KBLD-SET STMLT 24-30GA


Part Number	Weight	Min. Quantity
LB-1002	0.05	1



C/STM STEEL FRAME ONLY

IDEAL
C/STM STEEL FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1089	0.902	1



KBLD-SET STMLT 12-18GA

IDEAL
KBLD-SET STMLT 12-18GA


Part Number	Weight	Min. Quantity
LB-1003	0.05	1



C/STM STEEL FRAME ONLY

IDEAL
C/STM STEEL FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1090	1.5	1



KBLD-SET STMLT 12-18GA

IDEAL
KBLD-SET STMLT 12-18GA

Part Number	Weight	Min. Quantity
LB-1004	0.05	1



C/STM STEEL FRAME ONLY

IDEAL
C/STM STEEL FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1091	1	1

LB-1188 – GRIPPER-SET C/STMLT .109/GRTPD



C/STM STEEL FRAME ONLY

IDEAL
C/STM STEEL FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1092	1	1



FBLD-SET STM .038GAP/22GA

IDEAL
FBLD-SET STM .038GAP/22GA

Part Number	Weight	Min. Quantity
LB-1153	0.05	1



C/STM STEEL FRAME ONLY

IDEAL
C/STM STEEL FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1093	0.926	1



FBLD-SET STM .050GAP/20GA

IDEAL
FBLD-SET STM .050GAP/20GA

Part Number	Weight	Min. Quantity
LB-1154	0.035	1



C/STM STEEL FRAME ONLY

IDEAL
C/STM STEEL FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1094	0.035	1



FBLD-SET STM .060GAP/18GA

IDEAL
FBLD-SET STM .060GAP/18GA

Part Number	Weight	Min. Quantity
LB-1155	0.025	1



FBLD-SET STM .022GAP/26GA

IDEAL
FBLD-SET STM .022GAP/26GA

Part Number	Weight	Min. Quantity
LB-1151	0.05	1



FBLD-SET STM .075GAP/16GA

IDEAL
FBLD-SET STM .075GAP/16GA

Part Number	Weight	Min. Quantity
LB-1156	0.1	1



FBLD-SET STM .030GAP/24GA

IDEAL
FBLD-SET STM .030GAP/24GA

Part Number	Weight	Min. Quantity
LB-1152	0.05	1



GRIPPER-SET C/STMLT .109/GRTPD

IDEAL
GRIPPER-SET C/STMLT .109/GRTPD

Part Number	Weight	Min. Quantity
LB-1188	0.04	1



LB-1189 – GRIPPER-SET C/STMLT .109/FLPD



GRIPPER-SET C/STMLT .109/FLPD

IDEAL
GRIPPER-SET C/STMLT .109/FLPD

Part Number	Weight	Min. Quantity
LB-1189	0.5	1



SCREW; REPL (CRIMPMASTER)

IDEAL
SCREW; REPL (CRIMPMASTER)

Part Number	Weight	Min. Quantity
LB-1284	0.003	1



GRIPPER-SET C/STMLT .109/PRLPD

IDEAL
GRIPPER-SET C/STMLT .109/PRLPD

Part Number	Weight	Min. Quantity
LB-1190	0.05	1



STMLT STD FRAME ONLY

IDEAL
STMLT STD FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1421	0.45	1



WIRESTOP STMLT STD

IDEAL
WIRESTOP STMLT STD

Part Number	Weight	Min. Quantity
LB-1195	0.0625	1



C/STM STEEL FRAME ONLY

IDEAL
C/STM STEEL FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1549	0.45	1



C/STMLT STD FRAME ONLY

IDEAL
C/STMLT STD FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1210	0.2	1



REPL BLADE FOR 30-496

IDEAL
REPL BLADE FOR 30-496

Part Number	Weight	Min. Quantity
LB-1747	0.04	1



C/STMLT STD FRAME ONLY

IDEAL
C/STMLT STD FRAME ONLY

Part Number	Weight	Min. Quantity
LB-1211	0.25	1



REPL BLADES FOR 45-144; 2/CD

IDEAL
REPL BLADES FOR 45-144; 2/CD

Part Number	Weight	Min. Quantity
LB-1748	0.0375	1

LB-729 – GRIPPER(STATIONARY)

GRIPPER-SET C/STM .129/GRTPD



IDEAL

GRIPPER-SET C/STM .129/GRTPD

Part Number	Weight	Min. Quantity
LB-197	0.1	1

GRIPPER-SET C/STM .129/FLPD



IDEAL

GRIPPER-SET C/STM .129/FLPD

Part Number	Weight	Min. Quantity
LB-721	0.0638	1

GRIPPER-SET C/STM .159/GRTPD



IDEAL

GRIPPER-SET C/STM .159/GRTPD

Part Number	Weight	Min. Quantity
LB-198	0.1	1

GRIPPER-SET C/STM .159/FLPD



IDEAL

GRIPPER-SET C/STM .159/FLPD

Part Number	Weight	Min. Quantity
LB-722	0.0625	1

REPL BLADE SET 45-350;351



IDEAL

REPL BLADE SET 45-350;351

Part Number	Weight	Min. Quantity
LB-661	0.1	1

GRIPPER(MOVEABLE)



IDEAL

GRIPPER(MOVEABLE)

Part Number	Weight	Min. Quantity
LB-727	0.06	1

GRIPPER(MOVEABLE)



IDEAL

GRIPPER(MOVEABLE)

Part Number	Weight	Min. Quantity
LB-718	0.0625	1

GRIPPER(STATIONARY)



IDEAL

GRIPPER(STATIONARY)

Part Number	Weight	Min. Quantity
LB-728	0.06	1

GRIPPER(STATIONARY)



IDEAL

GRIPPER(STATIONARY)

Part Number	Weight	Min. Quantity
LB-719	0.0356	1

GRIPPER(STATIONARY)



IDEAL

GRIPPER(STATIONARY)

Part Number	Weight	Min. Quantity
LB-729	0.0394	1



LB-730 – GRIPPER-SET C/STM .129/PRLPD



GRIPPER-SET C/STM .129/PRLPD

IDEAL

GRIPPER-SET C/STM .129/PRLPD

Part Number	Weight	Min. Quantity
LB-730	0.06	1



DBLD-SET C/STMLT 24-30GA

IDEAL

DBLD-SET C/STMLT 24-30GA

Part Number	Weight	Min. Quantity
LB-911	0.035	1



GRIPPER-SET C/STM .159/PRLPD

IDEAL

GRIPPER-SET C/STM .159/PRLPD

Part Number	Weight	Min. Quantity
LB-731	0.06	1



DBLD-SET C/STMLT 16-22GA

IDEAL

DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
LB-912	0.035	1




BLADES FOR 45-265

IDEAL

BLADES FOR 45-265

Part Number	Weight	Min. Quantity
LB-743	0.06	1



DBLD-SET C/STMLT 20-26GA

IDEAL

DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
LB-913	0.035	1



C/STMLT STD FRAME ONLY

IDEAL

C/STMLT STD FRAME ONLY

Part Number	Weight	Min. Quantity
LB-895	0.5	1



DBLD-SET C/STMLT 24-30GA

IDEAL

DBLD-SET C/STMLT 24-30GA

Part Number	Weight	Min. Quantity
LB-914	0.035	1



C/STMLT STD/WSL FRAME ONLY

IDEAL

C/STMLT STD/WSL FRAME ONLY

Part Number	Weight	Min. Quantity
LB-896	0.5	1



DBLD-SET C/STMLT 16-22GA

IDEAL

DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
LB-915	0.1	1

RC-958 – CIR TRCR RC-958



DBLD-SET C/STMLT 20-26GA

IDEAL

DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
LB-916	0.1	1



DBLD-SET C/STMLT 3H30GA

IDEAL

DBLD-SET C/STMLT 3H30GA

Part Number	Weight	Min. Quantity
LB-921	0.05	1



DBLD-SET C/STMLT 24-30GA

IDEAL

DBLD-SET C/STMLT 24-30GA

Part Number	Weight	Min. Quantity
LB-917	0.035	1



NAVITEK II PLUS PREM KIT

IDEAL

NAVITEK II PLUS PREM KIT

Part Number	Weight	Min. Quantity
R151001	5.5	1



DBLD-SET C/STMLT 16-22GA

IDEAL

DBLD-SET C/STMLT 16-22GA

Part Number	Weight	Min. Quantity
LB-918	0.1	1



NAVITEK II PRO PREM KIT

IDEAL

NAVITEK II PRO PREM KIT

Part Number	Weight	Min. Quantity
R151002	5.6	1



DBLD-SET C/STMLT 20-26GA

IDEAL

DBLD-SET C/STMLT 20-26GA

Part Number	Weight	Min. Quantity
LB-919	0.035	1



CIR TRCR RC-954

IDEAL

CIR TRCR RC-954

Part Number	Weight	Min. Quantity
RC-954	0.56	1



DBLD-SET C/STMLT 24-30GA

IDEAL

DBLD-SET C/STMLT 24-30GA

Part Number	Weight	Min. Quantity
LB-920	0.05	1



CIR TRCR RC-958

IDEAL

CIR TRCR RC-958

Part Number	Weight	Min. Quantity
RC-958	0.56	1



TL-956 – LEAD ADPT KIT;US



LEAD ADPT KIT;US

IDEAL
LEAD ADPT KIT;US

Part Number	Weight	Min. Quantity
TL-956	0.95	1



TRADE UP;LTII-1000+MMLED+SM

IDEAL
TRADE UP;LTII-1000+MMLED+SM

Part Number	Weight	Min. Quantity
TRADE993-FA04	24.3	1



CIR TRCR TR-958

IDEAL
CIR TRCR TR-958

Part Number	Weight	Min. Quantity
TR-958	1	1



TRADE UP;LTII-1000+MMLSR+SM

IDEAL
TRADE UP;LTII-1000+MMLSR+SM

Part Number	Weight	Min. Quantity
TRADE993-FA05	24.3	1



TRADE UP;LTII-1000+MMLED FIBER

IDEAL
TRADE UP;LTII-1000+MMLED FIBER

Part Number	Weight	Min. Quantity
TRADE993-FA01	24	1



WIRE-TWIST CONN.;GREY;BOX100

IDEAL
WIRE-TWIST CONN.;GREY;BOX100

Part Number	Weight	Min. Quantity
WT1-1	0.0015	1000



TRADE UP;LTKII-1000+MM LSR FBR

IDEAL
TRADE UP;LTKII-1000+MM LSR FBR

Part Number	Weight	Min. Quantity
TRADE993-FA02	24	1



WIRE-TWIST CONN.;GREY;BAG500

IDEAL
WIRE-TWIST CONN.;GREY;BAG500

Part Number	Weight	Min. Quantity
WT1-B	0.001	10000



TRADE UP;LTII-1000+SMLSR FIBER

IDEAL
TRADE UP;LTII-1000+SMLSR FIBER

Part Number	Weight	Min. Quantity
TRADE993-FA03	24	1



WIRE-TWIST;WT1;GREY;50000 BARL

IDEAL
WIRE-TWIST;WT1;GREY;50000 BARL

Part Number	Weight	Min. Quantity
WT1-SK	0.0009	50000

WT41-1 – WING-TWIST CONN.;TAN;BOX100



WIRE-TWIST CONN.;BLUE;BOX100

IDEAL

WIRE-TWIST CONN.;BLUE;BOX100

Part Number	Weight	Min. Quantity
WT2-1	0.002	1000



WIRE-TWIST;WT3;ORNG;50000 BARL

IDEAL

WIRE-TWIST;WT3;ORNG;50000 BARL

Part Number	Weight	Min. Quantity
WT3-SK	0.0017	50000



WIRE-TWIST CONN.;BLUE;BAG500

IDEAL

WIRE-TWIST CONN.;BLUE;BAG500

Part Number	Weight	Min. Quantity
WT2-B	0.0015	10000



WIRE-TWIST CONN.;YELLOW;BOX100

IDEAL

WIRE-TWIST CONN.;YELLOW;BOX100

Part Number	Weight	Min. Quantity
WT4-1	0.0041	1000



WIRE-TWIST;WT2;BLUE;50000 BARL

IDEAL

WIRE-TWIST;WT2;BLUE;50000 BARL

Part Number	Weight	Min. Quantity
WT2-SK	0.0015	50000



WIRE-TWIST CONN.;YELLOW;BAG500

IDEAL

WIRE-TWIST CONN.;YELLOW;BAG500

Part Number	Weight	Min. Quantity
WT4-B	0.0034	10000



WIRE-TWIST CONN.;ORANGE;BOX100

IDEAL

WIRE-TWIST CONN.;ORANGE;BOX100

Part Number	Weight	Min. Quantity
WT3-1	0.0026	1000



WIRE-TWIST;WT4;YELW;25000 BARL

IDEAL

WIRE-TWIST;WT4;YELW;25000 BARL

Part Number	Weight	Min. Quantity
WT4-SK	0.0034	25000



WIRE-TWIST CONN.;ORANGE;BAG500

IDEAL

WIRE-TWIST CONN.;ORANGE;BAG500

Part Number	Weight	Min. Quantity
WT3-B	0.0022	10000



WING-TWIST CONN.;TAN;BOX100

IDEAL

WING-TWIST CONN.;TAN;BOX100

Part Number	Weight	Min. Quantity
WT41-1	0.005	1000



WT41-B – WING-TWIST CONN.;TAN;BAG500



WING-TWIST CONN.;TAN;BAG500

IDEAL

WING-TWIST CONN.;TAN;BAG500

Part Number	Weight	Min. Quantity
WT41-B	0.0044	10000



WING-TWIST CONN.;RED;BAG500

IDEAL

WING-TWIST CONN.;RED;BAG500

Part Number	Weight	Min. Quantity
WT52-B	0.0055	5000



WINGTWIST WT41 (25000/DRUM)

IDEAL

WINGTWIST WT41 (25000/DRUM)

Part Number	Weight	Min. Quantity
WT41-SK	0.0046	25000



WING-TWIST CONN.;BLUE;BOX50

IDEAL

WING-TWIST CONN.;BLUE;BOX50

Part Number	Weight	Min. Quantity
WT54-1	0.02	500



WING-TWIST CONN.;YELLOW;BOX100

IDEAL

WING-TWIST CONN.;YELLOW;BOX100

Part Number	Weight	Min. Quantity
WT51-1	0.0047	1000



WING-TWIST CONN.;BLUE;BAG/100

IDEAL

WING-TWIST CONN.;BLUE;BAG/100

Part Number	Weight	Min. Quantity
WT54-B	0.0172	2500



WING-TWIST CONN.;YELLOW;BAG500

IDEAL

WING-TWIST CONN.;YELLOW;BAG500

Part Number	Weight	Min. Quantity
WT51-B	0.0042	10000



WIRE-TWIST CONN.;RED;BOX100

IDEAL

WIRE-TWIST CONN.;RED;BOX100

Part Number	Weight	Min. Quantity
WT6-1	0.006	1000



WING-TWIST CONN.;RED;BOX100

IDEAL

WING-TWIST CONN.;RED;BOX100

Part Number	Weight	Min. Quantity
WT52-1	0.0082	1000



WIRE-TWIST CONN.;RED;BAG 250

IDEAL

WIRE-TWIST CONN.;RED;BAG 250

Part Number	Weight	Min. Quantity
WT6-B	0.0062	5000

WT6-SK – WIRE-TWIST;WT6;RED;25000 BARL**WIRE-TWIST;WT6;RED;25000 BARL****IDEAL**

WIRE-TWIST;WT6;RED;25000 BARL

Part Number	Weight	Min. Quantity
WT6-SK	0.0056	25000