



BUILDINGS I.D.



**Identification, Safety and Security
Products for Buildings**

WELCOME TO BRADY'S BUILDINGS I.D.

IDENTIFICATION, SAFETY & SECURITY PRODUCTS DESIGNED FOR BUILDINGS OF ALL TYPES:
Office Buildings • Office Parks • Financial Institutions • Commercial Buildings • Hotels • Hospitals • Nursing Homes • Healthcare Facilities
• Condominium & Apartment Buildings • Government Buildings & Facilities • Institutional Buildings • Universities & Schools • Shopping
Malls & Strip Malls • Retail Facilities • Restaurants • Parking Structures • Property Management • Service Facilities *and more...*

Let us help make your building safer, more secure
and your operation run more efficiently.



see page **9**

Recycled Rubber Bumps & Curbs

- "Green" products that reduce traffic to a safe speed & improve pedestrian safety



see page **13**

Designer Crowd Control Stanchions

- Easily organize pedestrian traffic



see page **18**

Voice / Data Cable Markers

- Organize, Identify & Manage Your Facility's Voice / Data Network



see page **25**

Evacuation/Exit Signs and Markers

- Identify the nearest exit, clearly mark the path to safety



see page **27**

Security Products

- Protect your people & property - clearly communicate facility security policies



see page **35**

HazCom and OSHA Compliance

- Avoid costly fines! – Post required OSHA information



Lockout/Tagout and Electrical Hazard

see page **29**

- Comply with OSHA Lockout Laws – an economical kit for basic lockouts



NEW Commercial Grade Signs

- You no longer need to choose between durability & price

Just turn the Page!

TABLE OF CONTENTS

4 - 5 Commercial Grade Signs

6 - 12 Parking Lot ID

13 - 15 Directional & Floor ID

16 - 17 Office & Facility ID

18 - 19 Voice / Data ID

20 - 25 Fire, Exit & Emergency ID

26 - 27 Security ID

28 - 33 Lockout, Electrical & Equipment ID

34 - 37 Hazard Communication ID

38 - 39 Pipe / Valve ID

40 - 47 Printer Systems ID

Brady's Sign Material Selection Guide & Commercial Grade Signs

Sign Material Selection Guide – Choose the best sign materials for you applications.

Material	Material Description	Material Guide	Material Symbol	Material Thickness (mils)	Protected Graphic	Indoor(I) Outdoor(O)	Average Outdoor Life	Chemical Resistance	Abrasion Resistance	Application
Self-Sticking	NEW B-972 Self-Sticking	Commercial	SS	5	No	I/O	1-2	Fair	Good	Commercial & light industrial use where light abrasion and chemical resistance is required.
	B-302 Self-Sticking	Industrial	SS	6	Yes	I/O	8	Excellent	Excellent	Outdoor applications and in harsh environments where excellent abrasion and chemical resistance is required.
Plastic	NEW B-463 Plastic	Commercial	PL	20	Yes	I/O	1-2	Good	Excellent	Commercial & light industrial use where light abrasion and chemical resistance is required.
	B-401 Plastic	Industrial	PL	65	Yes	I/O	2	Excellent	Excellent	Indoor or outdoor applications and in harsh environments where excellent abrasion, chemical and wash-down resistance is required.
Aluminum	NEW B-590 Aluminum	Commercial	AL	24	Yes	I/O	5	Good	Excellent	Commercial & light industrial use where light abrasion and chemical resistance is required.
	B-555 Aluminum	Industrial	AL	44	Yes	I/O	5-8	Excellent	Excellent	Indoor or outdoor applications and in harsh environments where excellent abrasion, chemical and wash-down resistance is required.
BradyGlo™	B-324 BradyGlo™ Self-Sticking	Industrial	SS	9	Yes	I	0	Good	Good	Both commercial & industrial applications where light abrasion and chemical resistance is required. Not intended for outdoor use.
	B-347 BradyGlo™ Plastic	Industrial	PL	41	Yes	I	0	Good	Good	Both commercial & industrial applications where light abrasion and chemical resistance is required. Not intended for outdoor use.

NEW - Commercial Grade Signs

You no longer need to choose between DURABILITY and PRICE!

- Brady's Commercial Grade sign materials provide excellent outdoor durability and chemical resistance at a very economical price.

Admittance Signs

						
<small>SS - 10 x 14 - 103043 PL - 10 x 14 - 103045 AL - 10 x 14 - 103047</small>	<small>SS - 10 x 14 - 103049 PL - 10 x 14 - 103051 AL - 10 x 14 - 103053</small>	<small>SS - 10 x 14 - 103055 PL - 10 x 14 - 103057 AL - 10 x 14 - 103059</small>	<small>SS - 10 x 14 - 103061 PL - 10 x 14 - 103063 AL - 10 x 14 - 103065</small>	<small>SS - 10 x 14 - 103067 PL - 10 x 14 - 103069 AL - 10 x 14 - 103071</small>	<small>SS - 10 x 14 - 103073 PL - 10 x 14 - 103075 AL - 10 x 14 - 103077</small>	<small>SS - 10 x 14 - 103079 PL - 10 x 14 - 103081 AL - 10 x 14 - 103083</small>

Chemical & Hazardous Signs

						
<small>SS - 10 x 14 - 103085 PL - 10 x 14 - 103087 AL - 10 x 14 - 103089</small>	<small>SS - 10 x 14 - 103097 PL - 10 x 14 - 103099 AL - 10 x 14 - 103101</small>	<small>SS - 10 x 14 - 103103 PL - 10 x 14 - 103105 AL - 10 x 14 - 103107</small>	<small>SS - 10 x 14 - 103115 PL - 10 x 14 - 103117 AL - 10 x 14 - 103119</small>	<small>SS - 10 x 14 - 103121 PL - 10 x 14 - 103123 AL - 10 x 14 - 103125</small>	<small>SS - 10 x 14 - 103127 PL - 10 x 14 - 103129 AL - 10 x 14 - 103131</small>	<small>SS - 10 x 14 - 103328 PL - 10 x 14 - 103330 AL - 10 x 14 - 103332</small>

Electrical & Machine Operational Signs

						
<small>SS - 10 x 14 - 103169 PL - 10 x 14 - 103171 AL - 10 x 14 - 103173</small>	<small>SS - 10 x 14 - 103175 PL - 10 x 14 - 103177 AL - 10 x 14 - 103179</small>	<small>SS - 10 x 14 - 103181 PL - 10 x 14 - 103183 AL - 10 x 14 - 103185</small>	<small>SS - 10 x 14 - 103187 PL - 10 x 14 - 103189 AL - 10 x 14 - 103191</small>	<small>SS - 10 x 14 - 103250 PL - 10 x 14 - 103252 AL - 10 x 14 - 103254</small>	<small>SS - 10 x 14 - 103256 PL - 10 x 14 - 103258 AL - 10 x 14 - 103260</small>	<small>SS - 10 x 14 - 103273 PL - 10 x 14 - 103274 AL - 10 x 14 - 103275</small>

Exit, Directional & Door Signs



^{SS} - 10 x 14 - 103199 ^{SS} - 10 x 14 - 103205 ^{SS} - 10 x 14 - 103217 ^{SS} - 10 x 14 - 103229 ^{SS} - 10 x 14 - 103139 ^{SS} - 10 x 14 - 103157 ^{SS} - 14 x 10 - 103163
^{PL} - 10 x 14 - 103201 ^{PL} - 10 x 14 - 103207 ^{PL} - 10 x 14 - 103219 ^{PL} - 10 x 14 - 103231 ^{PL} - 10 x 14 - 103141 ^{PL} - 10 x 14 - 103159 ^{PL} - 14 x 10 - 103165
^{AL} - 10 x 14 - 103203 ^{AL} - 10 x 14 - 103209 ^{AL} - 10 x 14 - 103221 ^{AL} - 10 x 14 - 103233 ^{AL} - 10 x 14 - 103143 ^{AL} - 10 x 14 - 103161 ^{AL} - 14 x 10 - 103167

Fire Equipment & First Aid Signs



^{SS} - 14 x 10 - 103237 ^{SS} - 14 x 10 - 103240 ^{SS} - 14 x 10 - 103243 ^{SS} - 7 x 10 - 103246 ^{SS} - 10 x 14 - 103400 ^{SS} - 10 x 14 - 103406 ^{SS} - 10 x 14 - 103412
^{PL} - 14 x 10 - 103238 ^{PL} - 14 x 10 - 103241 ^{PL} - 14 x 10 - 103244 ^{PL} - 7 x 10 - 103247 ^{PL} - 10 x 14 - 103402 ^{PL} - 10 x 14 - 103408 ^{PL} - 10 x 14 - 103414
^{AL} - 14 x 10 - 103239 ^{AL} - 14 x 10 - 103242 ^{AL} - 14 x 10 - 103245 ^{AL} - 7 x 10 - 103248 ^{AL} - 10 x 14 - 103404 ^{AL} - 10 x 14 - 103410 ^{AL} - 10 x 14 - 103416

Personal Protection Signs



^{SS} - 10 x 14 - 103340 ^{SS} - 10 x 14 - 103346 ^{SS} - 10 x 14 - 103352 ^{SS} - 10 x 14 - 103358 ^{SS} - 10 x 14 - 103370 ^{SS} - 10 x 14 - 103376 ^{SS} - 10 x 14 - 103394
^{PL} - 10 x 14 - 103342 ^{PL} - 10 x 14 - 103348 ^{PL} - 10 x 14 - 103354 ^{PL} - 10 x 14 - 103360 ^{PL} - 10 x 14 - 103372 ^{PL} - 10 x 14 - 103378 ^{PL} - 10 x 14 - 103396
^{AL} - 10 x 14 - 103344 ^{AL} - 10 x 14 - 103350 ^{AL} - 10 x 14 - 103356 ^{AL} - 10 x 14 - 103362 ^{AL} - 10 x 14 - 103374 ^{AL} - 10 x 14 - 103380 ^{AL} - 10 x 14 - 103398

No Smoking, Maintenance & House Keeping Signs



^{SS} - 14 x 10 - 103316 ^{SS} - 10 x 14 - 103322 ^{SS} - 10 x 14 - 103334 ^{SS} - 10 x 14 - 103295 ^{SS} - 10 x 14 - 103301 ^{SS} - 10 x 7 - 103306 ^{SS} - 10 x 7 - 103309
^{PL} - 14 x 10 - 103318 ^{PL} - 10 x 14 - 103324 ^{PL} - 10 x 14 - 103336 ^{PL} - 10 x 14 - 103297 ^{PL} - 10 x 14 - 103303 ^{PL} - 10 x 7 - 103307 ^{PL} - 10 x 7 - 103310
^{AL} - 14 x 10 - 103320 ^{AL} - 10 x 14 - 103326 ^{AL} - 10 x 14 - 103338 ^{AL} - 10 x 14 - 103299 ^{AL} - 10 x 14 - 103305 ^{AL} - 10 x 7 - 103308 ^{AL} - 10 x 7 - 103311

Security Signs



^{SS} - 10 x 14 - 103418 ^{SS} - 10 x 14 - 103424 ^{SS} - 10 x 14 - 103430 ^{SS} - 10 x 14 - 103436
^{PL} - 10 x 14 - 103420 ^{PL} - 10 x 14 - 103426 ^{PL} - 10 x 14 - 103432 ^{PL} - 10 x 14 - 103438
^{AL} - 10 x 14 - 103422 ^{AL} - 10 x 14 - 103428 ^{AL} - 10 x 14 - 103434 ^{AL} - 10 x 14 - 103440

 **There's More Online**
www.bradyid.com
More Commercial Grade Signs and 1000's of Industrial Grade Signs

Bilingual Signs



^{SS} - 14 x 10 - 103442 ^{SS} - 14 x 10 - 103448 ^{SS} - 14 x 10 - 103454 ^{SS} - 14 x 10 - 103460 ^{SS} - 14 x 10 - 103466 ^{SS} - 14 x 10 - 103472 ^{SS} - 10 x 7 - 103477
^{PL} - 14 x 10 - 103444 ^{PL} - 14 x 10 - 103450 ^{PL} - 14 x 10 - 103456 ^{PL} - 14 x 10 - 103462 ^{PL} - 14 x 10 - 103468 ^{PL} - 14 x 10 - 103474 ^{PL} - 10 x 7 - 103479
^{AL} - 14 x 10 - 103446 ^{AL} - 14 x 10 - 103452 ^{AL} - 14 x 10 - 103458 ^{AL} - 14 x 10 - 103464 ^{AL} - 14 x 10 - 103470 ^{AL} - 14 x 10 - 103476 ^{AL} - 10 x 7 - 103481

Reduce accidents and ensure your parking lot meets new MUTCD requirements

The new Manual on Uniform Traffic Control Devices (MUTCD) mandates all parking/traffic signs in parking lots used by the public to be reflective.

Standard Traffic Signs

Brady B-959 Engineer-Grade Reflective Aluminum signs are MUTCD & DOT compliant.



94142 - 18 x 18
94143 - 24 x 24
94144 - 30 x 30
94145 - 36 x 36



94150 - 30 x 30



94148 - 24" per side
80072 - 30" per side



94152 - 18 x 30



94197 - 24 x 18



94195 - 24 x 18



103714 - 12 x 36



103715 - 12 x 36



94199 - 24 x 18



94182 - 18 x 18



94183 - 18 x 18



94181 - 18 x 18



94185 - 18 x 18



103718 - 24 x 24



94192 - 24 x 24



80098 - 24 x 18



103704 - 30 x 24



94163 - 24 x 24



103706 - 24 x 24



80100 - 18 x 12



5 MPH - 24 x 18 - 94210
10 MPH - 24 x 18 - 94211
15 MPH - 24 x 18 - 94212
20 MPH - 24 x 18 - 94213
25 MPH - 24 x 18 - 94209

Crosswalk Safety Systems

Increase safety at your facility.

- Signs have identical wording on both sides
- 28 lb. recycled rubber base provides stability and durability



103708
14 x 40



103709
14 x 40



80103 - 24 x 6
80101 - 24 x 6



103707 - 30 x 30



94225 - 24 x 24



80099 - 24 x 24



80067 - 30 x 30
94235 - 30 x 30*
94234 - 24 x 24



103712 - 24 x 18*
103786 - 24 x 18



103783 - 24 x 18*
103787 - 24 x 18



103784 - 24 x 18*
103785 - 24 x 18

High Intensity Traffic Signs

3x brighter than engineer-grade signs.



95043 - 18 x 18
95044 - 24 x 24
95045 - 30 x 30
95046 - 36 x 36



95041 - 30 x 30



95039 - 30" per side
95042 - 36" per side



95040 - 18 x 30

*Brady's B-995 Fluorescent Reflective Aluminum signs are 14x brighter than standard engineer-grade sign.

Comply with ADA requirements!

Handicap Parking Signs

Brady B-959 Engineer-Grade Reflective Aluminum signs are MUTCD compliant.




State Specific ADA Signs

State Specific Handicap Parking Signs.



Supplemental Handicap ADA Parking Signs

Reinforce your state ADA sign messages.



Federal Handicap Parking Signs

Comply with Federal ADA Guidelines.



+ **May We Also Suggest...**
Sign Posts, Bases & Accessories
see pgs. 10 - 11

Parking & Property Signs

Keep your parking lot organized and ensure correct parking with Brady's MUTCD compliant signs.


► No Parking Signs

Brady B-959 Engineer-Grade Reflective Aluminum signs



► Parking & Property Signs

Brady B-959 Engineer-Grade Reflective Aluminum signs



+ **May We Also Suggest...**
Sign Posts, Bases & Accessories
see pgs. 10 - 11



Reduce traffic to a safe speed and improve pedestrian safety with 100% recycled rubber and plastic products.

► Recycled Rubber Speed Bumps

100% recycled rubber, highly durable and will not chip, corrode or fade. Built-in reflectors increase safety in any lighting conditions. Two 1.25" channels allow for cables, pipes and drainage. FREE hardware supplied for quick installation.

► Reflective Black Rubber Bumps

Once installed, black rubber bumps appear to be part of the asphalt.



Catalog #	Description
103821	4' Black, Reflective Speed Bump with spikes for Asphalt
103822	4' Black, Reflective Speed Bump with lag bolts for Concrete
103823	6' Black, Reflective Speed Bump with spikes for Asphalt
103824	6' Black, Reflective Speed Bump with lag bolts for Concrete

► Reflective Striped Rubber Bumps



Catalog #	Description
103825	4' Striped, Reflective Speed Bump with spikes for Asphalt
103826	4' Striped, Reflective Speed Bump with lag bolts for Concrete
103827	6' Striped, Reflective Speed Bump with spikes for Asphalt
103828	6' Striped, Reflective Speed Bump with lag bolts for Concrete

► Recycled Plastic Speed Bumps

100% recycled plastic, highly visible, durable and will never chip, corrode or lose their color. When installing plastic bumps, butyl tape is recommended on both concrete and asphalt surfaces. FREE butyl tape and mounting hardware supplied.

► Standard Plastic Speed Bump


Designed to slow traffic to 10 - 15 mph.




Catalog #	Description
103829	6' Standard Yellow Speed Bump with spikes for Asphalt
103830	6' Standard Yellow Speed Bump with lag bolts for Concrete

► Deluxe Plastic Speed Bumps

Designed to slow traffic to 5 - 10 mph.



Catalog #	Description
103831	6' Deluxe Yellow Speed Bump with spikes for Asphalt
103832	6' Deluxe Yellow Speed Bump with lag bolts for Concrete



► Recycled Rubber Parking Blocks

Stop drivers from parking in unsafe areas or too close to buildings.

Maintenance-free, 40 lb. blocks won't chip, fade, warp or rot. Hardware included.


Catalog #	Description
103833	Black, Parking Block, 6' x 6" x 4"
103834	Black w/Refl. Yellow Stripes, Parking Block, 6' x 6" x 4"
103835	Black w/Refl. Blue Stripes, Parking Block, 6' x 6" x 4"

Sign Posts & Accessories

Baked Enamel Steel U-Channel Posts

Maintenance-free performance.

- 3/8" holes on center
- Hardware sold separately



Catalog #	Description
95047	6' Green baked enamel
97204	8' Green baked enamel
97205	10' Green baked enamel
97206	12' Green baked enamel

Tuff-N-Light™ U-Channel Posts

Composite posts are lightweight and maintenance-free.

- Closed profile post 6x torsionally stronger than steel, pointed for easy install
- Open profile posts for signs up to 18" x 12"



Catalog #	Description
97210	8' Closed Profile Tuff-n-Light Post, Green
97209	8' Open Profile Tuff-n-Light Post, Green
97208	8' Closed Profile Tuff-n-Light Post, White
97207	8' Open Profile Tuff-n-Light Post, White

Galvanized Square Breakaway Sign Posts

Interlocking post breaks away on impact.

- 2 part design make replacement easy
- Nuts, bolts and washers supplied with posts




Catalog #	Description
103560	Base Post, 3' x 1-3/4" x 1-3/4"
103561	Sign Post, 8' x 1-1/2" x 1-1/2"
103562	Sign Post, 10' x 1-1/2" x 1-1/2"

Galvanized Round Posts

Ideal for parking lot, street and traffic signs.

- Rust-proof and resistant to chipping, bending and abrasion



Catalog #	Description
78995	8' Round, 2-3/8" O.D.
78996	10' Round, 2-3/8" O.D.

Post Driver

Steel driver (30" x 4" dia.) quickly installs posts without digging holes.



Catalog #
87982

U-Channel Sign Support Block

Prevents bolts from warping signs.

Catalog #
103558



Sign Bracket Set

Fasten signs securely to 2-3/8" O.D. round posts.

Catalog #
103559



Vandal-Proof™ Tufnuts

For use with steel U-channel posts.

- 5/16" plated steel nut secures tightly to prevent theft
- Set includes: 2 bolts, 2 washers and 3 Tufnuts™

Catalog #
97211



Nuloc II™ Fasteners

For use with Tuff-N-Light U-channel posts.

- Nylon fastener maybe reused or cut off slip wings to make permanent
- Set includes: 2 stems and 2 clips

Catalog #
90913



Fence Sign Brackets

- 16" bracket fits signs 18" x 12" or 18" x 18"
- 22" bracket fits signs 24" x 18" & 24" x 24"



Catalog #	Description
86337	16" bracket w/hardware
86338	22" bracket w/hardware

Buckle Brackets

Mount signs to 4"–12" dia. post in seconds



Catalog #	Description
103563	Bracket Assemble Set

Reflective Post Panels

Draw attention to your signs.



Catalog #	Description
103564	30" x 3" Yellow/Black
103565	30" x 3" Red/White

Organize Your Parking Lot – Designate specific parking areas, restrict access & comply with ADA regulations

► Recycled Rubber Sign Post Systems

Moveable sign posts for indoor/outdoor use.



Signs sold separately.

- 100% recycled rubber base won't chip, crack or rust
- PVC posts accommodate 18" x 12" or 24" x 24" signs (mounting brackets and hardware included)

Catalog #	Description
103566*	20 lb. Base w/5' Post
103567	30 lb. Base w/5' Post
103568	60 lb. Base w/5' Post

*Note: 24" x 24" signs not for use with 20 lb. base

► Heavy-Duty Flexible Sign Posts

No more broken posts to replace.

- Polypropylene sign post are equipped with reactive springs that endure collisions.
- Sign mounting hardware and post installation kit included.
- 8" x 8" base can be mounted to asphalt or concrete.



Catalog #	Description
103569	5' Heavy-Duty Flexible Post - white
103570	5' Heavy-Duty Flexible Post - yellow
103571	5' Heavy-Duty Flexible Post - orange

► Recycled U-Channel Post Base

No need to dig – permanent or temporary bases save time and money.

- Ideal for parking lots and crosswalks



Catalog #	Description
103572	60 lb. base w/4' Post
103573	60 lb. base w/4' Post & Wheels
103574	60 lb. base only

► Aluminum Sign Post Base

Mount on sidewalks or paved areas without costly digging and damage.

- Works with any style post and securely mounts with 3 expansion bolts
- 15" dia. Cast aluminum base includes post mount stub and hardware



Catalog #	Description
86339	5.95 lb. Aluminum Base

► Movable Sign Posts

Versatile sign post for permanent or temporary use.

- Durable black enamel finish with cast iron base helps prevent tipping
- Posts are 48" high



Catalog #	Description
86336	Holds 18" x 12" signs (Base is 16 lbs. w/14" dia.)
86345	Holds signs up to 24" x 24" (Base is 35 lbs w/17" dia.)



All signs sold separately! See pages 6-8 for a complete selection of signs.

Traffic Posts, Cones, Barricades & Parking Control

Avoid accidents and alert drivers and pedestrians of parking lot hazards.

► Traffic Control Cones

Increase work zone safety.

- High visibility fluorescent color meets MUTCD specs
- 7 lb. stabilizer fits 18" and 24" cones & prevents cone from blowing over
- Adhesive-backed reflective cone collars increase visibility and fit both cone sizes



Catalog #	Description
80111	18" cone
80112	24" cone
80113	4" Refl. Cone Collar
80114	6" Refl. Cone Collar
80115	Cone Stabilizer

► Reflective Delineator Traffic Cones

More visible than standard cones.

- Cones are 42" high and have reflective collars for better visibility
- Simply pour sand into the base for added stability (base holds 16lbs.)



Catalog #
103580

► Reflective Delineator Posts

Moveable & durable post safely marks construction areas & parking lots.

- Bright orange polyethylene post has two 3" wide reflective bands, reflective tops and measures 42"h x 4" dia.
- Meets MUTCD requirement
- Post weighs 2 lbs. and must be used with the 10 lb. base (sold separately)



Catalog #	Description
103578	Delineator Post only
103579	10 lb. Base only

► Flexible Reflective Guide Posts

Impact resistant & 360° flexible

- 42" PVC post with 2 reflective bands safely guide traffic
- Butyl pad included for mounting



Catalog #	Description
103575	42" Orange Post w/2 white bands
103576	42" White Post w/2 yellow bands
103577	8" x 8" Additional Butyl Pad

► Plastic Barricade

Fold flat for easy storage and portability.

- Made of rugged polyethylene (45"h x 25"w)
- Reflective sheeting for added visibility



Catalog #
57599

► A-Frame Barricade

Close off construction areas or potential hazards.

- A-Frame legs are 42"H, base is 28"W and board is 6' long
- Made of Impact-resistant polyethylene



Catalog #
57073

Parking Lot ID

► Parking Violation Ticket

Duplicate tickets enforce your parking rules.

- Carbonless 8" x 4", 2-part format
- Record information, slip cardstock Ticket under windshield wiper, and retain copy to your records.
- Sold 100 per pack

PARKING VIOLATION	
No. _____	Date _____
<input type="checkbox"/> Vehicle has no valid Parking Permit <input type="checkbox"/> Parked in No Parking Area/Space <input type="checkbox"/> Parked in Fire Lane <input type="checkbox"/> Parked in Reserved or Assigned Space <input type="checkbox"/> Blocking Driveway or Access <input type="checkbox"/> Blocking other Vehicle <input type="checkbox"/> Parked in 2 Spaces <input type="checkbox"/> Other _____	
This vehicle's description has been previously recorded. The official description of the violator could result in towing if vehicle owner's expense and receipt of parking charges.	
License No. _____	State _____
Vehicle Make/Model _____	Color _____
Driver's Name (if known) _____	_____
Date _____	Time _____
Location _____	Issued by _____

Catalog #	Description
103649	Parking Violation Ticket

► Fluorescent Warning Labels

Discourage illegal parking.

- 4.5" x 8" adhesive paper labels sold 50/pkg.



103663



103662

► Vehicle Badge Holders

Display your ID card or parking pass from your mirror.

- Slide permit inside or adhere right to the holder
- Holders sold individually
- Made of tough, heat-resistant rigid clear vinyl



103659

103660

► Rearview Mirror Parking Permits

A great choice for short-term and visitor parking.

- Pre-numbered 4-3/4" x 2-3/4" plastic tags
- Sold 100/pkg.



103661
(blank)



95201
(01-100)



95202
(001-100)



Direct people and avoid accidents with Brady's Crowd Control Stanchions, Guide Posts and Safety Mirrors.

► Brady's Designer Crowd Control Stanchions

Easily organize pedestrian traffic.

- Decorative, portable and easy to use
- Brady stanchions stand 39-1/2" high, 13.5" base diameter, 2" post diameter and weighs 26 lbs.
- Woven nylon belt is 6.5' long



► Wall Mount Retractable Belt System

Use in hallways or areas that require frequent blocking.

- 6.5' long tape
- Easily mounts to wall and readily available when needed
- Each belt system includes both the Unit and a Wall Receptacle



► Bradylink® Plastic Warning & Guide Posts

An attractive way to direct or warn visitors and staff.

- Portable, non-rusting, non-conductive polyethylene post and chain
- Posts are 41" H, with 3" O.D. and 16" diameter base
- Post comes with tops, 2 "C-hooks and fillable bases

Catalog #	Description
92119	Bradylink® Warning Posts, Black, 6/pack
92120	Bradylink® Warning Posts, White, 6/pack
92121	Bradylink® Warning Posts, Yellow, 6/pack
92123	Bradylink® Warning Posts, Striped-Black/Yellow, 6/pack
92125	Bradylink® Warning Posts, Striped-Reflective Black/Yellow, 6/pack
78238	Bradylink® Warning Chain, 2" Yellow, 100/pack
78268	Bradylink® Warning Chain, 2" Black, 100/pack
78246	Bradylink® Connecting Link, 2" Yellow 36/pack
78248	Bradylink® Connecting Link, 2" Black 36/pack
92135	Bradylink® Sign Post Adapter, 6" x 2", Black 1/pack
92134	Bradylink® Sign Post Adapter, 6" x 2", Yellow 1/pack



► Safety Mirrors

Prevent costly accidents at dangerous indoor intersections and loading areas.



► Full Dome

- 360 degree view, ideal at 4-way intersection
- 24" diameter
- Complete with mounting hardware




360° Full Dome

Catalog #
86344



► Indoor Convex

- Ideal for corners, corridors and blind spots
- 18" diameter
- Complete with mounting hardware



Convex

Catalog #
86341



► Half Dome

- 180 degree view, ideal "T" intersections
- 18" diameter
- Complete with mounting hardware



180° Half Dome

Catalog #
86342



► Outdoor Convex

- Weatherproof metal frame ideal for loading docks
- 26" diameter
- Complete with mounting hardware



Convex

Catalog #
86340

Safety Cones, Floor Stands & Barricade Tape

Inform and protect your visitors and tenants against possible floor hazards.

Bradycone™ Warning System

Extra large, bright cones clearly mark hazardous areas

- Rugged 35" plastic cones are lightweight & stackable for easy storage.
- Create instant, stable barricade by connecting cones with plastic chain and adding a cone weight to bases.



103680 77202 103681 103682 103683 77205 77204



Bradycone™ Signs, Weight Ring and Chain



77210

10" square sign holder attachment easily locks into cone without any tools and holds 2 self-sticking signs (8-1/4" x 8-1/4") of your choice (shown below)



77227



77226



77216



77224



Catalog #	Description
77208	Weight Ring, 9 lbs. for 35" cones
77207	20' Yellow Chain

Handy Cone™ Floor Signs

Perfect for quick set-up and easy storage.

- Spring-loaded 18" Handy Cones set up instantly and easily fold into small 2" tube for storage.



47372



47376

Heavy Duty Floor Stands

Help warn tenants, residents or visitors of closed areas or potential floor hazards.

- Maintenance-free 24-1/2" polypropylene stand
- Message appears on both outside panels



Catalog #	Description
104810	CAUTION (3 languages)
104809	CAUTION - WET FLOOR
104811	CLOSED (3 languages)
104808	Blank

Floor Safety Signs

Communicate floor hazards — choose from BradyTuff™ Plastic (PL) or High-Performance Self-Sticking Polyester (SS)



PL - 10 x 14 - 25611
SS - 10 x 14 - 85098



PL - 10 x 14 - 25599
SS - 10 x 14 - 85086



PL - 10 x 14 - 25609
SS - 10 x 14 - 85096



PL - 10 x 14 - 25601
SS - 10 x 14 - 85088



PL - 10 x 14 - 23012
SS - 10 x 14 - 88144



PL - 10 x 14 - 25603
SS - 10 x 14 - 85090

Barricade Tape

Visual barricades provide fast on-the-spot warning of potential dangers.

- Lightweight B-912 polyethylene tape can be tied, stapled or nailed.
- Standard package: one roll



91450 - 3" x 1000' 91212 - 3" x 200'



91462 - 3" x 1000' 91468 - 3" x 200'



91451 - 3" x 1000' 91224 - 3" x 200'



91454 - 3" x 1000' 91214 - 3" x 200'



91453 - 3" x 1000' 91217 - 3" x 200'




102824 - 3" x 1000' 102821 - 3" x 200'

Mark potential hazards in your building - Avoid costly slips, trips and falls!

► Anti-Skid Tape - Roll Mounted

Prevent slipping and falling accidents on stairwells, hallways and walkways.

- Rugged B-916 polyester adhesive tape coated with durable aluminum oxide grit
- Bonds to smooth, clean and dry floors - withstands grease and oil



Catalog #	Description
78189	Black Anti-Skid 1" x 60' roll
78190	Black Anti-Skid 2" x 60' roll
78191	Black Anti-Skid 4" x 60' roll
78193	Black Anti-Skid 6" x 60' roll
78194	Black Anti-Skid 12" x 60' roll
78091	Yellow Anti-Skid 2" x 60' roll
78092	Yellow Anti-Skid 4" x 60' roll

► Anti-Skid Cleats

Easy to install — just peel off protective liner and press in place.

- Rugged B-916 polyester adhesive tape coated with durable aluminum oxide grit
- Bonds to smooth, clean and dry floors - withstands grease and oil
- Cleats sold 50/pack



Catalog #	Description
78192	Black, 3/4" x 24"
78195	Black, 6" x 24"
78196	Black, 5-1/2" x 5-1/2"



► Striped Anti-Skid Tape

Bright yellow and black stripes aids visibility of potential hazards.

- Rugged B-916 polyester adhesive tape coated with durable aluminum oxide grit
- Bonds to smooth, clean and dry floors - withstands grease and oil

Catalog #	Description
78146	Striped, Blk/Yellow Anti-Skid 1" x 60' roll
78147	Striped, Blk/Yellow 2" x 60' roll
78148	Striped, Blk/Yellow 3" x 60' roll
78149	Striped, Blk/Yellow 4" x 60' roll
78150	Striped, Blk/Yellow 6" x 60' roll



► Hazard Marking Anti-Skid Cleats

Increase awareness of hazards with printed messages.

- Rugged B-916 polyester adhesive tape coated with durable aluminum oxide grit
- Bonds to smooth, clean and dry floors but should not be applied to pressure treated wood



Catalog #	Description
78160	Black/Yellow, Anti-Skid, "CAUTION", 6" x 24" Cleat, 24/Pack
78163	Black/Yellow, Anti-Skid, "WATCH YOUR STEP", 6" x 24" Cleat, 24/Pack

► BradyGlo™ High-Intensity Anti-Slip Tape


Increase the speed and safety of emergency evacuations.

- Mark stairs, landings and leading edges
- Bonds to smooth, clean and dry floors but should not be applied to rubber and plastic moldings or pressure treated wood

Catalog #	Description
81729	Self-sticking, 1" x 50' roll
81731*	Aluminum-backed, 1" x 50' roll

*Apply with a construction-grade adhesive.

See page 24 for more glow products



► Reflective Warning Tape

Give an extra margin of safety in low light conditions.

- Made of B-957 reflective tape
- Standard package: one 5 yd. roll

Solid Color Tapes			
Width	White	Yellow	Orange
2"	78985	78986	78989
3"	78987	78988	78990



Stripes & Checks				
				Catalog #
Width	Stripes Black & Yellow	Red & White	Black & White	Checks Black & Yellow
2"	76308	76309	76310	76321
3"	76312	76313	-	-

► Glow-in-the-Dark Arrow Tape

BradyGlo™ B-324 tape leads a safe egress pathway during power outages or emergency situations.



Catalog #	Description
90971	"V" Style, 2" x 5 yd. roll
90973	"Arrow" Style, 2" x 5 yd. roll

FYI

BradyGlo™ 10+ hour material exceeds these standards:

ASTM E2072-00/E2073-02/E2030-02

ASTM/E162/E648/E662, SMP800C

IMO Resolution A. 752(18)

ISO/CD 15370

PSPA Standard 002 Part 2 1993

Class A Rev. 2: 09/99

DIN 67 510, Parts 1-4

NFPA 101 Life Safety Code 2000 7.10.7.2

OSHA 1910.37

Lloyd's Register Cert. 01/6007

► Non-Reflective Warning Tape

Making physical hazards reduces accidents!

- Brady's B-950 vinyl meets OSHA specs
- Standard package: 18 yd. roll



58255 - 3" x 18 yd.



55302 - 2" x 18 yd.
55303 - 3" x 18 yd.



55296 - 2" x 18 yd.
55297 - 3" x 18 yd.



90019 - 2" x 18 yd.
90020 - 3" x 18 yd.

Office, ADA Braille & Restroom Signs

Communicate important office information and comply with ADA requirements in style

► Pedestal Sign Stand

Change your message quickly and easily.

- Double-sided 11" x 14" sign has changeable letter board on one side and a white dry erase board on the other
- 56" high post with 14-1/2" dia. base that can be filled w/sand for greater stability
- Includes 290 white Helvetica letters and numbers



Catalog #
103664

► Notice Holder

Eliminate unsightly paper notices taped to doors and walls.

- Elegant design is ideal for holding frequently changing information such as schedules, agendas and announcements
- Low glare acrylic mounts vertically or horizontally, mounting tape included




Catalog #	Description
103857	Gray border, 8-1/2" x 11"
103858	Beige border, 8-1/2" x 11"
103859	Blue border, 8-1/2" x 11"

► Grade 2 Braille Signs

Braille signs should be mounted 60" above the floor to the centerline of the sign.

- Signs measure 9"h x 6"w x 1/8"
- Made of injection molded plastic, double-sided tape included



► Black Braille / ADA Signs

Professional looking signs comply with ADA requirements.



- Signs meet ADA requirements and CABA/ANSI A117.1 specifications
- Made of non-glare, 8" x 8", rigid plastic - double-sided tape included
- Frames (sold separately) give your Braille signs a professional appearance

Frame only - 73403



70102



73400



70103



80542



70108



80498

► Standard Restroom Signs

Clearly mark your restrooms and reinforce the importance of good hygiene.

- Signs available in High-Performance Self-Sticking polyester (SS) and BradyTuff™ Plastic (PL)



PL - 7 x 10 - 47690
SS - 7 x 10 - 47685



PL - 7 x 10 - 47670
SS - 7 x 10 - 47668



PL - 10 x 7 - 47638
SS - 10 x 7 - 47636



PL - 7 x 10 - 103837
SS - 7 x 10 - 103836



PL - 7 x 10 - 103839
SS - 7 x 10 - 103838



PL - 10 x 7 - 47651
SS - 10 x 7 - 47649

► California / ADA Restroom Signs

California ADA standards specify circular or triangular signs be mounted onto restroom door.

- Injection-molded plastic signs feature raised lettering and Grade 2 Braille

- Triangular signs are 10"h x 11"w, circular signs are 12" diameter

- Double-sided foam tape included



106179 - Blue
106185 - Black



106180 - Blue
106186 - Black



106181 - Blue
106187 - Black



106182 - Blue
106188 - Black



106183 - Blue
106189 - Black



106184 - Blue
106190 - Black

► Interior Décor Restroom Signs

Attractive acrylic signs with a polished finish & "stepped edge" border provides sleek, clean look.

- Sub-surface printed graphics are protected from moisture, dirt and cleaners
- Super-strong adhesive backing even sticks to rough or textured surfaces



103877



103878



103879



103880



103881



103882

Keep your building and grounds clean, professional and cigarette butt free.

Smokers Cease Fire™ Receptacle

Keep your property free of cigarette butts – inside and out.



- Low maintenance polyester receptacles are flame retardant and won't rust, dent, crack or peel
- Cigarette butts are safely contained in an easy-to-remove, steel lined housing
- Built-in tie down notches increase security from theft and add stability in severe weather



103677
Deco Black



103674
Pewter Grey



103676
Adobe Beige



103675
Terra Cotta



103678
Forest Green

Interior Décor No Smoking Signs

Stylish and attractive, yet vandal-resistant.

- Decorative signs are made with 1/8" molded plastic with embedded, tamper resistance graphics
- Supplied ready-to-install with 2 peel-and-press adhesive strips



103883 - 4 x 10



103884 - 5 x 7
103885 - 7 x 10



103886 - 7 x 5



103887 - 10 x 7

Beacon Smoking Receptacle

Stylish receptacle keeps smoking areas cleaner.

- High quality plastic exterior w/rust-proof galvanized insert and bottom cover lasts for years outdoors
- Easy to empty – simply remove the bottom cover
- 6-sided unit measures 36"h x 12"w, weighs 11 lbs.



Catalog #
103679

Double-Sided Glass Door & Window Labels

Adhesive polyester 7" x 5" label applies on the inside of the glass to protect your message from the harsh weather outside.



103888



103889



103890

Standard Smoking Policy Signs

Clearly communicate facility smoking policies.

- SS - Brady B-302 Self-Sticking Polyester
- PL - BradyTuff™ B-401 Plastic with protected graphic



SS - 5 x 3.5 - 87795
SS - 10 x 7 - 88427
PL - 10 x 7 - 25119
SS - 14 x 10 - 88428



PL - 14 x 10 - 103840



SS - 3.5 x 5 - 88369
SS - 7 x 10 - 88370
PL - 7 x 10 - 25076
SS - 10 x 14 - 88371



SS - 7 x 10 - 88425
PL - 7 x 10 - 25117
SS - 10 x 14 - 88426



SS - 10 x 14 - 88472
PL - 10 x 14 - 25148



PL - 10 x 14 - 103841



PL - 10 x 14 - 103842



PL - 10 x 14 - 103843



PL - 10 x 14 - 103844



PL - 10 x 14 - 103845



PL - 10 x 14 - 103846

House Keeping and Trash Signs

Encourage visitors and tenants to keep your facility clean.



SS - 10 x 14 - 103891
PL - 10 x 14 - 103892



SS - 10 x 14 - 103893
PL - 10 x 14 - 103894



AL - 18 x 12 - 103895



AL - 18 x 12 - 103896



AL - 18 x 12 - 103897




Communications Cabling & Workstation Labels

ORGANIZE, IDENTIFY & MANAGE Your Facility's Voice / Data Network

Label cables, patch panels, outlet faceplates, and much more using either Brady's **IDXPert** or **TLS2200** portable labeling system or **Brady LaserTab Labels** on your own laser printer.

Communications Cabling Labels



4 pair cables with XSL-31-427

Brady offers a wide range of sizes to fit voice, data and video cabling applications. Our proprietary adhesive never loses its grip, even on the most slick Plenum cabling.



PTLFP-01-425



PTLFT-01-425



PTL-64-427

Application	TLS 2200® Labels  See page 41 for more info.	IDXPert™ Labels  See page 42 for more info.	LaserTab Labels
4 PAIR UTP, CAT 5, CAT 5E, CAT 6, SILVER SATIN	PTL-31-427*	XSL-31-427	LAT-18-361-1
4 PAIR STP, 25 PAIR COPPER	PTL-21-427*	XSL-21-427	LAT-19-361-1
50 PAIR COPPER	PTL-33-427*	XSL-33-427	-
100 PAIR COPPER	PTL-34-427	XSL-34-427	-
FIBER STRAND	PTLFT-01-425 PTLFP-01-425	-	-
FIBER/COAX	PTL-64-427	-	-
2 PAIR FIBER	PTL-19-427*	XSL-19-427	LAT-17-361-1
4-12 PAIR FIBER	PTL-21-427*	XSL-21-427	LAT-19-361-1
RG-6 COAX, RG-59 COAX	PTL-31-427*	XSL-31-427	LAT-18-361-1
BACKBONE CABLE	PTL-23-427 PTL-66-427	XSL-23-427 -	- -

*All labels are white, but these labels are also available in Blue (BL), Brown (BR), Gray (GY), Green (GN), Orange (OR), Purple (PL), Red (RD) and Yellow (YL).

Workstation Labels



Faceplate with PTL-40-412

Brady offers larger location labels for the entire faceplate and smaller labels to identify each individual port. Our proprietary adhesives stay attached to the textured plastics widely used in the industry.



X-17-422



PTL-7-422

Application, Size in Inches (mm)	TLS 2200® Labels  See page 41 for more info.	IDXPert™ Labels  See page 42 for more info.	LaserTab Labels
Desi-Strip Inserts, 1.938 x 0.375 (49.23 x 9.52) white non-adhesive slide-in strip	PTL-40-412	XC-375-412	LAT-176-124
Location ID, 1.000 x 0.375 (25.40 x 9.52) white	PTL-16-422	-	LAT-8-707-10
Location ID, 1.000 x 0.375 (25.40 x 9.52) clear	PTL-16-430	-	LAT-8-712-10
Location ID, 1.000 x 0.500 (25.40 x 12.70) white	PTL-17-422	X-17-422	LAT-7-707-10
Location ID, 1.000 x 0.500 (25.40 x 12.70) clear	PTL-17-430	-	LAT-7-712-10
Location ID, 1.500 x 0.375 (38.10 x 9.52) white	PTL-45-422	-	LAT-47-707-10
Location ID, 1.500 x 0.375 (38.10 x 9.52) clear	PTL-45-430	-	LAT-47-712-10
Location ID, 1.500 x 0.500 (38.10 x 12.70) white	PTL-29-422	X-29-422	LAT-41-707-10
Location ID, 1.500 x 0.500 (38.10 x 12.70) clear	PTL-29-430	-	LAT-41-712-10
Outlet/Jack ID, 0.500 x 0.375 (12.70 x 9.52) white	PTL-44-422	-	LAT-45-707-10
Outlet/Jack ID, 0.500 x 0.375 (12.70 x 9.52) clear	PTL-44-430	-	LAT-45-712-10
Outlet/Jack ID, 0.500 x 0.500 (12.70 x 12.70) white	PTL-7-422	X-7-422	LAT-46-707-10
Outlet/Jack ID, 0.500 x 0.500 (12.70 x 12.70) clear	PTL-7-430	-	LAT-46-712-10
General Use, 0.375 (9.52) cont. white	PTL-46-422	XC-375-422	-
General Use, 0.375 (9.52) cont. clear	PTL-46-430	-	-

Know what you have, where it's located, and what it's connected to...

► Closet Hardware Labels



Patch Panel with LAT-46-707



PTL-39-422



XC-475-412

Now you can make fully-formatted punch block strips in one easy process.

Application, Size in Inches (mm)	TLS 2200® Labels	See page 41 for more info.	IDXPRT™ Labels	See page 42 for more info.	LaserTab Labels
PATCH PANEL - 4 PORT, 2.800 x 0.375 (71.12 x 9.52)	PTL-39-422		XC-375-422		LAT-43-707-2.5
PATCH PANEL - 6 PORT, 3.600 X 0.375 (91.44 x 9.52)	PTL-39-422		XC-375-422		LAT-44-707-2.5
PATCH PANEL - ID PORT, 0.500 x 0.375 (12.70 x 9.52) white	PTL-44-422		-		LAT-45-707
PATCH PANEL - ID PORT, 0.500 x 0.375 (12.70 x 9.52) clear	PTL-44-430		-		LAT-45-712
PATCH PANEL - ID PORT, 0.500 x 0.500 (12.70 x 12.70) white	PTL-7-422		X-7-422		LAT-46-707
PATCH PANEL - ID PORT, 0.500 x 0.500 (12.70 x 12.70) clear	PTL-7-430		-		LAT-46-712
PATCH PANEL - ID PORT, 0.750 x 0.500 (19.05 x 12.70) clear	PTL-11-432		-		-
PATCH PANEL - ID PORT, 0.750 X 0.250 (19.05 x 6.35) white	PTL-10-423		-		-
PATCH PANEL - ID PORT, 0.750 x 0.250 (19.05 x 6.35) clear	PTL-10-432		-		-
PATCH PANEL / CONTINUOUS TAPES, 0.250 (6.35) x continuous clear	PTL-101-432		-		-
PATCH PANEL / CONTINUOUS TAPES, 0.250 (6.35) x continuous white	PTL-101-483		-		-
PATCH PANEL / CONTINUOUS TAPES, 0.250 (6.35) x continuous clear	PTL-101-489		-		-
PATCH PANEL / CONTINUOUS TAPES, 0.375 (9.52) x continuous white	PTL-46-422		XC-375-412		-
PATCH PANEL / CONTINUOUS TAPES, 0.375 (9.52) x continuous clear	PTL-46-430		-		-
110 BLOCKS*, 7.900 x 0.475 (200.66 x 12.07)	-		XC-475-412		LAT-177-124*

*These labels are available in Blue (BL), Brown (BR), Gray (GY), Green (GN), Orange (OR), Purple (PL), Red (RD) and Yellow (YL) to comply with TIA/EIA-606-A.

► NetDoc™ Network Documentation and Cabling Management Software

Stop following a tangle of cables around the office. NetDoc™ Network Documentation and Cable Management software allows you to easily document every aspect of your network, including horizontal and backbone cables, hardware, assets, pathways, locations, users and more.



Document Your Network:

NetDoc software is a web-enabled application that gives you point-and-click management of your network infrastructure.


- Documentation wizards
- Spreadsheet importation tool
- Attachment capabilities including visio, autocad, digital photos, PDF's, and more.



Label Your Network:

Print directly to the Brady TLS2200® Thermal Transfer Printer or to laser, ink jet, and Brady thermal transfer printers for high volume printing.

- Seamless integration with LabelMark™ Labeling Software provides a complete ANSI/TIA/EIA-606A compliant solution



Manage Your Network:

Find it, fix it, move it. The web-enabled NetDoc™ solution puts the information where you need it.

- User- and date-stamping on all notes
- Customizable fields with flexibility in managing the network
- Log in security



ANSI/TIA/EIA-606A Compliant

NetDoc™ Network Documentation and Cable Management software is a fully compliant solution for documenting, labeling, and managing all elements within the physical network.

Find out more about the NetDoc™ Network Documentation solution – visit www.bradyid.com/netdoc or call 1-888-311-0775.

Catalog #	Description
ND-1 User	NetDoc Single User License Package (LabelMark Included)
ND-5 User	NetDoc 5 User License Package (LabelMark Included)
ND-SITE	NetDoc Unlimited License Package (LabelMark Included)


Fire Safety Equipment Signs

Make fire extinguisher and fire equipment easy to find in an emergency.

2-Way View "L-Shaped" Fire Safety Signs

<p>High Visibility Flexible Plastic</p>  <p>12 x 9 - 70998 12 x 9 - 94044</p>	<p>High Visibility Rigid Acrylic</p>  <p>8 x 8 - LOFE15A 8 x 8 - LOFEG1G</p>	<p>Standard 2-Way View Signs - BradyTuff™ Plastic</p>  <table border="0"> <tr> <td>12 x 4 - 50687</td> <td>12 x 4 - 50691</td> <td>12 x 4 - 50695</td> </tr> <tr> <td>12 x 4 - 50688</td> <td>12 x 4 - 50692</td> <td>12 x 4 - 50696</td> </tr> <tr> <td>18 x 4 - 50689</td> <td>18 x 4 - 50693</td> <td>18 x 4 - 50697</td> </tr> <tr> <td>18 x 4 - 50690</td> <td>18 x 4 - 50694</td> <td>18 x 4 - 50698</td> </tr> </table>	12 x 4 - 50687	12 x 4 - 50691	12 x 4 - 50695	12 x 4 - 50688	12 x 4 - 50692	12 x 4 - 50696	18 x 4 - 50689	18 x 4 - 50693	18 x 4 - 50697	18 x 4 - 50690	18 x 4 - 50694	18 x 4 - 50698
12 x 4 - 50687	12 x 4 - 50691	12 x 4 - 50695												
12 x 4 - 50688	12 x 4 - 50692	12 x 4 - 50696												
18 x 4 - 50689	18 x 4 - 50693	18 x 4 - 50697												
18 x 4 - 50690	18 x 4 - 50694	18 x 4 - 50698												

3-Way View "V-Shaped" Fire Safety Signs

<p>High Visibility Flexible Plastic</p>  <p>12 x 18 - 96908 12 x 18 - 94008</p>	<p>High Visibility Rigid Acrylic</p>  <p>6 x 9 x 4 - V1FE15A 6 x 9 x 4 - V1FEG1G</p>	<p>Standard 3-Way View Signs - BradyTuff™ Plastic</p>  <table border="0"> <tr> <td>18 x 7½ - 50775</td> <td>18 x 7½ - 50783</td> <td>18 x 7½ - 50785</td> </tr> <tr> <td>18 x 7½ - 50776</td> <td>18 x 7½ - 50784</td> <td>18 x 7½ - 50786</td> </tr> </table>	18 x 7½ - 50775	18 x 7½ - 50783	18 x 7½ - 50785	18 x 7½ - 50776	18 x 7½ - 50784	18 x 7½ - 50786
18 x 7½ - 50775	18 x 7½ - 50783	18 x 7½ - 50785						
18 x 7½ - 50776	18 x 7½ - 50784	18 x 7½ - 50786						

Standard Fire Safety Signs

Available in Self-Sticking Polyester (SS), Glow-in-the-Dark Self-Sticking Polyester (SS), BradyTuff™ Plastic (PL) or Glow-in-the-Dark BradyTuff™ Plastic (PL).

 <p>SS - 14 x 3½ - 85261 SS - 14 x 5 - 90367 SS - 14 x 3½ - 103597 SS - 14 x 5 - 80241</p>	 <p>PL - 14 x 10 - 25717 SS - 14 x 10 - 86091 PL - 14 x 10 - 80174 SS - 14 x 10 - 80162</p>	 <p>SS - 14 x 3½ - 103599 SS - 14 x 5 - 90366 SS - 14 x 3½ - 103598 SS - 14 x 5 - 80223</p>	 <p>PL - 14 x 10 - 25708 SS - 14 x 10 - 86090 PL - 14 x 10 - 80292 SS - 14 x 10 - 80161</p>	 <p>SS - 14 x 3½ - 103601 SS - 14 x 5 - 85270 SS - 14 x 3½ - 103600 SS - 14 x 5 - 80244</p>	 <p>PL - 14 x 10 - 103602 SS - 14 x 10 - 90384 PL - 14 x 10 - 85463 SS - 14 x 10 - 80160</p>
---	--	--	--	--	---

 <p>SS - 14 x 28 - 90369 SS - 14 x 28 - 90493</p>	 <p>PL - 7 x 10 - 25881 SS - 7 x 10 - 84751 PL - 7 x 10 - 90943 SS - 7 x 10 - 90101</p>	 <p>PL - 7 x 10 - 22690 SS - 7 x 10 - 85297 PL - 7 x 10 - 103605 SS - 7 x 10 - 103604</p>	 <p>PL - 7 x 10 - 103606 SS - 7 x 10 - 90370 PL - 7 x 10 - 103608 SS - 7 x 10 - 103607</p>	 <p>PL - 7 x 10 - 103610 SS - 7 x 10 - 103609 PL - 7 x 10 - 103612 SS - 7 x 10 - 103611</p>
--	--	--	---	--

Interior Décor Fire Safety Signs

Stylish signs are made with 1/8" molded plastic with embedded, tamper resistant graphics.

- Supplied ready to install with 2 peel-and-stick adhesive strips



7 x 10 - 103643



7 x 5 - 103640



10 x 7 - 103642



18 x 4 - 103641

NEW FireFly 2-in-1 Sign

Reflective and photoluminescent fiberglass sign provides maximum visibility.



FG - 10 x 7 - 104930

Fire Safety Equipment & Prevention Devices

Be prepared for all fire emergencies throughout your facility.

False Alarm Prevention Device

Proven to deter false alarms in schools, hotels, office & residential buildings – UL and FM approved.

- STOPPER II™ ALARM prevention device consists of a tamperproof, clear polycarbonate shield and frame that fits easily over fire alarms. When lifted to gain access to the actual alarm, it sounds a piercing warning horn bringing immediate attention before the alarm is activated. Justifiable alarms may still be pulled. Fits alarms up to 5-1/2" x 6-3/4". Uses 9V battery (included). If the alarm is not flush against the wall, order the conduit spacer which will add 2" depth so the STOPPER II™ will easily fit over your fire alarm.



Catalog #	Description
103627	Fire Prevention Device
103628	2" Conduit Spacer

Fire Extinguisher Seals

Indicates tampering at a glance, yet easily breaks away upon activation.

- These tamper-evident seals are perfect for deterring pranksters from tampering, yet may be manually broken in an emergency
- 100 seals per pack



Catalog #	Description
103630	Fire Extinguisher Seals

Four Year Metal Inspection Tag

Rigid 0.20 aluminum tags won't rust outdoors.

- Use permanent marking pen or hole punch to indicate date of inspection
- Indoor/Outdoor tag won't tear or fade
- Tags supplied with current year
- 10 tags per pkg., FREE wire ties included

FIRE EXTINGUISHER INSPECTION RECORD				
EXTINGUISHER NO.				
2006	2007		2008	2009
		JAN		
		FEB		
		MAR		
		APRIL		
		MAY		
		JUNE		
		JULY		
		AUG		
		SEPT		
		OCT		
		NOV		
		DEC		

3"H x 2-1/4"W

Catalog #	Description
103632	Four Year Metal Inspection Tag

Fire Rescue and Escape Window Labels

Durable 4"x 6" polyester labels have same wording on both sides.

- Standard package: 6 labels



103633



103634

Fire Extinguisher Back Plate

Helps to locate extinguishers fast.

- Place directly behind your wall extinguisher. Sign is 29"h x 13" w and has 4 mounting holes.
- The plastic is light weight, yet durable enough to drill additional holes for securing the extinguisher to the wall



Catalog #	Description
103629	Fire Extinguisher Back Plate

Fire Blanket

Smother flames quickly.

- Wool blanket features natural flame retardancy to minimize injuries and retain body heat in emergencies.
- Meets US Test Lab Govt. Spec CS 191-53.
- Blanket supplied in Reinforced Nylon Bag (13"h x 16"w x 5-1/4"d)




Catalog #	Description
103631	Fire Blanket & Nylon Bag


Fire Extinguisher Inspection Tags

Meets OSHA 1910.157 and NFPA 10-1994.

- Rigid Polyester (B-851) tags are 5-3/4" x 3"
- 25 tags/pkg. – FREE plastic lock-on ties included



76222



65371

Mini Fire Extinguisher Label

Self-adhesive vinyl labels sold 5 per package.



4" x 4" 103635



4" x 6" 103636

Photoluminescent Exit Signs

Reduce energy usage - Bright, maintenance-free and 100% reliable signs use no electricity

► BradyGlo™ Photoluminescent Exit Signs

Glow for 50+ hours, warranted for 25 years.

- Perfect for both high and low-level applications
- UL- approved for use with fluorescent, mercury vapor and halide light sources
- ICC Evaluation Services, Report #ER-6153



Listed to UL 924, exceeds the requirement that sign be legible from 50" at the end of 90 minutes, meets NFPA Life Safety Code 101 and OSHA requirements

► Framed Exit Signs - 8.25" x 15.25" x .25"



Black



Red



Green

Description	Black	Red	Green	White	Red (Sortie)
Wall Mounted Exit Sign	37851	90885	90887	80753	99056
Single-sided sign w/bracket	38097	90839	90841	80754	99057
Double-sided sign w/bracket	38098	90840	90842	80755	99058
Extra Bracket	38099	90886	90888	80756	90886

Clear mounting clips are available for additional security from vandalism and theft—
Catalog # 87806 (4 clips per package)



► Frameless BradyGlo™ Exit Signs - 7.25" x 12"



Catalog#	Description
87807	Red Exit
87808	Green Exit
98450	Red Exit - NYC Compliant
98452	Red Reflective
98453	Green Reflective

► Standard Exit and Directional Signs

Available in Self-Sticking Polyester (SS), Glow-in-the-Dark Self-Sticking Polyester (SS), BradyTuff™ Plastic (PL) or Glow-in-the-Dark BradyTuff™ Plastic (PL).



PL - 7 x 10 - 22489
SS - 7 x 10 - 84673
PL - 10 x 14 - 22490
SS - 10 x 14 - 84674
PL - 10 x 14 - 80282
SS - 10 x 14 - 73510



PL - 7 x 10 - 22488
SS - 7 x 10 - 84671
PL - 10 x 14 - 103613
SS - 10 x 14 - 84672
PL - 10 x 14 - 103615
SS - 10 x 14 - 103614



PL - 7 x 10 - 22501
SS - 7 x 10 - 84687
PL - 10 x 14 - 22502
SS - 10 x 14 - 84688
PL - 10 x 14 - 85523
SS - 10 x 14 - 80250



PL - 7 x 10 - 22483
SS - 7 x 10 - 84665
PL - 10 x 14 - 22484
SS - 10 x 14 - 84666
PL - 10 x 14 - 103617
SS - 10 x 14 - 103616



PL - 10 x 14 - 103618
SS - 10 x 14 - 103619
PL - 10 x 14 - 80284
SS - 10 x 14 - 73513



PL - 14 x 10 - 103620
SS - 14 x 10 - 103621
PL - 14 x 10 - 80286
SS - 14 x 10 - 80218



PL - 14 x 10 - 103622
SS - 14 x 10 - 103623
PL - 14 x 10 - 80288
SS - 14 x 10 - 80220



PL - 14 x 10 - 103624
SS - 14 x 10 - 103625
PL - 14 x 10 - 80290
SS - 14 x 10 - 80222

► Floor Exit Signs

Point to safety with 17" dia. anti-slip floor signs.

- Made of B-819 vinyl or B-808 BradyGlo polyester
- May be applied to most clean, dry, smooth surfaces



49060

49061

► "In Case of Fire" Signs

Guide residents, tenants and visitors to the safest exit path.



PL - 10 x 7 - 22498
SS - 7 x 7 - 84684



PL - 10 x 7 - 90718
SS - 10 x 7 - 90554



PL - 10 x 7 - 90633
SS - 10 x 7 - 90555

► NEW Firefly 2-in-1 Exit Signs

Reflective and photoluminescent fiberglass signs provides maximum visibility.



RP - 10 x 14 - 102526



RP - 10 x 14 - 102527



RP - 10 x 14 - 102528




RP - 10 x 14 - 102529

Photoluminescent Exit & Custom Re-Entry Stair Signs

When all that matters is getting out, all that matters is finding the nearest exit...
Let High-Intensity BradyGlo™ Exit Signs mark the path to safety.


► BradyGlo™ 5" x 14" Running Man Exit Signs

Directional and door signs clearly mark the path to safety.



► BradyGlo™ 5" x 9" Running Man w/Arrow Signs

Marking for unclear egress pathways.



► "Not An Exit" Signs

For marking doors along egress pathways that lead to dead ends, mechanical rooms closets etc.




► BradyGlo™ "Final Exit" Signs

Indicates doors leading directly to the exterior.



► BradyGlo™ "Exit Through Lobby" Signs

Indicates doors leading directly to the exterior.



► Custom Stairwell ID and Re-Entry Signs



NFPA 170 signs help all building occupants evacuate safely and provide fire department personnel with critical life safety information.

- Post signs on every floor landing to communicating important stair and floor identification, roof access, points of re-entry and egress direction
- Signs made of BradyTuff™ (B-401) Plastic or BradyGlo™ (B-347) Plastic
- Easy-to-Use custom order forms are available to make ordering your custom stairwell signs fast and easy

We Make Custom Signs For Any Building Need!

Additional sizes and materials available — contact us for more information.




BradyGlo™ Advanced Safety Guidance System

Designed to meet stringent NYC requirements for the quickest, safest building evacuation - Now recommended as best practice for building everywhere!

High Intensity BradyGlo™ “L-Shaped” Stair Markers

Place stair markers on the side edge of each step for safe and fast evacuations.



Lights Out Lights On

- Excellent durability because they are placed out of the main foot-traffic area
- Easy-to-install, self-sticking L's bond to smooth, clean and dry surfaces*
- Extremely durable aluminum-backed rigid L's are applied with a separate construction adhesive
- Increase safety with anti-slip surface products



GLOW-IN-THE-DARK PRE-CUT L-SHAPED STAIR MARKERS

Material	Qty./Pack	Catalog #
B-523 Self-Sticking Adhesive	56 Markers (28 Right/28 Left)	81867
B-523 Self-Sticking Adhesive – Value Pack	520 Markers (260 Right/260 Left)	81868
B-861 Aluminum-Backed*	56 Markers (28 Right/28 Left)	81708
B-861 Aluminum-Backed* – Value Pack	520 Markers (260 Right/260 Left)	81710
B-564 Anti-Slip Self-Sticking Adhesive	56 Markers (28 Right/28 Left)	81733
B-564 Anti-Slip Self-Sticking Adhesive – Value Pack	520 Markers (260 Right/260 Left)	81735
B-875 Anti-Slip Aluminum-Backed*	56 Markers (28 Right/28 Left)	81736
B-875 Anti-Slip Aluminum-Backed* – Value Pack	520 Markers (260 Right/260 Left)	81738

*Apply with a construction-grade adhesive.

High Intensity BradyGlo™ Tape


Mark doors, hand rails, stairs, leading landing edges and perimeter demarcation lines for a continuous path to safety.

- Easy-to-install, self-sticking tape bonds to smooth, clean and dry surfaces**
- Extremely durable aluminum-backed tape applied with a separate construction adhesive
- Increase safety with anti-slip surface products



Material	Size	Qty./Pack	Catalog #
B-523 Self-Sticking Adhesive	1 in. x 50 ft.	1 Roll	81873
B-523 Self-Sticking Adhesive – Value Pack	1 in. x 250 ft.	1 Roll	81874
B-861 Aluminum-Backed*	1 in. x 50 ft.	1 Roll	81706
B-861 Aluminum-Backed* – Value Pack	1 in. x 250 ft.	1 Roll	81707
B-564 Anti-Slip Self-Sticking Adhesive	1 in. x 50 ft.	1 Roll	81729
B-564 Anti-Slip Self-Sticking Adhesive – Value Pack	1 in. x 250 ft.	1 Roll	81730
B-875 Anti-Slip Aluminum-Backed*	1 in. x 50 ft.	1 Roll	81731
B-875 Anti-Slip Aluminum-Backed* – Value Pack	1 in. x 250 ft.	1 Roll	81732



**Apply with a construction-grade adhesive.



EZ-Release liner speeds installation, EZ-Dispense packaging prevents unwieldy spiraling of rolls

High Intensity Hazard Tape

Reduce accidents by marking unsafe obstacles that protrude into the egress path – such as standpipes, hose cabinets, wall projections and restricted height areas.




Catalog #	Size
81869	1" x 50 ft. roll
81870	1" x 250 ft. roll

Door Hardware Markers

Safely identify door handles for quick evacuation.

- 4-1/8" x 4-1/8" markers sold 5 per pack



Catalog #	Size
81853	4.125" x 4.125"

**Self-sticking tapes are lightweight, conformable and should be applied at surface temperatures above 50 degrees F. Testing for adhesion prior to installation on any surface is suggested and should not be applied to rubber/plastic molding and pressure-treated wood. A complete guide to choosing a product, surface testing, cleaning and installation is available at www.bradyid.com/bradyglo.

Evacuation & Emergency Products

Emergency Evacuation Insert Frames

Attractive, clear acrylic frames hold your custom evacuation maps and are easily changed when updates are needed.

- Simply print and insert your map into the frame
- Non-glare, scratch resistant finish, 2 adhesive strips on back for easy installation



Make it Glow!
for Photoluminescent version, print map on a clear acetate insert and it glows in the dark!

Catalog #	Size (H x W)	Material
102850	11" x 11½"/holds a 8½"x 11" insert	Standard
102852	15" x 17½"/holds a 11"x 17" insert	Standard
102851	11" x 11½"/holds a 8½"x 11" insert	Luminous
102853	15" x 17½"/holds a 11"x 17" insert	Luminous



Emergency Information Sign, Center & Clipboard

Be prepared for an emergency!

- **Emergency Center Sign** – 3-way plastic sign provides 180° of visibility. 12" h x 18" w sign with 4 mounting holes
- **Emergency Information Center** – Rugged 20" x 14" poly backboard comes with PVC coated wire basket, 3-ring binder (holds approx. 300 sheets) and attachable chain. Mounting hardware included.
- **Emergency Procedure Clipboard** – Heavy-duty, 17" x 9-1/2" poly clipboards allows procedures to be easily carried and posted for immediate access.



Evacuation Information Sign, Center & Clipboard

Facilitate safe, fast and organized evacuations.

- **Evacuation Center Sign** – 3-way plastic sign provides 180° of visibility. 12" h x 18" w sign with 4 mounting holes
- **Evacuation Information Center** – Rugged 20" x 14" poly backboard comes with PVC coated wire basket, 3-ring binder (holds approx. 300 sheets) and attachable chain. Mounting hardware included.
- **Evacuation Procedure Clipboard** – Heavy-duty, 17" x 9-1/2" poly clipboards allows procedures to be easily carried and posted for immediate access.



Evacuation & Emergency Shelter Signs

Establish safe meeting places and shelters during emergencies.



Emergency Megaphones


Perfect for announcing emergency and evacuation situations – a must for all buildings.

- Weatherproof megaphones come with carrying strap and feature volume control and talk switch
- MV-20S comes with dynamic microphone and cord



Plastic AED Signs

Identify Automated External Defibrillators within your building.



Catalog #	Description, Watts/Range	Batteries (not included)
103637	MP-5, 10 watt/300 yards	8 "AA"
103638	MV-10S, 16 watt/600 yards	6 "C"
103639	MV-20S, 25 watt/1,000 yards	8 "C"

Badges, Holders, Lanyards and Security Seals

Protect people, property and premises with Brady security products.

SecurAlert™ Self-Expiring Adhesive Badges

Badges expire automatically in one day to prevent unauthorized reuse.

- Simply write visitor name on the self-adhesive vinyl face, remove the liner and apply over self-expiring back
- Badges are 2" x 3", sold 500 front & back badge parts per package



Visitor ID Badges

Economical 2" x 3" self-sticking satin paper badges easily adhere to clothing.

- Sold 50 badges per package



Retractable Badge Holder Reels

Attractive and convenient device keeps ID handy and easy to pull out when needed. Clip to belt or pocket while durable nylon cable attaches to badge with vinyl strap clip.

- 1-1/4" dia. retractable reel extends 30"



Vinyl Badge Holder With Insert

Versatile, reusable and the nickel-plated clips won't harm clothing.

- Sold individually, white insert card included



Catalog #	Insert Size	Extra Inserts – 100 per pkg.	Catalog #	Insert size
95049	3" x 2"	95053	3" x 2"	
95052	4" x 2"	95056	4" x 2"	

Standard Lanyards

Give your credential system a professional touch.

- Durable 19" cloth lanyards have a snap-swivel hook and adjustable bead

Catalog #	Color
95089	Black
95090	Blue
95091	Green
95093	Red
95094	White




Deluxe Breakaway Lanyards

Classic flat lanyard combined with a safety breakaway design.

- Don't let lanyards become a choking hazard; plastic breakaway joints come apart under stress and easily snap back together for reuse
- 34" long x 3/8" polyester lanyard

Catalog #	Color
103651	Black
103653	Royal Blue
103652	Red
103654	Yellow



Plastic Poly-Lok™ Seals

Secure fire & emergency doors, containers, bins, truck doors and more.

- Tamper-resistant seals are 7-1/2" long, embossed with "SEAL", and are consecutively numbered
- Breaking strength of 35-45 lbs.
- Sold 100/package

95193	95194	95195	95196
Blue	Green	Red	Yellow

Pull-Tite Seals

Pull-Tite seals approved by Underwriter's Laboratories for fire extinguishers and safety doors.

- Seals are 9" long embossed with "SEALED DO NOT REMOVE"
- Breaking strength of 10-14 lbs.
- 100 seals/package




95143	95150	95155
Blue	Red	Yellow

Protect your property and clearly communicate facility security policies.

► Changeable Homeland Security Signs

Easily changeable so everyone is prepared and alerted.



- 30" x 24" steel sign with 4 corner mounting holes and 2 center holes



- 5 changeable magnetic panels (7" x 20") indicate daily threat level

Catalog #
103644

► Security Stop Signs

24" x 24" reflective aluminum signs provide excellent visibility day or night.

- 2 mounting holes for easy installation



103645



103646

► Security, Surveillance & Admittance Signs

Get attention and communicate the policies on your premises. All signs are 10" x 14" or 14" x 10" and made of BradyTuff™ Plastic.



103626



103847



103848



103849



103850



103851



103852



22249



95468



22190



22186



95372



95364



22112



95423



95502



95415



95319



22142



95217



22538



22144

► Reflective Height Indicator Tape



Mount next to door frames for added security.

- Durable vinyl exceeds reflectivity 3 requirements
- Tape is 1-1/2" wide (covers 4' to 7')

Catalog #
103650

► Simulated Surveillance Camera

Deter theft and vandalism.

- Outwardly indistinguishable from "live" cameras
- Indoor/Outdoor high impact styrene camera housing with rapid flashing red "ON" light
- Installs in minutes with no wiring
- Requires 2 "C" batteries (not included)



Catalog # Description
95140 Simulated Camera

► Brady Steel Security Locks

Durable and cost effective protection.

- Withstands severe physical abuse and resists tampering
- Superior rust protection
- Lock body: 1-1/3" H x 1-9/16" W x 7/8" D
- 17/64" Shackle diameter



Color	3/4" Shackle (6 Locks/Pkg.)	2" shackle (6 Locks/Pkg.)
Red	51279	51290
Blue	51280	51291
Green	51281	51292
Black	51284	51299

Lockout Tagout Software, Boards and Kits

Lockout / Tagout Saves Lives - Comply with OSHA 1910.147 and help employees work faster, safer, and more efficiently.

► Brady **LOCKOUT PRO™** 3.0 Graphical Procedure Writing Software

Create clear, easy-to-follow procedures and energy source labels in minutes.

- Lockout PRO™ speeds you through creating OSHA-compliant lockout procedures, tags and energy source labels
- Insert digital photos so employees quickly locate the correct control points
- Standardized formats promote consistent and safe work practices
- Includes employee training tools and user-editable Energy Control Policy

Find the version that's right for your organization:

Lockout PRO 3.0 Desktop

Single desktop version

Catalog #
LOPDESK1001

Lockout PRO 3.0 Enterprise Basic


Three users, single server license

Catalog #
LOPBASIC3001

Lockout PRO 3.0 Enterprise Corporate

Unlimited users, single server license

Catalog #
LOPCORP2001



FREE demo version of Lockout PRO™ available at www.bradyid.com/lockoutpro or on CD-ROM. OR ask us to come onsite and provide a demonstration in person.

► 5-Lock Board

Durable acrylic board measures 11-1/2"H x 15-1/2"W.




- Components: 5 Brady Safety Padlocks (99552), one 1" & 1-1/2" metal hasp (65375, 65376), and 12 heavy-duty tags (65520)

Catalog #	Description
51181	5-Lock Board (Fully Equipped)
50989	5-Lock Board (Board Only)

► 10-Lock Board

Space-saving acrylic board measures 13-1/2"H x 13-1/2"W.



- Components: 10 Brady Safety Padlocks (99552), two 1" & 1-1/2" metal hasp (65375, 65376), and 12 heavy-duty tags (65520)

Catalog #	Description
51187	10-Lock Board (Fully Equipped)
50990	10-Lock Board (Board Only)

► Personal Padlock Kit

Convenient kit make lockout fast and easy.

- Components: Two 1" hasps (65375), 2 heavy-duty tags w/cable ties (65520) and 2 keyed-alike Brady safety padlocks



Catalog #	Description
105969	Personal Padlock Kit
51172	Lockout Belt Pouch only

► Personal Breaker Lockout Kit

Covers 120v/277v and 480/600v breakers in single and multi-pole configurations.

- Components: One each of 120/277v & 480/600v clamp-on breaker lockouts (65396, 65397), 1 universal multipole breaker lockout (66321), Two 1" hasps (65375), 2 heavy-duty tags w/cable ties (65520) and 2 keyed-alike Brady safety padlocks



Catalog #	Description
105967	Personal Breaker Lockout Kit
51172	Lockout Belt Pouch only

Lockout and Identify Hazards... Reduce the possibility of serious injury

Basic Lockout Kit

Safely lockout common breakers, valves and plugs.

- Components: One 1/2"-2-1/2" ball valve lockout (65560), one 1"-2-1/2" gate valve lockout, one 120/277v clamp-on breaker lockouts (65396), 1 universal multipole breaker lockout (66321), two 1" hasps (65375), 2 heavy-duty tags w/cable ties (65520), 1 small 110v plug lockout (65674)



Catalog #	Description
104795	Kit w/ 2 Keyed-alike safety padlocks
104794	Kit without safety padlocks
105905	Small lockout toolbox only

Electrical Lockout Kit

Lockouts for most circuit breakers, electrical plugs and disconnect switches.

- Components: One mini-cable lockout (50940), one 3-in-1 plug lockout (PL023), two 120/277v clamp-on breaker lockouts (65396), one 480/600v clamp-on breaker lockouts (65397), 2 universal multipole breaker lockout (66321), one oversized breaker lockout (65329), three 1" hasps (65375), 3 heavy-duty tags w/cable ties (65520)



Catalog #	Description
105961	Kit w/ 3 Keyed-alike safety padlocks
105960	Kit without safety padlocks
105906	Medium lockout toolbox only

Operator Lockout Kit

Economical kit for basic lockout applications.

- Components: One 1" hasp (65375), 1 heavy-duty tag w/ties (65520) & 1 Brady safety padlock, one 120v/277v clamp-on breaker lockout (65396)



Catalog #	Description
103648	Operator Lockout Kit

Valve Lockout Pouch

Economical & convenient kit for locking out gate valves and ball valves.

- Components: One 1"-6-1/2" adjustable gate valve lockout (64057), two 1/2"-2-1/2" ball valve lockouts (BS07A)
- Padlock/tag option includes 2 Brady safety padlocks (99552) and 2 heavy-duty tags (65520) w/nylon ties



Catalog #	Description
99680	Kit w/2 safety padlocks & 2 tags
99679	Kit without padlocks/tags
50979	Large lockout pouch only

Standard Lockout Tags

Tags identify equipment lockouted out for safety and OSHA compliance.

- Heavy-duty polyester (B837)** - durable laminate protects graphics ideal for industrial use. 3/8" I.D. brass grommet. Tags withstand 80 lb pull force
- Economy polyester (B851)** - exceeds OSHA's 50-lb. pull test, easy to write on and more durable than cardstock. 3/8" I.D. rolled brass eyelet.
- 5"-3/4" x 3" tags come 25/pack with OSHA-compliant nylon fasteners



Material	Catalog #	Catalog #
B837	65502	65520
B851	66050	66063

2-Part Perforated Lockout Tags

Enhance operational control and record keeping.

- Simply fill in information and attach the top portion to the lockout device and tear away the bottom. Both parts are pre-numbered at factory
- 7.5" x 4" heavy cardstock tags w/ 3/8" rolled brass eyelet
- 25 tags/pack - tie strings included for quick, easy attachment
- Tag has blank back side



Catalog #	Description
105372	2-Part Perforated Tag, "EQUIPMENT LOCKED OUT"
105373	2-Part Perforated Tag, "DO NOT OPERATE"

Lockout Locks, Hasps, Lock Boxes and Posters

Protect Your People. Protect Your Equipment. Lock it Out!

Brady Safety Padlocks

OSHA compliant, lightweight, rugged, nonconductive, non-sparking plastic body is the ultimate lockout lock!



- Fiberglass reinforced nylon body - superior temperature, chemical and corrosion resistance
- Patented insulated key chamber protects workers from shock when key is inserted
- Shackle length: 1-1/2" and 1/4" dia.
- Lock body: 1-3/4" h x 1-1/2" w x 4/5" d
- Locks come keyed different or in keyed-alike sets



Color	Keyed Different (6 Locks/Pkg.)	Keyed Alike (6 Locks/Pkg.)
Red	51339	105890
Blue	51344	105891

Brady Steel Padlocks

Reinforced laminated steel withstands severe physical abuse.



- 5-pin cylinder offers superior tamper resistance
- Lock body: 1-1/3" H x 1-9/16" W x 7/8" D
- Two shackle sizes: 3/4" or 2" with 17/64" dia.
- Locks come keyed different



Color	3/4" Shackle (6 Locks/Pkg.)	2" shackle (6 Locks/Pkg.)
Red	51279	51290
Blue	51280	51291

Steel Lockout Hasps

Rust resistant vinyl-coated steel.

- Available in 1" and 1-1/2" dia. jaws
- Lock holes: 3/8" dia.
- Standard package: 12 hasps



Catalog #	Description
65375	1" Diameter Jaws
65376	1 1/2" Diameter Jaws


Aluminum Labeled Lockout Hasp

Combination lockout tag and group lockout hasp.

- Tough 5052 anodized aluminum alloy w/write-on label surface
- Dimensions: 7-1/4" h x 3" w x 3/16" d with 5/16" dia. lock holes
- Standard pkg.: 5 hasps



Front



Back

Catalog #
65960

Portable Metal Lock Box

Made of heavy duty steel, powder-coated for extra rust resistance.

- 12 lock holes on lid (locks not included)
- Dimensions: 6"H x 9"W x 3-1/2"D




65699

Lockout Safety Poster

Training poster reinforces your energy control program.

- 18"H x 24" W, laminated on both side



LOSP8

LOSP8SP

OSHA mandates that employees be equipped with proper lockout tools and devices.

Gate Valve Lockouts

Prevent injury or tampering.

- Rugged red polypropylene withstands temperatures from -25°F to 200°F
- Unique knockout center accommodates "rising stem" valves
- Accepts lock shackles up to 3/8" in diameter



Lockouts come with Danger labels in English, Spanish and French.

Valve Handle Diameter	Catalog #
1" – 2 1/2"	65560
2 1/2" – 5"	65561
5" – 6 1/2"	65562
6 1/2"–10"	65563

Adjustable Gate Valve Lockout

Versatile lockout adjusts to fit 1" to 6 1/2" valve handles, replacing 3 conventional gate valve lockouts

- Durable polypropylene withstands temperatures from -13°F to 194°F
- Compact for easy carrying and storage
- Comes with Danger labels in English, Spanish and French



Catalog #
64057

Standard Ball Valve Lockout

Easy to use, single piece design locks quarter turn ball valves in OFF position.

- Two sizes to fit valves from 1/4" to 3"
- 65666 is made of super-tough nylon
- 65669 is made of powder coated steel
- Patent No. 5,003,797



Catalog #	Max Shackle Diameter	Valve Size / Pipe Diameter	Max Handle Width	Max Handle Thickness
65666	9/32"	1/4" – 1"	1"	3/4"
65669	9/32"	1 1/4" – 3"	1 3/8"	1 1/4"

Adjustable Ball Valve Lockout

Meet OSHA requirements and ensure ball valves are locked securely.

- Made of ultra-tough polypropylene
- BS07A locks out pipes 1/2" to 2-1/2" in diameter
- BS08A locks out pipes 2" to 8"
- Patent No. 6,622,536



Catalog #	Description
BS07A	Small Ball Valve Lockout
BS08A	Large Ball Valve Lockout

120V Snap-On Breaker Lockout

Quick and easy – just snap in place and apply lock!

- Fits 120V breakers w/holes in the switch tongue
- Accepts lock shackles up to 9/32" dia.
- Dimensions: 0.83"H x 0.35"W x 2.15"L
- Patent No. 5,122,624



Catalog #	Description
65688	120V Snap-On Lockout, 6/pkg.

Clamp-On Breaker Lockouts

Extremely versatile – works on most single-pole & internal-trip multipole breakers!

- Available in 2 sizes: 120/277V and 480/600V
- Accepts lock shackles up to 9/32" dia.
- Includes detachable cleats for use on long, sliding switch throws
- Patent No. 5,500,495



Use thumbscrew to clamp lockout securely onto switch, then pull cover over thumbscrew and lock in place

Catalog #	Description
65965	120/277V Clamp-On Lockout, 6/pkg.
65966	480/600V Clamp-On Lockout, 6/pkg.

Universal Multi-Pole Breaker Lockout

Single device works with most major common-trip breakers that employ a tie-bar.

- Compatible with GE, ITE, Sylvania, Challenger, Bryant, Westinghouse, General Switch Co. and more
- Use thumbscrew to clamp lockout securely over tie-bar, then insert lock to prevent clamp from being loosened
- Made of durable nylon. Patent No. 5,300,740



Catalog #	Description
66320	Universal Multi-pole Lockout, 6/pkg.

Plug Lockouts, Cable Lockout & Electrical Arc Flash Labels

Meet OSHA, NFPA and NEC requirements — warn employees about electrical hazards

► Brady Plug Lockouts

Eliminate the chance of accidentally putting a plug back into an outlet while performing maintenance.

- Made of rugged polypropylene
- 100 Volt Plugout, 2" x 2" x 3-1/2", 1/2" hole
- 220/500 Volt Plugout, 3-1/4" x 3-1/4" x 7", 1" hole



Lockouts come with Danger labels in English, Spanish and French.

Catalog #	Description
65674	Small 110V Plugout
65675	Large 220/500V Plugout

► All Purpose Cable Lockout

Lockouts out large valves, multiple disconnects and more. Simply hold device in one hand, cinch tight with the other, and apply lock & tag.

- Rugged body is chemical, corrosion and temperature resistant
- Comes with 8' vinyl-coated 3/16" dia. steel cable



Catalog #
50943

► 3-In-1 Plug Lockout

Versatile lockout for small, medium and large cords.

- Use on high & low voltage plugs up to 3" dia. & 5-1/2" L
- Accommodates cords up to 1-1/4" dia
- Made of bright yellow thermoplastic



Catalog #
PL023

► Mini-Cable Lockout

Compact and self-winding device is perfect for disconnect switches, small gate valves and more!

- Nylon body is chemical, corrosion and temperature resistant
- Comes with 8' vinyl-coated 1/16" dia. steel cable
- Body dimensions: 4" dia. x 1-3/4" deep



Catalog #
50940

► Arc Flash Labels – Comply with NEC marking requirements for arc flash hazards



Arc Flash Labeling Requirements Introduced in the 2002 Edition of the National Electric Code

- EMPLOYERS, not manufacturers or installers, are responsible for complying with NEC labeling requirements
- Switchboards, panel boards, industrial control panels, meter sockets enclosures and motor control centers must be field marked
- Any equipment installed after 2002 needs to be labeled. For equipment installed before 2002, labeling must be applied if any modifications or upgrades take place
- Either DANGER or WARNING header acceptable



Label Size	Label Description	Catalog #	Description
2" x 4" label, 10/pkg.		101519	WARNING header
3.5" x 5" label, 5/pkg.		101950	WARNING header
4" x 6" label, 5/pkg.		99460	WARNING header
5" x 7" label, 5/pkg.		99458	WARNING header
		99459	DANGER header

Safely identify electrical hazards and clearly mark equipment status.

Electrical & Equipment Hazard Signs

OSHA 1910.305 on High Voltage - states covers for boxes shall be permanently marked "High Voltage".

OSHA 1910.303 on Access Area Marking - states sufficient access and working space must be provided and maintained about all electrical equipment

 <p>DANGER ELECTRICAL EQUIPMENT AUTHORIZED PERSONNEL ONLY</p> <p>PL - 7 x 10 - 22093 PL - 10 x 14 - 22094 SS - 3½ x 5 - 87754 SS - 7 x 10 - 84068 SS - 10 x 14 - 84069</p>	 <p>DANGER AREA IN FRONT OF THIS ELECTRICAL PANEL MUST BE KEPT CLEAR FOR 36 INCHES- OSHA-NEC REGULATIONS</p> <p>SS - 7 x 10 - 84859 SS - 10 x 14 - 84860</p>	 <p>DANGER THIS EQUIPMENT STARTS AUTOMATICALLY</p> <p>PL - 7 x 10 - 23039 PL - 10 x 14 - 23040 SS - 3½ x 5 - 87792 SS - 7 x 10 - 88185 SS - 10 x 14 - 88186</p>	 <p>DANGER HIGH VOLTAGE KEEP OUT</p> <p>PL - 7 x 10 - 22103 PL - 10 x 14 - 22104 SS - 3½ x 5 - 84082 SS - 7 x 10 - 84083 SS - 10 x 14 - 84084</p>	 <p>DANGER HIGH VOLTAGE</p> <p>PL - 7 x 10 - 25532 PL - 10 x 14 - 25533 SS - 3½ x 5 - 84875 SS - 7 x 10 - 84876 SS - 10 x 14 - 84877</p>	 <p>DANGER HIGH VOLTAGE</p> <p>PL - 10 x 7 - 25534 PL - 14 x 10 - 25535 SS - 10 x 7 - 84878 SS - 14 x 10 - 84879</p>	 <p>DANGER HIGH VOLTAGE PELIGRO ALTO VOLTAJE</p> <p>Bilingual PL - 14 x 10 - 38679 SS - 14 x 10 - 90797</p>
 <p>NOTICE ELECTRICAL CLOSET NO STORAGE PERMITTED</p> <p>SS - 7 x 10 - 84937 SS - 10 x 14 - 84938</p>	 <p>CAUTION AREA IN FRONT OF THIS ELECTRICAL PANEL MUST BE KEPT CLEAR FOR 36 INCHES. OSHA-NEC REGULATIONS</p> <p>SS - 7 x 10 - 84827 SS - 10 x 14 - 84828</p>	 <p>AREA IN FRONT OF THIS ELECTRICAL PANEL MUST BE KEPT CLEAR FOR 36 INCHES OSHA-NEC REGULATIONS</p> <p>SS - 3½ x 10 - 84949</p>	 <p>AREA IN FRONT OF THIS ELECTRICAL PANEL MUST BE KEPT CLEAR FOR 36 INCHES OSHA-NEC REGULATIONS</p> <p>SS - 3½ x 10 - 84950</p>	 <p>Materials</p> <p>PL - BradyTuff™ Plastic SS - Self-Sticking High Performance Polyester</p>		

Jumbo 7" x 4" Cardstock Tear-Off Tags

Makes tracking repairs easy - attach top section to equipment and keep the bottom tear away section for your records

- Matching consecutive numbers on both sections (factory determines starting number)
- Sold in packs of 25 tags with 12" attached strings

 <p>103665</p>	 <p>103666</p>	 <p>103667</p>	 <p>103668</p>
---	---	---	---

Jumbo 7" x 4" Polyester Tags

Tags meet OSHA Standard 1910.145 for accident prevention.

- Tags withstand moisture, grease and dirt
- Sold 10 tags per package, nylon fasteners included
- Tags have same front and back unless shown

 <p>86620</p>	 <p>86614</p>	 <p>86611</p>	 <p>86624</p>
--	---	--	--

Standard Cardstock Tags

Durable 3" x 5-3/4", 19 pt. cardstock.

- 100/pkg., 12" strings included
- Tags are blank on back side

 <p>86750</p>	 <p>86751</p>
 <p>86781</p>	 <p>86756</p>
 <p>86761</p>	 <p>86776</p>

Protective Vinyl Envelopes

Keep tags and service records clean & dry.

 <p>Open-Ended, 10/pkg.</p>	 <p>Zip Lock, 10/pkg.</p>												
<table border="0"> <tr> <th>Catalog #</th> <th>Size</th> </tr> <tr> <td>81763</td> <td>4½" x 6½"</td> </tr> <tr> <td>81764</td> <td>5½" x 8½"</td> </tr> </table>	Catalog #	Size	81763	4½" x 6½"	81764	5½" x 8½"	<table border="0"> <tr> <th>Catalog #</th> <th>Size</th> </tr> <tr> <td>81765</td> <td>4½" x 6½"</td> </tr> <tr> <td>81767</td> <td>5½" x 8½"</td> </tr> </table>	Catalog #	Size	81765	4½" x 6½"	81767	5½" x 8½"
Catalog #	Size												
81763	4½" x 6½"												
81764	5½" x 8½"												
Catalog #	Size												
81765	4½" x 6½"												
81767	5½" x 8½"												

Standard Polyester Tags

Durable 5-3/4" x 3" polyester tags withstand moisture, grease and dirt.


- 25/pkg., nylon fasteners included
- Textured write-on surface
- Blank tags are blank on both sides

 <p>65372</p>	 <p>65373</p>	 <p>65367</p>
--	--	--

Right To Know Centers, Binders & Posters

Comply with OSHA 29 CFR 1910.1200 by having MSDSs accessible to all employees.

▶ Right To Know Compliance Center



Keep your MSDSs handy for employees.

- Center includes red polystyrene board, binder rack and 1.5" MSDS binder w/300 sheet capacity (2023)
- Center size: 20"H x 14"W x 4-1/2"D

Catalog #	Description
2010	RTK Center
2010SP	Spanish RTK Center (ENG & SP)
2023	1.5" Binder Only
2024	2.5" Binder Only
2026	1.5" Bilingual Binder Only
2027	2.5" Bilingual Binder Only

▶ 2-Binder Right To Know Compliance Center



Organize all your OSHA required MSDSs in one convenient central location.


- Center includes red polystyrene board, binder rack and two 1.5" MSDS binders w/300 sheet capacity (2023)
- Center size: 20"H x 14"W x 6-1/4"D

Catalog #	Description
106344	2-Binder RTK Center
106347	2-Binder Spanish RTK Center

▶ Standard Right To Know Center

Attractive, versatile & tough acrylic RTK board.

- Includes 1-1/2" binder & 10 training booklets
- Center size: 30"H x 24"W x 4-1/2"D



Catalog #	Description
2001	Standard RTK Center
2012	Board Only
2002	Bilingual Version*
2013	Bilingual Board Only

*Includes 5 english booklets, 5 spanish booklets and a bilingual board & binder

▶ Graphical MSDS Information Center

Informational station helps employees both understand and easily locate information.

- Covers the 9 key sections found on MSDSs
- Durable polystyrene backboard (22"H x 24"W) w/plastic coated steel rack (9"H x 14"W x 4-1/2"D)
- Includes 2" striped MSDS binder and MSDS training inserts



Catalog #	Description
102711	MSDS Info Center

▶ Economy Right To Know Center

Perfect for areas short on space.

- Includes MSDS "V" sign, 8"H x 14"W x 6"D
- Yellow binder holder, 9"H x 14"W x 4-1/2"D
- 1.5" MSDS binder w/300 sheet capacity



Catalog #	Description
2007	Economy RTK Center
V2MS21A	MSDS "V" Sign Only

▶ Right To Know Training Poster

Help employees understand your MSDSs.

- Laminated 18" x 24" poster breaks down MSDSs into nine, easy to follow categories
- Display poster in all areas where hazardous materials are used or stored



Catalog #	Description
53200	English
53201	Spanish

Avoid costly fines! - Post required OSHA information and mandated state and federal labor law notices in your building

► OSHA Safety Information Center

Fulfills 7 OSHA compliance requirements while conserving wall space.

- Durable coated cardboard withstands years of use.
- Flip-chart style display system make it easy to update posters
- Plastic cover protects poster
- Dimensions: 20"H x 26"W

Center includes:

- OSHA "It's the Law" Poster
- Two pamphlet holders with General Safety and Bloodborne Exposure pamphlets (25 each)
- Anonymous suggestion box with forms
- Emergency phone numbers chart
- Access to medical records notice
- Hazardous materials guide and customizable MSDS chart
- Customizable personal protection equipment chart
- Safety training notice and 1-year safety meeting calendar
- First-Aid Procedures for Bleeding Victims poster
- OSHA 300A Injury & Illness Reporting poster



Catalog #	Description
106437	OSHA Information Center



Federal Labor Law Poster

► Combined State & Federal Labor Law Poster

State and federal agencies require employers to post up to 12 specific labor-law notices informing employees of their workplace rights. Failure to comply can result in fines up to \$17,000, and may be used as evidence in employee lawsuits or workers compensation cases!

- Covers all employment notices mandated at both the state and federal level in one convenient poster
- Notices that may not apply to all establishments are shipped as separate panels, allowing you to customize postings accordingly
- OSHA "It's the Law" poster replaced by state equivalent where applicable
- Laminated for durability, these 25-1/2" H x 39-1/2" W posters are printed on both sides for hanging vertically or horizontally.
- Includes FREE compliance certificate to satisfy government or legal requests to verify postings.

► Update Subscription Service

• **Your worry-free compliance solution - avoid fines up to \$17,000!**

- Automatically receive updates to place over outdated panels whenever a change occurs in state or federal postings
- Updates sent out quarterly
- Subscription lasts for one year from the date of purchase

Catalog #	Description
106418	Update subscription

Federal notices included:

- USERRA
- IRS Notice of Withholding
- IRS Earned Income Credit
- Employee Polygraph
- OSHA "It's the Law" (or state equivalent)
- Federal Minimum Wage
- USCIS Discrimination
- Employee "Right-To-Know"
- Family & Medical Leave Act
- Payday Notice
- HIPAA Security Notice (where applicable)
- Emergency contact information chart

State notices included:

- Worker's Compensation
- Unemployment & Disability
- Harassment & Discrimination
- Minimum Wage
- Job Safety & Health
- Payday
- Wage Order Summary
- Family Leave
- Child Labor Law
- Whistleblowers' Protection

State	Part Number	State	Part Number
Alabama	106363	Missouri	106389
Alaska	106362	Montana	106391
Arizona	106365	Nebraska	106394
Arizona (SP)	106366	Nevada	106398
Arkansas	106364	New Hampshire	106395
California	106367	New Jersey	106396
California (SP)	106368	New Mexico	106397
Colorado	106369	New York	106389
Connecticut	106370	North Carolina	106392
Delaware	106372	North Dakota	106393
Florida	106373	Ohio	106400
Florida (SP)	106374	Oklahoma	106401
Georgia	106375	Oregon	106402
Hawaii	106376	Pennsylvania	106403
Idaho	106378	Rhode Island	106404
Illinois	106379	South Carolina	106405
Indiana	106380	South Dakota	106406
Iowa	106377	Tennessee	106407
Kansas	106381	Texas	106408
Kentucky	106382	Texas (SP)	106409
Louisiana	106383	Utah	106410
Maine	106386	Vermont	106412
Maryland	106385	Virginia	106411
Massachusetts	106384	Washington	106413
Michigan	106387	Washington (SP)	106414
Minnesota	106388	Wisconsin	106415
Mississippi	106390	Wyoming	106417
		(SP) - Spanish	


RTK Signs & Labels / Cylinder Status Signs & Tags

Protect employees and ensure compliance with OSHA's Federal Hazard Communication Standard known as the "Right To Know" law.

► Vinyl Write-On RTK Labels

Utilize the NFPA or the New Color bar format to identify your secondary containers.

- Standard package: 500 labels per roll




► Hazardous Information Placards

Graphically explain both NFPA and Color Bar version Coding Systems.

- Durable fiberglass placard measures 14" x 10"

Catalog #
78786



► NFPA Hazardous Material Placards

Comply with NFPA No. 704M and Federal Standard 313.

- Use indoors or outdoors on drums, tanks, containers & buildings

Catalog #	Description
58656	11" sq. Fiberglass (1/pkg.)
58503	10" sq. Vinyl (10/pkg.)

► Quick-Align Diecut Lettering

- Identify NFPA placards with tough B-933 outdoor-grade, adhesive vinyl characters
- Standard package: 10 identical 4" black characters



	0	1	2	3	4	W
Catalog #	5140-0	5140-1	5140-2	5140-3	5140-4	58508
		OXY	ACID	COR	ALK	
Catalog #	58604	58667	58672	58688	58693	

► Hazardous Waste Labels

Comply with current Federal regulations regarding identification of hazardous waste materials for transportation off-site.

- 6" x 6" paper labels, 100 per package



60448



60453



60242



60360



60352

► Biohazard Sign & Label

Meet OSHA Standards 1910.145 & 1910.1030

- Signs and labels sold individually




SS - 3-1/2 x 5 - 89170
SS - 7 x 10 - 85553
PL - 10 x 14 - 25743

► Chemical & Hazardous Material Signs

Comply with HazCom 1910.1200 – Identify hazardous material areas.

- 10 x 14 signs available in self-sticking polyester (SS) and BradyTuff plastic (PL)



PL - 10 x 14 - 22312 PL - 10 x 14 - 25429 PL - 10 x 14 - 25661 PL - 14 x 10 - 25277
SS - 10 x 14 - 84352 SS - 10 x 14 - 84376 SS - 10 x 14 - 85176 SS - 14 x 10 - 88739



PL - 10 x 14 - 25667 PL - 10 x 14 - 25441 PL - 10 x 14 - 22752 PL - 10 x 14 - 103925
SS - 10 x 14 - 85184 SS - 10 x 14 - 84398 SS - 10 x 14 - 85498 SS - 10 x 14 - 103926



PL - 10 x 14 - 25443 PL - 10 x 14 - 103927 PL - 10 x 14 - 103929 PL - 10 x 14 - 103931
SS - 10 x 14 - 84400 SS - 10 x 14 - 103928 SS - 10 x 14 - 103930 SS - 10 x 14 - 103932

► Gas Cylinder Status Signs

Clearly mark cylinder storage areas.



PL - 10 x 14 - 103853
SS - 10 x 14 - 103854



PL - 10 x 14 - 103855
SS - 10 x 14 - 103856

► Gas Cylinder Status Tags

Clearly inform user of cylinder status.

- Perforated pull-off tabs provide immediate status recognition
- Available in cardstock or heavy-duty tyvek
- 6-1/4" x 3 1/8" tags, 25/pkg., FREE nylon ties included



Catalog #	Description
103669	Cardstock
103670	Tyvek



Protect your people against potential hazards and be prepared in the event of injuries.

OSHA Record Keeping Center

Immediate compliance solution — OSHA requires all companies with 11 or more employees to prepare, maintain and post records of work related illness or injuries.



- Kit includes: Posting board, record binder and holder, accident sign, OSHA INFO v-shaped sign, OSHA 300A/300E & 3001E forms

Catalog #	Description
OR305E	OSHA Record Keeping Center


Injury & Illness Prevention Program

Best defense against preventable accidents, lost work time, workers compensation costs and OSHA fines.

- Meets OSHA guidelines for written programs and includes all forms and documentation needed to demonstrate good faith compliance during an OSHA audit

Program includes:

- Reproducible OSHA reporting forms
- Overview record keeping requirements
- Indexed binder
- Complete written program on CD-ROM



Catalog #	Description
106432	Injury & Illness Prevention Program

Emergency Eye Wash Signs

Clearly mark all emergency eye wash stations in all lighting conditions.

- V-shaped acrylic signs (6"H x 9"W x 4"D) includes both mounting hardware and double face foam tape



PL - 7 x 10 - 22665



"V" sign - V1EW03A

Inspection Tags

Tags meet OSHA 1910.45 for accident prevention.

- 7" x 4" Write-on polyester laminated tags
- Sold 10/pkg. & include FREE nylon ties
- Reverse side same as front



86615



86611

OSHA Personal Protection Safety Signs

Protect your people and help create a safer, more efficient workplace.

- Signs available in Self-Sticking High Performance Polyester (SS), BradyTuff Plastic (PL) and BradyTuff Aluminum (AL)

CAUTION HARD HATS REQUIRED PL - 10 x 14 - 22406 SS - 10 x 14 - 84536	CAUTION EYE PROTECTION REQUIRED PL - 10 x 14 - 22400 SS - 10 x 14 - 84530	CAUTION HEARING PROTECTION REQUIRED PL - 10 x 14 - 22408 SS - 10 x 14 - 84538	CAUTION LOW OVERHEAD CLEARANCE PL - 10 x 14 - 22918 SS - 10 x 14 - 85859	CAUTION HARD HATS REQUIRED PRECAUCION CASCO DE PROTECCION REQUERIDO PL - 14 x 10 - 39085 SS - 14 x 10 - 90817	CAUTION EYE PROTECTION REQUIRED PRECAUCION SE REQUIERE PROTECCION PARA LA VISTA PL - 14 x 10 - 39084 SS - 14 x 10 - 90799	CAUTION HEARING PROTECTION REQUIRED PRECAUCION PROTECCION AUDITIVA REQUERIDA PL - 14 x 10 - 39086 SS - 14 x 10 - 90818
CAUTION USE HANDRAIL PL - 10 x 14 - 25609 SS - 10 x 14 - 85096	CAUTION WATCH FOR LIFT TRUCKS PL - 10 x 14 - 25906	DANGER LOOK OUT FOR LIFT TRUCKS PL - 10 x 14 - 23002 SS - 10 x 14 - 88132	DANGER HARD HAT AREA PL - 10 x 14 - 22984 SS - 10 x 14 - 88102	DANGER CONFINED SPACE ENTER BY PERMIT ONLY PL - 10 x 14 - 22425 SS - 10 x 14 - 84563	DANGER PERMIT-REQUIRED CONFINED SPACE DO NOT ENTER PL - 10 x 14 - 25921 SS - 10 x 14 - 65949	DANGER KEEP HANDS CLEAR PL - 10 x 14 - 22994 SS - 10 x 14 - 88120
NOTICE SAFETY GLASSES REQUIRED BEYOND THIS POINT PL - 10 x 14 - 22627 SS - 10 x 14 - 85036	DANGER PL - 10 x 14 - 25361 SS - 10 x 14 - 88926	CAUTION PL - 10 x 14 - 25357 SS - 10 x 14 - 88919	NOTICE PL - 10 x 14 - 25365 SS - 10 x 14 - 88933	PL - 10 x 14 - 25377 SS - 10 x 14 - 88949	PL - 10 x 14 - 25886 SS - 10 x 14 - 89114	PL - 10 x 14 - 25375 SS - 10 x 14 - 88947


Self-Sticking Pipe Markers and Arrow Tape

Eliminate confusion and reduce errors and accidents with Brady pipe markers and valve tags.

► Indoor/Outdoor Self-Sticking Vinyl Pipe Markers

Brady pipe markers meet ASME (ANSI) A13.1 and OSHA requirements when used with Directional Flow Arrow Tape.

- Coated backing material makes handling and installation fast and easy
- Marker ends should be banded with Brady Directional Flow Arrow Tape to indicate flow direction



Size Chart

Outside Diameter	Letter Height	Style Description	Order Style*
8" or greater	3½"	HEATING RETURN Style 1HV: One 2¼" x 24" marker per card	1HV
2½" to 7⅞"	2"	HEATING RETURN Style 1: One 2¼" x 14" marker per card	1
¾" to 2⅜"	¾"	FIRE AUTO SPRINKLERS Style 4: Four 1½" x 7" markers per card	4
less than ¾"	½"	Style 3C: Three 2¼" x 2¾" markers per card plus 8 strips of Arrow Tape	3C

There's More Online
www.bradyid.com

Custom Pipe Markers and Valve Tags available

*When ordering, please indicate the catalog number for your desired legend followed by the Order Style (1HV, 1, 4 or 3C) that corresponds with your desired size and style (example: CHILLED WATER SUPPLY = 7047-1).

Legend	Background Color	Catalog No.	Legend	Background Color	Catalog No.	Legend	Background Color	Catalog No.
AIR	Yellow	7005 -*	DOMESTIC HOT WATER	Yellow	7087 -*	NON-POTABLE WATER	Yellow	7203 -*
AIR	Blue	7006 -*	DOMESTIC HOT			OVERFLOW	Yellow	7208 -*
AIR	Green	7007 -*	WATER RETURN	Yellow	7088 -*	OXYGEN	Green	7210 -*
AIR SUPPLY	Blue	7010 -*	DOMESTIC HOT			OXYGEN	Yellow	7209 -*
AMMONIA	Yellow	7014 -*	WATER SUPPLY	Yellow	7089 -*	PLANT AIR	Yellow	7212 -*
ARGON	Green	7015 -*	DRAIN	Green	7090 -*	POTABLE WATER	Yellow	7218 -*
ASBESTOS FREE	Blue	7017 -*	FIRE AUTO SPRINKLERS	Red	7107 -*	PROCESS WATER	Green	7224 -*
ASBESTOS FREE INSULATION	Blue	7018 -*	FIRE PROTECTION WATER	Red	7110 -*	PROPANE GAS	Yellow	7227 -*
ASBESTOS INSULATION	Yellow	7019 -*	FUEL OIL	Yellow	7115 -*	RAIN WATER	Green	7229 -*
BLANK	Yellow	7025 -*	GAS	Yellow	7119 -*	REFRIGERANT LIQUID	Yellow	7235 -*
CHILLED WATER	Green	7045 -*	GLYCOL	Yellow	7121 -*	RETURN	Green	7242 -*
CHILLED WATER RETURN	Green	7046 -*	GLYCOL RETURN	Yellow	7122 -*	RETURN	Yellow	7244 -*
CHILLED WATER SUPPLY	Green	7047 -*	GLYCOL SUPPLY	Yellow	7123 -*	ROOF DRAIN	Green	7247 -*
CITY WATER	Green	7054 -*	HEATING RETURN	Yellow	7125 -*	SANITARY SEWER	Green	7250 -*
COLD WATER	Green	7055 -*	HEATING SUPPLY	Yellow	7127 -*	SANITARY SEWER	Yellow	7251 -*
COLD WATER RETURN	Green	7056 -*	HEATING WATER	Yellow	7128 -*	SANITARY VENT	Yellow	7252 -*
COLD WATER SUPPLY	Green	7057 -*	HEATING WATER RETURN	Yellow	7129 -*	SANITARY WASTE	Yellow	7253 -*
COMPRESSED AIR	Yellow	7058 -*	HEATING WATER SUPPLY	Yellow	7130 -*	SPRINKLER	Red	7267 -*
COMPRESSED AIR	Green	7059 -*	HIGH PRESSURE			SPRINKLER FIRE	Red	7268 -*
COMPRESSED AIR	Blue	7060 -*	CONDENSATE	Yellow	7137 -*	SPRINKLER WATER	Red	7269 -*
CONDENSATE	Yellow	7061 -*	HOT WATER	Yellow	7146 -*	STEAM	Yellow	7270 -*
CONDENSATE DRAIN	Yellow	7062 -*	HOT WATER			STORM DRAIN	Green	7273 -*
CONDENSATE DRAIN	Green	7063 -*	RECIRCULATION	Yellow	7147 -*	STORM SEWER	Green	7274 -*
CONDENSATE RETURN	Yellow	7065 -*	HOT WATER RETURN	Yellow	7148 -*	SUPPLY	Green	7282 -*
CONDENSER WATER	Green	7067 -*	HOT WATER SUPPLY	Yellow	7149 -*	SUPPLY	Yellow	7311 -*
CONDENSER			INDUSTRIAL WATER	Green	7163 -*	TEMPERED WATER	Yellow	7283 -*
WATER RETURN	Green	7068 -*	LOW PRESSURE			TOWER WATER	Green	7285 -*
CONDENSER			CONDENSATE	Yellow	7175 -*	VACUUM	Yellow	7291 -*
WATER SUPPLY	Green	7069 -*	LOW PRESSURE STEAM	Yellow	7179 -*	VACUUM	Green	7292 -*
COOLING WATER	Green	7070 -*	MEDICAL AIR	Yellow	7184 -*	VENT	Yellow	7295 -*
COOLING WATER RETURN	Green	7071 -*	MEDICAL VACUUM	White	7186 -*	VENT	Green	7296 -*
DEIONIZED WATER	Green	7073 -*	MEDIUM PRESSURE			WASTE	Yellow	7298 -*
DOMESTIC COLD WATER	Green	7084 -*	NATURAL GAS	Yellow	7190 -*	WASTE	Green	7299 -*
DOMESTIC COLD			NATURAL GAS	Yellow	7196 -*	WATER	Yellow	7303 -*
WATER SUPPLY	Green	7086 -*	NITROGEN	Green	7198 -*	WATER	Green	7304 -*
			NITROGEN	Blue	7200 -*			

► Directional Flow Arrow Tape

Secure pipe markers with arrow tape to identify flow direction, enhance safety and improve operating efficiency.


- Durable vinyl material withstands elements indoors or out
- Provides 360° degree visibility
- Supplied in liner-mounted rolls



Roll Size	Catalog #	White/Green	White/Red	White/Blue
1" x 30 yds.	91424	91425	91426	91427
2" x 30 yds.	91420	91421	91422	91423
4" x 30 yds.	91287	91290	91288	91289

► Stamped Brass Valve Tags

- 1-1/2" dia. Round tags, black-filled for easy reading
- Standard package: 25 identical tags



Top Line Copy	Bottom Line Number Sequence			
	1-25	26-50	51-75	76-100
BLANK	23200	23201	23202	23203
CHWR	23596	23597	23598	23599
CHWS	23576	23577	23578	23579
FP	23667	23668	23669	23670
HWR	23536	23537	23538	23539
HWS	23556	23557	23558	23559
HVAC	87140	87141	87142	87143
PLBG	23260	23261	23262	23263

► Snap-On™ Pipe Markers

360° visibility – perfect for rough & dirty pipes.



BradySnap-On™ Pipe Markers

► Strap-On Pipe Markers

Installs quickly, easily and can be removed and reinstalled.



Strap-On Pipe Markers

- All stock Brady Snap-On™ / Strap-On markers meet ASME (ANSI) Standard
- Ideal for indoor or outdoor use
- Installs quickly and easily to dirty, oily, greasy or rough surfaces
- 360° visibility and can be removed / re-applied
- For a complete legend visit www.bradyid.com

BradySnap-On™ Markers Size Chart (3/4" to 6" O.D)

Outside Diameter	Letter Height	Style Description	Order Style*
¾" to 1¾"	½"	Style A	A
1½" to 2¾"	¾"	Style B	B
2½" to 3¾"	1¼"	Style C	C
4" to 6"	1¾"	Style D	D

Strap-On Style Marker Size Chart (6" to 15" O.D)

Outside Diameter	Letter Height	Style Description	Order Style*
6" to 7½"	1¼"	Style F	F
8" to 9½"	2½"	Style G	G
10" to 15"	3½"	Style H	H

*When ordering, please indicate the catalog number for your desired legend followed by the Order Style (A-D, F-H) that corresponds with your desired size and style (example: CHILLED WATER SUPPLY = 4024-C)

Legend	Background Color	Catalog No.	Legend	Background Color	Catalog No.	Legend	Background Color	Catalog No.
AIR	Green	4001 - *	DRAIN	Green	4055 - *	NITROGEN	Blue	4100 - *
AIR	Blue	4002 - *	FIRE AUTO SPRINKLERS	Red	4059 - *	NON-POTABLE WATER	Yellow	4102 - *
AIR	Yellow	4003 - *	FIRE MAIN	Red	4185 - *	OIL	Yellow	4103 - *
ARGON	Blue	4162 - *	FIRE PROTECTION WATER	Red	4060 - *	OXYGEN	Yellow	4105 - *
ARGON	Green	4006 - *	FUEL OIL RETURN	Yellow	4064 - *	OXYGEN	Green	4106 - *
ASBESTOS FREE	Blue	4007 - *	FUEL OIL SUPPLY	Yellow	4065 - *	OXYGEN	Blue	4107 - *
(BLANK)	Yellow	4010-A	GAS	Yellow	4067 - *	PLANT AIR	Yellow	4108 - *
(BLANK)	Green	4012-A	HEATING RETURN	Yellow	4070 - *	PLUMBING VENT	Green	4110 - *
CARBON DIOXIDE	Yellow	4019 - *	HEATING SUPPLY	Yellow	4071 - *	POTABLE WATER	Green	4111 - *
CAUSTIC	Yellow	4020 - *	HEATING WATER RETURN	Yellow	4072 - *	PROCESS WATER	Green	4113 - *
CHILLED WATER	Green	4022 - *	HEATING WATER SUPPLY	Yellow	4073 - *	PROPANE GAS	Yellow	4114 - *
CHILLED WATER RETURN	Green	4023 - *	HELIUM	Green	4074 - *	RETURN	Green	4120 - *
CHILLED WATER SUPPLY	Green	4024 - *	HIGH PRESSURE AIR	Yellow	4075 - *	ROOF DRAIN	Green	4121 - *
CITY WATER	Green	4028 - *	HIGH PRESSURE CONDENSATE	Yellow	4076 - *	SANITARY DRAIN	Green	4122 - *
COLD WATER	Green	4029 - *	HIGH PRESSURE STEAM	Yellow	4077 - *	SANITARY SEWER	Green	4123 - *
COMPRESSED AIR	Yellow	4032 - *	HIGH PRESSURE WATER	Yellow	4078 - *	SERVICE WATER	Green	4270 - *
COMPRESSED AIR	Green	4033 - *	HOT	Yellow	4197 - *	SODIUM HYPOCHLORITE	Yellow	4124 - *
COMPRESSED AIR	Blue	4034 - *	HOT WATER	Yellow	4079 - *	SPRINKLER FIRE	Red	4127 - *
CONDENSATE	Yellow	4035 - *	HOT WATER RETURN	Yellow	4081 - *	SPRINKLER WATER	Red	4128 - *
CONDENSATE DRAIN	Yellow	4036 - *	HOT WATER SUPPLY	Yellow	4082 - *	STEAM	Yellow	4129 - *
CONDENSATE RETURN	Yellow	4037 - *	HYDRAULIC FLUID	Yellow	4198 - *	STORM DRAIN	Green	4132 - *
COOLING WATER RETURN	Green	4043 - *	HYDRAULIC LINE	Yellow	4083 - *	STORM WATER	Green	4134 - *
COOLING WATER SUPPLY	Green	4044 - *	HYDRAULIC OIL	Yellow	4199 - *	SULFURIC ACID	Yellow	4136 - *
DEIONIZED WATER	Green	4046 - *	HYDROCHLORIC ACID	Yellow	4085 - *	TEMPERED WATER	Yellow	4140 - *
DEIONIZED WATER RETURN	Green	4172 - *	HYDROGEN	Yellow	4086 - *	TOWER WATER RETURN	Green	4143 - *
DEIONIZED WATER SUPPLY	Green	4173 - *	INSTRUMENT AIR	Blue	4089 - *	VACUUM	Yellow	4146 - *
DOMESTIC COLD WATER	Green	4048 - *	LAB VENT	Yellow	4225 - *	VACUUM	Green	4147 - *
DOMESTIC COLD WATER SUPPLY	Green	4050 - *	LAB WASTE	Yellow	4226 - *	VENT	Yellow	4148 - *
DOMESTIC HOT WATER	Yellow	4051 - *	LOW PRESSURE CONDENSATE	Yellow	4091 - *	VENT	Green	4150 - *
DOMESTIC HOT WATER RETURN	Yellow	4052 - *	LOW PRESSURE STEAM	Yellow	4092 - *	WARM WATER	Green	4280 - *
DOMESTIC HOT WATER SUPPLY	Yellow	4053 - *	NATURAL GAS	Yellow	4097 - *	WASTE	Yellow	4151 - *
			NITRIC ACID	Yellow	4247 - *	WASTE WATER	Yellow	4152 - *
			NITROGEN	Yellow	4098 - *	WASTE WATER	Green	4153 - *
			NITROGEN	Green	4099 - *	WATER	Green	4155 - *

► Blank Brass Valve Tag

- Standard package of 25 tags



Blank Brass Valve Tag (B-907)

Size	Shape	Catalog Number
1½"	Round	23210
2"	Round	23211
1½"	Square	23212
2"	Square	23213

► 4-1/2" Beaded #6 Brass Chain

- 100 chains per package

Catalog #
23306



► #16 Brass Jack Chain

- Open and close links to adjust to size needed
- 50 ft. of chain per package

Catalog #
23308



HandiMark® Portable Label Maker



Create Custom Labels
Anytime, Any Way
& Anywhere

Your Solution for



Pipe Markers



Panel & Switch I.D.



Asset I.D.



Bin & Shelf I.D.



Equipment I.D.



Instrumentation I.D.

... and many more.

Text Sizes .08" to

1.7"

(2mm to 43mm)



113 Built-in Symbols



CAUTION DANGER NOTICE WARNING



HandiMark® Printer & Accessories

Catalog # Description

42001	HandiMark® Portable Label Maker (Includes rechargeable battery & battery charger, hard carrying case, 1 roll of 2" sample tape, black ribbon, cleaning strip, tutorial and symbols reference chart)
42006	HandiMark AC Power Supply
42124	HandiMark Quick Charger

Industrial Grade Ribbons

Super-tough, smear-proof, easy-to-load ribbons last for years outdoors.



Size

Catalog

One size fits all tape widths

2" x 75' (51 mm x 23 m)

Black	White	Red	Blue	Green
42011	42012	42013	42014	42015

Outdoor Grade Vinyl Tape

Labels adhere well to pipes, walls, equipment, doors – most clean, dry surfaces.

- Withstands temperatures from 180°F to -40°F

Description

Catalog

White	Clear	Yellow	Green	Red	Blue	Orange	Black	Grey	Gold	
1/2" x 50' (13 mm x 15.2 m)	42018	42076	42022	42026	42030	42034	42038	42042	42046	42054
1" x 50' (25 mm x 15.2 m)	42019	42077	42023	42027	42031	42035	42039	42043	42047	42055
2" x 50' (51 mm x 15.2 m)	42021	42079	42025	42029	42033	42037	42041	42045	42049	42057



Portable Printer ID

TLS2200®

THERMAL LABELING SYSTEM


The Industry's Most Powerful Wire & Cable Marking System



- **Permanent, Quick, Crisp Labels**
- **Built-in Electrical and Voice/Data Symbols**
- **Autotext Sizing** TLS 2200® reads your label size and style, selects the most suitable type size, and instantly registers it for printing
- **Variable Font Sizes** from 1 (4 point) to 19 (72 point)

► TLS 2200® & Accessories

Catalog #	Description
TLS2200	Printer (Includes hard case, battery pack, battery charger, test labels (PTL-19-423), R6210 ribbon, cleaning strip, communications cable, manual and Quick Start Guide)
R4310	Black Ribbon
R6010	Black Ribbon
R6210	Black Ribbon
TLS2200-AC	AC Power Supply
TLSHM-QUICKCH	Battery Quick Charger



► Self-Laminating Labels Applications: Wire/cable Labels

B-427 - Self-laminating, self-extinguishing vinyl with permanent acrylic adhesive

Catalog #	Labels per Roll	Dimensions -Inches (mm)			Approx. Wire Gauge	Suggested Ribbon
		A	B	C		
PTL-31-427	250	1.000 (25.40)	1.500 (38.10)	0.500 (12.70)	10 to 4	R4310
PTL-19-427	250	1.000 (25.40)	1.000 (25.40)	0.375 (9.53)	12 to 10	R4310
PTL-11-427	500	0.500 (12.70)	0.750 (19.05)	0.375 (9.53)	16 to 10	R4310
PTL-21-427	100	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	Cables	R4310
PTL-18-427	250	0.750 (19.05)	1.000 (25.40)	0.375 (9.53)	10 to 4	R4310
PTL-17-427	500	0.500 (12.70)	1.000 (25.40)	0.375 (9.53)	12 to 10	R4310
PTL-32-427	250	1.500 (38.10)	1.500 (38.10)	0.500 (12.70)	10 to 4	R4310
PTL-33-427	100	1.500 (38.10)	4.000 (101.60)	1.000 (25.40)	Cables	R4310
PTL-30-427	250	0.750 (19.05)	1.500 (38.10)	0.500 (12.70)	10 to 4	R4310
PTL-23-427	100	1.000 (25.40)	4.00 (101.60)	1.000 (25.40)	Cables	R4310
PTL-29-427	500	0.500 (12.70)	1.500 (38.10)	0.500 (12.70)	10 to 4	R4310

► PermaSleeve™ Heat-Shrink Sleeves Applications: Wire & Cable Markers

B-342 - Permasleeve - Heat-shrinkable self-extinguishing, polyolefin sleeves

Catalog #	Labels per Roll	Dimensions -Inches (mm)		Approx. Wire Gauge	Suggested Ribbon
		A	B		
PSPT-125-1-WT	100	1.015 (25.78)	0.235 (5.96)	22 to 16	R4310
PSPT-250-1-WT	100	1.015 (25.78)	0.439 (11.15)	16 to 10	R4310
PSPT-187-175-WT	100	1.765 (44.83)	0.335 (8.50)	18 to 12	R4310
PSPT-250-175-WT	100	1.765 (44.83)	0.439 (11.15)	16 to 10	R4310
PSPT-375-1-WT	100	1.015 (25.78)	0.645 (16.38)	12 to 6	R4310
PSPT-375-175-WT	100	1.765 (44.83)	0.645 (16.38)	12 to 6	R4310
PSPT-125-175-WT	100	1.765 (44.83)	0.235 (5.96)	22 to 16	R4310

► General Pre-Cut & Wrap Around Labels Applications: Wire/Cable, Panel/Component ID & General ID

B-498 - Vinyl cloth with repositionable rubber based adhesive

B-499 - Nylon cloth with permanent acrylic based adhesive **HF**

Catalog #	Labels per Roll	Dimensions -Inches (mm)		Approx. Wire Gauge	Suggested Ribbon
		A	B		
PTL-11-499	500	0.500 (12.70)	0.750 (19.05)	16 to 10	R4310, R6210 or R6010
PTL-19-499	250	1.000 (25.40)	1.000 (25.40)	12 to 10	R4310, R6210 or R6010
PTL-18-499	250	0.750 (19.05)	1.000 (25.40)	12 to 10	R4310, R6210 or R6010
PTL-11-498	500	0.500 (12.70)	0.750 (19.05)	16 to 10	R6210
PTL-21-498	100	1.000 (25.40)	2.500 (63.50)	Cables	R6210
PTL-18-498	250	0.750 (19.05)	1.000 (25.40)	12 to 10	R6210

Your Solution for



Wire & Cable Self-Laminating



Wire & Cable Wrap Around



Wire & Cable PermaSleeves



Property & Asset ID



Face Plate ID

(see page 18 in Voice/Data ID section)



Need Voice/Data Labels?

(see pages 18-19 for Workstation, Closet Hardware & Communication Cable ID)



There's More Online
www.bradyid.com

IDXpert™ Handheld Labeler



Two Keypad Layouts.
Identical Functionality & Supplies.



Your Solution for



Adhesive Wrap-Around



Self-Laminating



Permasleeve Sleeves



Facility & Safety ID



Bins & Storage ID



Need Voice/Data Labels?
(see pages 18-19 for Workstation, Closet
Hardware & Communication Cable ID)

- Prints Fast & Clean
- Quick Loading Drop, Lock & Print "Smart" Cartridges
- 82 Symbols & Barcodes



MS3507

IDXPert™ Printer & Accessories

Catalog # Description

XPert-ABC	IDXPert™ Printer* (ABC Layout)
XPert-KEY	IDXPert™ Printer* (Keyboard Layout)
XPert-AC	AC Adapter (for ABC or KEY printers)

*Printer ships with: Hardside case, 1.5" x 30' continuous tape, PC cable, and product CD with driver.

Wire & Cable Markers - Adhesive Wrap-Around

Durable white vinyl cloth marker stays in place, but can be removed cleanly and reapplied. Printer automatically "multiple repeats" your text.

B-498 - Vinyl Cloth material (Temp. Range: -40°F - 175°F)

Catalog #	Labels per Cartridge	Dimensions -Inches (mm)		Wire Gauge
		A	B	
X-11-498	275	0.500 (12.70)	0.750 (19.05)	16 to 10 Gauge
X-18-498	225	0.750 (19.05)	1.000 (25.40)	12 to 10 Gauge
X-162-498	165	0.500 (12.70)	1.500 (38.10)	10 to 4 Gauge
X-21-498	95	1.000 (25.40)	2.500 (63.50)	3 Gauge - 2/0

Wire & Cable Markers - Permasleeve Sleeves

The ultimate in marker durability, performance and aesthetic appearance. These full circle, "FAST-heat-shrink" sleeves save time and cost during installation.

B-342 - Heat Shrink Polyolefin material 3-to-1 shrink ration, self extinguishing (Temp. Range: -67°F - 275°F)

Catalog #	Labels per Cartridge	Dimensions -Inches (mm)		Wire Gauge
		A	B	
XPS-125-1	100	1.015 (25.78)	0.235 (5.9)	22 to 16 Gauge
XPS-187-1	100	1.015 (25.78)	0.335 (8.5)	18 to 12 Gauge
XPS-250-1	100	1.015 (25.78)	0.439 (11.15)	16 to 10 Gauge
XPS-375-1	100	1.015 (25.78)	0.645 (16.38)	12 to 6 Gauge

Wire & Cable Markers - Self Laminating

Protected printing - marker features a non-printed clear overlamine that wraps around and protects printed area. Printer automatically "multiple repeats" your text.

B-427 - Self Laminating Vinyl material, resistant to water, oil, solvents and abrasion (Temp. Range: -94°F - 158°F)


Catalog #	Labels per Cartridge	Dimensions -Inches (mm)			Wire Gauge
		A	B	C	
XSL-96-427	250	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	16 to 10 Gauge
XSL-19-427	250	1.000 (25.40)	1.000 (25.40)	0.375 (9.53)	12 to 10 Gauge
XSL-103-427	250	1.000 (25.40)	1.250 (31.75)	0.500 (12.70)	10 to 14 Gauge
XSL-31-427	250	1.000 (25.40)	1.500 (38.10)	0.500 (12.70)	10 to 4 Gauge
XSL-21-427	100	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	3 Gauge-2/0

Facility & Safety Labels

5 Year Indoor/Outdoor Durability - Perfect for pipes, walls, doors shelving, bins, equipment and more!


B-588 - Vinyl Tape w/permanent adhesive (Temp. Range: -40°F - 248°F)

Color	Tape width (30' rolls)	Catalog #
BK on WT	1.0"	XC-1000-580-WT-BK
BK on WT	1.5"	XC-1500-580-WT-BK
BK on OR	0.5"	XC-500-580-OR-BK
BK on OR	1.0"	XC-1000-580-OR-BK
BK on OR	1.5"	XC-1500-580-OR-BK
BK on YL	0.5"	XC-500-580-YL-BK
BK on YL	1.0"	XC-1000-580-YL-BK
BK on YL	1.5"	XC-1500-580-YL-BK
WT on RD	1.5"	XC-1500-580-RD-WT
WT on GN	1.5"	XC-1500-580-GN-WT
WT on BL	1.5"	XC-1500-580-BL-WT
RD on WT	1.5"	XC-1500-580-WT-RD





An affordable label and wire marker printer designed for the tool box.



- Extremely easy to use
- Affordably priced
- Creates small labels from 3/8" to 3/4" wide
- Super-tough industrial labels even stick to rough, curved or textured surfaces
- Rugged construction...withstands a 4 ft. drop onto concrete

► ID Pal™ Printer & Accessories

Catalog #	Description
IDPAL	IDPAL Labeling Tool (Includes full label cartridge (PAL-750-439))
IDPAL-AC	AC Adapter
IDPAL-HC	Carrying Case
IDPAL-IG	Impact Guards

► Indoor/Outdoor Grade Vinyl Tape

B-439 - Super-tough vinyl tape – perfect for voice, data, audio, video, HVAC control, bins, safety and electrical applications

Material	Black	Black	Black	Black	Black	Black
	Black/White	Black/Yellow	Black/Red	Black/Blue	Black/Green	Black/Orange
3/8" x 21' (9mm x 6.4m)	PAL-375-439	PAL-375-439-YL	PAL-375-439-RD	PAL-375-439-BL	PAL-375-439-GR	PAL-375-439-OR
1/2" x 21' (12mm x 6.4m)	PAL-500-439	PAL-500-439-YL	PAL-500-439-RD	PAL-500-439-BL	PAL-500-439-GR	PAL-500-439-OR
3/4" x 21' (18mm x 6.4m)	PAL-750-439	PAL-750-439-YL	PAL-750-439-RD	PAL-750-439-BL	PAL-750-439-GR	PAL-750-439-OR

► Wire & Cable Wrap Around Marking

Built-in wire marking mode with 10 preset lengths makes wire ID fast and easy.

B-499 - Nylon cloth for wrap around wire and cable markers

Material	Black
	Black/White
3/8" x 19' (9mm x 5.79m)	PAL-375-499
1/2" x 19' (12mm x 5.79m)	PAL-500-499
3/4" x 19' (18mm x 5.79m)	PAL-750-499

► General Use Polyester Tape

Great for Voice/Data applications. Prints up to 4 lines of print.

B-423 - Polyester tape for smooth, flat surfaces

Material	Black	Black
	Black/White	Black/Clear
3/8" x 21' (9mm x 6.4m)	PAL-375-423	PAL-375-430
1/2" x 21' (12mm x 6.4m)	PAL-500-423	PAL-500-430
3/4" x 21' (18mm x 6.4m)	PAL-750-423	PAL-750-430

Your Solution for



Equipment ID



Wire ID



Tool & Asset ID



Voice / Data ID



Tool ID




Bin ID

...and many more.



GLOBAL MARK 2™ INDUSTRIAL LABEL MAKER

Touch...Print...Presto!
When Safety Matters Most,
Don't Settle For a Generic Message



Your Solution for



Exit ID



Cut Characters



Arc Flash Labels



Pipemarkers



Equipment ID

...and many more.

MONOCOLOR

Prints one color on one color tape. Compatible with Markware Software.

Catalog # 76798

MULTICOLOR

Same as MonoColor AND prints multiple spot colors, blended colors & full process color.

Catalog # 76800

COLOR & CUT

Same as MultiColor System AND has an additional built-in cutter for cutting characters, shapes and letters.

Catalog # 76801

Indoor/Outdoor Grade Vinyl Tape

Labels adhere well to walls, equipment, doors, pipes and most clean, dry surfaces - withstands temps. from 180°F to 140°F.

Description	Catalog #						
	White	Clear	Yellow	Green	Red	Blue	Orange
4" x 100'	76542	97734	76547	76556	76552	76560	76594
2.25" x 100'	76544	97735	76549	76557	76553	76561	76595
1.125" x 100'	76545	97736	76550	76558	76554	76562	76596

Standard Glow Tape

Tape (B-582) glows in darkness 10 hours, meets ISO, DIN & ASTM standards




Description	Catalog #
Std. Glow - 4 1/4" x 50'	76711
Std. Glow - 2 1/2" x 50'	76712
Std. Glow - 1 3/8" x 50'	76713

Hi-Intensity BradyGlo™ Tape

Hi-intensity tape (B-526) glows brighter and longer than standard glow & meets stringent NYC LL26 requirements.

- Increase the safety and speed of evacuations with customized egress marking



Description	Catalog #
Hi-Intensity Glow - 4 1/4" x 50'	105909
Hi-Intensity Glow - 2 1/2" x 50'	105910
Hi-Intensity Glow - 1 3/8" x 50'	105911

Super Tough, Smear-Proof Ribbons

Single Color Print Ribbon Cartridges

Size	4.11" x 200 ft.				
	Black	White	Red	Blue	Green
Catalog #	76739	76741	76743	76745	76747

Two Color Print Ribbon Cartridges

Size	4.11" x 8" panels, 200 ft. roll		
	Black/Red	Black/Blue	Black/Orange
Catalog #	76763	76775	76771





The Next Small Thing in Fast Labeling



The new Brady MiniMark™ Industrial Label Printer offers an affordable sign and label making solution that is compact, fast, and incredibly versatile.

- **VERSATILE** - Uses continuous tapes for multiple applications
- **EASY** - Supplies are easy to load
- **FAST** - Prints up to three inches per second
- **COMPACT** - Doesn't take up a lot of space only 8"H x 10.25"D x 7"H

▶ MiniMark™ Printer

Catalog #	Description
52041	MiniMark™ Industrial Label Printer (Surf on Signs Software, USB cable, quickstart, power cord and cleaning kit)
52159	ValuePLUS Package for MiniMark™ (Includes: 1 roll each 4" and 2.25" white vinyl tape; MarkWare™ software; and 1 roll of black ribbon)



FREE Surf on Signs™ Software included -

Thousands of pre-made signs and labels just a click away. Need Custom. No Problem. Surf on Signs™ legends can be saved. *Click and print!*

▶ Indoor/Outdoor Vinyl Tape

Tape Cartridges, 1 per pkg.

Catalog #	Description
52087	4" x 110' White
52074	2.25" x 110' White
52062	1.125" x 110' White
52090	4" x 110' Yellow
52075	2.25" x 110' Yellow
52063	1.255" x 110' Yellow
52091	4" x 110' Red
52076	2.25" x 110' Red
52064	1.125" x 110' Red
52093	4" x 110' Green
52077	2.25" x 110' Green
52065	1.125" x 110' Green
52094	4" x 110' Blue
52078	2.25" x 110' Blue
52066	1.125" x 110' Blue
52096	4" x 110' Orange
52079	2.25" x 110' Orange
52067	1.125" x 110' Orange
52086	4" x 110' Clear
52073	2.25" x 110' Clear
52060	1.125" x 110' Clear



▶ Ribbon

4.4" x 290' per roll, 2 rolls per pkg.

Catalog #	Description
52042	Black
52044	White
52045	Red
52047	Blue
52059	Green

Your Solution for



Signs



Labels



Pipe & Valve ID



General ID



Equipment ID



Bin & Shelf ID

...and many more.





Big... Bold... Colorful
Custom Signs on the Spot
When You Need Them.

Your Solution for



Stairwell Signs



Exit ID



Security Procedures



Emergency Evacuation Signs



Special Events



Hazard Notification
...and many more



up to 10" output

Catalog #	Description
13500	PowerMark® Sign and Label Maker (Includes: Printer, keyboard, parallel cable and USB cable)

Indoor/Outdoor Grade Vinyl Tape

Signs adhere well to walls, doors, and most clean, dry surfaces - withstands temps. from 180°F to 140°F.

Description	Catalog #						
	Clear	White	Yellow	Red	Blue	Green	Orange
4" x 50'	59529	13538	13539	13540	13541	13542	13543
7" x 50'	N/A	13651	13652	13654	13656	13655	13653
10" x 50'	59532	13562	13563	13610	13611	13612	13613

Quickly mount PowerMark™ output to plastic or aluminum sign blanks with Brady's BLS1255 Laminating System. Check them out @ www.bradyid.com.

Standard Glow Tape

Tape (B-582) glows in darkness for 10 hours and meets ISO, DIN & ASTM standards

- Customize your stairwell signs

Description	Catalog #
4" x 33'	13582
7" x 33'	13587
10" x 33'	13592



Hi-Intensity BradyGlo™ Tape

Hi-intensity tape (B-526) glows brighter and longer than standard glow & meets stringent NYC LL26 requirements.

- Customize your stairwell signs

Description	Catalog #
4" x 33'	105912
7" x 33'	105913
10" x 33'	105914



Industrial Grade Ribbons

1 Color Ribbon

Size	Catalog #						
	Black	White	Red	Blue	Green	NYC Green* Ribbon	
6.25" x 200'	13511	13513	13595	13596	13597	103952	
8.8" x 200'	13510	13512	13514	13515	13516	103951	

*NYC LL26 MEA approved ribbon for use on Hi-Intensity BradyGlo™ Ribbon.

2 Color Paneled Ribbons - 8" long panels

Size	Catalog #	
	Black/Red	Black/Green
6.25" x 200'	13523	13704
8.8" x 200'	13522	13706

2 Color Paneled Ribbons - 15" long panels

Size	Catalog #		
	Black/Red	Black/Green	Black/Blue
6.25" x 200'	13521	13705	13525
8.8" x 200'	13520	13707	13524



Improve your building's safety and maintenance programs — Create facility specific safety signs and laminate important documents.

► BLS850 Laminating System

Laminate documents in seconds without heat or electricity.

- Small & portable - perfect for office use or industrial applications
- Laminates documents 8-1/2" wide

Catalog #
20585



The BLS850 is Easy-to-use!



1. Select desired cartridge, insert a document and turn the handle.
2. As it passes through the rollers, the adhesive and laminate are evenly applied.
3. The cut-off blade provides a precise trim to finish documents.

► BLS850 Clear Overlaminates

Laminates for the office or the toughest industrial environments.

Catalog #	Description	Supply Sizes
20589	Double-sided/Industrial use	8 ³ / ₈ " x 50' (21.8 cm x 15.2 m)
20601	Laminate with adhesive*	8 ³ / ₈ " x 50' (21.8 cm x 15.2 m)
20602	Double-sided/Office use	8 ³ / ₈ " x 100' (21.8 cm x 30.5 m)

* Overlamine on one side, transfer adhesive on the other side.

Use a BLS850 to finish:

- Signs
- Graphs
- ID Badges
- Maps
- Tags
- Procedures
- Labels
- Certificates
- ISO Documents
- Photos
- Wall Charts
- Phone Lists

Need to Laminate Documents up to 12" Wide or Mount PowerMark Output to Sign Blanks?



Check out Brady's BLS1255 Laminator @ www.bradyid.com

► MarkWare™ Facility Identification Software

All Your Safety and Facility Needs in One Powerful Package.

- Use your PC to quickly design professional looking signs and labels
- Print directly to a Brady labeling system or most Windows™ inkjet/laser printers
- Preformatted templates make sign and label creation quick and easy - or, customize layouts to your own specs
- Import logos and photos or create bar codes using 15 different symbologies
- Link label contents to information stored in spreadsheets and databases
- MarkWare's built-in library gives you ready access to over 1000 high-quality, scalable safety symbols and industrial pictograms



System Requirements:

- PC running Windows® 2000 or XP
- 486 DX / 33 MHz or better processor
- 32 MB RAM (128 MB recommended)
- 90 MB available hard disk space
- 256-color, 640 x 480 pixel or better display



► Sign & Label Blanks for MarkWare™ Software

- Adhesive backed polyester sign blanks are compatible for use with inkjet and laser printers

Description	Catalog #							
	CAUTION	NOTICE	WARNING	SAFETY FIRST	BLANK	BLANK	BLANK	BLANK
3½" x 5" (4 labels/sheet)	12906	12909	12912	12923	13029	12900	12903	12926
5" x 7" (2 labels/sheet)	12907	12910	12913	12922	13028	12901	12904	12925
7" x 10" (1 label/sheet)	12908	12911	12914	12921	13027	12902	12905	12924

When Performance Matters Most™

Specify Brady for your building's safety and identification needs.




**MAKE-IT-YOURSELF
SYSTEMS & SOFTWARE**



**PIPE MARKERS &
IDENTIFICATION TAGS**



**EMERGENCY
EVACUATION PRODUCTS**



LOCKOUT / TAGOUT



**SAFETY SIGNS, TAGS
& LABELS**

DISTRIBUTED BY:

Brady Worldwide Inc.

6555 West Good Hope Road, Milwaukee, WI 53223 U.S.A.
 CUSTOMER SERVICE | PH: 1-888-BRADYGO (1-888-272-3946) | FX: 1-800-292-2289
 TECHNICAL SUPPORT | PH: 1-800-643-8766 | FX: 1-800-358-6767
 ■ www.bradyid.com ■ www.bradycorp.com for worldwide locations

Brady Canada

355 Apple Creek Blvd., Markham, ON L3R 9X7
 CUSTOMER SERVICE | PH: 1-800-263-6179
 ■ www.bradycanada.com

AN ISO-9001 REGISTERED FIRM ©2007 BRADY Corporation, Printed in U.S.A. All rights reserved. Specifications subject to change without notice. 03/2007 MS562971

WWW.BRADYID.COM

BRADY
 WHEN PERFORMANCE MATTERS MOST™



Y562971