

**Ergoform-S
Handle:**

2435

2450

2451

2452

2453

2454

2455



2456

1490




Assembly Instructions


Ergoform-S
Principal dimensions




SZ 2455




Removal of locks from
steel doors




Fitting Ergoform-S
in steel doors




Removal of lock from glazed
doors and swing frames




Fitting Ergoform-S
in glazed doors and swing frames




Removal of lock from
plastic doors (KS)




Fitting Ergoform-S (KS 1490)
in plastic doors



Fitting of lock inserts
SZ 2453 (ASSA)



Fitting lock inserts
in lock adaptors



Fitting of ready assembled inserts
and locks, SZ 2467 – SZ 2469 and
semi-cylinders in handle adaptors



M 5 x 12

SZ 2469



SZ 2467

SZ 2468



DIN 18254






Fitting profile semi-cylinders
(45 mm) in handle adaptors






DIN 18254




M 5 x 12



Fitting handle adaptors to glazed
and steel doors



Fitting cover panel on single door
enclosures (PS, ES, EL)



Rittal Corporation - One Rittal Place - Springfield - Ohio - 45504

Toll Free : 1-800-637-4425 - Email : rittal@rittal-corp.com - Internet : www.rittal-corp.com - Tech. Sup. : 1-800-637-4425

Switch to perfection

