


LIGHTING SOLUTIONS





✦ Table of Contents



002	Lifestyles by Progress Lighting	498	Outdoor
004	Chandelier, Foyer, Pendants	590	Landscape
284	Accessories	604	Recessed
288	Close-to-Ceiling	642	Commercial Outdoor
338	Ceiling Fans	646	Lamps
358	Bath & Vanity	647	Exit Signs
438	Bath Fans	648	<i>Indexes</i>
440	Linear Fluorescent		
446	Undercabinet		
454	Sconces		
470	Directionals		
478	Illuma-flex		
488	Track		

Lifestyles by Progress Lighting


Imagine the possibilities. Imagine your life in Progress.

Progress Lighting's range of Lifestyle classifications offer fixtures that represent quality, beauty and superior performance for your home. Our exclusive, color-coded style palettes allow you to easily create your very own lighting assortment by choosing from a complete range of stylish collections from Progress Lighting.

Select your lifestyle, then mix and match the products by coordinating with their color-coded names. Customize and accentuate your favorite rooms by simply selecting the perfect medley of lighting, infused with your style, for your home.


★ LOFT

Loft styling defines cosmopolitan spaces with chic and sleek accents to offer the ultimate metro vibe. Whether your style is sophisticated and glamorous, or dramatic and charismatic, energize your unique lifestyle with the Loft palette.






★ TRANSCEND

Minimalist undertones are perfect for today's inspired interiors – and accessories refresh with subtle forms and soft shimmer. Transform your home into an oasis with items from the Transcend palette. Reward yourself in a space where you can restore, relax and reconnect.






★ ELEMENTS

The Elements palette features a back-to-basics design styling with refined details and finely crafted materials. Distinctive and stunning, products from the Elements palette portrays panache. Turn every room into a loving reflection of your distinct style.






★ RELAX


Finished, weathered and faded features with a hint of femininity are all embraced with charming details. With the Relax palette, you can create a room where family and friends love to linger.



★ GRACE

Crystal, lustrous fabrics and hand-carved ornamental patterns are incorporated to create refined, livable luxury that is ideal for those who desire a touch of traditional styling. Enhance the special moments in your life with lighting from the Grace palette.





bold
modern

★ LOFT

sleek
dramatic
glamorous



LOFT  Bingo

BINGO FEATURES DISTRESSED MIRROR CIRCULAR ACCENTS IN A FINELY CRAFTED IRONWORK FRAME WITH OPAL ACRYLIC DIFFUSERS.



Note: Our P3957-09 is personalized with custom color and fabrics for inspiration




P4647-09



P4647-74



P2026-09WB



P2026-74WB



P3681-09
shown wall-mounted



P3681-74
shown ceiling-mounted

WALL SCONCE

P2026-09WB Brushed Nickel
P2026-74WB Venetian Bronze
 Two-light wall sconce with etched acrylic diffuser and distressed mirror glass accents.
 Size: 10-1/2" dia., 3-7/8" ht.
 Extends: 9". H/CTR 4-1/2"
 Lamps: Two halogen G9 lamps, 60w max., included.

ONE-LIGHT WALL OR CEILING

P3681-09 Brushed Nickel
P3681-74 Venetian Bronze
 Etched opal acrylic diffuser and distressed mirror glass accents.
 Size: 18-3/4" dia., 3-3/8" ht.
 Lamp: One circline lamp, 22w max.



FIVE-LIGHT CHANDELIER

P4647-09 Brushed Nickel
P4647-74 Venetian Bronze
 Etched opal glass shades rest on distressed mirror glass accents.
 Includes one 6", four 12" stems and 6 links of chain.
 Size: 25" dia., 23" ht., Overall ht. w/stem 89"; wire 15".
 Lamps: Five medium base lamps, each 100w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.



LOFT  Bingo

THE FLEXIBLE BINGO COLLECTION CAN BE USED AS WALL ART. THE DISTRESSED MIRROR SURFACES MAY ALSO BE REPLACED WITH FABRICS, PHOTOS OR OTHER MATERIALS OFFERING A NEW FACET OF CUSTOMIZATION.



P3957-09
shown wall-mounted

P3957-74
shown ceiling-mounted



FIVE LIGHT WALL OR CEILING
P3957-09 Brushed Nickel
P3957-74 Venetian Bronze
Wall and ceiling mount. Acrylic
diffuser and distressed mirror glass.
Size: 45-3/4" L., 24" W. 3-1/2" ht.
Lamps: Five circline lamps, each
22w max.

ADA





P3956-09
shown ceiling-mounted



P3956-74
shown ceiling-mounted



P3958-74
shown wall-mounted



P3958-09
shown ceiling-mounted

THREE LIGHT LINEAR
P3956-09 Brushed Nickel
P3956-74 Venetian Bronze
Wall and ceiling mount.
Acrylic diffuser.
Size: 40" L., 11-5/8" W. 3-3/8" ht.
Lamps: Six GU24 base CFL
lamps, each 13w max.
ADA



THREE LIGHT WALL OR CEILING
P3958-09 Brushed Nickel
P3958-74 Venetian Bronze
Wall and ceiling mount. Acrylic
diffuser and distressed mirror glass.
Size: 24" L., 23-3/4" W., 3-3/8" ht.
Lamps: Three circline lamps, each
22w max.
ADA



FASHION FORWARD CIRCULAR FORMS DEFINE THE BINGO COLLECTION. ETCHED OPAL GLASS SHADES ARE LAYERED WITH AN IRONWORK PATTERN OF CIRCLES.



P5314-09



P5314-74



P3711-09



P3711-74



P5014-09



P5014-74



P7056-09



P7056-74

Close-to-ceiling
pg 290



THREE-LIGHT FOYER PENDANT
P3711-09 Brushed Nickel
P3711-74 Venetian Bronze
 Size: 14" dia., 24-3/8" ht., Overall ht. w/stem 91"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT PENDANT
P5014-09 Brushed Nickel
P5014-74 Venetian Bronze
 Size: 9-3/8" dia., 18" ht., Overall ht. w/stem 76"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.

MINI-PENDANT
P5314-09 Brushed Nickel
P5314-74 Venetian Bronze
 Size: 8" dia., 12-3/4" ht., Overall ht. w/stem 79"; wire 10'.
 Lamp: One medium base lamp, 100w max.

ONE-LIGHT WALL SCNCE
P7056-09 Brushed Nickel
P7056-74 Venetian Bronze
 Size: 7-3/4" W., 10-1/4" ht. Extends 4". H/CTR 5-1/8".
 Lamp: One medium base lamp, 75w max.
 ADA

All Bingo hanging fixtures include one 6" stem, four 12" stems and 6 links of chain.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.



Shown P3958-09
Bingo wall mount fixtures



LOFT  Calven

BOLD GRAPHIC LINES AND A SCULPTURAL FRAMEWORK FINISHED WITH ARCHITECTURAL DETAILS. OVERSIZED OPAL LINEN SHADES IN FORGED BLACK FINISH. ETCHED OPAL GLASS SHADES IN BRUSHED NICKEL FINISH.



P3209-09WB
Comes with glass shade only



P3209-80WB
shown with fabric shade



P3209-80WB
shown with glass shade

Bath & Vanity
pg 367



Close-to-ceiling
pg 294



Includes two 6", one 12", two 15" stems and six links of chain.

WALL BRACKET

P3209-09WB Brushed Nickel
One-light with opal glass shade.
Size: 6-3/8" W., 11-1/2" ht.
Extends 7-5/8".
Lamp: One G9 halogen, 60w max., included.

WALL BRACKET

P3209-80WB Forged Black
One-light. Includes both a fabric shade and glass shade for use with bath or as a matching wall sconce. Fabric shade includes an etched glass diffuser.
Size: 6-3/8" W., 11-1/2" ht. Extends 7-5/8".
Lamp: One G9 halogen, 60w max., included.



THREE-LIGHT CHANDELIER
P4537-09 Brushed Nickel
 Opal glass shades.
 Size: 25" dia., 26" ht. Overall ht. w/stem 90"; wire 10'.
 Lamps: Three candelabra base G-16-1/2 lamps, each 60w max.

THREE-LIGHT CHANDELIER
P4537-80 Forged Black
 Linen shades with etched glass diffusers on top
 Size: 25" dia., 20" ht. Overall ht. w/stem 86"; wire 10'.
 Lamps: Three candelabra base G-16-1/2 lamps, each 60w max.

FIVE-LIGHT CHANDELIER
P4539-09 Brushed Nickel
 Opal glass shades.
 Size: 30" dia., 31" ht. Overall ht. w/stem 95"; wire 10".
 Lamps: Five candelabra base G-16-1/2 lamps, each 60w max.

FIVE-LIGHT CHANDELIER
P4539-80 Forged Black
 Linen shades.
 Size: 30" dia., 23" ht. Overall ht. w/stem 89"; wire 10'.
 Lamps: Five candelabra base G-16-1/2 lamps, each 60w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

BOLD, GRAPHIC LINES AND ARCHITECTURAL DETAILS. THE BRUSHED NICKEL FINISH HIGHLIGHTS THE ETCHED OPAL GLASS. THE FORGED BLACK FINISH IS COMPLEMENTED BY OVERSIZED OPAL LINEN SHADES.



P3937-09



P3878-09



P3937-80



P3878-80

Bath & Vanity
pg 367



THREE-LIGHT FOYER
P3878-09 Brushed Nickel
Opal glass shade.
Stem and ceiling mounts both included.
Size: 16" dia., 10-1/4" ht. Overall ht. w/stem 75"; wire 10'.
Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT FOYER
P3878-80 Forged Black
Linen shade with etched glass diffuser on bottom.
Stem and ceiling mounts both included.
Size: 15" dia., 10-1/4" ht. Overall ht. w/stem 76"; wire 10'.
Lamps: Three medium base lamps, each 100w max.

TWO-LIGHT FOYER
P3937-09 Brushed Nickel with glass shade.
P3937-80 Forged Black with linen shade
Size: 16" dia., 28" ht. Overall ht. w/stem 94"; wire 180".
Lamps: Two medium base lamps, each 60w max.

All Calven hanging fixtures include two 6", one 12" and two 15" stems and 6 links of chain.



P5004-80



P5118-80WB



P5004-09



P5118-09WB

THREE-LIGHT PENDANT

P5004-09 Brushed Nickel
Opal glass shade.
Size: 18" dia., 32-7/8" ht. Overall
ht. w/stem 97"; wire 10'.
Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT PENDANT

P5004-80 Forged Black
Linen shade with etched glass
diffuser on bottom.
Size: 19" dia., 24" ht.
Overall ht. w/stem 97"; wire 10'.
Lamp: Three medium base lamps,
each 100w max.

MINI-PENDANT

P5118-09WB Brushed Nickel
Opal glass shade.
Size: 6-3/8" dia., 10-3/4" ht.
Overall ht. w/stem 75"; wire 120".
Lamp: One G9 base halogen
lamp, 60w max., included.

MINI-PENDANT

P5118-80WB Forged Black
Linen shade with etched glass
diffuser on bottom.
Size: 6-3/8" dia., 10-5/8" ht.
Overall ht. w/stem 77"; wire 10'.
Lamp: One G9 base halogen
lamp, 60w max.

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

LOFT Joy

WITH SOPHISTICATED DESIGN STYLING, JOY FEATURES VOLUMINOUS CURVES FOR A SOFT AND STYLISH PROFILE. ETCHED LIGHT UMBER GLASS SHADES IN AN ANTIQUE BRONZE FINISH OR WHITE ETCHED GLASS SHADES WITH A BRUSHED NICKEL FINISH COMPLEMENT THE FASHION-FORWARD FRAME. THIS COLLECTION COMES CHAIN OR STEM HUNG AND CAN BE SHOWCASED ON A VARIETY OF CEILINGS.



Shown with P4490-09 Chandelier



THREE-LIGHT CHANDELIER

P4489-09 Brushed Nickel
P4489-20 Antique Bronze
 Chain- or stem-hung chandelier.
 Size: 20" dia., 16-3/8" ht. Overall
 ht. w/chain or stem 103"; wire 12'.
 Lamps: Three medium base
 lamps, each 100w max.

MINI-PENDANT

P5270-09 Brushed Nickel
P5270-20 Antique Bronze
 Chain- or stem-hung mini-
 pendant.
 Size: 6" dia., 7" ht. Overall ht.
 w/chain or stem 94"; wire 10'.
 Lamp: One medium base lamp,
 100w max.

All Joy fixtures come with two
 6" stems and 72" of chain.

See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.



LOFT  Joy



P3951-09



P3951-20



P3950-20



P3950-09

ONE-LIGHT FOYER

P3950-09 Brushed Nickel

P3950-20 Antique Bronze

Size: 15-3/4" dia., 25" ht., Overall ht. w/stem 114"; wire 15'.

Lamp: One medium base lamp, 150 max.

THREE-LIGHT PENDANT

P3951-09 Brushed Nickel

P3951-20 Antique Bronze

Size: 19-1/2" dia., 24-3/4" ht., Overall ht. w/stem 114"; wire 15'.

Lamps: Three medium base lamps, each 100w max.



P4490-09



P4490-20



P4490-09



P4490-20

Bath & Vanity

pg 368



Comes with two 6" stems and one 72" chain.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FIVE-LIGHT CHANDELIER

P4490-09 Brushed Nickel

P4490-20 Antique Bronze

Chain- or stem-hung chandelier.

Size: 24" dia., 18-7/8" ht. Overall

ht. w/chain or stem 105"; wire 12'.

Lamps: Five medium base lamps,

each 100w max.



P4497-09



P4497-20

TWELVE-LIGHT CHANDELIER

P4497-09 Brushed Nickel

P4497-20 Antique Bronze

Three-tier.

Size: 38" w., 38-5/8" ht.

Overall ht. w/chain 175"; wire 15'.

Lamps: Twelve medium base lamps, each 75w max.



P3587-09



P3587-20



P4492-20



P4492-09

Comes with two 6" stems and one 72" chain

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT FOYER

P3587-09 Brushed Nickel

P3587-20 Antique Bronze

Chain- or stem-hung foyer.

Size: 14-5/8" dia., 17" ht. Overall

ht. w/chain or stem 104"; wire 12'.

Lamps: Three candelabra base lamps, each 60w max.

NINE-LIGHT CHANDELIER

P4492-09 Brushed Nickel

P4492-20 Antique Bronze

Two-tier. Chain- or stem-hung chandelier.

Size: 28" dia., 27-3/4" ht. Overall

ht. w/chain or stem 115"; wire 15'.

Lamps: Nine medium base lamps, each 100w max.

LOFT  Cuddle

CUDDLE IS COMPRISED OF A SCULPTURAL PLAY OF INTERSECTING OVALS. AN OVAL FRAME EMBRACES THE LAYERED OVAL SHADE. MYLAR EXTERIOR SHADE WITH LINEN INTERIOR SHADE.



P5049-09
P5049-09EBWB



P5059-20
P5059-20EBWB



P5049-20
P5049-20EBWB



P5059-09
P5059-09EBWB

SIX-LIGHT PENDANT
P5049-09 Brushed Nickel
P5049-20 Antique Bronze
 Size: 42" L., 8" W., 26-1/2" ht.
 Overall ht. w/stem 93";
 wire 180".
 Lamps: Six candelabra base
 lamps, each 60w max.

TWO-LIGHT CFL PENDANT
P5049-09EBWB Brushed Nickel
P5049-20EBWB Antique Bronze
 Size: 42" L., 8" W., 26-1/2" ht.
 Overall ht. w/chain 93";
 wire 180".
 Lamps: Two 42w GU24 CFL
 lamps, included.



TWO-LIGHT PENDANT
P5059-09 Brushed Nickel
P5059-20 Antique Bronze
 Size: 11" L., 6-1/2" W., 13" ht.
 Overall ht. w/chain 79";
 wire 180".
 Lamps: Two candelabra base
 lamps, each 60w max.

ONE-LIGHT CFL PENDANT
P5059-09EBWB Brushed Nickel
P5059-20EBWB Antique Bronze
 Size: 11" dia., 13" ht. Overall ht.
 w/chain 79"; wire 180".
 Lamp: One 18w GU24 squat CFL
 lamp, included.





P5058-09
P5058-09EBWB

P5058-20
P5058-20EBWB

P7065-09

All fixtures come with one 6" stem, four 12" stems and 6 links of chain.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

ONE-LIGHT WALL SCONCE

P7065-09 Brushed Nickel
P7065-20 Antique Bronze
 Size: 8-2/3" W., 14" ht. Extends 3-7/8". H/TCR 7".
 Lamp: One GU24 CFL lamp, 13w max.
 ADA



FOUR-LIGHT PENDANT

P5058-09 Brushed Nickel
P5058-20 Antique Bronze
 Size: 24" L., 7" W., 21" ht. Overall ht. w/chain 87"; wire 180".
 Lamps: Four candelabra base lamps, each 60w max.

TWO-LIGHT CFL PENDANT

P5058-09EBWB Brushed Nickel
P5058-20EBWB Antique Bronze
 Size: 24" L., 7" W., 21" ht. Overall ht. w/chain 87"; wire 180".
 Lamps: Two 26w GU24 squat CFL lamps, included.



LOFT  Nissé

REPURPOSE A ROOM WITH GLAMOROUS,
VINTAGE MODERN FIXTURES ACCENTED BY
CHUNKY DISCS OF CLEAR GLASS.



P4431-104
shown with center
beaded column with
cut prism drop



P4629-104



P2933-104



P2933-104
shown with optional
shades P8704-01

P4431-104 oval chandelier and P2772-101 Roxbury wall sconces with Thomasville® furniture from the Studio 455 collection.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

WALL BRACKET

P2933-104 Polished Nickel
Size: 12" W., 10" ht.
Extends 6". H/CTR 6".
Lamps: Two candelabra base
lamps, each 60w max.

OVAL CHANDELIER

P4431-104 Polished Nickel
Six-light with shade.
Size: 35-3/4" L., 17-5/8" W.,
18-1/2" ht. Overall ht. w/chain
94"; wire 15".
Lamps: Six candelabra base
lamps, each 60w max.

FIVE-LIGHT CHANDELIER

P4629-104 Polished Nickel
Opulent beads, clear glass discs
and white linen shade.
Size: 24" dia., 32" ht. Overall ht.
w/chain 107"; wire 180".
Lamps: Five candelabra base
lamps, each 60w max.

DROPS OF OPULENT BEADS CASCADE
DOWN SLEEK CURVED ARMS, FORMING
A DRAMATIC WATERFALL EFFECT.



P4538-104
shown with optional
shades P8704-01

NINE-LIGHT CHANDELIER


P4538-104 Polished Nickel
Size: 28" dia., 39-5/8" ht. Overall
ht. w/chain 163"; wire 15'.
Lamps: Nine candelabra base
lamps, each 60w max.

Bath & Vanity
pg 330



Close-to-ceiling
pg 254





P4139-104
shown with optional
shades P8704-01



P4139-104



P5019-104



P5019-104
top view

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

SIX-LIGHT CHANDELIER

P4139-104 Polished Nickel
Size: 26" dia., 25-3/8" ht. Overall
ht. w/chain 100"; wire 15'.
Lamps: Six candelabra base
lamps, each 60w max.

OVAL MINI-PENDANT

P5019-104 Polished Nickel
Opal glass with clear glass disc.
Includes one 6" stem, four 12" stems
and 6 links of chain.
Size: 5-1/2" L., 3-1/2" W., 6-7/8" ht.
Overall ht. w/stem 73";
wire 120".
Lamp: One medium base lamp, 100w
max.





TWO-LIGHT FOYER PENDANT


P3938-104 Polished Nickel
Silver chiffon shade surrounded by clear acrylic rods. Includes one 6" stem, four 12" stems and 6 links of chain.
Size: 15-1/8" dia., 27-3/4" ht.
Overall ht. w/stem 91"; wire 120".
Lamps: Two medium base lamps, each 75w max.

FIVE-LIGHT CHANDELIER

P4062-104 Polished Nickel
Size: 20" dia., 29-1/4" ht. Overall ht. w/chain 104"; wire 15".
Lamps: Five candelabra base lamps, each 60w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

CLEAR ACRYLIC ROD DIFFUSERS SURROUND
A LUSTROUS SILVER CHIFFON SHADE.



P5027-104



P3881-104



P5105-104

FOUR-LIGHT PENDANT

P3881-104 Polished Nickel
Chain and ceiling mounts both included.
Size: 20" dia., 22-1/2" ht. Overall ht. w/chain 97"; wire 15'.
Lamps: Four candelabra base lamps, each 60w max.

SIX-LIGHT OVAL PENDANT

P5027-104 Polished Nickel
Includes two sets of one 6", four 12" stems and 6 links of chain.
Size: 42" L., 10" W., 6-3/4" ht. Overall ht. w/stem 76"; wire 15'.
Lamps: Six candelabra base lamps, each 60w max.

MINI-PENDANT

P5105-104 Polished Nickel
Silver chiffon shade surrounded by clear acrylic rods. Includes one 6" stem, four 12" stems and 6 links of chain.
Size: 6" dia., 7-3/8" ht. Overall ht w/chain or stem 72"; wire 10'.
Lamp: One medium base lamp, 100w max.

P4630-104
shown with optional
shades P8704-01



P4630-104



**TWENTY ONE-LIGHT
CHANDELIER**

P4630-104 Polished Nickel
Three-tier with shades.
Size: 40" dia., 54-1/2" ht.
Overall ht. w/chain 180";
wire 15'.
Lamps: Twenty one candelabra
base, each 60w max.

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

HANDCRAFTED SOPHISTICATED EUROPEAN DESIGN. K9 GLASS OBLONG ACCENTS AND CENTER COLUMN. OPAL ETCHED MOUTH-BLOWN SHADES WITH CONCAVE, DIVOT PROFILE ON BOTTOM OF THE GLASS.



FOUR-LIGHT LINEAR CHANDELIER

P4648-09 Brushed Nickel
Size: 35-3/4" L., 15" W. 8-3/8" ht.
Overall ht. w/stem 74"; wire 180".
Lamps: Four medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4649-09WB Brushed Nickel
Size: 26" dia., 20-1/2" ht. Overall ht. w/stem 87"; wire 180".
Lamps: Five G9 base halogen lamps, each 60w max., included.

MINI-PENDANT

P5129-09WB Brushed Nickel
Size: 7" dia., 17-3/4" ht. Overall ht. w/stem 82"; wire 180".
Lamp: One G9 base halogen lamp, 60w max., included.

Close-to-ceiling

pg 294





Brushed Nickel finish. All fixtures come with one 6" stem, four 12" stems and 6 links of chain.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FOUR-LIGHT PENDANT

P3948-09 Brushed Nickel
Size: 22-3/8" dia., 22-3/4" ht.
Overall ht. w/stem 89";
wire 180".
Lamps: Four medium base
lamps, each 100w max.

THREE-LIGHT PENDANT

P5062-09 Brushed Nickel
Size: 15" dia., 19" ht. Overall ht.
w/stem 84"; wire 180".
Lamps: Three medium base
lamps, each 100w max.



LOFT  **Dibs**

SQUARE ETCHED OPAL GLASS SHADES
SUSPENDED BY A RECTILINEAR FRAMEWORK.
A FASHION FORWARD, UNIQUE DESIGN.



P7027-09WB



P7027-09WB
front view



P5126-09WB



P2757-09WB

Bath & Vanity

pg 256



Outdoor

pg 256



MINI-PENDANT


P5126-09WB Brushed Nickel
Size: 7" sq., 13-1/4" ht. Overall
ht. w/stem 78"; wire 120".
Lamp: One G9 base halogen
lamp, 60w max., included.

ONE-LIGHT WALL SCONCE

P7027-09WB Brushed Nickel
Size: 7" W., 13" ht. Extends
7-1/2". H/CTR 7-1/8".
Lamp: One G9 base halogen
lamp, 60w max., included.

WALL BRACKET

P2757-09WB Brushed Nickel
Size: 8-1/4" W., 4-1/2" ht.
H/CTR 2-1/4". Ex 5-1/2".
Lamp: One G9 base halogen
lamp, 60w max., included.




P3968-09WB



Brushed Nickel finish. All hanging fixtures come with one 6" stem, four 12" stems and 6 links of chain.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

P3943-09WB



FOUR-LIGHT PENDANT
P3943-09WB Brushed Nickel
 Stem and ceiling mounts both included.
 Size: 12-1/8" sq., 11" ht.
 Lamps: Four G9 base halogen lamps, each 60w max., included.

FOUR-LIGHT FOYER
P3968-09WB Brushed Nickel
 Size: 16-1/2" sq., 20-3/4" ht.
 Overall ht. w/stem 86"; wire 180".
 Lamps: Four G9 base halogen lamps, each 60w max., included.

SMOOTH ETCHED OPAL GLASS AND GEOMETRIC FORMS COMPLEMENT THE LINEAR ARMS AND MINIMALIST VERTICAL FRAME.



P3100-124WB



P3897-124

WALL BRACKET
P3100-124WB Copper Bronze
 One-light.
 Size: 5" W., 8-7/8" ht. Extends
 6". H/CTR 6-7/8".
 Lamp: One candelabra base
 krypton lamp, 60w max.,
 included.

TWO-LIGHT PENDANT
P3897-124 Copper Bronze
 Stem and ceiling mounts both
 included.
 Size: 15-1/2" W., 13-7/8" ht. Overall
 ht. w/chain 80"; wire 10".
 Lamps: Two candelabra base lamps,
 each 60w max.*

Close-to-ceiling
 pg 295



Bath & Vanity
 pg 364





P4433-124



P5164-124WB



P4432-124

¹ Includes one 6" stem, four 12" stems and 6 links of chain.

² Includes four 6" stems, two 12" and 4 15" stems and two sets of 6" links of chain.

* P7807-01 lamp recommended. See page 646

FOUR-LIGHT CHANDELIER

P4432-124 Copper Bronze ²
 Size: 20" L., 14-3/4" W., 18-1/4" ht.
 Overall ht. w/chain 84"; wire 10'.
 Lamps: Four candelabra base lamps, each 60w max.*

LINEAR CHANDELIER

P4433-124 Copper Bronze ²
 Six-light.
 Size: 32" L., 16-3/4" W., 21-1/4" ht.
 Overall ht. w/chain 87"; wire 10'.
 Lamps: Six candelabra base lamps, each 60w max.*

MINI-PENDANT

P5164-124WB Copper Bronze ¹
 Size: 4-3/4" dia., 8" ht. Overall ht. w/chain or stem 73"; wire 120".
 Lamp: One candelabra base krypton lamp, 60w max., included.

LOFT  Torque

TRI-SPOKED, RING DESIGN CONSTRUCTED FROM DIE-CAST ALUMINUM, PRECISE AND GRAPHICALLY BOLD, YET DELICATE IN SCALE AND PROPORTIONS. ETCHED OPAL GLASS.



P2719-124WB



P2719-09WB



P4691-09WB



P4691-124WB

WALL BRACKET

P2719-09WB Brushed Nickel

P2719-124WB Copper Bronze
One-light.

Size: 5-7/8" W., 5" ht.

Extends 7-5/8". H/CTR 2-1/2".

Lamp: One G9 base halogen lamp, 60w max., included

THREE-LIGHT CHANDELIER

P4691-09WB Brushed Nickel

P4691-124WB Copper Bronze

Size: 19-1/2" dia., 10-3/4" ht.

Overall ht. w/chain 75"; wire 15'.

Lamps: Three G9 base halogen lamps, each 60w max., included.

Close-to-ceiling

pg 295



Bath & Vanity

pg 365



All Torque come with (1) 6" and (4) 12" stems and 6 links of chain.



FIVE-LIGHT CHANDELIER

P4692-09WB Brushed Nickel
P4692-124WB Copper Bronze
 Size: 25" dia., 15-5/8" ht.
 Overall ht. w/chain 77"; wire 15'.
 Lamps: Five G9 base halogen lamps, each 60w max., included.

MINI-PENDANT

P5081-09WB Brushed Nickel
P5081-124WB Copper Bronze
 Size: 5-7/8" dia., 4-1/4" ht.
 Overall ht. w/chain 70"; wire 10".
 Lamp: One G9 base halogen lamp, 60w max., included.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.



P5085-09



P5085-124



THREE-LIGHT FOYER

P5085-09 Brushed Nickel

P5085-124 Copper Bronze

Size: 18" W., 17" ht.

Overall ht. w/chain 81"; wire 15'.

Lamps: Three medium base lamps,
each 100w max.

*All Torque come with (1) 6" and
(4) 12" stems and 6 links of chain.*



P4693-09WB



P4693-09WB

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

NINE-LIGHT CHANDELIER
P4693-09WB Brushed Nickel
P4693-124WB Copper Bronze
Two Tier.
Size: 30" dia., 24-3/8" ht. Overall
ht. w/chain 86"; wire 15"
Lamps: Nine G9 base halogen
lamps, each 60w max., included.



LOFT Helium

SLEEK METAL ARMS SUPPORT A HEAVENLY STRUCTURE. FINELY RIBBED ETCHED GLASS SHADES WITH METAL STUDS.



P2901-09



P4185-09

Bath & Vanity

pg 361



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

progresslighting.com

TWO-LIGHT WALL SCONCE

P2901-09 Brushed Nickel
Mounts horizontally or vertically.
Size: 20" W., 6" ht. Extends 5-3/8".
Lamps: Two medium base lamps, each 75w max.

LINEAR CHANDELIER

P4185-09 Brushed Nickel
Four-light. Etched acrylic diffuser.
Includes two 12", two 15" stems and 6 links of chain.
Size: 34" L., 8" W., 7-1/4" ht.
Overall ht. w/chain 73"; wire 10'.
Lamps: Four medium base lamps, each 100w max.

BOLD AND GRAPHIC - JUST LIKE THE NAME. STRAPPING AND "O" RING DESIGN HIGHLIGHTS THE ETCHED WHITE GLASS. OFFERS SIMPLE VISUAL APPEAL WITH POSITIVE CONNOTATIONS.



TWO-LIGHT PENDANT

P3981-09 Brushed Nickel
P3981-20 Antique Bronze
 Size: 12-5/8" dia., 6" ht.
 Overall ht. w/stem 72"; wire 12".
 Lamps: Two GU24 CFL lamps,
 each 26w max.

THREE-LIGHT PENDANT

P3983-09 Brushed Nickel
P3983-20 Antique Bronze
 Size: 20-3/4" dia., 7-1/8 ht.
 Overall ht. w/stem 73"; wire 12".
 Lamps: Three GU24 CFL lamps,
 each 26w max.

Close-to-ceiling

pg 395





P3982-09



P3982-20



P3930-09



P3930-20

FOUR-LIGHT PENDANT

P3930-09 Brushed Nickel

P3930-20 Antique Bronze

Size: 24-1/2" dia., 16" ht.

Overall ht. w/stem 82"; wire 12'.

Lamps: Four GU24 CFL lamps, each 26w max.

THREE-LIGHT PENDANT

P3982-09 Brushed Nickel

P3982-20 Antique Bronze

Size: 17" dia., 6-5/8 ht. Overall ht. w/stem 73"; wire 12'.

Lamps: Three GU24 CFL lamps, each 26w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

LOFT  Coupe

COUPE FEATURES CLEAR RIBBED GLASS SUSPENDED AROUND AN ETCHED WHITE GLASS DIFFUSER.



P2029-09WB



P3979-09



P3980-09

WALL BRACKET

P2029-09WB Brushed Nickel
 Size: 4-1/2" W., 7" ht. H/CTR
 4-1/4". Extends 4-3/4".
 Lamp: One candelabra base
 krypton lamp, 60w max., included.

TWO-LIGHT PENDANT

P3979-09 Brushed Nickel
 Stem and ceiling mounts both
 included. Size: 14" dia., 6" ht.
 Overall ht. w/chain 73", wire 12'.
 Lamps: Two medium base lamps,
 each 100w max.

THREE-LIGHT PENDANT

P3980-09 Brushed Nickel
 Size: 20" dia., 6-3/4" ht. Overall ht.
 w/chain 82"; wire 12';
 Three medium base lamps, each
 100w max.

Bath & Vanity

pg 360



*All Coupe hanging come
 with (1) 6" and (4) 12"
 stems and 6 links of chain.*



P4694-09WB



P3985-09



P5102-09WB

FOUR-LIGHT PENDANT
P3985-09 Brushed Nickel
 Size: 24" dia., 7" ht.
 Overall ht. w/chain 84"; wire 12'.
 Lamps: Four medium base lamps,
 each 100w max., included.

LINEAR CHANDELIER
P4694-09WB Brushed Nickel
 Five-light.
 Size: 36" L., 8" W., 6-1/4" ht.
 Overall ht. w/chain 68"; wire 12'.
 Lamps: Five candelabra base
 krypton lamps, each 60w max.

MINI-PENDANT
P5102-09WB Brushed Nickel
 Size: 5-1/8" dia., 7-1/4" ht.
 Overall ht. w/chain 74"; wire 12'.
 Lamp: One candelabra base
 krypton lamp, 60w max., included.

*See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.*

zen
soft

 TRANSCEND

clean
earthy
balanced







REDISCOVER ANTIQUE NAUTICAL LANTERNS. CAN BE USED IN TRADITIONAL AND NON-TRADITIONAL FASHIONS. IDEAL AS SINGLE PIECES OR MULTIPLES. ETCHED INTERIOR GLASS SURROUNDED BY ETCHED WATER GLASS. FOR USE INDOOR OR OUTDOOR. DAMP LOCATION LISTED.



P3701-09



P3701-20



P5589-20



P5589-09

Close-to-ceiling
pg 297

Outdoor
pg 506



P3701-09 lanterns with Thomasville Cabinetry® in Linden Maple.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FOYER PENDANT

P3701-09 Brushed Nickel
P3701-20 Antique Bronze
Size: 11-3/4" dia., 18-1/4" ht.
Overall ht. w/chain 94"; wire 15'.
Lamp: One medium base lamp, 100w max.

FOYER PENDANT

P5589-09 Brushed Nickel
P5589-20 Antique Bronze
Size: 8-3/4" dia., 12-3/4" ht.
Overall ht w/chain 87"; wire 10'.
Lamp: One medium base lamp, 100w max.

CREATED WITH MID-CENTURY
DESIGNS IN MIND. ADD A SPLASH
OF VINTAGE MODERN FLAIR WITH
A VARIETY OF FABRICS, SHADE SIZES
AND PENDANT KITS

Shades and pendant kits are sold
separately. 10" shades can be used
only with pendant kit P5198. 16" and
22" shades can be used with pendant
kit P5198 or P5199. See page 54 for
ordering information.

16" DRUM SHADE

P8766-01 Chloe Floral Fabric
Acrylic bottom diffuser.
For use with P5198 or P5199.
Size: 16" dia., 10" ht.

16" DRUM SHADE

P8822-01 Black Parchment
Paper with White Liner
Acrylic bottom diffuser.
For use with P5198 or P5199.
Size: 16" dia., 10" ht.

16" DRUM SHADE

P8823-01 Beige Silken Fabric
Acrylic bottom diffuser.
For use with P5198 or P5199.
Size: 16" dia., 10" ht.

22" DRUM SHADE

P8768-01 Chloe Floral Fabric
Acrylic bottom diffuser.
For use with P5198 or P5199.
Size: 22" dia., 10" ht.

22" DRUM SHADE

P8824-01 Black Parchment Paper
with White Liner
Acrylic bottom diffuser.
For use with P5198 or P5199.
Size: 22" dia., 10" ht.

22" DRUM SHADE

P8825-01 Beige Silken Fabric
Acrylic bottom diffuser.
For use with P5198 or P5199.
Size: 22" dia., 10" ht.



Pendant Kits for Markor Shades



P5198-20

ONE-LIGHT PENDANT KIT

P5198-09 Brushed Nickel
P5198-20 Antique Bronze
 One-light pendant kit for use with all shades. Includes two 6", one 12" and two 15" stems with 90° swivel. Size: 1-5/8" dia., 5-5/8" ht. Overall ht. w/stem and lamp 66"; wire 10'. Lamp: One medium base lamp, 100w max.



P5199-09

THREE-LIGHT PENDANT KIT

P5199-09 Brushed Nickel
P5199-20 Antique Bronze
 Three-light pendant kit for use with 16" and 22" shades only. Includes two 6", one 12" and two 15" stems with 90° swivel. Size: 4-3/4" dia., 6-1/4" ht. Overall ht. w/stem and lamps 64"; wire 10'. Lamps: Three medium base lamps, each 100w max.



P8765-01
*shown with
 P5198-09 pendant kit*

10" DRUM SHADE
P8765-01 Chloe Floral Fabric
 Acrylic bottom diffuser.
 For use with P5198 only.
 Size: 10" dia., 8" ht.



P8820-01
*shown with
 P5198-20 pendant kit*

10" DRUM SHADE
P8820-01 Black Parchment
 Paper with White Liner
 Acrylic bottom diffuser.
 For use with P5198 only.
 Size: 10" dia., 8" ht.



P8821-01
*shown with
 P5198-09 pendant kit*

10" DRUM SHADE
P8821-01 Beige Silken Fabric
 Acrylic bottom diffuser.
 For use with P5198 only.
 Size: 10" dia., 8" ht.

Markor Pendant System

Simple to order

Specify two separate pieces – fabric shade and stem kit of your choice.

Modular Pendant System & Ordering

Step 1: Choose a fabric



Chloe linen white-on-white floral pattern



Black parchment paper with white liner



Beige silken fabric

Step 2: Select a shade size and stem kit

10" SMALL SHADE

- P8765-01** Chloe Floral Fabric
- P8820-01** Black Parchment Paper
- P8821-01** Beige Silken Fabric

10" small shades can only be used with P5198 one-light pendant kit



P5198 ONE-LIGHT PENDANT KIT

- P5198-09** Brushed Nickel
- P5198-20** Antique Bronze



16" MEDIUM SHADE

- P8766-01** Chloe Floral Fabric
- P8822-01** Black Parchment Paper
- P8823-01** Beige Silken Fabric

16" medium shades can be used with P5198 one-light pendant kit or P5199 three-light pendant kit



P5199 THREE-LIGHT PENDANT KIT

- P5199-09** Brushed Nickel
- P5199-20** Antique Bronze



OR

P5198 ONE-LIGHT PENDANT KIT

- P5198-09** Brushed Nickel
- P5198-20** Antique Bronze



22" LARGE SHADE

- P8768-01** Chloe Floral Fabric
- P8824-01** Black Parchment Paper
- P8825-01** Beige Silken Fabric

22" large shades can be used with P5198 one-light pendant kit or P5199 three-light pendant kit



P5199 THREE-LIGHT PENDANT KIT

- P5199-09** Brushed Nickel
- P5199-20** Antique Bronze



OR

P5198 ONE-LIGHT PENDANT KIT

- P5198-09** Brushed Nickel
- P5198-20** Antique Bronze







TRANSCEND  **Ashbury**

SLEEK QUARTZ-INSPIRED BOBECHES CREATE A TRADITIONAL STYLE WITH A MODERN TWIST. THE CIRCULAR DETAILS ARE HIGHLIGHTED BY A SILVER RIDGE FINISH AND TEXTURED ANTIQUE LINEN DOUBLE DRUM SHADES.



Bath & Vanity

pg 379



Close-to-ceiling

pg 297



Shown with
P4463-134 Chandelier

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

THREE-LIGHT FOYER
P3932-134 Silver Ridge
Etched glass diffuser.
Size: 18" dia., 35-1/2" ht.
Overall ht. w/chain 111";
wire 120".
Lamps: Three medium base
lamps, each 100w max.

MINI-PENDANT
P5054-134 Silver Ridge
Includes 5w 12" and two 15"
stems with 90°
Size: 10" dia., 17-1/2" ht.
Overall ht. w/stem 75"; wire 10".
Lamp: One medium
base lamp, 100w max.

THREE-LIGHT PENDANT
P5056-134 Silver Ridge
Etched glass diffuser.
Size: 22" dia., 28-1/2" ht. Overall
ht. w/chain 105"; wire 15".
Lamps: Three medium base
lamps, each 100w max.



P4462-134

P4349-134



THREE-LIGHT LINEAR CHANDELIER

P4349-134 Silver Ridge
Includes two 6", one 12" and two 15" stems with 90°. Size: 36" L., 7" W., 21-1/2" ht. Overall ht. w/chain 100"; wire 15'. Lamps: Three candelabra base lamps, each 60w max.

FIVE-LIGHT CHANDELIER

P4462-134 Silver Ridge
Size: 28" dia., 23-1/2" ht. Overall ht. w/chain 99"; wire 15'. Lamps: Five candelabra base lamps, each 60w max.



WALL BRACKET
P2843-134 Silver Ridge
Two-light.
Size: 15" W., 14-1/4" ht.
Extends 8". H/CTR 7-1/4".
Lamps: Two candelabra base
lamps, each 60w max.

OVAL CHANDELIER
P4463-134 Silver Ridge
Six-light.
Size: 46" L., 32" W., 32-1/4" ht.
Overall ht. w/chain 107"; wire 15'.
Lamps: Six candelabra base lamps,
each 60w max.

*See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.*

CASUAL AND RELAXED, DANCE FEATURES CAREFULLY SELECTED ELEMENTS, INCLUDING GLASS BEADS, POLISHED AGATE STONE AND NATURAL CRYSTAL STONES. THESE UNIQUELY BEAUTIFUL MATERIALS ARE PLAYFULLY SUSPENDED FROM AN UNDULATING IRON FRAME, WHICH FLOATS OVER A LINEN SHADE. AN ETCHED DIFFUSER RESTS ON THE BOTTOM.



P5015-111
side view



P7058-111



P5015-111
front view

SIX-LIGHT OVAL ISLAND

P5015-111 Desert Sand
Size: 36 L., 15" W., 13-3/4" ht.,
Overall ht. w/stem 80"; wire 15".
Lamps: Two medium base lamps,
each 60w max. and four candelabra
base lamps, each 60w max.

ONE-LIGHT WALL SCONCE

P7058-111 Desert Sand
Size: 8-3/4" W., 11-1/8" ht.
H/CTR 4-3/4". Extends 4".
Lamp: One candelabra
base lamp, 60w max.
ADA

*Dance hanging fixtures
include one 6" stem, four 12"
stems and 6 links of chain.*



P5303-111



P3967-111



P5048-111

THREE-LIGHT FOYER

P3967-111 Desert Sand
Size: 18-1/8" dia., 27-1/2" ht.,
Overall ht. w/stem 94"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT PENDANT

P5048-111 Desert Sand
Size: 21-7/8" dia., 10" ht.,
Overall ht. w/stem 76"; wire 15'.
Lamps: Three medium base
lamps, each 60w max.

MINI-PENDANT

P5303-111 Desert Sand
Size: 8" dia., 11" ht., Overall
ht. w/stem 77"; wire 15'.
Lamp: One medium base
lamp, 100w max.

*See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.*



Shown with
P3898-124 linear pendant

HAVEN'S RECTANGULAR FORM IS EMBRACED BY IRON FRAMEWORK AND FEATURES STONEHENGE GLASS.



Includes two 6", one 12", two 15" stems and six links of chain

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FOUR-LIGHT LINEAR PENDANT
P3898-124 Copper Bronze
 Acrylic bottom diffuser.
 Size: 34" W., 8-3/4" ht. Overall ht. w/stem 75"; wire 10'.
 Lamps: Four medium base lamps, each 100w max.

ONE-LIGHT FOYER
P3921-124 Copper Bronze
 Acrylic bottom diffuser.
 Size: 14" sq., 28-3/8" ht. Overall ht. w/stem 93"; wire 10'.
 Lamp: One medium base lamp, 100w max.

CFL MINI-PENDANT
P5134-124EBWB Copper Bronze
 Acrylic bottom diffuser
 Size: 7-1/2" sq., 11-3/4" ht. Overall ht. w/stem 79"; wire 120".
 Lamp: One 13w GU24 CFL lamp, included.





*Shown with P2851-09 semi flush
and P4459-09 Chandelier*

TRADITIONAL AND MODERN STYLES
REPURPOSED. SPA-INSPIRED AND
BALANCED. SOFT, PATTERNED ETCHED
GLASS AND BRUSHED NICKEL FINISH.



Bath & Vanity

pg 378



See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

THREE-LIGHT CHANDELIER

P4458-09 Brushed Nickel
Size: 17" dia., 19-5/8" ht.
Overall ht. w/chain 95"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

WALL BRACKET

P2959-09 Brushed Nickel
One-light. Mounts up or down.
Size: 4-1/2" W., 9-1/4" ht.
Extends 6-1/8".
Lamp: One medium base
lamp, 100w max.

THREE-LIGHT FOYER

P3846-09 Brushed Nickel
Size: 18" dia., 24-3/8" ht.
Overall ht. w/chain 99"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4459-09 Brushed Nickel
Size: 20" dia., 19-7/8" ht.
Overall ht. w/chain 95"; wire 15'.
Lamps: Five medium base
lamps, each 100w max.

MINI-PENDANT

P5147-09 Brushed Nickel
Includes two 6", one 12" and
two 15" stems with 90° swivel.
Size: 4" dia., 7-5/8" ht.
Overall ht. w/stem 64"; wire 10'.
Lamp: One medium base lamp,
100w max.

P4619-09



P3977-09



P4626-09



Close-to-ceiling

pg 298



FOUR-LIGHT FOYER

P3977-09 Brushed Nickel
 Size: 18" W., 44-3/8" ht. Overall
 ht. w/chain 119"; wire 15'.
 Lamps: Four medium base
 lamps, each 100w max.

**FOUR-LIGHT LINEAR
 CHANDELIER**

P4619-09 Brushed Nickel
 Size: 34" L., 4-1/2" W., 20" ht.
 Overall ht. w/chain 93"; wire 15'.
 Lamps: Four medium base
 lamps, each 60w max.

NINE-LIGHT CHANDELIER

P4626-09 Brushed Nickel
 Two-tier.
 Size: 28" dia., 28-1/2" ht. Overall
 ht. w/chain 102"; wire 15'.
 Lamps: Nine medium base
 lamps, each 60w max.



*Shown above
P4629-09 Chandelier*

*See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.*

A FORMAL DESIGN IS MADE LIVABLE THROUGH FINISH AND MATERIAL SELECTION. AN UPLIFTING CASCADE OF BRUSHED NICKEL ARCS FEATURE DOUBLE CANDLES COMPLEMENTED BY SOFTLY ETCHED, CHISELED GLASS ORBS.



SIX-LIGHT CHANDELIER
P4679-09 Brushed Nickel
Size: 23" dia., 23-5/8" ht., Overall ht. w/stem 90"; wire 15'.
Lamps: Six candelabra base lamps, each 60w max.

EIGHT-LIGHT CHANDELIER
P4680-09 Brushed Nickel
Size: 27-1/8" dia., 30-3/4" ht., Overall ht. w/stem 97"; wire 15'.
Lamps: Eight candelabra base lamps, each 60w max.

Splendid hanging fixtures include one 6" stem, four 12" stems and 6 links of chain.



P4681-09



P5304-09



P7059-09

TEN-LIGHT CHANDELIER

P4681-09 Brushed Nickel
Size: 30-1/2" dia., 33-1/4" ht.,
Overall ht. w/stem 99"; wire 15'.
Lamps: Ten candelabra base
lamps, each 60w max.

OVAL MINI PENDANT

P5304-09 Brushed Nickel
Size: 7-1/2" W., 12-1/4" ht.,
Overall ht. w/stem 78"; wire 15'.
Lamps: Two medium base A15
lamps, each 60w max.

OVAL TWO-LIGHT WALL SCONCE

P7059-09 Brushed Nickel
Size: 7-1/2" W., 12-1/2" ht., H/CTR
3-3/8". Extends 5-3/4".
Lamps: Two medium base A15 lamps,
each 60w max.

*See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.*



Shown with P4625-20 Chandelier.

A CURRENT, TRULY TRANSITIONAL STYLE IS ACHIEVED WITH BRAVO'S FREE-FLOWING ARMS THAT ARE GRACEFULLY SUSPENDED WITH FLUTED SHAPED GLASS SHADES. ANTIQUE BRONZE FINISH WITH ETCHED UMBER LINEN SHADES OR WHITE ETCHED GLASS SHADES WITH A BRUSHED NICKEL FINISH.



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FOUR-LIGHT CHANDELIER

P4622-09 Brushed Nickel
P4622-20 Antique Bronze
 Size: 24" dia., 21" ht. Overall
 ht. w/chain 96"; wire 12'.
 Lamps: Four medium base
 lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4625-09 Brushed Nickel
P4625-20 Antique Bronze
 Two-tier.
 Size: 32" dia., 31" ht. Overall ht.
 w/chain 106"; wire 12'.
 Lamps: Nine medium base
 lamps, each 100w max.



TWELVE-LIGHT CHANDELIER

P4687-09 Brushed Nickel

P4687-20 Antique Bronze

Three Tier.

Size: 38" W., 44" ht. Overall
ht. w/chain 119"; wire 15'.

Lamps: Twelve medium base
lamps, each 100w max.



THREE-LIGHT FOYER

P3969-09 Brushed Nickel
P3969-20 Antique Bronze
 Size: 20" dia., 30-3/8" ht., Overall
 ht. w/chain 102"; wire 15'.
 Lamps: Three medium base lamps,
 each 100w max.

THREE-LIGHT CHANDELIER

P4621-09 Brushed Nickel
P4621-20 Antique Bronze
 Size: 23" dia., 20-1/8" ht. Overall
 ht. w/chain 95"; wire 12'.
 Lamps: Three medium base
 lamps, each 100w max.

*See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.*



THREE-LIGHT CHANDELIER
P3821-09 Brushed Nickel
P3821-20 Antique Bronze
 Size: 18" dia., 21-1/2" ht. Overall
 ht. w/chain 96"; wire 12'.
 Lamps: Three candelabra base
 lamps, each 60w max.

THREE-LIGHT FOYER
P3912-09 Brushed Nickel
P3912-20 Antique Bronze
 Size: 21" dia., 23-1/2" ht. Overall
 ht. w/chain 98"; wire 12'.
 Lamps: Three medium base
 lamps, each 100w max.



P4623-20



P5300-09



P4623-09



P5300-20

Bath & Vanity

pg 369



Fan Light Kit

pg 349



FIVE-LIGHT CHANDELIER

P4623-09 Brushed Nickel
P4623-20 Antique Bronze
Size: 27" dia., 23" ht. Overall ht. w/chain 97"; wire 12'.
Lamps: Five medium base lamps, each 100w max.

MINI-PENDANT

P5300-09 Brushed Nickel
P5300-20 Antique Bronze
Chain- or stem-hung mini-pendant. Includes 6' of chain and two 6" stems.
Size: 7-1/4" dia., 6-1/2" ht. Overall ht. w/chain or stem 94"; wire 10'.
Lamp: One medium base lamp, 100w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

RECYCLE YOUR LOOK FOR A LESS COMPLICATED, CLEAN DESIGN. WISTEN IS A SIMPLE, MODERN AND BALANCED COLLECTION, FEATURING ETCHED GLASS, BRUSHED NICKEL AND ANTIQUE BRONZE FINISHES. PERFECT FOR TODAY'S UNDERSTATED INTERIORS.



MINI-PENDANT

P5108-09 Brushed Nickel
P5108-20 Antique Bronze
 Includes two 6", one 12" and two 15" stems with 90° swivel.
 Size: 4" dia., 6-3/4" ht. Overall ht. w/stem 120"; wire 15'.
 Lamp: One medium base lamp, 100w max.

CFL MINI-PENDANT

P5108-09EBWB Brushed Nickel
P5108-20EBWB Antique Bronze
 Includes two 6", one 12" and two 15" stems with 90° swivel.
 Size: 4" dia., 6-3/4" ht. Overall ht. w/stem 120"; wire 15'.
 Lamp: One 13w GU24 CFL lamp, included.



PENDANT

P5112-09 Brushed Nickel
P5112-20 Antique Bronze
 One-light.
 Size: 17" dia., 21-1/8" ht.
 Overall ht. w/chain 96"; wire 15'.
 Lamp: One medium base lamp, 100w max.

MINI-PENDANT

P5167-09 Brushed Nickel
P5167-20 Antique Bronze
 Includes two 6", one 12" and two 15" stems with 90° swivel.
 Size: 3-3/4" dia., 9-3/4" ht.
 Overall ht. w/stem 67"; wire 10'.
 Lamp: One medium base lamp, 100w max.
 Socket tool included.



Fan Light Kit

pg 349



Bath & Vanity

pg 380



THREE-LIGHT FOYER

P3509-09 Brushed Nickel

P3509-20 Antique Bronze

Size: 12" dia., 26" ht. Overall ht. w/chain 101"; wire 15'.

Lamps: Three candelabra base lamps, each 60w max.

FIVE-LIGHT FOYER

P3510-09 Brushed Nickel

P3510-20 Antique Bronze

Size: 16" dia., 43" ht. Overall ht. w/chain 118"; wire 15'.

Lamps: Five candelabra base lamps, each 60w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

ETCHED WHITE GLASS IN A VARIETY OF SIZES EXEMPLIFYING MODERN DESIGN.



FIVE-LIGHT CHANDELIER

P4436-09 Brushed Nickel

P4436-20 Antique Bronze

Size: 22" dia., 26-3/8" ht. Overall ht. w/chain 101"; wire 15'.

Lamps: Five candelabra base lamps, each 60w max.

NINE-LIGHT CHANDELIER

P4439-09 Brushed Nickel

P4439-20 Antique Bronze

Two-tier.

Size: 27" dia., 33-3/8" ht.

Overall ht. w/chain 156"; wire 15'.

Lamps: Nine candelabra base lamps, each 60w max.





Shown with P4439-09 Chandelier



P4435-20



P7127-20



P7127-09



P2794-20
P2794-20WB



P2794-09
P2794-09WB



P4435-09

WALL BRACKET

P2794-09 Brushed Nickel

P2794-20 Antique Bronze

One-light.

Size: 4-1/2" W., 8-1/4" ht.

Extends 6-1/4". H/CTR 4".

Lamp: One medium base lamp, 100w max.

CFL WALL BRACKET

P2794-09WB Brushed Nickel

P2794-20WB Antique Bronze

One-light.

Size: 4-1/2" W., 8-1/4" ht.

Extends 6-1/4". H/CTR 4".

Lamp: One 13w GU24 CFL lamp, included.



LINEAR CHANDELIER

P4435-09 Brushed Nickel

P4435-20 Antique Bronze

Four-light. Includes two 6", one 12" and two 15" stems with 90° swivel.

Size: 35" L., 12-1/2" W., 29" ht. Overall ht. w/stem 79"; wire 15'.

Lamps: Four candelabra base lamps, each 60w max

WALL SCONCE

P7127-09 Brushed Nickel

P7127-20 Antique Bronze

Two-light.

Size: 12-3/4" W., 13-5/8" ht.

Extends 5-7/8". H/CTR 9-3/4".

Lamps: Two candelabra base lamps, each 60w max.



Close-to-ceiling

pg 298



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT FOYER

P3757-09 Brushed Nickel

P3757-20 Antique Bronze

Size: 18-1/8" dia., 25" ht.

Overall ht. w/chain 100";

wire 15'.

Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT CFL FOYER

P3757-09EBWB Brushed Nickel

P3757-20EBWB Antique Bronze

Size: 18-1/8" dia., 25" ht.

Overall ht. w/chain 100"; wire 15'.

Lamps: Three 13w GU24 CFL

lamps, included.



THREE-LIGHT CHANDELIER

P4434-09 Brushed Nickel

P4434-20 Antique Bronze

Size: 13" dia., 20-1/2" ht. Overall

ht. w/chain 95"; wire 15'.

Lamps: Three medium base

lamps, each 100w max.



Shown with P2643-09 Chandelier

RAVE'S OVAL TUBING FRAME IS ACCENTED BY SWEEPING STRAPS, SOFTLY ARCHING CURVES, OPAL ETCHED GLASS SHADES.



P4641-77



P5128-09WB




P5128-77WB



P4641-09



P7053-09WB



P7053-77WB

Close-to-ceiling

pg 297



All Rave hanging fixtures include one 6 stem", four 12" stems and 6 links of chain.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT CHANDELIER

P4641-09 Brushed Nickel
P4641-77 Forged Bronze
 Size: 20" dia., 17-3/8" ht. Overall ht. w/chain 80"; wire 180".
 Lamps: Three G16-1/2 candelabra base lamps, each 60w max.

MINI-PENDANT

P5128-09WB Brushed Nickel
P5128-77WB Forged Bronze
 Size: 7" dia., 10-3/4" ht. Overall ht. w/chain or stem 76"; wire 120".
 Lamp: One candelabra base krypton lamp, 60w max. included.

WALL SCONCE

P7053-09WB Brushed Nickel
P7053-77WB Forged Bronze
 Etched opal glass.
 Size: 7" W., 21-1/2" ht. Extends 3-1/2".
 Lamp: One GU24 squat CFL lamp, 13w max. included. ADA



OVAL TUBING AND SWEEPING STRAPS
WITH OPAL ETCHED GLASS SHADES.



THREE-LIGHT INVERTED
PENDANT

P3944-09 Brushed Nickel
P3944-77 Forged Bronze
Size: 19" dia., 23-1/2" ht. Overall
ht. w/chain 89"; wire 180".
Lamps: Three medium base
lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4642-09 Brushed Nickel
P4642-77 Forged Bronze
Size: 24-1/2" dia., 20-3/4" ht.
Overall ht. w/chain 84";
wire 180".
Lamps: Five G16-1/2 candelabra
base lamps, each 60w max.



All Rave hanging fixtures include one 6 stem¹, four 12" stems and 6 links of chain.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

TWO-LIGHT FOYER

P3945-09 Brushed Nickel

P3945-77 Forged Bronze

Size: 12" dia., 32-1/2" ht. Overall ht. w/chain 95"; wire 180".

Lamps: Two medium base lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4643-09 Brushed Nickel

P4643-77 Forged Bronze

Two-tier.

Size: 27" dia., 27-1/4" ht. Overall ht. w/chain 87"; wire 180".

Lamps: Nine G16-1/2 candelabra base lamps, each 60w max.



Shown with P3928-09 Foyer

SIMPLIFIED FRAME WITH UPDATED STYLING
AND ELEGANT ETCHED GLASS SHADES.
AVAILABLE IN ENERGY STAR VERSIONS.

P4440-20
P4440-20EBWB



P4440-09
P4440-09EBWB



P4441-20
P4441-20EBWB



P4441-09
P4441-09EBWB



Bath & Vanity

pg 35¹



THREE-LIGHT CHANDELIER
P4440-09 Brushed Nickel
P4440-20 Antique Bronze
Size: 18 1/2" dia., 15" ht. Overall
ht. w/chain 60"; wire 96".
Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT CFL CHANDELIER
P4440-09EBWB Brushed Nickel
P4440-20EBWB Antique Bronze
Size: 18-1/2" dia., 15" ht. Overall
ht. w/chain 60"; wire 96".
Lamps: Three 13w GU24 CFL
lamps, included.



FIVE-LIGHT CHANDELIER
P4441-09 Brushed Nickel
P4441-20 Antique Bronze
Size: 20-1/2" dia., 15" ht. Overall
ht. w/chain 60"; wire 96".
Lamps: Five medium base
lamps, each 100w max.

FIVE-LIGHT CFL CHANDELIER
P4441-09EBWB Brushed Nickel
P4441-20EBWB Antique Bronze
Size: 20-1/2" dia., 15" ht. Overall
ht. w/chain 60"; wire 96".
Lamps: Five 13w GU24 CFL
lamps, included.



See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.



P3914-09
P3914-09EBWB



P3914-20
P3914-20EBWB



P4627-09
P4627-09EBWB



P4627-20
P4627-20EBWB

TWO-LIGHT INVERTED PENDANT

P3914-09 Brushed Nickel
P3914-20 Antique Bronze
Size: 15" dia., 20-5/8" ht.
Overall ht. w/chain 66"; wire 96".
Lamps: Two medium base lamps, each 100w max.

TWO-LIGHT INVERTED CFL PENDANT

P3914-09EBWB Brushed Nickel
P3914-20EBWB Antique Bronze
Size: 15" dia., 20-5/8" ht. Overall ht. w/chain 66"; wire 96".
Lamps: Two 13w GU24 CFL lamps, included.



NINE-LIGHT CHANDELIER

P4627-09 Brushed Nickel
P4627-20 Antique Bronze
Two-tier.
Size: 27-3/4" dia., 20-1/2" ht.
Overall ht. w/chain 84"; wire 120".
Lamps: Nine medium base lamps, each 100w max.

NINE-LIGHT CFL CHANDELIER

P4627-09EBWB Brushed Nickel
P4627-20EBWB Antique Bronze
Two-tier.
Size: 27-3/4" dia., 20-1/2" ht. Overall ht. w/chain 84"; wire 120".
Lamps: Nine 13w GU24 CFL lamps, included.





P3928-09



P3928-20



P3929-09



P5113-09
P5113-09EBWB



P5113-20
P5113-20EBWB



P3929-20

THREE-LIGHT FOYER

P3928-09 Brushed Nickel
P3928-20 Antique Bronze
 Size: 10" dia., 16" ht. Overall
 ht. w/chain 61"; wire 96".
 Lamps: Three candelabra base
 lamps, each 60w max.

*See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.*

SIX-LIGHT FOYER

P3929-09 Brushed Nickel
P3929-20 Antique Bronze
 Size: 15" dia., 24" ht. Overall
 ht. w/chain 87"; wire 120".
 Lamps: Six candelabra base
 lamps, each 60w max.

MINI-PENDANT

P5113-09 Brushed Nickel
P5113-20 Antique Bronze
 Chain- or stem-hung mini-
 pendant. Includes 42" of chain
 and two 6" stems.
 Size: 4" dia., 5-3/4" ht. Overall
 ht. w/chain/stem 63"; wire 96".
 Lamp: One medium base lamp,
 100w max.

CFL MINI-PENDANT

P5113-09EBWB Brushed Nickel
P5113-20EBWB Antique Bronze
 Chain- or stem-hung mini-pendant.
 Includes 42" of chain and two
 6" stems.
 Size: 4" dia., 5-3/4" ht. Overall ht.
 w/chain/stem 63"; wire 96".
 Lamp: One 13w GU24 CFL lamp,
 included.



classic
authentic



ELEMENTS

handsome
retro
transitional





REFRESH YOUR LOOK WITH A CLASSIC VERTICAL STRUCTURE, OPEN ARCHING ROOF AND CENTER LAMP CLUSTERS. ANTIQUE BRONZE OR BURNISHED SILVER FINISH. TRANSITIONAL STYLE FOR HOME INTERIORS.



FOUR-LIGHT FOYER

P3884-20 Antique Bronze

P3884-126 Burnished Silver

Size: 9-7/16" sq., 20-3/8" ht.

Overall ht. w/chain 95"; wire 15'.

Lamps: Four candelabra base lamps, each 60w max.

EIGHT-LIGHT FOYER

P3888-20 Antique Bronze

P3888-126 Burnished Silver

Size: 12-5/16" sq., 34" ht.

Overall ht. w/chain 109"; wire 15'.

Lamps: Eight candelabra base lamps, each 60w max.

A RENEWED COACH LANTERN STYLE, CLEAR BEVELED GLASS PANELS AND ANTIQUE BRONZE FINISH COMPLEMENT OUTDOOR COVERED SETTINGS OR INTERIOR SPACES.



TWO-LIGHT FOYER
P3902-20 Antique Bronze
Size: 10-7/8" sq., 17-1/8" ht.
Overall ht. w/chain 92"; wire 15'.
Lamps: Two candelabra base lamps, each 60w max.

THREE-LIGHT FOYER
P3903-20 Antique Bronze
Size: 14" sq., 21-1/8" ht.
Overall ht. w/chain 96"; wire 15'.
Lamps: Three candelabra base lamps, each 60w max.

FOUR-LIGHT FOYER
P3904-20 Antique Bronze
Size: 18" sq., 26-3/4" ht.
Overall ht. w/chain 102"; wire 15'.
Lamps: Four candelabra base lamps, each 60w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.



RENEW A ROOM WITH INTERLOCKING RINGS INSPIRED BY ANCIENT ASTRONOMICAL ARMILLARY SPHERES.



P3827-20



P5142-20



P5142-126



P3889-20



P3827-126



P3889-126

FOUR-LIGHT FOYER
P3827-20 Antique Bronze
P3827-126 Burnished Silver
 Size: 16" dia., 18-3/8" ht. Overall
 ht. w/chain 94"; wire 15'.
 Lamps: Four candelabra base
 lamps, each 60w max.

SIX-LIGHT FOYER
P3889-20 Antique Bronze
P3889-126 Burnished Silver
 Size: 27-3/4" dia., 30" ht. Overall
 ht. w/chain 105"; wire 15'.
 Lamps: Six candelabra base
 lamps, each 60w max.

THREE-LIGHT PENDANT
P5142-20 Antique Bronze
P5142-126 Burnished Silver
 Size: 10-1/8" dia., 12-1/2" ht.,
 Overall ht. w/chain 87"; wire 15'.
 Lamps: Three candelabra base
 lamps, each 60w max.

See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.

RECTILINEAR TUBING FRAME AND RING STYLING. A UNIQUE COLLECTION WITH DIFFERENT STYLES BY FINISH.



SIX-LIGHT CHANDELIER

P4661-09 Brushed Nickel
Can be mounted with glass up or down.
Size: 24" dia., 18-3/4" ht. Overall ht. w/stem 84"; wire 180.
Lamps: Six medium base lamps, each 100w max.

SIX-LIGHT OVAL CHANDELIER

P4662-09 Brushed Nickel
Can be mounted with glass up or down.
Size: 34" L., 16-5/8" W., 13-1/4" ht. Overall ht. w/stem 80"; wire 180.
Lamps: Six medium base lamps, each 100w max.



*Shown with P4660-20 Chandelier
and P3112-124 Wall Bracket*

CUSTOMIZATION ACCOMMODATES VARIETY OF LIFESTYLE AND LIGHTING NEEDS. ORBITZ IS ACCENTED BY RECTILINEAR TUBING FRAMES AND A RING FEATURE. WHITE ETCHED GLASS SHADES COMPLEMENT FIXTURE. BRUSHED NICKEL AND ANTIQUE BRONZE FINISHES.



P4660-20



P4659-20



P3954-20

THREE-LIGHT CONVERTIBLE

P3954-09 Brushed Nickel
P3954-20 Antique Bronze
 Chain and ceiling mounts both included.
 Size: 17" dia., 12 1/4" ht. Overall ht. w/stem 79"; wire 180".
 Lamps: Three medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4659-20 Antique Bronze
 Size: 23-1/4" dia., 18-1/2" ht. Overall ht. w/stem 83"; wire 180".
 Lamps: Five medium base lamps, each 100w max.

SIX-LIGHT OVAL CHANDELIER

P4660-20 Antique Bronze
 Includes two 6" stems and 72" chain.
 Size: 32" L., 16-3/4" W., 12" ht. Overall ht. w/stem 99"; wire 180".
 Lamps: Six medium base lamps, each 100w max.

Bath & Vanity
 pg 331





P5114-20



P5114-09



P4663-20



P4663-09

All Orbitz stem hung fixtures feature one 6" stem, four 12" stems and 6 links of chain unless otherwise noted.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

NINE-LIGHT CHANDELIER

P4663-09 Brushed Nickel
P4463-20 Antique Bronze
Size: 27" dia., 23-3/4" ht. Overall ht. w/stem 90"; wire 180".
Lamps: Nine medium base lamps, each 100w max.

MINI-PENDANT

P5114-09 Brushed Nickel
P5114-20 Antique Bronze
Size: 4" dia., 7-3/4" ht. Overall ht. w/chain or stem 73"; wire 120".
Lamp: One medium base lamp, 100w max.

AN URBAN-INSPIRED FAMILY. ELONGATED PROFILE ON ETCHED WHITE GLASS. CONSTRUCTED FRAME FEATURES INDUSTRIALIZED INFLUENCES.

P4670-81



P3959-81



P4672-81



Close-to-ceiling

pg 33'



THREE-LIGHT INVERTED PENDANT

P3959-81 Antique Nickel
Size: 22" dia., 24-1/2" ht. Overall
ht. w/stem 90"; wire 144".
Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT CHANDELIER

P4670-81 Antique Nickel
Size: 22" dia., 19-3/4" ht. Overall
ht. w/stem 87"; wire 144".
Lamps: Three medium base
lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4672-81 Antique Nickel
Two-tier.
Size: 32-3/4" dia., 31-1/2" ht.
Overall ht. w/stem 97";
wire 180".
Lamps: Nine medium base
lamps, each 100w max.



P5006-81



P7048-81



P4671-81

All Moments hanging fixtures have one 6" stem, four 12" stems and 6 links of chain.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

SIX-LIGHT CHANDELIER

P4671-81 Antique Nickel
 Size: 26" dia., 24" ht. Overall ht. w/stem 90"; wire 144".
 Lamps: Six medium base lamps, each, 100w max.

MINI-PENDANT

P5006-81 Antique Nickel
 Size: 4-1/2" dia., 9-1/4" ht. Overall ht. w/stem 76"; wire 120".
 Lamp: One medium base lamp, 100w max.

ONE-LIGHT SCONCE

P7048-81 Antique Nickel
 Size: 4-1/2" W., 11-1/4" ht. Extends 6".
 Lamp: One medium base lamp, 100w max.

REFRESHING, ROMANTIC FORMS
WITH ETCHED GLASS OR EXPOSED
CANDLEHOLDERS.



P4365-09
P4365-09EBWB



P4365-20
P4365-20EBWB

Close-to-ceiling

pg 301



FIFTEEN-LIGHT CHANDELIER

P4365-09 Brushed Nickel

P4365-20 Antique Bronze

Three-tier.

Size: 43-3/4" dia., 43-5/8" ht.

Overall ht. w/chain 167"; wire 15'.

Lamps: Fifteen medium base
lamps, each 75w max.

FIFTEEN-LIGHT CFL CHANDELIER

P4365-09EBWB Brushed Nickel

P4365-20EBWB Antique Bronze


Three-tier.

Size: 43-3/4" dia., 43-5/8" ht. Overall

ht. w/chain 167"; wire 15'.

Lamps: Fifteen 13w GU24 CFL lamps,
included.





TWO-LIGHT FOYER
P3473-09 Brushed Nickel
P3473-20 Antique Bronze
 Chain and ceiling mounts both included.
 Size: 16" dia., 17-1/2" ht.
 Overall ht. w/chain 93"; wire 15'.
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT FOYER
P3474-09 Brushed Nickel
P3474-20 Antique Bronze
 Glass top diffuser.
 Size: 18" dia., 24" ht. Overall ht. w/chain 99"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT CFL FOYER
P3474-09EBWB Brushed Nickel
P3474-20EBWB Antique Bronze
 Glass top diffuser.
 Size: 18" dia., 24" ht. Overall ht. w/chain 99"; wire 15'.
 Lamps: Three 13w GU24 CFL lamps, included.



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

ETCHED GLASS IN A VARIETY OF STYLES AND SIZES.



P4324-20
P4324-20EBWB



P4324-09
P4324-09EBWB



P4328-20
P4328-20EBWB



P4328-09
P4328-09EBWB

Ceiling Fan

pg 353



Bath & Vanity

pg 404



THREE-LIGHT CHANDELIER

P4324-09 Brushed Nickel
P4324-20 Antique Bronze
Size: 19" dia., 20" ht. Overall ht. w/chain 95"; wire 15'.
Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT CFL CHANDELIER

P4324-09EBWB Brushed Nickel
P4324-20EBWB Antique Bronze
Size: 19" dia., 20" ht. Overall ht. w/chain 95"; wire 15'.
Lamps: Three 13w GU24 CFL lamps, included.



FIVE-LIGHT CHANDELIER

P4328-09 Brushed Nickel
P4328-20 Antique Bronze
Size: 23" dia., 24" ht. Overall ht. w/chain 99"; wire 15'.
Lamps: Five medium base lamps, each 100w max.

FIVE-LIGHT CFL CHANDELIER

P4328-09EBWB Brushed Nickel
P4328-20EBWB Antique Bronze
Size: 23" dia., 24" ht. Overall ht. w/chain 99"; wire 15'.
Lamps: Five 13w GU24 CFL lamps, included.





P4326-09
P4326-09EBWB



P4325-20
P4325-20EBWB



P4326-20
P4326-20EBWB



P3190-09
P3190-09EBWB



P3190-20
P3190-20EBWB

WALL BRACKET

P3190-09 Brushed Nickel

P3190-20 Antique Bronze

One-light.

Size: 6-1/2" W., 7-1/2" ht. Extends 9". H/CTR 3-1/2".

Lamp: One medium base lamp, 100w max.

Damp location listed.

CFL WALL BRACKET

P3190-09EBWB Brushed Nickel

P3190-20EBWB Antique Bronze

One-light.

Size: 6-1/2" W., 7-1/2" ht. Extends 9". H/CTR 3-1/2".

Lamp: One 13w GU24 CFL lamp, included.

Damp location listed.



LINEAR CHANDELIER

P4325-09 Brushed Nickel

P4325-20 Antique Bronze

Three-light.

Size: 6-1/2" W., 26-1/2" L., 28-1/4" ht. Overall ht. w/chain 103"; wire 15'.

Lamps: Three medium base lamps, each 100w max.

CFL LINEAR CHANDELIER

P4325-09EBWB Brushed Nickel

P4325-20EBWB Antique Bronze

Three-light.

Size: 6-1/2" W., 26-1/2" L., 28-1/4" ht. Overall ht. w/chain 103"; wire 15'.

Lamps: Three 13w GU24 CFL lamps, included.



FOUR-LIGHT CHANDELIER

P4326-09 Brushed Nickel

P4326-20 Antique Bronze

Size: 19" dia., 20" ht. Overall ht. w/chain 95"; wire 15'.

Lamps: Four medium base lamps, each 100w max.

FOUR-LIGHT CFL CHANDELIER

P4326-09EBWB Brushed Nickel

P4326-20EBWB Antique Bronze

Size: 19" dia., 20" ht. Overall ht. w/chain 95"; wire 15'.

Lamps: Four 13w GU24 CFL lamps, included.



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

ANTIQUÉ BRONZE WITH CREAM
CANDLE COVERS AND BRUSHED
NICKEL WITH WHITE CANDLE
COVERS.



P3806-09



P3806-20



P3807-09



P3807-20



P4327-20



P4327-09

TWO-LIGHT FOYER
P3806-09 Brushed Nickel
P3806-20 Antique Bronze
 Size: 12" dia., 18" ht. Overall
 ht. w/chain 93"; wire 15'.
 Lamps: Two candelabra base
 lamps, each 60w max.

THREE-LIGHT FOYER
P3807-09 Brushed Nickel
P3807-20 Antique Bronze
 Size: 13-1/2" dia., 24" ht.
 Overall ht. w/chain 99";
 wire 15'.
 Lamps: Three candelabra
 base lamps, each 60w max.

FIVE-LIGHT CHANDELIER
P4327-09 Brushed Nickel
P4327-20 Antique Bronze
 Size: 21" dia., 24" ht. Overall
 ht. w/chain 99"; wire 15'.
 Lamps: Five candelabra base
 lamps, each 60w max.



P5095-20
P5095-20EBWB



P5095-09
P5095-09EBWB



P5096-09
P5096-09EBWB



P5096-20
P5096-20EBWB



P4329-20
P4329-20EBWB

NINE-LIGHT CHANDELIER

P4329-09 Brushed Nickel

P4329-20 Antique Bronze

Two-tier.

Size: 30" dia., 33" ht. Overall ht. w/chain 156"; wire 15'.

Lamps: Nine medium base lamps, each 100w max.

NINE-LIGHT CFL CHANDELIER

P4329-09EBWB Brushed Nickel

P4329-20EBWB Antique Bronze

Two-tier.

Size: 30" dia., 33" ht. Overall ht. w/chain 156"; wire 15'.

Lamps: Nine 13w GU24 CFL lamps, included.



PENDANT

P5095-09 Brushed Nickel

P5095-20 Antique Bronze

Size: 18" dia., 9-1/2" ht.

Overall ht. w/chain 85"; wire 15'.

Lamp: One medium base lamp, 150w max.

CFL PENDANT

P5095-09EBWB Brushed Nickel

P5095-20EBWB Antique Bronze

Size: 18" dia., 9-1/2" ht.

Overall ht. w/chain 85"; wire 15'.

Lamp: One 13w GU24 CFL lamp, included.



MINI-PENDANT

P5096-09 Brushed Nickel

P5096-20 Antique Bronze

Includes two 12" and two 15" stems with 90° swivel.

Size: 6-1/2" dia., 7" ht. Overall ht. w/stem 64"; wire 10'.

Lamp: One medium base lamp, 100w max.

CFL MINI-PENDANT

P5096-09EBWB Brushed Nickel

P5096-20EBWB Antique Bronze

Includes two 12" and two 15" stems and 6 links of chain.

Size: 6-1/2" dia., 7" ht. Overall ht. w/stem 64"; wire 10'.

Lamp: One 13w GU24 CFL lamp, included.



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FINELY CRAFTED STRAP AND KNOB DETAILS WITH DOUBLE PRISMATIC GLASS. HAND RUBBED VENETIAN BRONZE AND POLISHED CHROME FINISHES



THREE-LIGHT CHANDELIER

P4688-15 Polished Chrome
P4688-74 Venetian Bronze
 Glass can mount up or down.
 Size: 20" W., 16-3/4" ht. Overall ht. w/stem 92"; wire 10'.
 Lamps: Three medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4688-15 Polished Chrome
P4688-74 Venetian Bronze
 Glass can be mounted up or down.
 Size: 26" W., 22" ht. Overall ht. w/stem 96"; wire 10'.
 Lamps: Five medium base lamps, each 100w max.

Bath & Vanity
 pg 366



Close to Ceiling
 pg 300





NINE-LIGHT CHANDELIER

P4690-15 Polished Chrome

P4690-74 Venetian Bronze

Two-tier.

Size: 30" W., 28" ht. Overall ht. w/ stem 102"; wire 10'.

Lamps: Nine medium base lamps, each 100w max.

PENDANT

P5026-15 Polished Chrome

P5026-74 Venetian Bronze

P5026-81 Antique Nickel

Size: 10-1/2" W., 9-1/4" ht. Overall ht. w/stem 75"; wire 10'.

Lamp: One medium base lamp, each 100w max.

MINI PENDANT

P5173-15 Polished Chrome

P5173-74 Venetian Bronze

P5173-81 Anquie Nickel

Size: 5-3/4" W., 8-3/4" ht. Overall ht. w/stem 75"; wire 10'.

Lamp: One medium base lamp, each 100w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.



CLASSIC VINTAGE STYLING MEETS
MINIMALIST DESIGN. FRESH LOOK USING
AUTHENTIC ARCHING ARMS. PLEATED
DRUM SHADES IN CLEAN LINEN FABRIC
WITH ESPRESSO FINISH. ADJUSTABLE
TURNKEY DECORATIVE DETAILS.



Close-to-ceiling

pg 299



FIVE-LIGHT CHANDELIER

P4422-84 Espresso

Size: 32" dia., 26-1/8" ht. Overall
ht. w/chain 101"; wire 15'.

Lamps: Five medium base
lamps, each 100w max.

Shown P4422-84 chandelier

*See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.*

PLEATED DRUM SHADES IN CLEAN LINEN FABRIC WITH ESPRESSO FINISH AND ADJUSTABLE TURKEY DECORATIVE DETAILS.



P2849-84
shown with wall
cord (included)



P2849-84

WALL BRACKET

P2849-84 Espresso

One-light, portable wall mount with lamp cord. Can be installed as a direct wire or as a plug in. Arm swivels 90°. Low-high switch. Size: 13-1/4" W., 22-3/8" ht. Extends 22-1/8". H/CTR 18-3/8". Lamp: One medium base lamp, 100w max.

LINEAR CHANDELIER

P4400-84 Espresso

Size: 40-3/4" L., 13-1/4" W., 31" ht. Overall ht. w/stem 88"; wire 10". Lamps: Two medium base lamps, each 100w max.



Close-to-ceiling

pg 299



Includes two 6" stems, one 12" stem and two 15" stems with 90° swivel.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT PENDANT

P3909-84 Espresso
Bottom glass diffuser.
Size: 20" dia., 21-7/8" ht.
Overall ht. w/stem 79"; wire 10'.
Lamp: Three medium base lamps, each 100w max.

FOUR-LIGHT CHANDELIER

P4421-84 Espresso
Size: 28-3/8" dia., 21-3/8" ht.
Overall ht. w/chain 96"; wire 15'.
Lamps: Four medium base lamps, each 100w max.

MINI-PENDANT

P5256-84 Espresso
Size: 8-1/8" dia., 9" ht. Overall ht. w/stem 66"; wire 10'.
Lamp: One medium base lamp, 100w max.



ELEMENTS  North Park

REDISCOVER HANDSOME HARDWARE STYLES WITH MODERN AND CLASSIC LOOKS. TWIN ARCHING ARMS AND SQUARE ETCHED GLASS SHADES IS AN UPDATED MISSION STYLE.

FOUR-LIGHT CHANDELIER

P4002-09 Brushed Nickel
P4002-74 Venetian Bronze
Size: 21" W., 22-3/4" ht. Overall
ht. w/chain 98"; wire 15'.
Lamps: Four medium base
lamps, each 100w max.

P4002-74



P4002-09





P4004-09



P4004-74



P4053-74



P4053-09

Bath & Vanity

pg 398



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

progresslighting.com

EIGHT-LIGHT CHANDELIER

P4004-09 Brushed Nickel

P4004-74 Venetian Bronze

Size: 27-1/4" W., 24-5/8" ht.

Overall ht. w/chain 100"; wire 15'.

Lamps: Eight medium base lamps, each 100w max.

TWELVE-LIGHT CHANDELIER

P4053-09 Brushed Nickel

P4053-74 Venetian Bronze

Two-tier.

Size: 27-1/4" W., 30-1/8" ht. Overall

ht. w/chain 154"; wire 15'.

Lamps: Twelve medium base lamps, each 100w max.

REDISCOVER HANDSOME HARDWARE STYLES. NORTH PARK IS TRANSITIONAL WITH MODERN AND CLASSIC LOOKS.



P4003-09



P4001-74



P4001-09



P4003-74

LINEAR CHANDELIER

P4003-09 Brushed Nickel

P4003-74 Venetian Bronze

Six-light.

Size: 27-1/4" L., 14-1/4" W., 22-5/8" ht. Overall ht. w/chain 98"; wire 15'.

Lamps: Six medium base lamps, each 100w max.

FOUR-LIGHT CHANDELIER

P4001-09 Brushed Nickel

P4001-74 Venetian Bronze

Size: 21" W., 19-5/8" ht. Overall ht. w/chain 95"; wire 15'.

Lamps: Four medium base lamps, each 100w max.



TWO-LIGHT FOYER
P3597-09 Brushed Nickel
P3597-74 Venetian Bronze
 Chain and ceiling mounts both included.
 Size: 12-3/4" sq., 13-5/8" ht.
 Overall ht. w/chain 89"; wire 15'.
 Lamps: Two medium base lamps, each 100w max.

TWO-LIGHT INVERTED PENDANT
P3906-09 Brushed Nickel
P3906-74 Venetian Bronze
 Size: 16" sq., 24-1/8" ht. Overall ht. w/chain 100"; wire 15'.
 Lamps: Two medium base lamps, each 100w max.

MINI-PENDANT
P5135-09 Brushed Nickel
P5135-74 Venetian Bronze
 Includes two 6", one 12" and two 15" stems with 90° swivel.
 Size: 5-1/2" dia., 7-1/8" ht.
 Overall ht. w/stem 64-1/8"; wire 15'.
 Lamp: One medium base lamp, 100w max.

Close-to-ceiling
 pg 300



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

ELEMENTS  Eclipse

POLISHED BRASS, BRUSHED NICKEL
AND ANTIQUE BRONZE FINISHES WITH
SATIN WHITE GLASS INCANDESCENT
AND ENERGY-EFFICIENT OPTIONS.
PERFECT FOR RESIDENTIAL AND
COMMERCIAL APPLICATIONS.



P3486-20 chandeliers with Progress Lighting recessed and undercabinet lighting.



P3575-09



P3575-10



P3486-20
P7322-20EBWB



P3573-09



P3487-20
P3496-20EB
P7323-20EBWB

Close-to-ceiling

pg 304



Wall Sconce

pg 466



THREE-LIGHT PENDANT

P3573-09 Brushed Nickel
Size: 19-3/8" dia., 17" ht. Overall
ht. w/chain 56"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

THREE-LIGHT PENDANT

P3486-20 Antique Bronze
Size: 19-3/8" dia., 17" ht. Overall
ht. w/chain 56"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

FOUR-LIGHT PENDANT

P3575-10 Polished Brass
P3575-09 Brushed Nickel
Size: 27-3/8" dia., 24" ht. Overall
ht. w/chain 63"; wire 15'.
Lamps: Four medium base lamps,
each 100w max.

FOUR-LIGHT PENDANT

P3487-20 Antique Bronze
Size: 27-3/8" dia., 24-1/8" ht.
Overall ht. w/chain 63"; wire 15'
Lamps: Four medium base lamps,
each 100w max.

THREE-LIGHT PENDANT

P7322-20EBWB Antique Bronze
120V NPF electronic ballast.
Size: 19-3/8" dia., 17" ht.
Overall ht. w/chain 56"; wire 15'.
Lamps: Three 26w 4-pin Quad CFL
(included). G24q-3 base.



FOUR-LIGHT PENDANT

P3496-20EB Antique Bronze
120V/277V HPF electronic ballast.
Size: 27-3/8" dia., 24-1/8" ht.
Overall ht. w/chain 63"; wire 15'
Lamps: Four 26w 4-pin Quad CFL.
G24q-3 base.



FOUR-LIGHT PENDANT

P7323-20EBWB Antique Bronze
120V NPF electronic ballast.
Size: 27-3/8" dia., 24-1/8" ht.
Overall ht. w/chain 63"; wire 15'.
Lamps: Four 26w 4-pin Quad CFL
(included). G24q-3 base.





ELEMENTS  **Glendale**

SPARK A HAPPY MOOD. AUTHENTIC ALABASTER GLASS FOR A RETRO FEEL. ROUND TUBULAR ARMS IN BRUSHED NICKEL.



P3781-09



P4082-09

Close-to-ceiling

pg 303



THREE-LIGHT FOYER
P3781-09 Brushed Nickel
Size: 19" dia., 26-1/2" ht.
Overall ht. w/chain 102";
wire 15'.
Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT CHANDELIER
P4082-09 Brushed Nickel
Size: 23-1/2" dia., 24-3/4" ht.
Overall ht. w/chain 100";
wire 15'.
Lamps: Three medium base
lamps, each 100w max.



P4085-09



P4083-09



P4086-09

FIVE-LIGHT CHANDELIER

P4083-09 Brushed Nickel
 Size: 26" dia., 28" ht.
 Overall ht. w/chain 103";
 wire 15'.
 Lamps: Five medium base
 lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4085-09 Brushed Nickel
 Two-tier.
 Size: 29" dia., 30-3/4" ht.
 Overall ht. w/chain 154";
 wire 15'.
 Lamps: Nine medium base
 lamps, each 100w max.

THREE-LIGHT CHANDELIER

P4086-09 Brushed Nickel
 Size: 20-1/2" dia., 20-1/2" ht.
 Overall ht. w/chain 95"; wire 15'.
 Lamps: Three medium base
 lamps, each 100w max.

*See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.*



ELEMENTS  **Madison**

ETCHED GLASS WITH TRANSITIONAL ELEMENTS. TRADITIONAL, SIMPLIFIED VINTAGE STYLE. REVERSE GLASS TO CAST LIGHT UP OR DOWN.



P3161-20



P3161-09

WALL BRACKET

P3161-09 Brushed Nickel

P3161-20 Antique Bronze

One-light.

Size: 7-5/8" W., 8" ht. Extends 8-1/2". H/CTR 5".

Lamp: One medium base lamp, 100w max.

Damp location listed.

THREE-LIGHT FOYER

P3794-09 Brushed Nickel

P3794-20 Antique Bronze

Size: 15-3/4" dia., 36-1/4" ht.

Overall ht. w/chain 111";

wire 15'.

Lamps: Three medium base lamps, each 75w max.



P3794-20

P3794-09



P4283-20
Shown with glass up



P3793-09



P3793-20



P3792-09



P3792-20

Fan Light Kit

pg 352



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

progresslighting.com

ONE-LIGHT FOYER
P3792-09 Brushed Nickel
P3792-20 Antique Bronze
 Convertible hanging combo fixture. Chain and ceiling mounts both included.
 Size: 9-1/2" dia., 14-5/8" ht.
 Overall ht. w/chain 90"; wire 15'.
 Lamp: One medium base lamp, 75w max.

ONE-LIGHT FOYER
P3793-09 Brushed Nickel
P3793-20 Antique Bronze
 Size: 11" dia., 21-3/8" ht.
 Overall ht. w/chain 96"; wire 15'.
 Lamp: One medium base lamp, 100w max.

REVERSIBLE NINE-LIGHT CHANDELIER
P4283-09 Brushed Nickel
P4283-20 Antique Bronze
 Nine-light, two-tier.
 Size: 29" dia., 32-3/8" ht.
 Overall ht. w/chain 107"; wire 15'.
 Lamps: Nine medium base lamps, each 100w max.

ETCHED GLASS WITH TRANSITIONAL ELEMENTS. TRADITIONAL, SIMPLIFIED VINTAGE STYLE. REVERSE GLASS TO CAST LIGHT UP OR DOWN.



REVERSIBLE THREE-LIGHT CHANDELIER

P4280-09 Brushed Nickel
P4280-20 Antique Bronze
 Size: 22" dia., 20" ht. Overall ht. w/chain 95"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.

REVERSIBLE FIVE-LIGHT CHANDELIER

P4281-09 Brushed Nickel
P4281-20 Antique Bronze
 Size: 24-5/8" dia., 25" ht. Overall ht. w/chain 100"; wire 15'.
 Lamps: Five medium base lamps, each 100w max.

MINI-PENDANT

P5078-09 Brushed Nickel
P5078-20 Antique Bronze
 Includes two 12" and two 15" stems with 90° swivel.
 Size: 7-1/2" dia., 8" ht.
 Overall ht. w/stem 52"; wire 10'.
 Lamp: One medium base lamp, 100w max.



P4282-09
Shown with glass down



P5079-20



P4282-20
Shown with glass down



P5079-09

Close-to-ceiling
pg 302



Bath & Vanity
pg 397



See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

**REVERSIBLE LINEAR
CHANDELIER**

P4282-09 Brushed Nickel
P4282-20 Antique Bronze
Three Light.
Size: 7-5/8" W., 31-1/4" L., 24"
ht. Overall ht. w/chain 99";
wire 15'.
Lamps: Three medium base
lamps, each 100w max.

PENDANT

P5079-09 Brushed Nickel
P5079-20 Antique Bronze
Includes two 12" and two 15"
stems with 90° swivel.
Size: 15-3/4" dia., 8-3/4" ht.
Overall ht. w/stem 66"; wire 10'.
Lamp: One medium base lamp,
150w max.



P4113-77 linear chandelier and P7122-77 wall sconce

ELEMENTS  Renovations

REJUVENATE YOUR AREA WITH CLASSIC DETAILS, CURVED BARS AND CYLINDRICAL ACCENTS. AVAILABLE WITH HANDSOME WHITE DETAILED GLASS, ANTIQUE NICKEL AND FORGED BRONZE FINISHES.



P3607-81



P3607-77



P4116-81



P4116-77

THREE-LIGHT FOYER
P3607-77 Forged Bronze
P3607-81 Antique Nickel
 Chain and ceiling mounts both included.
 Size: 15-5/8" dia., 15" ht. Overall ht. w/chain 88"; wire 15'.
 Lamps: Three medium base lamps, each 60w max.

SIX-LIGHT CHANDELIER WITH THREE-LIGHT BOWL
P4116-77 Forged Bronze
P4116-81 Antique Nickel
 Three-light downlight in bowl.
 Size: 27-1/4" dia., 27-1/2" ht. Overall ht. w/chain 102"; wire 15'.
 Lamps: Six medium base lamps, each 100w max. and three medium base, 60w max., in bowl.

Close-to-ceiling
 pg 301





P4115-81



P7122-77



P7122-81



P4115-77



P4510-77



P3016-77



P3016-81

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

WALL BRACKET

P3016-77 Forged Bronze
P3016-81 Antique Nickel
 Size: 6" W., 9" ht. Extends 7-7/8", H/CTR 4-1/2".
 Lamp: One medium base lamp, 100w max.
 Damp location listed.

FIVE-LIGHT CHANDELIER

P4115-77 Forged Bronze
P4115-81 Antique Nickel
 Size: 25" dia., 20" ht. Overall ht. w/chain 95"; wire 15'.
 Lamps: Five medium base lamps, each 100w max.

TWELVE-LIGHT CHANDELIER

P4510-77 Forged Bronze
P4510-81 Antique Nickel
 Three-tier.
 Size: 33" dia., 39-5/8" ht. Overall ht. w/chain 115"; wire 15'.
 Lamps: Twelve medium base lamps, each 100w max.

WALL SCONCE

P7122-77 Forged Bronze
P7122-81 Antique Nickel
 One-light.
 Size: 15-5/8" W., 6-3/4" ht. Extends 7-3/4", H/CTR 2-3/4".
 Lamp: One medium base lamp, 100w max.



P5104-77



P5104-81



P4113-81



P4269-77



P4113-77

LINEAR CHANDELIER
P4113-77 Forged Bronze
P4113-81 Antique Nickel
 Two-light.
 Size: 15-5/8" W., 36" L.,
 21-5/8" ht. Overall ht. w/chain
 97"; wire 15'.
 Lamps: Two medium base
 lamps, each 100w max.

LINEAR CHANDELIER
P4269-77 Forged Bronze
P4269-81 Antique Nickel
 Three-light.
 Size: 6" W., 30-1/2" L., 27-1/4" ht.
 Overall ht. w/chain 99"; wire 15'.
 Lamps: Three medium base lamps,
 each 100w max.

MINI-PENDANT
P5104-77 Forged Bronze
P5104-81 Antique Nickel
 Includes two 12" and two 15"
 stems with 90° swivel.
 Size: 6" dia., 6-7/8" ht.
 Overall ht. w/stem 63"; wire 10'.
 Lamp: One medium base lamp,
 100w max.

Ceiling Fan
 pg 352



Bath & Vanity
 pg 412





P4114-81



P4509-77



P4114-77



P4509-81



P3608-81

THREE-LIGHT FOYER
P3608-77 Forged Bronze
P3608-81 Antique Nickel
 Size: 17-1/4" dia., 25-3/4" ht.
 Glass top diffuser.
 Overall ht. w/chain 101";
 wire 15'.
 Lamps: Three medium base
 lamps, each 75w max.

THREE-LIGHT CHANDELIER
P4114-77 Forged Bronze
P4114-81 Antique Nickel
 Size: 22-1/4" dia., 20-1/4" ht.
 Overall ht. w/chain 95"; wire 15'.
 Lamps: Three medium base
 lamps, each 100w max.

NINE-LIGHT CHANDELIER
P4509-77 Forged Bronze
P4509-81 Antique Nickel
 Two-tier.
 Size: 30" dia., 28-1/8" ht. Overall
 ht. w/chain 151"; wire 15'.
 Lamps: Nine medium base
 lamps, each 100w max.

See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.

A TIMELESS COLLECTION WITH SUBTLE, ELEGANT DETAILS. THE DELICATE CAST SCROLL ARMS ENHANCE ANY AMBIENCE. FEATURES DECORATIVE CENTER COLUMNS AND SOLID BRASS CONSTRUCTION.



P4356-09



P4356-10



P4356-20



P4355-09



P4355-20



P4355-10

FIVE-LIGHT CHANDELIER

P4355-09 Brushed Nickel
P4355-10 Polished Brass
P4355-20 Antique Bronze
 Size: 23-1/4" dia., 18-1/4" ht.
 Overall ht. w/chain 58"; wire 15".
 Lamps: Five candelabra base lamps, each 60w max.

SIX-LIGHT CHANDELIER

P4356-09 Brushed Nickel
P4356-10 Polished Brass
P4356-20 Antique Bronze
 Size: 23-1/4" dia., 18" ht. Overall ht. w/chain 57"; wire 15".
 Lamps: Six candelabra base lamps, each 60w max.



P4346-09



P4354-09



P4354-20



P2936-10

P4346-10



P4346-20



WALL BRACKET

P2936-10 Polished Brass

Two-light.

Size: 10-1/8" W., 5-3/4" ht.

Extends 5-3/4". H/CTR 2".

Lamps: Two candelabra base lamps, each 60w max.

FIVE-LIGHT CHANDELIER

P4346-09 Brushed Nickel

P4346-10 Polished Brass

P4346-20 Antique Bronze

Size: 24" dia., 17" ht. Overall ht.

w/chain 53"; wire 15'.

Lamps: Five candelabra base lamps, each 60w max.

THREE-LIGHT CHANDELIER

P4354-09 Brushed Nickel

P4354-20 Antique Bronze

Chain and ceiling mountings both included.

Size: 13" dia., 12-7/8" ht. Overall ht. w/chain 53", wire 10'.

Lamps: Three candelabra base lamps, each 60w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

A TIMELESS COLLECTION WITH SUBTLE, ELEGANT DETAILS. THE DELICATE CAST SCROLL ARMS ENHANCE ANY AMBIENCE. FEATURES DECORATIVE CENTER COLUMNS AND SOLID BRASS CONSTRUCTION.



P4357-10



P4357-20



P4357-09



P3801-10



P3802-10

WALL BRACKET
P3801-10 Polished Brass
 One-light.
 Size: 4-3/8" W., 13-1/8" ht.
 Extends 8-5/8". H/CTR 9-1/4".
 Lamp: One candelabra base lamp, 60w max.

WALL BRACKET
P3802-10 Polished Brass
 Two-light.
 Size: 12-7/8" W., 13-1/8" ht.
 Extends 7-3/4". H/CTR 9-1/4".
 Lamps: Two candelabra base lamps, each 60w max.

EIGHT-LIGHT CHANDELIER
P4357-09 Brushed Nickel
P4357-10 Polished Brass
P4357-20 Antique Bronze
 Size: 26" dia., 18" ht. Overall ht. w/chain 54"; wire 15'.
 Lamps: Eight candelabra base lamps, each 60w max.

Optional fabric shades

P8639-01



See page 284 for these and other shade options for Americana



P4358-20



P4358-09



P4359-20



P4359-09

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

TEN-LIGHT CHANDELIER

P4358-09 Brushed Nickel

P4358-20 Antique Bronze

Two-tier.

Size: 26" dia., 23" ht. Overall ht. w/chain 67"; wire 15'.

Lamps: Ten candelabra base lamps, each 60w max.

FIFTEEN-LIGHT CHANDELIER

P4359-09 Brushed Nickel

P4359-20 Antique Bronze

Three-tier.

Size: 26" dia., 27-1/4" ht. Overall ht. w/chain 66"; wire 15'.

Lamps: Fifteen candelabra base lamps, each 60w max.

ELEMENTS  Prismatic Glass

THREE-LIGHT CHANDELIER

P4094-09 Brushed Nickel

P4094-20 Antique Bronze

Size: 19-3/4" dia., 11-7/8" ht.

Overall ht. w/chain 45"; wire 10'.

Lamps: Three medium base lamps, each 100w max.



FOUR-LIGHT CHANDELIER

P4095-09 Brushed Nickel

Size: 22-7/8" dia., 13-3/8" ht.

Overall ht. w/chain 47"; wire 10'.

Lamps: Four medium base lamps, each 100w max.



ELEMENTS  Five-Light

FIVE-LIGHT CHANDELIER

P4008-09 Brushed Nickel

P4008-20 Antique Bronze

P4008-31 Black

Size: 21" dia., 16-1/2" ht.

Overall ht. w/chain 42"; wire 10'.

Lamps: Five candelabra base lamps, each 60w max.



FIVE-LIGHT CHANDELIER

P4009-09 Brushed Nickel

P4009-10 Polished Brass

P4009-20 Antique Bronze

Size: 17-1/2" dia., 15" ht.

Overall ht. w/chain 50"; wire 10'.

Lamps: Five candelabra base lamps, each 60w max.



ELEMENTS Seeded Glass

BRUSHED NICKEL FINISH

THREE-LIGHT FOYER

P3753-09 Brushed Nickel

P3753-20 Antique Bronze

Size: 9-3/4" dia., 24-1/2" ht.

Overall ht. w/chain 98"; wire 15'.

Lamps: Three candelabra base lamps, each 60w max.



SIX-LIGHT FOYER

P3754-09 Brushed Nickel

P3754-20 Antique Bronze

Size: 14-1/4" dia., 36-1/2" ht.

Overall ht. w/chain 158"; wire 15'.

Lamps: Six candelabra base lamps, each 60w max.



ELEMENTS Alabaster Glass

SWIRLED ALABASTER GLASS

FOUR-LIGHT FOYER

P3458-09 Brushed Nickel

P3458-20 Antique Bronze

Size: 15-7/8" dia., 25-7/8" ht.

Overall ht. w/chain 101"; wire 15'.

Lamps: Four candelabra base lamps, each 60w max.




See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

casual
comfort



RELAX

romance
rustic
charm





UPDATED TRADITIONAL FEEL WITH GRACIOUS FLOWING OVAL ARMS. BACK TO BASICS DESIGN STYLING. OFF-WHITE LINEN DRUM SHADES.



NINE-LIGHT CHANDELIER
P4638-09 Brushed Nickel
P4638-20 Antique Bronze
Two-tier.
Size: 29-3/8" dia., 31" ht.
Overall ht. w/chain 105";
wire 144".
Lamps: Nine candelabra base
lamps, each 60w max.

CFL SCONCE
P7026-30 White
Size: 6" W., 9" ht.
Extends 3-7/8".
H/CTR 4-1/2".
Lamp: One GU24 CFL
lamp, 13w max.



P7026-30



P3799-20



P3799-09



P3931-09



P3931-20

Close-to-ceiling
pg 306



Bath & Vanity
pg 408



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

ONE-LIGHT LARGE FOYER PENDANT
P3799-09 Brushed Nickel
P3799-20 Antique Bronze
 Size: 14-3/4" dia., 20-1/4" ht.,
 Overall ht. w/chain 96"; wire 10'.
 Lamp: One medium base lamp,
 100w max.

THREE-LIGHT INVERTED PENDANT
P3931-09 Brushed Nickel
P3931-20 Antique Bronze
 White acrylic diffuser.
 Size: 19" dia., 21-1/2" ht. Overall
 ht. w/chain 96"; wire 120".
 Lamps: Three medium base
 lamps, each 100w max.

UPDATED TRADITIONAL FEEL WITH GRACIOUS FLOWING OVAL ARMS. BACK TO BASICS DESIGN STYLING. OFF-WHITE LINEN DRUM SHADES.



P4632-20
shown without
included shades



P4632-09
shown with
included shades



P4632-09
shown without
included shades



P4632-09
shown with
included shades



P5065-09



P5065-20

THREE-LIGHT CHANDELIER

P4632-09 Brushed Nickel
P4632-20 Antique Bronze
 Size: 17" dia., 18" ht. Overall
 ht. w/chain 92-1/4"; wire 120".
 Lamps: Three candelabra base
 lamps, each 60w max.

FIVE-LIGHT CHANDELIER

P4635-09 Brushed Nickel
P4635-20 Antique Bronze
 Size: 23" dia., 20" ht. Overall
 ht. w/chain 94"; wire 120".
 Lamps: Five candelabra base
 lamps, each 60w max.

MINI-PENDANT

P5065-09 Brushed Nickel
P5065-20 Antique Bronze
 Chain- or stem-hung mini-pendant.
 Includes 12' of chain and
 two 6" stems.
 Size: 6-1/2" dia., 6-1/4" ht. Overall
 ht. w/chain or stem 93"; wire 120".
 Lamp: One medium base lamp,
 100w max.



P4635-09



P4635-20



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

IRON ARMS MIMIC THE SHAPE OF A HEART. CANDELABRA VERSION OR ETCHED GLASS SHADES GIVE A CURVACEOUS AND FLOWING STYLE.



P4664-09



P4666-20



P4664-20



P4666-09

THREE-LIGHT CHANDELIER

P4664-09 Brushed Nickel
P4664-20 Antique Bronze
 Size: 22" dia., 18" ht. Overall ht. w/chain 63"; wire 96".
 Lamps: Three medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4666-09 Brushed Nickel
P4666-20 Antique Bronze
 Size: 25-1/2" dia., 19-1/8" ht. Overall ht. w/chain 63"; wire 96".
 Lamps: Five medium base lamps, each 100w max.



Bath & Vanity

pg 406



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT CHANDELIER

P4665-09 Brushed Nickel
P4665-20 Antique Bronze
 Size: 20" dia., 18" ht. Overall ht. w/chain 63"; wire 96".
 Lamps: Three candelabra base lamps, each 60w max.

FIVE-LIGHT CHANDELIER

P4667-09 Brushed Nickel
P4667-20 Antique Bronze
 Size: 23-1/2" dia., 19-1/8" ht. Overall ht. w/chain 63"; wire 96".
 Lamps: Five candelabra base lamps, each 60w max.

IRON ARMS MIMIC THE SHAPE OF A HEART. CANDELABRA VERSION OR ETCHED GLASS SHADES GIVE A CURVACEOUS AND FLOWING STYLE.



THREE-LIGHT INVERTED PENDANT

P3955-09 Brushed Nickel
P3955-20 Antique Bronze
 Size: 17-3/4" dia., 21-3/4" ht.
 Overall ht. w/chain 66"; wire 96".
 Lamps: Three medium base lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4669-09 Brushed Nickel
P4669-20 Antique Bronze
 Two-tier.
 Size: 28" dia., 28" ht. Overall ht. w/chain 91"; wire 144".
 Lamps: Nine candelabra base lamps, each 60w max.



NINE-LIGHT CHANDELIER

P4668-09 Brushed Nickel

P4668-20 Antique Bronze

Two-tier.

Size: 30" dia., 27-3/4" ht. Overall ht. w/chain 90"; wire 144".

Lamps: Nine medium base lamps, each 100w max.

MINI-PENDANT

P5131-09 Brushed Nickel

P5131-20 Antique Bronze

Chain- or stem-hung mini-pendant. Includes 42" of chain and two 6" stems.

Size: 6" dia., 6" ht. Overall ht. w/ chain or stem 63"; wire 96".

Lamp: One medium base lamp, 100w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

RELAX |  Heart

SHAPELY ARMS AND LUSCIOUS
CURVES GIVE THE HEART COLLECION
A WARM AND RELAZED STYLE.

P4686-20
*shown with included
glass shades*





P4686-20
shown without
included glass shades



P4686-09
shown with included
glass shades



P4686-09
shown without
included glass shades

**TWELVE-LIGHT THREE-TIER
CHANDELIER**

P4686-09 Brushed Nickel

P4686-20 Antique Bronze

Three-tier.

Can be used with glass or
without. Includes 6' of chain
and two 6" stems.

Size: 36" dia., 31-1/2" ht.

Overall ht. w/chain or stem
155"; wire 15".

Lamps: Twelve candelabra base
lamps, each 60w max.

See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.

SLIM OPAL WHITE GLASS SHADES WITH A HINT OF CURVE ACCENTUATED BY UNDULATING FORMS AND FLOWING ARMS FOR A SASSY APPEAL.



P3845-20WB



P4469-20



P3079-20



P5136-20

WALL BRACKET
P3079-20 Antique Bronze
 One-light.
 Size: 5" W., 11-1/4" ht.
 Extends 5-1/4". Lamp:
 One medium base lamp,
 100w max.

THREE-LIGHT FOYER
P3845-20WB Antique Bronze
 Chain and ceiling mounts both
 included.
 Size: 11-3/4" dia., 13-1/2" ht.
 Overall ht. w/chain 93"; wire 15'.
 Lamps: Three G9 halogen
 lamps, each 60w max., included.

EIGHT-LIGHT CHANDELIER
P4469-20 Antique Bronze
 Size: 31-3/4" dia., 31" ht.
 Overall ht. w/chain 154";
 wire 15'. Lamps: Eight
 medium base
 lamps, each 100w max.

MINI-PENDANT
P5136-20 Antique Bronze
 Includes two 6", one 12", two
 15" stems and six links of chain.
 Size: 4-7/8" dia., 13-5/8" ht.
 Overall ht. w/stem 80"; wire 10'.
 Lamp: One medium base lamp,
 100w max.



P3879-20



P4460-20



P4461-20

FOUR-LIGHT FOYER

P3879-20 Antique Bronze
Includes two 6", one 12", two 15" stems and six links of chain.
Size: 17-3/8" dia., 27-1/2" ht.
Overall ht. w/stem 94"; wire 10'.
Lamps: Four medium base lamps, each 100w max.

FOUR-LIGHT CHANDELIER

P4460-20 Antique Bronze
Size: 21" dia., 21-3/4" ht. Overall ht. w/chain 97"; wire 15'.
Lamps: Four medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4461-20 Antique Bronze
Size: 26" dia., 25" ht. Overall ht. w/chain 100"; wire 15'.
Lamps: Five medium base lamps, each 100w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.



P4417-77 chandelier, P3847-77 foyer and P7181-77 wall sconce.

RELAX  **Torino**

CHARMING SQUARED SCROLLS AND SLEEK YET CASUAL CURVES. TEA STAINED GLASS COMPLEMENTS FORGED BRONZE FINISH AND THE ETCHED WHITE GLASS ENHANCES THE BRUSHED NICKEL FINISH.



ONE-LIGHT FOYER

P5144-09 Brushed Nickel
P5144-77 Forged Bronze
 Stem and ceiling mounts both included. Includes one 6", one 12" and two 15" stems with swivel.
 Size: 13-1/8" dia., 15-1/8" ht.
 Overall ht. w/stem 66"; wire 10'.
 Lamp: One medium base lamp, 100w max.

MINI-PENDANT

P5153-09 Brushed Nickel
P5153-77 Forged Bronze
 Includes two 12" and two 15" stems with 90° swivel.
 Size: 7-1/2" dia., 11" ht. Overall ht. w/stem 68"; wire 10'.
 Lamp: One medium base lamp, 100w max.

WALL SCONCE

P7181-09 Brushed Nickel
P7181-77 Forged Bronze
 One-light.
 Size: 9-1/2" W., 6-3/4" ht.
 Extends 4-3/4". H/CTR 2-7/8".
 Lamp: One medium base lamp, 100w max.



Ceiling Fan

pg 348



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

WALL BRACKET

P2881-09 Brushed Nickel

P2881-77 Forged Bronze

One-light.

Size: 7" W., 9-1/4" ht. Extends 9".

Lamp: One medium base lamp, 100w max.

Damp location listed.

THREE-LIGHT FOYER

P3847-09 Brushed Nickel

P3847-77 Forged Bronze

Glass top diffuser.

Size: 22" dia., 27" ht. Overall

ht. w/chain 102"; wire 15'.

Lamps: Three medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4416-09 Brushed Nickel

P4416-77 Forged Bronze

Size: 26-1/8" dia., 24-3/4" ht.

Overall ht. w/chain 100"; wire 15'.

Lamps: Five medium base lamps, each 100w max.

TEA STAINED GLASS COMPLEMENTS FORGED BRONZE FINISH AND THE ETCHED WHITE GLASS ENHANCES THE BRUSHED NICKEL FINISH.



P4405-09



P3824-77



P3824-09



P4405-77



P3843-77



P3843-09

THREE-LIGHT FOYER

P3824-09 Brushed Nickel
P3824-77 Forged Bronze
 Size: 19-3/4" dia., 32-1/2" ht.
 Overall ht. w/chain 108"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT FOYER

P3843-09 Brushed Nickel
P3843-77 Forged Bronze
 Chain and ceiling mounts both included.
 Size: 18" dia., 18-1/2" ht. Overall ht. w/chain 94"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT CHANDELIER

P4405-09 Brushed Nickel
P4405-77 Forged Bronze
 Size: 19-1/8" dia., 19-1/8" ht.
 Overall ht. w/chain 94"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.

Close-to-ceiling
 pg 307





Bath & Vanity

pg 407



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

progresslighting.com

THREE-LIGHT CHANDELIER WITH ONE-LIGHT BOWL

P4415-09 Brushed Nickel
P4415-77 Forged Bronze
 Size: 24" dia., 24-1/8" ht. Overall ht. w/chain 99"; wire 15'.
 Lamps: Three medium base lamps, each 100w max. and one medium base lamp, 75w max.

SIX-LIGHT CHANDELIER WITH THREE-LIGHT BOWL

P4417-09 Brushed Nickel
P4417-77 Forged Bronze
 Size: 28-5/8" dia., 29-7/8" ht. Overall ht. w/chain 105"; wire 15'.
 Lamps: Six medium base lamps, each 100w max. and three medium base lamps, 75w each.

RELAX  Torino

TEA STAINED GLASS COMPLEMENTS FORGED BRONZE FINISH AND THE ETCHED WHITE GLASS ENHANCES THE BRUSHED NICKEL FINISH.



P4419-09



P4419-77



TWELVE-LIGHT FOYER

P4419-09 Brushed Nickel

P4419-77 Forged Bronze

Three-tier.

Size: 34" dia., 42-1/8" ht.

Overall ht. w/chain 165";
wire 15'.

Lamps: Twelve medium base
lamps, each 100w max.



**NINE-LIGHT CHANDELIER
WITH THREE-LIGHT BOWL**

P4418-09 Brushed Nickel

P4418-77 Forged Bronze

Two-tier.

Size: 32" dia., 32-5/8" ht. Overall
ht. w/chain 155"; wire 15".

Lamps: Nine medium base
lamps, each 100w max. and
three medium base lamps, each
75w max.

*See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.*



P4006-77 chandelier and
P3216-77 wall bracket.

RELAX  Cantata

REINVENT A CASUAL DESIGN, CREATE A CHARMING AURA. RUSTIC SEEDED TOPAZ GLASS AND A COMFORTABLY SIMPLISTIC DESIGN.



P3216-77



P3814-77



P4039-77

WALL BRACKET**P3216-77** Forged Bronze

One-light.

Size: 4-3/4" W., 12-7/8" ht.

Extends 7-1/8". H/CTR 4-1/2".

Lamp: One medium base lamp, 100w max.

Damp location listed.

THREE-LIGHT FOYER**P3814-77** Forged Bronze

Size: 20" dia., 23-1/2" ht. Overall ht. w/chain 99"; wire 15'.

Lamps: Three medium base lamps, each 100w max.

NINE-LIGHT CHANDELIER**P4039-77** Forged Bronze

Two-tier.

Size: 30-3/4" dia., 28" ht. Overall ht. w/chain 151"; wire 15'.

Lamps: Nine candelabra base lamps, each 60w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

REINVENT A CASUAL DESIGN, CREATE A CHARMING AURA. RUSTIC SEEDED TOPAZ GLASS AND A COMFORTABLY SIMPLISTIC DESIGN.

P4040-77



TWENTY-LIGHT CHANDELIER
P4040-77 Forged Bronze
Three-tier.
Size: 42" dia., 39-5/8" ht. Overall ht. w/chain 163"; wire 15'.
Lamps: Twenty candelabra base lamps, each 60w max.

Bath & Vanity
pg 410



Close-to-ceiling
pg 308





TWO-LIGHT FOYER
P3440-77 Forged Bronze
 Chain and ceiling mounts both included.
 Size: 15-3/4" dia., 10" ht. Overall ht. w/chain 85"; wire 15'.
 Lamps: Two medium base lamps, each 75w max.

THREE-LIGHT CHANDELIER
P4005-77 Forged Bronze
 Size: 17" dia., 19" ht. Overall ht. w/chain 94"; wire 15'.
 Lamps: Five candelabra base lamps, each 60w max.

FIVE-LIGHT CHANDELIER
P4006-77 Forged Bronze
 Size: 23" dia., 22-1/2" ht. Overall ht. w/chain 98"; wire 15'.
 Lamps: Five candelabra base lamps, each 60w max.

MINI-PENDANT
P5139-77 Forged Bronze
 Includes two 12" and two 15" stems with 90° swivel.
 Size: 4-1/2" dia., 7-1/4" ht. Overall ht. w/stem 64"; wire 15'.
 Lamp: One medium base lamp, 100w max.

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.



*Shown: P4588-102 chandelier and
P2753-102 wall sconce.*

CASUAL DETAILS MEET RUSTIC DESIGN. FEATURING SPIRALED DETAILING, SCROLLED ARMS, ROMANTIC JASMINE MIST GLASS, SUBTLE FORGED IRON TWISTS, AND FORGED BLACK OR ROASTED JAVA FINISHES.



P4587-80



P4587-102



P2752-102



P3840-102



P3840-80



P2752-80

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

WALL BRACKET
P2752-80 Forged Black
P2752-102 Roasted Java
 One-light.
 Size: 6-3/8" W., 11" ht.
 Extends 7", H/CTR 7-7/8".
 Lamp: One medium base lamp, 100w max.

THREE-LIGHT FOYER
P3840-80 Forged Black
P3840-102 Roasted Java
 Size: 14-1/4" dia., 27-1/8" ht.
 Overall ht. w/chain 103"; wire 15'.
 Lamps: Three candelabra base lamps, each 60w max.

FIVE-LIGHT CHANDELIER
P4587-80 Forged Black
P4587-102 Roasted Java
 With one-light downlight.
 Size: 24-1/4" dia., 23" ht. Overall ht. w/chain 98"; wire 15'.
 Lamps: Five candelabra base lamps, each 60w max. and one 50w R-20 lamp in downlight.

RELAX  Santiago

JASMINE MIST GLASS, SUBTLE FORGED IRON TWISTS SPIRAL DETAILING.



P4588-80



P5076-102



P4588-102



P5076-80



P2753-80

WALL BRACKET

P2753-80 Forged Black
P2753-102 Roasted Java
 Two-light.
 Size: 14" W., 11" ht.
 Extends 7". H/CTR 7-7/8".
 Lamps: Two medium base lamps, each 100w max.
 Damp location listed.

OVAL CHANDELIER

P4588-80 Forged Black
P4588-102 Roasted Java
 Six-light.
 Size: 37-7/8" L., 26" W. Overall ht. w/chain 99"; wire 15".
 Lamps: Six candelabra base lamps, each 60w max.

MINI-PENDANT

P5076-80 Forged Black
P5076-102 Roasted Java
 Includes two 12" and two 15" stems with 90° hang straight.
 Size: 6-1/4" w., 15-1/4" ht.
 Overall ht. w/stem 73"; wire 10".
 Lamp: One medium base lamp, 100w max.



Bath & Vanity
pg 410

Close-to-ceiling
pg 308



See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT FOYER
P3839-80 Forged Black
P3839-102 Roasted Java
Chain and ceiling mounts both included.
Size: 19-7/8" dia., 14-1/4" ht.
Overall ht. w/chain 92"; wire 15'.
Lamps: Three medium base lamps, each 75w max.

NINE-LIGHT CHANDELIER
P4179-80 Forged Black
P4179-102 Roasted Java
Two-tier.
Size: 32" dia., 29-1/4" ht. Overall ht. w/chain 104"; wire 15'.
Lamps: Nine candelabra base lamps, each 60w max.

THREE-LIGHT CHANDELIER
P4586-80 Forged Black
P4586-102 Roasted Java
Size: 18" dia., 17" ht. Overall ht. w/chain 92"; wire 15'.
Lamps: Three candelabra base lamps, each 60w max.



Shown: P4229-88 chandelier.

RELAX  **Riverside**

ENJOY THE CHARMING HIGHLIGHTS. RIVERSIDE FEATURES AN HEIRLOOM FINISH WITH LIGHT TOPAZ GLASS, A RELAXING ETCHED WAVE PATTERN, AND SHADES WITH CASUAL UNDERTONES. FORGED LINEAR STRUTS.



P3092-88

P4213-88



P3519-88



Close-to-ceiling
pg 309



Bath & Vanity
pg 410



WALL SCONCE
P3092-88 Heirloom
One-light.
Size: 4-3/4" W., 8" ht. Extends
6-1/8". H/CTR 4-1/8".
Lamp: One medium base lamp,
100w max. Damp location listed.

THREE-LIGHT FOYER
P3519-88 Heirloom
Glass top diffuser
Size: 18-3/4" dia., 22-3/4" ht.
Overall ht. w/chain 98"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

SIX-LIGHT CHANDELIER
P4213-88 Heirloom
Size: 24" dia., 20-3/8" ht.
Overall ht. w/chain 95"; wire 15'.
Lamps: Six medium base lamps,
each 100w max.

See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.

P4214-88



P4212-88



P4229-88



THREE-LIGHT CHANDELIER

P4212-88 Heirloom
 Size: 18-7/8" dia., 17-1/2" ht.
 Overall ht. w/chain 92"; wire 15'.
 Lamps: Three medium base lamps,
 each 100w max.

NINE-LIGHT CHANDELIER

P4214-88 Heirloom
 Two-tier.
 Size: 28" dia., 30-1/2" ht. Overall
 ht. w/chain 105"; wire 15'.
 Lamps: Nine medium base lamps,
 each 100w max.


LINEAR CHANDELIER

P4229-88 Heirloom
 Two-light.
 Size: 14" W., 36" L., 24-7/8" ht.
 Overall ht. w/chain 100"; wire 15'.
 Lamps: Two medium base lamps,
 each 150w max.

Ceiling Fan

pg 348





P4245-88

P5002-88

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FIFTEEN-LIGHT CHANDELIER

P4245-88 Heirloom

Three-tier.

Size: 40-3/4" dia., 38" ht. Overall ht. w/chain 161"; wire 15'.

Lamps: Fifteen medium base lamps, each 75w max.

MINI-PENDANT

P5002-88 Heirloom

Includes two 12" and two 15" stems with 90° swivel.

Size: 4-3/4" dia., 7-3/4" ht.

Overall ht. w/stem 64"; wire 10'.

Lamp: One medium base lamp, 100w max.

REJUVENATE YOUR MOOD WITH RUSTIC FEATURES, WEATHERED BRONZE FINISH, AND CAST FIXTURES WITH HONEY ART GLASS AND MICA ACCENT PANELS.



THREE-LIGHT FOYER

P3613-46 Weathered Bronze Etched glass bottom. Hinged, perforated, glass top cover for easy relamping.
Size: 10" sq., 14" ht. Overall ht. w/chain 87-3/4"; wire 15'.
Lamps: Two medium base lamps, each 100w max., and one R-20 downlight, 50w max.

FOUR-LIGHT FOYER

P3620-46 Weathered Bronze Etched glass top cover included.
Size: 22" sq., 35" ht. Overall ht. w/chain 108"; wire 15'.
Lamps: Four medium base lamps, each 100w max.

MINI-PENDANT

P5020-46 Weathered Bronze 18" stem with 72" chain.
Size: 8-1/2" sq., 27-3/4" ht., Overall ht. w/chain 102"; wire 15'.
Lamp: One medium base lamp, 100w max.

PENDANT

P5021-46 Weathered Bronze Size: 16" sq., 18-3/4" ht., Overall ht. w/chain 56"; wire 15'.
Lamp: One medium base lamp, 150w max.



Bath & Vanity

pg 413



Close-to-ceiling

pg 309



WALL BRACKET

P2900-46 Weathered Bronze
One-light. Can mount up or down.
Size: 8-1/2" W., 10-1/4" ht. Extends
9-3/4".
Lamp: One medium base lamp,
100w max.
Damp location listed.

LINEAR CHANDELIER

P4100-46 Weathered Bronze
Two-light.
Size: 34" L., 12" W., 19-5/8" ht.
Overall ht. w/chain 94"; wire 15'.
Lamps: Two medium base
lamps, each 100w max.

THREE-LIGHT CHANDELIER

P4101-46 Weathered Bronze
Size: 27-3/8" dia., 19-5/8" ht.
Overall ht. w/chain 58"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

FOUR-LIGHT CHANDELIER

P4102-46 Weathered Bronze
Size: 30" dia., 19-5/8" ht. Overall
ht. w/chain 58"; wire 15'.
Lamps: Four medium base
lamps, each 100w max.

REFRESHING ROMANTIC CASUAL
COLLECTION. ANTIQUE LINEN GLASS.



P4023-77



P4022-77
*shown without leaf
pattern*



P4022-77



P3696-77



P4023-77
*shown without leaf
pattern*

FOUR-LIGHT FOYER
P3696-77 Forged Bronze
Size: 14" dia., 23-1/4" ht.
Overall ht. w/chain 98"; wire 15'.
Lamps: Four candelabra base
lamps, each 60w max.

THREE-LIGHT CHANDELIER
P4022-77 Forged Bronze
Size: 19-3/4" dia., 19-5/8" ht.
Overall ht. w/chain 95"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

FIVE-LIGHT CHANDELIER
P4023-77 Forged Bronze
Size: 26-1/2" dia., 24-1/2" ht.
Overall ht. w/chain 100"; wire 15'.
Lamps: Five medium base lamps,
each 100w max.

Close-to-ceiling
pg 309





Bath & Vanity

PG 414



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

progresslighting.com

WALL BRACKET

P3233-77 Forged Bronze
One-light.

Size: 7-1/2" W., 11-1/2" ht. Extends 10". H/CTR5-3/4".

Lamp: One medium base lamp, 100w max. Damp location listed.

NINE-LIGHT CHANDELIER

P4024-77 Forged Bronze
Two-tier.

Size: 31-1/4" dia., 36-3/8" ht. Overall ht. w/chain 160"; wire 15".

Lamps: Nine medium base lamps, each 100w max.

MINI-PENDANT

P5077-77 Forged Bronze
Includes two 12" and two 15" stems with 90° swivel.

Size: 7-1/2" dia., 10" ht. Overall ht. w/chain 66"; wire 10'. Lamp: One medium base lamp, 100w max.



RELAX  Le Jardin

FORGED IRON WITH DELICATE, ROMANTIC
 DETAILING, BISCAY CRACKLE OR ESPRESSO
 FINISHES WITH WEATHERED SANDSTONE
 GLASS AND SUBTLE CAST LEAF ELEMENTS.



THREE-LIGHT
 CHANDELIER
P4200-84 Espresso
P4200-91C Biscay Crackle
 Size: 20" dia., 18" ht. Overall
 ht. w/chain 93"; wire 15'.
 Lamps: Three medium base
 lamps, each 100w max.

FIVE-LIGHT CHANDELIER
P4201-84 Espresso
P4201-91C Biscay Crackle
 Size: 26" dia., 26" ht. Overall ht.
 w/chain 101"; wire 15'.
 Lamps: Five medium base lamps,
 each 100w max.



P3012-91C



P3012-84



P2841-91C



P2841-84



TWO-LIGHT FOYER

P2841-84 Espresso

P2841-91C Biscay Crackle
Chain and ceiling mounts
both included.

Size: 16-1/8" dia., 16" ht.
Overall ht. w/chain 91";
wire 15'.

Lamps: Two medium base
lamps, each 100w max.

WALL BRACKET

P3012-84 Espresso

P3012-91C Biscay Crackle
One-light.

Size: 7" W., 11-1/2" ht. Extends
9-1/2". H/CTR 4-1/2".

Lamp: One medium base
lamp, 100w max.

Damp location listed.

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.



P4202-91C



P4147-91C



P4202-84

SIXTEEN-LIGHT CHANDELIER

P4147-84 Espresso
P4147-91C Biscay Crackle
 Three tier.
 Size: 42" dia., 51" ht. Overall ht. w/chain 174"; wire 15'.
 Lamps: Sixteen medium base lamps, each 75w max.

Note: Weight of fixture exceeds NEC limits for outlet box hanging. Consult professional electrician for proper installation.

SIX-LIGHT CHANDELIER

P4202-84 Espresso
P4202-91C Biscay Crackle
 Size: 28" dia., 32" ht. Overall ht. w/chain 107"; wire 15'.
 Lamps: Six medium base lamps, each 100w max.



P4147-84



P5083-91C



P5083-84



MINI-PENDANT

P5083-84 Espresso

P5083-91C Biscay Crackle

Includes two 12" and two 15" stems with 90° swivel.

Size: 7" dia., 17" ht.

Overall ht. w/stem 74"; wire 10'.

Lamp: One medium base lamp, 100w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FORGED IRON WITH DELICATE, ROMANTIC
DETAILING, BISCAY CRACKLE OR ESPRESSO
FINISHES WITH WEATHERED SANDSTONE
GLASS AND SUBTLE CAST LEAF ELEMENTS.



NINE-LIGHT FOYER

P4203-84 Espresso

P4203-91C Biscay Crackle

Size: 32" dia., 39" ht. Overall
ht. w/chain 162"; wire 15'.

Lamps: Nine medium base
lamps, each 100w max.

Bath & Vanity

pg 415



Close-to-ceiling

pg 310





P3686-91C



P3684-84



P3684-91C



P3686-84



P5122-84



P5122-91C

ONE-LIGHT FOYER

P3684-84 Espresso
P3684-91C Biscay Crackle
 Size: 11" dia., 24" ht. Overall
 ht. w/chain 99"; wire 15'.
 Lamp: One medium base
 lamp, 100w max.

THREE-LIGHT FOYER

P3686-84 Espresso
P3686-91C Biscay Crackle
 Size: 18" dia., 36" ht. Overall
 ht. w/chain 111"; wire 15'.
 Lamps: Three medium base
 lamps, each 75w max.

PENDANT

P5122-84 Espresso
P5122-91C Biscay Crackle
 Includes two 12" and two 15"
 stems with 90° swivel.
 Size: 15-3/4" dia., 19-1/4" ht.
 Overall ht. w/chain 94"; wire 15'.
 Lamp: One medium base lamp,
 150w max.

See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.



RELAX  Melbourne

BRING HAPPINESS WITH DELICATE, CHARMING HIGHLIGHTS AND SCULPTED WATERMARK GLASS. ESPRESSO FINISH WITH A BLEND OF RICH DARK BROWN TONES AND BIRDCAGE SCROLL IRONWORK.



P4060-84



P4061-84

SIX-LIGHT CHANDELIER

P4060-84 Espresso
Size: 28" dia., 27" ht. Overall ht. w/chain 102"; wire 15'.
Lamps: Six medium base lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4061-84 Espresso
Two-tier.
Size: 31" dia., 31-1/2" ht. Overall ht. w/chain 106"; wire 15'.
Lamps: Nine medium base lamps, each 100w max.

P4268-84



**FIFTEEN-LIGHT CHANDELIER
P4268-84 Espresso**

Three-tier.
Size: 42-1/2" dia., 51" ht. Overall ht. w/chain 174"; wire 15'.
Lamps: Fifteen medium base lamps, each 75w max.

Note: Weight of fixture exceeds NEC limits for outlet box hanging. Consult professional electrician for proper installation.

Close-to-ceiling

pg 311



Bath & Vanity

pg 418



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

RICH ESPRESSO FINISH WITH SCULPTED WATERMARK GLASS.



P2918-84



WALL BRACKET

P2918-84 Espresso
One-light. Mounts up or down.
Size: 6-3/8" W., 11-1/2" ht.
Extends 9". H/CTR 6-7/8".
Lamp: One medium base lamp,
100w max.
Damp location listed.

THREE-LIGHT CHANDELIER

P4058-84 Espresso
Size: 19-3/4" dia., 18" ht.
Overall ht. w/chain 93"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT FOYER

P4266-84 Espresso
Glass top diffuser.
Size: 20-1/2" dia., 36" ht. Overall
ht. w/chain 159"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

LINEAR CHANDELIER

P4267-84 Espresso
Three-light.
Size: 6-3/8" W., 29-1/4" L., 16" ht.
Overall ht. w/chain 139"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.



P3606-84



P5001-84



P5000-84



P4055-84



P4059-84

ONE-LIGHT FOYER

P3606-84 Espresso
 Size: 22" dia., 29" ht. Overall
 ht. w/chain 104"; wire 15'.
 Lamp: One medium base
 lamp, 100w max.

FIVE-LIGHT CHANDELIER

P4055-84 Espresso
 Size: 23-7/8" dia., 24-1/8" ht.
 Overall ht. w/chain 99"; wire 15'.
 Lamps: Five medium base
 lamps, each 100w max.

FOUR-LIGHT CHANDELIER

P4059-84 Espresso
 Size: 19-3/4" dia., 15-7/8" ht.
 Overall ht. w/chain 91"; wire 15'.
 Lamps: Four medium base
 lamps, each 100w max.

MINI-PENDANT

P5000-84 Espresso
 Includes two 12" and two
 15" stems with 90° swivel.
 Size: 9" dia., 9-1/8" ht.
 Overall ht. w/stem 66"; wire 10'.
 Lamp: One medium base
 lamp, 100w max.

PENDANT

P5001-84 Espresso
 Includes two 12" and two
 15" stems with 90° swivel.
 Size: 14" dia., 10" ht.
 Overall ht. w/stem 67"; wire 10'.
 Lamp: One medium base
 lamp, 150w max.

See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.



RUSTIC SCROLL METAL WORK COMPLEMENTED
BY ECRU LINEN PLEATED SHADES.



WALL BRACKET

P2744-80 Forged Black

P2744-102 Roasted Java

One-light.

Size: 5-3/4" W., 11-5/8" ht.

Extends 7-1/8". H/CTR 7-1/4".

Lamp: One candelabra base lamp, 60w max.

NINE-LIGHT CHANDELIER

P4568-80 Forged Black

P4568-102 Roasted Java

Two-tier.

Size: 34-3/4" dia., 33-1/2" ht.

Overall ht. w/chain 164"; wire 15'.

Lamps: Nine candelabra base lamps, each 60w max.

See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.

RUSTIC SCROLL METAL WORK COMPLEMENTED
BY ECRU LINEN PLEATED SHADES.



THREE-LIGHT FOYER

P2828-80 Forged Black
P2828-102 Roasted Java
Chain and ceiling mounts both included.
Size: 17" dia., 22" ht. Overall ht. w/chain 145"; wire 10'.
Lamps: Three medium base lamps, each 75w max.

FIVE-LIGHT PETITE CHANDELIER

P4566-80 Forged Black
P4566-102 Roasted Java
Size: 20" dia., 22-1/2" ht. Overall ht. w/chain 98"; wire 15'.
Lamps: Five candelabra base lamps, each 40w max.

Close-to-ceiling
pg 311



Ceiling Fan
pg 305





ONE LIGHT WALL BRACKET
P2022-80 Forged Black
P2022-102 Roasted Java
 One-light.
 Size: 5-3/4" W., 10-1/4" ht.
 Extends 7". H/CTR 6-1/4".
 Lamp: One medium base lamp,
 100w max.

SIX-LIGHT CHANDELIER
P4567-80 Forged Black
P4567-102 Roasted Java
 Size: 30-1/4" dia., 30-1/2" ht.
 Overall ht. w/chain 105"; wire 15'.
 Lamps: Six candelabra base
 lamps, each 60w max.

*See pages 248-251 for accessories,
 including additional chain and
 stems, stem kits, shades and more.*

RELAX  Meeting Street

RUSTIC SCROLLED METALWORK CREATES A RESTFUL ATMOSPHERE. FEATURES ARE ANTIQUE SWIRL ART GLASS OR ECRU LINEN PLEATED SHADES.



P4530-80



P4530-102

THREE-LIGHT LINEAR

P4530-80 Forged Black

P4530-102 Roasted Java

Etched Diffuser.

Size: 37-1/4" L., 15-3/4" ht.

Overall ht. w/chain 89"; wire 15'.

Lamps: Three medium base lamps, each 100w max.



P4569-80



P4569-102



TWELVE-LIGHT CHANDELIER

P4569-80 Forged Black

P4569-102 Roasted Java

Three-tier.

Size: 38-3/4" dia., 41-3/4" ht.

Overall ht. w/chain 162"; wire 15'.

Lamps: Twelve candelabra base lamps, each 60w max.

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

REDISCOVER THE CHARMING, WHIMSICAL NATURE OF NEW ORLEANS WITH ETCHED JASMINE MIST GLASS AND FIELDSTONE FINISH.



P4373-87



P4374-87



P2929-87



P4371-87

WALL BRACKET
P2929-87 Fieldstone

One-light.
Size: 6" W., 12-1/4" ht. Extends 9-1/2". H/CTR 6".
Lamp: One medium base lamp, 100w max.
Damp location listed.

THREE-LIGHT CHANDELIER
P4371-87 Fieldstone

Size: 22" dia., 26" ht.
Overall ht. w/chain 100"; wire 15'.
Lamps: Three medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER
P4373-87 Fieldstone

Size: 24" dia., 26-3/4" ht.
Overall ht. w/chain 102"; wire 15'.
Lamps: Five medium base lamps, each 100w max.

SIX-LIGHT CHANDELIER
P4374-87 Fieldstone

Size: 24-3/4" dia., 28-1/4" ht.
Overall ht. w/chain 102"; wire 15'.
Lamps: Six medium base lamps, each 100w max.



P4375-87



P5063-87



P3622-87

Close-to-ceiling

pg 310



Bath & Vanity

pg 419



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT FOYER

P3622-87 Fieldstone
Glass top diffuser.
Size: 24-3/4" dia., 32" ht.
Overall ht. w/chain 155"; wire 15'.
Lamps: Three medium base lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4375-87 Fieldstone
Two-tier.
Size: 33-1/4" dia., 35-1/2" ht.
Overall ht. w/chain 158"; wire 15'.
Lamps: Nine medium base lamps, each 100w max.

MINI-PENDANT

P5063-87 Fieldstone
Includes two 12" and two 15" stems with 90° swivel.
Size: 6" dia., 7-1/4" ht.
Overall ht. w/stem 63-1/2"; wire 15'.
Lamp: One medium base lamp, 100w max.



RELAX  Kensington

CASUAL, COMFORTABLE COLLECTION FEATURING SCROLLED ARMS WITH TRUMPET-SHAPED SWIRLED GLASS SHADES. OFFERED IN A FORGED BRONZE FINISH WITH FROSTED CARAMEL GLASS, OR BRUSHED NICKEL FINISH WITH ETCHED WHITE GLASS.



Bath & Vanity
pg 416



Close-to-ceiling
pg 306



FIVE-LIGHT CHANDELIER

P4238-09 Brushed Nickel
P4238-77 Forged Bronze
Size: 27" dia., 26-1/2" ht.
Overall ht. w/chain 96"; wire 15'.
Lamps: Five medium base lamps,
each 100w max.

FOUR-LIGHT FOYER

P3464-09 Brushed Nickel
P3464-77 Forged Bronze
Size: 18" dia., 29" ht. Overall ht.
w/chain 104"; wire 15'.
Lamps: Four medium base
lamps, each 100w max.

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.



TWELVE-LIGHT CHANDELIER

P4314-09 Brushed Nickel

P4314-77 Forged Bronze

Three tier.

Size: 34" dia., 42" ht.

Overall ht. w/chain 166"; wire 15'.

Lamps: Twelve medium base lamps,
each 100w max.



P4288-09



P4288-77



P2783-77



P2783-09

WALL BRACKET

P2783-77 Brushed Nickel

One Light.

Size: 6" dia., 9.5" ht.

Extends 7".

Lamp: One medium base lamp,
100w max.

Damp location listed.

NINE LIGHT CHANDELIER

P4288-77 Brushed Nickel

P4288-09 Forged Bronze

Two tier.

Size: 31-1/2" dia., 32" ht.

Overall ht. w/chain 155"; wire 15'.

Lamps: Nine medium based lamps,
each 100w max.

*See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.*



THREE-LIGHT FOYER

P3532-09 Brushed Nickel
P3532-77 Forged Bronze
 Size: 21-7/8" dia., 28-1/4" ht.
 Overall ht. w/chain 103";
 wire 15'.
 Lamps: Three medium base
 lamps, each 100w max.

MINI-PENDANT

P5141-09 Brushed Nickel
P5141-77 Forged Bronze
 Includes two 6", one 12" and
 two 15" stems with 90° swivel.
 Size: 7" dia., 7-1/2" ht.
 Overall ht. w/stem 65"; wire 10'.
 Lamp: One medium base lamp,
 100w max.



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

ONE-LIGHT FOYER

P3678-09 Brushed Nickel
P3678-77 Forged Bronze
 Chain and ceiling mounts both included.
 Size: 11-3/8" dia., 13" ht.
 Overall ht. w/chain 92"; wire 15'.
 Lamp: One medium base lamp, 100w max.

THREE-LIGHT CHANDELIER

P4158-09 Brushed Nickel
P4158-77 Forged Bronze
 Size: 18" dia., 20-1/2" ht.
 Overall ht. w/chain 96"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.



Above: P4603-20 chandelier, P3265-20 wall bracket and P2503-46 ceiling fan with P2628-20 light kit.

RELAX  Pavilion

REFRESH WITH CASUAL, ETCHED WATERMARK GLASS. PAVILION IS A ROMANTIC COLLECTION THAT HAS A COMFORTABLE FEEL.

Close-to-ceiling
pg 312



Bath & Vanity
pg 417



WALL BRACKET
P3265-09 Brushed Nickel
P3265-20 Antique Bronze
 One-light.
 Size: 8-3/4" W., 9-1/4" ht.
 Extends 10-1/8".
 Lamp: One medium base lamp, 100w max.

PENDANT
P5084-09 Brushed Nickel
P5084-20 Antique Bronze
 Size: 20-1/4" dia., 10-5/8" ht. Overall ht. w/chain 86"; wire 15'.
 Lamp: One medium base lamp, 150w max.



P3265-20



P3265-09

P5084-09



P5084-20





P3325-09



P4579-09



P4579-20



P4580-09



P4580-20



P3325-20

THREE-LIGHT FOYER

P3325-09 Brushed Nickel

P3325-20 Antique Bronze
Glass top diffuser.

Size: 22-1/8" dia., 29-1/2" ht.

Overall ht. w/chain 105"; wire 15'.

Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT CHANDELIER

P4579-09 Brushed Nickel

P4579-20 Antique Bronze
Size: 23-7/8" dia., 18-3/8" ht.

Overall ht. w/chain 94";

wire 15'.

Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT CHANDELIER

P4580-09 Brushed Nickel

P4580-20 Antique Bronze
Size: 23-7/8" dia., 20-7/8" ht.

Overall ht. w/chain 96"; wire 15'.

Lamps: Three medium base
lamps, each 100w max.

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.



P4604-20



P5125-20



P5125-09



P4604-09

TWELVE-LIGHT FOYER

P4604-09 Brushed Nickel

P4604-20 Antique Bronze

Three-tier.

Size: 34-3/4" dia., 46-1/2" ht.

Overall ht. w/chain 170"; wire 15'.

Lamps: Twelve medium base lamps, each 100w max.

MINI-PENDANT

P5125-09 Brushed Nickel

P5125-20 Antique Bronze

Includes two 12" and two 15" stems with 90° swivel.

Size: 9-7/8" dia., 6-1/4" ht. Overall ht. w/stem 63"; wire 10'.

Lamp: One medium base lamp, 100w max.



P4603-20



P4592-20



P4603-09



P4592-09

FOUR-LIGHT CHANDELIER

P4592-09 Brushed Nickel

P4592-20 Antique Bronze

Size: 27-7/8" dia., 22-3/8" ht. Overall ht. w/chain 98"; wire 15'.

Lamps: Four medium base lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4603-09 Brushed Nickel

P4603-20 Antique Bronze

Two-tier.
Size: 32-5/8" dia., 32-3/8" ht. Overall ht. w/chain 156"; wire 15'.

Lamps: Nine medium base lamps, each 100w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

RELAX  **Avalon**

SOFT CURVES, ALABASTER GLASS, RUSTIC ROPE DETAILING, AND EXPOSED CANDLES



P4067-09



P3785-09



P3785-20



P4070-09
P4276-09EBWB



P4067-20



P4070-20

THREE-LIGHT FOYER

P3785-09 Brushed Nickel

P3785-20 Antique Bronze

Glass top diffuser.

Size: 21" dia., 34-1/2" ht.

Overall ht. w/chain 109";

wire 15'.

Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT CHANDELIER

P4067-09 Brushed Nickel

P4067-20 Antique Bronze

Size: 21-7/8" dia., 21-1/2" ht.

Overall ht. w/chain 96"; wire 15'.

Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT CHANDELIER

P4070-09 Brushed Nickel

P4070-20 Antique Bronze

Size: 24-3/8" dia., 15-5/8" ht.

Overall ht. w/chain 91"; wire 15'.

Lamps: Three medium base lamps, each 100w max.

THREE-LIGHT CFL CHANDELIER

P4276-09EBWB Brushed Nickel

Size: 24-3/8" dia., 15-5/8" ht. Overall

ht. w/chain 91"; wire 15'.

Lamps: Three 13w GU24 CFL lamps (included).





P4068-20



P4068-09
P4275-09EBWB



P4057-20



P4057-09
shown with optional
shades P8632-01

Close-to-ceiling

pg 312



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FIVE-LIGHT CHANDELIER

P4057-09 Brushed Nickel
P4057-20 Antique Bronze
Size: 26-1/2" dia., 22-5/8" ht.
Overall ht. w/chain 96"; wire 15'.
Lamps: Five candelabra base lamps, each 60w max.

FIVE-LIGHT CHANDELIER

P4068-09 Brushed Nickel
P4068-20 Antique Bronze
Size: 26-1/2" dia., 22-5/8" ht.
Overall ht. w/chain 98"; wire 15'.
Lamps: Five medium base lamps, each 100w max.

FIVE-LIGHT CFL CHANDELIER

P4275-09EBWB Brushed Nickel
Size: 26-1/2" dia., 22-5/8" ht.
Overall ht. w/chain 98"; wire 15'.
Lamps: Five 13w GU24 CFL lamps (included).



ANTIQUE BRONZE CANDELABRA BASE
 FIXTURES HAVE CREAM CANDLE COVERS.
 BRUSHED NICKEL HAS WHITE CANDLE COVERS.



P3773-20



P3266-09



P3266-20



P3467-20



P3773-09



P3467-09
 P3468-09EBWB

WALL BRACKET

P3266-09 Brushed Nickel
P3266-20 Antique Bronze
 One-light.
 Size: 7-3/4" W., 12" ht.
 Extends 8-3/4".
 Lamp: One medium base
 lamp, 100w max.
 Damp location listed.

THREE-LIGHT FOYER

P3467-09 Brushed Nickel
P3467-20 Antique Bronze
 Chain and ceiling mounts both
 included.
 Size: 13-1/8" dia., 15" ht. Overall
 ht. w/chain 90"; wire 15'.
 Lamps: Three medium base
 lamps, each 75w max.

TWO-LIGHT CFL FOYER

P3468-09EBWB Brushed Nickel
 Chain and ceiling mounts both
 included.
 Size: 13-1/8" dia., 15" ht. Overall
 ht. w/chain 90"; wire 15'.
 Lamps: Two 13w GU24 CFL
 lamps (included).



THREE-LIGHT FOYER

P3773-09 Brushed Nickel
P3773-20 Antique Bronze
 Size: 22" dia., 28" ht. Overall
 ht. w/chain 103"; wire 15'.
 Lamps: Three medium base
 lamps, each 100w max.



P5068-20
P5145-20EBWB



P5068-09
P5145-09EBWB



P4069-09



P4069-20

Bath & Vanity
pg 429



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

progresslighting.com

FIVE-LIGHT CHANDELIER

P4069-09 Brushed Nickel
P4069-20 Antique Bronze
Three-light downlight in bowl.
Size: 26-3/8" dia., 24-1/2" ht.
Overall ht. w/chain 99"; wire 15'.
Lamps: Five medium base lamps, each 100w max., and three medium base lamps, each 100w max. in bowl.

MINI-PENDANT

P5068-09 Brushed Nickel
P5068-20 Antique Bronze
Includes two 12" and two 15" stems with 90° swivel.
Size: 7-3/4" dia., 6-1/4" ht.
Overall ht. w/stem 63"; wire 15'.
Lamp: One medium base lamp, 100w max.

CFL MINI-PENDANT

P5145-09EBWB Brushed Nickel
P5145-20EBWB Antique Bronze
120V NPF electronic ballast.
Includes two 12" and two 15" stems with 90° swivel.
Size: 7-3/4" dia., 6-1/4" ht.
Overall ht. w/stem 63"; wire 15'.
Lamp: One 13w GU24 CFL lamp (included).



CAPTURE ROMANCE WITH SOFT, SWIRLING FORMS, CURVED DOUBLE ARMS AND ETCHED ALABASTER GLASS.



P3367-09

P3367-20



P4390-09



P4390-20



P3788-20



P3788-09



ONE-LIGHT FOYER


P3788-09 Brushed Nickel
P3788-20 Antique Bronze
 Chain and ceiling mounts both included.
 Size: 10-1/2" dia., 14-1/2" ht.
 Overall ht. w/chain 54"; wire 15'.
 Lamp: One medium base lamp, 150w max.

WALL BRACKET

P3367-09 Brushed Nickel
P3367-20 Antique Bronze
 One-light.
 Size: 5-1/4" W., 8-1/2" ht.
 Extends 7-1/4". H/CTR 3-1/16".
 Lamp: One medium base lamp, 100w max.
 Damp location listed.

THREE-LIGHT CHANDELIER

P4390-09 Brushed Nickel
P4390-20 Antique Bronze
 Size: 19-1/2" dia., 15-5/8" ht.
 Overall ht. w/chain 54"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.



P5090-09



P4391-09



P5090-20



P4391-20

Bath & Vanity

pg 428



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

PENDANT

P5090-09 Brushed Nickel
P5090-20 Antique Bronze
Size: 15-5/8" dia., 11-1/4" ht.,
Overall ht. w/chain 50"; wire 15'.
Lamp: One medium base lamp,
150w max.

FIVE-LIGHT CHANDELIER

P4391-09 Brushed Nickel
P4391-20 Antique Bronze
Size: 22-1/2" dia., 16" ht.
Overall ht. w/chain 91"; wire 15'.
Lamps: Five medium base
lamps, each 100w max.



estate
ornate



GRACE

elegant
traditional
sophisticated



P4685-104WB

CARESS FEATURES A CHIC,
SOPHISTICATED FRAME WITH
CYLINDRICAL GLASS SHADES.
ETCHED GLASS DIFFUSER INSIDE
CLEAR WATER GLASS.



SIXTEEN-LIGHT CHANDELIER

P4685-104WB Polished Nickel

Three-tier.

Size: 47" dia., 46' ht. Overall ht.
w/stem 181"; wire 15'.

Lamps: Sixteen E12 base krypton
lamps, each 60w max., included.



P4644-104WB



P7046-104WB



P4645-104WB

Bath & Vanity

pg 421



All Caress hanging fixtures include one 6" stem, four 12" stems and 6 links of chain.


See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT CHANDELIER
P4644-104WB Polished Nickel
Size: 22" dia., 24-1/2" ht. Overall ht. w/stem 91"; wire 180".
Lamps: Three E12 base krypton lamps, each 60w max., included.

FIVE-LIGHT CHANDELIER
P4645-104WB Polished Nickel
Size: 27" dia., 22" ht. Overall ht. w/stem 88"; wire 180".
Lamps: Five E12 base krypton lamps, each 60w max., included.

WALL SCONCE
P7046-104WB Polished Nickel
Size: 8" W., 15" ht. Extends 9-1/2". H/CTR 8-7/8".
Lamp: One E12 base krypton lamp, 60w max. included.

CARESS FEATURES A CHIC, SOPHISTICATED FRAME WITH CYLINDRICAL GLASS SHADES. ETCHED GLASS DIFFUSER INSIDE CLEAR WATER GLASS.



THREE-LIGHT PENDANT
P3682-104 Polished Nickel
 Size: 22" dia., 25-3/4" ht. Overall ht. w/chain 91"; wire 180".
 Lamps: Three medium base lamps, each 100w max.

ONE-LIGHT FOYER
P3946-104 Polished Nickel
 Size: 14" dia., 30" ht. Overall ht. w/chain 96"; wire 180".
 Lamp: One medium base lamp, 100w max.

ONE-LIGHT FOYER
P3947-104 Polished Nickel
 Size: 18" dia., 44-3/4" ht. Overall ht. w/chain 111"; wire 180".
 Lamp: One medium base lamp, 100w max.

MINI-PENDANT
P5306-104WB Polished Nickel
 Size: 8" dia., 12-1/2" ht., Overall ht. w/stem 78"; wire 15".
 Lamp: One E12 base krypton lamp, 60w max., included.



P4646-104WB



P5044-104WB



Includes one 6", four 12" stems and 6 links of chain.

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

thomasvillelighting.com

NINE-LIGHT CHANDELIER

P4646-104WB Polished Nickel
Two-tier.

Size: 36-5/8" dia., 33-5/8" ht.
Overall ht. w/chain 100";
wire 180".

Lamps: Nine E12 base krypton
lamps, each 60w max., included.

MINI-PENDANT

P5044-104WB Polished Nickel

Chain- or stem-hung mini-pendant.
Size: 6-3/8" dia., 10-3/4" ht. Overall
ht w/chain or stem 77"; wire 180".

Lamp: One E12 base krypton lamp,
60w max., included.



P4507-101 chandelier and P2724-101 wall brackets with Thomasville® furniture from the Bogart Luxe™ collection.

GRACE |  **Roxbury**

A TOUCH OF HOLLYWOOD GLAMOUR
IN YOUR HOME WITH ROXBURY'S SLEEK
CRYSTAL COLUMNS AND BOBECHEs.



P2772-101



P4501-101
shown with white
shades (included)



P2816-101

WALL BRACKET
P2772-101 Classic Silver
Includes both black and white shades.
Size: 14-7/8" W., 13-5/8" ht., Extends 7-1/2". H/CTR 10-3/4".
Lamps: Two candelabra base lamps, each 60w max.
Damp location listed.

TEN-LIGHT FOYER
P2816-101 Classic Silver
Size: 22" dia., 50" ht. Overall ht. w/chain 173"; wire 15'.
Lamps: Ten candelabra base lamps, each 60w max.

SIX-LIGHT CHANDELIER
P4501-101 Classic Silver
Includes both black and white shades.
Size: 24-5/8" dia., 24" ht. Overall ht. w/chain 99"; wire 15'.
Lamps: Six candelabra base lamps, each 60w max.



P4500-101
shown with optional
shades P8703-01



P4500-101
shown with black
shades (included)



P4502-101
shown with optional
shades P8702-01

INCLUDED SHADES



P8701-01 Black paper
with silver lining
Size: 6" dia., 4-3/4" ht.



P8704-01 Off white
Size: 6" dia., 4-3/4" ht.

OPTIONAL SHADES



P8702-01 Blue/green
Size: 6" dia., 4-3/4" ht.



P8703-01 Red
Size: 6" dia., 4-3/4" ht.

Close-to-ceiling

pg 313



Bath & Vanity

pg 423



See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.

THREE-LIGHT CHANDELIER

P4500-101 Classic Silver
Includes both black and white
shades.
Size: 20" dia., 20" ht. Overall ht.
w/chain 95"; wire 15'.
Lamps: Three candelabra base
lamps, each 60w max.

TWELVE-LIGHT CHANDELIER

P4502-101 Classic Silver
Three-tier. Includes both
black and white shades.
Size: 33" dia., 43" ht. Overall ht.
w/chain 166"; wire 15'.
Lamps: Twelve candelabra base
lamps, each 60w max.



P4507-101 chandelier, P2724-101 wall bracket and P2817-101 foyer with furniture from the Bogart Collection from Thomasville®.

REINVENT YOUR ESTATE WITH ROXBURY'S CLASSIC SILVER FINISH, CRYSTAL ACCENTS, CLEAR CRYSTAL COLUMNS, DETAILED ARMS & SOPHISTICATED CAST ACCENTS.



P4506-101



P4503-101



P4504-101



P2726-101

WALL BRACKET

P2726-101 Classic Silver
Two-light. Can mount up or down.
Size: 16-1/2" W., 8-5/8" ht.,
Extends 7-3/4". H/CTR 4-1/2".
Lamps: Two medium base
lamps, each 100w max.

LINEAR CHANDELIER

P4503-101 Classic Silver
Two-light.
Size: 33" l., 13-5/8" W., 17-1/8" ht.
Overall ht. w/chain 93"; wire 15'.
Lamps: Two medium base lamps,
each 100w max.

THREE-LIGHT CHANDELIER

P4504-101 Classic Silver
Size: 19" dia., 19-1/2" ht. Overall
ht. w/chain 94"; wire 15'.
Lamps: Three base G16-1/2
lamps, each 60w max.

FIVE-LIGHT CHANDELIER

P4506-101 Classic Silver
Size: 24-1/4" dia., 23-1/8" ht.
Overall ht. w/chain 98"; wire 15'.
Lamps: Five candelabra base
G16-1/2 lamps, each 60w max.

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

CRYSTAL ACCENTS AND COLUMNS
IN A CLASSIC SILVER FINISH.



P4508-101



P2817-101



P2724-101

Close-to-ceiling

pg 313



Bath & Vanity

pg 423



WALL BRACKET

P2724-101 Classic Silver
One-light.
Size: 7" W., 9" ht., Extends 8".
H/CTR 4-3/4".
Lamp: One medium base
lamp, 100w max.
Damp location listed.

THREE-LIGHT FOYER

P2817-101 Classic Silver
Chain and ceiling mounts both
included.
Size: 16" dia., 14" ht. Overall
ht. w/chain 92"; wire 15'.
Lamps: Three candelabra base
G16-1/2 lamps, each 60w max.

FIFTEEN-LIGHT CHANDELIER

P4508-101 Classic Silver
Three-tier.
Size: 36-1/8" dia., 43" ht. Overall
ht. w/chain 166"; wire 15'.
Lamps: Fifteen candelabra base
G16-1/2 lamps, each 60w max.



P4505-101

P4507-101

P5100-101

FOUR-LIGHT CHANDELIER

P4505-101 Classic Silver
Size: 22" dia., 22" ht.
Overall ht. w/chain 97"; wire 15'.
Lamps: Four medium base lamps,
each 100w max.

NINE-LIGHT CHANDELIER

P4507-101 Classic Silver
Two-tier.
Size: 32-1/4" dia., 23-3/4" ht.
Overall ht. w/chain 147"; wire 15'.
Lamps: Nine candelabra base
G16-1/2 lamps, each 60w max.

MINI-PENDANT

P5100-101 Classic Silver
Includes two 12" and two 15"
stems with 90° swivel.
Size: 7" dia., 10-7/8" ht.
Overall ht. w/stem 67"; wire 10'.
Lamp: One medium base lamp,
100w max.

*See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.*

GRACE  Fortune

GOOD FORTUNE IS YOUR DESTINY, AS SEEN IN THE TELLER'S MYSTICAL CRYSTAL BALL. FORTUNE FEATURES CLEAR K9 GLASS ORB ACCENTS AND ETCHED OPAL DRUM SHADES IN A POLISHED NICKEL FINISH.



Bath & Vanity

pg 422



P7049-104WB

THREE-LIGHT PENDANT

P5034-104 Polished Nickel
Size: 20-1/4" dia., 15-5/8" ht.
Overall ht. w/chain 82";
wire 180".
Lamps: Three medium base
lamps, each 100w max.

WALL SCONCE

P7049-104WB Polished Nickel
Size: 5-7/8" W., 8-3/4" ht.
Extends 7-3/4".
Lamp: One krypton base lamp,
60w max. included.





THREE-LIGHT CHANDELIER

P4673-104 Polished Nickel
 Size: 20" dia., 12-1/2" ht. Overall
 ht. w/chain 79"; wire 180".
 Lamps: Three candelabra base
 G16-1/2 lamps, each 60w max.

*See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.*

FIVE-LIGHT CHANDELIER

P4674-104 Polished Nickel
 Size: 26" dia., 16-1/2" ht. Overall
 ht. w/chain 83"; wire 180"
 Lamps: Five candelabra base
 G16-1/2 lamps, each 60w max.

*All stem hung fixtures
 include 6' of chain and
 two 6" stems.*

NINE-LIGHT CHANDELIER

P4675-104 Polished Nickel
 Size: 31" dia., 15-3/8" ht. Overall
 ht. w/chain 82"; wire 180".
 Lamps: Nine candelabra base
 G16-1/2 lamps, each 60w max.

MINI-PENDANT

P5007-104 Polished Nickel
 Chain- or stem-hung mini-
 pendant.
 Size: 8-7/8" dia., 9-3/4" ht.
 Overall ht. w/chain or stem 76";
 wire 120".
 Lamp: One candelabra base
 G16-1/2 lamp, 60w max.

GRACE  Lady Luck

SOPHISTICATED, ELONGATED PROFILES.
HANDSPUN CUPS FEATURE FEMININE STYLING.
TALL, ELEGANT MOUTH-BLOWN OPAL ETCHED
GLASS SHADES AND FLOWING RECTANGULAR
ARMS CREATE A SOFT, CLASSIC FRAME.



P4677-104



P7050-104



P5008-104



P3960-104

THREE-LIGHT FOYER
P3960-104 Polished Nickel
Size: 18" dia., 26" ht. Overall ht.
w/chain 101"; wire 96".
Lamps: Three candelabra base
lamps, each 60w max.

FIVE-LIGHT CHANDELIER
P4677-104 Polished Nickel
Size: 25-3/4" dia., 25 1/4" ht.
Overall ht. w/chain 101";
wire 180".
Lamps: Five candelabra base
lamps, each 60w max.

MINI-PENDANT
P5008-104 Polished Nickel
Chain- or stem-hung mini-pendant.
Includes 6' of chain and two 6"
stems.
Size: 5-3/8" dia., 19-1/4" ht. Overall
ht. w/chain or stem 95"; wire 180".
Lamp: One candelabra base lamp,
60w max.

WALL BRACKET
P7050-104 Polished Nickel
Size: 5" W., 17-5/8" ht.
Extends 6-1/4".
Lamp: One candelabra base
lamp, 60w max.



P4676-104



P4678-104

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT CHANDELIER

P4676-104 Polished Nickel

Size: 18-1/2" dia., 17-3/4" ht.

Overall ht. w/chain 93";

wire 180".

Lamps: Three candelabra base lamps, each 60w max.

NINE-LIGHT CHANDELIER

P4678-104 Polished Nickel

Two-tier.

Size: 35" dia., 33" ht. Overall ht. w/chain 108"; wire 180".

Lamps: Nine candelabra base lamps, each 60w max.



REDISCOVER HOLLYWOOD GLAMOUR. CREATE A DRAMATIC EFFECT WITH OPTIONAL BLACK CHIFFON SHADES, CRYSTAL TEAR DROPS, AND BOBECHES.



P2729-104
shown with optional
shades P8719-01



P4209-104

P4209-104
shown with optional
shades P8719-01



P2729-104

Shown: P4209-104 with P8719-01 shades and P2729-104 wall bracket with P8719-01 shades.

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

WALL BRACKET
P2729-104 Polished Nickel
Two-light.
Size: 11-3/8" W., 16-3/4" ht.
Extends 5". H/CTR 7-7/8".
Lamps: Two candelabra base
lamps, each 60w max.

SIX-LIGHT CHANDELIER
P4209-104 Polished Nickel
Size: 28-1/2" dia., 33" ht. Overall
ht. w/chain 108"; wire 15'.
Lamps: Six candelabra base
lamps, each 60w max.

SHINY NICKEL, CLASSY CRYSTAL
TEAR DROPS AND ELEGANT CENTER
COLUMNS COORDINATE BEAUTIFULLY
WITH THE ROXBURY COLLECTION.



P4208-104



P4208-104
shown with optional
shades P8719-01



P4208-104
shown with optional
shade P8772-01

*Optional shades in high contrast
black chiffon fabric in a sheer wrap
are ideal for use in elegant dining
rooms, formal sitting rooms and
dramatic entryways.*



OPTIONAL SHADE
P8772-01 Sheer black chiffon
Size: 18" dia., 8-1/2" ht.



OPTIONAL SHADE
P8719-01 Sheer black chiffon
Size: 4-1/2" dia., 5" ht.
7/8" candle fitter.

THREE-LIGHT CHANDELIER
P4208-104 Polished Nickel
Size: 16-1/2" dia., 23-1/4" ht.
Overall ht. w/chain 98"; wire 15'.
Lamps: Three candelabra base
lamps, each 60w max.



P3400-104
shown with optional
shade P8772-01



P3400-104



P4210-104

THREE-LIGHT SEMI-FLUSH

P3400-104 Polished Nickel
Size: 13-1/2" dia., 14-1/2" ht.
Lamps: Three candelabra base
lamps, each 60w max.

See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.

NINE-LIGHT CHANDELIER

P4210-104 Polished Nickel
Two-tier.
Size: 32-1/2" dia., 35-1/2" ht.
Overall ht. w/chain 158"; wire 15'.
Lamps: Nine candelabra base
lamps, each 60w max.



SPARK A MAGICAL ATMOSPHERE. GRACEFUL GLASS BEADS SURROUND A CLASSIC FRAME. HAND APPLIED GOLD AND SILVER LAYERED LEAF FINISH WITH OPTIONAL PLEATED CRÉME CHIFFON SHADES.

P4443-34
*shown with optional
shades P8769-01*



P4443-34



P4443-34 chandelier and P3292-34 wall sconces with P8769-01 optional shade with furniture from the Hills of Tuscany Collection and the Winfrey chair from Thomasville®.

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

SIX-LIGHT CHANDELIER
P4443-34 Antique Silver
Size: 33" dia., 38-1/2" ht. Overall ht. w/chain 162"; wire 15'.
Lamps: Six candelabra base lamps, each 60w max.

HAND APPLIED GOLD AND SILVER LAYERED LEAF FINISH. CLEAR AND AMBER BEADS, GLASS BOBECHES.

P4444-34
shown with optional
shades P8769-01



FOUR-LIGHT CHANDELIER
P4442-34 Antique Silver
Size: 17-3/8" dia., 24-1/4" ht.
Overall ht. w/chain 147"; wire 15'.
Lamps: Four candelabra base
lamps, each 60w max.



P4442-34
shown with optional
shades P8769-01



P4444-34



NINE-LIGHT CHANDELIER
P4444-34 Antique Silver
Two-tier.
Size: 36" dia., 43" ht. Overall ht.
w/chain 166"; wire 15'.
Lamps: Nine candelabra base
lamps, each 60w max.



P3292-34
shown with optional
shades P8769-01



P3825-34



P3825-34
shown with optional
shades P8769-01

See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.

WALL BRACKET

P3292-34 Antique Silver
Two-light.
Size: 12-5/8" W., 19-5/8" ht.
Extends 6-5/8". H/CTR 13-7/8".
Lamps: Two candelabra base
lamps, each 60w max.

THREE-LIGHT FOYER

P3825-34 Antique Silver
Size: 21" dia., 35-1/4" ht. Overall
ht. w/chain 158"; wire 15'.
Lamps: Three candelabra base
lamps, each 60w max.

PALAIS FEATURES OPULENT OCTAGONAL JEWELS, DROPS OF CUT GLASS, AND OPTIONAL SILK DUPIONI SHADES. IMPERIAL GOLD FINISH.



P4337-63
shown with optional shades P8620-01



P4339-63



P4338-63
shown with optional shades P8620-01



P2955-63

WALL BRACKET
P2955-63 Imperial Gold
Two-light.
Size: 20-1/2" W., 21" ht. Extends 7". H/CTR 15".
Lamps: Two candelabra base lamps, each 60w max.

PETITE CHANDELIER
P4337-63 Imperial Gold
Three-light.
Size: 22" dia., 25-3/4" ht. Overall ht. w/chain 100"; wire 15'.
Lamps: Three candelabra base lamps, each 60w max.

SIX-LIGHT CHANDELIER
P4338-63 Imperial Gold
Six-light with three-light illuminated basket.
Size: 34" dia., 40" ht. Overall ht. w/chain 162"; wire 15'.
Lamps: Six candelabra base lamps, each 60w max. and three candelabra base lamps, each 60w max. in bowl.

NINE-LIGHT CHANDELIER
P4339-63 Imperial Gold
Two-tier with three-light illuminated basket.
Size: 36" dia., 43-3/4" ht. Overall ht. w/chain 165"; wire 15'.
Lamps: Nine candelabra base lamps, each 60w max. and three candelabra base lamps, each 60w max. in bowl.



P4340-63



P3634-63

THREE-LIGHT CHANDELIER

P3634-63 Imperial Gold
Size: 20" dia., 37-1/2" ht.
Overall ht. w/chain 160";
wire 15'.
Lamps: Three candelabra base
lamps, each 60w max.

Shade

pg 284



FIFTEEN-LIGHT CHANDELIER

P4340-63 Imperial Gold
Three-tier with three-light
illuminated basket.
Size: 42" dia., 53" ht. Overall ht.
w/chain 125"; wire 15'.
Lamps: Fifteen candelabra base
lamps, each 60w max. and three
candelabra base lamps, each 60w
max. in bowl.

*Note: Weight of fixture exceeds
NEC limits for outlet box hanging.
Consult professional electrician for
proper installation.*

See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.



Shown: P4533-75 linear chandelier.

GRACE  Messina

REFRESH YOUR SETTING WITH AN IRON SCROLL BASKET MOTIF. TRADITIONAL HAND-PAINTED, AGED MAHOGANY FINISH, AND DECORATIVE LEAVES.



P4533-75

LINEAR CHANDELIER
P4533-75 Aged Mahogany
 Three-light.
 Size: 9-3/4" W., 36" L. 16-1/2" ht.
 Overall ht. w/chain 91"; wire 15'.
 Lamps: Three medium base
 lamps, each 100w max.

Close-to-ceiling
 pg 315





P4191-75



P4536-75



P4535-75

FOUR-LIGHT CHANDELIER

P4191-75 Aged Mahogany
Size: 22" dia., 29-3/4" ht. Overall
ht. w/chain 105"; wire 15'.
Lamps: Four medium base
lamps, each 100w max.

SIX-LIGHT CHANDELIER

P4535-75 Aged Mahogany
Size: 28-1/4" dia., 42" ht.
Overall ht. w/chain 117"; wire 15'.
Lamps: Six medium base
lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4536-75 Aged Mahogany
Two-tier.
Size: 32-1/4" dia., 48-1/4" ht.
Overall ht. w/chain 171"; wire 15'.
Lamps: Nine medium base
lamps, each 100w max.

See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.

Note: Weight of fixture exceeds NEC
limits for outlet box hanging. Consult
professional electrician for proper
installation.

GRACE  Messina

TRADITIONAL HAND-PAINTED AGED MAHOGANY FINISH AND DECORATIVE LEAVES



P2705-75



P2704-75

Close-to-ceiling
pg 315



WALL BRACKET
P2704-75 Aged Mahogany
One-light.
Size: 6-1/4" W., 10-3/4" ht.
Extends 9". H/CTR 5-1/2".
Lamp: One medium base
lamp, 100w max.
Damp location listed.

WALL BRACKET
P2705-75 Aged Mahogany
Two-light.
Size: 17-1/2" W., 10-5/8" ht.
Extends 7-1/2". H/CTR 5-1/2".
Lamps: Two medium base
lamps, 100w max.
Damp location listed.

THREE-LIGHT FOYER
P3809-75 Aged Mahogany
Size: 23" dia., 38-1/4" ht. Overall
ht. w/chain 113"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.



P3809-75



P4192-75



FIFTEEN-LIGHT CHANDELIER
P4192-75 Aged Mahogany
Three-tier.
Size: 42" dia., 56" ht. Overall ht.
w/chain 179"; wire 15'.
Lamps: Fifteen medium base
lamps, each 75w max.

*Note: Weight of fixture exceeds
NEC limits for outlet box hanging.
Consult professional electrician
for proper installation.*

*See pages 248-251 for accessories,
including additional chain and
stems, stem kits, shades and more.*

SAVONA IS DRIPPING IN OPULENCE. THE COLLECTION FEATURES GLASS TEAR DROPS, FORGED IRON ARMS, WARM COGNAC FINISH, CLEAR HAMMERED GLASS, SILVER LEAF ACCENTS, AND COGNAC CANDLES WITH SILVER CAPS.



P3545-72



P2944-72



P3683-72

WALL BRACKET

P2944-72 Cognac
Three-light wall bracket.
Size: 14" dia., 17" ht. Extends
7-1/2". H/CTR 11-3/4".
Lamps: Three candelabra base
lamps, each 60w max.

SIX-LIGHT FOYER

P3545-72 Cognac
Size: 20" dia., 39-1/4" ht.
Overall ht. w/chain 163";
wire 15'.
Lamps: Six candelabra base
lamps, each 60w max.

THREE-LIGHT FOYER

P3683-72 Cognac
Hammered glass.
Size: 16" dia., 30" ht. Overall
ht. w/chain 106"; wire 15'.
Lamps: Three candelabra base
lamps, each 60w max.



P4544-72



P4547-72



P4545-72



P5117-72

Close-to-ceiling

pg 314



PETITE CHANDELIER
P4544-72 Cognac
Three-light.
Size: 16" dia., 21" ht. Overall ht. w/chain 95"; wire 15'.
Lamps: Three candelabra base lamps, each 60w max.

SIX-LIGHT CHANDELIER
P4545-72 Cognac
Size: 30" dia., 30" ht. Overall ht. w/chain 104"; wire 15'.
Lamps: Six candelabra base lamps, each 60w max.

FIVE-LIGHT CHANDELIER
P4547-72 Cognac
Size: 22" dia., 23" ht. Overall ht. w/chain 97"; wire 15'.
Lamps: Five candelabra base lamps, each 60w max.

MINI-PENDANT
P5117-72 Cognac
Includes two 12" and two 15" stems with 90° swivel.
Size: 5-7/8" dia., 16-1/2" ht. Overall ht. w/stem 73"; wire 10'.
Lamp: One medium base lamp, 100w max.

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more.

STYLIZED LEAF AND TASSELS, CHARMING DETAILS CLEAR SEEDED GLASS, CHAMPAGNE DRIP GLASS CANDLES BROWN AND BLACK TONES WITH CASUAL GOLDEN HIGHLIGHTS.



P4407-77



P4411-77



P2879-77

THREE-LIGHT FOYER

P2879-77 Forged Bronze
 Size: 15-7/8" dia., 35-7/8" ht.
 Overall ht. w/chain 111"; wire 15'.
 Lamps: Three candelabra base lamps, each 60w max.

FOUR-LIGHT CHANDELIER

P4407-77 Forged Bronze
 Size: 23-1/2" dia., 26-1/4" ht.
 Overall ht. w/chain 101"; wire 15'.
 Lamps: Four candelabra base lamps, each 60w max.

TWELVE-LIGHT CHANDELIER

P4411-77 Forged Bronze
 Two-tier.
 Size: 32-7/8" dia., 37-5/8" ht.
 Overall ht. w/chain 161"; wire 15'.
 Lamps: Twelve candelabra base lamps, each 60w max.



P2951-77



P5140-77



P4409-77



P4410-77

Close-to-ceiling

pg 314



WALL BRACKET
P2951-77 Forged Bronze
 One-light.
 Size: 6-3/8" W., 14-1/2" ht.
 Extends 7-3/4". H/CTR 9".
 Lamp: One candelabra base
 lamp, 60w max.
 Damp location listed.

SIX-LIGHT CHANDELIER
P4409-77 Forged Bronze
 Size: 27-3/8" dia., 26-1/8" ht.
 Overall ht. w/chain 101"; wire 15'.
 Lamps: Six candelabra base
 lamps, each 60w max.

SIX-LIGHT CHANDELIER
P4410-77 Forged Bronze
 Size: 29-3/8" dia., 32-7/8" ht.
 Overall ht. w/chain 108"; wire 15'.
 Lamps: Six candelabra base
 lamps, each 60w max., and three
 candelabra base lamps, each 40w
 max., in bowl.

MINI-PENDANT
P5140-77 Forged Bronze
 Includes two 12" and two 15"
 stems with 90° swivel.
 Size: 11-1/8" dia., 11-1/2" ht.
 Overall ht. w/stem 69"; wire 10'.
 Lamp: One medium base lamp,
 100w max.

See pages 284-287 for accessories,
 including additional chain and
 stems, stem kits, shades and more.



GRACE |  Veranda

RESTORED TRADITIONS, REFINED GRACE, AND BEAUTIFUL CURVES. VERANDA FEATURES ACANTHUS LEAVES, FAUX ROCK CRYSTAL DROPS AND ESPRESSO FINISH. AVAILABLE WITH VENETIAN MARBLE GLASS OR CREAMY IRELAND FABRIC SHADES.



Shown: P4155-84 chandelier with P2953-84 wall bracket.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

progresslighting.com



P2934-84



WALL BRACKET
P2934-84 Espresso
 One-light.
 Size: 5" W., 15-1/2" ht.
 Extends 8". H/CTR 8".
 Lamp: One candelabra base lamp, 60w max.

THREE-LIGHT CHANDELIER
P4153-84 Espresso
 Size: 18" dia., 27" ht. Overall
 ht. w/chain 102"; wire 15".
 Lamps: Three candelabra base
 lamps, each 60w max.

NINE-LIGHT CHANDELIER
P4155-84 Espresso
 Size: 30" dia., 40" ht. Overall ht.
 w/chain 163"; wire 15".
 Lamps: Nine candelabra base
 lamps, each 60w max.

ESPRESSO FINISH WITH ACANTHUS LEAVES
AND FAUX ROCK CRYSTAL DROPS



WALL BRACKET
P2953-84 Espresso
Two-light.
Size: 13" W., 20" ht.
Extends 7-1/2". H/CTR 12".
Lamps: Two candelabra base
lamps, each 60w max.

TWO-LIGHT FOYER
P3556-84 Espresso
Chain and ceiling mountings
both included.
Size: 20-1/2" dia., 17-1/4" ht.
Overall ht. w/chain 93"; wire 15'.
Lamps: Two medium base
lamps, each 75w max.

SIX-LIGHT CHANDELIER
P4154-84 Espresso
Size: 27" dia., 30" ht. Overall
ht. w/chain 105"; wire 10'.
Lamps: Six candelabra base
lamps, each 60w max.

MINI-PENDANT
P5060-84 Espresso
Includes two 12" and two 15"
stems with 90° swivel.
Size: 11-1/2" dia., 12-3/4"
ht. Overall ht. w/stem 66";
wire 10'.
Lamp: One medium base
lamp, 100w max.



P4156-84



P4157-84

Close-to-ceiling

pg 315



TWELVE-LIGHT CHANDELIER

P4156-84 Espresso

Size: 32" dia., 48-1/2" ht. Overall ht. w/chain 123"; wire 10'.

Lamps: Twelve candelabra base lamps, each 60w max.

FIVE-LIGHT CHANDELIER

P4157-84 Espresso

Size: 22" dia., 26-1/2" ht. Overall ht. w/chain 100"; wire 10'.

Lamps: Five candelabra base lamps, each 60w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.



*P3204-86 sconce, P4007-86 chandelier
and P3542-86 foyer*

GRACE  Savannah

A HOSPITABLE SOPHISTICATION. BURNISHED CHESTNUT OR SEABROOK FINISH. ANTIQUE ALABASTER GLASS, ROPE DETAILS AND PINEAPPLE PATTERNED ACCENTS.



P4010-86
P4278-86EB



P4120-42



P4120-86



P4010-42



P7209-86
P7210-86



P7210-42

FIVE-LIGHT CHANDELIER

P4010-42 Seabrook

P4010-86 Burnished Chestnut

Size: 26-5/8" dia., 28" ht.

Overall ht. w/chain 103";

wire 15'.

Lamps: Five medium base lamps, each 100w max.

FIVE-LIGHT CHANDELIER

P4120-42 Seabrook

P4120-86 Burnished Chestnut

Size: 23" dia., 22-3/8" ht.

Overall ht. w/chain 97"; wire 15'.

Lamps: Five candelabra base lamps, each 60w max.

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

FIVE-LIGHT CHANDELIER

P4278-86EB Burnished Chestnut

Size: 26-5/8" dia., 28" ht. Overall ht. w/chain 103"; wire 15'.

Lamps: Five 13w GU24 CFL lamps.



SCONCE

P7209-86 Burnished Chestnut

One-light.

Size: 13" W., 7" ht. Extends 6-1/2".

Lamp: One 18w GU24 CFL lamp.



SCONCE

P7210-42 Seabrook

P7210-86 Burnished Chestnut

One-light.

Size: 13" W., 7" ht. Extends 6-1/2".

Lamp: One medium base lamp, 100w max.

ANTIQUÉ ALABASTER GLASS, ROPE DETAILS
AND PINEAPPLE PATTERNED ACCENTS.



P4121-42



P4121-86



P3543-86



P3543-42

THREE-LIGHT FOYER

P3543-42 Seabrook
P3543-86 Burnished Chestnut
Size: 17" dia., 38" ht.
Overall ht. w/chain 112"; wire 15'.
Lamps: Three medium base
lamps, each 100w max.

NINE-LIGHT CHANDELIER

P4121-42 Seabrook
P4121-86 Burnished Chestnut
Size: 33" dia., 30-1/2" ht.
Overall ht. w/chain 153";
wire 15'.
Lamps: Nine medium base
lamps, each 100w max.

Close-to-ceiling

pg 316





P3542-42



P3542-86



P4122-42



P4122-86

See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT FOYER

P3542-42 Seabrook

P3542-86 Burnished Chestnut

Glass top diffuser.

Size: 17" dia., 27-1/4" ht.

Overall ht. w/chain 101"; wire 15'.

Lamps: Three medium base lamps, each 100w max.

TWELVE-LIGHT CHANDELIER

P4122-42 Seabrook

P4122-86 Burnished Chestnut

Three-tier.

Size: 33" dia., 45-3/4" ht.

Overall ht. w/chain 169"; wire 15'.

Lamps: Twelve medium base lamps, each 75w max.

GRACE  Savannah

ANTIQUE ALABASTER GLASS, ROPE DETAILS
AND PINEAPPLE PATTERNED ACCENTS.



LINEAR CHANDELIER

P4117-42 Seabrook

P4117-86 Burnished Chestnut

Three-light.

Size: 34" L., 8-3/4" W., 23-1/4" ht.

Overall ht. w/chain 98"; wire 15'.

Lamps: Three medium base lamps,
each 100w max.



P5040-86
P5146-86



P5040-42



P3204-86



P3204-42



P4007-86



P4007-42

WALL BRACKET
P3204-42 Seabrook
P3204-86 Burnished Chestnut
 One-light.
 Size: 8-3/4" W., 9-1/4" ht.
 Extends 9-1/4". H/CTR 6-1/4".
 Lamp: One medium base lamp, 100w max.
 Damp location listed.

Bath & Vanity

pg 424



See pages 284-287 for accessories, including additional chain and stems, stem kits, shades and more.

THREE-LIGHT CHANDELIER

P4007-42 Seabrook
P4007-86 Burnished Chestnut
 Size: 21-1/2" dia., 21-1/2" ht.
 Overall ht. w/chain 95"; wire 15'.
 Lamps: Three medium base lamps, each 100w max.

MINI-PENDANT

P5040-42 Seabrook
P5040-86 Burnished Chestnut
 Includes two 12" and two 15" stems with 90° swivel.
 Size: 8-3/4" dia., 6-3/4" ht.,
 Overall ht. w/stem 63"; wire 15'.
 Lamp: One medium base lamp, 100w max.

MINI-PENDANT

P5146-86 Burnished Chestnut
 Includes two 12" and two 15" stems with 90° swivel.
 Size: 8-3/4" dia., 6-7/8" ht.
 Overall ht. w/stem 62"; wire 10'.
 Lamp: One 13w GU24 CFL lamp.



★ Bound Beveled Glass

BRUSHED NICKEL OR ANTIQUE BRONZE FINISH. SOLID BRASS FRAME, CLEAR BEVELED GLASS PANELS AND A DECORATIVE END CAP.

THREE-LIGHT FOYER

P3716-09 Brushed Nickel

P3716-20 Antique Bronze

Six-sided.

Size: 12-1/2" dia., 20-3/8" ht.

Overall ht. w/chain 42"; wire 13'.

Lamps: Three candelabra base lamps, each 60w max.



SIX-LIGHT FOYER

P3779-09 Brushed Nickel

P3779-20 Antique Bronze

Six-sided. Hinged panel for ease of relamping.

Size: 12-1/4" dia., 31-3/4" ht.

Overall ht. w/chain 68"; wire 13'.

Lamps: Six candelabra base lamps, each 60w max.



Close-to-ceiling

pg 317



★ Chain & Ceiling Mounts

THREE-LIGHT FOYER

P3645-09 Brushed Nickel

P3645-10 Polished Brass

P3645-20 Antique Bronze

Six-sided. Chain and ceiling mountings both included.

Size: 9" dia., 15-1/4"ht. Overall ht. w/chain 48"; wire 10'.

Lamps: Three candelabra base lamps, each 60w max.



P3690-20



P3645-09



P3645-10

TWO-LIGHT FOYER

P3690-09 Brushed Nickel

P3690-20 Antique Bronze

Two light.

Size: 6-3/4" sq., 12"ht.

Lamps: Two candelabra base, each 60w max.



P3690-09



P3645-20

Nissé

Thomasville
LIGHTING

SILVER CHIFON SHADE SURROUNDED BY CLEAR ACRYLIC RODS.

FOUR-LIGHT PENDANT

P3881-104 Polished Nickel
Size: 20" dia., 22-1/2" ht. Overall ht. w/chain 97"; wire 15'.
Lamps: Four candelabra base lamps, each 60w max.

OVAL MINI-PENDANT ¹

P5019-104 Polished Nickel
Opal glass with clear glass disc.
Size: 5-1/2" L., 3-1/2" W., 6-7/8" ht. Overall ht. w/stem 73"; wire 120".
Lamp: One medium base lamp, 100w max.

MINI-PENDANT ¹

P5105-104 Polished Nickel
Size: 6" dia., 7-3/8" ht. Overall ht. w/ stem 72"; wire 120".
Lamp: One medium base lamp, 100w max.



Bingo

ETCHED OPAL GLASS SHADES ARE LAYERED WITH AN IRONWORK PATTERN OF CIRCLES.¹

THREE-LIGHT FOYER PENDANT

P5014-09 Brushed Nickel
P5014-74 Venetian Bronze
Size: 17-11/16" dia., 9-5/16" ht., Overall ht. w/stem 77"; wire 15'.
Lamps: Three medium base lamps, each 100w max.

MINI-PENDANT

P5314-09 Brushed Nickel
P5314-74 Venetian Bronze
Size: 8" dia., 12-3/4" ht., Overall ht. w/stem 79"; wire 10'.
Lamp: One medium base lamp, 100w max.



See pages 244-287 for accessories, including additional chain and stems, stem kits, shades and more.

¹ Includes one 6" stem, four 12" stems and 6 links of chain.

★ Cuddle

AN OVAL MYLAR FRAME EMBRACES
AN INTERIOR LINEN SHADE

TWO-LIGHT PENDANT

P5059-09 Brushed Nickel

P5059-20 Antique Bronze

Size: 11" L., 6-1/2" W., 13" ht.

Overall ht. w/stem 79";
wire 180".

Lamps: Two candelabra base
lamps, each 60w max.

ONE-LIGHT CFL PENDANT

P5059-09EBWB Brushed Nickel

P5059-20EBWB Antique Bronze

Size: 11" dia., 13" ht. Overall ht.
w/chain 79"; wire 180".

Lamps: One 18w GU24 squat
CFL lamp, included.



★ Divot

ETCHED OPAL HAND-BLOWN GLASS SHADES LAYERED
WITH CONCAVE DIVOT PATTERN ON BOTTOM¹

THREE-LIGHT PENDANT

P5062-09 Brushed Nickel

Size: 15" dia., 19" ht. Overall ht.
w/stem 84"; wire 180".

Lamps: Three medium base
lamps, each 100w max.

MINI-PENDANT

P5129-09WB Brushed Nickel

Size: 7" dia., 17-3/4" ht. Overall ht.
w/stem 82"; wire 180".

Lamp: One G9 base halogen lamp,
60w max., included.



★ Dibs

SQUARE ETCHED OPAL GLASS SHADES SUSPENDED IN A
RECTILINEAR FRAME FOR A FASHION-FORWARD DESIGN³

MINI-PENDANT

P5126-09WB Brushed Nickel

Size: 7" sq., 13-1/4" ht. Overall ht.
w/stem 78"; wire 120".

Lamp: One G9 base halogen lamp,
60w max., included.



¹ Includes one 6" stem,
four 12" stems and 6
links of chain.

³ Includes two 6" stems, one
12" stem, two 15" stems
and 6 links of chain.

Calven

SCULPTURAL PROFILE WITH ALL THE RIGHT CURVES

BRUSHED NICKEL FINISH HAS OPAL GLASS

FORGED BLACK FINISH COMES WITH LINEN SHADES ³



P5004-09



P5004-80



P5118-80WB



P5118-09WB

PENDANT

P5004-09 Brushed Nickel.
Etched opal glass.
Size: 16" dia., 10-1/2" ht.
Overall ht. w/stem 75"; wire 10'.
Lamps: Three medium base lamps,
each 100w max.

PENDANT

P5004-80 Forged Black
Opal linen shade with etched
diffuser.
Size: 19" dia., 24" ht.
Overall ht. w/stem 97"; wire 10'.
Lamps: Three medium base lamps,
each 100w max.

MINI-PENDANT

P5118-80WB Forged Black
Opal linen shade.
Size: 6-3/8" dia., 10-5/8" ht.
Overall ht. w/stem 77"; wire 10'.
Lamp: One G9 base halogen
lamp, 60w max., included

MINI-PENDANT

P5118-09WB Brushed Nickel
Etched opal glass.
Size: 6-3/8" dia., 10-3/4" ht. Overall
ht. w/stem 75"; wire 120".
Lamp: One G9 base halogen lamp,
60w max. included.

See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

³ Includes two 6" stems, one
12" stem, two 15" stems
and 6 links of chain.

★ Rock-on

SMOOTH ETCHED GLASS WITH COPPER BRONZE FINISH ¹

MINI-PENDANT

P5164-124WB Copper Bronze
Size: 4-3/4" dia., 8" ht. Overall ht. w/chain or stem 73"; wire 120".
Lamp: One candelabra krypton base lamp, 60w max., included.



★ Art Deco

A REFRESHINGLY FASHIONABLE ART DECO PENDANT WITH HAND BLOWN CLEAR AND SATIN GLASS ²

P5121-16 Satin Aluminum
White cord with decorative satin aluminum cap and canopy.
Size: 14-3/8" dia., 12-1/4" ht.; cord 48".
Lamp: One medium base lamp, 150w max.



★ Torque

A LOW PROFILE SILHOUETTE AND HAND BLOWN, MINI-PENDANT WITH ETCHED OPAL GLASS SHADE ¹

PENDANT

P5081-09WB Brushed Nickel
P5081-124WB Copper Bronze
Size: 5-7/8" dia., 4-1/4" ht.; Overall ht. w/stem 72"; wire 120".
Lamp: One G9 halogen lamp, 60w max., included.



★ Opal Globes

OPAL CASED GLASS GLOBES. WHITE CORD, CANOPY AND CAP

Product No.	Size	Lamp
P4401-29	8" dia. Overall ht. w/cord 48".	1 medium base, 60w max.
P4402-29	10" dia. Overall ht. w/cord 50".	1 medium base, 100w max.
P4403-29	12" dia. Overall ht. w/cord 52".	1 medium base, 150w max.
P4406-29	14" dia. Overall ht. w/cord 54".	1 medium base, 150w max.



¹ Includes one 6" stem, four 12" stems and 6 links of chain.

² Includes one 6" stem, one 12" stem and two 15" stems with swivel.



Prismatic Glass

SWEEPING METAL FRAMES
SCOOP THE RIBBED DETAILS
ON CLEAR PRISMATIC GLASS⁶

MINI-PENDANT

P5163-09 Brushed Nickel
Size: 9" dia., 8-1/4" ht.
Overall ht. w/stem 50"; wire 10'.
Lamp: One medium base
lamp, 100w max.

PENDANT

P5182-09 Brushed Nickel
Size: 12-5/8" dia., 11" ht. Overall
ht. w/stem 53"; wire 10'.
Lamp: One medium base
lamp, 100w max.

PENDANT

P5183-09 Brushed Nickel
Size: 16" dia., 13-1/2" ht. Overall
ht. w/stem 56"; wire 10'.
Lamp: One medium base
lamp, 150w max.



See pages 248-251 for accessories,
including additional chain and stems,
stem kits, shades and more

⁶ Includes two 6" stems,
one 12" stem, and one 15"
stem and a 90° swivel.

★ Etched and Clear Glass

CLEAR GLASS WITH ETCHED LINEAR PATTERN AND BRUSHED NICKEL FINISH ⁵

MINI-PENDANT

P5158-09 Brushed Nickel
Size: 3-7/8" dia., 7-1/4" ht.
Overall ht. w/stem 49"; wire 10'.
Lamp: One medium base lamp, 100w max.

MINI-PENDANT

P5159-09 Brushed Nickel
Clear glass with etched pattern.
Size: 8-1/2" dia., 9-3/4" ht.
Overall ht. w/stem 52"; wire 10'.
Lamp: One medium base lamp, 100w max.



★ Modera

MID-CENTURY INSPIRED MINI-PENDANT WITH OPAL DIFFUSER INSIDE CLEAR GLASS ORB ²

MINI-PENDANT

P5174-104 Polished Nickel
Size: 11-3/8" dia., 10-1/8" ht.
Overall ht. w/stem 67"; wire 10'.
Lamp: One medium base lamp, 100w max.



² Includes two 6" stem, one 12" stem and two 15" stems with 90° swivel.

⁵ Includes two 6" stems, one 12" stem and two 15" stems with 90° swivel.

★ Clear Glass

HAND BLOWN CLEAR GLASS SHADE
EXPOSES A HINT OF POLISHED NICKEL ²

MINI-PENDANT
P5184-104 Polished Nickel
Clear blown glass.
Size: 8-3/4" dia., 9" ht.;
Overall ht. w/stem 52";
wire 10'.
Lamp: One medium base
lamp, 100w max.



★ Coupe

ETCHED GLASS DIFFUSER SURROUNDED
BY CLEAR RIBBED GLASS SHADE ¹

MINI-PENDANT
P5102-09WB Brushed Nickel
Size: 4-1/2" dia., 7-1/4" ht.;
Overall ht. w/stem 74"; wire 10'.
Lamp: One G9 halogen lamp,
60w max., included



★ Alexa

TRANSITIONAL DESIGN STYLE WITH
BRUSHED NICKEL FINISH

GLASS PATTERNED ETCHING WITH A
CLEAR ACCENT STRIP ⁵

MINI-PENDANT
P5147-09 Brushed Nickel
Size: 4" dia., 7-5/8" ht.
Overall ht. w/stem 64"; wire 10'.
Lamp: One medium base lamp,
100w max.



★ Etched Glass

SLEEK ETCHED GLASS FEATURES
SOFT ANGLES TOPPED WITH
BRUSHED NICKEL ORB ⁴

MINI-PENDANT
P5042-09 Brushed Nickel
Size: 6" dia., 8" ht.
Overall ht. w/stem 64"; wire 10'.
Lamp: One medium base lamp,
100w max.



★ Splendid

Thomasville
LIGHTING

ETCHED OPAL GLASS WITH BRUSHED
NICKEL FINISH AND SOFTLY ETCHED,
CHISELED GLASS ORBS ¹

MINI-PENDANT
P5304-09 Brushed Nickel
Size: 7-1/2" dia., 12-1/4" ht.
Overall ht. w/stem 78"; wire 10'.
Lamps: Two candelabra base
lamps, 60w max.



See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

¹ Includes one 6" stem,
four 12" stems and 6
links of chain.

² Includes one 6" stem,
one 12" stem and two
15" stems with swivel.

⁴ Includes two 12" stems,
and two 15" stems with
90° swivel

⁵ Includes two 6" stems,
one 12" stem and two 15"
stems with 90° swivel.



★ Modern Glass

ETCHED GLASS DIFFUSER WITH CLEAR GLASS ACCENTS ⁵

ETCHED GLASS CONE FRAMED BY CURVED, CLEAR GLASS DISC ⁴

ETCHED GLASS TOP WITH CLEAR GLASS BOTTOM ACCENT ⁴



P5003-09



P5011-09



P5012-09



P5025-09

MINI-PENDANT

P5003-09 Brushed Nickel
Size: 12-1/4" dia., 7-1/8" ht.
Overall ht. w/stem 73"; wire 15'.
Lamp: One medium base lamp, 100w max.

MINI-PENDANT

P5011-09 Brushed Nickel
Canopy adjusts to 45° with 358° rotation.
Size: 12" dia., 7-1/2" ht.
Overall ht. w/stem 73"; wire 10'.
Lamp: One medium base lamp, 100w max.

PENDANT

P5012-09 Brushed Nickel
Canopy adjusts to sloped ceiling up to 45° with 358° rotation.
Size: 20" dia., 7-1/2" ht.
Overall ht. w/stem 73"; wire 10'.
Lamp: One medium base lamp, 100w max.

MINI-PENDANT

P5025-09 Brushed Nickel
Size: 5" dia., 6" ht.
Overall ht. w/stem 64"; wire 10'.
Lamp: One medium base lamp, 100w max.

See pages 248-251 for accessories, including additional chain and stems, stem kits, shades and more

⁴ Includes two 12" stems, two 5" stems with 90° swivel.

⁵ Includes two 6" stems, one 12" stem and one 15" stems with 90° swivel.



Welcome

A CLASSIC LANTERN WITH MODERN STYLING. ETCHED OPAL GLASS FEATURES HORIZONTAL BAND. OPPORTUNITY TO COMPLEMENT VARIETY OF ARCHITECTURAL STYLES. ¹

P6506-20 Antique Bronze

P6506-135 Stainless Steel

Size: 9" dia., 12-7/8" ht. Overall ht. w/chain 78"; wire 180".

Lamp: One medium base lamp, 100w max.



Bravo

BRUSHED NICKEL FINISH WITH WHITE ETCHED GLASS OR ANTIQUE BRONZE FINISH WITH UMBER LINEN GLASS

CHAIN- OR STEM-HUNG MINI-PENDANT ⁸

MINI-PENDANT

P5300-09 Brushed Nickel

P5300-20 Antique Bronze

Size: 7-1/4" dia., 6-1/2" ht. Overall ht. w/chain or stem 94"; wire 10'.

Lamp: One medium base lamp, 100w max.



Joy

ANTIQUÉ BRONZE FINISH WITH ETCHED LIGHT UMBER GLASS SHADES OR BRUSHED NICKEL FINISH WITH WHITE ETCHED GLASS SHADES

CHAIN- OR STEM-HUNG MINI-PENDANT ⁸

MINI-PENDANT

P5270-09 Brushed Nickel

P5270-20 Antique Bronze

Size: 6" dia., 7" ht. Overall ht. w/chain or stem 94"; wire 10'.

Lamp: One medium base lamp, 100w max.



¹ Includes one 6" stem, four 12" stems and 6 links of chain.

⁸ Includes 72" of chain and two 6" stems.

★ Dance

GLASS BEADS, POLISHED AGATE
AND NATURAL CRYSTAL PLAYFULLY
SUSPENDED OVER A LINEN SHADE ¹

Thomasville
LIGHTING

MINI-PENDANT
P5303-111 Desert Sand
Size: 8" dia., 11" ht., Overall
ht. w/stem 77"; wire 15'.
Lamp: One medium base
lamp, 100w max.



P5303-111



★ Haven

IRON FRAMEWORK WITH
STONEHENGE GLASS ¹

CFL MINI-PENDANT
P5134-124EBWB Copper Bronze
Size: 7-1/2" sq., 11-3/4" ht. Overall
ht. w/chain or stem 79"; wire 120".
Lamp: One 13w GU24 CFL lamp,
included.



P5134-124EBWB

¹ Includes one 6" stem,
four 12" stems and 6
links of chain.

★ Tortoise Glass

TOPAZ TORTOISE ART GLASS

MINI-PENDANT
P5150-20EBWB Antique Bronze
Size: 4-1/2" dia., 7-1/2" ht. Overall
ht. w/cord 130"; wire 10'.
Lamp: One 13w GU24 CFL lamp
included.



P5150-20EBWB

For additional stem or chain please see
pages 249-250



★ Umber and Clear Glass

THIN LINEAR DETAILS GIVE A SLEEK PROFILE TO THE UMBER SHADE SURROUNDED BY CLEAR GLASS³

OPEN ANGLES WITH CLEAR SEEDED GLASS HIGHLIGHT THE INNER PLEATED UMBER SHADE³



P5177-108



P5178-108



P5172-108



P5179-108

MINI-PENDANT

P5177-108 Oil Rubbed Bronze
Size: 9-1/2" dia., 7-1/4" ht.
Overall ht. w/stem 73"; wire 10'.
Lamp: One medium base lamp,
100w max.

PENDANT

P5178-108 Oil Rubbed Bronze
Size: 16" dia., 12" ht. Overall ht.
w/stem 78"; wire 10'.
Lamp: One medium base lamp,
100w max.

MINI-PENDANT

P5172-108 Oil Rubbed Bronze
Size: 10" dia., 14-1/2" ht. Overall ht.
w/stem 81"; wire 10'.
Lamp: One medium base lamp,
100w max.

PENDANT

P5179-108 Oil Rubbed Bronze
Size: 16-3/4" dia., 20-1/2" ht.
Overall ht. w/stem 86"; wire 10'.
Lamp: One medium
base lamp, 100w max.

³ Includes two 6" stem, one
12" stem, two 15" stems
and 6 links of chain.

★ Gather

ETCHED GLASS SHADES AND BRUSHED NICKEL
OR ANTIQUE BRONZE FINISH

CHAIN- OR STEM-HUNG MINI-PENDANT ⁷

MINI-PENDANT

P5113-09 Brushed Nickel
P5113-20 Antique Bronze
Size: 4" dia., 5-3/4" ht. Overall
ht. w/chain/stem 63"; wire 96".
Lamp: One medium base lamp,
100w max.

CFL MINI-PENDANT

P5113-09EBWB Brushed Nickel
P5113-20EBWB Antique Bronze
Size: 4" dia., 5-3/4" ht. Overall ht.
w/chain/stem 63"; wire 96".
Lamp: One 13w GU24 CFL lamp,
included.



★ Rave

OVAL TUBING FRAME ACCENTED BY
OPAL ETCHED GLASS SHADES ¹

MINI-PENDANT

P5128-09WB Brushed Nickel
P5128-77WB Forged Bronze
Size: 7" dia., 10-3/4" ht. Overall ht.
w/chain or stem 76"; wire 120".
Lamp: One candelabra base krypton
lamp, 60w max. included



★ Kiss

THIS FUN, FLIRTY FIXTURE GIVES YOU A KISS OF LIGHT
IDEAL FOR A VARIETY OF INTERIORS ³

MINI-PENDANT

P5186-104WB Polished Nickel
P5186-108WB Oil Rubbed Bronze
Size: 5-1/8" dia., 5-7/8" ht.
Overall ht. w/stem 72"; wire 10".
Lamp: One GU10 halogen lamp, 50w
max. (included).




MINI-PENDANT

P5187-104 Polished Nickel
P5187-108 Oil Rubbed Bronze
Size: 10-1/8" dia., 10-3/4" ht.
Overall ht. w/stem 77"; wire 10".
Lamp: One medium base lamp,
100w max.

¹ Includes one 6" stem,
four 12" stems and 6
links of chain.

³ Includes two 6" stems, one
12" stem, two 15" stems
and 6 links of chain.

⁷ Includes 42" of chain
and two 6" stems.



Wisten

PERFECT FOR TODAY'S
UNDERSTATED INTERIORS

BRUSHED NICKEL AND ANTIQUE
BRONZE FINISHES WITH TRIPLE
OPAL GLASS



MINI-PENDANT ⁵

P5108-09 Brushed Nickel
P5108-20 Antique Bronze
Size: 4" dia., 6-3/4" ht. Overall ht.
w/stem 120"; wire 15'.
Lamp: One medium base lamp,
100w max.

CFL MINI-PENDANT ⁵

P5108-09EBWB Brushed Nickel
P5108-20EBWB Antique Bronze
Size: 4" dia., 6-3/4" ht. Overall ht.
w/stem 120"; wire 15'.
Lamp: One 13w CFL, GU24 base,
included.



PENDANT

P5112-09 Brushed Nickel
P5112-20 Antique Bronze
Size: 17" dia., 21-1/8" ht.
Overall ht. w/chain 96"; wire 15'.
Lamp: One medium base lamp,
150w max.

MINI-PENDANT

P5167-09 Brushed Nickel
P5167-20 Antique Bronze
Size: 3-3/4" dia., 9-3/4" ht.
Overall ht. w/stem 67"; wire 10'.
Lamp: One medium base lamp,
100w max.
Socket tool included.

See pages 244-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

⁵ Includes two 6" stems,
one 12" stem and one 15"
stems with 90° swivel.

Ashbury

DOUBLE DRUM LINEN SHADES FOR AN URBAN TWIST

MINI-PENDANT ⁵

P5054-134 Silver Ridge

Size: 10" dia., 17-1/2" ht.

Overall ht. w/stem 75"; wire 10'.

Lamp: One medium base lamp, 100w max.

THREE-LIGHT PENDANT

P5056-134 Silver Ridge

Size: 22" dia., 28-1/2" ht. Overall ht. w/chain 105"; wire 15'.

Lamps: Three medium base lamps, each 100w max.



Markor

VINTAGE MODERN PENDANT SYSTEM

ONE-LIGHT PENDANT KIT ¹

P5198-09 Brushed Nickel

P5198-20 Antique Bronze

One-light pendant kit for use with 10" drum shades.

(P8765, P8821, or P8821)

Size: 1-5/8" dia., 5-5/8" ht. Overall ht. w/stem and lamp 66"; wire 10'.

Lamp: One medium base lamp, 100w max.

10" DRUM SHADE

P8765-01 Floral Fabric

Acrylic bottom diffuser.

Size: 10" dia., 8" ht.

10" DRUM SHADE

P8821-01 Beige Silken Fabric

Acrylic bottom diffuser.

Size: 10" dia., 8" ht.

10" DRUM SHADE

P8820-01 Black Parchment

Paper with White Liner

Acrylic bottom diffuser.

Size: 10" dia., 8" ht.



P8765-01
shown with
P5198-09 pendant kit



P8821-01
shown with
P5198-09 pendant kit



P5198-09



P5198-20



P8820-01
shown with
P5198-20 pendant kit

¹ Includes one 6" stem, four 12" stems and 6 links of chain.

⁵ Includes two 6" stems, one 12" stem and one 15" stems with 90° swivel.



★ Clayton

Thomasville
LIGHTING®

CLASSIC VINTAGE STYLING MEETS
MINIMALISTIC LINES

MODERN DRUM SHADES IN CREAM
LINEN FABRIC⁵

THREE-LIGHT PENDANT

P3909-84 Espresso
Bottom glass diffuser.
Size: 20" dia., 21-7/8" ht.
Overall ht. w/stem 79"; wire 10'.
Lamps: Three medium base lamps,
each 100w max.

MINI-PENDANT

P5256-84 Espresso
Size: 8-1/8" dia., 9" ht. Overall ht.
w/stem 66"; wire 10'.
Lamp: One medium base lamp,
100w max.



P5256-84



P3909-84

See pages 244-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

⁵ Includes two 6" stems,
one 12" stem and one 15"
stems with 90° swivel.

★ Schoolhouse

WHITE OPAL GLASS AND GEOMETRIC DESIGNS WORK TOGETHER TO GIVE A HINT OF NOSTALGIA TO ANY DECOR³

PENDANT

P5195-09 Brushed Nickel
P5195-124 Copper Bronze
 Size: 12" dia., 12-3/4" ht.
 Overall ht. w/stem 79"; wire 10'.
 Lamp: One medium base lamp, 100w max.



MINI-PENDANT

P5196-09 Brushed Nickel
P5196-124 Copper Bronze
 Size: 8" dia., 9" ht. Overall ht. w/ stem 75"; wire 10'.
 Lamp: One medium base lamp, 100w max.



★ Brookside

METAL SHADE OFFERS RETRO LOOK IDEAL FOR INTERIORS⁴

MINI-PENDANT

P5023-09 Brushed Nickel
 Size: 8" dia., 7-1/2" ht.
 Overall ht. w/stem 64"; wire 15'.
 Lamp: One medium base lamp, 100w max.



PENDANT

P5024-09 Brushed Nickel
 Size: 12" dia., 9-1/8" ht.
 Overall ht. w/stem 65"; wire 15'.
 Lamp: One medium base lamp, 150w max.



³ Includes two 6" stems, one 12" stem, two 15" stems and 6 links of chain.

⁴ Includes two 12" stems, and two 15" stems with 90° swivel.

★ North Park

SQUARE ETCHED GLASS SHADES ⁵

MINI-PENDANT

P5135-09 Brushed Nickel
P5135-74 Venetian Bronze
 Size: 5-1/2" sq., 7-1/8" ht.
 Overall ht. w/stem 64-1/8";
 wire 15'.
 Lamp: One medium base
 lamp, 100w max.



★ Renovations

REFRESH YOUR LOOK WITH ETCHED OPAL RIBBED GLASS ⁴

MINI-PENDANT

P5104-77 Forged Bronze
P5104-81 Antique Nickel
 Size: 6" dia., 6-7/8" ht.
 Overall ht. w/stem 63";
 wire 10'.
 Lamp: One medium base
 lamp, 100w max.



★ Madison

SIMPLE, ELEGANT ILLUMINATION WITH CHARMING HIGHLIGHTS ETCHED GLASS WITH SOFT CURVES

MINI-PENDANT ¹⁰

P5078-09 Brushed Nickel
P5078-20 Antique Bronze
 Size: 7-1/2" dia., 8" ht.
 Overall ht. w/stem 52"; wire 10'.
 Lamp: One medium base lamp,
 100w max.



PENDANT ⁹

P5079-09 Brushed Nickel
P5079-20 Antique Bronze
 Size: 15-3/4" dia., 8-3/4" ht.
 Overall ht. w/stem 66"; wire 10'.
 Lamp: One medium base lamp,
 150w max.



See pages 244-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

⁴ Includes two 12" stems,
and two 15" stems with
90° swivel.

⁵ Includes two 6" stems,
one 12" stem and two 15"
stems with 90° swivel.

⁹ Includes one 9" stem,
and three 12" stems with
90° swivel.

¹⁰ Includes one 6" stem,
and three 12" stems with
90° swivel.



★ Fresnel

INDUSTRIAL ROOTS IN FORM AND FUNCTION

ANTIQUÉ-INSPIRED FRESNEL GLASS LENS IN BRUSHED NICKEL OR OIL RUBBED BRONZE FINISHES ³

PENDANT

P5188-09 Brushed Nickel

P5188-108 Oil Rubbed Bronze

Size: 12-1/8" dia., 10-1/2" ht.

Overall ht. w/stem 77"; wire 10'.

Lamp: One medium base lamp, 100w max.

P5197-108



PENDANT

P5197-09 Brushed Nickel

P5197-108 Oil Rubbed Bronze

Size: 16" dia., 13-1/4" ht.

Overall ht. w/stem 79";

wire 10'.

Lamp: One medium base lamp, 100w max.

P5197-09



P5188-108



P5188-09



³ Includes two 6" stems, one 12" stem, two 15" stems and 6 links of chain.

✦ Equinox

INTERLOCKING RINGS INSPIRED BY ASTRONOMICAL ARMILLARY SPHERES.

AVAILABLE IN BURNISHED SILVER OR ANTIQUE BRONZE FINISH.

Thomasville
L I G H T I N G .

THREE-LIGHT SPHERE PENDANT
P5142-20 Antique Bronze
P5142-126 Burnished Silver
 Size: 10-1/8" dia., 12-1/2" ht., Overall ht. w/chain 87"; wire 15".
 Lamps: Three candelabra base lamps, each 60w max.



✦ Moments

URBAN INSPIRED DESIGN
 ETCHED WHITE GLASS AND ANTIQUE NICKEL FINISH ¹

MINI-PENDANT
P5006-81 Antique Nickel
 Size: 4-1/2" dia., 9-1/4" ht. Overall ht. w/stem 76"; wire 120".
 Lamp: One medium base lamp, 100w max.



✦ Orbitz

ETCHED WHITE GLASS AND BRUSHED NICKEL OR ANTIQUE BRONZE FINISH ¹

MINI-PENDANT
P5114-09 Brushed Nickel
P5114-20 Antique Bronze
 Size: 4" dia., 7-3/4" ht. Overall ht. w/chain or stem 73"; wire 120".
 Lamp: One medium base lamp, 100w max.



¹ Includes one 6" stem, four 12" stems and 6 links of chain.



★ Archie

WELCOME GUESTS WITH AESTHETIC AUTHENTICITY
FINELY CRAFTED STRAP AND KNOB DETAILS WITH
DOUBLE PRISMATIC GLASS³

MINI-PENDANT

P5173-15 Polished Chrome
P5173-74 Venetian Bronze
P5173-81 Antique Nickel
Size: 5-3/4" dia., 8-3/4" ht.
Overall ht. w/stem 75"; wire 10'.
Lamp: One medium base lamp,
100w max.



PENDANT

P5026-15 Polished Chrome
P5026-74 Venetian Bronze
P5026-81 Antique Nickel
Size: 10-1/2" dia., 9-1/4" ht.
Overall ht. w/stem 75"; wire 10'.
Lamp: One medium base lamp,
100w max.



³ Includes two 6" stems, one 12" stem, two 15" stems and 6 links of chain.

★ Prismatic Glass Domes

DOME-SHAPED CLEAR
PRISMATIC GLASS FINISHED
WITH A FRAMED EDGE

P5080-09 Brushed Nickel
Size: 6-3/4" dia., 7" ht.
Overall ht. w/chain 42"; wire 10'.
Lamp: One medium base lamp,
100w max.

P5103-09 Brushed Nickel
P5103-10 Polished Brass
P5103-20 Antique Bronze
Size: 15-1/4" dia., 11" ht.
Overall ht. w/chain 71"; wire 13'.
Lamp: One medium base lamp,
150w max.



★ Acrylic Cone

CLEAR PRISMATIC
ACRYLIC CONE

P5127-10 Polished Brass
Size: 14" dia., 11" ht.
Overall ht. w/chain 71";
wire 10'.
Lamp: One medium
base lamp, 100w max.



See pages 244-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

★ Metal Shade

SMOOTH CORD HUNG METAL SHADE WITH WHITE INNER-LINING

P5087-09 Brushed Nickel
Cord-hung pendant with white inner-lined metal shade.
Size: 10-1/8" dia., 6-1/2" ht.; cord 10'.
Lamp: One medium base lamp, 100w max

P5094-09 Brushed Nickel
P5094-30 White
P5094-45 Dark Green
P5094-74 Venetian Bronze
Cord hung. White inner-lined metal shade.
Size: 16" dia., 7-1/2" ht. Overall ht. w/cord 129"; wire 10'.
Lamp: One medium base lamp, 150w max.



★ Satin Opal Glass

PENDANT
P5013-09 Brushed Nickel
P5013-20 Antique Bronze
Size: 16-5/8" dia., 8-7/8" ht.
Overall ht. w/chain 46"; wire 10'.
Lamp: One medium base lamp, 100w max.



★ Glass Pendants

SCROLLING DETAILS ACCENTUATE
SOFT CURVES

PENDANT

P5091-09 Brushed Nickel w/ alabaster glass

P5091-20 Antique Bronze w/ alabaster glass

P5091-09ET Brushed Nickel w/ etched glass

P5091-20ET Antique Bronze w/ etched glass

Size: 15-3/8" dia., 16-1/2" ht.

Overall ht. w/chain 56"; wire 10'.

Lamp: One medium base lamp, 100w max.



★ Regatta

EXTERIOR CLEAR SEEDED GLASS WITH
ETCHED OPAL GLASS INSIDE IN ANTIQUE
BRONZE FINISH

PENDANT

P6505-20 Antique Bronze

Size: 9-1/2" dia., 15-1/2" ht.

Overall ht. w/chain 87";

wire 120".

Lamp: One medium base
lamp, 150w max.



★ Melbourne

SCULPTED ETCHED WATERMARK WITH
AN ESPRESSO FINISH ⁴

MINI-PENDANT

P5000-84 Espresso

Size: 9" dia., 9-1/8" ht.

Overall ht. w/stem 66";

wire 10'.

Lamp: One medium
base lamp, 100w max.

PENDANT

P5001-84 Espresso

Size: 14" dia., 10" ht.

Overall ht. w/stem 67";


wire 15'.

Lamp: One medium
base lamp, 150w max.



See pages 244-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

⁴ Includes two 12" stems,
two 15" stems with 90°
hang straight.



★ Heart

ETCHED GLASS SHADES ⁷

MINI-PENDANT

P5131-09 Brushed Nickel

P5131-20 Antique Bronze

Can be chain or stem hung.

Size: 6" dia., 6" ht. Overall ht. w/ chain or stem 63"; wire 96".

Lamp: One medium base lamp, 100w max.



P5131-09



P5131-20

★ Flirt

SLIM OPAL WHITE SHADE WITH A HINT OF A CURVE. ³

MINI-PENDANT

P5136-20 Antique Bronze

Size: 4-7/8" dia., 13-5/8" ht.

Overall ht. w/stem 80"; wire 10'.

Lamp: One medium base lamp, 100w max.



P5136-20

★ Inspire

CHAIN- OR STEM-HUNG MINI-PENDANT.

OFF-WHITE LINEN DRUM SHADES ⁸

MINI-PENDANT

P5065-09 Brushed Nickel

P5065-20 Antique Bronze

Can be chain or stem hung.

Size: 6-1/2" dia., 6-1/4" ht. Overall ht. w/chain or stem 93"; wire 120".

Lamp: One medium base lamp, 100w max.



P5065-20



P5065-09

³ Includes two 6" stems, one 12" stem, two 15" stems and 6 links of chain.

⁷ Includes 42" of chain and two 6" stems.

⁸ Includes 72" of chain and two 6" stems.

✦ Kensington

TRUMPET-SHAPED SHADES. ETCHED SWIRL FINISH IN BRUSHED NICKEL, AND CARAMEL SWIRL FINISH IN FORGED BRONZE ⁵

MINI-PENDANT

P5141-09 Brushed Nickel

P5141-77 Forged Bronze

Size: 7" dia., 7-1/2" ht.

Overall ht. w/stem 65"; wire 10'.

Lamp: One medium base lamp, 100w max.



P5141-77



P5141-09

✦ Arts & Crafts

TAKE A NOD TO THE BUNGALOWS OF THE 1900'S

LIGHT HONEY ART GLASS AND MICA ACCENT PANELS

MINI-PENDANT ¹⁰

P5020-46 Weathered Bronze

Size: 8-1/2" sq., 27-3/4" ht.,

Overall ht. w/chain 102"; wire 15'.

Lamp: One medium base lamp, 100w max.



P5020-46



P5021-46

PENDANT

P5021-46 Weathered Bronze

Size: 16" sq., 18-3/4" ht.,

Overall ht. w/chain 56"; wire 15'.

Lamp: One medium base lamp, 150w max.

✦ Eden

AMBER LINEN GLASS IN A FORGED BRONZE FINISH

GLASS CAN BE USED WITH OR WITHOUT LEAF DECORATIONS ⁴

MINI-PENDANT

P5077-77 Forged Bronze

Size: 7-1/2" dia., 10" ht.

Overall ht. w/chain 66"; wire 10'.

Lamp: One medium base lamp, 100w max.



P5077-77

P5077-77
shown without leaves

See pages 244-287 for accessories, including additional chain and stems, stem kits, shades and more.

⁴ Includes two 12" stems, two 15" stems with 90° swivel.

⁵ Includes two 6" stems, one 12" stem and two 15" stems with 90° swivel.

¹⁰ Includes one 18" stem, with 72" chain.

★ Santiago

GET INSPIRED WITH SUBTLE, SPIRALING DETAILS
JASMINE MIST GLASS WITH FORGED IRON TWISTS ⁴

Thomasville
LIGHTING

MINI-PENDANT

P5076-80 Forged Black
P5076-102 Roasted Java
Size: 6-1/4" w., 15-1/4" ht.
Overall ht. w/stem 73"; wire 10'.
Lamp: One medium base
base lamp, 100w max.



P5076-80



P5076-102



★ Cantata

CREATE A ROMANTIC ATMOSPHERE
SEEDED TOPAZ GLASS FINISHED IN
FORGED BRONZE ⁴

MINI-PENDANT

P5139-77 Forged Bronze
Size: 4-1/2" dia., 7-1/4" ht.
Overall ht. w/stem 64"; wire 15'.
Lamp: One medium base lamp,
100w max.



P5139-77

★ Riverside

CAPTURE THE NATURAL SPIRIT
OF WAVES
ETCHED LIGHT TOPAZ GLASS
IN AN HEIRLOOM FINISH ⁴

MINI-PENDANT

P5002-88 Heirloom
Size: 4-3/4" dia., 7-3/4" ht. Overall
ht. w/stem 64"; wire 10'.
Lamp: One medium base lamp,
100w max.



P5002-88

⁴ Includes two 12" stems,
two 15" stems with 90°
swivel.

★ Le Jardin

OLD WORLD QUALITY WITH ELEGANT DETAILS
WEATHERED SANDSTONE GLASS HIGHLIGHTS
RIBBED ACCENTS ²

MINI-PENDANT

P5083-84 Espresso
P5083-91C Biscay Crackle
Size: 7" dia., 17" ht.
Overall ht. w/stem 74"; wire 10'.
Lamp: One medium base lamp,
100w max.

PENDANT

P5122-84 Espresso
P5122-91C Biscay Crackle
Size: 15-3/4" dia., 19-1/4" ht.
Overall ht. w/chain 94"; wire 15'.
Lamp: One medium base lamp,
150w max.



★ Maison Orleans

CAPTURE THE SPIRIT OF
NEW ORLEANS

ANTIQUE STONE GLASS
AND FIELDSTONE FINISH ²

MINI-PENDANT

P5063-87 Fieldstone
Size: 6" dia., 7-1/4" ht.
Overall ht. w/stem 63-1/2";
wire 15'.
Lamp: One medium base
lamp, 100w max.



See pages 244-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

² Includes two 12" stems,
two 15" stems with
90° swivel.

Trinity

CURVED ETCHED GLASS

PENDANT

P5095-09 Brushed Nickel
P5095-20 Antique Bronze
 Size: 18" dia., 9-1/2" ht.
 Overall ht. w/chain 85"; wire 15'.
 Lamp: One medium base lamp, 150w max.

PENDANT

P5095-09EBWB Brushed Nickel
P5095-20EBWB Antique Bronze
 Size: 18" dia., 9-1/2" ht.
 Overall ht. w/chain 85"; wire 15'.
 Lamp: One 13w GU24 CFL lamp, (included).



MINI-PENDANT ⁴

P5096-09 Brushed Nickel
P5096-20 Antique Bronze
 Size: 6-1/2" dia., 7" ht.
 Overall ht. w/stem 64"; wire 10'.
 Lamp: One medium base lamp, 100w max.

MINI-PENDANT ⁴

P5096-09EBWB Brushed Nickel
P5096-20EBWB Antique Bronze
 Size: 6-1/2" dia., 7" ht.
 Overall ht. w/stem 64"; wire 10'.
 Lamp: One 13w GU24 CFL lamp, (included).



Torino

BRUSHED NICKEL WITH WHITE FROSTED GLASS.

ANTIQUE BRONZE WITH TEA-STAINED GLASS. ²

PENDANT

P5144-09 Brushed Nickel
P5144-77 Forged Bronze
 Stem and ceiling mounts both included.
 Size: 13-1/8" dia., 15-1/8" ht.
 Overall ht. w/stem 66"; wire 10'.
 Lamp: One medium base lamp, 100w max.

MINI-PENDANT

P5153-09 Brushed Nickel
P5153-77 Forged Bronze
 Size: 7-1/2" dia., 11" ht. Overall ht. w/stem 68"; wire 10'.
 Lamp: One medium base lamp, 100w max.



² Includes one 6" stem, one 12" stem and two 15" stems with 90° swivel.

⁴ Includes two 12" stems, two 15" stems with 90° swivel.

Pavilion

CREATE A PLAYFUL MOOD WITH
SUBTLE UNDERTONES

ETCHED WATERMARK GLASS

PENDANT

P5084-09 Brushed Nickel
P5084-20 Antique Bronze
Size: 20-1/4" dia., 10-5/8"
ht. Overall ht. w/chain 86";
wire 15'.
Lamp: One medium base
lamp, 150w max.

MINI-PENDANT ⁴

P5125-09 Brushed Nickel
P5125-20 Antique Bronze
Size: 9-7/8" dia., 6-1/4" ht.
Overall ht. w/stem 63";
wire 10'.
Lamp: One medium base
lamp, 100w max.



Avalon

FUN AND FLIRTY STYLE WITH BRUSHED
NICKEL OR ANTIQUE BRONZE
SWIRLED ALABASTER STYLE GLASS ⁴

MINI-PENDANT

P5068-09 Brushed Nickel
P5068-20 Antique Bronze
Size: 7-3/4" dia., 6-1/4" ht.
Overall ht. w/stem 63"; wire 15'.
Lamp: One medium base lamp,
100w max.

MINI-PENDANT

P5145-09EBWB Brushed Nickel
P5145-20EBWB Antique Bronze
Size: 7-3/4" dia., 6-1/2" ht.
Overall ht. w/stem 63"; wire 10'.
Lamp: One 13w GU24 CFL lamp
(included).



See pages 284-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

⁴ Includes two 12" stems,
two 15" stems with 90°
hang straight.



★ Bedford

CURVES ACCENTUATED BY
ETCHED ALABASTER GLASS¹

PENDANT

P5090-09 Brushed Nickel

P5090-20 Antique Bronze

Size: 15-5/8" dia., 11-1/4" ht.,
Overall ht. w/chain 50"; wire 15'.

Lamp: One medium base lamp,
150w max.



P5090-09



P5090-20

★ Savona

HAMMERED GLASS AND
CUT PENDALOG DROPS WITH
A WARM COGNAC FINISH⁴

MINI-PENDANT

P5117-72 Cognac

Size: 5-7/8" dia., 16-1/2" ht.

Overall ht. w/stem 73";
wire 10'.

Lamp: One medium base
lamp, 100w max.

Thomasville
LIGHTING



P5117-72

★ LadyLuck

TALL, ELEGANT HAND-BLOWN
OPAL ETCHED GLASS SHADE

MINI-PENDANT

P5008-104 Polished Nickel

Chain- or stem-hung mini-
pendant.

Size: 5-3/8" dia., 19-1/4" ht.

Overall ht. w/chain 95";
wire 180".

Lamp: One candelabra base
lamp, 60w max.



P5008-104

¹ Includes one 6" stem,
four 12" stems and 6
links of chain.

⁴ Includes two 12" stems,
two 15" stems with 90°
swivel.

⁸ Includes 72" of chain
and two 6" stems.

★ Caress

ETCHED GLASS DIFFUSER INSIDE
CLEAR WATERGLASS SHADE ¹

MINI-PENDANT

P5044-104WB Polished Nickel
Chain- or stem-hung mini-pendant.
Size: 6-3/8" dia., 10-3/4" ht. Overall
ht w/chain or stem 77"; wire 180".
Lamp: One candelabra base krypton
lamp, 60w max., (included).

MINI-PENDANT

P5306-104WB Polished Nickel
Size: 8" dia., 12-1/2" ht., Overall ht.
w/stem 78"; wire 15".
Lamp: One candelabra base
krypton lamp, 60w max (included).



Thomasville
L I G H T I N G

★ Fortune

K9 GLASS ORB ACCENTS IN A
POLISHED NICKEL FINISH

MINI-PENDANT ⁸

P5007-104 Polished Nickel
Chain- or stem-hung mini-pendant with
etched opal drum shade.
Size: 8-7/8" dia., 9-3/4" ht. Overall ht.
w/chain or stem 76"; wire 120".
Lamp: One candelabra base G16-1/2
lamp, 60w max.

THREE-LIGHT PENDANT

P5034-104 Polished Nickel
White linen shade with
bottom diffuser.
Size: 20-1/4" dia., 15-5/8" ht.
Overall ht. w/chain 82";
wire 180".
Lamps: Three medium base
lamps, each 100w max.



For additional stem or chain please
see pages 249-250

¹ Includes one 72" stem,
four 12" stems and 6
links of chain.

² Includes one 6" stem,
one 12" stem and two
15" stems with 90°
swivel.

⁸ Includes 72" of chain
and two 6" stems.

★ Veranda

VENETIAN MARBLE GLASS IN ESPRESSO AND
FAUX ROCK CRYSTAL DROPS ⁴

MINI-PENDANT

P5060-84 Espresso

Size: 11-1/2" dia., 12-3/4"
ht. Overall ht. w/stem 66";
wire 10'.

Lamp: One medium base
lamp, 100w max.



★ Fiorentino

CLEAR SEEDED GLASS AND HAND-PAINTED
FORGED BRONZE FINISH ⁴

MINI-PENDANT

P5140-77 Forged Bronze

Size: 11-1/8" dia., 11-1/2" ht.
Overall ht. w/stem 69"; wire 10'.

Lamp: One medium base lamp,
100w max.



★ Roxbury

REMINISCENT OF THE HOLLYWOOD
GLAMOUR STYLE

CRYSTAL ACCENTS WITH CLASSIC
SILVER FINISH ⁴

MINI-PENDANT

P5100-101 Classic Silver

Size: 7" dia., 10-7/8" ht.
Overall ht. w/stem 67"; wire 10'.

Lamp: One medium base lamp,
100w max.



Thomasville
LIGHTING

⁴ Includes two 12" stems,
two 15" stems with 90°
hang straight.

★ Savannah

ANTIQUÉ ALABASTER GLASS
IN SEABROOK OR BURNISHED
CHESTNUT ⁴

MINI-PENDANT

P5040-42 Seabrook

P5040-86 Burnished Chestnut

Size: 8-3/4" dia., 6-3/4" ht.,
Overall ht. w/stem 63"; wire 15'.
Lamp: One medium base lamp,
100w max.

MINI-PENDANT

P5146-86 Burnished Chestnut

120V NPF electronic ballast.

Size: 8-3/4" dia., 6-7/8" ht.

Overall ht. w/stem 62"; wire 10'.

Lamp: One 13w GU24 base CFL
lamp.



★ Imperial

ETCHED DRUM SHADE FLOATS
AROUND IRON FRAMEWORK.

TRADITIONAL SHAPE AND PROFILE
WITH CONTEMPORARY TWIST ¹

P6507-20 Antique Bronze

One-light hanging lantern.

Size: 9" sq., 20-1/2" ht. Overall
ht. w/stem 86"; wire 120".

Lamp: One medium base lamp,
100w max.



See pages 244-287 for accessories,
including additional chain and
stems, stem kits, shades and more.

¹ Includes one 72" stem,
four 12" stems and 6
links of chain.

⁴ Includes two 12" stems,
two 15" stems with 90°
hang straight.

★ Shades

THE OPTIONAL SHADES ARE AVAILABLE FOR USE WITH CANDELABRA-BASED FIXTURES. BENT TIP LAMPS NOT RECOMMENDED.



P8620-01 Beige silk Dupioni shade with braided trim. 7/8" candle fitter. Size: 3-1/2" top, 6" bottom, 6" ht. Shown on Palais.



P8632-01 Creme Brussels linen Spring clip. Size: 3" top, 5" bottom, 5" ht.



P8639-01 Beige pleated Spring clip. Size: 3" top, 6" bottom, 4-1/4" ht.



P8640-01 Parchment Paper Kraft paper shade. Spring clip. Size: 3" top, 6" bottom, 4-1/4" ht.



P8669-01 Pale goldenrod silk corsette shade 1" candle fitter. Size: 4-1/2" top, 5" bottom, 5-1/4" ht. Shown on Elysian.



P8701-01 Black paper with silver lining 1" candle fitter. Size: 5-1/2" top, 6" bottom, 4-3/4" ht. Shown on Roxbury.



P8702-01 Blue/green fabric 1" candle fitter. Size: 5-1/2" top, 6" bottom, 4-3/4" ht. Shown on Roxbury.



P8703-01 Red fabric 1" candle fitter. Size: 5-1/2" top, 6" bottom, 4-3/4" ht. Shown on Roxbury.



P8704-01 Off White fabric 1" candle fitter. Size: 5-1/2" top, 6" bottom, 4-3/4" ht. Shown on Roxbury and Nissé.



P8713-01 Ivory Silken fabric Spring clip. Size: 5" dia., 4"ht.



P8714-01 Pleated Golden Rod Spring clip. Silk with fabric trim on top and bottom edges. Size: 6-1/8" dia., 5"ht.



P8719-01 Sheer black chiffon 7/8" candle fitter. Size: 4-1/2" dia., 5" ht. Shown on Noir.



P8729-01 Grey Metallic Chiffon Spring clip. Size: 5" dia., 5"ht.



P8769-01 Pleated Creme Chiffon Spring clip. Size: 4-7/8" dia., 5" ht. Shown on Chanelle.



P8772-01 Sheer black chiffon Slotted slip on fitter. Size: 18" dia., 8-1/2" ht. Shown on Noir.



P8788-10 Polished Solid Brass Optional polished solid brass candle-cap accessory. Size: 7/8" dia., 3/4" ht.



P8926-01 White Linen fabric shade Spring clip. Size: 5-1/2" dia., 4-3/4" ht. Shown on Inspire.



Chain

3-Gauge Chain



P8761-46

10 feet of 3-gauge chain permits installation of large chain-hung fixtures on high ceilings. Maximum fixture weight – 200 lbs.

P8761-46 Weathered Bronze
P8761-102 Roasted Java

9-Gauge Chain



P8757-84

10 feet of 9 gauge chain permits installation of large chain-hung fixtures on high ceilings. Maximum fixture weight – 50 lbs.

6 Gauge Chain



P8759-81

10 feet of 6 gauge chain permits installation large chain-hung fixtures on high ceilings. Maximum fixture weight – 120 lbs.

P8759-10 Polished Brass
P8759-46 Weathered Bronze
P8759-63 Imperial Gold
P8759-72 Cognac
P8759-75 Aged Mahogany
P8759-77 Forged Bronze
P8759-80 Forged Black
P8759-81 Antique Nickel

P8759-84 Espresso
P8759-86 Burnished Chestnut
P8759-87 Fieldstone
P8759-91C Biscay Crackle
P8759-101 Classic Silver
P8759-102 Roasted Java

P8757-09 Brushed Nickel
P8757-10 Polished Brass
P8757-11 Antique Brass
P8757-20 Antique Bronze
P8757-30 Textured White
P8757-31 Textured Black
P8757-42 Seabrook
P8757-46 Weathered Bronze
P8757-63 Imperial Gold
P8757-71 Gilded Iron
P8757-72 Cognac
P8757-74 Venetian Bronze
P8757-75 Aged Mahogany
P8757-77 Forged Bronze
P8757-80 Forged Black
P8757-81 Antique Nickel
P8757-84 Espresso
P8757-86 Burnished Chestnut
P8757-87 Fieldstone
P8757-88 Heirloom

P8757-91C Biscay Crackle
P8757-101 Classic Silver
P8757-102 Roasted Java
P8757-104 Polished Nickel
P8757-108 Oil Rubbed Bronze
P8757-124 Copper Bronze
P8757-126 Burnished Silver
P8757-134 Silver Ridge

Arts & Crafts



10 feet of 9 gauge Arts and Crafts chain permits installation of chain-hung fixtures on high ceilings.

P8755-46 Weathered Bronze

11-Gauge Chain



P8758-10

10 feet of 11 gauge chain for mini-pendants. Allows installation of mini-pendants on high ceilings. Maximum fixture weight – 20 lbs.

P8758-10 Polished Brass
P8758-30 Textured White

All items on this spread not UL listed.

★ Pendant and Mini-Pendant Accessories

Mini-Pendant Stem Extension

For mini-pendants. Contains (2) 12" and (2) 15" sections.



- | | | |
|------------------|--------------------|---|
| P8601-09 | Brushed Nickel | P8670-101 Classic Silver
Decorative stem
extension for use with
Roxbury (P5100) mini-
pendants. Contains
(2) 12" and (2) 15"
sections. |
| P8601-10 | Polished Brass | |
| P8601-15 | Chrome | |
| P8601-20 | Antique Bronze | |
| P8601-42 | Seabrook | |
| P8601-46 | Weathered Bronze | |
| P8601-71 | Gilded Iron | |
| P8601-72 | Cognac | |
| P8601-74 | Venetian Bronze | |
| P8601-75 | Aged Mahogany | |
| P8601-77 | Forged Bronze | |
| P8601-80 | Forged Black | |
| P8601-81 | Antique Nickel | |
| P8601-84 | Espresso | |
| P8601-86 | Burnished Chestnut | |
| P8601-87 | Fieldstone | |
| P8601-88 | Heirloom | |
| P8601-91C | Biscay Crackle | |
| P8601-102 | Roasted Java | |
| P8601-104 | Polished Nickel | |
| P8601-108 | Oil Rubbed Bronze | |
| P8601-124 | Copper Bronze | |
| P8601-134 | Silver Ridge | |
| P8601-174 | Urban Bronze | |



Stem Kits for Chain-hung Pendants and Mini-pendants

Stem kit for all chain-hung pendants or cord-hung mini-pendants.

1/8" I.P. Internal threads.

For sloped ceilings up to 45°.

Canopy: 5-1/4" dia., 54" overall length (one 30" and two 12" stems included.)

- | |
|--------------------------------|
| P8624-10 Polished Brass |
| P8624-30 White |



P8624-30



Cord Extender for High Ceilings



P8625-30

Provides additional length to cord-hung fixtures (only) for installations on high ceilings and in stairwells. For use with P4401, P4402, P4403, P4406, P5094, P5121, and P5108.

P8625-30 White
P8625-31 Black
 15' cord with socket for replacement on cord-hung pendants.

Loop and Chain Hang Kit



Converts any stem-hung pendant to sloped ceiling applications.

Kit includes (6) chain links, (2) 1/8" I.P. loops, (2) 1/8" I.P. x 9/16" nipples, (1) hex nut, (1) int. lock washer, and (1) 12" piece of fiberglass sleeving.

P8678-09 Brushed Nickel
P8678-20 Antique Bronze
P8678-104 Polished Nickel
P8678-124 Copper Bronze
 Size: 7/8" dia., 9-1/2" ht.

All items on this spread not UL listed.



✦ CLOSE TO CEILING





★ Bingo

CIRCULAR FORMS SERVE AS CEILING ART. BINGO FEATURES A DISTRESSED MIRROR SURFACE, AN IRONWORK FRAME AND ETCHED OPAL ACRYLIC DIFFUSERS. BRUSHED NICKEL AND VENETIAN BRONZE FINISHES.



P3681-74



P3681-09



P3958-09



P3958-74

ONE-LIGHT CLOSE-TO-CEILING

P3681-09 Brushed Nickel

P3681-74 Venetian Bronze

Wall and ceiling mount.

Size: 18-3/4" dia., 3-3/8" ht.

Lamp: One circline lamp, 22w max.

ADA



THREE-LIGHT CLOSE-TO-CEILING

P3958-09 Brushed Nickel

P3958-74 Venetian Bronze

Wall and ceiling mount.

Size: 24" L., 23-3/4" W., 3-3/8" ht.

Lamps: Three circline lamps, each

22w max.

ADA



Chandelier

pg 6





P3957-09



P3957-74



P2026-09WB



P2026-74WB

TWO-LIGHT CLOSE-TO-CEILING

P2026-09WB Brushed Nickel**P2026-74WB** Venetian Bronze

Size: 10-1/2" L. 9" W., 4" ht.

Lamps: Two halogen G9 lamps,
each 60w max. included.

ADA

FIVE-LIGHT CLOSE-TO-CEILING

P3957-09 Brushed Nickel**P3957-74** Venetian Bronze

Wall or ceiling mount.

Size: 45-3/4" L., 24" W. 3-3/8" ht.

Lamps: Five circline lamps,
each 22w max.

ADA



★ Nissé

SILVER CHIFFON SHADE
SURROUNDED BY CLEAR
ACRYLIC RODS.

FOUR-LIGHT SEMI-FLUSH
P3881-104 Polished Nickel
Chain and ceiling mounts both
included.
Size: 20" dia., 22-1/2" ht.
Lamps: Four candelabra base
lamps, each 60w max.



P3881-104

Chandelier

pg 24



Thomasville
LIGHTING

★ Bingo

ETCHED OPAL GLASS SHADES
ARE LAYERED WITH AN
IRONWORK PATTERN OF CIRCLES.

TWO-LIGHT SEMI-FLUSH
P3741-09 Brushed Nickel
P3741-74 Venetian Bronze
Size: 14" dia., 11-7/8" ht.
Lamps: Two medium base lamps,
each 100w max.



P3752-74

THREE-LIGHT CLOSE-TO-CEILING
P3752-09 Brushed Nickel
P3752-74 Venetian Bronze
Size: 14" dia., 8-1/8" ht.
Lamp: Three medium base lamps,
60w max.



P3741-74



P3752-09




P3741-09

Foyer pendant

pg 10





★ Bingo

SIX-LIGHT CLOSE-TO-CEILING

P3956-09 Brushed Nickel

P3956-74 Venetian Bronze

Wall or ceiling mount.

Size: 40" L., 11-5/8" W. 3-3/8" ht.

Lamps: Six GU24 base CFL lamps, each 13w max.

ADA



P3956-09



P3956-74

★ Hoop

ENERGY EFFICIENT FIXTURES WITH SIMPLE STYLING. A CYLINDRICAL HOOP ENCIRCLES THE OPAL ETCHED GLASS DIFFUSER. LOW PROFILE, CAN BE MOUNTED ON WALL OR CEILING. WET LOCATION LISTED.

P5781-20EBWB Antique Bronze

Size: 10-1/2" dia., 4-7/8" ht.

Lamp: One GU24 base squat CFL lamp, 18w max. included.



P5781-20EBWB



P5786-20EBWB

P5786-20EBWB Antique Bronze

Size: 13-5/8" dia., 5-3/8" ht.

Lamp: One GU24 base squat CFL lamp, 26w max. included.



★ Calven

DEFINE YOUR SPACE WITH FORGED BLACK AND LINEN SHADE OR BRUSHED NICKEL WITH AN ETCHED GLASS SHADE.

THREE-LIGHT SEMI-FLUSH *

P3878-80 Forged Black
Linen Shade
Size: 15" dia., 10-1/4" ht.
Overall ht. w/chain 75"; wire 15".
Lamps: Three medium base lamps, each 100w max.



P3878-80

THREE-LIGHT SEMI-FLUSH *

P3878-09 Brushed Nickel
Etched Glass Shade
Size: 16" dia., 12" ht.
Overall ht. w/stem 75"; wire 15".
Lamps: Three medium base lamps, each 100w max.



P3878-09

Chandelier

pg 12



Bath & Vanity

pg 367



★ Divot

OPAL ETCHED SHADES WITH CONCAVE, DIVOT PROFILE ON BOTTOM OF THE GLASS. DAMP LOCATION LISTED.

TWO-LIGHT SEMI-FLUSH

P3798-09 Brushed Nickel
Size: 15-5/8" dia., 6-1/8" ht.
Lamps: Two medium base lamps, each 75w max.



P3798-09

Chandelier

pg 32




★ Dibs

SQUARE ETCHED OPAL GLASS SHADES, SUSPENDED BY A RECTILINEAR FRAMEWORK.

FOUR-LIGHT SEMI-FLUSH *

P3943-09WB Brushed Nickel
Size: 12-1/8" sq., 10-3/8" ht.
Lamps: Four G9 base halogen lamps, each 60w max., included.



P3943-09WB

Chandelier

pg 34



Bath & Vanity

pg 363



Rock-on

ETCHED OPAL GLASS SHADES
ON RECTILINEAR FRAME.

TWO-LIGHT SEMI-FLUSH *
P3897-124 Copper Bronze
Size: 15-1/2" L., 13-7/8" ht.
Lamps: Two candelabra base
lamps, each 60w max.



P3897-124

Chandelier
pg 36



Bath & Vanity
pg 364



Torque

TRI-SPOKED RING DESIGN
WITH ETCHED GLASS.

THREE-LIGHT SEMI-FLUSH
P3978-09 Brushed Nickel
P3978-124 Copper Bronze
Size: 14-1/4" dia., 9-3/4" ht.
Lamps: Three medium base
lamps, each 100w max.



P3978-09



P3978-124

Chandelier
pg 38



Bath & Vanity
pg 365



Coupe

CLEAR RIBBED GLASS AROUND
AN ETCHED GLASS DIFFUSER.
CAN BE USED AS A SEMI-FLUSH
USING A 6" STEM.

TWO-LIGHT SEMI-FLUSH *
P3979-09 Brushed Nickel
Size: 13-5/8" dia., 5-7/8" ht.
Lamps: Two medium base
lamps, each 100w max.



P3979-09

THREE-LIGHT SEMI-FLUSH *
P3980-09 Brushed Nickel
Size: 19-5/8" dia., 5-7/8" ht.
Lamps: Three medium base
lamps, each 100w max.



P3980-09

FOUR-LIGHT SEMI-FLUSH *
P3985-09 Brushed Nickel
Size: 23-5/8" dia., 16-3/4" ht.
Lamps: Four medium base
lamps, each 100w max.

Chandelier
pg 46



Bath & Vanity
pg 360



P3985-09

* Fixture includes mounting hardware for both chain/stem hung and ceiling mount.

DynamO

BOLD AND GRAPHIC - JUST LIKE THE NAME. STRAPPING AND "O" RING DESIGN HIGHLIGHTS THE ETCHED OPAL GLASS. OFFERS SIMPLE VISUAL APPEAL WITH POSITIVE CONNOTATIONS.

FOUR-LIGHT SEMI-FLUSH

P3930-09 Brushed Nickel

P3930-20 Antique Bronze

Size: 24-3/4" dia., 15-3/4" ht.

Lamps: Four GU24 CFL lamps, each 26w max.



P3930-09



P3930-20

FOUR-LIGHT CLOSE-TO-CEILING

P3976-09 Brushed Nickel

P3976-20 Antique Bronze

Size: 25-1/2" dia., 7" ht.

Lamps: Four GU24 CFL lamps, each 26w max.



P3976-09



P3976-20

TWO-LIGHT SEMI-FLUSH

P3981-09 Brushed Nickel

P3981-20 Antique Bronze

Size: 12-5/8" dia., 6" ht.

Lamps: Two GU24 CFL lamps, each 26w max.



P3981-09



P3981-20

THREE-LIGHT SEMI-FLUSH

P3982-09 Brushed Nickel

P3982-20 Antique Bronze

Size: 17" dia., 6-5/8" ht.

Lamps: Three GU24 CFL lamps, each 26w max.



P3982-09



P3982-20

THREE-LIGHT SEMI-FLUSH

P3983-09 Brushed Nickel

P3983-20 Antique Bronze

Size: 20-3/4" dia., 7-1/8" ht.

Lamps: Three GU24 CFL lamps, each 26w max.



P3983-09



P3983-20

TWO-LIGHT CLOSE-TO-CEILING

P3984-09 Brushed Nickel

P3984-20 Antique Bronze

Size: 13-5/8" dia., 5-1/2" ht.

Lamps: Two GU24 CFL lamps, each 26w max.



P3984-09



P3984-20

★ Bay Court

ETCHED INTERIOR GLASS
SURROUNDED BY ETCHED
WATER GLASS.

ONE-LIGHT CLOSE-TO-CEILING

P3941-09 Brushed Nickel

P3941-20 Antique Bronze

Size: 11-5/8" dia., 11" ht.

Lamp: One medium base lamp,
100w max.

TWO-LIGHT CLOSE-TO-CEILING

P3942-09 Brushed Nickel

P3942-20 Antique Bronze

Size: 15" dia., 7-3/8" ht.

Lamps: Two medium base lamps,
each 60w max.

Thomasville
L I G H T I N G .



P3942-09



P3941-09



P3941-20



Chandelier
pg 50



Outdoor
pg 506



P3942-20

★ Ashbury

DOUBLE TOASTED LINEN SHADE.

TWO-LIGHT SEMI-FLUSH

P3886-134 Silver Ridge

Size: 10" dia., 10-1/4" ht.

Lamps: Two medium base
lamps, each 75w max.



P3886-134

Chandelier
pg 56



Bath & Vanity
pg 379



★ Rave

SEMI-FLUSH WITH ETCHED
CURVED GLASS.

TWO-LIGHT SEMI-FLUSH

P3550-09 Brushed Nickel

P3550-77 Forged Bronze

Size: 13-1/4" dia., 9-1/2" ht.

Lamps: Two medium base
lamps, each 100w max.



P3550-09



P3550-20

Chandelier
pg 62



★ Alexa

PATTERNED ETCHED GLASS WITH A CLEAR ACCENT STRIP.

TWO-LIGHT SEMI-FLUSH

P2851-09 Brushed Nickel
Size: 12-1/4" dia., 11" ht.
Lamps: Two medium base lamps, each 100w max.



P2851-09

Chandelier

pg 64



Bath & Vanity

pg 378



★ Wisten

WISTEN'S TRIPLE OPAL GLASS OFFERS A SIMPLE, MODERN AND ELEGANT TOUCH. DAMP LOCATION LISTED.

TWO-LIGHT

P3290-09 Brushed Nickel
P3290-20 Antique Bronze
Size: 14" dia., 7" ht.
Lamps: Two medium base lamps, each 100w max.



P3290-20
P3290-20EBWB

TWO-LIGHT CFL

P3290-09EBWB Brushed Nickel
P3290-20EBWB Antique Bronze
Size: 14" dia., 7" ht.
Lamps: Two 13w GU24 CFL lamps, included.



Chandelier

pg 76



Bath & Vanity

pg 380



P3290-09
P3290-09EBWB

★ Lahara

TIMELESS ETCHED GLASS IS AVAILABLE WITH A VARIETY OF POPULAR FINISHES. DAMP LOCATION LISTED.

TWO-LIGHT

P3836-09 Brushed Nickel
P3836-15 Polished Chrome
P3836-74 Venetian Bronze
Size: 13" dia., 6-1/8" ht.
Lamps: Two medium base lamps, each 100w max.



Bath & Vanity

pg 374



P3836-09



P3836-15



P3836-20

★ Clayton

MODERN DRUM SHADES IN CREAM
LINEN FABRIC WITH SOFT SIDE PLEATS.

TWO-LIGHT SEMI-FLUSH

P3759-84 Espresso
Bottom glass diffuser.
Size: 13" dia., 13" ht.
Lamps: Two medium base
lamps, each 100w max.

Thomasville
LIGHTING



P3759-84

Chandelier

pg 110



★ Moments

INDUSTRIAL INFLUENCE WITH
ETCHED WHITE GLASS.

THREE-LIGHT SEMI-FLUSH

P3952-81 Antique Nickel
Size: 15-3/4" dia., 12-1/2" ht.
Lamps: Three medium base
lamps, each 75w max.

TWO-LIGHT CLOSE-TO-CEILING

P3953-81 Antique Nickel
Size: 14-3/4" dia., 6" ht.
Lamps: Two medium base lamps,
each 60w max.
Damp location listed.



P3952-81

Chandelier

pg 100



P3953-81

★ Orbitz

RECTILINEAR TUBING FRAMES
AND RING. WHITE ETCHED
GLASS SHADES.

THREE-LIGHT SEMI-FLUSH *

P3954-09 Brushed Nickel
P3954-20 Antique Bronze
Size: 17" dia., 12 1/4" ht. Overall ht.
w/stem 79"; wire 180".
Lamps: Three medium base lamps,
each 100w max.



P3954-09

Chandelier

pg 96



Bath & Vanity

pg 365



P3954-20

* Fixture includes mounting hardware for
both chain hung and ceiling mount.

★ North Park

CLEAN LINEAR FORMS, TWIN STRUCTURAL ARCHING ARMS AND SQUARE ETCHED GLASS SHADES.

TWO-LIGHT SEMI-FLUSH *

P3597-09 Brushed Nickel
P3597-74 Venetian Bronze
 Size: 12-3/4" sq., 13-5/8" ht.
 Lamps: Two medium base lamps, each 100w max.

TWO-LIGHT

P3852-09 Brushed Nickel
P3852-74 Venetian Bronze
 Size: 15" sq., 7-1/8" ht.
 Lamps: Two medium base lamps, each 100w max.
 Damp location listed.

ONE-LIGHT

P3854-09 Brushed Nickel
P3854-74 Venetian Bronze
 Size: 12-1/2" sq., 6-1/8" ht.
 Lamp: One medium base lamp, 100w max.
 Damp location listed.



Chandelier

PG 44

Bath & Vanity

PG 394

★ Bratenahl

SCULPTED OPAL GLASS IS COMPLEMENTED BY UNCLUTTERED LINES.

TWO-LIGHT

P3364-09 Brushed Nickel
P3364-74 Venetian Bronze
 Size: 12-3/4" sq., 7-3/4" ht.
 Lamps: Two medium base lamps, each 60w max.
 Damp location listed.



Bath & Vanity

PG 395

★ Archie

CLEAR DOUBLE PRISMATIC GLASS.

TWO-LIGHT CLOSE-TO-CEILING

P3740-15 Polished Chrome
P3740-74 Venetian Bronze
P3740-81 Antique Nickel
 Size: 12-3/8" dia., 6-1/4" ht.
 Lamps: Two medium base lamps, each 75w max.



Chandelier

PG 104

Bath & Vanity

PG 386

Trinity

CURVED ETCHED GLASS WITH
CIRCULAR ACCENTS.

TWO-LIGHT SEMI-FLUSH *

P3473-09 Brushed Nickel

P3473-20 Antique Bronze

Size: 16" dia., 14-3/4" ht.

Lamps: Two medium base lamps, each 100w max.

ONE-LIGHT

P3475-09 Brushed Nickel

P3475-20 Antique Bronze

Size: 12-1/2" dia., 7-3/8" ht.

Lamp: One medium base lamp, 100w max.

Damp location listed.

TWO-LIGHT

P3476-09 Brushed Nickel

P3476-20 Antique Bronze

Size: 15" dia., 7-1/4" ht.

Lamps: Two medium base lamps, each 60w max.

Damp location listed.

THREE-LIGHT

P3477-09 Brushed Nickel

P3477-20 Antique Bronze

Size: 17" dia., 8-1/4" ht.

Lamps: Three medium base lamps, each 60w max.

Damp location listed.

Chandelier

pg 105



Bath & Vanity

pg 404



Renovations

ETCHED OPAL RIBBED GLASS AND
STRUCTURAL ACCENTS.

THREE-LIGHT

P3515-77 Forged Bronze

P3515-81 Antique Nickel

Size: 15-5/8" dia., 10" ht.

Lamps: Three medium base lamps, each 60w max.

Damp location listed.

THREE-LIGHT SEMI-FLUSH *

P3607-77 Forged Bronze

P3607-81 Antique Nickel

Size: 15-5/8" dia., 15" ht.

Lamps: Three medium base lamps, each 60w max.

Chandelier

pg 126



Bath & Vanity

pg 398



* Fixture includes mounting hardware for both chain hung and ceiling mount.

★ Madison

SOFT ETCHED GLASS AND
KNOB ACCENTS.

ONE-LIGHT

P3311-09 Brushed Nickel
P3311-20 Antique Bronze
Size: 12" dia., 7-1/2" ht.
Lamps: One medium base
lamp, 60w max.
Damp location listed.



P3312-20

TWO-LIGHT

P3312-09 Brushed Nickel
P3312-20 Antique Bronze
Size: 15-3/4" dia., 8-1/4" ht.
Lamps: Two medium base
lamps, each 60w max.
Damp location listed.



P3311-09

THREE-LIGHT SEMI-FLUSH

P3663-09 Brushed Nickel
P3663-20 Antique Bronze
Glass reverses up or down.
Size: 20-3/4" dia., 14" ht.
Lamps: Three medium base
lamps, each 60w max.
Damp location listed.



P3663-20

Chandelier

pg 122



Bath & Vanity

pg 397



P3663-09

★ Addison

INSPIRED BY THE SOPHISTICATED
SCALLOPED CUTS IN A SEASHELL,
THE GLASS SHADES ALSO FEATURE
A SOFT, ETCHED FINISH.

TWO-LIGHT

P3870-09 Brushed Nickel
P3870-15 Polished Chrome
P3870-74 Venetian Bronze
P3870-109 Brushed Bronze
Size: 12-5/8" sq., 6-1/8" ht.
Lamps: Two medium base
lamps, each 100w max.
Damp location listed.



P3870-09



P3870-15



P3870-74



P3870-109

Bath & Vanity

pg 390



COORDINATES WITH
DELTA
FAUCET COMPANY

★ Victorian

OPAL GLASS IN AN OVAL FRAME.

TWO-LIGHT OVAL
P3326-09 Brushed Nickel
P3326-15 Polished Chrome
P3326-74 Venetian Bronze
 Size: 16" L., 11-1/4" W., 7" ht.
 Lamps: Two medium base lamps, each 60w max.
 Damp location listed.



P3326-74




P3326-15



P3326-09

Bath & Vanity

pg 401



Oval Profile

★ Victory

SMOOTH POLISHED GLASS.

TWO-LIGHT
P3880-15 Polished Chrome
 Size: 10-1/4" dia., 8" ht.
 Lamps: Two medium base lamps, each 100w max.
 Damp location listed.



P3880-15

★ Glendale

WHITE ALABASTER GLASS AND OVAL ARMS.

THREE-LIGHT SEMI-FLUSH *
P3780-09 Brushed Nickel
 Size: 19" dia., 18-3/4" ht.
 Lamps: Three medium base lamps, each 100w max.



P3780-09

Chandelier

pg 120



* Fixture includes mounting hardware for both chain hung and ceiling mount.

Eclipse

OVAL-SHAPED GLASS WITH BRILLIANT, SOLID TRIMS. BRUSHED NICKEL, POLISHED BRASS AND ANTIQUE BRONZE FINISHES FEATURE SATIN OPAL GLASS.



P3561-10
P3562-10EB
P7324-10WB



P3481-20
P3521-20EB
P7316-20WB



P3563-09
P7325-09WB






P7326-09WB






P3482-20

15"


Damp location listed (all on this page).

Product No.	Finish	Size	Ballast	Lamp(s)
P3480-20	Antique Bronze	15-1/4" dia., 4-5/8" ht.	N/A	2 medium base, each 60w max.
P3489-20EB	Antique Bronze	15-1/4" dia., 4-5/8" ht.	120V/277V HPF electronic	2 13w 4-pin Quad CFL. G24q-1 base. 
P3561-09	Brushed Nickel	15-1/4" dia., 4-5/8" ht.	N/A	2 medium base, each 60w max.
P3561-10	Polished Brass	15-1/4" dia., 4-5/8" ht.	N/A	2 medium base, each 60w max.
P3562-09EB	Brushed Nickel	15-1/4" dia., 4-5/8" ht.	120V/277V HPF electronic	2 13w 4-pin Quad CFL. G24q-1 base. 
P3562-10EB	Polished Brass	15-1/4" dia., 4-5/8" ht.	120V/277V HPF electronic	2 13w 4-pin Quad CFL. G24q-1 base. 

19"

Product No.	Finish	Size	Ballast	Lamp(s)
P3481-20	Antique Bronze	19-3/8" dia., 5-1/2" ht.	N/A	3 medium base, each 60w max.
P3521-20EB	Antique Bronze	19-3/8" dia., 5-1/2" ht.	120V/277V HPF electronic	3 13w 4-pin Quad CFL. G24q-1 base. 
P3563-09	Brushed Nickel	19-3/8" dia., 5-1/2" ht.	N/A	3 medium base, each 60w max.
P3563-10	Polished Brass	19-3/8" dia., 5-1/2" ht.	N/A	3 medium base, each 60w max.
P3564-09EB	Brushed Nickel	19-3/8" dia., 5-1/2" ht.	120V/277V HPF electronic	3 13w 4-pin Quad CFL. G24q-1 base. 
P3564-10EB	Polished Brass	19-3/8" dia., 5-1/2" ht.	120V/277V HPF electronic	3 13w 4-pin Quad CFL. G24q-1 base. 




27"

Product No.	Finish	Size	Ballast	Lamp(s)
P3482-20	Antique Bronze	27-3/8" dia., 7-1/8" ht.	N/A	4 medium base, each 60w max.
P3491-20EB	Antique Bronze	27-3/8" dia., 7-1/8" ht.	120V/277V HPF electronic	4 13w 4-pin Quad CFL. G24q-1 base. 






ENERGY STAR


15"

Product No.	Finish	Size	Ballast	Lamp(s)
P7315-20WB	Antique Bronze	15-1/4" dia., 4-5/8" ht.	120V NPF electronic	2 13w 4-pin Quad CFL. G24q-1 base. (included) 
P7324-09WB	Brushed Nickel	15-1/4" dia., 4-5/8" ht.	120V NPF electronic	2 13w 4-pin Quad CFL. G24q-1 base. (included) 
P7324-10EBWB	Polished Brass	15-1/4" dia., 4-5/8" ht.	120V NPF electronic	2 13w 4-pin Quad CFL. G24q-1 base. (included) 

19"

Product No.	Finish	Size	Ballast	Lamp(s)
P7316-20WB	Antique Bronze	19-3/8" dia., 5-1/2" ht.	120V NPF electronic	3 13w 4-pin Quad CFL. G24q-1 base. (included) 
P7325-09WB	Brushed Nickel	19-3/8" dia., 5-1/2" ht.	120V NPF electronic	3 13w 4-pin Quad CFL. G24q-1 base. (included) 
P7325-10EBWB	Polished Brass	19-3/8" dia., 5-1/2" ht.	120V NPF electronic	3 13w 4-pin Quad CFL. G24q-1 base. (included) 

27"

Product No.	Finish	Size	Ballast	Lamp(s)
P7326-09WB	Brushed Nickel	27-3/8" dia., 7-1/8" ht.	120V NPF electronic	4 13w 4-pin Quad CFL. G24q-1 base. (included) 

Eclipse



P3483-20
P3492-20EB



P3567-10
P7327-10WB





P3493-20EB
P7319-20WB





P7329-09EBWB

15"

Product No.	Finish	Size	Ballast	Lamp(s)
P3483-20	Antique Bronze	15-1/4" dia., 10-5/8" ht.	N/A	2 medium base, each 100w max.
P3492-20EB	Antique Bronze	15-1/4" dia., 10-5/8" ht.	120V/277V HPF electronic	2 26w 4-pin Quad CFL. G24q-3 base. 
P3567-09	Brushed Nickel	15-1/4" dia., N/A		2 medium base, each 100w max.
P3567-10	Polished Brass	10-5/8" ht.		
P3568-09EB	Brushed Nickel	15-1/4" dia., 10-5/8" ht.	120V/277V HPF electronic	2 26w 4-pin Quad CFL. G24q-1 base. 

19"

Product No.	Finish	Size	Ballast	Lamp(s)
P3484-20	Antique Bronze	19-3/8" dia., 13-1/4" ht.	N/A	3 medium base, each 100w max.
P3493-20EB	Antique Bronze	19-3/8" dia., 13-1/4" ht.	120V/277V HPF electronic	3 26w 4-pin Quad CFL. G24q-3 base. 
P3569-09	Brushed Nickel	19-3/8" dia., N/A		3 medium base, each 100w max.
P3569-10	Polished Brass	13-1/4" ht.		
P3570-09EB	Brushed Nickel	19-3/8" dia., 13-1/4" ht.	120V/277V HPF electronic	3 26w 4-pin Quad CFL. G24q-1 base. 


27"

Product No.	Finish	Size	Ballast	Lamp(s)
P3485-20	Antique Bronze	27-3/8" dia., 20-1/2" ht.	N/A	4 medium base, each 100w max.





ENERGY STAR



15"

Product No.	Finish	Size	Ballast	Lamp(s)
P7327-09WB	Brushed Nickel	15-1/4" dia., 10-5/8" ht.	120V NPF electronic	2 26w 4-pin Quad CFL. GX24q-1 base. (incl) 

19"

Product No.	Finish	Size	Ballast	Lamp(s)
P7319-20WB	Antique Bronze	19-3/8" dia., 13-1/4" ht.	120V NPF electronic	3 26w 4-pin Quad CFL. G24q-3 base. (incl) 
P7328-09WB	Brushed Nickel	19-3/8" dia., 13-1/4" ht.	120V NPF electronic	3 13w 4-pin Quad CFL. G24q-1 base. (incl) 

27"

Product No.	Finish	Size	Ballast	Lamp(s)
P7320-20WB	Antique Bronze	27-3/8" dia., 20-1/2" ht.	120V NPF electronic	4 26w 4-pin Quad CFL. G24q-3 base. (incl) 
P7329-09WB	Brushed Nickel	27-3/8" dia., 20-1/2" ht.	120V NPF electronic	4 26w 4-pin Quad CFL. G24q-1 base. (incl) 

Sconce
pg 466



Chandelier
pg 118



Inspire

OFF-WHITE LINEN SHADES.

CFL SEMI-FLUSH
P3939-09 Brushed Nickel
P3939-20 Antique Bronze
 White acrylic diffuser.
 Size: 13" dia., 6-1/2" ht.
 Lamps: Two GU24 CFL
 lamps, each 26w max.



P3939-09



P3939-20

Chandelier
 pg 138



Bath & Vanity
 pg 408



Kensington

FROSTED CARAMEL SWIRLGLASS ON
 FORGED BRONZE. ETCHED WHITE
 SWIRLED GLASS ON BRUSHED NICKEL.

ONE-LIGHT SEMI-FLUSH *
P3678-09 Brushed Nickel
P3678-77 Forged Bronze
 Size: 11-3/8" dia., 13" ht.
 Lamp: One medium base
 lamp, 100w max.



P3829-77

TWO-LIGHT SEMI-FLUSH *
P3829-09 Brushed Nickel
P3829-77 Forged Bronze
 Size: 14" dia., 12" ht.
 Lamps: Two medium base
 lamps, each 100w max.



P3829-09

Chandelier
 pg 190



Bath & Vanity
 pg 416



TWO-LIGHT FLUSH
P3986-09 Brushed Nickel
P3986-77 Forged Bronze
 Size: 14" dia., 7-3/4" ht.
 Lamps: Two medium base
 lamps, each 100w max.
 Damp location listed.



P3986-09



P3986-77



P3678-77



P3678-09

Torino

BRUSHED NICKEL WITH WHITE FROSTED GLASS OR FORGED BRONZE WITH TEA-STAINED GLASS.

TWO-LIGHT

P3184-09 Brushed Nickel

P3184-77 Forged Bronze

Size: 14-5/8" dia., 7-1/8" ht.

Lamps: Two medium base lamps, each 100w max.

Damp location listed.

THREE-LIGHT SEMI-FLUSH *

P3843-09 Brushed Nickel

P3843-77 Forged Bronze

Size: 18" dia., 18-1/2" ht. Overall ht. w/chain 94"; wire 15'.

Lamps: Three medium base lamps, each 100w max.

ONE-LIGHT SEMI-FLUSH *

P5144-09 Brushed Nickel

P5144-77 Forged Bronze

Size: 13-1/8" dia., 15-1/8" ht.

Overall ht. w/stem 66"; wire 10'.

Lamp: One medium base lamp, 100w max.

Chandelier

pg 150



Bath & Vanity

pg 407



P3843-09



P3843-77



P5144-09



P5144-77



P3184-77



P3184-09

Flirt

A WHITE OPAL GLASS SHADE WITH A HINT OF DELECTABLE CURVES.

THREE-LIGHT SEMI-FLUSH *

P3845-20WB Antique Bronze

Size: 11-3/4" dia., 13-3/4" ht.

Lamps: Three G9 lamps, each 60w max., included.

Chandelier

pg 148



P3845-20WB

* Fixture includes mounting hardware for both chain hung and ceiling mount.

★ Cantata

SEEDED TOPAZ GLASS.

TWO-LIGHT SEMI-FLUSH *

P3440-77 Forged Bronze
 Size: 15-3/4" dia., 10" ht.
 Lamps: Two medium base lamps, each 100w max.



P3440-77

TWO-LIGHT

P3853-77 Forged Bronze
 Size: 15" dia., 6-7/8" ht.
 Lamps: Two medium base lamps, each 75w max.
 Damp location listed.



P3853-77

Chandelier

pg 156



Bath & Vanity

pg 410



★ Santiago

JASMINE MIST GLASS WITH
 SUBTLE FORGED IRON TWISTS.

TWO-LIGHT

P3837-80 Forged Black
P3837-102 Roasted Java
 Size: 14-3/8" dia., 8-1/8" ht.
 Lamps: Two medium base lamps, each 75w max.
 Damp location listed.



P3837-102

Chandelier

pg 160



Bath & Vanity

pg 411



THREE-LIGHT SEMI-FLUSH *

P3839-80 Forged Black
P3839-102 Roasted Java
 Size: 19-7/8" dia., 14-1/4" ht.
 Lamps: Three medium base lamps, each 75w max.



P3837-80

Thomasville
 LIGHTING



P3839-80



P3839-102

★ Riverside

ETCHED LIGHT TOPAZ GLASS.

THREE-LIGHT SEMI-FLUSH

P3525-88 Heirloom

Size: 14" dia., 9-3/8" ht.

Lamps: Three medium base lamps, each 100w max.

Damp location listed.



P3525-88

Chandelier

pg 164



Bath & Vanity

pg 412



★ Arts & Crafts

WITH A NOD TO THE BUNGALOWS OF THE 1920'S, ARTS & CRAFTS IS HIGHLIGHTED BY LIGHT HONEY ART GLASS AND GEOMETRIC PANELING.

TWO-LIGHT

P3513-46 Weathered Bronze

Size: 10" sq., 4-3/4" ht.

Lamps: Two medium base lamps, each 60w max.

Damp location listed.



P3513-46

Chandelier

pg 168



Bath & Vanity

pg 413



★ Eden

A TIMELESS LOOK WITH ANTIQUE LINEN GLASS AND OPTIONAL LEAF DETAIL.

TWO-LIGHT

P3438-77 Forged Bronze

Size: 13-1/4" dia., 7-3/8" ht.

Lamps: Two medium base lamps, each 60w max.

Damp location listed



P3438-77
shown without leaf detail

THREE-LIGHT

P3439-77 Forged Bronze

Size: 15-1/2" dia., 8-1/4" ht.

Lamps: Three medium base lamps, each 60w max.

Damp location listed



P3439-77

Chandelier

pg 170



Bath & Vanity

pg 414



P3439-77

* Fixture includes mounting hardware for both chain hung and ceiling mount.

Le Jardin

WEATHERED SANDSTONE GLASS
WITH RIBBED ACCENTS.

TWO-LIGHT SEMI-FLUSH *

P2841-84 Espresso
P2841-91C Biscay Crackle
Size: 16-1/8" dia., 13-3/8" ht.
Lamps: Two medium base
lamps, each 100w max.

TWO-LIGHT

P3598-84 Espresso
P3598-91C Biscay Crackle
Size: 15" dia., 8" ht.
Lamps: Two medium
base lamp, each 60w max.
Damp location listed.

Chandelier

pg 172



Bath & Vanity

pg 413



P3598-91C



P3598-84



P2841-91C



P2841-84

Maison Orleans

ANTIQUE STONE GLASS AND
HANDSOME RIBBING DETAILS.

TWO-LIGHT

P3635-87 Fieldstone
Size: 16-3/4" dia., 8-3/4" ht.
Lamps: Two medium base
lamps, each 60w max.
Damp location listed.

Chandelier

pg 188



Bath & Vanity

pg 419



P3635-87

Melbourne

ETCHED WATERMARK GLASS AND SCROLLING DETAILS OFFER A HINT OF SOPHISTICATION.

TWO-LIGHT

P3641-84 Espresso
 Size: 14-1/4" dia., 8-1/2" ht.
 Lamps: Two medium base lamps, each 60w max.
 Damp location listed.

ONE-LIGHT

P3717-84 Espresso
 Size: 12" dia., 6-3/4" ht.
 Lamp: One medium base lamp, 60w max.
 Damp location listed.

THREE-LIGHT

P3718-84 Espresso
 Size: 17" dia., 9" ht.
 Lamps: Three medium base lamps, each 60w max.
 Damp location listed.

TWO-LIGHT SEMI-FLUSH

P3885-84 Espresso
 Size: 16-1/2" dia., 16-3/4" ht.
 Lamps: Two medium base lamps, each 100w max.



P3885-84



P3717-84



P3641-84

Chandelier
 pg 178



Bath & Vanity
 pg 418



Meeting Street

ETCHED IVORY PLEATED SHADES.

TWO-LIGHT SEMI-FLUSH

P2827-80 Forged Black
P2827-102 Roasted Java
 Size: 14"W, 9-1/2" ht.
 Lamps: Two medium base lamps, each 100 W max.

THREE-LIGHT SEMI-FLUSH *

P2828-80 Forged Black
P2828-102 Roasted Java
 Size: 17"W, 22" ht., OAL 144",
 wire 15'
 Lamps: Three medium base lamps, each 100 W max.



P2827-102



P2827-80



P2827-80

Chandelier
 pg 182



Thomasville
 LIGHTING



P2828-102

* Fixture includes mounting hardware for both chain hung and ceiling mount.

★ Pavilion

ETCHED WATERMARK GLASS.

TWO-LIGHT

P3479-09 Brushed Nickel
P3479-20 Antique Bronze
 Size: 15" dia., 6-3/8" ht.
 Lamps: Two medium base lamps, each 75w max.
 Damp location listed.



P3738-09

ONE-LIGHT

P3478-09 Brushed Nickel
P3478-20 Antique Bronze
 Size: 12" dia., 5-7/8" ht.
 Lamp: One medium base lamp, 75w max.
 Damp location listed.



P3479-09

TWO-LIGHT SEMI-FLUSH *

P3738-09 Brushed Nickel
P3738-20 Antique Bronze
 Size: 14-1/2" dia., 11-1/4" ht.
 Lamps: Two medium base lamps, each 75w max.



P3738-20



P3478-20

Chandelier
 pg 196



Bath & Vanity
 pg 417



★ Avalon

SWIRLED ALABASTER STYLE
 GLASS WITH ROPE DETAILING.

THREE-LIGHT SEMI-FLUSH *

P3467-09 Brushed Nickel
P3467-20 Antique Bronze
 Size: 14-1/2" dia., 14-3/8" ht.
 Lamps: Three medium base lamps, each 75w max.



P3467-09
 P3468-09EBWB



P3467-20

TWO-LIGHT CFL SEMI-FLUSH *

P3468-09EBWB Brushed Nickel
 Size: 14-1/2" dia., 14-3/8" ht.
 Lamps: Two 13w GU24 CFL lamps, included.



Chandelier
 pg 200



Bath & Vanity
 pg 429



★ Bedford

BELL-SHAPED ALABASTER GLASS
 SHADE.

ONE-LIGHT SEMI-FLUSH *

P3788-09 Brushed Nickel
P3788-20 Antique Bronze
 Size: 10-1/2" dia., 14-1/2" ht.
 Lamp: One medium base lamp, 150w max.



P3788-09



P3788-20

Chandelier
 pg 204



Bath & Vanity
 pg 428



★ Caress

WATER GLASS WITH ETCHED GLASS INSIDE.

TWO-LIGHT SEMI-FLUSH

P3434-104 Polished Nickel
Size: 16" dia., 12" ht.
Lamps: Two medium base lamps, each 100w max.

ONE-LIGHT*

P5044-104WB Polished Nickel
Size: 6-3/8" dia., 11" ht. Overall ht w/chain or stem 76"; wire 180".
Lamp: One E12 base krypton lamp, 60w max., included.



P3434-104



P5044-104WB

Chandelier

pg 208



Bath & Vanity

pg 421



Thomasville LIGHTING

★ Roxbury

CLEAR CRYSTAL GLASS.

THREE-LIGHT SEMI-FLUSH *

P2817-101 Classic Silver
Size: 16" dia., 14" ht.
Lamps: Three G16.5 candelabra base lamps, each 60w max.

TWO-LIGHT

P2819-101 Classic Silver
Size: 14-1/2" dia., 8-3/4" ht.
Lamps: Two medium base lamps, each 60w max.
Damp location listed.



P2817-101

Chandelier

pg 212



Bath & Vanity

pg 423



P2819-101

Thomasville LIGHTING

★ Fortune/Lady Luck

SIMPLE, CLEAN LINES TO COORDINATE WITH MANY POPULAR FAMILIES, INCLUDING LADY LUCK, FORTUNE, CARESS, NISSÉ AND NOIR.

TWO-LIGHT

P3970-104 Polished Nickel
Size: 13-1/4" dia., 6-3/8" ht.
Lamps: Two medium base lamps, each 75w max.
Damp location listed.



P3970-104

Chandelier

pg 218



Bath & Vanity

pg 422



* Fixture includes mounting hardware for both chain hung and ceiling mount.

★ Noir

CLEAR CRYSTAL DROPS
AND OPTIONAL BLACK
CHIFFON SHADE.

THREE-LIGHT SEMI-FLUSH *
P3400-104 Polished Nickel
Size: 13-1/2" dia., 14-7/8" ht.
Lamps: Three candelabra base
lamps, each 60w max.

Thomasville
LIGHTING®



P3400-104
shown with optional
shade P8772-01



P3400-104

Chandelier

pg 222



★ Fiorentino

CLEAR SEEDED GLASS AND
CHAMPAGNE DRIP CANDLES.

TWO-LIGHT
P3815-77 Forged Bronze
Size: 11-3/4" dia., 11" ht.
Lamps: Two candelabra base
lamps, each 60w max.



P3815-77

Chandelier

pg 238



★ Savona

HAMMERED GLASS, SWIRLING
FORMS AND CUT PENDALOG DROPS.

THREE-LIGHT SEMI-FLUSH *
P3544-72 Cognac
Size: 15" dia., 17-1/2" ht.
Lamps: Three candelabra base
lamps, each 60w max.

Thomasville
LIGHTING®



P3544-72

Chandelier

pg 236



✦ Messina

DECORATIVE LEAVES, SCROLLS AND DETAILS ADORN THE SEPIA HAZE GLASS.

TWO-LIGHT

P3461-75 Aged Mahogany
Size: 15-1/2" dia., 8" ht.
Lamps: Two medium base lamps, each 60w max.
Damp location listed.



P3461-75

Chandelier

pg 232



Thomasville
LIGHTING

✦ Veranda

ETCHED MARBLE GLASS AND ROCK CRYSTAL DROPS.

TWO-LIGHT SEMI-FLUSH *

P3556-84 Espresso
Faux rock crystal drops.
Size: 20-1/2" dia., 17-1/4" ht.
Lamps: Two medium base lamps, each 75w max.



P3556-84

Chandelier

pg 240



✦ Prescott

SATIN-ETCHED GLASS WITH SUBTLE RIB DETAILING.

TWO-LIGHT

P3732-10 Polished Brass
P3732-30 Textured White
Size: 11" dia., 5-3/4" ht.
Lamps: Two medium base lamps, each 60w max.
Damp location listed.



P3732-10



P3732-30

TWO-LIGHT

P3733-10 Polished Brass
P3733-30 Textured White
Size: 12-1/2" dia., 6" ht.
Lamps: Two medium base lamps, each 75w max.
Damp location listed.



P3745-10



P3733-10

TWO-LIGHT SEMI-FLUSH

P3745-10 Polished Brass
Size: 12-1/2" dia., 12" ht.
Lamps: Two medium base lamps, each 100w max.

* Fixture includes mounting hardware for both chain hung and ceiling mount.

Savannah

WITH PINEAPPLE HOSPITALITY ACCENTS AND ANTIQUE ALABASTER GLASS, ANY VISITOR WILL FEEL WELCOME IN YOUR HOME.

Chandelier

pg 244



Bath & Vanity

pg 424



P3541-86



P3539-86
P3497-86



P3540-86
P3498-86



P3540-42



P3539-42



P3541-42

TWO-LIGHT CFL

P3497-86 Burnished Chestnut

Size: 13" dia., 7-1/4" ht.

Lamps: Two GU24 CFL lamps, each 13w max.



TWO-LIGHT CFL

P3498-86 Burnished Chestnut

Size: 17" dia., 8-3/4" ht.

Lamps: Two GU24 CFL lamps, each 18w max.



TWO-LIGHT

P3539-42 Seabrook

P3539-86 Burnished Chestnut

Size: 13" dia., 7-1/4" ht.

Lamps: Two medium base lamps, each 60w max.

Damp location listed.

THREE-LIGHT

P3540-42 Seabrook

P3540-86 Burnished Chestnut

Size: 17" dia., 8-3/4" ht.

Lamps: Three medium base lamps, each 60w max.

Damp location listed.

TWO-LIGHT SEMI-FLUSH

P3541-42 Seabrook

P3541-86 Burnished Chestnut

Size: 13-1/8" dia., 13-1/4" ht.

Lamps: Two medium base lamps, each 100w max.

★ Octagonal Beveled Glass

CLEAR, BOUND BEVELED GLASS. G-LAMP RECOMMENDED. DAMP LOCATION LISTED.

Chandelier

pg 250



THREE-LIGHT

P5788-09 Brushed Nickel
P5788-10 Polished Solid Brass
P5788-20 Antique Bronze
 Size: 9-3/4" dia., 5-7/8" ht.
 Lamps: Three G16.5 candelabra base lamps, each 25w max.



P5788-09



P5788-10



P5788-20

FOUR-LIGHT

P5789-09 Brushed Nickel
P5789-10 Polished Solid Brass
P5789-20 Antique Bronze
 Size: 11-1/8" dia., 6-1/4" ht.
 Lamps: Four G16.5 candelabra base lamps, each 25w max.



P5789-09



P5789-10



P5789-20

★ Clear Glass

CLEAR GLASS PANELS HIGHLIGHTED BY GEOMETRIC ACCENTS AND SUSPENDED BY SOFT CURVES. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3645-09 *	Brushed Nickel	Three-light	8-3/8" dia.,	3 candelabra base,
P3645-10 *	Polished Brass		14-1/2" ht.	each 60w max.
P3645-20 *	Antique Bronze			
P3690-09 *	Brushed Nickel	Two-light	8-3/4" sq.,	2 candelabra base,
P3690-20 *	Antique Bronze		8-3/4" ht.	each 60w max.



P3690-09



P3645-09




P3690-20

★ Beveled Glass

CLEAR, BEVELED GLASS PANELS IN A SOLID BRASS FRAME. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3730-10	Polished Solid Brass	Three-light	10" dia.,	3 candelabra base,
			6-1/4" ht.	each 40w max.
P3731-10	Polished Solid Brass	Four-light	13" dia.,	4 candelabra base,
			6-1/4" ht.	each 40w max.
P5834-10 *	Polished Solid Brass	One-light	7" W.,	1 medium base,
		Six-sided	10" ht.	100w max.



P3730-10



P5834-10



P3731-10

* Fixture includes mounting hardware for both chain hung and ceiling mount.

★ Roman Coach

TWO-LIGHT
P6019-20 Antique Bronze
P6019-31 Black
 Clear seeded glass
 Size: 11" W., 6-3/8" ht.
 Lamp: Two medium base lamps, 60w max.



P6019-20



P6020-20

TWO-LIGHT
P6020-09 Brushed Nickel
P6020-20 Antique Bronze
P6020-31 Black
 Etched seeded glass
 Size: 11" W., 6-3/8" ht.
 Lamp: Two GU24 CFL lamps, each 13w max.



P6019-31



P6020-31



★ Ashmore

CLEAR WATER SEEDED
 GLASS WITH CAST
 ALUMINUM FRAME.

TWO-LIGHT
P5562-20 Antique Bronze
P5562-31 Textured Black
 Size: 10-1/2" dia., 9-3/4" ht.
 Lamps: Two candelabra base lamps, each 60w max.
 Damp location listed.



P5562-20

P5562-31

★ Mac

CLEAR WATER GLASS.

TWO-LIGHT
P6023-31 Black
 Size: 11" sq., 6-7/8" ht.
 Lamps: Two medium base lamps, each 100w max.
 Damp location listed.



P6023-31

★ Westport

BEADED TRIM DETAILS AND DIE-CAST
 ALUMINUM FRAME.

ONE-LIGHT
P3883-20 Antique Bronze
P3883-30 White
P3883-31 Black
 Clear seeded glass.
 Size: 9" dia., 10-1/2" ht.
 Lamp: One medium base lamp, 100w max.
 Damp location listed.



P3883-20WB

P3883-31WB



P3883-20

P3883-31

P3883-30



PROGRESS LED

P8022-30 White, 2700K color temperature

P8022-30/35K White, 3500K color temperature
8" surface mount LED trim.
Size: 1-3/4" ht., 8" overall diameter
13-watt input power
Lamps: 9w LED array.



P3713-31 Black
Polycarbonate. Wall or ceiling mount.
Size: 10" sq., 4-1/2" ht.
22-watt input power
Wet location listed
4000K
Lamps: 18w LED array.



P3714-31 Black
White acrylic diffuser.
Size: 10-1/4" sq., 5-1/2" ht.
10-watt input power
Damp location listed.
4000K
Lamps: 10w LED array.



P8022-30
P8022-30/35K



P3713-31



P3714-31

Octagonal

DAMP LOCATION LISTED.
ACRYLIC DIFFUSER AND POLYCARBONATE BASE.

Product No.	Finish	Description	Size	Lamp(s)
P3719-31WB	Black	One-light	10-1/4" dia., 5-3/4" ht.	1 26w GU24 CFL. (included)



P3719-31WB

Round Acrylic

WHITE ACRYLIC ENCASED IN DOUBLE
TRIMMED FRAME. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Ballast	Lamp(s)
P7249-09EBWB	Brushed Nickel	One-light	10-3/8" dia., 3-1/2" ht.	120V NPF electronic	1 22w FC8T9 circline (included)
P7249-174EBWB	Urban Bronze				

ADA



P7249-09EBWB



P7249-174EBWB

Round Clouds

WHITE CONTOURED ACRYLIC CLOUDS.
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamps
P3637-30WB	White	Two-light	14" dia., 3-5/8" ht.	Three GU24 CFL lamps each 13w, (included).
P3433-30WB	White	One-light	10-7/8" dia., 3-1/4" ht.	Three GU24 CFL lamps, each 13w max (included).






P3433-30WB



P3637-30WB

★ Random Collection

Product No.	Finish	Description	Size	Lamp(s)	
P3687-09WB	Brushed Nickel	One-light w/ alabaster glass	11" dia., 5-3/8" ht.	1 13w GU24 CFL (included)	
P3687-20WB	Antique Bronze	One-light w/ alabaster glass	11" dia., 5-3/8" ht.	1 13w GU24 CFL (included)	
P3997-09WB	Brushed Nickel	One-light w/ etched glass	11" dia., 5-3/8" ht.	1 13w GU24 CFL (included)	
P3997-20WB	Antique Bronze	One-light w/ etched glass	11" dia., 5-3/8" ht.	1 13w GU24 CFL (included)	
P3998-20WB	Antique Bronze	One-light w/light etched umber glass	11" dia., 5-3/8" ht.	1 13w GU24 CFL (included)	
P3999-20WB	Antique Bronze	One-light w/ etched umber linen glass	11" dia., 5-3/8" ht.	1 13w GU24 CFL (included)	



P3687-09WB



P3687-20WB



P3997-09WB









P3997-20WB



P3998-20WB



P3999-20WB

Product No.	Finish	Description	Size	Lamp(s)	
P3624-09WB	Brushed Nickel	Two-light w/ alabaster glass	14" dia., 6-5/8" ht.	2 13w GU24 CFL (included)	
P3624-20WB	Antique Bronze	Two-light w/ alabaster glass	14" dia., 6-5/8" ht.	2 13w GU24 CFL (included)	
P3642-09WB	Brushed Nickel	Two-light w/ etched glass	14" dia., 6-5/8" ht.	2 13w GU24 CFL (included)	
P3642-20WB	Antique Bronze	Two-light w/ etched glass	14" dia., 6-5/8" ht.	2 13w GU24 CFL (included)	
P3651-20WB	Antique Bronze	Two-light w/light etched umber glass	14" dia., 6-5/8" ht.	2 13w GU24 CFL (included)	
P3660-20WB	Antique Bronze	Two-light w/etched umber linen glass	14" dia., 6-5/8" ht.	2 13w GU24 CFL (included)	



P3624-09WB



P3624-20WB



P3642-09WB



P3642-20WB



P3651-20WB







P3660-20WB



★ Random Collection

Semi-flush★

Product No.	Finish	Description	Size	Lamp(s)	
P3425-09WB	Brushed Nickel	Two-light semi-flush	12-3/4" dia.,	2 13w GU24 CFL	
P3425-20WB	Antique Bronze	w/ alabaster glass	11-3/8" ht.	(included)	
P3426-09WB	Brushed Nickel	Two-light semi-flush	12-3/4" dia.,	2 13w GU24 CFL	
P3426-20WB	Antique Bronze	w/ etched glass	11-3/8" ht.	(included)	
P3427-20WB	Antique Bronze	Two-light semi-flush w/ light umber etched glass	12-3/4" dia., 11-3/8" ht.	2 13w GU24 CFL (included)	
P3431-20WB	Antique Bronze	Two-light semi-flush w/etched umber linen glass	12-3/4" dia., 11-3/8" ht.	2 13w GU24 CFL (included)	



P3425-09WB



P3425-20WB



P3426-09WB



P3426-20WB



P3427-20WB



P3431-20WB

* Fixture includes mounting hardware for both chain hung and ceiling mount.

★ Iced Glass

ICED RIBBED GLASS WITH ROUNDED KNOB
AND SOLID TRIM.

DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P7364-10EBWB	Polished Brass	Two-light. Ice ribbed	12-1/2" dia., 7-1/4" ht. glass	2 13w GU24 CFL (included)



P7364-10EBWB

★ Swirled Glass

SATIN SWIRLED GLASS WITH TEXTURED WHITE TRIM.
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3547-30EBWB	Textured White	Two-light	12-3/4" dia., 6-1/2" ht.	2 13w GU24 CFL (included)
P3548-30EBWB	Textured White	Three-light	14-5/8" dia., 7" ht.	3 13w GU24 CFL (included)



P3547-30EBWB



P3548-30EBWB

★ Flush Mount

DOME SHAPED GLASS WITH THICK UPPER TRIM.
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P7312-30EBWB	White	Two-light. White glass	11-3/4" dia., 6" ht.	2 13w GU24 CFL. (included)



P7312-30EBWB

★ Etched Ribbed Glass

ETCHED RIBBED GLASS AND BOLD SOLID TRIMS
WITH RIBBED ACCENTS.

DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3761-09EBWB	Brushed Nickel	One-light	11-1/2" dia., 4-1/2" ht.	1 13w GU24 CFL (included)
P3762-09EBWB	Brushed Nickel	Two-light	14" dia., 4-3/4" ht.	2 13w GU24 CFL (included)






P3761-09EBWB



P3762-09EBWB

✦ Etched Alabaster Glass

ALABASTER GLASS WITH ETCHED DETAILING
COMPLETED BY RIBBED TRIMMING.
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)	
P3760-09EBWB	Brushed Nickel	Two-light	16-3/4" dia., 5-1/2" ht.	2 18w GU24 CFL. (included)	
P3760-10EBWB	Polished Brass				
P3764-09EBWB	Brushed Nickel	One-light	11-1/2" dia., 3-3/4" ht.	1 13w GU24 CFL. (included)	
P3765-09EBWB	Brushed Nickel	Two-light	14" dia., 4-3/4" ht.	2 13w GU24 CFL. (included)	



P3760-10EBWB



P3764-09EBWB



P3760-09WB



P3765-09EBWB

✦ Maier



ETCHED WHITE OPAL ACRYLIC FEATURES
A SMOOTH ROUNDED FRAME. WALL OR
CEILING MOUNT.



P3910-09WB



P3910-30WB


Product No.	Finish	Description	Size	Lamps	
P3910-09WB	Brushed Nickel	One-light	9" dia., 4-3/8" ht.	1 26w GU24 CFL (included)	
P3910-30WB	White				
P3911-09WB	Brushed Nickel	Two-light	14" dia., 4-3/4" ht.	2 26w GU24 CFL (included)	
P3911-30WB	White				



P3911-09WB

✦ Round

WHITE CONTOURED ACRYLIC CLOUDS GRADUALLY EXTEND
BEYOND SOLID TRIM. REGRESSED CHASSIS. WALL OR CEILING
MOUNT. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Ballast	Lamp(s)	
P7372-30STRWB	White	Two-light	13-3/4" dia., 3-1/4" ht.	120V NPF electronic	2 13w 4-pin Quad CFL G24q-1 base. (included)	
P7375-30STRWB	White	One-light	9" dia., 3-1/4" ht.	120V NPF electronic	1 13w 4-pin Quad CFL G24q-1 base. (included)	






P7372-30STRWB



P7375-30STRWB

★ Ribbed Melon Glass




ETCHED RIBBED GLASS WITH ROUNDED KNOB AND SOLID TRIM. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)	
P3816-09EB P3816-20EB P3816-30EB	Brushed Nickel Antique Bronze White	One-light	11-3/8" dia., 6" ht.	1 GU24 CFL 13w max.	
P3817-09EB P3817-20EB P3817-30EB	Brushed Nickel Antique Bronze White	Two-light	13-1/4" dia., 7" ht.	2 GU24 CFL each 13w max.	
P3818-09EB P3818-20EB P3818-30EB	Brushed Nickel Antique Bronze White	Three-light	15-1/4" dia., 7-1/2" ht.	3 GU24 CFL each 18w max.	



★ Alabaster Glass

DOMESHAPED GLASS WITH SOLID TRIM AND DECORATIVE KNOBS. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)	
P3924-09EB P3924-20EB	Brushed Nickel Antique Bronze	One-light	11-3/8" dia., 5-1/2" ht.	1 GU24 CFL lamp 13w max.	
P3925-09EB P3925-20EB	Brushed Nickel Antique Bronze	Two-light	13-1/4" dia., 3-3/4" ht.	2 GU24 CFL each 18w max.	
P3926-09EB P3926-20EB	Brushed Nickel Antique Bronze	Three-light	15-1/4" dia., 6-5/8" ht.	3 GU24 CFL each 18w max.	





★ Flush Mount

DOME SHAPED GLASS WITH THICK UPPER TRIM
ENERGY EFFICIENT. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)	
P7312-30	White	Two-light. White glass	11-3/4" dia., 6" ht.	2 13w 2-pin twin CFL. GX23 base	
P7313-10EB	Polished Brass	Two-light. White acrylic	11" dia., 3-1/2" ht.	2 GU24 CFL lamps each 13w max.	



P7312-30



P7313-10EB

★ Maier

ETCHED WHITE OPAL ACRYLIC FEATURES
A SMOOTH ROUNDED FRAME.
WALL OR CEILING MOUNT.
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamps	
P3910-09	Brushed Nickel	One-light	9" dia., 4-3/8" ht.	1 26w GU24 CFL	
P3911-09	Brushed Nickel	Two-light	14" dia., 4-3/4" ht.	2 26w GU24 CFL	



P3910-09



P3911-09

★ Acrylic Globe

WHITE SHATTER RESISTANT ACRYLIC GLOBE
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Ballast	Lamp(s)	
P3623-30	White	One-light	6" dia., 7-1/4" ht.	120V NPF	1 7w 2-pin twin CFL G23 base	







P3623-30

* Fixture includes mounting hardware for
both chain hung and ceiling mount.

Squares



WHITE ACRYLIC DIFFUSER WITH RECTILINEAR FORMS
REGRESSED WHITE CHASSIS. SWING ACTION LATCHES ON
DIFFUSER. WALL OR CEILING MOUNT. DAMP LOCATION LISTED.


Product No.	Finish	Description	Size	Ballast	Lamps	ADA	
P7379-30	White	Two-light	15" sq., 3-1/8" ht.	120V NPF	1 22w FC8T9 circline & 1 32w FC12T9 circline	ADA	
P7380-30	White	Two-light	19" sq., 3-1/8" ht.	120V NPF	1 32w FC12T9 circline 1 40w FC16T9 circline	ADA	
P7381-30	White	Three-light	15" sq., 3" ht.	120V NPF	3 13w 2-pin twin CFL GX23 base	ADA	
P7382-30	White	Two-light	12-1/2" sq., 3-1/8" ht.	120V NPF	2 13w 2-pin twin CFL GX23 base	ADA	



Squares





WHITE POLYCARBONATE DIFFUSER. LOW PROFILE, IMPACT
RESISTANT POLYCARBONATE FRAME. MOUNTS FLUSH UNDER
SHELVES. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Ballast	Lamp(s)	ADA	
P7118-30	White	Two-light	12" sq., 2-1/4" ht.	120V NPF	2 13w 2-pin twin CFL GX23 base	ADA	
P7182-30	White	Two-light	9-1/2" sq., 2" ht.	120V NPF	2 7w or 2 9w 2-pin twin CFL G23 base	ADA	




Round Clouds

WHITE CONTOURED ACRYLIC CLOUDS SUSPEND
OVERHEAD WITH A ROUNDED FINISH.
REGRESSED CHASSIS. WALL OR CEILING MOUNT.

Product No.	Finish	Description	Size	Ballast	Lamp(s)	ADA	
P7307-60	White	One-light	16" dia., 4" ht.	120V NPF	1 32w FC12T9 circline	ADA	
P7309-60	White	Two-light	20" dia., 4-1/2" ht.	120V HPF	1 32w FC12T9 and 1 40w FC16T9 circline		
P7310-60EB	White	Two-light	16" dia., 4" ht.	120V HPF electronic	2 13w 4-pin Quad CFL G24q-1 base. (incl)	ADA	
P7311-60STRWB	White	Four-light	20" dia., 4-1/2" ht.	120V NPF electronic	4 13w 4-pin Quad CFL G24q-1 base. (incl)		





Round Clouds

WHITE CONTOURED ACRYLIC CLOUDS WITH SMOOTH FINISH TEXTURE. TWIST ON INSTALLATION. WALL OR CEILING MOUNT. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Ballast	Lamps	ADA
P7383-30	White	Two-light	14" dia., 3-5/8" ht.	120V NPF	1 22w FC8T9 circline & 1 32w FC12T9 circline	
P7384-30	White	Two-light	18-1/8" dia., 4-1/8" ht.	120V NPF	1 32w FC12T9 circline & 1 40w FC16T9 circline	
P7385-30	White	One-light	10-7/8" dia., 3-1/4" ht.	120V NPF	1 22w FC8T9 circline	



P7384-30



P7383-30



P7385-30

Round

WHITE CONTOURED ACRYLIC CLOUDS GRADUALLY EXTEND BEYOND SOLID TRIM. REGRESSED CHASSIS. WALL OR CEILING MOUNT. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Ballast	Lamp(s)	ADA
P7372-30	White	Two-light	13-3/4" dia., 3-1/4" ht.	120V NPF rapid start	1 22w FC8T9 and 1 32w FC12T9 circline	ADA, HPF
P7372-30STRWB	White	Two-light	13-3/4" dia., 3-1/4" ht.	120V NPF electronic	2 13w 4-pin Quad CFL G24q-1 base (included)	ADA
P7373-30	White	Two-light	19" dia., 4-1/4" ht.	120V HPF rapid start	1 32w FC12T9 and 1 40w FC16T9 circline	
P7375-30 P7375-31	White Black	Two-light	9" dia., 3-1/4" ht.	120V NPF	2 7w 2-pin twin CFL G23 base.	ADA
P7375-30STRWB	White	One-light	9" dia., 3-1/4" ht.	120V NPF electronic	1 13w 4-pin Quad CFL G24q-1 base (included)	ADA
P7376-30 P7376-31	White Black	Two-light	11" dia., 3-1/4" ht.	120V NPF	2 13w 2-pin twin CFL GX23 base	ADA, HPF
P7377-30	White	One-light	11" dia., 3" ht.	120V NPF	1 22w FC8T9 circline	ADA
P7378-30	White	Three-light	14" dia., 3-3/4" ht.	120V NPF	3 13w 2-pin twin CFL GX23 base	ADA



P7372-30
P7372-30STRWB

P7373-30



P7376-31

P7375-31



P7378-30

P7377-30

✦ Etched Patterned Glass

DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3428-09	Brushed Nickel	One-light	11" dia., 5-1/2" ht.	1 medium base, 60w max.
P3429-09	Brushed Nickel	Two-light	13" dia., 6" ht.	2 medium base, 60w max.
P3430-09	Brushed Nickel	Three-light	15" dia., 5-1/2" ht.	3 medium base, 60w max.



P3428-09



P3429-09



P3430-09

✦ Ribbed Melon Glass

ETCHED GLASS WITH SUBTLE RIBBED PATTERN.
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3816-09	Brushed Nickel	One-light	11-3/8" dia., 6" ht.	1 medium base, 75w max.
P3816-20	Antique Bronze			
P3816-30	White			
P3817-09	Brushed Nickel	Two-light	13-1/4" dia., 6-1/8" ht.	2 medium base, each 75w max.
P3817-10	Polished Brass			
P3817-20	Antique Bronze			
P3817-30	White			
P3818-09	Brushed Nickel	Three-light	15-1/4" dia., 7-1/2" ht.	3 medium base, each 60w max.
P3818-10	Polished Brass			
P3818-20	Antique Bronze			
P3818-30	White			



P3816-30



P3816-09



P3816-20



P3817-30



P3817-10



P3818-10



P3818-30



P3818-20



P3817-09

★ Clear Ribbed Glass

CLEAR GLASS BOWL WITH RIBBED DESIGN
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Ballast	Lamp(s)
P3655-10	Polished Brass	Two-light	10-1/2" dia., 6-1/2" ht.	N/A	2 medium base, each 60w max.
P3656-09	Brushed Nickel	Two-light	12-1/2" dia., N/A		2 medium base, each 75w max.
P3656-10	Polished Brass		7-1/4" ht.		
P3656-20	Antique Bronze				
P7364-10EBWB	Polished Brass	Two-light ice glass	12-1/2" dia., 7-1/4" ht.	120V NPF electronic	2 13w GU24 CFL (included)

Pendant

pg 246



★ Clear Swirled Glass

SWIRLED CLEAR GLASS
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3535-10	Polished Brass	Three-light close-to-ceiling	15-1/4" dia., 6-1/4" ht.	3 medium base, each 60w max.



P3535-10

★ Swirled Glass

SATIN SWIRLED GLASS WITH TEXTURED WHITE TRIM
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3536-30	Textured White	Two-light	11-3/4" dia., 6" ht.	2 medium base, 60w max.
P3538-30	Textured White	Three-light	15-1/4" dia., 6-1/4" ht.	3 medium base, each 60w max.
P3547-30EBWB	Textured White	Two-light	12-3/4" dia., 6" ht.	2 13w GU24 CFL (included)
P3548-30EBWB	Textured White	Three-light	15-1/2" dia., 6" ht.	3 13w GU24 CFL (included)



★ Alabaster Glass ☆

DOME SHAPED GLASS WITH SOLID TRIM AND DECORATIVE KNOBS. CHAIN AND CEILING MOUNTS BOTH INCLUDED.

Product No.	Finish	Description	Size	Lamp(s)
P3927-09 *	Brushed Nickel	Two-light	13-1/4" dia.,	2 medium base, each 100w max.
P3927-20 *	Antique Bronze	semi-flush	11-3/8" ht. Overall ht. w/chain 50"	



★ Semi-Flush ☆

DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3460-09	Brushed Nickel	Two-light w/alabaster glass	13-1/4" dia.,	2 medium base, each 60w max.
P3460-09ET	Brushed Nickel	Two-light w/etched glass	13-3/4" ht.	
P3460-20	Antique Bronze	Two-light w/alabaster glass		
P3460-20ET	Antique Bronze	Two-light w/etched glass		
P3460-20ETUM	Antique Bronze	Two-light w/etched umber linen glass		



★ Semi-Flush

SOFT ETCHED GLASS SHADES AND ACCENT KNOBS.
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3855-09	Brushed Nickel	Two-light w/etched glass	13-3/8" dia.,	2 medium base, each 100w max.
P3855-20	Antique Bronze	Two-light w/etched glass	9-1/8" ht.	
P3855-20EUL	Antique Bronze	Two-light w/etched amber linen glass		



P3855-09



P3855-20



P3855-20EUL



★ Ribbed Melon

ETCHED GLASS WITH SUBTLE RIBBED PATTERN.

Product No.	Finish	Description	Size	Lamp(s)
P3876-09	Brushed Nickel	Two-light	13-1/4" dia.,	2 medium base, 100w max.
P3876-20	Antique Bronze	semi-flush	12-1/2" ht.	



P3876-20



P3876-09

* Fixture includes mounting hardware for
both chain hung and ceiling mount.

★ Incandescent Melons

DOME SHAPED GLASS WITH SOLID TRIM AND DECORATIVE KNOBS. DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3924-09	Brushed Nickel	One-light w/alabaster glass	11-3/8" dia.,	1 medium base,
P3924-09ET	Brushed Nickel	One-light w/etched glass	5-1/2" ht.	60w max.
P3924-20	Antique Bronze	One-light w/alabaster glass		
P3924-20ET	Antique Bronze	One-light w/etched glass		
P3924-20EUL	Antique Bronze	One-light w/etched umber linen glass		
P3924-20T	Antique Bronze	One-light w/topaz glass		
P3924-30	White	One-light w/alabaster glass		



P3924-09



P3924-09ET



P3924-20



P3924-20ET



P3924-20EUL



P3924-20T



P3924-30

Product No.	Finish	Description	Size	Lamp(s)
P3925-09	Brushed Nickel	Two-light w/alabaster glass	13-1/4" dia.,	2 medium base,
P3925-09ET	Brushed Nickel	Two-light w/etched glass	5-7/8" ht.	each 75w max.
P3925-20	Antique Bronze	Two-light w/alabaster glass		
P3925-20ET	Antique Bronze	Two-light w/etched glass		
P3925-20EUL	Antique Bronze	Two-light w/etched umber linen glass		
P3925-20T	Antique Bronze	Two-light w/topaz glass		
P3925-30	White	Two-light w/alabaster glass		



P3925-09



P3925-09ET



P3925-20



P3925-20ET



P3925-20EUL



P3925-20T



P3925-30



P3926-09



P3926-20



P3926-20EUL



P3926-09ET



P3926-20ET



P3926-20T

Product No.	Finish	Description	Size Lamp(s)
P3926-09	Brushed Nickel	Three-light w/alabaster glass	15-1/4" dia., 3 medium base,
P3926-09ET	Brushed Nickel	Three-light w/etched glass	6-5/8" ht. each 60w max.
P3926-20	Antique Bronze	Three-light w/alabaster glass	
P3926-20ET	Antique Bronze	Three-light w/etched glass	
P3926-20EUL	Antique Bronze	Three-light w/etched umber linen glass	
P3926-20T	Antique Bronze	Three-light w/topaz glass	
P3926-30	White	Three-light w/alabaster glass	



P3926-30

* Fixture includes mounting hardware for both chain hung and ceiling mount.

★ Swirled Alabaster Glass

SATIN SWIRLED GLASS WITH SUBTLY DECORATED TRIM
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3688-09	Brushed Nickel	One-light	11-1/2" dia., 3-3/4" ht.	1 medium base, 60w max.
P3688-15	Polished Chrome			
P3688-20	Antique Bronze			
P3688-30	Textured White			
P3689-09	Brushed Nickel	Two-light	14" dia., 4-3/4" ht.	2 medium base, each 60w max.
P3689-15	Polished Chrome			
P3689-20	Antique Bronze			
P3689-30	Textured White			
P3697-09	Brushed Nickel	Three-light	17-1/2" dia., 5-7/8" ht.	3 medium base, each 60w max.
P3697-15	Polished Chrome			
P3697-20	Antique Bronze			
P3697-30	Textured White			



★ Clear & White Glass

Product No.	Finish	Description	Size	Lamp(s)
P3348-30	White	Two-light	8-1/2" dia., 5-1/4" ht.	2 medium base, each 60w max.
P3350-30	White			



★ White Glass

WHITE GLASS BOWL WITH WHITE TRIM.

Product No.	Finish	Description	Size	Lamp(s)
P3516-30	White	One-light	6-3/4" dia., 4-3/4" ht.	1 medium base, 60w max.
P3518-30	White			
P3520-30	White	Two-light	10-3/4" dia., 5-3/8" ht.	2 medium base, each 75w max.



★ Glass Globes

WHITE AND CLEAR RIBBED GLASS
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P3203-30	White	White glass globe	6" dia., 7" ht.	1 medium base, 60w max.
P3401-09	Brushed Nickel	One-light with alabaster glass globe.	6" dia., 7-1/4" ht.	1 medium base, 60w max.
P3599-09	Brushed Nickel	One-light with clear, ribbed glass globe. K.O. for switch	6" dia., 7-1/4" ht.	1 medium base, 60w max.
P3599-10	Polished Brass			
P3599-20	Antique Bronze			
P3599-30	White			
P3605-30	White	White glass globe. K.O. for switch.	6" dia., 7-1/4" ht.	1 medium base, 60w max.
P3605-30SW	White	White glass globe with pullchain switch.	6" dia., 7-1/4" ht.	1 medium base, 60w max.
P3705-30	White	White glass globe	8" dia., 9-1/2" ht.	1 medium base, 100w max.
P3750-10	Polished Brass	Clear patterned acorn glass. K.O. for switch.	5-1/2" dia., 9-1/2" ht.	1 medium base, 60w max.



P3203-30



P3401-09



P3599-09



P3599-10



P3599-20



P3599-30



P3605-30SW




P3705-30



P3750-10

★ Acrylic Globes

WHITE SHATTER RESISTANT ACRYLIC GLOBE
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Ballast	Lamp(s)
P3213-30	White	One-light. Polycarbonate canopy.	6" dia., 8" ht.	N/A	1 medium base 60w max.
P3623-30	White	One-light	6" dia., 7-1/4" ht.	120V NPF	1 7w 2-pin twin CFL G23 base 



P3213-30



P3623-30

★ Round Glass

SATIN OPAL CASSED GLASS.

Product No.	Finish	Description	Size	Lamp(s)
P3524-60	White	One-light	8-1/4" dia., 5" ht.	1 medium base, 60w max.
P3526-60	White	One-light	10-1/8" dia., 5-1/2" ht.	1 medium base, 100w max.
P3528-60	White	Two-light	12" dia., 7-1/2" ht.	2 medium base, each 75w max.

P3524-60



P3526-60



P3528-60

★ 6" Fitter

Product No.	Finish	Description	Size	Lamp(s)
P3408-09	Brushed Nickel	One-light w/white glass	7-1/2" dia.,	1 medium base,
P3408-10	Polished Brass	One-light w/white glass	4-3/8" ht.	60w max.
P3408-20	Antique Bronze	One-light w/white glass		
P3408-20T	Antique Bronze	One-light w/topaz glass		
P3408-30	White	One-light w/white glass		



P3408-09



P3408-10



P3408-20



P3408-20T



P3408-30

★ 8" Fitter

Product No.	Finish	Description	Size	Lamp(s)
P3410-09	Brushed Nickel	Two-light w/white glass	9-1/2" dia.,	2 medium base,
P3410-10	Polished Brass	Two-light w/white glass	5-1/4" ht.	each 60w max.
P3410-20	Antique Bronze	Two-light w/white glass		
P3410-20T	Antique Bronze	Two-light w/topaz glass		
P3410-30	White	Two-light w/white glass		



P3410-09



P3410-10



P3410-20



P3410-20T



P3410-30

★ 10" Fitter

Product No.	Finish	Description	Size	Lamp(s)
P3412-09	Brushed Nickel	Two-light w/white glass	11-3/4" dia.,	2 medium base,
P3412-10	Polished Brass	Two-light w/white glass	5-1/4" ht.	each 75w max.
P3412-20	Antique Bronze	Two-light w/white glass		
P3412-20T	Antique Bronze	Two-light w/topaz glass		
P3412-30	White	Two-light w/white glass		



P3412-09



P3412-10



P3412-20



P3412-20T



P3412-30

★ Clear Prismatic Glass

CLEAR PRISMATIC GLASS.

Product No.	Finish	Description	Size	Lamp(s)
P3405-10	Polished Brass	One-light	7-1/2" dia., 4-3/4" ht.	1 medium base, 60w max.
P3405-30	White	Two-light	9-1/2" dia., 5-1/4" ht.	2 medium base, each 60w max.



P3406-30



P3405-30



P3405-10

★ Round Glass

WHITE GLASS.

Product No.	Finish	Description	Size	Lamp(s)
P4609-30	White	White glass shade	12" dia., 5-1/2" ht.	2 medium base, each 60w max.
P4610-30	White	White glass shade	14-1/2" dia., 7" ht.	3 medium base, each 100w max.



P4609-30



P4610-30

★ Square Glass

Product No.	Finish	Description	Size	Lamp(s)
P4961-30	White	White glass	12" sq., 5-1/2" ht.	2 medium base, each 60w max.
P4962-30	White	Patterned white glass	12" sq., 5-1/2" ht.	2 medium base, each 60w max.
P4971-30	White	White glass	14" sq., 7" ht.	2 medium base, each 60w max.



P4961-30




P4962-30



P4971-30

★ Meeting Street

Thomasville
L I G H T I N G[®]

Product No.	Finish	Blades	Description
P2527-102	Roasted Java	Tuscan Oak 	Size: 58" dia., 18-3/8" ht. Limited lifetime warranty Full function remote included 45° Canopy Compatible with universal light kits

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW:	5,923 cubic feet per minute
ELECTRICITY USE:	79 watts (excludes lights)
AIRFLOW EFFICIENCY:	75 cubic feet per minute per watt



P2527-102
Roasted Java with
Tuscan Oak blades



P2527-102 Shown with
P2639-102 light kit (pg 348)

Meeting Street Chandelier
pg 182









Santiago Chandelier
pg 160



Full Function Remote Included
Full-range dimming for light
Three-speed fan operation
Reverse direction control



★ 54" Signature Plus Fan

Product No.	Finish	Reversible Blades	Description	
P2530-09	Brushed Nickel	Silver 	Natural Cherry 	Size: 54" dia., 15" ht. 30-year limited warranty 45" Canopy Compatible with universal light kits
P2530-20	Antique Bronze	Classic Walnut 	Medium Cherry 	
P2530-30W	White	White 	White 	

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW:	6,210 cubic feet per minute
ELECTRICITY USE:	66 watts (excludes lights)
AIRFLOW EFFICIENCY:	94 cubic feet per minute per watt



P2530-30W
White with white blades




P2530-20
Antique Bronze with
Classic Walnut blades



P2530-09
Brushed Nickel with
Silver blades

Ceiling fans are not available in Canada.

Trevina

Product No.	Finish	Blades	Description
P2514-09	Brushed Nickel	Silver 	Size: 52" dia., 18" ht. Etched opal glass 30-yr limited warranty Full function remote included Quick-install canopy Lamp: One mini-can E-11, 100w max. (included)

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW:	4,566 cubic feet per minute
ELECTRICITY USE:	55 watts (excludes lights)
AIRFLOW EFFICIENCY:	83 cubic feet per minute per watt



Full Function Remote Included
Full-range dimming for light
Three-speed fan operation
Reverse direction control



P2514-09
Brushed Nickel with
Silver blades

North Park

Product No.	Finish	Reversible Blades	Description	CTC installation
P2531-09	Brushed Nickel	Natural Cherry  Cherry 	Size: 52" dia., 16" ht. CTC 11" ht. 30-year limited warranty 45" Canopy SureConnect® System Compatible with universal light kits	
P2531-20	Antique Bronze	Cherry  Classic Walnut 		

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW:	5,275 cubic feet per minute
ELECTRICITY USE:	57 watts (excludes lights)
AIRFLOW EFFICIENCY:	93 cubic feet per minute per watt



P2531-09
Brushed Nickel with
Natural Cherry blades



P2531-20
Antique Bronze with
Cherry blades

Chandelier

pg 114



52" Performance Fan




Product No.	Finish	Reversible Blades	Description	CTC installation
P2503-09	Brushed Nickel	Natural Cherry  Cherry 	Size: 52" dia., 15-1/4" ht. CTC 10-1/2" ht. Lifetime limited warranty 45° Canopy SureConnect® System Compatible with universal light kits	
P2503-30W	White	White  White 		
P2503-46	Weathered Bronze	Dark Teak  Oak 		

ENERGY INFORMATION AT HIGH SPEED


AIRFLOW: 5,989 cubic feet per minute
 ELECTRICITY USE: 71 watts (excludes lights)
 AIRFLOW EFFICIENCY: 85 cubic feet per minute per watt



P2503-09
Brushed Nickel
with Natural
Cherry blades



P2503-46
Weathered Bronze with
Dark Teak blades



P2503-30W
White with
White blades

SURECONNECT® SYSTEM



Motor screws pre-installed in blade arms to prevent them from falling out during installation.

Special guides perfectly align blade arms to motor.

Preinstalled rubber isolation pads prevent vibration noise.

45° CANOPY



Standard canopy works with sloped ceilings up to 45° (12:12 ceiling pitch)

Outlet box mounting plate includes convenient hands-free hanger for wiring.


Oversize, textured die-cast hanger ball reduces vibrations that can cause noise and wobble.

Dual-mount for downrod or close-to-ceiling installation (on select fans)

Ceiling fans are not available in Canada.

52" Signature Fan



Product No.	Finish	Reversible Blades	Description	CTC installation
P2521-09	Brushed Nickel	White	Natural Cherry	
P2521-09CH	Brushed Nickel	Cherry	Natural Cherry	
P2521-20	Antique Bronze	Classic Walnut	Medium Cherry	
P2521-77	Forged Bronze	Classic Walnut	Medium Cherry	
P2521-81	Antique Nickel	Cherry	Medium Oak	

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW:	5,422 cubic feet per minute
ELECTRICITY USE:	63 watts (excludes lights)
AIRFLOW EFFICIENCY:	94 cubic feet per minute per watt



P2521-09
White with
White Blades



P2521-09CH
Brushed Nickel with
Cherry Blades



P2521-09
Brushed Nickel with
Natural Cherry Blades



P2521-77
Forged Bronze with
Classic Walnut blades



P2521-20
Antique Bronze with
Classic Walnut Blades



P2521-81
Antique Nickel
with Cherry blades




P2521-20
shown with P2655-01
accessory blades



P2655-01 Set of five palm blades for
P2521 fans. Cherry finish.

Ceiling fans are not available in Canada.

52" Builder Fan

Product No.	Finish	Reversible Blades	Description	CTC installation	
P2501-20	Antique Bronze	Medium Cherry 	Classic Walnut 	Size: 52" dia., 13-1/2" ht. CTC 9-3/4" ht. 30-year limited warranty SureConnect® System 45° Canopy Compatible with universal light kits.	
P2501-09	Brushed Nickel	Cherry 	Natural Cherry 		
P2501-30	White	White 	Washed Oak 		
P2501-30W	White	White 	White 		

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW: 5,266 cubic feet per minute
 ELECTRICITY USE: 64 watts (excludes lights)
 AIRFLOW EFFICIENCY: 82 cubic feet per minute per watt



P2501-30W
White with
White blades






P2501-09
Brushed Nickel with
Cherry blades



P2501-20
Antique Bronze with
Medium Cherry blades

52" Builder Fan & Light

Product No.	Finish	Reversible Blades	Description	CTC installation
P2522-09	Brushed Nickel	Cherry  Natural Cherry 	Alabaster glass bowl Size: 52" dia., 19-1/8" ht. CTC 15-7/16" ht. Lamps: Three candelabra base lamps, each 40w max. 30-year limited warranty 45° Canopy SureConnect® System	





ENERGY INFORMATION AT HIGH SPEED

AIRFLOW: 5,182 cubic feet per minute
 ELECTRICITY USE: 60 watts (excludes lights)
 AIRFLOW EFFICIENCY: 84 cubic feet per minute per watt



P2522-09
Brushed Nickel with
Natural Cherry blades

42" Builder Fan

Product No.	Finish	Reversible Blades	Description	CTC installation	
P2500-09	Brushed Nickel	Cherry 	Natural Cherry 	Size: 42" dia., 12-1/4" ht. 8-1/2" CTC ht., 72" lead wires 15-year limited warranty Quick-Install canopy SureConnect® System Compatible with universal light kits	
P2500-20	Antique Bronze	Classic Walnut 	Medium Cherry 		
P2500-30	White	White 	Washed Oak 		

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW: 2,415 cubic feet per minute
 ELECTRICITY USE: 49 watts (excludes lights)
 AIRFLOW EFFICIENCY: 50 cubic feet per minute per watt



P2500-20
Antique Bronze with Classic Walnut blades



P2500-09
Brushed Nickel with Cherry blades

Quick-Install Canopy



Securely holds fan for wiring during installation. Installs without removing screws from electrical box.





Dual-mount for downrod or close-to-ceiling installation.

Works with sloped ceilings up to 23° (4:12 ceiling pitch)



P2500-30
White with White Blades

42" Hugger Fan

Product No.	Finish	Reversible Blades	Description
P2524-09	Brushed Nickel	Cherry 	Natural Cherry 
P2524-30	White	White 	White 







P2524-09
Brushed Nickel with Natural Cherry Blades



P2524-30
White with White Blades

Ceiling fans are not available in Canada.

★ 52" Hugger Fan


Product No.	Finish	Reversible Blades		Description
P2525-09	Brushed Nickel	Cherry 	Natural Cherry 	Size: 52" dia., 8-1/8" ht. 15-year limited warranty Compatible with universal light kits
P2525-30	White	White 	White 	

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW:	5,106 cubic feet per minute
ELECTRICITY USE:	65 watts (excludes lights)
AIRFLOW EFFICIENCY:	79 cubic feet per minute per watt




★ 54" Patio Fan

Product No.	Finish	Blades	Description	CTC installation
P2533-20	Antique Bronze	Toasted Oak 	Size: 52" dia., 17-3/8" ht. 12-3/16" CTC ht., 80" lead wires SureConnect® System 30-year limited warranty 45° Canopy	ABS all-weather blades Compatible with universal light kits Wet location listed

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW:	5,947 cubic feet per minute
ELECTRICITY USE:	68 watts (excludes lights)
AIRFLOW EFFICIENCY:	87 cubic feet per minute per watt




★ 52" Patio Fan

Product No.	Finish	Blades
P2502-20	Antique Bronze	Oak
P2502-30	White	White
P2502-80	Forged Black	Toasted Oak



Description

Size: 52" dia., 17-3/8" ht.
 12-3/16" CTC ht.
 72" lead wires
 SureConnect® System
 15-year limited warranty
 Quick-Install canopy
 ABS all-weather blades
 Compatible with universal light kits
 Wet location listed



ENERGY INFORMATION AT HIGH SPEED

AIRFLOW: 5,061 cubic feet per minute
 ELECTRICITY USE: 56 watts (excludes lights)
 AIRFLOW EFFICIENCY: 90 cubic feet per minute per watt




★ 52" Patio Fan

Product No.	Finish	Blades
P2526-20	Antique Bronze	Washed Walnut



Description

Size: 52" dia., 17-3/8" ht.
 12-3/16" CTC ht., 80" lead wires
 SureConnect® System
 15-year limited warranty
 45" Canopy
 ABS all-weather blades
 Compatible with universal light kits
 Damp location listed



ENERGY INFORMATION AT HIGH SPEED

AIRFLOW: 4,150 cubic feet per minute
 ELECTRICITY USE: 70 watts (excludes lights)
 AIRFLOW EFFICIENCY: 59 cubic feet per minute per watt



Ceiling fans are not available in Canada.

★ Meeting Street

P2639-102 Toasted Java
Jasmine mist glass.
Universal-style with quick-connect wiring.*
Size: 13-7/8" dia., 7-3/4" ht.
Lamps: Three candelabra base lamps, 40w max (included).

Chandelier
pg 182



P2639-102

*Note: This light kit must be used in conjunction with either a remote control or a wall control – a pull chain control is not included.

★ Torino

P2645-09 Brushed Nickel with etched glass
P2645-77 Forged Bronze with tea-stained glass
Universal-style with quick-connect wiring.
Size: 12" dia., 5-11/16" ht.
Lamps: Three candelabra base lamps, 40w max (included).

Chandelier
pg 150



P2645-09



P2645-77

★ Riverside

P2651-20 Antique Bronze with etched light topaz wave glass
Universal-style with quick-connect wiring.
Size: 13" dia., 5-1/4" ht.
Lamps: Three candelabra base lamps, 40w max (included).

Chandelier
pg 164



P2651-20

★ Laguna

P2651-09 Brushed Nickel with Incised wave pattern in etched opal glass.
Universal-style with quick-connect wiring.
Size: 13" dia., 5-1/4" ht.
Lamps: Three candelabra base lamps, 40w max (included).



P2651-09

Wisten

P2649-09 Brushed Nickel

P2649-20 Antique Bronze

Etched glass.

Universal-style light kit with quick-connect wiring.

Size: 11" dia., 6" ht.

Lamps: Three candelabra base lamps, each 40w max, included.



P2649-09



P2649-20

Chandelier

pg 76



Gather & Bravo

P2650-09 Brushed Nickel

P2650-20 Antique Bronze

P2650-20T Antique Bronze with tea-stained glass

Universal-style light kit with quick-connect wiring.

Size: 11" dia., 5-1/2" ht.

Lamps: Three candelabra base lamps, each 40w max (included).



P2650-09



P2650-20T



P2650-20

Gather Chandelier

pg 86



Bravo Chandelier

pg 70



North Park

P2654-09 Brushed Nickel

P2654-20 Antique Bronze

Etched glass. Universal-style with quick-connect wiring.

Size: 12-1/2" sq., 6-1/4" ht.

Lamps: Three candelabra base lamps, 40w max., included.



P2654-09



P2654-20

Chandelier

pg 114



Ceiling fans are not available in Canada.

★ Metal Shades

P2646-09 Brushed Nickel

P2646-20 Antique Bronze

P2646-30 White

Universal-style light kit with quick-connect wiring. Adjustable metal shade with black baffle.

Size: 9" dia. (adjustable to 11" dia.), 6-5/8" ht.

Lamps: Three medium base CFL lamps included, each 13w max.

Non-dimmable.



P2646-30



P2646-20



P2646-09

★ Four Light Universal

P2643-09 Brushed Nickel

P2643-20 Antique Bronze

P2643-20T Antique Bronze

P2643-30 White

with tea stained glass

Alabaster glass.

Universal-style with

quick-connect wiring.

Size: 13-5/8" dia., 7" ht.

Lamps: Four candelabra base lamps, each 40w max., included.



P2643-09



P2643-20



P2643-30



P2643-20T

★ Three Light Universal

P2642-09 Brushed Nickel

P2642-30 White

Alabaster glass.

Universal-style with

quick-connect wiring.

Size: 13-5/8" dia., 7" ht.

Lamps: Three candelabra base lamps, each 60w max., included.



P2642-09



P2642-30

★ Three Light Alabaster

P2600-09 Brushed Nickel

P2600-20 Antique Bronze

P2600-30 White

Alabaster glass. Spring clip glass attachment.

Size: 15" dia., 6-5/8" ht.

Lamps: Three medium base lamps, each 60w max. Three 13w medium base CFL included (non-dimmable).

For use with P2500, P2501, P2524 and P2525. Can be used with P2502 indoors.



P2600-09



P2600-20



P2600-30

★ Four Light Alabaster

P2610-09 Brushed Nickel

P2610-20 Antique Bronze

P2610-30 White

Alabaster glass. Spring clip glass attachment.

Size: 15" dia., 6-1/4" ht.

Lamps: Four medium base lamps, each 60w max. Four 13w medium base CFL included (non-dimmable).

For use with P2500, P2501, P2524 and P2525. Can be used with P2502 indoors.



P2610-09



P2610-20



P2610-30

P2616-46 Weathered Bronze

Alabaster glass. Spring clip glass attachment.

Size: 15-1/4" dia., 7-1/2" ht.


Lamps: Four medium base lamps, each 60w max. Four 13w medium base CFL included (non-dimmable).

For use with P2503 only.



P2616-46

Ceiling fans are not available in Canada.



★ Renovations

P2625-77 Forged Bronze

P2625-81 Antique Nickel
Etched glass.

Universal-style light kit with
quick-connect wiring.

Size: 19" dia., 8" ht.

Lamps: Four medium base
lamps, each 60w max.

Four 13w medium base CFL
included (non-dimmable).



P2625-77



P2625-81

Chandelier

pg 126



★ Madison

P2623-09 Brushed Nickel

P2623-20 Antique Bronze
Etched glass.

Universal-style light kit with
quick-connect wiring.

Size: 18" dia., 7-1/2" ht.

Lamps: Three medium
base lamps, each 60w max.

Three 13w medium base CFL
included (non-dimmable).



P2623-09
Shown on P2521-09 Fan



P2623-20

Chandelier

pg 122



P2623-09

★ Trinity

P2628-09 Brushed Nickel

P2628-20 Antique Bronze

P2628-77 Forged Bronze

P2628-81 Antique Nickel

Etched glass.

Universal-style with quick-connect wiring.

Size: 13-3/8" dia., 6-3/8" ht.

Lamps: Three candelabra base lamps, each 40w max., included.

Chandelier

pg 102



P2628-09



P2628-20



P2628-77



P2628-81

★ Alabaster Bowl I

P2612-09 Brushed Nickel

P2612-20 Antique Bronze

P2612-20T Antique Bronze with tea stained glass

P2612-30 White

P2612-46 Weathered Bronze

Alabaster glass.

Universal-style with quick-connect wiring.

Size: 10-3/4" dia., 6" ht.

Lamps: Three candelabra base lamps, each 40w max., included.



P2612-09



P2612-30



P2612-20



P2612-20T



P2612-46

Ceiling fans are not available in Canada.

★ Low Profile

P2602-09 Brushed Nickel

P2602-20 Antique Bronze

P2602-30 White

Opal glass.

Universal-style with quick-connect wiring.

Size: 10-1/2" dia., 3-13/16" ht.

Lamp: Two candelabra base lamps, each 60w max., included.



P2602-09



P2602-30



P2602-20

★ Schoolhouse

P2644-09 Brushed Nickel

P2644-30 White

White opal glass.

Universal-style with quick-connect wiring.

Size: 6-1/2" dia., 8-1/2" ht.

Lamp: One medium base lamp, 100w max. One 13w medium base CFL included (non-dimmable).



P2644-30

Shown on P2502-30 Fan



P2644-09



P2644-30

✦ Wisten

P2649-09EBWB Brushed Nickel
P2649-20EBWB Antique Bronze
 Etched glass. Universal-style with quick-connect wiring.
 Size: 11" dia., 6" ht.
 Lamps: Two 13w GU24 CFL, included (non-dimmable).



P2649-20EBWB



P2649-09EBWB

✦ Alabaster Bowl I

P2621-09EBWB Brushed Nickel
P2621-30EBWB White
 Alabaster glass. Universal-style with quick-connect wiring.
 Size: 10-3/4" dia. 6" ht.
 Lamp: Two 13w GU24 CFL, included (non-dimmable).



P2621-09EBWB



P2621-30EBWB

✦ Low Profile

P2602-09EBWB Brushed Nickel
P2602-20EBWB Antique Bronze
P2602-30EBWB White
 Opal glass. Universal style with quick-connect wiring.
 Size: 10-5/8" dia., 3-7/8" ht.
 Lamps: Two 13w GU24 CFL, included (non-dimmable).



P2602-09EBWB



P2602-20EBWB



P2602-30EBWB

✦ Schoolhouse

P2620-30EBWB White
 Universal-style with quick-connect wiring.
 Schoolhouse opal glass.
 Size: 8-1/4" dia., 7-1/4" ht.
 Lamp: One 13w GU24 CFL, included (non-dimmable).



P2620-30EBWB

Ceiling fans are not available in Canada.

★ Ashmore

P2636-20 Antique Bronze
Indoor/outdoor. Frosted seeded glass
Universal-style with quick-connect wiring
Size: 11" dia., 8-1/4" ht.
Lamps: Two medium base lamps, 60w max. Two 13w medium base CFL included (non-dimmable)
Damp location listed



★ Low Profile

P2611-20 Antique Bronze
P2611-30 White
Indoor/outdoor. Opal glass.
Universal-style with quick-connect wiring.
Size: 10-1/2" dia., 3-13/16" ht.
Lamp: Two candelabra base lamps, each 40w max., included.
Wet location listed



★ Schoolhouse

P2601-20 Antique Bronze
P2601-30 White
P2601-80 Forged Black
Indoor/outdoor.
Opal glass
Universal-style with quick-connect wiring.
Size: 8-1/2" dia., 6-3/4" ht.
Lamp: One medium base lamp, 60w max. One 13w medium base CFL included (non-dimmable).
Wet location listed



Energy Policy Act of 2005 (EPACT)

The Energy Policy Act of 2005 (EPACT) established a comprehensive, long-range energy policy. It provides incentives for traditional energy production as well as newer, more efficient energy technologies and conservation.

Under EPACT, any ceiling fan with included lighting or any ceiling fan lighting accessory, beginning with products produced January 1, 2009, must:

- Include an Energy Star (v3.0) screw-in compact fluorescent lamp for each medium base socket, or
- Meet Energy Star (v4.0) requirements for lighting (pin-base compact fluorescent only)
- For fan lights that use other lamp bases, such as candelabra and GU24, the product must
 - > Include a device to limit total wattage to 190 watts
 - > Include bulbs for each socket to match the wattage rating


The product descriptions in this catalog have been updated to reflect compliance with EPACT.

Accessory Downrods

3/4" diameter; approximately 1" outside diameter.

Ceiling Ht.	9'-10'	10'-11'	11'-12'	12'-14'	13'-15'	14'-16'	15'-17'
Length	12"	18"	24"	36"	48"	60"	72"
Brushed Nickel	P2603-09	P2604-09	P2605-09	P2606-09	P2607-09	P2608-09	P2609-09
Antique Bronze	P2603-20	P2604-20	P2605-20	P2606-20	P2607-20	P2608-20	P2609-20
White	P2603-30	P2604-30	P2605-30	P2606-30	P2607-30	P2608-30	P2609-30
Weathered Bronze	P2603-46	P2604-46	P2605-46	P2606-46	P2607-46	P2608-46	P2609-46
Forged Bronze	P2603-77	P2604-77	P2605-77	P2606-77	P2607-77	P2608-77	P2609-77
Forged Black	P2603-80	P2604-80	P2605-80	P2606-80	P2607-80	P2608-80	P2609-80
Antique Nickel	P2603-81	P2604-81	P2605-81	P2606-81	P2607-81	P2608-81	P2609-81
Roasted Java	P2603-102	P2604-102	P2605-102	P2606-102	P2607-102	P2608-102	P2609-102

Downrod Selection Guide



* Average length downrod included with fans

Fan Controls



P2614-01 Fan/Light Remote
Provides fan speed and dimming light control from convenient handheld remote. For single pole applications. Receiver fits in fan canopy.



P2618-01 Fan/Light Remote
Provides fan speed and light control from convenient handheld remote. Compatible with non-dimmable compact fluorescent lamps. For single pole applications. Receiver fits in fan canopy.



P2613-30 White
Four-speed fan wall control. Includes switchplate cover. Not for use with multiple fans.



P2619-30 White
Four-speed fan wall control. Fits standard wall plate. Includes switchplate cover. Not for use with multiple fans.



P2630-30 White
Four-speed fan wall control with full-range light dimmer. Fits single-gang wall box; requires two circuits. Includes switchplate cover. Not for use with multiple fans.



P2631-30 White
Full-function wall control transmitter**. Use with, or in place of, handheld remote included with fans that have a downlight. Includes switchplate cover. For use with the following catalog numbers: P2514, P2527.

**Receiver sold with ceiling fan

Ceiling fans are not available in Canada.



✦ BATH AND VANITY



LOFT  Coupe

A RIBBED CLEAR GLASS DIFFUSER ENCOMPASSES INDIVIDUAL ETCHED GLASS SHADES.



P2029-09WB



P2030-09WB



P2031-09WB



P2032-09WB

Chandelier

pg 46



ONE-LIGHT BATH

P2029-09WB Brushed Nickel
Size: 4-1/2" W., 7" ht.
Extends 4-3/4". H/CTR 4-1/4".
Lamps: One krypton
candelabra base lamp,
60w max (included).

TWO-LIGHT BATH

P2030-09WB Brushed Nickel
Size: 14-3/8" W., 6-1/4" ht.
Extends 5-1/4". H/CTR 3-1/2".
Lamps: Two krypton
candelabra base lamps,
each 60w max (included).

THREE-LIGHT BATH

P2031-09WB Brushed Nickel
Size: 23" W., 6-1/4" ht.
Extends 5-1/8". H/CTR 3-1/2".
Lamps: Three krypton
candelabra base lamps,
each 60w max (included).

FIVE-LIGHT BATH

P2032-09WB Brushed Nickel
Size: 36" W., 6-1/4" ht.
Extends 6-3/4". H/CTR 3-1/2".
Lamps: Five krypton
candelabra base lamps,
each 60w max (included).



LOFT  Helium

SLEEK, FINELY RIBBED ETCHED GLASS SHADES WITH METAL STUDS SUPPORT THIS HEAVENLY STRUCTURE. MOUNT VERTICALLY, HORIZONTALLY OR CEILING MOUNT.



P2905-09
mounted horizontally



P2901-09
mounted horizontally



P2901-09
mounted vertically



P2905-09
mounted vertically

Chandelier
pg 42



TWO-LIGHT BATH
P2901-09 Brushed Nickel
 Size: 20" W., 6" ht.
 Extends 5-3/8". H/CTR 3".
 Lamps: Two medium base lamps, each 75w max.

FOUR-LIGHT BATH
P2905-09 Brushed Nickel
 Size: 34" W., 6" ht.
 Extends 5-7/8". H/CTR 3".
 Lamps: Four medium base lamps, each 75w max.



LOFT  Cliché

REFLECTIONS OF THE CLEAR, PILLOW-GLASS PATTERN CREATE THE ILLUSION OF A FULL CIRCLE OF FLOATING GLASS. GLASS ARCS FLOAT IN FRONT OF A CUSTOM ETCHED GLASS DIFFUSER.



P2823-15WB



P2825-15WB



P2824-15WB



P2826-15WB

ONE-LIGHT BATH

P2823-15WB Polished Chrome
Size: 7-1/2" W., 5-1/2" ht.
Extends 4-3/4". H/CTR 2-3/4".
Lamp: One G9 base halogen
lamp, 35w max. (included).

TWO-LIGHT BATH

P2824-15WB Polished Chrome
Size: 14-7/8" W., 5-1/2" ht.
Extends 4-3/4". H/CTR 2-3/4".
Lamps: Two G9 base halogen
lamps, each 35w max. (included).

THREE-LIGHT BATH

P2825-15WB Polished Chrome
Size: 22-1/4" W., 5-1/2" ht.
Extends 4-3/4". H/CTR 2-3/4".
Lamps: Three G9 base halogen
lamps, each 35w max. (included).

FOUR-LIGHT BATH

P2826-15WB Polished Chrome
Size: 29-3/4" W., 5-1/2" ht.
Extends 4-1/2". H/CTR 2-3/4".
Lamps: Four G9 base halogen
lamps, each 35w max. (included).

SQUARE ETCHED OPAL GLASS SHADES,
SUSPENDED ON A RECTILINEAR FRAMEWORK
IN A BRUSHED NICKEL FINISH.



P2765-09WB



P2757-09WB




P2766-09WB



P2767-09WB

Close-to-ceiling

pg 294



ONE-LIGHT BATH

P2757-09WB Brushed Nickel
Size: 8-1/4" W., 4-1/2" ht.
Extends 5-1/2". H/CTR 2-1/4".
Lamp: One G9 base halogen
lamp, 60w max. (included).

*Fixtures on this page can
mount in up or down position.*

TWO-LIGHT BATH

P2765-09WB Brushed Nickel
Size: 15-1/2" W., 4-1/2" ht.
Extends 5-1/2". H/CTR 2-1/4".
Lamps: Two G9 base halogen
lamps, each 60w max.
(included).

THREE-LIGHT BATH

P2766-09WB Brushed Nickel
Size: 22-7/8" W., 4-1/2" ht.
Extends 5-1/2". H/CTR 2-1/4".
Lamps: Three G9 base
halogen lamps, each 60w max.
(included).

FOUR-LIGHT BATH

P2767-09WB Brushed Nickel
Size: 30-1/8" W., 4-1/2" ht.
Extends 5-1/2". H/CTR 2-1/4".
Lamps: Four G9 base halogen
lamps, each 60w max.
(included).



LOFT  **Rock-on**

A PERFECT INTERSECTION OF GLASS AND COPPER BRONZE THAT BRINGS AN ELEMENT OF BALANCE TO THE HOME. ICONIC WHITE ETCHED GLASS SHADES SIT ON A LINEAR BAR.



ONE-LIGHT BATH
P3100-124WB Copper Bronze
 Size: 5" W., 8-7/8" ht.
 Extends 6". H/CTR 6-7/8".
 Lamp: One candelabra base
 krypton lamp, 60w max.
 (included).

TWO-LIGHT BATH
P3109-124WB Copper Bronze
 Size: 11-3/4" W., 8-7/8" ht.
 Extends 6". H/CTR 6-7/8".
 Lamps: Two candelabra base
 krypton lamps, each 60w max.
 (included).

THREE-LIGHT BATH
P3112-124WB Copper Bronze
 Size: 18-3/4" W., 8-7/8" ht.
 Extends 6". H/CTR 6-7/8".
 Lamps: Three candelabra base
 krypton lamps, each 60w max.
 (included).

FOUR-LIGHT BATH
P3113-124WB Copper Bronze
 Size: 25-3/4" W., 8-7/8" ht.
 Extends 6". H/CTR 6-7/8".
 Lamps: Four candelabra base
 krypton lamps, each 60w max.
 (included).

*P7807-01 60w E12 xenon lamp
 recommended for use if fixture is
 mounted down for longer lamp life*

All fixtures on these pages mount up or down.

LOFT  Torque


HANDSOME STYLING DEFINES THE INDUSTRIAL-INSPIRED TORQUE COLLECTION. A LOW-PROFILE SILHOUETTE AND MOUTH-BLOWN, ETCHED OPAL GLASS SHADES ADD A MODERN TWIST.



P2719-124WB



P2719-09WB



P2720-124WB



P2720-09WB



P2722-124WB



P2721-09WB



P2721-124WB

Chandelier
pg 38



Close-to-ceiling
pg 295



ONE-LIGHT BATH
P2719-09WB Brushed Nickel
P2719-124WB Copper Bronze
 Size: 5-7/8" W., 5" ht.
 Extends 7-5/8". H/CTR 2-1/2".
 Lamp: One G9 base halogen lamp, 60w max. (included).

TWO-LIGHT BATH
P2720-09WB Brushed Nickel
P2720-124WB Copper Bronze
 Size: 14-1/2" W., 5" ht.
 Extends 7-5/8". H/CTR 2-1/2".
 Lamps: Two G9 base halogen lamps, each 60w max. (included).

THREE-LIGHT BATH
P2721-09WB Brushed Nickel
P2721-124WB Copper Bronze
 Size: 23" W., 5" ht.
 Extends 7-5/8". H/CTR 2-1/2".
 Lamps: Three G9 base halogen lamps, each 60w max. (included).

FOUR-LIGHT BATH
P2722-09WB Brushed Nickel
P2722-124WB Copper Bronze
 Size: 31-1/2" W., 5" ht.
 Extends 7-5/8". H/CTR 2-1/2".
 Lamps: Four G9 base halogen lamps, each 60w max. (included).



LOFT  Nissé

Thomasville
LIGHTING®

OVAL SHAPED, ETCHED OPAL GLASS SHADES, ACCENTED WITH CLEAR GLASS DISKS IN A POLISHED NICKEL FINISH.



P2012-104



P2013-104



P2014-104



P2015-104

Close-to-ceiling
pg 292



Mini-pendant
pg 251



ONE-LIGHT BATH
P2012-104 Polished Nickel
Size: 5-1/4" W., 9" ht.
Extends 5-1/4", H/CTR 6-5/8".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P2013-104 Polished Nickel
Size: 14-5/8" W., 9" ht.
Extends 5-1/4", H/CTR 6-5/8".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P2014-104 Polished Nickel
Size: 24" W., 9" ht.
Extends 5-1/4", H/CTR 6-5/8".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P2015-104 Polished Nickel
Size: 33-1/2" W., 9" ht.
Extends 5-1/4", H/CTR 6-5/8".
Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

LOFT  Calven

SCULPTED PROFILE WITH BOLD EXPRESSIVE CURVES. ETCHED OPAL GLASS SHADES WITH FORGED BLACK OR BRUSHED NICKEL ARMS CREATE AN URBAN FEEL.



P3209-09WB



P3209-80WB*



P3236-80WB



P3236-09WB



P3210-09WB



P3210-80WB



P3223-09WB



P3223-80WB

Chandelier
pg 12



Close-to-ceiling
pg 294



ONE-LIGHT BATH
P3209-09WB Brushed Nickel
P3209-80WB Forged Black *
 Size: 6-3/8" W., 11-1/2" ht. Extends 7-5/8". H/CTR 6".
 Lamp: One G9 base halogen lamp, 60w max. (included).

TWO-LIGHT BATH
P3210-09WB Brushed Nickel
P3210-80WB Forged Black
 Size: 18" W., 6" ht. Extends 7-7/8". H/CTR 3".
 Lamps: Two G9 base halogen lamps, each 60w max. (included).

THREE-LIGHT BATH
P3223-09WB Brushed Nickel
P3223-80WB Forged Black
 Size: 25" W., 6" ht. Extends 7-7/8". H/CTR 3".
 Lamps: Three G9 base halogen lamps, each 60w max. (included).

FOUR-LIGHT BATH
P3236-09WB Brushed Nickel
P3236-80WB Forged Black
 Size: 34-3/8" W., 6-1/2" ht. Extends 7-7/8". H/CTR 3".
 Lamps: Four G9 base halogen lamps, each 60w max. (included).

*P3209-80WB comes with both fabric and glass shades

ETCHED LIGHT UMBER GLASS IN AN ANTIQUE BRONZE FINISH OR WHITE ETCHED GLASS IN A BRUSHED NICKEL FINISH COMPLEMENT THE FASHION FORWARD FRAME.



P2000-09



P2000-20



P2002-09



P2002-20



P2001-09



P2003-09



P2001-20



P2003-20

Chandelier

pg 16



ONE-LIGHT BATH

P2000-09 Brushed Nickel
P2000-20 Antique Bronze
 Size: 6" W., 9-1/2" ht.
 Extends 7". H/CTR 6".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2001-09 Brushed Nickel
P2001-20 Antique Bronze
 Size: 14" W., 7-5/8" ht.
 Extends 8-1/8". H/CTR 4-1/8".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2002-09 Brushed Nickel
P2002-20 Antique Bronze
 Size: 22" W., 7-5/8" ht.
 Extends 8-1/8". H/CTR 4-1/8".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2003-09 Brushed Nickel
P2003-20 Antique Bronze
 Size: 30" W., 7-5/8" ht.
 Extends 8-1/8". H/CTR 4-1/8".
 Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

TRANSCEND  **Bravo**

FREE FLOWING ARMS WITH FLUTED SHAPED GLASS. BRUSHED NICKEL FINISH HAS ETCHED GLASS. ANTIQUE BRONZE FEATURES ETCHED LIGHT UMBER GLASS.



P2004-09



P2004-20



P2005-09



P2005-20



P2006-20



P2006-09



P2007-09



P2007-20

Chandelier

pg 71



ONE-LIGHT BATH

P2004-09 Brushed Nickel
P2004-20 Antique Bronze
 Size: 7-1/4" W., 9" ht.
 Extends 8-3/4". H/CTR 4-1/2".
 Lamp: One medium base lamp,
 100w max.

TWO-LIGHT BATH

P2005-09 Brushed Nickel
P2005-20 Antique Bronze
 Size: 17" W., 8-1/2" ht.
 Extends 8-3/4". H/CTR 6-1/8".
 Lamps: Two medium base
 lamps, each 100w max.

THREE-LIGHT BATH

P2006-09 Brushed Nickel
P2006-20 Antique Bronze
 Size: 26-3/4" W., 8-3/4" ht.
 Extends 8-3/4". H/CTR 6-3/8".
 Lamps: Three medium base
 lamps, each 100w max.

FOUR-LIGHT BATH

P2007-09 Brushed Nickel
P2007-20 Antique Bronze
 Size: 37-1/4" W., 9" ht.
 Extends 8-3/4". H/CTR 6-1/2".
 Lamps: Four medium base
 lamps, each 100w max.

CREATED TO EASILY COORDINATE WITH THE JOY AND BRAVO FAMILIES, ADORN FEATURES FLUTED ETCHED GLASS SHADES THAT MOUNT UP OR DOWN ON A CURVING FRAME.



P2009-20



P2008-09



P2008-15



P2009-15



P2008-20



P2009-09



P2010-09



P2010-15



P2010-20

ONE-LIGHT BATH

P2008-09 Brushed Nickel

P2008-15 Polished Chrome

P2008-20 Antique Bronze

Size: 5-1/4" W., 6-3/4" ht. Extends 7". H/CTR 3-3/8".

Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2009-09 Brushed Nickel

P2009-15 Polished Chrome

P2009-20 Antique Bronze

Size: 13-1/4" W., 6-5/8" ht. Extends 6-1/4". H/CTR 4-3/8".

Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2010-09 Brushed Nickel

P2010-15 Polished Chrome

P2010-20 Antique Bronze

Size: 21-1/2" W., 6-5/8" ht. Extends 7-1/2". H/CTR 4-3/8".

Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2011-09 Brushed Nickel

P2011-15 Polished Chrome

P2011-20 Antique Bronze

Size: 28-1/4" W., 6-5/8" ht. Extends 7-1/2". H/CTR 4-3/8".

Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.



P2011-09



P2011-20

Chandelier

pg 16




Close-to-Ceiling

pg 332



P2011-15



TRANSCEND



Sentura

SLIGHT CURVES AND SOFT UNDERTONES MERGE TO CREATE A DRAMATIC EFFECT IN THE SENTURA FAMILY. ETCHED WATERMARK GLASS IN PLAYFUL SCOOPED SHAPES.



P2740-09



P2739-09



P2742-09



P2741-09

ONE-LIGHT BATH

P2739-09 Brushed Nickel
Size: 7-1/8" W., 8-1/2" ht.
Extends 9-1/4".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2740-09 Brushed Nickel
Size: 17-1/8" W., 6-1/8" ht.
Extends 8-7/8".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2741-09 Brushed Nickel
Size: 27-1/8" W., 7-3/4" ht.
Extends 8-7/8".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2742-09 Brushed Nickel
Size: 37-1/8" W., 8-1/4" ht.
Extends 8-7/8".
Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

TRANSCEND  Michael Graves

CREATE A BALANCED, SPA-LIKE ATMOSPHERE WITH SOFT, YET CRISP ACCENTS. CURVES AND UNDULATING ETCHED GLASS SHADES.



P3240-09



P3242-09



P3240-15




P3241-09



P3242-15

Star-shaped glass



Top View



P3241-15

ONE-LIGHT BATH

P3240-09 Brushed Nickel
P3240-15 Polished Chrome
 Size: 5-1/8" W., 8-1/8" ht.
 Extends 6-1/2".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P3241-09 Brushed Nickel
P3241-15 Polished Chrome
 Size: 13-1/8" W., 8" ht.
 Extends 6-7/8".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P3242-09 Brushed Nickel
P3242-15 Polished Chrome
 Size: 20-1/8" W., 8" ht.
 Extends 8-1/8".
 Lamps: Three medium base lamps, each 100w max.

COORDINATES WITH





P2758-09 one-light bath and
P2760-09 three-light bath bars

TRANSCEND  **Lahara**

THIS TIMELESS DESIGN WORKS WITH A VARIETY OF BATH DECORS AND COORDINATES WITH DELTA'S POPULAR LAHARA FAUCET COLLECTION. WHITE GLASS GIVES SLEEK AND DRAMATIC DESIGN A SOFT EDGE.



P2758-09



P2758-74



P2759-09



P2759-74



P2758-15



P2759-15



P2760-09



P2760-74

Close-to-ceiling
pg 298



COORDINATES WITH
DELTA
FAUCET COMPANY

ONE-LIGHT BATH

P2758-09 Brushed Nickel
P2758-15 Polished Chrome
P2758-74 Venetian Bronze
Size: 5-7/8" W., 10-7/16" ht.
Extends 7-1/2".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2759-09 Brushed Nickel
P2759-15 Polished Chrome
P2759-74 Venetian Bronze
Size: 15-5/8" W., 10-3/8" ht.
Extends 7-1/2".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2760-09 Brushed Nickel
P2760-15 Polished Chrome
P2760-74 Venetian Bronze
Size: 25-5/8" W., 10-3/8" ht.
Extends 7-1/2".
Lamps: Three medium base lamps, each 100w max.

Fixtures on this page mount in up or down position.

THE RIZU FAMILY EVOKES A GEOMETRIC DESIGN INSPIRATION, WITH ITS FUN AND FLIRTY CAST ANGULAR FIXTURES. WHITE GLASS SHADES ARE VERSATILE AND MOUNT UP OR DOWN. COORDINATES WITH DELTA'S RIZU FAUCET COLLECTION.



P2805-09



P2805-15



P2806-15



P2807-15



P2806-09



P2807-09



P2808-15



ONE-LIGHT BATH

P2805-09 Brushed Nickel
P2805-15 Polished Chrome
 Size: 6" W., 7-1/4" ht.
 Extends 6-3/4". H/CTR 3-3/4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2806-09 Brushed Nickel
P2806-15 Polished Chrome
 Size: 13-1/2" W., 7-1/4" ht.
 Extends 7". H/CTR 3-3/4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2807-09 Brushed Nickel
P2807-15 Polished Chrome
 Size: 22-1/2" W., 7-1/4" ht.
 Extends 7". H/CTR 3-3/4".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2808-09 Brushed Nickel
P2808-15 Polished Chrome
 Size: 31-1/2" W., 7-1/4" ht.
 Extends 7". H/CTR 3-3/4".
 Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

TRANSCEND  Lynzie

UNCLUTTERED AND SIMPLE LINES DEPICT THE GRACEFULNESS OF THE LYNZIE BATH COLLECTION. DELICATE CLASSIC CHROME FINISHED ARMS. ETCHED WHITE OPAL GLASS IN OVAL SHAPES FINISH THE ELEGANT FIXTURE.



P2801-15



P2803-15



P2802-15



P2804-15

ONE-LIGHT BATH

P2801-15 Polished Chrome
Size: 5-1/4" W., 10-3/8" ht.
Extends 5-5/8".

Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2802-15 Polished Chrome
Size: 14-1/2" W., 11-1/8" ht.
Extends 5-5/8".

Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH



P2803-15 Polished Chrome
Size: 24" W., 11-1/8" ht.
Extends 5-5/8".

Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2804-15 Polished Chrome
Size: 33-1/4" W., 11-1/8" ht.
Extends 5-5/8".

Lamps: Four medium base lamps, each 100w max.




TRANSCEND  **Alexa**

FEATURING A TRANSITIONAL DESIGN STYLE, THIS COLLECTION OFFERS THE BEST OF TRADITIONAL AND MODERN DETAILS. ETCHED LINEN AND CLEAR GLASS.



P2977-09



P2978-09



P2959-09



P2998-09

Chandelier
pg 64



Close-to-ceiling
pg 298



ONE-LIGHT BATH
P2959-09 Brushed Nickel
Size: 4-1/2" W., 9-1/4" ht.
Extends 6-1/8".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P2977-09 Brushed Nickel
Size: 13" W., 9-3/8" ht.
Extends 6-1/8".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P2978-09 Brushed Nickel
Size: 22" W., 9-3/8" ht.
Extends 6-1/8".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P2998-09 Brushed Nickel
Size: 31" W., 9-1/2" ht.
Extends 6-1/8".
Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

TRADITIONAL STYLE WITH A MODERN TWIST. CURVING DETAILS HIGHLIGHTED BY SILVER RIDGE FINISH. UNIQUE DOUBLE DRUM GLASS SHADES WITH LINEN FINISH.



P2885-134WB



P2886-134WB



P2888-134WB



P2887-134WB

Chandelier

pg 56



Close-to-ceiling

pg 297



ONE-LIGHT BATH
P2885-134WB Silver Ridge
 Size: 6" W., 9" ht.
 Extends 8". H/CTR 5-1/2".
 Lamp: One candelabra base krypton lamp, 60w max. (included).

TWO-LIGHT BATH
P2886-134WB Silver Ridge
 Size: 16" W., 9" ht.
 Extends 8". H/CTR 5-1/2".
 Lamps: Two candelabra base krypton lamps, each 60w max. (included).

THREE-LIGHT BATH
P2887-134WB Silver Ridge
 Size: 23-1/2" W., 9" ht.
 Extends 8". H/CTR 5-1/2".
 Lamps: Three candelabra base krypton lamps, each 60w max. (included).

FOUR-LIGHT BATH
P2888-134WB Silver Ridge
 Size: 31" W., 9" ht.
 Extends 8". H/CTR 5-1/2".
 Lamps: Four candelabra base krypton lamps, each 60w max. (included).

SIMPLE, MODERN AND ELEGANT, THE WISTEN FAMILY FEATURES A SCULPTURED LINEAR LOOK. ETCHED GLASS FOR SOFT CONTEMPORARY FEEL.



P2794-09
P2794-09EBWB



P2794-20
P2794-20EBWB



P2796-20
P2796-20EBWB



P2795-20



P2797-09



P2795-09

ONE-LIGHT BATH

P2794-09 Brushed Nickel
P2794-20 Antique Bronze
Size: 4-3/4" W., 8-1/4" ht.
Extends 6-1/4".
Lamp: One medium base lamp, 100w max.

ONE-LIGHT BATH

P2794-09EBWB Brushed Nickel
P2794-20EBWB Antique Bronze
Size: 4-3/4" W., 8-1/4" ht.
Extends 6-1/4".
Lamp: One 13w GU24 CFL lamp (included).



TWO-LIGHT BATH

P2795-09 Brushed Nickel
P2795-20 Antique Bronze
Size: 12-1/2" W., 8-1/4" ht.
Extends 6-1/4".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2796-09 Brushed Nickel
P2796-20 Antique Bronze
Size: 21" W., 8-1/4" ht.
Extends 6-1/4".
Lamps: Three medium base lamps, each 100w max.

Chandelier

pg 76



Close-to-ceiling

pg 298



THREE-LIGHT BATH

P2796-09EBWB Brushed Nickel
P2796-20EBWB Antique Bronze
Size: 21" W., 8-1/4" ht.
Extends 6-1/4".
Lamps: Three 13w GU24 CFL lamps (included).



FOUR-LIGHT BATH

P2797-09 Brushed Nickel
P2797-20 Antique Bronze
Size: 29-1/2" W., 8-1/4" ht.
Extends 6-1/4".
Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.



TRANSCEND  **Reign**

CLEAR, TEXTURED, CURVED GLASS
PANELS FLOAT IN FRONT OF
CUSTOM ETCHED GLASS DIFFUSER.




P2842-20WB



P2844-20WB



P2845-20WB



P2852-20WB

ONE-LIGHT BATH
P2842-20WB Antique Bronze
Size: 7-1/2" W., 5-1/2" ht.
Extends 4-3/4". H/CTR 2-3/4".
Lamp: One G9 base halogen
lamp, 35w max. (included).

TWO-LIGHT BATH
P2844-20WB Antique Bronze
Size: 14-7/8" W., 5-1/2" ht.
Extends 4-1/2". H/CTR 2-3/4".
Lamps: Two G9 base halogen
lamps, each 35w max. (included).

THREE-LIGHT BATH
P2845-20WB Antique Bronze
Size: 22-1/4" W., 5-1/2" ht.
Extends 4-1/2". H/CTR 2-3/4".
Lamps: Three G9 base halogen
lamps, each 35w max. (included).

FOUR-LIGHT BATH
P2852-20WB Antique Bronze
Size: 29-3/4" W., 5-1/2" ht.
Extends 4-1/2". H/CTR 2-3/4".
Lamps: Four G9 base halogen
lamps, each 35w max. (included).



SIMPLIFIED FRAME WITH UPDATED STYLING AND ELEGANT ETCHED GLASS SHADES. ENERGY STAR FIXTURES AVAILABLE.



P2706-15



P2706-09
P2706-09EBWB



P2706-20
P2706-20EBWB



P2714-09



P2714-15



P2714-20

Chandelier

pg 86



ONE-LIGHT BATH

P2706-09 Brushed Nickel
P2706-15 Polished Chrome
P2706-20 Antique Bronze
 Size: 5" W., 7-1/2" ht.
 H/CTR 2-5/8". Extends 6-1/2".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2707-09 Brushed Nickel
P2707-15 Polished Chrome
P2707-20 Antique Bronze
 Size: 12" W., 7-1/2" ht.
 H/CTR 2-1/2". Extends 6-1/2".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2708-09 Brushed Nickel
P2708-15 Polished Chrome
P2708-20 Antique Bronze
 Size: 24" W., 7-1/2" ht.
 H/CTR 2-1/2". Extends 6-1/2".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2709-09 Brushed Nickel
P2709-15 Polished Chrome
P2709-20 Antique Bronze
 Size: 30" W., 7-1/2" ht.
 H/CTR 2-1/2". Extends 6-1/2".
 Lamps: Four medium base lamps, each 100w max.

FIVE-LIGHT BATH

P2713-09 Brushed Nickel
P2713-15 Polished Chrome
P2713-20 Antique Bronze
 Size: 36" W., 7-1/2" ht.
 Extends 6-1/2". H/CTR 2-1/2".
 Lamps: Five medium base lamps, each 100w max.

SIX-LIGHT BATH

P2714-09 Brushed Nickel
P2714-15 Polished Chrome
P2714-20 Antique Bronze
 Size: 48" W., 7-1/2" ht.
 Extends 6-1/2". H/CTR 2-1/2".
 Lamps: Six medium base lamps, each 100w max.

All fixtures on these pages mount up or down.



P2709-15



P2707-15



P2707-09
P2707-09EBWB



P2708-15



P2713-09



P2707-20
P2707-20EBWB



P2709-09
P2709-09EBWB



P2713-20

ONE-LIGHT CFL BATH

P2706-09EBWB Brushed Nickel
P2706-20EBWB Antique Bronze
Size: 5" W., 7-1/2" ht.
Extends 6-1/2". H/CTR 2-5/8".
Lamp: One 13w GU24 CFL,
included.



TWO-LIGHT CFL BATH

P2707-09EBWB Brushed Nickel
P2707-20EBWB Antique Bronze
Size: 12" W., 7-1/2" ht.
Extends 6-1/2". H/CTR 2-1/2".
Lamps: Two 13w GU24 CFL,
included.



THREE-LIGHT CFL BATH

P2708-09EBWB Brushed Nickel
P2708-20EBWB Antique Bronze
Size: 24" W., 7-1/2" ht.
Extends 6-1/2". H/CTR 2-1/2".
Lamps: Three 13w GU24 CFL,
included.



FOUR-LIGHT CFL BATH

P2709-09EBWB Brushed Nickel
P2709-20EBWB Antique Bronze
Size: 30" W., 7-1/2" ht.
Extends 6-1/2". H/CTR 2-1/2".
Lamps: Four 13w GU24 CFL,
included.



ANGULAR PROFILE ON ETCHED WHITE GLASS
BALANCED ON A STRUT-MOUNTED RING, IN
ANTIQUÉ NICKEL FINISH.



P2734-81



P7048-81



P2778-81



P2829-81

Chandelier
pg 100





ONE-LIGHT BATH
P7048-81 Antiqué Nickel
Size: 4-1/2" W., 11-1/4" ht.
Extends 6". H/CTR 5".
Lamp: One medium base
lamp, 100w max.

TWO-LIGHT BATH
P2734-81 Antiqué Nickel
Size: 17" W., 7-3/8" ht.
Extends 7-5/8". H/CTR 5".
Lamp: Two medium base
lamp, each 100w max.

THREE-LIGHT BATH
P2778-81 Antiqué Nickel
Size: 24" W., 24-7/8" ht.
Extends 8-5/8". H/CTR 5".
Lamp: Three medium base
lamp, each 100w max.

FOUR-LIGHT BATH
P2829-81 Antiqué Nickel
Size: 31-3/4" W., 7-3/8" ht.
Extends 8". H/CTR 5".
Lamp: Four medium base
lamp, each 100w max.

All fixtures on these pages mount up or down.



ELEMENTS  **Orbitz**

ENJOY THE CLASSIC STYLE WHEN SURROUNDED WITH CIRCULAR DETAILS IN THE ORBITZ FAMILY. WHITE GLASS SHADES APPEAR AS IF ORBITING THE FIXTURE.



P3030-09



P3030-20



P3057-20



P3057-09



P3058-09



P3058-20

Chandelier

pg 96



ONE-LIGHT BATH

P3030-09 Brushed Nickel
P3030-20 Antique Bronze
 Size: 5-1/2" W., 7-1/4" ht.
 Extends 6". H/CTR 5".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P3057-09 Brushed Nickel
P3057-20 Antique Bronze
 Size: 13" W., 7-1/4" ht.
 Extends 6". H/CTR 5".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P3058-09 Brushed Nickel
P3058-20 Antique Bronze
 Size: 21-3/4" W., 7-1/4" ht.
 Extends 8-1/4". H/CTR 5".
 Lamps: Three medium base lamps, each 100w max.



P2991-15

ELEMENTS  Archie

A WELCOME BLAST FROM THE PAST RETURNING A DESIGN GROUNDED IN AESTHETIC AUTHENTICITY. FINELY CRAFTED STRAP AND KNOB DETAILS WITH CLEAR DOUBLE PRISMATIC GLASS.



P2991-74



P2989-81



P2989-15



P2991-81



P2989-74

Chandelier
pg 108



Close-to-ceiling
pg 300



ONE-LIGHT BATH
P2989-15 Polished Chrome
P2989-74 Venetian Bronze
P2989-81 Antique Nickel
 Size: 5-3/4" W., 8-1/4" ht.
 Extends 7". H/CTR 5-1/4".
 Lamp: One medium base lamp,
 100w max.

TWO-LIGHT BATH
P2991-15 Polished Chrome
P2991-74 Venetian Bronze
P2991-81 Antique Nickel
 Size: 17" W., 8-3/4" ht.
 Extends 7". H/CTR 5-1/4".
 Lamps: Two medium base
 lamps, each 100w max.

THREE-LIGHT BATH
P2992-15 Polished Chrome
P2992-74 Venetian Bronze
P2992-81 Antique Nickel
 Size: 26-1/4" W., 8-3/4" ht.
 Extends 7". H/CTR 5-1/4".
 Lamps: Three medium base
 lamps, each 100w max.

FOUR-LIGHT BATH
P2997-15 Polished Chrome
P2997-74 Venetian Bronze
P2997-81 Antique Nickel
 Size: 35-1/2" W., 8-3/4" ht.
 Extends 7". H/CTR 5-1/4".
 Lamps: Four medium base
 lamps, each 100w max.

All fixtures on these pages mount up or down.



P2992-15



P2992-81



P2992-74



P2997-15



P2997-74



P2997-81

A TRADITIONAL SCHOOL-HOUSE PROFILE IS UPDATED WITH LAYERED GLASS IN THIS BATH COLLECTION. POLISHED CHROME FINISH HAS ETCHED GLASS DIFFUSER WITH CLEAR SEEDED OUTER GLASS SHADES. ANTIQUE BRONZE FINISH HAS LIGHT UMBER SEEDED GLASS SHADES THAT SURROUND THE ETCHED GLASS DIFFUSER.



P2810-15WB



P2810-20WB



P2812-20WB



P2811-20WB



P2812-15WB



P2811-15WB



P2813-15WB



P2813-20WB

ONE-LIGHT BATH

P2810-15WB Polished Chrome
P2810-20WB Antique Bronze
 Size: 5-3/8" W., 8" ht. Extends 6-7/8". H/CTR 2-3/4".

Lamp: One G9 base halogen lamp, 35w max., included.

TWO-LIGHT BATH

P2811-15WB Polished Chrome
P2811-20WB Antique Bronze
 Size: 13-7/8" W., 6-1/4" ht. Extends 6-7/8". H/CTR 2-3/4".

Lamps: Two G9 base halogen lamps, each 35w max., included.

THREE-LIGHT BATH

P2812-15WB Polished Chrome
P2812-20WB Antique Bronze
 Size: 22" W., 6-1/4" ht. Extends 6-7/8". H/CTR 2-3/4".

Lamps: Three G9 base halogen lamps, each 35w max., included.

FOUR-LIGHT BATH

P2813-15WB Polished Chrome
P2813-20WB Antique Bronze
 Size: 30-1/4" W., 6-1/4" ht. Extends 6-7/8". H/CTR 2-3/4".

Lamps: Four G9 base halogen lamps, each 35w max., included.

All fixtures on these pages mount up or down.

TO ACHIEVE A CALMING EFFECT, THE FAIRFIELD COLLECTION FEATURES SIMPLE, ELEGANT DETAILS. GENTLY SWEEPING ETCHED OPAL GLASS HIGHLIGHTS BATH AND VANITY AREAS THAT FEATURE MONOCHROMATIC COLOR SCHEMES.



P3131-09



P3131-15



P3132-15



P3133-09



P3134-15



P3133-15 bath fixture

ONE-LIGHT BATH
P3131-09 Brushed Nickel
P3131-15 Polished Chrome
 Size: 5-3/4" W, 9-3/8" ht.
 Extends 6-3/4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P3132-09 Brushed Nickel
P3132-15 Polished Chrome
 Size: 15-1/2" W, 9" ht.
 Extends 6-3/4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P3133-09 Brushed Nickel
P3133-15 Polished Chrome
 Size: 25" W, 9" ht.
 Extends 6-3/4".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P3134-09 Brushed Nickel
P3134-15 Polished Chrome
 Size: 34-1/2" W, 9" ht.
 Extends 6-3/4".
 Lamps: Four medium base lamps, each 100w max.

INSPIRED BY THE SOPHISTICATED SCALLOPED CUTS IN A SEASHELL. ADDISON FEATURES GRACEFUL, CURVED ARMS FINISHED IN DELICATE SCALLOPED GLASS SHADES WITH AN ETCHED GLASS FINISH. COORDINATES WITH DELTA'S ADDISON FAUCET COLLECTION.



P2847-09



P2846-74



P2846-15



P2846-09



P2847-109



P2847-15



P2847-74



P2848-74

ONE-LIGHT BATH

P2846-09 Brushed Nickel
P2846-15 Polished Chrome
P2846-74 Venetian Bronze
P2846-109 Brushed Bronze
 Size: 5-1/2" W., 9-3/8" ht.
 Extends 6-3/4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2847-09 Brushed Nickel
P2847-15 Polished Chrome
P2847-74 Venetian Bronze
P2847-109 Brushed Bronze
 Size: 15-7/8" W., 9" ht.
 Extends 6-3/4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2848-09 Brushed Nickel
P2848-15 Polished Chrome
P2848-74 Venetian Bronze
P2848-109 Brushed Bronze
 Size: 26" W., 9" ht.
 Extends 6-3/4".
 Lamps: Three medium base lamps, each 100w max.

All fixtures on these pages mount up or down.



P2846-74 one-light bath and P2847-74 two-light bath fixtures with Delta's Addison faucets.



P2848-109



P2846-109

Close-to-ceiling
pg 302



P2848-15





P3135-74 one-light bath and P3137-74 three-light bath fixtures and Delta's Dryden faucets.

ELEMENTS  **Glenmont**

A CLEAN LINE WITH GEOMETRIC FORMS LENDS THE COLLECTION TO A VARIETY OF TODAY'S SIMPLIFIED LIFESTYLES. COORDINATES WITH DELTA'S DRYDEN COLLECTION. ANGULAR ETCHED WHITE GLASS BLENDS WITH MINIMALIST DESIGN.



ONE-LIGHT BATH
P3135-09 Brushed Nickel
P3135-15 Polished Chrome
P3135-74 Venetian Bronze
 Size: 5-3/4" W., 8-3/4" ht.
 Extends 7-3/4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P3136-09 Brushed Nickel
P3136-15 Polished Chrome
P3136-74 Venetian Bronze
 Size: 14-3/4" W., 8-3/4" ht.
 Extends 7-3/4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P3137-09 Brushed Nickel
P3137-15 Polished Chrome
P3137-74 Venetian Bronze
 Size: 21" W., 8-1/4" ht.
 Extends 7-3/4".
 Lamps: Three medium base lamps, each 100w max.



CLEAN LINEAR FORMS OFFERS A MODERN INTERPRETATION OF TWO BLENDED STYLES – CRAFTSMAN AND MISSION. SQUARE ETCHED GLASS SHADES GIVES NOD TO A CLASSIC FEEL.



P2733-09


P2733-74



P2738-74



P2738-09



P2745-09



P2743-74



P2743-09


Chandelier

pg 114



Close-to-ceiling

pg 200

**ONE-LIGHT BATH**

P2733-09 Brushed Nickel
P2733-74 Venetian Bronze
 Size: 5-1/2" W., 10-1/8" ht.
 Extends 7-1/8".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2738-09 Brushed Nickel
P2738-74 Venetian Bronze
 Size: 14-1/4" W., 9" ht.
 Extends 7-1/8".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2743-09 Brushed Nickel
P2743-74 Venetian Bronze
 Size: 23" W., 9" ht. Extends 7-1/8".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2745-09 Brushed Nickel
P2745-74 Venetian Bronze
 Size: 32-1/8" W., 9" ht.
 Extends 7-1/8".
 Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

ELEMENTS  **Bratenahl**

UNCLUTTERED LINES AND ANGULAR ACCENTS CREATE A GEOMETRIC DESIGN FOR THE BRATENAHL COLLECTION. WHITE OPAL GLASS IS SCULPTED INTO SLEEK ANGLES.



P3296-09



P3295-09



P3297-09



Close-to-ceiling

pg 200



ONE-LIGHT BATH
P3295-09 Brushed Nickel
 Size: 5" W., 10" ht.
 Extends 5-3/4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P3296-09 Brushed Nickel
 Size: 13-1/2" W., 10-1/8" ht.
 Extends 5-3/4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P3297-09 Brushed Nickel
 Size: 18" W., 10-1/4" ht.
 Extends 5-3/4".
 Lamps: Three medium base lamps, each 100w max.

A CHARMING, TEA-POT INSPIRED FIXTURE THAT COORDINATES WITH DELTA'S LELAND FAUCET COLLECTION. TIMELESS DESIGN AND SOFT ETCHED GLASS SHADES ARE A PERFECT MARRIAGE OF BOTH FORM AND FUNCTION.



P2993-15



P2993-09



P2993-74



P2994-09



P2995-09



P2995-15



P2994-15



P2994-74



P2995-74

ONE-LIGHT BATH

P2993-09 Brushed Nickel
P2993-15 Polished Chrome
P2993-74 Venetian Bronze
 Size: 5" W., 7-1/2" ht.
 Extends 7". H/CTR 4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2994-09 Brushed Nickel
P2994-15 Polished Chrome
P2994-74 Venetian Bronze
 Size: 15-1/4" W., 7-1/2" ht.
 Extends 7". H/CTR 4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2995-09 Brushed Nickel
P2995-15 Polished Chrome
P2995-74 Venetian Bronze
 Size: 24-1/4" W., 7-1/2" ht.
 Extends 7". H/CTR 4".
 Lamps: Three medium base lamps, each 100w max.



All fixtures on these pages mount up or down.

AUTHENTIC AND HANDSOME DETAILS REPRESENT A THROWBACK TO A SIMPLER TIME. ETCHED GLASS OFFERS RETRO STYLING.



P3161-09



P3161-15



P3162-20



P3162-09



P3163-20



P3163-15



P3164-09



P3164-20

Chandelier
pg 122



Close-to-ceiling
pg 302



ONE-LIGHT BATH
P3161-09 Brushed Nickel
P3161-15 Polished Chrome
P3161-20 Antique Bronze
 Size: 7-5/8" W., 8" ht.
 Extends 8-1/4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P3162-09 Brushed Nickel
P3162-15 Polished Chrome
P3162-20 Antique Bronze
 Size: 17-1/2" W., 8" ht.
 Extends 9".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P3163-09 Brushed Nickel
P3163-15 Polished Chrome
P3163-20 Antique Bronze
 Size: 27-1/2" W., 8" ht.
 Extends 9".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P3164-09 Brushed Nickel
P3164-15 Polished Chrome
P3164-20 Antique Bronze
 Size: 37-1/2" W., 8" ht.
 Extends 9".
 Lamps: Four medium base lamps, each 100w max.



ELEMENTS

★ Renovations

CURVED BARS AND CYLINDRICAL ACCENTS FORM TO CREATE AN UNCLUTTERED VICTORIAN DESIGN. ETCHED OPAL RIBBED GLASS OFFERS HINT OF DETAIL TO COMPLETE OLD WORLD FEEL.



P2730-81



P3016-81



P2731-77



P2730-77



P2731-81



P2732-81



P2732-77

Chandelier

pg 126



Close-to-ceiling

pg 301



ONE-LIGHT BATH

P3016-77 Forged Bronze
P3016-81 Antique Nickel
Size: 6" W., 9" ht.
Extends 8".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2730-77 Forged Bronze
P2730-81 Antique Nickel
Size: 14" W., 8-1/4" ht.
Extends 8-1/8".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2731-77 Forged Bronze
P2731-81 Antique Nickel
Size: 24-1/2" W., 8-1/2" ht.
Extends 7-1/4".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2732-77 Forged Bronze
P2732-81 Antique Nickel
Size: 32-1/2" W., 8-1/2" ht.
Extends 7-1/4".
Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

THESE VERSATILE FIXTURES FEATURE A VICTORIAN DESIGN AND CAN BE WALL- OR CEILING-MOUNTED IN AN UP OR DOWN FASHION.



THREE-LIGHT DIRECTIONAL
P3849-77WB Forged Bronze
P3849-81WB Antique Nickel
 Size: 24" W., 8" ht.
 Extends 9".
 Lamps: Three GU10 base MR-16 lamps, 50w max, included.*

FOUR-LIGHT DIRECTIONAL
P3850-77WB Forged Bronze
P3850-81WB Antique Nickel
 Size: 33-1/2" W., 7" ht.
 Extends 9".
 Lamps: Four GU10 base MR-16 lamps, 50w max, included.*

SIX-LIGHT DIRECTIONAL
P3352-77WB Forged Bronze
P3352-81WB Antique Nickel
 Size: 49-1/4" W., 6-1/2" ht.
 Extends 9".
 Lamps: Six GU10 base MR-16 lamps, 50w max, included.*

* Replacement lamp P7834-01, see page 646.

VERSATILE VICTORIAN FIXTURES FEATURE A CLASSIC, TIMELESS ARCHITECTURE THAT ADDS AN ELEMENT OF DISTINCTION TO ANY BATH. COORDINATES WITH DELTA'S VICTORIAN FAUCET COLLECTION. WHITE OPAL GLASS PROVIDES MODERN DAY COMFORT WITH OLD WORLD DESIGN.



P3027-74



P3027-09



P3028-09



P3029-15



P3028-15



P3041-09



P3041-74

Close-to-ceiling

pg 303



COORDINATES WITH

DELTA
 FAUCET COMPANY

ONE-LIGHT BATH

P3027-09 Brushed Nickel
P3027-15 Polished Chrome
P3027-74 Venetian Bronze
 Size: 5-5/8" W., 8-1/2" ht.
 Extends 7-1/4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P3028-09 Brushed Nickel
P3028-15 Polished Chrome
P3028-74 Venetian Bronze
 Size: 16-1/2" W., 8-1/2" ht.
 Extends 7-1/4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P3029-09 Brushed Nickel
P3029-15 Polished Chrome
P3029-74 Venetian Bronze
 Size: 24-1/2" W., 8-1/2" ht.
 Extends 7-1/4".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P3041-09 Brushed Nickel
P3041-15 Polished Chrome
P3041-74 Venetian Bronze
 Size: 32-1/2" W., 8-1/2" ht.
 Extends 7-1/4".
 Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.





P3107-15 with White Porcelain insert

ELEMENTS  **Botanical**

ENJOY POPS OF COLOR WITH BOTANICAL INSERTS. ETCHED OPAL GLASS SHADES COMPLEMENT THE DECORATIVE YET FUNCTIONAL FIXTURES.



P3106-15
with White Porcelain insert



P3107-15
with Ocean Cruise Blue inserts



P3106-15
with Orange Spice insert



P3108-15
with Mesa Verde Green inserts

All color inserts included with each fixture



Mesa Verde Green insert



Ocean Cruise Blue insert



White Porcelain insert



Orange Spice insert



Brass insert



Vreeland Red insert

ONE-LIGHT BATH
P3106-15 Polished Chrome
Size: 6-7/8" W., 8" ht.
Extends 8-3/4".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P3107-15 Polished Chrome
Size: 16-1/4" W., 8" ht.
Extends 8-3/4".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P3108-15 Polished Chrome
Size: 24-3/8" W., 8" ht.
Extends 8-3/4".
Lamps: Three medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

progresslighting.com



ELEMENTS



Bath Match

INSPIRED BY NEO STYLE SMALL LEVER HANDLES. ALABASTER SWIRL GLASS FEATURES ROUNDED, SOFT SHAPE. BRUSHED PLATINUM FINISH WITH POLISHED CHROME ACCENTS.



P3258-08



P3259-08



P3260-08



P3261-08

ONE-LIGHT BATH
P3258-08 Brushed Platinum
Size: 7" W., 9-5/8" ht.
Extends 8-3/8".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P3259-08 Brushed Platinum
Size: 15-1/8" W., 9-5/8" ht.
Extends 12-1/4".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P3260-08 Brushed Platinum
Size: 23-1/8" W., 9-5/8" ht.
Extends 12-1/4".
Lamps: Three medium base lamps, each 100w max.

FIVE-LIGHT BATH
P3261-08 Brushed Platinum
Size: 39-1/2" W., 9-5/8" ht.
Extends 12-1/4".
Lamps: Five medium base lamps, each 100w max.

SOFT ANGLES AND CURVED LINES IN THE TRINITY COLLECTION ARE IDEAL FOR TODAY'S UNDERSTATED INTERIORS. ETCHED GLASS SHADES THAT CURVE OUT CAN BE MOUNTED UPWARD OR DOWNWARD.



P3191-20
P3191-20EBWB



P3193-15



P3190-15



P3192-09
P3192-09EBWB



P3191-09
P3191-09EBWB

Chandelier
pg 102



Close-to-ceiling
pg 301



ONE-LIGHT BATH

P3190-09 Brushed Nickel

P3190-15 Polished Chrome

P3190-20 Antique Bronze

Size: 6-1/2" W., 7-1/2" ht.

Extends 9".

Lamp: One medium base lamp,
100w max.

ONE-LIGHT CFL BATH

P3190-09EBWB Brushed Nickel

P3190-20EBWB Antique Bronze

Size: 6-1/2" W., 7-1/2" ht.

Extends 9".

Lamp: One 13w GU24 CFL lamp,
included.



TWO-LIGHT BATH

P3191-09 Brushed Nickel

P3191-15 Polished Chrome

P3191-20 Antique Bronze

Size: 17-1/2" W., 8-1/8" ht.

Extends 7-1/2".

Lamps: Two medium base lamps,
each 100w max.

TWO-LIGHT CFL BATH

P3191-09EBWB Brushed Nickel

P3191-20EBWB Antique Bronze

Size: 17-1/2" W., 8-1/8" ht.

Extends 7-1/2".

Lamps: Two 13w GU24 CFL
lamps, included.




All fixtures on these pages mount up or down.

progresslighting.com



P3191-15



P3192-20
P3192-20EBWB



P3192-15



P3193-20
P3193-20EBWB



P3190-09
P3190-09EBWB



P3190-20
P3190-20EBWB



P3193-09
P3193-09EBWB

THREE-LIGHT BATH

P3192-09 Brushed Nickel
P3192-15 Polished Chrome
P3192-20 Antique Bronze
Size: 24" W., 8-1/8" ht.
Extends 7-1/2".
Lamps: Three medium base
lamps, each 100w max.

THREE-LIGHT CFL BATH

P3192-09EBWB Brushed Nickel
P3192-20EBWB Antique Bronze
Size: 24" W., 8-1/8" ht.
Extends 7-1/2".
Lamps: Three 13w GU24 CFL
lamps, included.



FOUR-LIGHT BATH

P3193-09 Brushed Nickel
P3193-15 Polished Chrome
P3193-20 Antique Bronze
Size: 33-1/4" W., 8-1/8" ht.
Extends 7-1/2".
Lamps: Four medium base
lamps, each 100w max.

FOUR-LIGHT CFL BATH

P3193-09EBWB Brushed Nickel
P3193-20EBWB Antique Bronze
Size: 33-1/4" W., 8-1/8" ht.
Extends 7-1/2".
Lamps: Four 13w GU24 CFL
lamps, included.



HEART WILL BRING ROMANCE TO THE VANITY, WITH FLOWING ARMS THAT GENTLY CRADLE ETCHED GLASS BOWLS.



P2913-09

P2913-15



P2913-20



P2915-20



P2915-09



P2919-09



P2919-20



P2919-15



P2928-09

Chandelier

pg 142



P2928-20

ONE-LIGHT BATH

P2913-09 Brushed Nickel

P2913-15 Polished Chrome

P2913-20 Antique Bronze

Size: 6" W., 9-1/16" ht.

Extends 8". H/CTR 4-1/2".

Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2915-09 Brushed Nickel

P2915-15 Polished Chrome

P2915-20 Antique Bronze

Size: 14" W., 8-3/8" ht.

Extends 8". H/CTR 2-1/2".

Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2919-09 Brushed Nickel

P2919-15 Polished Chrome

P2919-20 Antique Bronze

Size: 22" W., 8-1/2" ht.

Extends 8". H/CTR 8-3/8".

Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2928-09 Brushed Nickel

P2928-15 Polished Chrome

P2928-20 Antique Bronze

Size: 29-7/8" W., 8-1/2" ht.

Extends 8". H/CTR 8-3/8".

Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

RELAX  Torino

ELEGANT RECTANGULAR SCROLLED ARMS WITH CASUAL UNDERTONES CREATE A CHARMING AND TRANSITIONAL BATH. FORGED BRONZE WITH TEA STAINED GLASS OR BRUSHED NICKEL WITH ETCHED GLASS.



P2882-09



P2882-77



P2881-09



P2884-09



P2881-77



P2884-77



P2883-09



P2883-77

Chandelier

pg 150



Close-to-ceiling

pg 307



ONE-LIGHT BATH
P2881-09 Brushed Nickel
P2881-77 Forged Bronze
 Size: 7" W., 8-1/4" ht.
 Extends 9-1/4".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P2882-09 Brushed Nickel
P2882-77 Forged Bronze
 Size: 16" W., 7-5/8" ht.
 Extends 9-1/4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P2883-09 Brushed Nickel
P2883-77 Forged Bronze
 Size: 25" W., 7-5/8" ht.
 Extends 9-1/4".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P2884-09 Brushed Nickel
P2884-77 Forged Bronze
 Size: 34" W., 7-5/8" ht.
 Extends 9-1/4".
 Lamps: Four medium base lamps, each 100w max.

UPDATED TRADITIONAL WITH GRACIOUS, FLOWING OVAL ARMS AND ETCHED GLASS SHADES.



P2018-09



P2015-15



P2019-09



P2019-20



P2018-20



P2019-15



P2020-09

ONE-LIGHT BATH

P2018-09 Brushed Nickel

P2018-15 Polished Chrome

P2018-20 Antique Bronze

Size: 4-5/8" W., 7-1/2" ht.

Extends 7-3/8". H/CTR 3-3/4".

Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2019-09 Brushed Nickel

P2019-15 Polished Chrome

P2019-20 Antique Bronze

Size: 15" W., 8-1/2" ht.

Extends 6-7/8". H/CTR 6-1/8".

Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2020-09 Brushed Nickel

P2020-15 Polished Chrome

P2020-20 Antique Bronze

Size: 22-3/8" W., 8-1/4" ht.

Extends 6-7/8". H/CTR 5-1/2".

Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P2021-09 Brushed Nickel

P2021-15 Polished Chrome

P2021-20 Antique Bronze

Size: 31-3/8" W., 8-1/2" ht.

Extends 6-7/8". H/CTR 6-1/8".

Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.



P2020-20



P2021-09



P2021-20



P2020-15

Chandelier
pg 138



Close-to-ceiling
pg 306





RELAX  **Cantata**

RUSTIC STYLING AND CLASSIC DETAILS CREATE THE ROMANTIC CANTATA COLLECTION. FLOWING DESIGN FINISHED IN FORGED BRONZE WITH SEEDED TOPAZ GLASS OFFERS WARM, ILLUMINATED GLOW FROM SHADES.



ONE-LIGHT BATH
P3216-77 Forged Bronze
 Size: 4-3/4" W., 12-7/8" ht.
 Extends 7-1/8".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P3222-77 Forged Bronze
 Size: 13" W., 9-1/4" ht.
 Extends 7-1/4".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P3248-77 Forged Bronze
 Size: 21-1/2" W., 9-1/4" ht.
 Extends 7-1/4".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P3249-77 Forged Bronze
 Size: 29-7/8" W., 9-1/4" ht.
 Extends 7-1/4".
 Lamps: Four medium base lamps, each 100w max.

All fixtures on this page mount up or down.

THE SANTIAGO COLLECTION OFFERS VERSATILITY WITH A DISTINCT STYLE, SPIRALED DETAILING AND SUBTLE TWISTS, ROASTED JAVA OR FORGED BLACK FINISH ENHANCES CASUAL ARM DESIGN WHILE JASMINE MIST GLASS OFFERS ROMANTIC UNDERTONES FOR OLD WORLD EFFECT.



P2752-102



P2752-80



P2753-102



P2753-80



P2754-102



P2754-80

Close-to-ceiling

pg 308



Chandelier

pg 160



ONE-LIGHT BATH

P2752-80 Forged Black

P2752-102 Roasted Java

Size: 6-3/8" W., 11" ht. Extends 7".

Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P2753-80 Forged Black

P2753-102 Roasted Java

Size: 14" W., 11" ht. Extends 7".

Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P2754-80 Forged Black

P2754-102 Roasted Java

Size: 21" W., 11" ht. Extends 7".

Lamps: Three medium base lamps, each 100w max.

Mounts in up position only.

RELAX  **Riverside**

INSPIRED BY THE STEADY FLOW OF A RIVER OR STREAM, RIVERSIDE FEATURES CHARMING ACCENTS AND OFFERS A CASUAL FEEL. HEIRLOOM FINISH COMPLEMENTS THE LINEAR FORM AND WAVE PATTERNED GLASS WITH NATURAL UNDERTONES.



P3093-88



P3092-88



P3094-88

Chandelier
pg 164



Close-to-ceiling
pg 309



P3095-88

ONE-LIGHT BATH
P3092-88 Heirloom
Size: 4-3/4" W., 12-7/8" ht.
Extends 7-1/8".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P3093-88 Heirloom
Size: 13" W., 9-1/4" ht.
Extends 7-1/4".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P3094-88 Heirloom
Size: 21-1/2" W., 9-1/4" ht.
Extends 7-1/4".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P3095-88 Heirloom
Size: 29-7/8" W., 9-1/4" ht.
Extends 7-1/4".
Lamps: Four medium base lamps, each 100w max.

All fixtures on this page mount up or down.

RELAX  Arts & Crafts

CHARMING HIGHLIGHTS WITH RUSTIC UNDERTONES LENDS WELL FOR THE ARTS & CRAFTS FAMILY, WHICH WAS INSPIRED BY BUNGALOWS OF THE 1920'S. LINEAR, GEOMETRIC FORM FINISHED IN WEATHERED BRONZE FINISH. CAST FIXTURES WITH LIGHT HONEY ART GLASS PANELS.



P3002-46
P7138-46EB



P3003-46
P7139-46EB



P3004-46
P7140-46EB



P3005-46

Chandelier

pg 168



Close-to-ceiling

pg 309



ONE-LIGHT BATH *

P3002-46 Weathered Bronze

Size: 14-1/4" W., 5" ht. Extends 4".

Lamp: One medium base lamp, 100w max.

ADA

ONE-LIGHT CFL BATH *

P7138-46EB Weathered Bronze

Size: 14-1/4" W., 5" ht. Extends 4".

Ballast: 120V/277V HPF electronic. Lamp: One 26w 4-pin Quad CFL.

G24q-3 base.

ADA



TWO-LIGHT BATH

P7139-46EB Weathered Bronze

Size: 28-1/2" W., 5" ht. Extends 4".

Ballast: 120V HPF electronic. Lamps: Two F17T8 linear fluorescent.

ADA



TWO-LIGHT BATH

P7140-46EB Weathered Bronze

Size: 40-1/2" W., 5" ht. Extends 4".

Ballast: 120V HPF electronic. Lamps: Two F25T8 linear fluorescent.

ADA



THREE-LIGHT BATH

P3003-46 Weathered Bronze

Size: 28-1/2" W., 5" ht. Extends 4".

Lamps: Three medium base lamps, each 100w max.

ADA

FIVE-LIGHT BATH

P3004-46 Weathered Bronze

Size: 40-1/2" W., 5" ht. Extends 4".

Lamps: Five medium base lamps, each 100w max.

ADA

SIX-LIGHT BATH

P3005-46 Weathered Bronze

Size: 52-1/2" W., 5" ht. Extends 4".

Lamps: Six medium base lamps, each 100w max.

ADA

* Can mount horizontally or vertically. Light honey glass on all sides.

All fixtures other than one-light have etched glass on one side

These fixtures are wall mount only.

INSPIRED BY THE SIMPLE FORMS FOUND IN NATURE, EDEN FEATURES LEAF DETAILS AND FORGED BRONZE HIGHLIGHTS WITH AMBER LINEN GLASS SHADES ADORNED WITH OPTIONAL INCLUDED LEAF DECORATIONS.



P3233-77



P3233-77
shown without
leaf detail



P3237-77



P3237-77
shown without
leaf detail



P3239-77
shown without
leaf detail

Chandelier
pg 170



Close-to-ceiling
pg 309



P3238-77

ONE-LIGHT BATH

P3233-77 Forged Bronze
Size: 7-1/2" W., 11-1/2" ht.
Extends 10".
Lamp: One medium base
lamp, 100w max.

TWO-LIGHT BATH

P3237-77 Forged Bronze
Size: 23-1/2" W., 8-1/4" ht.
Extends 9-1/4".
Lamps: Two medium base
lamps, each 100w max.

THREE-LIGHT BATH

P3238-77 Forged Bronze
Size: 30-1/8" W., 8-1/4" ht.
Extends 9-1/4".
Lamps: Three medium base
lamps, each 100w max.

FOUR-LIGHT BATH

P3239-77 Forged Bronze
Size: 40" W., 8-1/4" ht.
Extends 9-1/4".
Lamps: Four medium base
lamps, each 100w max.

All fixtures on these pages mount up or down.

RELAX  Le Jardin

LE JARDIN IS A DRAMATIC BLEND OF TRADITIONAL CRAFTSMANSHIP AND STYLING. FORGED IRON ARMS WITH DELICATE, SWEEPING DETAIL AND WEATHERED SANDSTONE GLASS COMPLEMENT DAINTY LEAVES.



P3012-84



P3012-91C



P2967-91C



P2968-84



P2967-84



P2969-84



P2969-91C

Chandelier
pg 172



Close-to-ceiling
pg 310



ONE-LIGHT BATH
P3012-84 Espresso
P3012-91C Biscay Crackle
Size: 7" W., 11-1/2" ht.
Extends 9-1/2".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P2967-84 Espresso
P2967-91C Biscay Crackle
Size: 16-7/8" W., 10" ht.
Extends 8-7/8".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P2968-84 Espresso
P2968-91C Biscay Crackle
Size: 24-5/8" W., 10" ht.
Extends 8-7/8".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P2969-84 Espresso
P2969-91C Biscay Crackle
Size: 33-3/4" W., 10" ht.
Extends 8-7/8".
Lamps: Four medium base lamps, each 100w max.

RELAX  Kensington

THIS TRADITIONALLY-ROOTED COLLECTION FEATURES SCROLLED ARMS WITH TRUMPET-SHAPED GLASS SHADES. FROSTED CARAMEL SHADES IN FORGED BRONZE FINISH AND ETCHED WHITE GLASS SHADES IN BRUSHED NICKEL.



P2783-09

P2783-77



P2784-77



P2785-09



P2784-09



P2785-77



P2786-77

Chandelier
pg 190



Close-to-ceiling
pg 306



ONE-LIGHT BATH
P2783-09 Brushed Nickel
P2783-77 Forged Bronze
 Size: 6" W., 9-1/2" ht.
 Extends 7".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P2784-09 Brushed Nickel
P2784-77 Forged Bronze
 Size: 15" W., 9-1/2" ht.
 Extends 7-5/8".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P2785-09 Brushed Nickel
P2785-77 Forged Bronze
 Size: 24-1/8" W., 9-1/2" ht.
 Extends 7-5/8".
 Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P2786-09 Brushed Nickel
P2786-77 Forged Bronze
 Size: 33" W., 9-1/2" ht.
 Extends 7-5/8".
 Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.

RELAX  Pavilion

THE PAVILION COLLECTION FEATURES PLAYFUL ACCENTS WITH FLOWING LINES – IDEAL FOR A VARIETY OF BATH AND VANITY AREAS. DOUBLE ARMS WITH CURLING ACCENTS FINISHED IN BRUSHED NICKEL OR ANTIQUE BRONZE WITH ETCHED WATERMARK GLASS.



P3265-20



P3265-09



P3270-09



P3270-20



P3294-09

Chandelier

pg 196



Close-to-ceiling

pg 312



P3294-20

ONE-LIGHT BATH

P3265-09 Brushed Nickel
P3265-20 Antique Bronze
 Size: 8-3/4" W., 9-1/4" ht.
 Extends 10-1/8".
 Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P3270-09 Brushed Nickel
P3270-20 Antique Bronze
 Size: 20-5/8" W., 8-7/8" ht.
 Extends 10-1/8".
 Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P3294-09 Brushed Nickel
P3294-20 Antique Bronze
 Size: 32-3/4" W., 8-7/8" ht.
 Extends 10-1/8".
 Lamps: Three medium base lamps, each 100w max.

A BLEND OF RICH DARK BROWN TONES AND DELICATE GOLD HIGHLIGHTS CREATES THE MELBOURNE FAMILY. SCULPTED WATERMARK GLASS OFFERS WARM, ROMANTIC FEEL.



P2918-84



Chandelier

pg 178



P3022-84



P3023-84



P3024-84

Close-to-ceiling

pg 311

**ONE-LIGHT BATH**

P2918-84 Espresso
Size: 6-3/8" W., 11-1/2" ht.
Extends 9".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P3022-84 Espresso
Size: 24" W., 8-1/2" ht.
Extends 8".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P3023-84 Espresso
Size: 18" W., 8-1/2" ht.
Extends 8".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P3024-84 Espresso
Size: 36" W., 8-1/2" ht.
Extends 8".
Lamps: Four medium base lamps, each 100w max.

All fixtures on these pages mount up or down.



RELAX  **Maison Orleans**

THE MAISON ORLEANS COLLECTION EVOKES THE CHARM AND VITALITY OF NEW ORLEANS. WHIMSICAL CURVED ARMS ON A STEPPED BACKPLATE ARE HIGHLIGHTED BY THE MULTI-TEXTURED FIELDSTONE FINISH AND ETCHED JASMINE MIST GLASS.



P2929-87



P2961-87



P2962-87



P2963-87

Chandelier
pg 188



Close-to-ceiling
pg 310



ONE-LIGHT BATH
P2929-87 Fieldstone
Size: 6-3/8" W., 11-1/2" ht.
Extends 9".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P2961-87 Fieldstone
Size: 24" W., 8-1/2" ht.
Extends 8".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P2962-87 Fieldstone
Size: 18" W., 8-1/2" ht.
Extends 8".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P2963-87 Fieldstone
Size: 36" W., 8-1/2" ht.
Extends 8".
Lamps: Four medium base lamps, each 100w max.

RUSTIC SCROLLED METALWORK CREATES A RESTFUL ATMOSPHERE. ETCHED IVORY PLEATED GLASS SHADES IN ROASTED JAVA OR FORGED BLACK FINISH.



P2023-102



P2022-102



P2022-80



P2023-80



P2024-80



P2024-102



P2025-80

Chandelier
pg 182



ONE-LIGHT

P2022-80 Forged Black
P2022-102 Roasted Java
Size: 5-3/4" W., 10-1/4" ht.
Extends 7". H/CTR 6-1/4".
Lamps: One medium base
lamp, 100w max.

TWO-LIGHT

P2023-80 Forged Black
P2022-102 Roasted Java
Size: 15-3/4" W., 8-3/4" ht.
Extends 6-7/8". H/CTR 6-1/4".
Lamps: Two medium base
lamps, each 100w max.

THREE-LIGHT

P2024-80 Forged Black
P2024-102 Roasted Java
Size: 25-3/4" W., 8-3/4" ht.
Extends 6-7/8". H/CTR 6-1/4".
Lamps: Three medium base
lamps, each 100w max.

FOUR-LIGHT

P2025-80 Forged Black
P2025-102 Roasted Java
Size: 35-3/4" W., 9-3/4" ht.
Extends 6-7/8". H/CTR 6-1/4".
Lamps: Four medium base
lamps, each 100w max.

All fixtures on this page mount up or down.



CHIC SOPHISTICATION WITH CYLINDRICAL GLASS SHADES. ETCHED GLASS DIFFUSER INSIDE CLEAR WATER GLASS FLOATS IN A TRADITIONAL PROFILE.



P3076-104WB



P3077-104WB



P7046-104WB

Chandelier

pg 208



P3078-104WB

ONE-LIGHT BATH

P7046-104WB Polished Nickel
 Size: 8" W., 15" ht.
 Extends 9-1/2". H/CTR 8-7/8".
 Lamps: One E12 base krypton
 lamp, 60w max., included.

TWO-LIGHT BATH

P3076-104WB Polished Nickel
 Size: 18-1/2" W., 5-5/8" ht.
 Extends 7". H/CTR 2-3/4".
 Lamps: Two E12 base krypton
 lamps, each 60w max., included.

THREE-LIGHT BATH

P3077-104WB Polished Nickel
 Size: 26-1/2" W., 5-5/8" ht.
 Extends 7". H/CTR 2-3/4".
 Lamps: Three E12 base krypton
 lamps, each 60w max., included.

FOUR-LIGHT BATH

P3078-104WB Polished Nickel
 Size: 34-1/2" W., 5-5/8" ht.
 Extends 7". H/CTR 2-3/4".
 Lamps: Four E12 base krypton
 lamps, each 60w max., included.

CLEAR, BEAUTIFUL SOLID K-9 GLASS SPHERES ACCENT THE ETCHED OPAL GLASS SHADES IN A POLISHED NICKEL FINISH.



P7049-104WB



P2920-104WB



P2927-104EBWB

ONE-LIGHT BATH

P7049-104WB Polished Nickel
 Size: 5-7/8" W., 8-3/4" ht.
 Extends 7-3/4". H/CTR 4-5/8".
 Lamp: One krypton lamp, 60w max., included.

TWO-LIGHT BATH

P2920-104WB Polished Nickel
 Size: 15" W., 7-3/8" ht.
 Extends 7-7/8". H/CTR 4".
 Lamps: Two krypton lamps, each 60w max., included.

THREE-LIGHT BATH

P2927-104WB Polished Nickel
 Size: 23-1/2" W., 9" ht.
 Extends 7-3/4". H/CTR 4".
 Lamps: Three krypton lamps, each 60w max., included.

Chandelier

pg 218



All fixtures on these pages mount up or down.



P2724-101 bath brackets with Thomasville® furniture from the Bogart® collection.

GRACE |  **Roxbury**

Thomasville
L I G H T I N G .

THE BATH AND VANITY AREA CAN ALSO SHINE WITH HOLLYWOOD GLAMOUR AND ROXBURY'S SLEEK FORMS. CLASSIC SILVER FINISH CREATES A BOLD EFFECT. CLEAR CRYSTAL GLASS SHADES AND ACCENTS ECHO THE FINE DETAILING OF THIS COLLECTION.



P2726-101



P2728-101



P2724-101



P2727-101

Chandelier
pg 212



Close-to-ceiling
pg 312



ONE-LIGHT BATH
P2724-101 Classic Silver
Size: 7" W., 8-7/8" ht.
Extends 8".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH
P2726-101 Classic Silver
Size: 16-1/2" W., 8-5/8" ht.
Extends 7-3/4".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH
P2727-101 Classic Silver
Size: 26" W., 8-5/8" ht.
Extends 7-3/4".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH
P2728-101 Classic Silver
Size: 35-1/2" W., 8-5/8" ht.
Extends 7-3/4".
Lamps: Four medium base lamps, each 100w max.

FEATURING PINEAPPLE HOSPITALITY ACCENTS AND LUXURIOUS DETAILS, THE SAVANNAH COLLECTION EVOKES A TROPICAL FEEL FOR ANY BATH AND VANITY STYLE. ANTIQUE ALABASTER GLASS WITH ROUNDED FEATURES FOR SOFT FEEL.



P3206-42



P3204-86



P3204-42



P3206-86
P3159-86EBWB



P3205-86
P3158-86EBWB



P3205-42



P3207-42

TWO-LIGHT CFL BATH

P3158-86EBWB Burnished Chestnut
Size: 16-1/4" W., 9-1/8" ht.
Extends 9".
Lamps: Two GU24 CFL lamps, each 13w max. included.



THREE-LIGHT CFL BATH

P3159-86EBWB Burnished Chestnut
Size: 25-1/4" W., 9-1/8" ht.
Extends 9".
Lamps: Three GU24 CFL lamps, each 13w max. included.



ONE-LIGHT BATH

P3204-42 Seabrook
P3204-86 Burnished Chestnut
Size: 8-3/4" W., 9-1/4" ht.
Extends 9-1/4".
Lamp: One medium base lamp, 100w max.

TWO-LIGHT BATH

P3205-42 Seabrook
P3205-86 Burnished Chestnut
Size: 16-1/4" W., 9-1/8" ht.
Extends 9".
Lamps: Two medium base lamps, each 100w max.

THREE-LIGHT BATH

P3206-42 Seabrook
P3206-86 Burnished Chestnut
Size: 25-1/4" W., 9-1/8" ht.
Extends 9".
Lamps: Three medium base lamps, each 100w max.

FOUR-LIGHT BATH

P3207-42 Seabrook
P3207-86 Burnished Chestnut
Size: 34-1/4" W., 9-1/8" ht.
Extends 9".
Lamps: Four medium base lamps, each 100w max.

Close-to-ceiling

pg 316



Chandelier


pg 244



All fixtures on these pages mount up or down.

GRACE  Savannah®

THESE VERSATILE, DIRECTIONAL FIXTURES CAN BE WALL OR CEILING-MOUNTED, AND CAN MOUNT UP OR DOWN AS WELL.



THREE-LIGHT DIRECTIONAL
P3857-86 Burnished Chestnut
 Size: 24" W., 7" ht. Extends 9".
 Lamps: Three MR-16 GU10 base,
 each 50w max., included.

FOUR-LIGHT DIRECTIONAL
P3858-86WB Burnished Chestnut
 Size: 33-1/2" W., 7" ht. Extends 9".
 Lamps: Four MR-16 GU10 base
 lamps, each 50w max., included.

SIX-LIGHT DIRECTIONAL
P3351-86WB Burnished Chestnut
 Size: 48" W., 7" ht. Extends 9".
 Lamps: Six MR-16 GU10 base
 lamps, each 50w max., included.

* Replacement lamp P7824-01, see page 602.

★ Alabaster Glass

ETCHED ALABASTER GLASS WITH SOFT CURVES.
BRUSHED NICKEL OR ANTIQUE BRONZE
COMPLEMENT STEPPED BACKPLATES.

Product No.	Finish	Description	Size	Lamp(s)
P3051-09	Brushed Nickel	One-light	5-1/4" W., 9" ht.	1 medium base, 100w max.
P3051-20	Antique Bronze		Extends 7-1/4".	
P3052-09	Brushed Nickel	Two-light	18" W., 7-1/4" ht.	2 medium base, each 100w max.
P3052-20	Antique Bronze		Extends 7-1/4".	
P3053-09	Brushed Nickel	Three-light	24" W., 7-1/4" ht.	3 medium base, each 100w max.
P3053-20	Antique Bronze		Extends 7-1/4".	
P3054-09	Brushed Nickel	Four-light	30" W., 7-1/4" ht.	4 medium base, each 100w max.
P3054-20	Antique Bronze		Extends 7-1/4".	
P3055-09	Brushed Nickel	Five-light	36" W., 7-1/4" ht.	5 medium base, each 100w max.
P3055-20	Antique Bronze		Extends 7-1/4".	
P3056-09	Brushed Nickel	Six-light	48" W., 7-1/4" ht.	6 medium base, each 100w max.
P3056-20	Antique Bronze		Extends 7-1/4".	



P3051-09
P3051-09EBWB



P3051-20
P3051-20EBWB

Product No.	Finish	Description	Size	Lamp(s)	
P3051-09EBWB	Brushed Nickel	One-light	5-1/4" W., 9" ht.	1 GU24 CFL lamp, each 13w max, included	
P3051-20EBWB	Antique Bronze		Extends 7-1/4".		
P3052-09EBWB	Brushed Nickel	Two-light	18" W., 7-1/4" ht.	2 GU24 CFL lamps, each 13w max, included	
P3052-20EBWB	Antique Bronze		Extends 7-1/4".		
P3053-09EBWB	Brushed Nickel	Three-light	24" W., 7-1/4" ht.	3 GU24 CFL lamps, each 13w max, included	
P3053-20EBWB	Antique Bronze		Extends 7-1/4".		
P3054-09EBWB	Brushed Nickel	Four-light	30" W., 7-1/4" ht.	4 GU24 CFL lamps, each 13w max, included	
P3054-20EBWB	Antique Bronze		Extends 7-1/4".		



P3052-20
P3052-20EBWB

Close-to-ceiling

pg 295



P3053-20
P3053-20EBWB



P3056-09



P3055-20

All fixtures on these pages mount up or down.



P3052-09
P3052-09EBWB



P3053-09
P3053-09EBWB



P3054-09
P3054-09EBWB



P3054-20
P3054-20EBWB



P3056-20



P3055-09

Bedford

SOFT, SWIRLING FORMS ACCENT THE BEDFORD COLLECTION. BRUSHED NICKEL OR ANTIQUE BRONZE FINISH HIGHLIGHT CURVED DOUBLE ARMS AND ETCHED ALABASTER GLASS.

Product No.	Finish	Description	Size	Lamp(s)
P3367-09	Brushed Nickel	One-light	5-1/4" W., 8-1/2" ht.	1 medium base, 100w max.
P3367-20	Antique Bronze		Extends 7-1/4".	
P3368-09	Brushed Nickel	Two-light	14" W., 8-1/4" ht.	2 medium base, each 100w max.
P3368-20	Antique Bronze		Extends 6-1/4".	
P3369-09	Brushed Nickel	Three-light	16" W., 8-1/4" ht.	3 medium base, each 100w max.
P3369-20	Antique Bronze		Extends 9".	

Product No.	Finish	Description	Size	Ballast	Lamp(s)
P3187-09EBWB	Brushed Nickel	Two-light	14-5/8" W., 9" ht. Extends 6-1/2".	120V NPF electronic (included)	2 GU24 CFL lamps, each 13w max.
P3188-09EBWB	Brushed Nickel	Three-light	17" W., 8-5/8" ht. Extends 9-3/8".	120V NPF electronic (included)	3 GU24 CFL lamps, each 13w max.

Close-to-ceiling

pg 312



P3367-09

P3369-09
P3188-09EBWB



P3368-20

P3367-20



P3369-20

P3368-09
P3187-09EBWB

Fluted Glass

RIBBED DETAILING OFFERS A SUBTLE TEXTURE FOR THE CLEAR FLUTED GLASS.

Product No.	Finish	Description	Size	Lamp(s)
P3287-09	Brushed Nickel	One-light	5-1/4" W., 8-1/4" ht.	1 medium base, 100w max.
P3287-15	Polished Chrome		Extends 8".	
P3287-20	Antique Bronze			
P3288-09	Brushed Nickel	Two-light	11-3/4" W., 8-1/4" ht.	2 medium base, each 100w max.
P3288-15	Polished Chrome		Extends 8-1/4".	
P3288-20	Antique Bronze			
P3289-09	Brushed Nickel	Three-light	16" W., 8-1/4" ht.	3 medium base, each 100w max.
P3289-15	Polished Chrome		Extends 8-1/4".	
P3289-20	Antique Bronze			



P3287-15

P3287-09



P3288-09

P3288-15



P3289-20



P3289-15



P3288-20

All fixtures on these pages mount up or down.

Avalon





THE AVALON COLLECTION FEATURES SOFT CURVES AND SOPHISTICATED DETAILING FOR A ROMANTIC STYLE. ALABASTER STYLE GLASS CURVES GRACEFULLY TO COMPLEMENT A VARIETY OF BATH AND VANITY AREAS.

Product No.	Finish	Description	Size	Lamp(s)
P3266-09	Brushed Nickel	One-light	7-3/4" W., 12" ht.	1 medium base,
P3266-20	Antique Bronze		Extends 8-3/4".	100w max.
P3267-09	Brushed Nickel	Two-light	18" W., 7" ht.	2 medium base,
P3267-20	Antique Bronze		Extends 8-3/4".	each 100w max.
P3268-09	Brushed Nickel	Three-light	24" W., 7" ht.	3 medium base,
P3268-20	Antique Bronze		Extends 8-3/4".	each 100w max.
P3269-09	Brushed Nickel	Four-light	36" W., 7" ht.	4 medium base,
P3269-20	Antique Bronze		Extends 8-3/4".	each 100w max.



P3266-09
P3153-09EBWB

P3266-20

Product No.	Finish	Descr.	Size	Ballast	Lamp(s)
P3153-09EBWB	Brushed Nickel	One-light	7-3/4" W., 12" ht. Ext. 8-3/4".	120V NPF electronic (included)	1 GU24 CFL lamp, each 13w max. 
P3154-09EBWB	Brushed Nickel	Two-light	18" W., 7" ht. Ext. 8-3/4".	120V NPF electronic (included)	2 GU24 CFL lamps, each 13w max. 
P3155-09EBWB	Brushed Nickel	Three-light	24" W., 7" ht. Ext. 8-3/4".	120V NPF electronic (included)	3 GU24 CFL lamps, each 13w max. 
P3156-09EBWB	Brushed Nickel	Four-light	36" W., 7" ht. Ext. 8-3/4".	120V NPF electronic (included)	4 GU24 CFL lamps, each 13w max. 



P3268-09
P3155-09EBWB



P3268-20

Chandelier
pg 200



P3267-20



P3267-09
P3154-09EBWB



P3269-09
P3156-09EBWB



P3269-20

★ Opal Glass

BELL-SHAPED OPAL GLASS DESIGNED WITH PLAYFUL ANGLES IN MIND.

Product No.	Finish	Description	Size	Lamp(s)
P3373-10	Polished Brass	One-light	5-1/4" W., 8-1/4" ht. Extends 8".	1 medium base, 100w max.
P3373-15	Polished Chrome			
P3374-15	Polished Chrome	Two-light	14" W., 8-1/4" ht. Extends 6-1/4".	2 medium base, each 100w max.
P3375-10	Polished Brass	Three-light	16" W., 8-1/4" ht. Extends 9".	3 medium base, each 100w max.
P3375-15	Polished Chrome			
P3376-15	Polished Chrome	Four-light	24-1/2" W., 8-1/4" ht. Extends 7-1/2".	4 medium base, each 100w max.



★ Etched Glass

WHITE ETCHED GLASS FEATURES HINT OF SOPHISTICATION. BRUSHED NICKEL FINISH HIGHLIGHTS ANGULAR ARMS.

Product No.	Finish	Description	Size	Lamp(s)
P3301-09	Brushed Nickel	One-light	6" W., 8-7/8" ht. Extends 7-5/8".	1 medium base, 100w max.
P3302-09	Brushed Nickel	Two-light	13-1/2" W., 8-3/4" ht. Extends 7-1/2".	2 medium base, each 100w max.
P3303-09	Brushed Nickel	Three-light	18-3/4" W., 8-7/8" ht. Extends 7-1/2".	3 medium base, each 100w max.



★ Satin-Etched Glass

ANTIQUÉ BRASS WITH SATIN ETCHED GLASS OFFERS OLD WORLD FEEL.

Product No.	Finish	Description	Size	Lamp
P3832-11	Antique Brass	One-light	5-3/8" W., 7-7/8" ht. Extends 6".	1 medium base, 100w max.



★ Victorian Glass

ETCHED GLASS SHADE WITH SCALLOPED EDGES AND ON-OFF SWITCH.

Product No.	Finish	Description	Size	Lamp(s)
P3830-10	Polished Brass	One-light	4-1/2" W., 8-1/2" ht. Extends 4-1/2".	1 medium base, 100w max.



All fixtures on these pages mount up or down.

★ Crystal Cut Glass

GEOMETRIC DESIGNS ETCHED IN GLASS COMPLETE THE SOPHISTICATED COLLECTION.

Product No.	Finish	Description	Size	Lamp(s)
P3044-15	Polished Chrome	Three-light	24" W., 6-3/4" ht. Extends 6-3/4".	3 medium base, each 100w max.
P3045-15	Polished Chrome	Four-light	36" W., 6-3/4" ht. Extends 6-3/4".	4 medium base, each 100w max.
P3046-15	Polished Chrome	Six-light	48" W., 6-3/4" ht. Extends 6-3/4".	6 medium base, each 100w max.



★ White Glass

Product No.	Finish	Description	Size	Lamp(s)
P3813-30	White	White glass. Rotary switch on socket. K.O. for G.C.O.	4-3/4" W., 7-1/2" ht. Extends 4".	1 medium base, 100w max. ADA



★ Channel Glass

WHITE BATH AND VANITY GLASS FIXTURE WITH CURVED EDGES.

Product No.	Finish	Description	Size	Lamp(s)
P3111-30	White Glass	Two-light. K.O. for switch and G.C.O.	13" W., 4-1/4" ht. Extends 4-1/2".	2 medium base, each 75w max.
P3110-30	White Glass	Four-light. K.O. for switch and G.C.O.	24" W., 4-1/4" ht. Extends 4-3/4".	4 medium base, each 75w max.



★ Open Face

G LAMPS RECOMMENDED. WALL MOUNT ONLY.

Product No.	Finish	Description	Size	Lamp(s)
P3038-15	Polished Chrome	Three-light	18" L., 4-1/2" ht.	3 medium base G-lamps, each 60w max.
P3025-09	Brushed Nickel	Four-light	24" L., 4-3/4" ht.	4 medium base G-lamps, each 60w max.
P3025-15	Polished Chrome			
P3025-20	Antique Bronze			
P3026-09	Brushed Nickel	Six-light	36" L., 4-3/4" ht.	6 medium base G-lamps, each 60w max.
P3026-15	Polished Chrome			
P3026-20	Antique Bronze			
P3040-09	Brushed Nickel	Eight-light	48" L., 4-3/4" ht.	8 medium base G-lamps, each 60w max.
P3040-15	Polished Chrome			
P3040-20	Antique Bronze			



P3025-15



P3026-15



P3040-09



P3026-09



P3025-09



P3038-15



P3026-20



P3025-20



P3040-20

★ Deluxe Broadway Lights

SOCKETS ON 6" CENTERS. MEDIUM BASE
G-LAMPS RECOMMENDED. WALL MOUNT ONLY.

Product No.	Finish	Description	Size	Lamp(s)
P3333-15 P3333-30	Polished Chrome White	Three-light	18" L., 4-1/4" ht.	3 medium base G lamps, each 60w max.
P3298-15 P3298-30	Polished Chrome White	Four-light	24" L., 4-1/4" ht.	4 medium base G lamps, each 60w max.
P3335-15 P3335-30	Polished Chrome White	Five-light	30" L., 4-1/4" ht.	5 medium base G lamps, each 60w max.
P3299-15	Polished Chrome	Six-light	36" L., 4-1/4" ht.	6 medium base G lamps, each 60w max.
P3300-15 P3300-30	Polished Chrome White	Eight-light	48" L., 4-1/4" ht.	8 medium base G lamps, each 60w max.



P3333-15



P3298-15



P3335-15



P3300-15

★ Economy Broadway Lights

STEEL CONSTRUCTION WITH SOCKETS ON 7-1/2"
CENTERS. MEDIUM BASE G-LAMPS RECOMMENDED.
WALL MOUNT ONLY.

Product No.	Finish	Description	Size	Lamp(s)
P3114-15	Polished Chrome	Three-light	24" L., 4-1/4" ht.	3 medium base G-lamps, each 60w max.
P3115-15	Polished Chrome	Four-light	30" L., 4-1/4" ht.	4 medium base G-lamps, each 60w max.
P3116-15	Polished Chrome	Five-light	36" L., 4-1/4" ht.	5 medium base G-lamps, each 60w max.
P3117-15	Polished Chrome	Six-light	48" L., 4-1/4" ht.	6 medium base G-lamps, each 60w max.
P3118-15	Polished Chrome	Eight-light	60" L., 4-1/4" ht.	8 medium base G-lamps, each 60w max.



P3114-15



P3115-15




P3116-15



P3117-15





P3118-15



★ Linear Fluorescent Bath

ETCHED GLASS IN SLEEK, LINEAR FORM WITH BRUSHED NICKEL FINISH.

Product No.	Finish	Description	Size	Lamp(s)
P7211-09EB	Brushed Nickel	One-light w/etched glass	25-5/8" W., 5-1/4" ht. Extends 4".	1-F17T8 ADA 
P7212-09EB	Brushed Nickel	One-light w/etched glass	37-5/8" W., 5-1/4" ht. Extends 4".	1-F25T8 ADA 




P7211-09EB



P7212-09EB

★ Maier

CLEAN AND SIMPLE CYLINDER SILHOUETTES IN BRUSHED NICKEL WITH WHITE SATIN ACRYLIC SHADE FOR AN URBAN LOFT STYLING. CAN BE MOUNTED HORIZONTAL OR VERTICAL. TITLE 24 COMPLIANT.

Product No.	Finish	Description	Size	Lamp(s)
P7025-09EB	Brushed Nickel w/white acrylic	Two-light	30" W., 5" ht. Extends 5". H/CTR 2-1/2".	2 4-pin CFL, 2G11 base lamps, 24w max. 

Close-to-ceiling

PG 325





P7025-09EB



P7025-09EB

★ Ribbed Linear Bath

WALL OR CEILING MOUNT.

Product No.	Finish	Description	Size	Lamp(s)
P7218-09EB	Brushed Nickel	Two-light	25" W., 6-1/2" ht. Extends 4".	2-F17T8 ADA 
P7221-09EB	Brushed Nickel	Two-light	49" W., 6-1/2" ht. Extends 4".	2-F32T8 ADA 



P7218-09EB
ceiling mount



P7221-09EB





P7218-09EB



P7218-09EB

★ Linear Fluorescent

WHITE ACRYLIC DIFFUSER WITH STYLISH BRUSHED NICKEL ENDS. CAN BE MOUNTED HORIZONTAL OR VERTICAL.

Product No.	Finish	Description	Size	Lamp(s)
P7236-09	Brushed Nickel	Two-light	33-1/2" W., 4-3/8" ht. Extends 3-7/8".	2-F14T5 ADA 
P7237-09	Brushed Nickel	Two-light	45-1/4" W., 4" ht. Extends 3-7/8".	2-F21T5 ADA 



P7236-09






P7236-09



P7237-09

Contemporary Acrylic

BRUSHED NICKEL END CAPS FINISHED WITH TWIN LINEAR DETAILING. ACRYLIC DIFFUSER. WALL MOUNT ONLY.

Product No.	Finish	Size	Ballast	Lamp(s)
P7227-09EB	Brushed Nickel	25-1/4" L., 5-1/4" ht. Extends 4-1/2".	120V NPF electronic	2-F17T8 
P7228-09EB	Brushed Nickel	37-1/4" L., 5-1/4" ht. Extends 4-1/2".	120V NPF electronic	2-F25T8 
P7229-09EB	Brushed Nickel	49-1/4" L., 5-1/4" ht. Extends 4-1/2".	120V NPF electronic	2-F32T8 



P7227-09EB






P7228-09EB



P7229-09EB

Metal Edge Acrylic

SLEEK POLISHED CHROME METAL END CAPS. ACRYLIC DIFFUSER. WALL MOUNT ONLY.

Product No.	Finish	Size	Ballast	Lamp(s)
P7230-15EB	Polished Chrome	24-1/2" L., 5-1/4" ht. Extends 3-1/4".	120/277V HPF electronic	2-F17T8 
P7231-15EB	Polished Chrome	36-1/2" L., 5-1/4" ht. Extends 3-1/4".	120/277V HPF electronic	2-F25T8 
P7232-15EB	Polished Chrome	48-1/2" L., 5-1/4" ht. Extends 3-1/4".	120/277V HPF electronic	2-F32T8 



P7230-15EB









P7231-15EB



P7232-15EB

★ Squared Bracket




EXTRUDED RIBBED WHITE ACRYLIC DIFFUSER AND WHITE END CAPS. KNOCKOUT FOR G.C.O. AND SWITCH. MOUNT HORIZONTALLY OR VERTICALLY. WALL MOUNT ONLY.

Product No.	Finish	Size	Ballast	Lamp(s)	
P7128-30EB	White	24-3/8" L., 4-5/8" ht. Extends 4".	120V NPF electronic	1-F17T8	
P7129-30EB	White	24-3/8" L., 4-5/8" ht. Extends 4".	120V HPF electronic	2-F17T8	
P7130-30EB	White	36-3/8" L., 4-5/8" ht. Extends 4".	120V NPF electronic	1-F25T8	
P7131-30EB	White	36-3/8" L., 4-5/8" ht. Extends 4".	120V HPF electronic	2-F25T8	
P7132-30EB	White	48-3/8" L., 4-5/8" ht. Extends 4".	120V HPF electronic	1-F32T8	
P7133-30EB	White	48-3/8" L., 4-5/8" ht. Extends 4".	120V HPF electronic	2-F32T8	



★ Soft Clouds




WHITE ACRYLIC DIFFUSERS MOUNT HORIZONTALLY OR VERTICALLY. PROVIDE LIGHT OUT AND DOWN. WALL MOUNT ONLY.


Product No.	Finish	Size	Ballast	Lamp(s)	
P7114-60EB	White	26-3/4" L., 6" ht. Extends 4-1/4".	120V HPF electronic	2-F17T8	
P7115-60EB	White	38-3/4" L., 6" ht. Extends 4-1/4".	120V HPF electronic	2-F25T8	
P7116-60EB	White	50-3/4" L., 6" ht. Extends 4-1/4".	120V HPF electronic	2-F32T8	



★ Slim Profile

WHITE ACRYLIC DIFFUSER MOUNTS HORIZONTALLY OR VERTICALLY AND SNAPS IN PLACE. WHITE END CAPS. WALL MOUNT ONLY.

Product No.	Finish	Size	Ballast	Lamp(s)	
P7094-30EB	White	25-5/8" L., 4-3/4" ht. Extends 4".	120V NPF electronic	2-F17T8 ADA	
P7095-30EB	White	37-5/8" L., 4-3/4" ht. Extends 4".	120V NPF electronic	2-F25T8 ADA	
P7096-30EB	White	49-5/8" L., 4-3/4" ht. Extends 4".	120V NPF electronic	2-F32T8 ADA	



✦ Bath Fans

EXHAUST FANS FOR RESIDENTIAL VENT FAN APPLICATION.
FANS ARE SHIPPED SO THAT THE FAN HOUSING CAN BE INSTALLED
PRIOR TO THE MOTOR/GRILLE ASSEMBLY. FANS CAN BE CEILING OR
WALL MOUNTED. UL/CUL LISTED.

Decorative Bath Fan

Decorative Bath/Exhaust Fan/Light
Combination Units

Round decorative design with
frosted low-profile glass.
Smooth finish for easy cleaning.
Damp location listed.

PV008-09STRWB Brushed Nickel
70 cfm energy efficient bath fan with
frosted glass.
Recommended bath size 65 sq. ft.
Sound level rating 2.5 Sones.
4" duct adapter.
Decorative glass/fan size:
13" dia., 5-9/16" ht.
Back box: 7-1/2" L., 7-5/16" W.,
5-5/16" ht.
Lamps: Two 13w 4-pin spiral CFL
GU24, 2700K (included).



PV008-09STRWB
*(decorative bath fan
shown complete with
housing and fixture)*

EnergyStar Bath Fans

The PV020-30 and PV021-30 are Energy Star qualified bath fans that offer the best combination of energy efficiency and quiet operation. Both models are rated for 80CFM air flow at 0.1" Ps accommodating 72ft² rooms with 8' ceiling heights, and have sound ratings ≤ 1 sone. Air and sound ratings have been verified and listed by the Home Ventilating Institute.

Motors are encased and permanently lubricated for continuous operation. Diffusers are white and are retained by torsion springs to ensure a tight fit against the ceiling and easy installation. Both models accommodate 2" x 8" joist construction, and are shipped with bar hangers that can be adjusted for 24" joist spans.



PV020-30



PV021-30WB

PV020-30 Textured White
80 cfm bath fan
Recommended bath size 75 sq. ft.
Sound level rating 0.7 Sones
4" duct fitting
Grille size: 12-3/4" sq., 7/8" deep
Back box: 9-1/4" L., 11-5/8" W.,
8" ht.
cULus listed



PV021-30WB Textured White
80 cfm bath fan with light
Recommended bath size 75 sq. ft.
Sound level rating 1.0 Sones
4" duct fitting
Grille size: 21-5/8" sq., 4" deep
Back box: 9-1/4" L., 11-5/8" W.,
8" ht.
Lamp: One 13w GU24, 2700K
(included)
cULus listed

All fixtures on these pages mount up or down.



SURFACE OR WALL MOUNT FLUORESCENT
FIXTURES. OPAL ACRYLIC DIFFUSER WITH
DISTRESSED MIRROR SURFACE ACCENTS.

Damp location listed.

Product No.	Finish	Size	Ballast	Lamp(s)
P3957-09 P3957-74	Brushed Nickel Venetian Bronze	45-3/4" L., 24" W., 3-1/2" ht.	120V NPF electronic	Five circline lamps each 22w max. ADA 
P3958-09 P3958-74	Brushed Nickel Venetian Bronze	24" L., 23-3/4" W., 3-3/8" ht.	120V NPF electronic	Three circline lamps, each 22w max. ADA 



P3957-74
shown ceiling-mounted




P3957-09
shown ceiling-mounted



P3958-74
shown ceiling-mounted



P3958-09
shown ceiling-mounted



Product No.	Finish	Size	Ballast	Lamp(s)
P3956-09 P3956-74	Brushed Nickel Venetian Bronze	40" L., 11-5/8" W., 3-3/8" ht.	120V NPF electronic	Six GU24 base CFL lamps, each 13w max. ADA
P3681-09 P3681-74	Brushed Nickel Venetian Bronze	18-3/4" dia., 3-3/8" ht.	120V NPF electronic	One circline lamp, 22w max.



P3956-09
shown ceiling-mounted



P3956-74
shown ceiling-mounted







P3681-09
shown ceiling-mounted



P3681-74
shown ceiling-mounted

★ Surface Mount Circline Fluorescent

White acrylic diffuser for kitchen, bath, laundry, workshop or family area. Damp location listed.

Product No.	Finish	Size	Ballast	Lamp(s)	
P7249-09EBWB	Brushed Nickel	10-3/8" dia.,	120V NPF	1-22w T-9	
P7249-174EBWB	Urban Bronze	3-1/2" ht.	electronic	included	
P7250-09EBWB	Brushed Nickel	17-5/8" dia.,	120V NPF	1-22w T-9 &	
P7250-174EBWB	Urban Bronze	4-1/2" ht.	electronic	1-32w T-9 included	
P7251-09EBWB	Brushed Nickel	32-1/2" L.,	120V NPF	2-32w T-9	
P7251-174EBWB	Urban Bronze	18" W., 4-3/8" ht.	electronic	included	
P7252-09EBWB	Brushed Nickel	31-1/4" dia.,	120V NPF	3-32w T-9	
P7252-174EBWB	Urban Bronze	6-1/2" ht.	electronic	included	



P7252-09EBWB



P7251-174EBWB



P7250-09EBWB



P7250-174EBWB



P7249-174EBWB



P7249-09EBWB

★ Surface Mount Linear Fluorescent


For kitchen, bath, laundry, workshop or family area. Damp location listed.



P7258-174EB



P7258-09EB

Product No.	Finish	Size	Ballast	Lamp(s)
P7258-09EB	Brushed Nickel w/white acrylic	48-1/2" L.,	120V NPF	3-F32T8
P7258-174EB	Urban Bronze w/white acrylic	11-5/8" W., Extends 4-1/2".	electronic	




Sideview

★ Domes

Contoured white acrylic domes with curved, textured white molding. Floats 3/4" from ceiling, creating a halo effect. Damp location listed.







P7206-30EB

Product No.	Finish	Size	Ballast	Lamp(s)
P7206-30EB	White	59" L., 21" W. 6-5/8" ht.	120V HPF electronic	4-F32T8 

★ Soft Clouds

Contoured, shallow white acrylic clouds. Diffuser suspended from white chassis. Damp location listed.





Product No.	Finish	Size	Ballast	Lamp(s)
P7278-60EB	White	28" L., 18" W., 4-5/8" ht.	120V HPF electronic	4-F17T8 
P7279-60EB	White	52" L., 12" W., 4-5/8" ht.	120V HPF electronic	2-F32T8 
P7280-60EB	White	52" L., 18" W., 4-5/8" ht.	120V HPF electronic	4-F32T8 
P7285-60EB	White	30-3/4"L., 27-1/4" W., 5" ht.	120V HPF electronic	2-FB32T8 

★ Ribbed Linear Fluorescent

Ceiling mount.
Damp location listed.



Product No.	Finish	Description	Size	Ballast	Lamp(s)
P7218-09EB	Brushed Nickel	Two-light	25" W., 4" ht. Extends 6-1/4".	120v NPF electronic	2-F17T8 
P7221-09EB	Brushed Nickel	Two-light	49" W., 4" ht. Extends 6-1/4".	120v NPF electronic	2-F32T8 

★ Emergency Battery Pack


P8698-01



P8698-01 Emergency Battery Pack
Emergency fluorescent ballast accessory for remote mounting.
Operates 2' - 4' single bi-pin T8 through T12 fluorescent lamps, 17W to 40W.
Can be mounted in wireway or on top of the fixture. Includes test switch and charge indicator accessory kit.

Emergency Operating Time: 90 minutes
Input Voltage: 120/277V, 60Hz
Initial Illumination: (1) lamp up to 700 Lumens
Operating temp: 0° to 55° C
UL and CUL Listed

★ Wood Frame



P7273-30



P7275-30

Square wood frame suspended from surface-mounted white chassis. White acrylic diffuser.

Trim No.	Finish	Chassis	Size	Ballast	Lamp(s)
P7273-30	White	P7213-30EB	26-1/2" L., 26" W., 4-1/4" ht.	120V HPF electronic	2-FB32T8
P7274-30	White	P7214-30EB	50-1/2" L., 15" W., 4-1/4" ht.	120V HPF electronic	2-F32T8
P7275-30	White	P7215-30EB	50-1/2" L., 18" W., 4-3/4" ht.	120V HPF electronic	4-F32T8
P7276-30	White	P7216-30EB	50-1/2" L., 26-1/2" W., 4-1/4" ht.	120V HPF electronic	4-F32T8

★ Wrap-Arounds



P7183-30EB




P7186-30EB

Clear extruded prismatic acrylic diffuser, squared white end caps and white chassis. General utility fluorescents for individual or continuous run ceiling mounting.

Product No.	Finish	Size	Ballast	Lamp(s)
P7183-30EB	White	24" L., 7-3/4" W., 3" ht.	120V HPF electronic	2-F17T8
P7186-30EB	White	48" L., 7-3/4" W., 3" ht.	120V HPF electronic	2-F32T8
P7196-30EB	White	48" L., 15-5/8" W., 3" ht.	120V HPF electronic	4-F32T8

★ White Finish



P7263-30EB



P7262-30EB

White vinyl on metal. White acrylic diffuser suspended from surface mounted white chassis.

Product No.	Finish	Size	Ballast	Lamp(s)
P7262-30EB	White	24-1/2" L., 24-1/2" W., 4-1/2" ht.	120V HPF electronic	2-FB32T8
P7263-30EB	White	49" L., 12-1/2" W., 4-1/2" ht.	120V HPF electronic	2-F32T8
P7264-30EB	White	49" L., 16" W., 4-1/2" ht.	120V HPF electronic	4-F32T8

★ Closet Lights



P7201-30WB

White acrylic diffuser with white metal housing.
Can be mounted directly to junction box.

Product No.	Finish	Size	Ballast	Lamp(s)
P7201-30WB	White	18-1/4" L., 4" W., 1-3/8" ht.	120V NPF magnetic	1-F15T8 included



★ Slim Line Wrap



P7137-30STR



P7154-30STR

Acrylic diffuser with white end caps.
For kitchens, laundry rooms and work areas.

Product No.	Finish	Size	Ballast	Lamp(s)
P7137-30STR	White	26-3/4" L., 6-1/4" W., 2-1/2" ht.	120V NPF electronic	2-F17T8
P7154-30STR	White	38-3/4" L., 6-1/4" W., 2-1/2" ht.	120V NPF electronic	2-F25T8
P7189-30STR	White	50-5/8" L., 6-1/4" W., 2-1/2" ht.	120V NPF electronic	2-F32T8



★ Fluorescent Strips



P7265-30EB



P7266-30EB



P7267-30EB



P7268-30EB

T-8 fluorescent strips for utility, closet, garage or general lighting.

Product No.	Finish	Size	Ballast	Lamp(s)
P7265-30EB	White	24" L., 3" W. Extends 3-1/8".	120V NPF electronic	1-F17T8
P7266-30EB	White	24-1/4" L., 3" W. Extends 3-1/8".	120V NPF electronic	2-F17T8
P7267-30EB	White	48" L., 3" W. Extends 3-1/8".	120V NPF electronic	1-F32T8
P7268-30EB	White	48" L., 3" W. Extends 3-1/8".	120V NPF electronic	2-F32T8



See page 443 for emergency battery pack

▣ HIDE a LITE 3 | 120V AC LED Puck

Wet location listed.

Electrical

120V AC linkable LED puck.

Lamping Long life LED's 50,000 hours, 70% lumen maintenance. 3000k color temperature, 85+ CRI.

Construction Die cast enclosure. V5 rated cover and frosted lens.

Linkable This system can be powered from a single location using the P8740 direct-wire junction box using HAL3 linking cables (P8733, P8737, P8738, P8739). The fixtures can be linked together to form a continuous row of illumination.

Dimmable Smooth and continuous dimming using most incandescent dimmers (Note: Reference dimmer manufacturer's minimum load requirements.)



P7510-30 White
Two-light 120V LED undercabinet.
Size: 3-1/4" dia., 15/16" ht.
Lamps: 4w LED array.



Quick connect locations on two sides and the top.



▣ HIDE a LITE 3 | Linking Cables and Junction Box

P8733-20 Antique Bronze

P8733-30 White

12" Undercabinet fixture linking cable.

Size: 3/4" W., 3/8" ht. 12" L.

P8735-20 Antique Bronze

P8735-30 White

6" Undercabinet fixture linking cable.

Size: 3/4" W., 3/8" ht. 6" L.

P8737-20 Antique Bronze

P8737-30 White

18" Undercabinet fixture linking cable.

Size: 3/4" W., 3/8" ht. 18" L.




P8735-20

P8738-20 Antique Bronze

P8738-30 White

24" Undercabinet fixture linking cable.

Size: 3/4" W., 3/8" ht. 24" L.



P8738-30

P8737-30

P8733-30

■ HIDE ^a LITE 3 | 120V Xenon Strips

Direct Wire and Linkable, with long-life 120V Xenon lamps

Lamping Each fixture includes 120V bi-pin 20W Xenon lamp(s) has an 8,000hr average lamp life. Each lamp is further directed on the workplane with a internal reflector.

Construction Formed steel housing with a frosted tempered glass lens

Mounting and Installation Multiple 7/8" knockouts locations at rear of fixture for direct wire connections via non-metallic cable, flexible conduit, or rigid conduit. Each fixture features Quick-Link connection ports at either end for easy linking connections to other HAL3 fixtures. Slotted holes allow mounting through housing. Tool-less electrical compartment entry.

Linkable The system can be powered from a single location using the P8740 direct-wire

junction box (each fixture can also be direct-wired individually). Using the HAL3 Quick-Link cables (P8733-P8743), the fixtures can be linked together to form a continuous row of illumination. (Note: The linking connections can be used with or without the use of the P8740 junction box).

Step Dimming Each fixture features an integral high/low/off rocker switch. Can use standard incandescent dimmer.



P7032-20WB

P7032-30WB


P7032-20WB Bronze
P7032-30WB White
One-light 120V Xenon undercabinet.
Size: 3-1/2" W., 9-1/2" L., Extends 1-1/4".
Lamp: One G8 bi-pin 120V Xenon lamp, 20w max (included).



P7034-20WB

P7034-30WB

P7034-20WB Bronze
P7034-30WB White
Three-light 120V Xenon undercabinet.
Size: 3-1/2" W., 18" L., Extends 1-1/4".
Lamps: Three G8 bi-pin 120V Xenon lamps, each 20w max (included).



P7033-20WB

P7033-30WB

P7033-20WB Bronze
P7033-30WB White
Two-light 120V Xenon undercabinet.
Size: 3-1/2" W., 12" L., Extends 1-1/4".
Lamps: Two G8 bi-pin 120V Xenon lamps, each 20w max (included).



P7035-20WB

P7035-30WB

P7035-20WB Bronze
P7035-30WB White
Four-light 120V Xenon undercabinet.
Size: 3-1/2" W., 24" L., Extends 1-1/4".
Lamps: Four G8 bi-pin 120V Xenon lamps, each 20w max (included).

P8740-20 Antique Bronze
P8740-30 HAL3 junction box. White.
Size: 3-1/4" W., 7/8" ht. 3-1/2" L.


P8743-20 Antique Bronze
P8743-30 White
Coupling cable to connect two linking cables together.
Size: .75" W., .5" ht. 6" L.



P8740-30



P8743-20



Shown P8740-30 with 8737-30



Side view showing cable connector

HIDE a LITE 3

The Hide-a-Lite 3 system is the premier direct-wire linkable solution for undercabinet lighting. Utilizing the low profile direct-wire junction box (P8740) that acts as the heart of the HAL3 system, the undercabinet fixtures can easily be linked together with the Quick-Link cables (P8733-P8740) to form a complete and flexible undercabinet solution.

Multiple types of lamp sources, including T-5 Fluorescent, LED and Xenon, are available in various length housings that can be joined together to form a complete Hide-a-Lite 3 undercabinet lighting system.

HIDE a LITE 3 | T-5 Fluorescent Strips

Linkable and low-profile, with high brightness T-5 lamps

These energy-efficient low profile fixtures have an integral on/off rocker switch, and a white acrylic diffuser. Available in 4 lengths, they can be linked together with the HAL3 Quick-link cables (P8733-P8743). The P8740 hardware Junction box must be used to power the HAL3 T-5 fluorescent products.

Lamping: Each fixture includes a T-5 fluorescent lamp that has a 10,000hr average lamp life and 3000K color temperature. Non dimmable.

Construction: Extruded aluminum housing with a white acrylic diffuser.

Mounting and Installation: Slotted holes allow easy mounting through housing. Tool-less electrical compartment entry.



P7020-30EBWB White
One, 8w T5 Linkable
Size: 3-1/4" W., 1-1/8" ht. 12" L.
Lamp: One F8T5 lamp (included)



P7023-30EBWB White
Two, 13w T5 Linkable
Size: 3-1/4" W., 1-1/8" ht. 42" L.
Lamps: Two F13T5 lamps (included).



P7021-30EBWB White
One, 13wt T5 Linkable
Size: 3-1/4" W., 1-1/8" ht. 21" L.
Lamp: One F13T5 lamp, 13w max. (included).



P7022-30EBWB White
One, 8w and One, 13w T5 Linkable
Size: 3-1/2" W., 1-1/8" ht. 34" L.
Lamps: One F8T5 and one F13T5 (included).




HIDE a LITE 3 | Linking Cables and Junction Box

P8733-20 Antique Bronze
P8733-30 White
12" Undercabinet fixture linking cable.
Size: 3/4" W., 3/8" ht. 12" L.

P8735-20 Antique Bronze
P8735-30 White
6" Undercabinet fixture linking cable.
Size: 3/4" W., 3/8" ht. 6" L.

P8737-20 Antique Bronze
P8737-30 White
18" Undercabinet fixture linking cable.
Size: 3/4" W., 3/8" ht. 18" L.



P8735-20

P8738-20 Antique Bronze
P8738-30 White
24" Undercabinet fixture linking cable.
Size: 3/4" W., 3/8" ht. 24" L.



P8738-30

P8737-30

P8733-30

HIDE a LITE 3 | 120V LED Strips | Undercabinet Systems

Direct Wire and Linkable, with long-life LED's

Electrical Each fixture includes 120V dimmable electronic power supplies rated for long-life continuous use. An on/off rocker switch is included with each fixture.

Lamping Long-life LED's provide 70% lumen maintenance over 35,000 hours. 3000K correlated color temperature, 80+ CRI.

Construction Extruded aluminum frame, polycarbonate end plates match frame finish. Tempered micro-prismatic glass lens.

Linkable The system can be powered from a single location using the P8740 direct-wire junction box (each fixture can also be direct-wired individually). Using the HAL3 linking cable accessories (P8733-P8743), the fixtures can be linked together to form a continuous row of

illumination. (Note: The linking cables can be used with or without the use of the P8740 junction box).

Dimming Smooth and continuous dimming on most incandescent dimmer switches (Note: Reference manufacturers' minimum load requirements for dimmer switches). (Except P7002)

P7002-20 Bronze

P7002-30 White

Two-light 120V LED undercabinet. (Non-dimmable)
Size: 3-1/2" W., 9" L., Extends 1".
Lamps: 4w LED.



P7012-20 Bronze

P7012-30 White

Four-light 120V LED undercabinet.
Size: 3-1/2" W., 12" L., Extends 1".
Lamps: 8w LED.



P7005-20 Bronze

P7005-30 White

Six-light 120V LED undercabinet.
Size: 3-1/2" W., 18" L., Extends 1".
Lamps: 10w LED.



P7013-20 Bronze

P7013-30 White

Eight-light 120V LED undercabinet.
Size: 3-1/2" W., 24" L., Extends 1".
Lamps: 14w LED.



P7002-30



P7012-30



P7002-20



P7012-20




P7005-30



P7005-20



P7013-30



P7013-20

P8740-20 Antique Bronze

P8740-30 HAL3 junction box. White.

Size: 3-1/4" W., 7/8" ht. 3-1/2" L.

P8743-20 Antique Bronze

P8743-30 White


Coupling cable to connect two linking cables together.
Size: .75" W., .5" ht. 6" L.



P8740-30



P8743-20



Shown P8740-30 with 8737-30



Side view showing cable connector



+ HIDE a LITE [®] | CounterBrite [®]

The Hide-a-Lite CounterBrite combines a halogen lamp with a unique reflector design to provide a wide distribution of bright white light.

When mounted 18" above work surface, one unit will light approximately three feet of counter. Multiple units can be used to provide lighting throughout the kitchen.

The Hide-a-Lite CounterBrite is 120v. No transformer is required.

Multiple units can be direct wired from one outlet box. The unit comes complete with a two-level hi-lo switch and 50w E-11 mini-can halogen lamp.

UL and CUL listed.



P7533-31WB



P7533-30WB

P7533-30WB White
P7533-31WB Black
 One-light direct wire halogen undercabinet.
 Size: 4" W., 9-1/4" L.
 Extends 1-1/2".
 Lamp: One 50w halogen lamp, E-11 mini-can base (included).

LAMPS



P7805-01 50w halogen lamp, E-11 mini-can base CounterBrite (P7533)



HIDE a LITE[®] 2

Quartz halogen, low voltage disc-lights provide high intensity white light for undercabinet areas where demanding tasks are performed or where it is difficult to provide supplemental room lighting.

Surface mount.


Utilize a maximum 20w quartz halogen lamp (included).

For even illumination, space units the same distance apart as the mounting height over the work surface (18" mounting height = 18" spacing).

A single unit illuminates a circle approximately 1/3 larger than the mounting height (18" mounting height = 24" circle of light).

Not UL Listed.



P7520-30 

P7520-30 White
 Surface mount – Under cabinets and shelves. White high temperature plastic with borosilicate clear lens. Designed for easy through wiring for #10 or #12 Romex, TFFN, or THHN wire. Easy re-lamping.
 Size: 2-7/8" dia., 1-1/8" ht.
 Lamp: One quartz halogen, (G4 Bi-pin) lamp, 20w max. Lamp included.

HIDE a LITE[®] 2 12-Volt Transformers

These magnetic transformers (except 60w) have a special feature to provide either 12 volts or greater output to compensate for loading and to maximize lamp life.

All units are UL listed for dry locations.

All but the 60W unit can be mounted vertically or horizontally, and feature in-line secondary magnetic breakers to protect against short circuit.

The 600W Unit has two 300 watt circuits on the secondary and requires balanced loads on each for optimum operation.

Switches and dimmers (induction type only) must be installed on the primary (input) side only of the low voltage transformers.

Transformers can be loaded up to the maximum rating.

All units feature overload protection.



P8604-31

P8655-31

P8652-31

LAMP



P7802-01 20w G-4 bi-pin replacement lamp for Hide-a-Lite 2 P7520-30.

Product No.	Finish	Size	Capacity	Wattage
P8604-31	Black	3-1/2" W. 3-1/2" d.	5-1/4" ht.	60w
P8652-31	Black	3-1/2" W. 3-1/4" d.	8-1/2" ht.	100w
P8653-31	Black	4-1/8" W. 3-3/4" d.	8-1/2" ht.	150w
P8654-31	Black	4-1/8" W. 4-3/4" d.	8-1/2" ht.	300w
P8655-31	Black	4-5/8" W. 4-1/2" d.	12" ht.	600w (2-300w)

★ Undercabinet Fluorescents

Trim, energy efficient fluorescents mount easily under cabinets and shelves, over a desk, in kitchens or any work area. All have a white acrylic diffuser and white baked enamel housing. For units wired to a wall switch, select models without a rocker switch.



P7004-30EBS




P7018-30EBS



P7011-30EBS



P7014-30EBS



P7016-30EBS

T5 Electronic Slimline Direct Wire

Product No.	Finish	Description	Size	Ballast	Rocker Switch	G.C.O.	Lamp(s)
P7004-30EBS	White	12" T5	12-3/8" L., 3-5/8" W., 1-3/16" ht.	120V NPF Electronic	K.O.	K.O.	1-F8T5
P7011-30EBS	White	21" T5	21-3/8" L., 3-5/8" W., 1-3/16" ht.	120V NPF Electronic	K.O.	K.O.	1-F13T5
P7014-30EBS	White	24" T5	24-1/2" L., 3-5/8" W., 1-3/16" ht.	120V NPF Electronic	K.O.	K.O.	2-F8T5
P7015-30EBS	White	34" T5	34-1/2" L., 3-5/8" W., 1-3/16" ht.	120V NPF Electronic	K.O.	K.O.	1-F21T5
P7016-30EBS	White	43" T5	42-5/8" L., 3-5/8" W., 1-3/16" ht.	120V NPF Electronic	K.O.	K.O.	2-F13T5
T5 Dual Voltage							
P7011-30DVEBS	White	21" T5	21-3/8" L., 3-5/8" W., 1-1/2" ht.	120/277V HPF Electronic	K.O.	K.O.	1-F13T5



T8 Electronic Slimline Direct Wire

Product No.	Finish	Description	Size	Ballast	Rocker Switch	G.C.O.	Lamp(s)
P7017-30EBS	White	18" T8 w/ Rocker Switch	18-3/8" L., 4" W., 1-5/8" ht.	120V NPF Electronic	Yes	K.O.	1-F15T8
P7018-30EBS	White	18" T8	18-1/4" L., 3-7/8" W., 1-5/8" ht.	120V NPF Electronic	K.O.	K.O.	1-F15T8
P7007-30EBS	White	24" T8	24-1/4" L., 3-7/8" W., 1-5/8" ht.	120V NPF Electronic	K.O.	K.O.	2-F8T8
P7008-30EBS	White	36" T8	36-1/8" L., 3-7/8" W., 1-5/8" ht.	120V NPF Electronic	K.O.	K.O.	1-F25T8
P7009-30EBS	White	48" T8	48-1/8" L., 3-7/8" W., 1-5/8" ht.	120V NPF Electronic	K.O.	K.O.	1-F32T8
T8 Dual Voltage							
P7001-30EBS	White	24" Dual Voltage	24-1/4" L., 3-7/8" W., 1-5/8" ht.	120/277V HPF Electronic	K.O.	K.O.	1-F17T8
P7008-30DVEBS	White	36" Dual Voltage	36-1/8" L., 3-7/8" W., 1-5/8" ht.	120/277V HPF Electronic	K.O.	K.O.	1-F25T8
P7009-30DVEBS	White	48" Dual Voltage	48-1/8" L., 3-7/8" W., 1-5/8" ht.	120/277V HPF Electronic	K.O.	K.O.	1-F32T8

T8 Slimline Cord/Plug

Product No.	Finish	Description	Size	Ballast	Rocker Switch	G.C.O.	Lamp(s)
P7019-30WB	White	18" Cord & Plug w/ bulb	18-3/8" L., 4" W., 1-5/8" ht.	120V NPF	Yes	K.O.	1-F15T8 Included

Undercabinet Accessories

Product No.	Finish	Description
P8603-01	White	Rocker Switch for use in models with Rocker Switch knockout.
P8608-30	White	Grounded Convenience Outlet for use in models with G.C.O. knockout.



Bingo

FASHION FORWARD
CIRCULAR DESIGN

WALL SCONCE

P2026-09WB Brushed Nickel
P2026-74WB Venetian Bronze
Two-light wall sconce with etched acrylic diffuser and distressed mirror glass accents.
Size: 10-1/2" dia., 9" ht.
Extends 3-7/8". H/CTR 4-1/2".
Lamps: Two halogen G9 lamps, 60w max., included.
ADA



P2026-09WB



P2026-74WB

Chandelier

pg 6



Close-to-ceiling

pg 290



ONE-LIGHT WALL SCONCE
WITH ETCHED OPAL GLASS
SHADES AND IRONWORK
PATTERN ON GLASS

P7056-09 Brushed Nickel
P7056-74 Venetian Bronze
Size: 7-3/4" W., 10-1/4" ht.
Extends 4". H/CTR 5-1/8".
Lamp: One medium base
lamp, 75w max.
ADA



P7056-09



P7056-74

Close-to-ceiling

pg 292



Cuddle

MYLAR EXTERIOR SHADE
SURROUNDS A LINEN
INTERIOR SHADE

P7065-09 Brushed Nickel
P7065-20 Antique Bronze
Size: 8-3/4" W., 14" ht. Extends
3-7/8". H/TCR 7".
Lamp: One GU24 CFL lamp,
13w max.
ADA



P7065-09



P7065-20

Chandelier

pg 22



Coupe

BRUSHED NICKEL FEATURES A CLEAR RIBBED GLASS SHADE OVER AN ETCHED GLASS DIFFUSER. ANTIQUE BRONZE HAS CLEAR SEEDED GLASS OVER AN ETCHED GLASS DIFFUSER.

Chandelier

pg 40



P6604-09EE Brushed Nickel
P6604-74EE Venetian Bronze
 One-light wall sconce.
 Size: 8" W., 14" ht.
 Extends 6". H/CTR 7".
 Lamp: One GU24 base CFL
 lamp, 18w max.



P6604-09EE



P6604-74EE

P6605-09EE Brushed Nickel
P6605-74EE Venetian Bronze
 One-light wall sconce.
 Size: 9" W., 18" ht.
 Extends 9". H/CTR 9".
 Lamp: One GU24 base CFL
 lamp, 32w max.



P6605-09EE



P6605-74EE

P7051-09EE Brushed Nickel
P7051-74EE Venetian Bronze
 One-light wall sconce.
 Size: 8" W., 12-3/8" ht.
 Extends 4". H/CTR 6-3/8".
 Lamp: One GU24 base
 CFL lamp, 32w max.
 ADA



P7051-09EE



P7051-74EE

★ Dibs

SQUARE ETCHED OPAL GLASS SHADES, WHICH ARE SUSPENDED BY A RECTILINEAR FRAMEWORK. A FASHION FORWARD, UNIQUE DESIGN.

P7027-09WB Brushed Nickel
Size: 7" W., 13" ht. Extends 7-1/2". H/CTR 7-1/8".
Lamp: One G9 base halogen lamp, 60w max., included.

P7027-09WB



P7027-09WB



Chandelier

Pg 34



Close-to-ceiling

Pg 294



★ Etched Glass

P7061-09 Brushed Nickel
Etched glass shade with enclosed top and bottom. Can be mounted left or right.
Size: 8-3/4" W., 14-3/8" ht. Extends 4".
Lamp: One GU24 CFL lamp, 26w max. (included).

ADA



P7061-09

★ Etched Glass

P7087-09 Brushed Nickel
Etched glass.
Size: 6-1/2" W., 11-1/8" ht., Extends 4". H/CTR 5-1/2".
Lamp: One medium base lamp, 100w max.
ADA

P7087-09



★ White Glass

P7112-30 White
One-light with white glass quartersphere.
Size: 11-1/2" W., 5" ht. Extends 5-3/4". H/CTR 2-3/8".
Lamp: One medium base lamp, 100w max.

P7113-30 White
One-light with white glass quartersphere.
Size: 11-1/2" W., 5-3/4" ht. Extends 5". H/CTR 2-3/8".
Ballast: 120V NPF magnetic
Lamp: One 13w 2-pin twin CFL. GX23 base.



P7112-30
P7113-30

★ Etched Opal Glass

P7052-09WB Brushed Nickel
P7052-20WB Antique Bronze
 Satin opal glass.
 Size: 7" W., 14" ht.
 Extends 4". H/CTR 7".
 Ballast: 120V NPF electronic
 Lamp: One GU24 base CFL
 lamp, 26w max
 ADA



P7081-20



P7082-20

P7068-20
P7052-20WB

P7068-09 Brushed Nickel
P7068-20 Antique Bronze
 Satin opal glass.
 Size: 7" W., 14" ht.
 Extends 4". H/CTR 7".
 Lamp: One medium base lamp,
 100w max.
 ADA

P7081-09 Brushed Nickel
P7081-20 Antique Bronze
 Size: 4-1/2" W., 13-1/2" ht.
 Extends 4". H/CTR 9-1/2".
 Lamp: One GU24 base CFL
 lamp, 26w max.
 ADA



P7081-09



P7082-09

P7068-09
P7052-09WB

P7082-09 Brushed Nickel
P7082-20 Antique Bronze
 Size: 5" W., 18" ht. Extends 4".
 H/CTR 15-3/8".
 Lamp: One GU24 base CFL
 lamp, 26w max.
 ADA



★ White Glass

P7044-09EBWB Brushed Nickel
P7044-174EBWB Urban Bronze
 White glass.
 Size: 14-3/4" W., 9-7/8" ht.
 Extends 3-7/8". H/CTR 6."
 Ballast: 120V NPF electronic
 Lamps: Two 13w 4-pin Quad CFL
 (included). G24q-1 base.
 ADA

P7045-09
P7044-09EBWBP7045-174
P7044-174EBWB

P7045-09 Brushed Nickel
P7045-174 Urban Bronze
 White glass.
 Size: 14-3/4" W., 9-7/8" ht.
 Extends 3-7/8". H/CTR 6."
 Lamp: One medium base lamp,
 60w max.
 ADA

★ Peek-a-Boo

ETCHED GLASS SHADE "PEEK THROUGH"
ARCHED FRAME. CLEAN, CONTEMPORARY
SCONCES IN SMALL AND LARGE VERSIONS.

P6602-20 Antique Bronze

Size: 5-1/2" W., 13" ht.
Extends 3-1/4". H/CTR 7-1/4".
Lamp: One candelabra
base lamp, 60w max.

P6603-20 Antique Bronze

Size: 5-1/2" W., 17-1/8" ht.
Extends 3-1/4". H/CTR 10-3/4".
Lamp: One medium base
T10 lamp, 60w max.



P6602-20



P6603-20

★ Tri-Band Louver

PROVIDES ILLUMINATION FROM TOP,
BOTTOM AND BETWEEN LOUVERS

P7103-30 White

P7103-31 Black

Size: 14" W., 7" ht. Extends 7".
H/CTR 2-1/4".

Lamp: One medium base lamp, 100w max.

P7103-31



P7103-30



★ Anson

ONE-LIGHT CFL WALL SCONCE.
ACRYLIC DIFFUSER

P5736-09 Brushed Nickel

P5736-129 Architectural Bronze

Size: 9-1/8" W., 10-1/4" ht.

Extends 3-3/4". H/CTR 5-5/8".

Lamp: One GU24 CFL lamp, 18w max.

Wet location listed.

ADA



P5736-09



P5736-129



★ Jack

ETCHED UMBER FLAX GLASS

P5948-20 Antique Bronze

Size: 6" W., 13-5/8" ht.

Extends 6-1/4". H/CTR 5-1/4".

Lamp: One medium
base lamp, 100w max.

P5949-20 Antique Bronze

Size: 8" W., 15-1/4" ht.

Extends 6-1/4". H/CTR 5-7/8".

Lamp: One medium
base lamp, 100w max.

P5948-20



P5949-20



★ Acrylic Wall Sconces

WHITE ACRYLIC. 120V NPF
ELECTRONIC BALLAST.

P7083-09EBWB Brushed Nickel
Acrylic alabaster swirl. Top cover.
Size: 8-7/8" W., 10-5/8" ht.
Extends 3-7/8". H/CTR 5-3/4".
Lamp: One 18w 4-pin Quad CFL
(included). G24q-2 base.
ADA



P7083-09EBWB



P7085-174EBWB

P7085-09EBWB Brushed Nickel
P7085-174EBWB Urban Bronze
White acrylic. Top cover.
Size: 9-3/8" W., 10-5/8" ht.
Extends 3-7/8". H/CTR 5-1/2".
Lamp: One 26w 4-pin Quad
CFL (included). G24q-3 base.
ADA



P7083-09EBWB



P7249-09EBWB



P7249-174EBWB

P7249-09EBWB Brushed Nickel
P7249-174EBWB Urban Bronze
White acrylic.
Size: 10-3/8" dia. Extends 3-1/2".
Lamp: One 22w 4-pin T-9
circline (included).
ADA



★ Shelton

WHITE ACRYLIC

P5790-09 Brushed Nickel
Mount vertically or horizontally.
Indoor or outdoor.
Size: 11" W., 5-5/8" ht. Extends 3-3/4".
Lamp: One 13w 4-pin CFL.
GX24q-3 base.
Wet location listed.
ADA



P5790-09



P5790-09

★ Valera

WHITE ACRYLIC DIFFUSER.
VERTICAL MOUNT ONLY.

P5800-09 Brushed Nickel
P5800-20 Antique Bronze
Size: 5-5/8" W., 8-1/8" ht.
Extends 4".
Lamp: One GU24 CFL lamp,
13w max.



P5806-09



P5806-20



P5801-09



P5801-20

P5801-09 Brushed Nickel
P5801-20 Antique Bronze
Size: 8-5/8" W., 11-1/8" ht.
Extends 4".
Lamp: One GU24 CFL lamp,
26w max.



P5800-20



P5800-09

P5806-09 Brushed Nickel
P5806-20 Antique Bronze
Size: 5-5/8" W., 16-1/8" ht.
Extends 4".
Lamps: Two GU24 CFL lamps,
each 18w max.



★ Parker

VERSATILE WALL SCONCE CAN BE USED
INDOORS AND OUTDOORS. TOP AND
BOTTOM CAN BE REMOVED FOR INDOOR
USE. VERTICAL MOUNT ONLY.

P5914-16 Satin Aluminum
P5914-20 Antique Bronze
One-light CFL wall sconce.
White acrylic diffuser.
Size: 5-3/8" W., 10-1/4" ht.
Extends 4".
Lamp: One GU24 CFL lamp,
26w max.
Wet location listed
ADA



P5915-16



P5915-20



P5914-16



P5914-20



P5914-20
*shown without top and
bottom for interior use.*





★ White Glass

P3111-30 White

White glass.
Size: 4-1/4" W., 13" ht.
Extends 4-1/2".
Lamps: Two medium base lamps, each 75w max.



P3813-30



P3111-30

P3813-30 White

White glass. Rotary switch on socket. K.O. for G.C.O.
Size: 4-3/4" W., 7-1/2" ht.
Extends 4".
Lamp: One medium base lamp, 100w max.
ADA

★ Acrylic

P3892-30 White

White acrylic diffuser
Size: 6" W., 8" ht.
Extends 5-3/4". H/CTR 4".
Lamp: One medium base lamp, 60w max.



P3892-30

P3893-30 White

Two-light with white acrylic diffuser
Size: 6" W., 16" ht.
Extends 5-3/4". H/CTR 8".
Lamps: Two medium base lamps, each 60w max.



P3893-30



P7110-30

P7110-30 White

White acrylic diffuser.
Size: 4-1/2" W., 12" ht. Extends 4".
H/CTR 6-1/4".
Ballast: 120V NPF magnetic.
Lamp: One 13w 2-pin twin CFL lamp. GX23 base.
ADA



★ Halogen

P7109-30 White

One-light mini wall scoop.
Mount up only for indirect illumination (cannot be tilted).
Must be installed at least 12" below ceiling.
Size: 9" W., 4-1/4" ht. Extends 8".
H/CTR 2-1/2".
Lamp: One tungsten halogen T-4 mini-can, 250w max.



P7109-30

★ Rave

SWEEPING STRAPS AND
OPAL ETCHED GLASS

P7053-09WB Brushed Nickel
P7053-77WB Forged Bronze
Etched opal glass with top diffuser.
Size: 7" W., 21-1/2" ht. Extends 3-1/2".
Lamp: One GU24 squat CFL lamp,
13w max (included).
ADA



P7053-09WB



P7053-77WB

Chandelier
pg 82



Close-to-ceiling
pg 260



★ Satin Opal Glass

P7102-10EB Polished Brass
Size: 7-3/4" W., 11" ht.
Extends 4". H/CTR 4-1/2".
Ballast: 120V/277V electronic
Lamps: Two 13w 4-pin Quad
CFL. G24q-1 base.
ADA



P7102-10EB

P7093-09EBWB Brushed Nickel
Size: 11-1/4" W., 11-5/16" ht.
Extends 3-1/2". H/CTR 3".
Ballast: 120V NPF electronic
Lamps: Two 13w 4-pin Quad
CFL (included). G24q-1 base.
ADA



P7093-09EBWB

★ Reign

CLEAR, TEXTURED, LIGHT
BENT GLASS PANELS
FLOAT IN FRONT OF
CUSTOM ETCHED GLASS
DIFFUSER.



P2842-20WB

P2842-20WB Antique Bronze
Size: 7-1/2" W., 5-1/2" ht.
Extends 4-3/4". H/CTR 2-3/4".
Lamp: One G9 base halogen
lamp, 35w max. (included).

★ Etched Opal Glass

ENCLOSED ONE-PIECE
GLASS TOP.

P7092-09WB Brushed Nickel
Size: 8" W., 10-3/4" ht.
Extends 4". H/CTR 5-1/2".
Lamp: One GU24 CFL lamp,
26w max. (included).
ADA



P7092-09WB

★ Cliché

BENT GLASS PANELS FLOAT
IN FRONT OF A CUSTOM
ETCHED GLASS DIFFUSER.

P2823-15WB Polished Chrome
Size: 7-1/2" W., 5-1/2" ht.
Extends 4-3/4". H/CTR 2-3/4".
Lamp: One G9 base halogen
lamp, 35w max. (included).



P2823-15WB

★ Dance

POLISHED AGATE STONE,
GLASS BEADS AND
NATURAL CRYSTAL ACCENTS
SURROUND A LINEN SHADE.

P7058-111 Desert Sand
Size: 8-3/4" W., 11-1/8" ht.
H/CTR 4-3/4". Extends 4".
Lamp: One candelabra
base lamp, 60w max.
ADA

Thomasville
L I G H T I N G

Chandelier
pg 60



P7058-111

★ Soul

INDOOR/OUTDOOR WALL
SCONCE. ETCHED GLASS
WITH ENCLOSED TOP.

P5819-20EE Antique Bronze
One-light wall sconce.
Size: 12" W., 19-3/4" ht.
Extends 6". H/CTR 9-7/8".
Lamp: One GU24 base CFL lamp,
26w max.



P5819-20EE

★ Splendid

DOUBLE CANDLE FRAME,
ETCHED OPAL GLASS SHADE
AND CHISELED GLASS ORBS.

P7059-09 Brushed Nickel
Size: 7-1/2" W., 12-1/2" ht.,
H/CTR 3-3/8". Extends 5-3/4".
Lamps: Two medium base A15
lamps, each 60w max.
ADA

Thomasville
L I G H T I N G

Chandelier
pg 68



P7059-09

Le Papier Sconces




How to Order Le Papier Sconces

Specify a chassis and a fabric diffuser with either nickel or bronze accent.

Step 1: Chassis

Start with the chassis P7217-30, featuring a GU24 lamp base. GU24 base lamps provide for options in color temperature, wattage and dimming. Maximum wattage is 26w. The GU24 base provides for options in color temperature, wattage and dimming. (Lamp purchased separately)

P7217-30 White Chassis for P7003-09 and -20
Size: 6" W., 10-1/8" ht. Extends 2-7/8".
Lamps: One GU24 CFL lamp, 26w max.



P7217-30 Chassis shown with CFL lamp (purchased separately)

Step 2: Select a diffuser

Choose a diffuser with either Brushed Nickel (-09) or Antique Bronze (-20) end caps.



+



= Complete fixture

P7217-30

P7003-09WA

P7003-09NP Brushed Nickel
P7003-20NP Antique Bronze
Lokta Oil Sticks paper.
Size: 10-1/2" W., 12-1/4" ht., Extends 4".
ADA



P7003-09WA Brushed Nickel
P7003-20WA Antique Bronze
White paper.
Must be ordered with P7217-30 chassis.
Size: 10-1/2" W., 12-1/4" ht., Extends 4".



P7003-09NP
Brushed Nickel endcaps



P7003-20NP
Antique Bronze endcaps



P7003-09WA
Brushed Nickel endcaps



★ Inspire

OFF-WHITE LINEN
DRUM SHADE

P7026-30 White
Size: 6" W., 9" ht., Extends
3-7/8". H/CTR 4-1/2".
Lamp: One GU24 CFL lamp,
13w max.



P7026-30

Chandelier
pg 138



Close-to-ceiling
pg 306



★ Torino

BRUSHED NICKEL HAS
ETCHED GLASS,
FORGED BRONZE HAS
TEXTURED GLASS.

P7181-09 Brushed Nickel with
etched glass
P7181-77 Forged Bronze with tea
stained glass.
Size: 9-1/2" W., 6-3/4" ht.
Extends 4-3/4". H/CTR 2-7/8".
Lamp: One medium base lamp,
100w max.



P7181-09



P7181-77

Chandelier
pg 152



Close-to-ceiling
pg 307



★ Arts & Crafts

LIGHT HONEY ART GLASS

P3002-46 Weathered Bronze
Size: 5" W., 14-1/2" ht., Extends 4",
H/CTR 7-1/4".
Lamp: One medium base lamp,
100w max.
ADA

P7138-46EB Weathered Bronze
Size: 5" W., 14-1/4" ht., Extends 4".
H/CTR 7-1/4".
Ballast: 120V/277V HPF electronic.
Lamp: One 26w 4-pin Quad CFL.
GX24q-3 base.
ADA



P3002-46
P7138-46EB

Chandelier
pg 168



Close-to-ceiling
pg 309



P3002-46
P7138-46EB

★ Renovations

ETCHED RIBBED GLASS

P7122-77 Forged Bronze
P7122-81 Antique Nickel
 Etched ribbed glass
 Size: 15-5/8" W., 6-3/4" ht.
 Extends 7-3/4". H/CTR 2-3/4".
 Lamp: One medium base lamp,
 100w max



P7122-81



P7122-77

Chandelier
 pg 126



Close-to-ceiling
 pg 301



★ Opal Glass

P7153-09W Brushed Nickel with
 white opal glass
P7153-20T Antique Bronze with
 etched amber glass
P7153-20W Antique Bronze with
 white opal glass
 Size: 15 3/8" W., 7" ht. Extends
 7 1/2". H/CTR 2-1/2".
 Lamp: One medium base lamp,
 60w max.



P7153-09W



P7153-20W



P7153-20T

★ Eclipse

SATIN WHITE GLASS

P7170-09 Brushed Nickel
 Satin white glass.
 Size: 15-1/4" W., 7-1/2" ht.
 Extends 4". H/CTR 3".
 Lamp: One medium base
 lamp, 100w max.
 ADA

P7171-09WB Brushed Nickel
 Satin white glass.
 Size: 15-1/4" W., 7-1/2" ht.
 Extends 4". H/CTR 3".
 Ballast: 120V NPF electronic.
 Lamp: One 13w 4-pin Quad
 CFL (included). G24q-1 base.
 ADA



P7175-20 Antique Bronze
 Satin white glass.
 Size: 15-1/4" W., 7-1/2" ht.
 Extends 4". H/CTR 3".
 Lamp: One medium base
 lamp, 100w max.
 ADA

P7176-20WB Antique Bronze
 Satin white glass.
 Size: 15" W., 7-1/2" ht.
 Extends 4". H/CTR 3".
 Ballast: 120V NPF electronic.
 Lamp: One 26w 4-pin Quad
 CFL (included). G24q-3 base.
 ADA



P7170-09
 P7171-09WB



P7175-20
 P7176-20WB

Chandelier
 pg 119



Close-to-ceiling
 pg 304



Alabaster Glass

INCLUDES POLISHED BRASS,
ANTIQUÉ BRONZE AND
BRUSHED NICKEL BALL NUTS

P7079-09EBWB Brushed Nickel
Size: 12-1/4" W., 4-3/4" ht.
Extends 6". H/CTR 2-3/8".
Lamp: One GU24 CFL lamp
18w max. (included).



P7079-09EBWB
with Brushed Nickel
ball nuts



P7079-09EBWB
with Antique Bronze
ball nuts

Crown Molding

WOOD CROWN MOULDING.
PROVIDES ILLUMINATION TOP
AND BOTTOM. PAINTABLE.

P7144-30 White
Size: 14" W., 6" ht. Extends 6".
H/CTR 2-3/4".
Lamp: One medium base lamp,
100w max.



P7144-30

Savannah

ECRU ALABASTER GLASS, TOP COVER

P7209-86 Burnished Chestnut
Size: 13" W., 7" ht. Extends 6-1/2".
Lamp: One GU24 CFL Lamp, 18w max.



P7210-42 Seabrook
P7210-86 Burnished Chestnut
Size: 13" W., 7" ht.
Extends 6-1/2". H/CTR 2-5/8".
Lamp: One medium base lamp,
100w max.



P7210-86
P7209-86



P7210-42

Chandelier
pg 246



Caress

CLEAR WATER GLASS WITH ETCHED
GLASS DIFFUSER

P7046-104WB Polished Nickel
Size: 8" W., 15" ht. Extends
9-1/2". H/CTR 8-7/8".
Lamp: One E12 base krypton
lamp, 60w max. (included.)



P7046-104WB

Chandelier
pg 208



Close-to-ceiling
pg 313



★ The Wall Pockets™ System

PROGRESS LIGHTING WALL POCKETS™ ARE SHALLOW PROFILE DIFFUSERS THAT MOUNT ON A SURFACE MOUNT BACKPLATE.

How to Order

Step 1
Select a surface mount backplate.

Step 2
Choose a diffuser option. Wall Pockets™ Diffusers must be used with Surface Mount Backplate.

Wall Pocket™ Light Source


PROVIDES THE LIGHT SOURCE FOR "WALL POCKET" DIFFUSERS. UL LISTED FOR DAMP LOCATIONS.

Surface Mount Backplate




Provides the light source for "Wall Pocket" diffusers. Can be mounted directly to an outlet box.



P7200-30
P7200-30EB



P7200-30STRWB

Product No.	Description	Size	Ballast	Lamp(s)	
P7200-30	Surface mount backplate*	7-3/4" L., 4-3/4" W., Extends 2-1/2".	120V HPF magnetic	2 13w 2-pin twin CFL, GX23 base.	
P7200-30EB	Surface mount backplate*	7-3/4" L., 4-3/4" W., Extends 2-1/2".	120V/277V HPF electronic	2 13w 4-pin Quad CFL, G24q-1 base.	
P7200-30STRWB	ENERGY STAR surface mount backplate*	7-5/8" L., 4-3/4" W., Extends 2-1/2".	120V NPF electronic	2 13w 4-pin Quad CFL, G24q-1 base. (included)	

* Wall Pockets® Diffusers must be used with Surface Mount Backplate.

Decorative Wall Pockets™

DECORATIVE WALL POCKETS TO
BE USED WITH SURFACE MOUNT
BACK PLATE.

P7120-30 White

Tri-band metal louvered sconce.
Provides "up/down" illumination.
Horizontal mounting.
Size: 14" W., 7" ht.
Extends 4". H/CTR 3-1/4".
ADA



P7120-30

P7121-60 Opal White

Acrylic wall pocket. Provides
direct illumination.
Horizontal mounting.
Size: 14" W., 7" ht.
Extends 4". H/CTR 3-1/4".
ADA



P7121-60

P7151-51 Faux Alabaster

Quarter sphere wall sconce.
Provides direct illumination.
Horizontal mounting.
Size: 17-1/4" W., 8-3/4" ht.
Extends 4". H/CTR 2-7/8".
ADA



P7151-51

P7195-51 Faux Alabaster

Bevel-cut diffuser.
Provides direct illumination.
Horizontal mounting.
Size: 15-1/2" W., 7" ht.
Extends 4". H/CTR 2-7/8".
ADA



P7195-51

*Wall Pockets® Diffusers must be used
with Surface Mount Backplate.*

MULTI-DIRECTIONAL LIGHTS WITH ETCHED GLASS.

P3361-09



P3361-20



P3360-09



P3360-20



P3362-09



P3362-20



P3363-09



P3359-09



P3359-20



P3363-20



P3359-09 Brushed Nickel
P3359-20 Antique Bronze
 One-light with on/off switch.
 Wall mount only.
 Size: 5-1/4" W., 8-1/2" ht.
 Lamp: One GU24 CFL lamp,
 18w max.



P3360-09 Brushed Nickel
P3360-20 Antique Bronze
 One-light wall or ceiling mount.
 Size: 5-1/4" W., 8-1/2" ht.
 Lamp: One GU24 CFL lamp,
 18w max.



P3361-09 Brushed Nickel
P3361-20 Antique Bronze
 Three-light wall or ceiling mount.
 Size: 11" W. canopy, 8-1/4" ht.
 Lamps: Three GU24 CFL lamps,
 each 18w max.



P3362-09 Brushed Nickel
P3362-20 Antique Bronze
 Four-light wall or ceiling mount.
 Size: 40" W., 9" ht.
 Lamps: Four GU24 CFL lamps,
 each 18w max.



P3363-09 Brushed Nickel
P3363-20 Antique Bronze
 Three-light wall or ceiling mount.
 Size: 29-3/8" W., 9" ht.
 Lamps: Three GU24 CFL lamps,
 each 18w max.



✦ Etched & Umber Glass

MULTI-DIRECTIONAL LIGHTS. BRUSHED NICKEL FINISH FEATURES WHITE ETCHED GLASS. ANTIQUE BRONZE FEATURES ETCHED UMBER GLASS.



P3330-09WB



P3330-20TWB



P3332-09WB



P3329-09WB



P3329-20TWB



P3328-09WB



P3328-20TWB



P3332-20TWB



P3331-09WB



P3331-20TWB

P3328-09WB Brushed Nickel
P3328-20TWB Antique Bronze
 One-light wall or ceiling mount.
 Size: 5-1/2" W., 7" ht.
 Lamp: One halogen lamp,
 50w max. GU10 base (included).

P3329-09WB Brushed Nickel
P3329-20TWB Antique Bronze
 One-light with on/off switch.
 Wall mount only.
 Size: 5-1/2" W., 7" ht.
 Lamp: One halogen lamp,
 50w max. GU10 base (included).

P3330-09WB Brushed Nickel
P3330-20TWB Antique Bronze
 Three-light wall or ceiling mount.
 Size: 11" W. canopy, 7" ht.
 Lamps: Three halogen lamps,
 50w max. GU10 base (included).

P3331-09WB Brushed Nickel
P3331-20TWB Antique Bronze
 Four-light wall or ceiling mount.
 Size: 31-1/2" W., 7" ht.
 Lamps: Four halogen lamps,
 50w max. GU10 base (included).

P3332-09WB Brushed Nickel
P3332-20TWB Antique Bronze
 Three-light wall or ceiling mount.
 Size: 23" W., 7" ht.
 Lamps: Three halogen lamps,
 50w max. GU10 base (included).

Savannah[®]

ANITQUE ALABASTER GLASS WITH
BURNISHED CHESTNUT FINISH.



P3857-86WB
shown wall mounted



P3858-86WB
shown wall mounted



P3858-86WB
shown ceiling-mounted



P3351-86WB
shown wall mounted



P3351-86WB
shown ceiling-mounted

P3351-86WB Burnished Chestnut
Six-light wall or ceiling mount.
Size: 48" W., 6-3/4" ht. Extends 9".
Lamps: Six MR-16 lamps, each 50w
max. GU10 base (included).

P3857-86WB Burnished Chestnut
Three-light wall or ceiling mount.
Size: 24" W., 9" ht. Extends 7".
Lamps: Three MR-16 lamps, each
50w max. GU10 base (included).

P3858-86WB Burnished Chestnut
Four-light wall or ceiling mount.
Size: 33-1/2" W., 9" ht. Extends 7".
Lamps: Four MR-16 lamps, each
50w max. GU10 base (included).

★ Renovations

ETCHED RIBBED GLASS IN FORGED BRONZE OR ANTIQUE NICKEL.



P3849-81WB
shown wall mounted



P3849-77WB
shown ceiling-mounted



P3850-81WB
shown wall mounted



P3850-77WB
shown ceiling-mounted



P3352-77WB
shown wall mounted



P3352-81WB
shown ceiling-mounted

P3849-77WB Forged Bronze
P3849-81WB Antique Nickel
Three-light wall or ceiling mount.
Size: 24" W., 9" ht. Extends 7".
Lamps: Three MR-16 lamps, each
50w max. GU10 base (included).

P3850-77WB Forged Bronze
P3850-81WB Antique Nickel
Four-light wall or ceiling mount.
Size: 33-3/8" W., 9" ht. Extends 7".
Lamps: Four MR-16 lamps, each
50w max. GU10 base (included).

P3352-77WB Forged Bronze
P3352-81WB Antique Nickel
Six-light wall or ceiling mount.
Size: 48" W., 9" ht. Extends 7".
Lamps: Six MR-16 lamps, each 50w
max. GU10 base (included).

P7834-01 Replacement lamp
50w MR-16 GU10 base
(see page 646.)

★ Round Back Directionals

MULTI-DIRECTIONAL HEADS ALLOWS
AIMING OF LIGHT IN VARIOUS
DIRECTIONS. BLACK BAFFLE.

P6160-09 Brushed Nickel

P6160-30 White

P6160-174 Urban Bronze

Three-light wall or ceiling mount
round back.

Size: 27" W., 6-5/8" ht. Extends
6-5/8". H/CTR 2-3/8".

Lamps: Three PAR 20 lamps,
each 50w max.



P6162-09 Brushed Nickel

P6162-174 Urban Bronze

Four-light wall or ceiling mount
round back.

Size: 36" W., 5-1/8" ht.

Lamps: Four Par 20 lamps, each
50w max.



P6161-09WB Brushed Nickel

P6161-30WB White

P6161-174WB Urban Bronze

Four-light wall or ceiling mount
round back.

Size: 36" W., 5" ht.

Lamps: Four MR-16 lamps, each
50w max. GU10 base (included).



Round Back

P6147-09 Brushed Nickel
P6147-30 White
P6147-174 Urban Bronze
 One-light ceiling mount round back.
 Size: 5" dia., 5" ht. Extends 6-1/2".
 Lamp: One PAR 20 medium base lamp, 50w max.



P6149-09 Brushed Nickel
P6149-30 White
P6149-174 Urban Bronze
 Two-light wall or ceiling mount round back.
 Size: 8-1/8" dia., 12-1/8" ht. Extends 6-1/2".
 Lamps: Two PAR 20 medium base lamps, each 50w max.



P6144-30 White
P6144-174 Urban Bronze
 One-light wall or ceiling mount round back.
 Size: 5" dia., 5-1/2" ht. Extends 6-5/8".
 Lamp: One PAR 30 medium base lamp, 75w max.



On-Off Switch

P6155-30 White
P6155-09 Brushed Nickel
 One-light wall mount round back.
 On/off switch.
 Size: 5" dia., 5" ht. Extends 6-7/8".
 Lamp: One PAR 20 medium base lamp, 50w max.



Heat Lamp

P6397-30 White
 One light adjustable wall or ceiling heat lamp with black baffle.
 Size: 5-3/4" dia., 8-1/8" ht. Extends 11".
 Lamp: One BR-40 medium base lamp, 250w max.



Cylinder

P6398-30 White
 One light adjustable wall or ceiling cylinder with black baffle.
 Size: 5" dia., 8-1/2" ht. Extends 9-3/4".
 Lamp: One BR-30 medium base lamp, 75w max.



Modern Directionals



P6154-09WB



P6154-174WB



P6154-30WB



P6163-09WB



P6163-174WB



P6163-30WB

P6154-09WB Brushed Nickel
P6154-30WB White
P6154-174WB Urban Bronze
 One-light wall-mount.
 On/off switch.
 Size: 5" dia., 6-1/8" ht.
 Extends 4-7/8".
 Lamp: One MR-16 lamp, 50w max.
 GU10 base (included).

P6163-09WB Brushed Nickel
P6163-30WB White
P6163-174WB Urban Bronze
 Four-light wall or ceiling mount.
 Size: 35-1/2" W., 9" ht. Extends 7".
 Lamps: Four MR-16 lamps, each
 50w max. GU10 base (included).

★ Round Back MR16

P6145-09WB Brushed Nickel
P6145-30WB White
P6145-174WB Urban Bronze
 One-light wall or ceiling mount round back.
 Size: 5" dia., 5" ht. Extends 4-3/4".
 Lamp: One MR-16 lamp, 50w max.
 GU10 base (included).



P6145-30WB



P6145-174WB



P6145-09WB

P6148-30WB White
P6148-174WB Urban Bronze
 Two-light wall or ceiling mount round back.
 Size: 8-1/4" dia., 9" ht. Extends 4-1/2".
 Lamps: Two MR-16 lamps, each 50w max. GU10 base (included).



P6148-174WB



P6148-30WB

★ Pinhole Back

P6146-09WB Brushed Nickel
P6146-30WB White
P6146-174WB Urban Bronze
 One-light wall or ceiling mount pinhole back.
 Size: 5" dia., 5" ht. Extends 5".
 Lamp: One MR-16 lamp, 50w max.
 GU10 base (included).



P6146-30WB



P6146-09WB



P6146-174WB

P6153-09WB Brushed Nickel
P6153-30WB White
P6153-174WB Urban Bronze
 Three-light wall or ceiling mount pinhole back.
 Size: 9-1/2" dia., 5" ht. Extends 4-1/4".
 Lamps: Three MR-16 lamps, each 50w max. GU10 base (included).



P6153-30WB



P6153-174WB




P6153-09WB

ILLUMA FLEX™

Flexible Track Lighting System

Simple to Use

Determine the size of the area to be illuminated. Choose the track length (available in six- or twelve- foot options), the transformer, and the fixtures of your choice. All lamps, necessary support stems and hardware are already included.



Low voltage Mini-pendants

Used with Iluma-Flex™ flexible track lighting system or with Alpha Trak® standard track products.

Includes a converting adapter for monopoint mounting (P8780) or with a P8516 transformer to mount to standard Alpha Trak®.



P6138-09 Brushed Nickel Mini-pendant with metal shade. Size: 2-5/8" dia., 9" ht. Overall ht. w/cord 72". Lamp: One T-4 lamp, 35w max., GY6.35 halogen bi-pin base (included).

P6140-09Y Brushed Nickel Mini-pendant with Yellow Mottled Glass. Size: 3-5/8" dia., 6-1/2" ht. Overall ht. w/cord 72". Lamp: One T-4 lamp, 35w max., GY6.35 halogen bi-pin base (included).

P6171-09CL Brushed Nickel Mini-pendant with Clear and Etched Center Band Glass. Size: 3-1/8" dia., 5-3/8" ht. Overall ht. w/cord 72". Lamp: One T-4 lamp, 35w max., GY6.35 halogen bi-pin base (included).

P6182-09CL Brushed Nickel Mini-pendant with Clear Glass. Size: 6-3/8" dia., 5-1/4" ht. Overall ht. w/cord 72". Lamp: One T-4 lamp, 35w max., GY6.35 halogen bi-pin base (included).

Order with track, transformer or monopoint. See page 486-487.

ILLUMA-FLEX™

+ Low voltage Mini-pendants

Used with Iluma-Flex™ flexible track lighting system or with Alpha Trak® standard track products.

Includes a converting adapter for monopoint mounting (P8780) or with a P8516 transformer to mount to standard Alpha Trak®.



P6137-09A Brushed Nickel Mini-pendant with Amber Glass

P6137-09R Brushed Nickel Mini-pendant with Red Glass

P6137-09W Brushed Nickel Mini-pendant with White Glass

Size: 6-3/4" dia., 5-1/4" ht.
Overall ht. w/cord 72".
Lamp: One T-4 lamp, 50 w max., GY6.35 halogen bi-pin base (included).

P6178-09BW Brushed Nickel Mini-pendant with White Glass and black Pencil Wrap
Size: 3-1/2" dia., 9" ht. Overall ht. w/cord 72".
Lamp: One T-4 lamp, 50w max., GY6.35 halogen bi-pin base (included).

P6177-09W Brushed Nickel Mini-pendant with ridged White Glass
Size: 3-1/4" dia., 5-1/4" ht. Overall ht. w/cord 72".
Lamp: One T-4 lamp, 50w max., GY6.35 halogen bi-pin base (included).

Order with track, transformer or monopoint. See page 486-487.



Above: Illuma-Flex® system with P6139-09W mini-pendants.



P6139-09A



P6139-09R



P6139-09W



P6135-09W

P6135-09W Brushed Nickel Mini-pendant with White Glass surrounded by clear glass. Size: 4-1/2" dia., 5" ht. Overall ht. w/cord 72". Lamp: One T-4 lamp, 50w max., GY6.35 halogen bi-pin base (included).

P6139-09A Brushed Nickel Mini-pendant with clear Amber Glass

P6139-09R Brushed Nickel Mini-pendant with clear Red Glass

P6139-09W Brushed Nickel Mini-pendant with clear White Glass

Size: 5" sq., 4-1/4" ht. Overall ht. w/cord 72".

Lamp: One T-4 lamp, 50w max., GY6.35 halogen bi-pin base (included).

ILLUMA-FLEX™

+ Low voltage Mini-pendants

Used with Illuma-Flex™ flexible track lighting system or with Alpha Trak® standard track products.

Includes a converting adapter for monopoint mounting (P8780) or with a P8516 transformer to mount to standard Alpha Trak®.

P6136-09A Brushed Nickel
Mini-pendant with Amber Glass

P6136-09B Brushed Nickel
Mini-pendant with Blue Glass

P6136-09R Brushed Nickel
Mini-pendant with Red Glass

P6136-09W Brushed Nickel
Mini-pendant with White Glass

Size: 2-3/8" dia., 5-3/4" ht.
Overall ht. w/cord 72".
Lamp: One T-4 lamp, 35w max.,
GY6.35 halogen bi-pin base
(included).



Order with track, transformer or monopoint. See page 486-487.





Illuma-Flex® system with P6136-09R mini-pendants.



ILLUMA FLEX™

+ Adjustable MR-11 Track Heads

MR-11 low voltage lamps, 35w max.

Adjustable to 358° horizontally and 90° vertically



P6120-09A



P6120-09R



P6120-09W



P6119-09

P6119-09 Brushed Nickel
Flex track head with mesh shade.
Size: 3-1/8" dia., 6" ht.
Lamp: One MR-11 lamp, 35w max.,
GU4 bi-pin base (included)

P6120-09A Brushed Nickel
Flex track head with Amber Glass

P6120-09R Brushed Nickel
Flex track head with Red Glass

P6120-09W Brushed Nickel
Flex track head with White Glass
Size: 3" dia., 6" ht.

Lamp: One MR-11 lamp, 35W max.,
GU4 bi-pin base (included).



Above: Illuma-Flex® system with P6125-09 track heads.

P6124-09A



P6124-09B



P6124-09R



P6124-09W



Adjustable MR-16 Track Heads

MR-16 low voltage lamps, 50w max.

Adjustable to 358° horizontally and 90° vertically

P6125-09



P6126-09



P6124-09A Brushed Nickel
Flex track head with Amber Glass

P6124-09B Brushed Nickel
Flex track head with Blue Glass


P6124-09R Brushed Nickel
Flex track head with Red Glass.

P6124-09W Brushed Nickel
Flex track head with White Glass
Size: 2-3/8" dia., 6" ht.
Lamp: One MR-16 lamp, 50w max.,
GU5.3 bi-pin base (included).

P6125-09 Brushed Nickel
Flex track head with fixed gimbal.
Size: 2-3/4" dia., 7-1/4" ht.
Lamp: One MR-16 lamp, 50w max.,
GU5.3 bi-pin base (included).

P6126-09 Brushed Nickel
Flex track head with bare lamp
Size: 3-1/2" dia., 6-1/16" ht.
Lamp: One MR-16 lamp, 50w max.,
GU5.3 bi-pin base (included).


+ Track and Support Stems



P6227-09 Brushed Nickel
6' of Flexible Track with 3 support stems, end caps, and mounting hardware. Track can be field-cut to desired length.
Size (track): 7/8" H, 6' L.
Size (sppt. stems): 7/8" W, 4-3/4" H.



P6228-09 Brushed Nickel
12' of Flexible Track with 6 support stems, end caps, and mounting hardware. Track can be field-cut to desired length.
Size (track): 7/8" H, 12' L.
Size (sppt. stems): 7/8" W, 4-3/4" H.



P8782-09 Brushed Nickel
4" remote support stems (6-pack).
Size: 7/8" W, 4" H.

P8783-09 Brushed Nickel
8" remote support stems (6-pack).*
Size: 7/8" W, 8" H.

P8784-09 Brushed Nickel
12" remote support stems (6-pack).*
Size: 7/8" W, 12" H.

* **Note:** All stems 8" or longer require remote power feeds to drop power to the track. These stems cannot be used with surface transformers.

P8785-09 Brushed Nickel
16" remote support stems (6-pack).*
Size: 7/8" W, 16" H.

+ Accessories



P8777-09 Brushed Nickel
Converting adapter for mounting flexible track products to Alpha Trak® system. Included with all Illuma-Flex fixtures. Must be used with P8516 transformer
Size: 7/8" dia., 2-1/8" L.



P8781-09 Brushed Nickel
Illuma-Flex T-bar Adapter
Allows support to be mounted to a t-bar ceiling. Set of six adapters included. Support stems not included.
Size: 1-1/2" W., 1-3/8" ht.



P8778-09 Brushed Nickel
Illuma-Flex Power link. Electrically links two sections of track together. Designed to be used with or without support stem.
Size: 3-3/8" W., 1-5/8" ht.



P8795-09 Brushed Nickel
Illuma-Flex track link (non-powered). Mechanically joins two sections of track together. Designed to be used with or without support stem.
Size: 3-3/8" W., 1-5/8" ht.



P8780-09 Brushed Nickel
Quick-connect monopoint. Includes integral 50w electronic low voltage transformer. Monopoint mounts to an electrical ceiling box. Illuma-Flex fixtures using the P8777 converting adapter (included with all Illuma-Flex fixtures) easily connect to the monopoint with a quick push and turn connection, no fixture to box wiring required.
Size: 5-7/8" dia., 3-3/8" ht.



P8794-09 Brushed Nickel
Designer monopoint. Includes integral 75w electronic low voltage transformer. Dimmable with a standard dimmer. Monopoint mounts to an electrical ceiling box.
Size: 5-3/8" dia., 2" ht.



P8776-09 Brushed Nickel
250w. Flex Track transformer
Size: 9-3/4" dia., 4-3/4" ht.

+ Remote Mount Accessories



P8652-31

Transformers

Product No.	Finish	Size	Capacity	Wattage
P8652-31	Black	3-1/2" W. 3-1/4" d. 8-1/2" ht.	100w	
P8653-31	Black	4-1/8" W. 3-3/4" d. 8-1/2" ht.	150w	
P8654-31	Black	4-1/8" W. 4-3/4" d. 8-1/2" ht.	300w	
P8655-31	Black	4-5/8" W. 4-1/2" d. 12" ht.	600w (2-300w)	

Transformers can be mounted horizontally or vertically



P8790-09 Brushed Nickel
4" remote transformer power feed stems (6-pack).
Size: 1" dia., 3-5/8" ht.

P8791-09 Brushed Nickel
8" remote transformer power feed stems (6-pack).
Size: 1" dia., 7-1/8" ht.


P8792-09 Brushed Nickel
12" remote transformer power feed stems (6-pack).
Size: 1" dia., 11-1/8" ht.

P8793-09 Brushed Nickel
16" remote transformer power feed stems (6-pack).
Size: 1" dia., 15-1/8" ht.




P8786-09 Brushed Nickel
Remote transformer power feed canopy. Must be used with power feed stems (P8790-P8793).
Size: 5-1/2" dia., 1-3/4" ht.

+ Wall Mount Accessories



P8707-09 Brushed Nickel
Wall mount remote power feed. Includes stem, cable and canopy. Adjustable from 8" - 12" from wall.
Size: 1" dia., 3" ht.



P8706-09 Brushed Nickel
Wall mount support stems (6-pack). Stems adjustable from 8" - 12" from wall.
Size: 1" dia., 3" ht.

Alpha Trak®

Line Voltage Adjustable Track Heads

These fixtures include a GU-10 twist-and-lock MR-16 lamp that provides the same visual appeal as a traditional low voltage MR-16 lamp without the need for a transformer.

Economical AlphaTrak® accommodates PAR halogen or standard BR lamps. Most lampholders are complete with black step baffle for improved glare control. Lampholder rotates 358° horizontally and 90° vertically. Track mounting hardware and fixture accessories appear on pages 495-497.

P6111-09A Brushed Nickel with Amber Glass
P6111-09B Brushed Nickel with Blue Glass
P6111-09W Brushed Nickel with White Glass*
 Size: 2-3/8" dia., 3-3/4" ht.
 Lamp: One MR-16 lamp, 50w max. (included). GU10 twist lock base.
 *Coated lamp to eliminate pink hue through the white glass.



P6112-09 Brushed Nickel
 Size: 2-9/16" dia., 5-7/8" ht.
 Lamp: One MR-16 lamp, 50w max. (included). GU10 twist lock base.

Versatile track fixtures are fully adjustable (358° horizontally, 90° vertically) and can be aimed to perform a wide array of general and accent lighting tasks.

P6115-09WB Brushed Nickel
 Die-cast gimbal track head
 Size: 2-7/8" dia., 5-1/4" ht.
 Lamp: One 120V MR-16 lamp, 50w max. (included). GU10 twist lock base.



P6116-09 Brushed Nickel
 Die-cast gimbal track head
 Size: 3-5/8" dia., 6-7/8" ht.
 Lamp: One PAR 20, 50w max.

P6117-09 Brushed Nickel
 Die-cast gimbal track head
 Size: 4-5/8" dia., 8" ht.
 Lamp: One PAR 30, 75w max.



P6118-09 Brushed Nickel
 Die-cast gimbal track head
 Size: 5-3/4" dia., 8-1/2" ht.
 Lamp: One PAR 38, 150w max.



Note:
 Height is to bottom of track.

+ Flatback

P9205-28 Bright White
P9205-31 Black
Complete with black baffle.
Size: 3-1/2" dia., 7-1/4" ht.
Lamp: One 50w PAR 20, one
50w R 20, or one 75w PAR 16.



P9206-28 Bright White
P9206-31 Black
Complete with black baffle.
Size: 4-3/8" dia., 9" ht.
Lamp: One 75w PAR 30 long
neck or one 65w BR 30.



P9207-28 Bright White
P9207-31 Black
Complete with black baffle.
Size: 6" dia., 10-7/8" ht.
Lamp: One 250w PAR 38, one
300w R 40, or one 250w BR 40.



See pages 495-497 for accessories.

Alpha Trak[®]

Line Voltage Adjustable Track Heads

+ Carillon

P9208-28 Bright White
P9208-31 Black
 Complete with black baffle.
 Size: 4-1/2" dia., 7" ht.
 Lamp: One 50w PAR 20,
 one 50w R 20, or one
 75w PAR 16.



P9208-31



P9209-28



P9209-11

P9209-11 Antique Brass
P9209-28 Bright White
P9209-31 Black
 Complete with black baffle.
 Size: 5-5/8" dia., 6-1/2" ht.
 Lamp: One 75w PAR 30 or
 one 65w BR 30.



P9208-28



P9208-31

+ Flair

P9200-28 Bright White
P9200-31 Black
 Complete with black baffle.
 Size: 3-1/2" dia., 7-5/8" ht.
 Lamp: One 50w PAR 20, one
 50w R 20, or one 75w PAR 16.



P9200-28



P9201-28



P9202-28

P9201-28 Bright White
P9201-31 Black
 Complete with black baffle.
 Size: 4-3/8" dia., 8-3/4" ht.
 Lamp: One 75w PAR 30
 long neck or one 65w BR 30.



P9200-31



P9201-31



P9202-31

P9202-28 Bright White
P9202-31 Black
 Complete with black baffle.
 Size: 5-5/8" dia., 10-7/8" ht.
 Lamp: One 250w PAR 38, one
 300w R 40, or one 250w BR 40.



Note:
 Height is
 to bottom
 of track.

Roundback

P9203-28 Bright White
P9203-31 Black
 Complete with black baffle.
 Size: 3-1/2" dia., 7-1/4" ht.
 Lamp: One 50w PAR 20, one
 50w R 20, or one 75w PAR 16.

P9204-28 Bright White
P9204-31 Black
 Complete with black baffle.
 Size: 4-3/8" dia., 8" ht.
 Lamp: One 75w PAR 30 long
 neck or one 65w BR 30.



P9203-31



P9204-28

High Tech

Excellent for residential and
 retail applications. Lampholder
 rotates 360° horizontal, 90° up
 from vertical.

P6325-28 Bright White
P6325-31 Black
 Size: 2-3/4" dia., 5-1/2" ht.
 Lamp: One 75w PAR 16.

P6326-28 Bright White
P6326-31 Black
 Size: 2-3/4" dia., 5-1/2" ht.
 Lamp: One 50w PAR 20.

P6327-28 Bright White
P6327-31 Black
 Size: 4" dia., 6" ht.
 Lamp: One 75w PAR 30
 short neck

P6369-28 Bright White
P6369-31 Black
 Size: 5" dia., 7" ht.
 Lamp: One 250w PAR 38.



P6325-28



P6325-31



P6326-28



P6326-31



P6327-31



P6369-28



P6369-31

Universal

Simple design provides minimal obstruction
 into the visual space. Lampholder rotates
 360° horizontal, 90° vertical.

P6280-28 Bright White
P6280-31 Black
 Size: 2" dia., 4-7/8" ht.
 Lamp: Any medium base PAR
 or R lamp except PAR 30 short
 neck up to 300 w max.



P6280-28



P6280-31

See pages 495-497 for accessories and track.

Alpha Trak[®]

Line Voltage Adjustable Track Heads

+ Shallow Profile

Non-metallic, architecturally-designed molded fitter. Designed for PAR 20 and PAR 30 lamps. Lampholder rotates 360° horizontally, 90° vertically.

P9219-28 Bright White
P9219-31 Black
Size: 3-1/2" dia., 5-3/4" ht.
Lamps: One 50w PAR 20



P9220-28 Bright White
P9220-31 Black
Size: 4-3/4" dia., 6" ht.
Lamps: One 75w PAR 30.



+ Free Form

Clean design to accommodate the exposed portion of the PAR lamps. For retail and accent locations. Lampholder rotates 360° horizontal, 90° vertical.

P6328-28 Bright White
P6328-31 Black
Size: 3-1/4" dia., 4-1/8" ht.
Lamp: One 50w PAR 20 or 75w PAR 16.



P6329-28 Bright White
P6329-31 Black
Size: 4-5/8" dia., 4-3/4" ht.
Lamp: One 75w PAR 30 short neck.





Low Voltage

Miniature Halogen

Utilizing integral transformers with MR-16 low voltage lamps, these fully-adjustable (358° horizontally, 90° vertically) track heads provide dramatic light to any room area.

Heads can be easily repositioned on the track to provide lighting in different areas of the room.

P6339-09 Brushed Nickel

P6339-28 Bright White

P6339-31 Black

Size: 2-1/8" dia., 4-7/8" ht.

Lamp: One MR-16 lamp, 50w max.

GU5.3 bi-pin base.



P6104-09 Brushed Nickel

Size: 2-3/4" dia., 8-1/4" ht.

Lamp: One MR-16 lamp, 50w max.

(included). GU5.3 bi-pin base.



P6105-09 Brushed Nickel

Size: 2-5/8" dia., 6-7/8" ht.

Lamp: One MR-16 lamp, 50w max.

(included). GU5.3 bi-pin base.



P9218-28 White

P9218-31 Black

Size: 2-1/8" W., 4-1/8" ht.

Lamp: One MR-16 lamp, 50w max.

GU5.3 bi-pin base.



See pages 495-497 for accessories and track.

Alpha Trak[®]

Line Voltage Adjustable Track Heads

+ CFL Wall Washer

Specular, parabolic baffle louver with specular aluminum reflector. 120V electronic HPF ballast standard. Emits a wide distribution of light on vertical space. Ideal for retail displays. Utilizes compact fluorescent lamps.

P9212-28 Bright White

P9212-31 Black

Size: 18" L., 5" W., 7-1/4" ht.

Lamps: Two 36w or 39w long twin 4-pin CFL. 2G11 base.



P9212-28



P9212-31

+ Alpha Trak[®] Kits

All Alpha Trak[®] Kits come with three track heads, 4' track, canopy, dead end, feed and mounting hardware.

P9215-28 Bright White

Track heads complete with black baffle.

Size: 4-3/8" dia., 8-1/2" ht.

Lamps: Three 75w PAR 30 long neck or three 65w BR 30.

P9216-28 Bright White

Track heads complete with black baffle.

Size: 4-3/8" dia., 8-3/4" ht.

Lamps: Three 75w PAR 30 or three 65w BR 30.

P9217-28 Bright White

Complete with three 12V electronic transformers.

Size: 2-1/8" dia., 5-1/4" ht.

Lamps: Three 50w MR16.



P9215-28
Flair



P9216-28
Flat Back



P9217-28
High Tech



Track Accessories

Alpha Trak® Connectors


For joining two or more track sections in straight runs, “L”, “T”, cross, square and “any angle” patterns. The connectors plug into track sections only one way to ensure positive polarization.




STRAIGHT CONNECTOR
P8720-09 Brushed Nickel
P8720-31 Black
P9115-28 Bright White



CROSS CONNECTOR
P8723-09 Brushed Nickel
P8723-28 Bright White
P8723-31 Black



"L" CONNECTOR
A. Inside polarity
P8721-9109 Brushed Nickel
P8721-9131 Black
P9116-9128 Bright White




B. Outside polarity
P8721-8909 Brushed Nickel
P8721-8931 Black
P9116-8928 Bright White

“L” connector. Inside polarity type connector generally used. To identify polarity, orient connector to “L” shape and polarity grooves will intersect where indicated.




"T" CONNECTOR
A. Inside-right polarity
P8722-9109 Brushed Nickel
P8722-9128 Bright White
P8722-9131 Black



B. Inside-left polarity
P8722-8909 Brushed Nickel
P8722-8928 Bright White
P8722-8931 Black

“T” connector. Inside-right polarity type connector generally used. To identify polarity, orient connector to “T” shape and polarity grooves will intersect where indicated.



FLEX CONNECTOR
P8736-09 Brushed Nickel,
P8736-31 Black
P9117-28 Bright White
 Flex connector permits a variety of track layouts at almost any angle and variation of planes including wall-to-ceiling or on cathedral ceilings. Can flex to 90°.


Alpha Trak® Sections



Bright White



Black



Brushed Nickel

Alpha Trak single-circuit track sections are extruded aluminum with flat copper conductors for positive contact and can be field cut to required lengths. All have easy-guide polarity notch. Designed for 120-volt supply with 20 amp capacity (2,400 watts). Order power feeds and system hardware separately as required.




Cross section of track

All track sections include two dead ends and mounting hardware.


Product No.	Finish	Size
P9103-09	Brushed Nickel	2' L.,
P9103-28	Bright White	1-1/8" W.,
P9103-31	Black	7/8" ht.
P9104-09	Brushed Nickel	4' L.,
P9104-28	Bright White	1-1/8" W.,
P9104-31	Black	7/8" ht.
P9105-09	Brushed Nickel	8' L.,
P9105-28	Bright White	1-1/8" W.,
P9105-31	Black	7/8" ht.
P9106-09	Brushed Nickel	12' L.,
P9106-28	Bright White	1-1/8" W.,
P9106-31	Black	7/8" ht.

Typical Layout Plan Combinations


Straight Runs




Flex Connector




Cross Layout




"L" Layout




"T" Layout




Grid Layout




"H" Layout



Modified Grid Layout



Dog Leg Layout



Track Accessories

Alpha Trak® Power Feeds



Dead End

P8717-09 Brushed Nickel
P8717-31 Black
P9122-28 Bright White
 Dead end closes open end of track. Two dead ends already supplied with track sections.



Cord & Plug Set

P8724-31 Black
P9111-28 Bright White
 Cord & plug set for feeding track where there is no outlet box. 15-foot cord. Includes 10 amp switch. Switch can be positioned anywhere along cord.*



Fixture Adapter

P8727-09 Brushed Nickel
P8727-28 Bright White
P8727-31 Black
 Fixture adapter adapts cord-hung (max. wt. 10 lbs.) or chain-hung (max. wt. 25 lbs.) fixtures to Trak-1® or AlphaTrak®.



"Anywhere" Power Feed

P8730-09 Brushed Nickel
P8730-31 Black
P9108-28 Bright White
 "Anywhere" power feed snaps into place at any point along the track. Canopy kit required. Has 8" leads. Includes one P8717 dead end.*



"Anywhere" Power Feed

P8742-31 Black
P9121-28 Bright White
 "Anywhere" power feed with 3/8" Greenfield connector. Has 72" of wire. Includes one P8717 dead end.*



End Feed

P8745-09 Brushed Nickel
P8745-28 Bright White
P8745-31 Black
 Size: 4 -1/2" sq.
 End feed with flush canopy.



Top or End Feed

P8746-09 Brushed Nickel
P8746-31 Black
P9110-28 Bright White
 Top or end feed for Romex, 3/8" Greenfield or 1/2" EMT.

Suspended Ceiling Clips




P8771-30 White
 Suspended ceiling clips. Use two for 2' or 4' track sections. Three for 8' track. Five for 12' track. For mounting track sections onto T-bar grid.

Alpha Trak® System Hardware



Outlet adapter

P8751-09 Brushed Nickel
P8751-28 Bright White
P8751-31 Black
 Outlet adapter. Grounded convenience outlet mounts on track. Max. 20 amps.*



Canopy Kit - Flush Mount

P8753-09 Brushed Nickel
P8753-31 Black
P9107-28 Bright White
 Canopy Kit - Flush Mount. Mounting plate can be used anywhere along track. Slips between ceiling and track.



T-Bar End Feed

P8760-09 Brushed Nickel
P8760-31 Black
P9109-28 Bright White
 T-bar end feed with canopy cover for suspended ceilings. (Use P8770-01 slotted outlet box.)



4" slotted outlet box for suspended ceilings

P8770-01
 4" slotted outlet box for suspended ceilings. For use with P8760 and P9109 T-bar end feed. Mounts into T-bar grid cross section.*



Floating Canopy

P9123-09 Brushed Nickel
P9123-28 Bright White
P9123-31 Black
 Floating canopy mounts anywhere on track, includes power feed and covers. Fits over standard outlet box. Includes one P8717 and P9122-28 dead end.

External 50w Electronic Transformer



P8516-09

P8516-09 Brushed Nickel
P8516-30 White
P8516-31 Black
 12V transformer. Mounts directly onto Progress Alpha Trak® system. Accommodates P8777 adapter for using Illuma-Flex™ mini-pendants with Alpha Trak® system.
 Size: 1-3/8" W., 2-1/2" ht., 5" L.



P8516-30


*Not UL listed.

✦ Alpha Trak® Mounting Options



✦ Pendant Kits

Used for suspending track from higher and sloped ceilings. Maximum spacing between pendants is 4 feet. Stem will suspend track 6", 12" and 18" from ceiling. 6" and 12" stem and connectors provided. Will hang straight from ceiling up to 45°



Pendant Kit with Power Feed and 24" Wire

P8718-09 Brushed Nickel
P8718-28 Bright White
P8718-31 Black
 Pendant kit (with power feed) and 24" wire includes outlet box cover, 6" and 12" stem lengths and all necessary mounting hardware.



Pendant Kit Less Power Feed

P8715-09 Brushed Nickel
P8715-28 Bright White
P8715-31 Black
 Pendant kit (less power feed) with outlet box cover, 6" and 12" stem lengths and all necessary mounting hardware.*

✦ Monopoint



P8734-09 Brushed Nickel
P8734-31 Black
P9113-28 Bright White
 Monopoint mounts any lampholder, not requiring an external transformer, to junction box on ceiling or wall. Size: 5" dia., 1" ht.

✦ Adapters

P8777-09 Brushed Nickel
 Converting adapter for mounting Illuma-Flex™ products to Alpha-Trak® system. Included with all Illuma-Flex™ fixtures. Must be used with P8516 transformer.**
 Size: 7/8" W., 1-7/8" ht.
 Max. weight 35 lbs.



P8777-09

P8728-09 Brushed Nickel
P8728-28 White
P8728-31 Black
 Alpha-Trak® stem-hung mini-pendant adapter. Size: 1-1/4" dia., 3-7/8" ht.
 Max. weight 11 lbs.



P8728-09



P8728-28



P8728-31



P9103-09
Track

P8728-09
Adapter

P5003-09
Pendant



✦ OUTDOOR



SQUARE ETCHED OPAL SHADES SUSPENDED IN A RECTILINEAR FRAMEWORK, CREATING A FASHION FORWARD, UNIQUE DESIGN. A COMBINATION OF CAST ALUMINUM, STEEL AND BRASS CONSTRUCTION. ANTIQUE BRONZE POWDER COAT FINISH.



P5590-20



P5990-20



P5992-20



P5991-20



P5490-20

P5490-09 Brushed Nickel
P5490-20 Antique Bronze
 One-light post lantern.
 Size: 9-3/4" L., 7-5/8" W.,
 15-1/2" ht. Fits 3" post
 (order separately).
 Lamp: One medium base
 lamp, 100w max.

P5590-09 Brushed Nickel
P5590-20 Antique Bronze
 One-light hanging lantern.
 Size: 9-3/4" L., 7-5/8" W.,
 16-1/2" ht., Overall ht.
 w/chain 91"; wire 10'.
 Lamp: One medium base
 lamp, 100w max.

P5990-09 Brushed Nickel
P5990-20 Antique Bronze
 One-light wall lantern.
 Size: 7-3/4" W., 14" ht.
 H/CTR 7". Extends 5-5/8".
 Lamp: One medium base
 lamp, 100w max.

P5991-09 Brushed Nickel
P5991-20 Antique Bronze
 One-light wall lantern.
 Size: 9-3/4" W., 16-1/2" ht.
 H/CTR 8-1/4". Extends 6-1/2".
 Lamp: One medium base
 lamp, 100w max.

P5992-09 Brushed Nickel
P5992-20 Antique Bronze
 One-light wall lantern.
 Size: 11-3/4" W., 18" ht.
 H/CTR 9". Extends 7-1/4".
 Lamp: One medium base
 lamp, 100w max.

P5590-09



P5990-09



P5991-09



P5992-09



P5490-09

See page 285 for additional chain,
and page 589 for posts.

LOFT  Coupe CFL

LOOPEd RECTANGULAR TUBING FRAME. ENERGY EFFICIENT FIXTURE WITH ETCHED GLASS DIFFUSER ON INSIDE. BRUSHED NICKEL FINISH WITH CLEAR, RIBBED BENT GLASS SHADE. VENETIAN BRONZE FINISH WITH CLEAR, HEAVY-SEEDED OUTSIDE BENT GLASS SHADE. STEEL CONSTRUCTION.



P6515-09EE Brushed Nickel
P6515-74EE Venetian Bronze
 One-light hanging lantern.
 Size: 8-3/4" W., 18-3/4" ht.,
 Overall ht. w/stem 144"; wire 15".
 Lamp: One GU24 base CFL lamp,
 32w max.



P6605-09EE Brushed Nickel
P6605-74EE Venetian Bronze
 One-light wall lantern.
 Size: 9" W., 18" ht.
 Extends 7". H/CTR 9".
 Lamp: One GU24 base CFL
 lamp, 32w max.



*Includes two 6", one 12" and
 two 15" stem and 6 links of chain.*



P6604-09EE



P6604-74EE



P6415-74EE



P6415-09EE

P6415-09EE Brushed Nickel
P6415-74EE Venetian Bronze
One-light post lantern.
Size: 8-3/4" W., 21" ht. Fits 3"
post (order separately).
Lamp: One GU24 base CFL
lamp, 32w max.



P6604-09EE Brushed Nickel
P6604-74EE Venetian Bronze
One-light wall lantern.
Size: 8" W., 14" ht.
Extends 6". H/CTR 7".
Lamp: One GU24 base CFL
lamp, 18w max.



See page 285 for additional chain,
and page 589 for posts.

LOFT Jack

RECTILINEAR DESIGN. ETCHED UMBER FLAX GLASS SHADE SUSPENDED IN DRAMATIC FRAME. STEEL CONSTRUCTION WITH ANTIQUE BRONZE POWDER COAT FINISH.

P5948-20 Antique Bronze
One-light wall lantern.
Size: 6" W., 13-5/8" ht.
Extends 6-1/4". H/CTR 5-1/4".
Lamps: One medium base, 100w max.

P5949-20 Antique Bronze
One-light wall lantern.
Size: 8" W., 15-1/4" ht.
Extends 6-1/4". H/CTR 5-7/8".
Lamp: One medium base, 100w max.



LOFT Peek-a-Boo

ETCHED GLASS SHADE "PEEK THROUGH" ARCHED FRAME. CLEAN, CONTEMPORARY WALL LANTERNS IN SMALL AND LARGE VERSIONS. STEEL CONSTRUCTION WITH ANTIQUE BRONZE POWDER COAT FINISH.

P6602-20 Antique Bronze
One-light wall lantern.
Size: 5-1/2" W., 13" ht.
Extends 3-1/4". H/CTR 7-1/4".
Lamp: One candelabra base lamp, 60w max.

P6603-20 Antique Bronze
One-light wall lantern.
Size: 5-1/2" W., 17-1/8" ht.
Extends 3-1/4". H/CTR 10-3/4".
Lamp: One medium base T10 lamp, 60w max.



LOFT | Hoop CFL

ENERGY EFFICIENT FIXTURES WITH SIMPLE STYLING. A CYLINDRICAL HOOP ENCIRCLES THE OPAL ETCHED GLASS DIFFUSER. LOW PROFILE, CAN BE MOUNTED ON WALL OR CEILING. STEEL CONSTRUCTION WITH ANTIQUE BRONZE POWDER COAT FINISH.

P5781-20EBWB Antique Bronze
One-light ceiling or wall mount.
Size: 10-1/2" dia., 4-7/8" ht.
Lamp: One GU24 base squat CFL lamp, 18w max. included.



P5786-20EBWB Antique Bronze
One-light ceiling or wall mount.
Size: 13-5/8" dia., 5-3/8" ht.
Lamp: One GU24 base squat CFL lamp, 26w max. included.



P5781-20EBWB
shown ceiling-mounted



P5786-20EBWB
shown ceiling-mounted



P5781-20EBWB
shown wall-mounted



P5786-20EBWB
shown wall-mounted

LOFT | Soul CFL

ONE-LIGHT INDOOR/OUTDOOR WALL SCONCE. SCULPTURAL STYLING BECOMES A STATEMENT PIECE. ETCHED GLASS WITH ENCLOSED TOP. STEEL CONSTRUCTION WITH ANTIQUE BRONZE POWDER COAT FINISH.

P5819-20EE Antique Bronze
One-light wall lantern.
Size: 12" W., 19-3/4" ht.
Extends 6". H/CTR 9-7/8".
Lamp: One GU24 base CFL lamp, 26w max.



P5819-20EE

See page 285 for additional chain,
and page 589 for posts.

REDISCOVER ANTIQUE NAUTICAL LANTERNS WITH ETCHED GLASS SURROUNDED BY WATER GLASS. ALUMINUM AND STEEL CONSTRUCTION. ANTIQUE BRONZE HAS POWDER COAT FINISH.



P3942-09



P5849-20



P5849-09



P3942-20



P5851-20




P5851-09

P3942-09 Brushed Nickel
P3942-20 Antique Bronze
Two-light close-to-ceiling.
Size: 15" dia., 7-3/8" ht.
Lamps: Two medium base lamps, each 75w max.

P5849-09 Brushed Nickel
P5849-20 Antique Bronze
One-light wall lantern.
Size: 8-3/4" W., 10-1/4" ht.
Extends 10-3/8". H/CTR 5-1/4".
Lamp: One medium base lamp, 100w max.

P5851-09 Brushed Nickel
P5851-20 Antique Bronze
One-light wall lantern.
Size: 11-5/8" W., 13-5/8" ht.
Extends 13-3/8". H/CTR 7".
Lamp: One medium base lamp, 100w max.



P3941-09 Brushed Nickel
P3941-20 Antique Bronze
 One-light close-to-ceiling.
 Size: 11-5/8" dia., 11" ht.
 Lamp: One medium base lamp,
 100w max.

*See page 285 for additional chain,
 and page 589 for posts.*

P5499-09 Brushed Nickel
P5499-20 Antique Bronze
 One-light post lantern.
 Size: 8-3/4" dia., 14-1/2" ht. Fits
 3" post (order separately).
 Lamp: One medium base lamp,
 100w max.

P5589-09 Brushed Nickel
P5589-20 Antique Bronze
 One-light hanging lantern.
 Size: 8-3/4" dia., 12-3/4" ht.
 Overall ht w/chain 87"; wire 10'.
 Lamp: One medium base lamp,
 100w max.

LOFT Parker CFL

WHITE ACRYLIC DIFFUSER CAN BE USED INDOORS AND OUTDOORS. REMOVE TOP AND BOTTOM END CAPS FOR INDOOR USE. DIE-CAST ALUMINUM CONSTRUCTION WITH POWDER COAT FINISH..

P5914-16 Satin Aluminum
P5914-20 Antique Bronze
 One-light CFL wall lantern.
 White acrylic diffuser.
 Size: 5-3/8" W., 10-1/4" ht.
 Extends 4".
 Lamp: One GU24 CFL lamp,
 26w max.
 ADA



P5915-16 Satin Aluminum
P5915-20 Antique Bronze
 Two-light CFL wall lantern.
 White acrylic diffuser.
 Size: 5-3/8" W., 16-7/8" ht.
 Extends 4".
 Lamps: Two GU24 CFL lamps,
 each 26w max.
 ADA



P5914-16



P5914-20



P5915-16



P5915-20

LOFT Shelton CFL

ENJOY A LITTLE VARIETY WITH THESE VERSATILE SCONCES. WHITE ACRYLIC DIFFUSER IN BRUSHED NICKEL FINISH. MOUNTS VERTICALLY OR HORIZONTALLY, FOR INDOOR OR OUTDOOR USE. DIE-CAST ALUMINUM CONSTRUCTION.

P5790-09 Brushed Nickel
 One-light CFL wall lantern. White acrylic diffuser. Mount vertically or horizontally. Indoor or outdoor.
 Size: 11" W., 5-5/8" ht.
 Extends 3-3/4".
 Lamp: One 13w 4-pin CFL.
 G24q-1 base.
 ADA



P5790-09



P5790-09

LOFT Anson CFL

ENJOY A SLEEK AND MODERN DESIGN. WHITE GEOMETRIC ENCLOSED DIFFUSER FRAMED IN BRONZE OR BRUSHED NICKEL FINISH. FOR INDOOR OR OUTDOOR USE. DIE-CAST ALUMINUM CONSTRUCTION.

P5736-09 Brushed Nickel
P5736-129 Architectural Bronze
 One-light CFL outdoor wall lantern.
 Can be used indoors or outdoors.
 Size: 9-1/8" W., 10-1/4" ht.
 Extends 3-3/4". H/CTR 5-5/8".
 Lamp: One GU24 CFL lamp, 18w max.
 ADA



P5736-09



P5736-129



LOFT  Valera CFL

TRANSFORM OUTDOOR SETTINGS WITH A BOLD, STRAIGHTFORWARD STYLE. DOUBLE LINEAR DETAILS FINISHED IN BRUSHED NICKEL OR ANTIQUE BRONZE OVER A WHITE ACRYLIC DIFFUSER. DIE-CAST ALUMINUM CONSTRUCTION.

P5800-09 Brushed Nickel
P5800-20 Antique Bronze
 One-light CFL wall lantern.
 Size: 5-1/4" W., 8" ht.
 Extends 4".
 Lamp: One GU24 CFL lamp,
 18w max.
 ADA



P5801-09 Brushed Nickel
P5801-20 Antique Bronze
 One-light CFL wall lantern.
 Size: 8-3/8" W., 11-1/8" ht.
 Extends 4".
 Lamp: One GU24 CFL lamp,
 26w max.
 ADA



P5806-09 Brushed Nickel
P5806-20 Antique Bronze
 Two-light CFL wall lantern.
 Size: 5-5/8" W., 16-1/8" ht.
 Extends 4".
 Lamps: Two GU24 CFL lamps,
 each 18w max.
 ADA





Shown P5897-108 lanterns.

LOFT Penfield

REINVENT EXTERIOR AREAS WITH SMOOTH CURVES HIGHLIGHTED BY CLEAR GLASS EXTERIOR SURROUNDING AN OPAL GLASS INTERIOR. DIE-CAST AND STAMPED ALUMINUM AND BRASS CONSTRUCTION.



P5898-108



P5899-108

P5898-108 Oil Rubbed Bronze

Two-light wall lantern.

Size: 6-1/2" W., 20" ht.

Extends 8-1/2". H/CTR 10-1/4".

Lamps: Two T10 medium base lamps, each 40w max.

P5899-108 Oil Rubbed Bronze

Two-light wall lantern.

Size: 8" W., 24" ht.

Extends 10-3/8". H/CTR 12-1/4".

Lamps: Two medium base lamps, each 75w max.



P5896-108



P5503-108



P5895-108



P5897-108



P5472-108

P5472-108 Oil Rubbed Bronze
One-light post lantern.
Size: 8" dia., 14-3/4" ht.
Fits 3" post (order separately).
Lamp: One medium base
lamp, 100w max.

P5503-108 Oil Rubbed Bronze
One-light hanging lantern.
Size: 8" dia., 14-1/4" ht.
Overall ht w/chain 89";
wire 15'
Lamp: One medium base
lamp, 100w max.

P5895-108 Oil Rubbed Bronze
One-light wall lantern.
Size: 6-1/2" W., 9-3/4" ht.
Extends 8-1/2". H/CTR 5".
Lamp: One medium base
lamp, 100w max.

P5896-108 Oil Rubbed Bronze
One-light wall lantern.
Size: 8" W., 11-3/4" ht.
Extends 10-1/4". H/CTR 6".
Lamp: One medium base
lamp, 100w max.

P5897-108 Oil Rubbed Bronze
One-light wall lantern.
Size: 9-3/4" W., 13-1/4" ht.
Extends 12-1/4". H/CTR 6-3/4".
Lamp: One medium base
lamp, 100w max.

See page 285 for additional chain,
and page 589 for posts.



EXPLORE THE GREAT OUTDOORS WITH CLASSIC DETAILS. SOFTLY ETCHED GLASS AND A POWDER COAT TEXTURED BLACK FINISH. SELECT LANTERNS FINISHED IN BRUSHED NICKEL. STAMPED ALUMINUM CONSTRUCTION.



P5775-31



P5775-09



P5848-31



P5778-31



P5402-31



P5402-09



P5780-31

P5402-09 Brushed Nickel
P5402-31 Textured Black
 One-light post lantern.
 Size: 10-1/2" dia., 18-1/4" ht.
 Fits 3" post (order separately).
 Lamp: One medium base
 lamp, 100w max.

P5775-09 Brushed Nickel
P5775-31 Textured Black
 One-light wall lantern.
 Size: 6-1/2" W., 11-3/4" ht.
 Extends 8-1/2". H/CTR 3-3/4".
 Lamp: One medium base
 lamp, 75w max.

P5778-31 Textured Black
 One-light wall lantern.
 Size: 8-3/8" W., 14-1/2" ht.
 Extends 11-1/4". H/CTR 10".
 Lamp: One medium base
 lamp, 100w max.

P5780-31 Textured Black
 One-light wall lantern.
 Size: 10-1/2" W., 17" ht.
 Extends 12-1/4". H/CTR
 12-1/2".
 Lamp: One medium base
 lamp, 100w max.

P5848-31 Textured Black
 One-light hanging lantern.
 Size: 10-1/2" dia., 17-1/4" ht.
 Overall ht. w/chain 92";
 wire 15'.
 Lamp: One medium base
 lamp, 100w max.

TRANSCEND  Fairview CFL

ENERGY EFFICIENT CAST ALUMINUM LANTERNS. ETCHED GLASS AND TEXTURED BLACK POWDERCOAT FINISH.



P5489-31 Textured Black One-light CFL post lantern. Size: 10-1/2" W., 18-1/4" ht. Fits 3" post (order separately). Lamp: One GU24 CFL lamp, 26w max.



P5492-31 Textured Black One-light CFL wall lantern. Size: 6-1/2" W., 11-3/4" ht. Extends 8-1/2". H/CTR 3-3/4". Lamp: One GU24 CFL lamp, 13w max.



P5494-31 Textured Black One-light CFL wall lantern. Size: 8-3/8" W., 14-1/2" ht. Extends 11-1/4". H/CTR 10". Lamp: One GU24 CFL lamp, 18w max.



P5496-31 Textured Black One-light CFL wall lantern. Size: 10-1/2" W., 17" ht. Extends 12-1/4". H/CTR 12-1/2". Lamp: One GU24 CFL lamp, 26w max.



P5547-31 Textured Black One-light CFL hanging lantern. Size: 10-1/2" W., 17-1/4" ht. Overall ht. w/chain 92", wire 15'. Lamp: One GU24 CFL lamp, 26w max.



See page 285 for additional chain, and page 589 for posts.

A CLASSIC LANTERN WITH MODERN STYLING. ETCHED OPAL GLASS FEATURES HORIZONTAL BAND. STAMPED ALUMINUM CONSTRUCTION ON ANTIQUE BRONZE -20 AND STAINLESS STEEL CONSTRUCTION ON -135.



P6004-20



P6004-135



P6506-20



P6506-135



P6003-135



P6003-20

P6003-20 Antique Bronze
P6003-135 Stainless Steel
One-light wall lantern.
Size: 7" W., 8-1/8" ht.
Extends 7-3/4". H/CTR
3-1/4".
Lamp: One medium base
lamp, 100w max.

P6004-20 Antique Bronze
P6004-135 Stainless Steel
One-light wall lantern.
Size: 9" W., 11" ht. Extends
9-7/8". H/CTR 4-3/4".
Lamp: One medium base
lamp, 100w max.

P6005-20 Antique Bronze
P6005-135 Stainless Steel
One-light wall lantern.
Size: 11" W., 13-1/2" ht.
Extends 11-7/8". H/CTR
5-1/8".
Lamp: One medium base
lamp, 100w max.

P6406-20 Antique Bronze
P6406-135 Stainless Steel
One-light post lantern.
Size: 9" dia., 14" ht. Fits 3"
post (order separately).
Lamp: One medium base
lamp, 100w max.

P6506-20 Antique Bronze
P6506-135 Stainless Steel
One-light hanging lantern.
Size: 9" dia., 12-7/8" ht.
Overall ht. w/chain 78"; wire
180".
Lamp: One medium base
lamp, 100w max.



P6005-20



P6005-135



P6406-20



P6406-135

See page 285 for additional chain,
and page 589 for posts.



GREET GUESTS WITH AN ARCHITECTURAL INSPIRED FRAME. MODERN DRUM PROFILE AND ETCHED GLASS SHADES. BRUSHED NICKEL AND POWDER COAT ANTIQUE BRONZE FINISHES. ALUMINUM AND STEEL CONSTRUCTION.




P5449-09 Brushed Nickel
P5449-20 Antique Bronze
 One-light post lantern.
 Size: 9-1/2" dia., 23" ht. Fits 3" post (order separately).
 Lamp: One medium base lamp, 100w max.

P5549-09 Brushed Nickel
P5549-20 Antique Bronze
 One-light hanging lantern.
 Size: 9-1/2" dia., 22-3/4" ht. Overall ht w/chain 96"; wire 10'.
 Lamp: One medium base lamp, 100w max.

P5631-09 Brushed Nickel
P5631-20 Antique Bronze
 One-light wall lantern.
 Size: 5-3/4" W., 12-1/2" ht. Extends 8". H/CTR 6-1/2".
 Lamp: One medium base lamp, 100w max.

P5719-09 Brushed Nickel
P5719-20 Antique Bronze
 One-light wall lantern.
 Size: 7-1/2" W., 16-3/4" ht. Extends 10". H/CTR 9-1/8".
 Lamp: One medium base lamp, 100w max.

P5728-09 Brushed Nickel
P5728-20 Antique Bronze
 One-light wall lantern.
 Size: 9 1/2" W., 20-3/4" ht. Extends 12-3/8". H/CTR 11-1/8".
 Lamp: One medium base lamp, 100w max.



P5631-09



P5719-20



P5719-09



P5631-20



P5449-09



P5449-20

See page 285 for additional chain,
and page 589 for posts.



RELAX  **Regatta**

UPDATED COASTAL STYLING MEETS CONTEMPORARY DESIGN. EXTERIOR CLEAR SEEDED GLASS WITH ETCHED OPAL GLASS INSIDE. POWDER COAT ANTIQUE BRONZE FINISH. ALUMINUM AND STEEL CONSTRUCTION.



P5997-20



P5998-20



P6505-20



P6405-20

P5997-20 Antique Bronze
One-light wall lantern.
Size: 7-1/2" W., 11" ht.
Extends 7 3/4". H/CTR 6".
Lamp: One medium base
lamp, 100w max.

P5998-20 Antique Bronze
One-light wall lantern.
Size: 9-1/2" W., 13" ht.
Extends 9-3/8". H/CTR 6-1/2".
Lamp: One medium base
lamp, 100w max.

P6405-20 Antique Bronze
One-light post lantern.
Size: 9-1/2" dia., 16-3/4" ht.
Fits 3" post (order separately).
Lamp: One medium base
lamp, 100w max.

P6505-20 Antique Bronze
One-light hanging lantern.
Size: 9 1/2" dia., 15-1/2" ht.
Overall ht w/chain 87"; wire 120".
Lamp: One medium base lamp,
100w max.

RELAX  **Domino**

PROVIDE PURE DRAMA TO ANY HOME. THE MARRIAGE OF BLACK AND WHITE CREATES TIMELESS STYLING. STREAMLINED SEEDED GLASS CAGE ENCASES OPAL ETCHED GLASS CYLINDER. POWDER COAT BLACK FINISH. CAST ALUMINUM CONSTRUCTION.



P5951-31



P5939-31



P5525-31



P5415-31



P5952-31

P5415-31 Black
One-light post lantern.
Size: 10-1/2" W., 8" L.,
18-5/8" ht. Fits 3" post
(order separately)
Lamp: One medium base
lamp, 100w max.

P5525-31 Black
One-light hanging lantern.
Size: 10-1/2" W., 15-5/8" ht.
Overall ht. w/chain 91";
wire 15'.
Lamp: One medium base
lamp, 100w max.

P5939-31 Black
One-light wall lantern.
Size: 8-1/2" W., 14" ht.
Extends 6-7/8". H/CTR 8-7/8".
Lamp: One medium base
lamp, 100w max.

P5951-31 Black
One-light wall lantern.
Size: 6-1/2" W., 11" ht.
Extends 5-3/8". H/CTR 7-3/4".
Lamp: One candelabra base
lamp, 60w max.

P5952-31 Black
One-light wall lantern.
Size: 10-1/2" W., 15-5/8" ht.
Extends 8-7/8". H/CTR
10-5/8".
Lamp: One medium base
lamp, 100w max.

See page 285 for additional chain,
and page 589 for posts.

INSET SQUARE ETCHED GLASS SHADES
WITHIN RECTILINEAR FRAME. CAST ALUMINUM
CONSTRUCTION. FRAME SHOWCASES PIERCED
GRID PATTERN. BLACK POWDER COAT FINISH.
ALUMINUM CONSTRUCTION.



P6000-31



P6001-31



P6002-31



P6500-31



P6400-31

P6000-31 Black
One-light wall lantern.
Size: 5-1/4" sq., 8" ht.
Extends 6-1/4". H/CTR 2-1/2".
Lamp: One medium base
lamp, 60w max.

P6001-31 Black
One-light wall lantern.
Size: 7-3/4" sq., 12-1/4" ht.
Extends 9". H/CTR 3".
Lamp: One medium base
lamp, 100w max.

P6002-31 Black
One-light wall lantern.
Size: 10" sq., 15-3/4" ht.
Extends 11-3/8". H/CTR 4".
Lamp: One medium base
lamp, 100w max.

P6400-31 Black
One-light post lantern.
Size: 10" sq., 18-3/4" ht. Fits
3" post (order separately).
Lamp: One medium base
lamp, 100w max.

P6500-31 Black
One-light hanging lantern.
Size: 10" sq., 17-1/2" ht.
Overall ht. w/chain 91";
wire 120".
Lamp: One medium base
lamp, 100w max.

RELAX |  **Derby**

DERBY BOASTS A COMBINATION OF ESPRESSO AND TEXTURED BLACK, DURABLE POWDER COAT FINISHES. FEATURES A MOUTH BLOWN, CLEAR SEEDED GLASS DIFFUSER ENCASED IN A CAST ALUMINUM BLACK FRAME. ESPRESSO FINISH ON ROOF AND BACK PLATE.



P5579-84



P5750-84



P5751-84



P5749-84



P5479-84

P5479-84 Espresso
One-light post lantern.
Size: 8-1/2" dia., 13-3/8" ht.
Fits 3" post (order separately).
Lamp: One medium base lamp, 100w max.

*See page 285 for additional chain,
and page 589 for posts.*

P5579-84 Espresso
One-light hanging lantern.
Size: 8-1/2" dia., 12" ht.,
Overall ht. w/chain 86";
wire 15'.
Lamp: One medium base lamp, 100w max.

P5749-84 Espresso
One-light wall lantern.
Size: 6-1/2" W., 8-3/8" ht.
H/CTR 3". Extends 7-5/8".
Lamp: One medium base lamp, 100w max.

P5750-84 Espresso
One-light wall lantern.
Size: 8-1/2" W., 11" ht.
H/CTR 4-1/4". Extends 9-5/8".
Lamp: One medium base lamp, 100w max.

P5751-84 Espresso
One-light wall lantern.
Size: 10-5/8" W., 15" ht.
H/CTR 3-3/8". Extends 14-1/8".
Lamp: One medium base lamp, 100w max.

UNIQUE CANTILEVERED ARMS,
DISTINCTIVE ROOF AND CLEAR SEEDED
GLASS. CAST ALUMINUM IN BRUSHED
NICKEL, GILDED IRON OR BURNISHED
CHESTNUT.



P5563-71



P5563-09



P5563-86



P5763-86



P5763-09



P5763-71



P5764-71

P5463-09 Brushed Nickel
P5463-71 Gilded Iron
P5463-86 Burnished Chestnut
One-light post lantern.
Size: 13-3/4" W., 18-3/4" ht.
Fits 3" post (order separately).
Lamp: One medium base lamp,
100w max.

P5563-09 Brushed Nickel
P5563-71 Gilded Iron
P5563-86 Burnished Chestnut
One-light hanging lantern.
Size: 10" dia., 12-1/2" ht.
Overall ht. w/chain 52"; wire 15".
Lamp: One medium base lamp,
100w max.

P5763-09 Brushed Nickel
P5763-71 Gilded Iron
P5763-86 Burnished Chestnut
One-light wall lantern.
Size: 6-3/8" W., 9-1/8" ht.
Extends 8-1/2". H/CTR 5-1/4".
Lamp: One medium base lamp,
100w max.

P5764-09 Brushed Nickel
P5764-71 Gilded Iron
P5764-86 Burnished Chestnut
One-light wall lantern.
Size: 10" W., 13-1/2" ht.
Extends 12-1/2". H/CTR 7-1/2".
Lamp: One medium base lamp,
100w max.



P5764-86



P5764-09



P5463-86



P5463-09



P5463-71



See page 285 for additional chain,
and page 589 for posts.

REMINISCE UNDER LIGHT INSPIRED BY THE BUNGALOWS OF THE 1900'S. CHARMING HIGHLIGHTS INCLUDE HIPPED-PITCH ROOF AND FRAME. HONEY ART GLASS WITH WEATHERED BRONZE FINISH. DIE-CAST ALUMINUM AND BRASS CONSTRUCTION.



P5272-46 Weathered Bronze
Low voltage path light.
(Requires transformer).
Size: 5-1/2" W., 28-3/4" ht.
Extends 6-1/2".
Lamp: One 18w T5 wedge base lamp (included).



P5428-46 Weathered Bronze
One-light post lantern.
Size: 10" W., 18-1/8" ht.
Fits 3" post (order separately).
Lamp: One medium base lamp, 150w max.

P5528-46 Weathered Bronze
One-light hanging lantern
Size: 10" W., 15-1/4" ht.
Overall ht. w/chain 52"; wire 10'.
Lamp: One medium base lamp, 100w max.

P5628-46 Weathered Bronze
One-light wall lantern.
Size: 6-5/8" W., 10-1/2" ht.
Extends 7-1/2". H/CTR 2-1/4".
Lamp: One medium base lamp, 100w max.

P5629-46 Weathered Bronze
One-light wall lantern.
Size: 10" W., 15-1/4" ht.
Extends 10-3/4". H/CTR 10".
Lamp: One medium base lamp, 150w max.

P5633-46 Weathered Bronze
One-light CFL wall lantern.
Size: 6-5/8" W., 10-1/2" ht.
Extends 7-1/2". H/CTR 2-1/4".
Lamp: One GU24 CFL lamp, 13w max.



Chandelier
pg 168 

Close-to-ceiling
pg 309 

P6018-46 Weathered Bronze
One-light wall lantern.
Size: 10" W., 15-1/4" ht.
Extends 10-3/4". H/CTR 10".
Lamp: One GU24 CFL lamp, 26w max.



Mission

RELAX IN OUTDOOR SETTINGS WITH HANDSOME LANTERNS. FEATURES A SOLID BRASS FRAME. HONEY ART GLASS WITH WEATHERED BRONZE FINISH.



P5768-46

P5759-46
P5760-46

P5262-46



P5261-46



P5461-46

P5261-46 Weathered Bronze
Low voltage path light.
(Requires transformer).
Size: 6-1/2" sq., 3-5/8" ht.
Overall length 19-3/8".
Lamp: One 18w T5 wedge base
lamp (included).



P5262-46 Weathered Bronze
Rail mount lantern. Fits 4" x 4"
post or flush mount. (Requires
transformer).
Size: 6-1/2" sq., 5-1/2" ht.
Lamp: One 18w T5 wedge base
lamp (included).



P5461-46 Weathered Bronze
One-light post lantern.
Size: 14" sq., 13-3/4" ht.
Fits 3" post (order separately).
Lamp: One medium base
lamp, 150w max.

P5759-46 Weathered Bronze
One-light wall lantern.
Size: 4-1/2" W., 8-1/2" ht.
Extends 4-3/4". H/CTR 5-1/8".
Lamp: One medium base
lamp, 75w max.

P5760-46 Weathered Bronze
One-light wall lantern.
Size: 4-1/2" W., 8-1/2" ht.
Extends 4-3/4". H/CTR 5-1/8".
Lamp: One GU24 CFL lamp,
13w max.



P5768-46 Weathered Bronze
Two-light wall lantern.
Size: 14" W., 11-3/4" ht.
Extends 4-3/4". H/CTR 7".
Lamps: Two medium base
lamps, each 60w max.

See page 285 for additional chain,
and page 589 for posts.



CLASSIC ARTS AND CRAFTS INSPIRED PROFILE IDEAL FOR HOME EXTERIORS FROM LODGE TO BUNGALOW. CAST ALUMINUM CONSTRUCTION. CLEAR WATER GLASS AND DECORATIVE BOTTOM DETAIL. TEXTURED BLACK POWDER COATED FINISH.



P5559-31



Bottom Detail



P6023-31



P5907-31



P5459-31



P5999-31



P5906-31

P5459-31 Black
One-light post lantern.
Size: 8-1/2" sq.,
16-1/2" ht.
Fits 3" post (order
separately).
Lamp: One medium
base lamp, 100w max.

P5559-31 Black
One-light hanging
lantern.
Size: 8-1/2" sq., 14-7/8"
ht., Overall ht. w/chain
87"; wire 15'.
Lamp: One medium
base lamp, 100w max.

P5906-31 Black
One-light wall lantern.
Size: 6" sq., 8-1/2" ht.
Extends 7-1/8".
Lamp: One medium
base lamp, 100w max.

P5907-31 Black
One-light wall lantern.
Size: 8-3/4" sq.,
12-1/4" ht. Extends
10-1/8".
Lamp: One medium
base lamp, 100w max.

P5999-31 Black
One-light wall lantern.
Size: 11" sq., 16-3/4" ht.
H/CTR 7-3/4".
Lamp: One medium
base lamp, 100w max.

P6023-31 Black
Two-light close-to-
ceiling.
Size: 11" sq., 7" ht.
Lamp: Two medium
base lamp, 100w max.

RELAX  **Coventry**

CAPTURE THE ROMANCE WITH OPTIC HAMMERED GLASS, STYLIZED CAP AND SHEPHERD'S CROOK. DIE-CAST ALUMINUM CONSTRUCTION.



P5275-31 Textured Black
Low voltage path light.
Use with transformer.
Size: 5-3/4" W., 25" ht.
Lamp: One 18w T5
wedge base (included).



See page 285 for additional chain,
and page 589 for posts.

P5429-31 Textured Black
P5429-87 Fieldstone
Two-light post lantern.
Size: 9-3/4" dia. 19-5/8" ht.
Fits 3" post (order separately).
Lamps: Two candelabra base
lamps, each 60w max.

P5529-31 Textured Black
P5529-87 Fieldstone
Two-light hanging lantern.
Size: 9-3/4" dia., 19-1/4" ht.
Overall ht. w/chain 58";
wire 10".
Lamps: Two candelabra base
lamps, each 60w max.

P5828-31 Textured Black
P5828-87 Fieldstone
One-light wall lantern.
Size: 8" W., 17-1/4" ht.
Extends 10". H/CTR 10".
Lamp: One medium base
lamp, 100w max.

P5829-31 Textured Black
P5829-87 Fieldstone
Two-light wall lantern.
Size: 9-3/4" W., 20-1/2" ht.
Extends 12-1/2". H/CTR 12".
Lamps: Two candelabra base
lamps, each 60w max.



CREATE REFRESHING SCENES WITH NATURE-INSPIRED UNDERTONES, STYLIZED LEAF ACCENTS AND WEATHERED SANDSTONE GLASS.



P5747-84



P5742-84



P5743-84



P5507-84



P5406-84

P5406-84 Espresso
One-light post lantern.
Size: 11" W., 18-3/8" ht.
Fits 3" post (order separately).
Lamp: One medium base lamp, 100w max.

P5507-84 Espresso
One-light hanging lantern.
Size: 11" W., 18-3/8" ht.
Overall ht w/ chain 93",
wire 15'.
Lamp: One medium base lamp, 100w max.

P5742-84 Espresso
One-light wall lantern.
Size: 8" W., 13-3/4" ht.
Extends 10-1/2". H/CTR
7-5/8".
Lamp: One medium base lamp, 75w max.

P5743-84 Espresso
One-light wall lantern.
Size: 9-1/8" W., 15-1/4" ht.
Extends 12-1/4". H/CTR
7-7/8".
Lamp: One medium base lamp, 100w max.

P5747-84 Espresso
One-light wall lantern.
Size: 11-1/8" W., 21-1/4" ht.
Extends 14-7/8". H/CTR
12-1/4".
Lamp: One medium base lamp, 100w max.

RENEW YOUR SETTING WITH HANDSOME DETAILS,
QUILL-SCROLLED ARMS AND DECORATIVE FINIALS.
TEXTURED BLACK OR ANTIQUE BRONZE FINISH.
DIE-CAST ALUMINUM CONSTRUCTION.



P5875-20WB



P5875-31WB



P5250-20



P5250-31



P5874-20WB



P5874-31WB

P5250-20 Antique Bronze
P5250-31 Textured Black
Low voltage path light.
(Requires transformer).
Size: 6-1/2" W., 23-7/8" ht.
Lamp: One 18w T5 wedge
base (included).



See page 285 for additional chain,
and page 589 for posts.

P5874-20WB Antique Bronze
P5874-31WB Textured Black
One-light CFL wall lantern with
etched glass.
Size: 6-3/8" W., 14-3/8" ht.
Extends 9-1/2". H/CTR 4-1/2".
Lamp: One GU24 CFL lamp,
26w max.



P5875-20WB Antique Bronze
P5875-31WB Textured Black
One-light CFL wall lantern with
etched glass.
Size: 8-3/8" W., 16-5/8" ht.
Extends 10-1/2". H/CTR 4-1/2".
Lamp: One GU24 CFL lamp,
26w max.





RELAX  **Ashmore**

RENEW YOUR SETTING WITH HANDSOME DETAILS, QUILL-SCROLLED ARMS AND DECORATIVE FINIALS. TEXTURED BLACK OR ANTIQUE BRONZE FINISH. DIE-CAST ALUMINUM CONSTRUCTION WITH WATER SEEDED GLASS.



P5653-20



P5653-31



P5854-20



P5854-31



P5652-31

P5652-20 Antique Bronze
P5652-31 Textured Black
 Three-light wall lantern.
 Size: 9-5/8" dia., 27-5/8" ht.
 Extends 12-3/8". H/CTR 20-5/8".
 Lamps: Three candelabra base lamps, each 60w max.

P5653-20 Antique Bronze
P5653-31 Textured Black
 Three-light wall lantern.
 Size: 9-5/8" dia., 28" ht.
 Extends 12-3/4". H/CTR 21".
 Lamps: Three candelabra base lamps, each 60w max.

P5854-20 Antique Bronze
P5854-31 Textured Black
 Two-light motion sensor wall lantern.
 Size: 6-5/8" W., 15" ht.
 Extends 9-5/8". H/CTR 10-1/4".
 Lamp: Two candelabra base lamps, each 60w max.



P5550-31



P5550-20



P5650-31



P5562-31



P5650-20



P5649-31



P5651-20



P5450-31



P5450-20

P5450-20 Antique Bronze
P5450-31 Textured Black
Three-light post lantern.
Size: 9-5/8" dia., 24" ht. Fits 3" post (order separately).
Lamps: Three candelabra base lamps, each 60w max.

P5550-20 Antique Bronze
P5550-31 Textured Black
Three-light hanging lantern
Size: 9-5/8" dia., 18-3/4" ht.
Overall ht. w/ chain 42"; wire 10'.
Lamps: Three candelabra base lamps, each 60w max.

P5562-20 Antique Bronze
P5562-31 Textured Black
Two-light close-to-ceiling.
Size: 10-5/8" dia., 9-3/4" ht.
Lamps: Two candelabra base lamps, each 60w max.

P5649-20 Antique Bronze
P5649-31 Textured Black
Two-light wall lantern.
Size: 6-5/8" dia., 14-7/8" ht.
Extends 9-3/8". H/CTR 4".
Lamps: Two candelabra base lamps, each 60w max.

P5650-20 Antique Bronze
P5650-31 Textured Black
Three-light wall lantern.
Size: 8-5/8" dia., 16-1/2" ht.
Extends 10-3/8". H/CTR 4-1/2".
Lamps: Three candelabra base lamps, each 60w max.

P5651-20 Antique Bronze
P5651-31 Textured Black
Three-light wall lantern.
Size: 9-5/8" dia., 20-1/2" ht.
Extends 12-3/4". H/CTR 7".
Lamps: Three candelabra base lamps, each 60w max.

See page 285 for additional chain, and page 589 for posts.

TRANSFORM THE OUTDOORS WITH TIMELESS STYLING. CAST LANTERNS WITH CLEAR BEVELED GLASS AND OIL RUBBED BRONZE FINISH.



P5671-108



P5670-108



P5474-108



P5574-108

P5474-108 Oil Rubbed Bronze Four-light post lantern. Size: 12" dia., 28-1/2" ht. Fits 3" post (order separately). Lamps: Four candelabra base lamps, each 60w max.

P5574-108 Oil Rubbed Bronze Four-light hanging lantern. Size: 12" dia., 29-3/8" ht. Overall ht. w/ chain 68"; wire 15'. Lamps: Four candelabra base lamps, each 60w max.

P5670-108 Oil Rubbed Bronze One-light wall lantern. Size: 6-1/2" W., 12-1/2" ht. Extends 8-3/4". H/CTR 8". Lamp: One medium base lamp, 100w max.

P5671-108 Oil Rubbed Bronze Two-light wall lantern. Size: 8-1/2" W., 16-3/4" ht. Extends 11-1/8" H/CTR 9-5/8". Lamps: Two candelabra base, each 60w max.



P5672-108



P5673-108



P5672-108 Oil Rubbed Bronze
Three-light wall lantern.
Size: 10" W., 29" ht.
Extends 12-1/2". H/CTR 11-5/8".
Lamps: Three candelabra base
lamps, each 60w max.

*See page 285 for additional chain,
and page 589 for posts.*

progresslighting.com

P5673-108 Oil Rubbed Bronze
Four-light wall lantern.
Size: 12" W., 32-3/4" ht.
Extends 14-3/4". H/CTR 14-3/4".
Lamps: Four candelabra base
lamps, each 60w max.

TRANSFORM THE OUTDOORS WITH TIMELESS STYLING. CAST ALUMINUM AND BRASS LANTERNS WITH ETCHED FLAT GLASS. ENERGY EFFICIENT. BLACK POWDER COAT FINISH.



P6419-31



P6519-31



P6614-31



P6613-31

P6419-31 Black
One-light CFL post lantern with etched glass.
Size: 12" W., 28-1/2" ht.
Fits 3" post (order separately).
Lamp: One GU24 CFL lamp, 32w max.



P6519-31 Black
One-light CFL hanging lantern with etched glass.
Size: 12" dia., 29-3/8" ht.
Overall ht. w/ chain 68"; wire 15'.
Lamp: One GU24 CFL lamp, 32w max.



P6613-31 Black
One-light CFL wall lantern with etched glass.
Size: 10" W., 29" ht.
Extends 12-1/2". H/CTR 11-5/8".
Lamp: One GU24 CFL lamp, 26w max



P6614-31 Black
One-light CFL large wall lantern with etched glass.
Size: 12" W., 32-3/4" ht.
Extends 14-3/4". H/CTR 14-3/4".
Lamp: One GU24 CFL lamp, 32w max.



ELEMENTS  Promise

STAINLESS STEEL CONSTRUCTION WITH ETCHED GLASS PANELS. ENERGY STAR RATED.

P6022-135WB Stainless Steel
One-light CFL wall lantern
Size: 7" W., 15-1/2" ht.
Extends 8-1/2". H/CTR 9-5/8".
Lamp: One GU24 CFL lamp,
26w max., included.



P6021-135WB Stainless Steel
One-light CFL wall lantern
Size: 6" W., 14-1/8" ht.
Extends 7-3/4". H/CTR 9-1/4".
Lamp: One GU24 CFL lamp,
18w max., included



P6021-135WB



P6022-135WB

ELEMENTS  Crawford CFL



P5685-31



P5685-108



P5686-31

P5685-31 Black
P5685-108 Oil Rubbed Bronze
One-light wall lantern with
etched glass.
Size: 6-1/2" W., 12-1/2" ht.
Extends 8-3/4". H/CTR 8".
Lamp: One GU24 CFL lamp,
13w max.



P5686-31 Black
P5686-108 Oil Rubbed Bronze
One-light CFL wall lantern with
etched glass.
Size: 8-1/2" W., 16-3/4" ht.
Extends 11-1/8" H/CTR 9-5/8".
Lamp: One GU24 CFL lamp,
26w max.



See page 285 for additional chain,
and page 589 for posts.



INSPIRED BY A MIX OF TRADITIONAL AND COUNTRY STYLES. BEVELED GLASS PANELS. ANTIQUE BRONZE FINISH. DIE-CAST ALUMINUM AND BRASS CONSTRUCTION.



P5688-20



P5687-20



P5587-20



P5689-20



P5487-20

P5487-20 Antique Bronze
Three-light post lantern. Hinged door for easy relamping.
Size: 9-1/2" sq., 20-1/2" ht
Fits 3" post (order separately).
Lamps: Three candelabra base lamps, each 60w max.

P5587-20 Antique Bronze
Three-light hanging lantern. Hinged door for easy relamping.
Size: 9-1/2" sq., 20" ht.
Overall ht. w/chain 42"; wire 10'.
Lamps: Three candelabra base lamps, each 60w max.

P5687-20 Antique Bronze
One-light wall lantern.
Size: 5-1/2" W., 12-1/2" ht.
Extends 6-1/4". H/CTR 6-1/4".
Lamp: One medium base lamp, 100w max.

P5688-20 Antique Bronze
Two-light wall lantern.
Size: 7-1/2" W., 21-1/4" ht.
Extends 8-1/4". H/CTR 7-1/2".
Lamps: Two candelabra base lamps, each 60w max.

P5689-20 Antique Bronze
Three-light wall lantern.
Size: 9-1/2" W., 26-1/4" ht.
Extends 10-1/4". H/CTR 9-1/4".
Lamps: Three candelabra base lamps, each 60w max.



ELEMENTS



Andover CFL

ENERGY EFFICIENT LANTERNS WITH
ETCHED GLASS.



P5887-20



P5888-20

P5887-20 Antique Bronze
One-light CFL wall lantern with
etched glass.
Size: 5-1/2" W., 12-5/8" ht.
Extends 6-1/4". H/CTR 6-1/4".
Lamp: One GU24 CFL lamp,
13w max.



P5888-20 Antique Bronze
One-light CFL wall lantern with
etched glass.
Size: 7-1/2" W., 21-1/4" ht.
Extends 8-1/4". H/CTR 7-1/2".
Lamp: One GU24 CFL lamp,
26w max.



See page 285 for additional chain,
and page 589 for posts.

OUTDOOR LANTERNS FEATURE CLASSIC, TRADITIONAL STYLING WITH CLEAR RIBBED GLASS. CAST ALUMINUM WITH DURABLE OIL RUBBED BRONZE POWDER COAT FINISH.



P5977-108 Oil Rubbed Bronze One-light wall lantern. Size: 6" W., 11-3/8" ht. Extends 7-1/8". H/CTR 4". Lamp: One medium base lamp, 100w max.

P5978-108 Oil Rubbed Bronze One-light wall lantern. Size: 7-1/2" W., 14-1/4" ht. Extends 8 3/4". H/CTR 5". Lamp: One medium base lamp, 100w max.

P5979-108 Oil Rubbed Bronze One-light wall lantern. Size: 9-1/2" W., 18" ht. Extends 11". H/CTR 7-1/2". Lamp: One medium base lamp, 100w max.

P6402-108 Oil Rubbed Bronze One-light post lantern. Size: 7-1/2" dia., 17-3/4" ht. Fits 3" post (order separately). Lamp: One medium base lamp, 100w max.

P6502-108 Oil Rubbed Bronze One-light hanging lantern. Size: 7-1/2" dia., 15-1/2" ht. Overall ht w/chain 90"; wire 15'. Lamp: One medium base lamp, 100w max.

ELEMENTS



Meadowlark

ARCHED ROOF, TOP RIBBON SCROLLED LOOPS AND ARCHING ARMS. OIL RUBBED BRONZE FINISH AND WATER SEEDED GLASS. CAST ALUMINUM AND BRASS CONSTRUCTION WITH POWDER COAT FINISH.



P5715-108



P5502-108



P5716-108



P5717-108



P5468-108

P5468-108 Oil Rubbed Bronze Three-light post lantern. Size: 6-7/8" L., 8-1/2" W., 17-1/2" ht. Fits 3" post (order separately). Lamps: Three candelabra base lamps, each 60w max.

P5502-108 Oil Rubbed Bronze Three-light hanging lantern. Size: 8-1/2" W., 6-7/8" L., 15" ht. Overall ht. w/chain 90", wire 15'. Lamps: Three candelabra base lamps, each 60w max.

P5715-108 Oil Rubbed Bronze One-light wall lantern. Size: 6-3/8" W., 12" ht. Extends 6-7/8". H/CTR 7-5/8". Lamp: One medium base lamp, 100w max.

P5716-108 Oil Rubbed Bronze Two-light wall lantern. Size: 7-1/4" W., 14-1/2" ht. Extends 8-1/4". H/CTR 7-3/4". Lamps: Two candelabra base lamps, each 60w max.

P5717-108 Oil Rubbed Bronze Three-light wall lantern. Size: 8-1/2" W., 17-1/8" ht. Extends 9-5/8". H/CTR 9". Lamps: Three candelabra base lamps, each 60w max.

See page 285 for additional chain, and page 589 for posts.



ELEMENTS



Salute

PROVIDE A WELCOMING STATEMENT TO GREET FAMILY AND FRIENDS. ETCHED UMBER GLASS CAGE TOPPED WITH FLOWING CURVED HOOD. ALUMINUM AND BRASS CONSTRUCTION.

P5554-108



P5953-108



P5954-108



P5955-108



P5453-108

P5453-108 Oil Rubbed Bronze One-light post lantern. Size: 8-1/2" sq., 23-1/8" ht. Fits 3" post (order separately). Lamp: One medium base lamp, 100w max.

P5554-108 Oil Rubbed Bronze One-light hanging lantern. Size: 8-1/2" sq., 20-5/8" ht. Overall ht. w/chain 96"; wire 15'. Lamp: One medium base lamp, 100w max.

P5953-108 Oil Rubbed Bronze One-light wall lantern. Size: 5-3/4" W., 14-3/8" ht. Extends 6-1/8". H/CTR 9-7/8". Lamp: One medium base lamp, 100w max.

P5954-108 Oil Rubbed Bronze One-light wall lantern. Size: 7-1/4" W., 17-3/4" ht. Extends 7-5/8". H/CTR 12". Lamp: One medium base lamp, 100w max.

P5955-108 Oil Rubbed Bronze One-light wall lantern. Size: 8-1/2" W., 20-5/8" ht. Extends 8-7/8". H/CTR 13-7/8". Lamp: One medium base lamp, 100w max.

ELEMENTS  Pedigree CFL

DURABLE POWDER COAT FINISH. CAST PYRAMIDAL BLOCK AND FLUTED UPRIGHTS. ENERGY EFFICIENT OUTDOOR LANTERNS WITH ETCHED SEEDED GLASS. ALUMINUM CONSTRUCTION.



P5980-97 Autumn Haze
One-light wall lantern.
Size: 7" W., 10" ht. Extends
8-1/2". H/CTR 2-3/4".
Lamp: One GU24 base CFL
lamp, 26w max.



See page 285 for additional chain,
and page 589 for posts.

P5981-97 Autumn Haze
One-light wall lantern.
Size: 9" W., 13-3/8" ht.
Extends 10-1/2". H/CTR
5-3/4".
Lamp: One GU24 base CFL
lamp, 26w max.



P5982-97 Autumn Haze
One-light wall lantern.
Size: 11-1/2" W., 16-1/2" ht.
Extends 13-1/2". H/CTR
5-3/4".
Lamp: One GU24 base lamp,
26w max.



P6403-97 Autumn Haze
One-light post lantern.
Size: 9" dia., 16-3/8" ht. Fits 3"
post (order separately).
Lamp: One GU24 base CFL
lamp, 26w max.



P6503-97 Autumn Haze
One-light hanging lantern.
Size: 9" dia., 13-5/8" ht.
Overall ht w/chain 88";
wire 15".
Lamp: One GU24 base CFL
lamp, 26w max.



ADD A TOUCH OF RUSTIC APPEAL. CLEAR SEEDED GLASS WITH DIE-CAST ALUMINUM FRAMES AND DURABLE POWDER COAT FINISH.



P5530-20



P5530-31



P5862-20



P5862-30



P5862-31



P5434-20



P5434-30



P5445-31



P5445-30

P5434-20 Antique Bronze
P5434-30 White
P5434-31 Black
 Two-light post lantern.
 Size: 11" dia., 19" ht.
 Fits 3" post (order separately).
 Lamps: Two candelabra base lamps, each 60w max.

P5445-20 Antique Bronze
P5445-30 White
P5445-31 Black
 One-light post lantern.
 Size: 9" dia., 16-3/8" ht.
 Fits 3" post (order separately).
 Lamp: One medium base lamp, 100w max.

P5530-20 Antique Bronze
P5530-30 White
P5530-31 Black
 One-light hanging lantern.
 Size: 9" dia., 14-5/8" ht.
 Overall ht. w/chain 90", wire 15'.
 Lamp: One medium base lamp, 100w max.

P5862-20 Antique Bronze
P5862-30 White
P5862-31 Black
 One-light wall lantern.
 Size: 6-7/8" W., 12-3/4" ht.
 Extends 8-3/8". H/CTR 3-1/4".
 Lamp: One medium base lamp, 60w max.

P3883-20



P3883-31



P3883-30



P5864-20



P5864-30



P5864-31



P5863-20



P5863-31

P3883-20 Antique Bronze
P3883-30 White
P3883-31 Black
One-light close-to-ceiling.
Size: 9" dia., 10-1/4" ht.
Lamp: One medium base lamp, 100w max.

P5863-20 Antique Bronze
P5863-30 White
P5863-31 Black
One-light wall lantern.
Size: 9" W., 15-7/8" ht.
Extends 10-3/8". H/CTR 3-1/4".
Lamp: One medium base lamp, 100w max.

P5864-20 Antique Bronze
P5864-30 White
P5864-31 Black
Two-light wall lantern.
Size: 11" W., 19-1/4" ht;
Extends 12-7/8". H/CTR 4-5/8".
Lamps: Two candelabra base lamps, each 60w max.

See page 285 for additional chain,
and page 589 for posts.

ELEMENTS  Westport CFL

ADD A TOUCH OF RUSTIC APPEAL WITH BEADED DETAILING. ETCHED SEEDED GLASS WITH DIE-CAST ALUMINUM FRAMES WITH DURABLE POWDER COAT FINISH. ENERGY STAR.



P3883-31WB



P3883-20WB



P5862-31WB



P5862-20WB



P5434-31EB



P5434-20EB

P3883-20WB Antique Bronze
P3883-31WB Black
 One-light CFL close-to-ceiling.
 Size: 9" dia., 10-1/2" ht.
 Lamp: One 13w GU24 CFL
 lamp, (included).



P5434-20EB Antique Bronze
P5434-31EB Black
 One-light CFL post lantern.
 Size: 11" dia., 19" ht. Fits 3"
 post (order separately).
 Lamp: One 18w GU24 CFL
 lamp, (included).



P5862-20WB Antique Bronze
P5862-31WB Black
 One-light CFL wall lantern.
 Size: 6-7/8" W., 12-3/4" ht.
 Extends 8-3/8". H/CTR 3-1/4".
 Lamp: One 13w GU24 CFL
 lamp, (included).





P5530-31WB



P5530-20WB



P5864-31WB



P5864-20WB



P5863-31WB



P5863-20WB

P5530-20WB Antique Bronze
P5530-31WB Black
 One-light CFL hanging lantern.
 Size: 9" dia., 14-3/4" ht.
 Overall ht. w/chain 90"; wire 15'.
 Lamp: One 13w GU24 CFL
 lamp, (included).



See page 285 for additional chain,
and page 589 for posts.

P5863-20WB Antique Bronze
P5863-31WB Black
 One-light CFL wall lantern.
 Size: 9" W, 16" ht.
 Extends 10-3/8". H/CTR 3-1/2".
 Lamp: One 13w GU24 CFL
 lamp, (included).



P5864-20WB Antique Bronze
P5864-31WB Black
 One-light CFL wall lantern.
 Size: 11" W, 19-1/4" ht.
 Extends 12-7/8". H/CTR 4-5/8".
 Lamp: One 18w GU24 CFL
 lamp, (included).





ELEMENTS



Brookside

GET INSPIRED FROM VINTAGE UNDERTONES AND TRAIN STATION STYLING. CAST ALUMINUM WITH GILDED IRON FINISH. SOLID BRASS WITH ANTIQUE NICKEL OR SOLID COPPER THAT AGES TO A PATINA FINISH. DARK SKY FRIENDLY.



P5721-81



P5721-14



P5721-71



P5722-14



P5722-81



P5722-71



P5723-81



P5723-14



P5723-71

P5721-14 Copper**P5721-71** Gilded Iron**P5721-81** Antique Nickel

One-light wall lantern.

Size: 8" W., 9-3/4" ht.

Extends 9-3/4". H/CTR 5-3/4".

Lamp: One medium base lamp, 60w max.

P5722-14 Copper**P5722-71** Gilded Iron**P5722-81** Antique Nickel

One-light wall lantern.

Size: 10" W., 10-3/4" ht.

Extends 11-3/4". H/CTR 6-1/2".

Lamp: One medium base lamp, 75w max.

P5723-14 Copper**P5723-71** Gilded Iron**P5723-81** Antique Nickel

One-light wall lantern.

Size: 12" W., 12-3/8" ht.

Extends 13-1/8". H/CTR 6-7/8".

Lamp: One medium base lamp, 100w max.

See page 285 for additional chain,
and page 589 for posts.

TUDOR STYLING MEETS PRAIRIE DESIGN. GRADUAL UMBER TINT ON GLASS SHADES. A WOVEN CAST PATTERN ENCASES A CASUAL PROFILE. CAST ALUMINUM LANTERNS FEATURE POWDER COAT FINISH.



P8789-122 Decorative bottom grill for P5988-122.



Grill included with P6504-122.

P6504-122



P5987-122



P5988-122



P5989-122



P6404-122

P5987-122 Aged Copper
One-light wall lantern.
Size: 6-1/2" W., 10-7/8" ht.
Extends 7-1/2". H/CTR 3-1/2".
Lamp: One medium base lamp,
100w max.

P5988-122 Aged Copper
One-light wall lantern.
Size: 8-1/2" W., 15-7/8" ht.
Extends 11-1/4".
H/CTR 4-3/4".
Lamp: One medium base
lamp, 100w max.

P5989-122 Aged Copper
One-light wall lantern.
Size: 10-1/2" W., 19-3/4" ht.
Extends 14". H/CTR 5-7/8".
Lamp: One medium base
lamp, 100w max.

P6404-122 Aged Copper
One-light post lantern.
Decorative bottom grill.
Size: 8-1/2" dia., 17-3/8" ht. Fits
3" post (order separately).
Lamp: One medium base lamp,
100w max.

P6504-122 Aged Copper
One-light hanging lantern.
Decorative bottom grill included.
Size: 8-1/2" dia., 14-1/8" ht.
Overall ht. w/chain 88"; wire 15'.
Lamp: One medium base lamp,
100w max.

P8789-122 Aged Copper
Decorative Grill for (8.5") Wall
Lantern (P5988-122)
Size: 7-1/4" dia., 3/16" ht.

GRACE  Enchant

A GRACIOUS CAST PATTERN. CLEAR SEEDED GLASS WITH DELICATE, DECORATIVE PAISLEY SCROLLED DETAILS. CAST ALUMINUM CONSTRUCTION WITH DURABLE POWDER COAT FINISH.



P6501-84



P5967-84



P5959-84



P5966-84



P5996-84



P6501-84

P5959-84 Espresso
One-light wall lantern.
Size: 8-1/8" sq., 15-1/8" ht.
Extends 10". H/CTR 5-3/4".
Lamp: One medium base lamp, 100w max.

P5966-84 Espresso
One-light wall lantern.
Size: 9-1/2" sq., 18-5/8" ht.
Extends 12". H/CTR 8-3/4".
Lamp: One medium base lamp, 100w max.

P5967-84 Espresso
One-light wall lantern.
Size: 6" sq., 10" ht.
Extends 7-1/2". H/CTR 4".
Lamp: One medium base lamp, 100w max.

P5996-84 Espresso
One-light wall lantern.
Size: 11" sq., 21-3/4" ht.
Extends 14". H/CTR 10".
Lamp: One medium base lamp, 100w max.

P6401-84 Espresso
One-light post lantern.
Size: 9-1/2" sq., 21-3/8" ht. Fits 3" post (order separately).
Lamp: One medium base lamp, 100w max.

P6501-84 Espresso
One-light hanging lantern.
Size: 9-1/2" sq., 15-5/8" ht.
Overall ht. w/chain 87"; wire 15".
Lamp: One medium base lamp, 100w max.

See page 285 for additional chain, and page 589 for posts.



BOLD EUROPEAN STYLING WITH GRACEFUL, GROOVED DETAILS. SCROLLING CAST ARMS, FLUTED BODIES AND ACORN ACCENTS. CLEAR SEEDED GLASS WITH GILDED IRON OR FORGED BRONZE POWDER COAT FINISH. CAST ALUMINUM AND BRASS CONSTRUCTION.



P5836-71



P5837-71



P5538-71



P5838-77



P5835-77



P5438-77

P5438-71 Gilded Iron
P5438-77 Forged Bronze
 Three-light post lantern.
 Size: 10" dia., 22-1/2" ht.
 Fits 3" post (order separately).
 Lamps: Three candelabra base lamps, each 60w max.

P5538-71 Gilded Iron
P5538-77 Forged Bronze
 Three-light hanging lantern.
 Size: 10" dia., 23-3/4" ht.
 Overall ht. w/chain 63"; wire 15'
 Lamps: Three candelabra base lamps, each 60w max.

P5835-71 Gilded Iron
P5835-77 Forged Bronze
 Two-light wall lantern.
 Size: 8" W., 19-5/8" ht.
 Extends 10-5/8". H/CTR 10-1/4".
 Lamps: Two candelabra base lamps, each 60w max.

P5836-71 Gilded Iron
P5836-77 Forged Bronze
 Two-light wall lantern.
 Size: 8" W., 19-5/8" ht.
 Extends 10-5/8". H/CTR 8".
 Lamps: Two candelabra base lamps, each 60w max.

P5837-71 Gilded Iron
P5837-77 Forged Bronze
 Three-light wall lantern.
 Size: 10" W., 26" ht.
 Extends 13". H/CTR 9-1/2".
 Lamps: Three candelabra base lamps, each 60w max.

P5838-71 Gilded Iron
P5838-77 Forged Bronze
 Three-light wall lantern.
 Size: 10" W., 24-1/2" ht.
 Extends 13". H/CTR 14-7/8".
 Lamps: Three candelabra base lamps, each 60w max.

GRACE  Prestwick

A REFRESHING ELEGANCE WITH STATELY TRADITIONAL STYLE. CLASSIC ROOFLINES AND UNIQUE CAST YOKE STRAPS. WATER GLASS URN SHADES.



P5920-108



P5921-108



P5584-108



P5923-108



P5484-108

P5484-108 Oil Rubbed Bronze Three-light post lantern. Size: 10-3/4" dia., 18-3/4" ht. Fits 3" post (order separately). Lamps: Three candelabra base lamps, each 60w max.

P5584-108 Oil Rubbed Bronze Three-light hanging lantern. Size: 10-3/4" dia., 17-3/4" ht. Overall ht. w/chain 93", wire 15'. Lamps: Three candelabra base lamps, each 40w max.

P5920-108 Oil Rubbed Bronze One-light wall lantern. Size: 6-7/8" W., 11" ht. Extends 8". H/CTR 5-1/4". Lamp: One medium base lamp, 100w max.

P5921-108 Oil Rubbed Bronze Two-light wall lantern. Size: 8-3/4" W., 13-7/8" ht. Extends 10". H/CTR 6-3/4". Lamps: Two candelabra base lamps, each 60w max.

P5923-108 Oil Rubbed Bronze Three-light wall lantern. Size: 10-3/4" W., 16-3/4" ht. Extends 12". H/CTR 7-7/8". Lamps: Three candelabra base lamps, each 60w max.

See page 285 for additional chain, and page 589 for posts.

CAPTURE ROMANCE WITH HANDSOME OUTDOOR LANTERNS. DECORATIVE SHEPHERD HOOKS AND ACANTHUS CAST ARMS. CLEAR SEEDED GLASS URNS WITH BLACK FINISH.



P5820-31



P5822-31



P5520-31



P5823-31



P5824-31



P5420-31

P5420-31 Black
Three-light post lantern.
Size: 12" dia., 26" ht.
Fits 3" post (order separately).
Lamps: Three candelabra base lamps, each 60w max.

P5520-31 Black
Three-light hanging lantern.
Size: 12" dia., 24-1/4" ht.
Overall ht. w/chain 99"; wire 15"
Fits 3" post (order separately).
Lamps: Three candelabra base lamps, each 60w max.

P5820-31 Black
One-light wall lantern.
Size: 6-3/4" W., 15" ht.
Extends 9-5/8". H/CTR 5-1/2".
Lamp: One medium base lamp, 100w max.

P5822-31 Black
Two-light wall lantern.
Size: 9" W., 20-1/4" ht.
Extends 12-1/2". H/CTR 7-1/2".
Lamps: Two candelabra base lamps, each 60w max.

P5823-31 Black
Two-light wall lantern.
Size: 9" W., 19-3/4" ht.
Extends 12-1/2". H/CTR 10".
Lamps: Two candelabra base lamps, each 60w max.

P5824-31 Black
Three-light wall lantern.
Size: 12" W., 27" ht. Extends 16-1/2". H/CTR 8-1/4".
Lamps: Three candelabra base lamps, each 60w max.

GRACE  Imperial

OUTDOOR LANTERNS WITH SIMPLIFIED STYLING. ETCHED DRUM SHADE FLOATS WITHIN IRON FRAMEWORK. TRADITIONAL SHAPE AND PROFILE WITH A CONTEMPORARY TWIST. STEEL CONSTRUCTION.



P6600-20



P6507-20



P6508-20



P6407-20



P6601-20

P6407-20 Antique Bronze
One-light wall lantern.
Size: 12" dia., 19-3/4" ht. Fits 3" post (order separately).
Lamp: One medium base lamp, 100w max.

P6507-20 Antique Bronze
One-light hanging lantern.
Includes two 6", one 12", two 15" stems and 6 links of chain.
Size: 15" dia., 20-1/2" ht.
Overall ht. w/stem 86"; wire 120".
Lamp: One medium base lamp, 100w max.

P6508-20 Antique Bronze
One-light hanging lantern.
Includes two 6", one 12", two 15" stems and 6 links of chain.
Size: 18-3/4" dia., 23-5/8" ht.
Overall ht. w/stem 91"; wire 120".
Lamp: One medium base lamp, 100w max.

P6600-20 Antique Bronze
One-light wall lantern.
Size: 12" dia., 17" ht.
Extends 9-1/4".
H/CTR 9-3/8".
Lamp: One medium base lamp, 100w max.

P6601-20 Antique Bronze
One-light wall lantern.
Size: 14-3/4" dia., 20-1/2" ht.
Extends 11-3/8". H/CTR 10-1/2".
Lamp: One medium base lamp, 100w max.

HEXAGONAL FRAME WORK WITH VINE INSPIRED SCROLLS. ETCHED FLAT GLASS PANELS. ENERGY EFFICIENT. CAST ALUMINUM CONSTRUCTION WITH POWDER COAT FINISH.



P5682-31EB



P5582-20EB



P5582-31EB



P5682-20EB



P5684-31EB

P5482-20EB Antique Bronze
P5482-31EB Textured Black
One-light post lantern.
Size: 9-1/2" dia., 21-1/4" ht.
Fits 3" post (order separately).
Lamp: One GU24 CFL lamp,
18w max.



P5582-20EB Antique Bronze
P5582-31EB Textured Black
One-light hanging lantern.
Size: 9-1/2" dia., 15" ht.,
Overall ht. w/ chain 51";
wire 10'.
Lamp: One GU24 CFL lamp,
18w max.



P5682-20EB Antique Bronze
P5682-31EB Textured Black
One-light wall lantern.
Size: 6-1/2" W., 13-1/4" ht.
Extends 9". H/CTR 3-1/2".
Lamp: One GU24 CFL lamp,
18w max.



P5683-20EB Antique Bronze
P5683-31EB Textured Black
One-light wall lantern.
Size: 9-1/2" W., 18" ht.
Extends 9-3/4" H/CTR 8-1/2".
Lamp: One GU24 CFL lamp,
18w max.



P5684-20EB Antique Bronze
P5684-31EB Textured Black
One-light wall lantern. Use
with or without tail.
Size: 9-1/2" W., 31-1/4" ht.
with tail. 23-1/4" ht. without tail.
Extends 10-1/2". H/CTR 19"
Lamp: One GU24 CFL lamp,
26w max.





P5683-31EB



P5683-20EB



P5684-20EB



P5482-20EB



P5482-31EB

See page 285 for additional chain,
and page 589 for posts.



HEXAGONAL FRAMEWORK WITH VINE-INSPIRED SCROLLS. BEVELED CLEAR GLASS PANELS IN TEXTURED BLACK OR TEXTURED WHITE FINISHES. FLAT ETCHED GLASS IN ANTIQUE BRONZE FINISH. CAST ALUMINUM CONSTRUCTION.



P5582-30



P5582-31



P5682-31



P5681-30



P5682-30



P5681-20



P5682-20



P5681-31

P5582-20 Antique Bronze
P5582-30 Textured White
P5582-31 Textured Black
 One-light hanging lantern.
 Size: 9-1/2" dia., 15" ht.,
 Overall ht. w/ chain 51"; wire 10'
 Lamp: One medium base lamp,
 100w max.

P5681-20 Antique Bronze
P5681-30 Textured White
P5681-31 Textured Black
 One-light wall lantern.
 Size: 6-1/2" W., 16-7/8" ht.
 Extends 9-1/4". H/CTR 13-1/4".
 Lamp: One medium base lamp,
 100w max.

P5682-20 Antique Bronze
P5682-30 Textured White
P5682-31 Textured Black
 One-light wall lantern.
 Size: 6-1/2" W., 13-1/4" ht.
 Extends 9". H/CTR 3-1/2".
 Lamp: One medium base lamp,
 100w max.



P5482-31

P5483-31

P5482-20

P5483-20

P5482-20 Antique Bronze
P5482-30 Textured White
P5482-31 Textured Black
 One-light post lantern.
 Size: 9-1/2" dia., 21-1/4" ht.
 Fits 3" post (order separately).
 Lamps: One medium base lamp, 100w max.

P5483-20 Antique Bronze
P5483-30 Textured White
P5483-31 Textured Black
 Three-light post lantern.
 Size: 13" dia., 26" ht. Fits 3" post (order separately).
 Lamps: Three candelabra base lamps, 60w max.

P5683-20 Antique Bronze
P5683-30 Textured White
P5683-31 Textured Black
 One-light wall lantern.
 Size: 9-1/2" W., 18" ht.
 Extends 9-3/4" H/CTR 8-1/2".
 Lamp: One medium base lamp, 100w max.

See page 285 for additional chain, and page 589 for posts.

BE BOLD WITH NATURAL UNDERTONES AND GEOMETRIC FORMS. HEXAGONAL CAST ALUMINUM FRAMEWORK WITH VINE-INSPIRED SCROLLS. BEVELED CLEAR GLASS PANELS IN TEXTURED BLACK FINISH. FLAT ETCHED GLASS IN ANTIQUE BRONZE FINISH.



P5684-20



P5684-31



P5486-31
P5485-31EB



P5690-20



P5690-31

P5485-31EB Textured Black One-light post lantern. White glass chimney. Size: 13" dia., 26" ht. Fits 3" post (order separately). Ballast: 120V/277V HPF electronic. Lamp: One 26w, 32w or 42w 4-pin Quad CFL. GX24q-3/-4 base.

P5486-31 Textured Black One-light post lantern. 120V NPF magnetic ballast. White glass chimney. Size: 13" dia., 26" ht. Fits 3" post (order separately). Lamp: One 100w high pressure sodium E17.

P5684-20 Antique Bronze
P5684-31 Textured Black One-light wall lantern. Use with or without tail. Size: 9-1/2" W., 31-1/4" ht. with tail. 23-1/4" ht. without tail. Extends 10-1/2". H/CTR 19" Lamp: One medium base lamp, 100w max.

P5690-20 Antique Bronze
P5690-31 Textured Black Three-light wall lantern. Size: 13" W., 22-1/4" ht. Extends 14". H/CTR 8-1/2". Lamps: Three candelabra base lamps, each 60w max.



GRACE Onion Lanterns

FINIALS, END CAPS AND SCROLLWORK IN A BLACK FINISH. LANTERNS FEATURE CLEAR BEVELED GLASS, CAST ALUMINUM FRAMES.



P5501-31



P5878-31



P5700-31



P5701-31



P5401-31

P5401-31 Black
Four-light post lantern.
Size: 11-1/8" dia., 27-3/4" ht.
Fits 3" post (order separately).
Lamps: Four candelabra base lamps, each 60w max.

P5501-31 Black
Four-light hanging lantern.
Size: 11-1/8" dia., 28" ht.
Overall ht. w/chain 102"; wire 15'.
Lamps: Four candelabra base lamps, each 60w max.

P5700-31 Black
Three-light wall lantern.
Size: 7-3/4" W., 23-1/4" ht.
Extends 10-3/4".
Lamps: Three candelabra base lamps, each 60w max.

P5701-31 Black
Four-light wall lantern.
Size: 11-1/8" W., 31" ht.
Extends 16".
Lamps: Four candelabra base lamps, each 60w max.

P5878-31 Black
One-light wall lantern.
Size: 6-1/2" W., 21-1/4" ht.
Extends 10". H/CTR 13-1/8".
Lamp: One medium base lamp, 100w max.

See page 285 for additional chain, and page 589 for posts.

WELCOME FRIENDS WITH STYLE AND HOSPITALITY. CLEAR SEEDED GLASS AND BURNISHED CHESTNUT FINISH. DECORATIVE BACKPLATE. CAST ALUMINUM CONSTRUCTION.



P5515-86



P5714-86



P5720-86



P5718-86



P5416-86

P5416-86 Burnished Chestnut Three-light post lantern. Size: 11-1/2" dia., 21" ht. Fits 3" post (order separately). Lamps: Three candelabra base lamps, each 60w max.

P5515-86 Burnished Chestnut Three-light hanging lantern. Size: 11-1/2" dia., 19-1/4" ht. Overall ht. w/chain 94"; wire 15'. Lamps: Three candelabra base lamps, each 60w max.

P5714-86 Burnished Chestnut One-light wall lantern. Size: 7" W, 11-3/4" ht. Extends 9". H/CTR 5". Lamp: One medium base lamp, 100w max.

P5718-86 Burnished Chestnut Two-light wall lantern. Size: 9-1/4" W, 15-1/4" ht. Extends 10-1/4". H/CTR 9-3/4". Lamps: Two candelabra base lamps, each 60w max.

P5720-86 Burnished Chestnut Three-light wall lantern. Size: 11-1/2" W, 19" ht. Extends 12-5/8". H/CTR 11-3/8". Lamps: Three candelabra base lamps, each 60w max.

GRACE  Cranbrook

TIFFANY-STYLE ART GLASS AND WATER SEEDED GLASS PANELS ADD A KEEPSAKE STYLING FOR ANY ENTRY. DIE-CAST ALUMINUM CONSTRUCTION.



P5658-86



P5659-86



P5558-86



P5458-86



P5660-86

P5458-86 Burnished Chestnut One-light post lantern. Size: 9-3/4" W., 20-1/2" ht. Fits 3" post (order separately). Lamp: One medium base lamp, 100w max.

P5558-86 Burnished Chestnut One-light hanging lantern. Size: 9-3/4" W., 20-1/2" ht. Overall ht. w/ chain 58"; wire 10'. Lamp: One medium base lamp, 100w max.

P5658-86 Burnished Chestnut One-light wall lantern. Size: 6-1/2" W., 12-1/2" ht. Extends 7-3/8". H/CTR 3-1/2". Lamp: One medium base lamp, 60w max.

P5659-86 Burnished Chestnut One-light wall lantern. Size: 8-1/2" W., 15-3/4" ht. Extends 9-1/2". H/CTR 4-1/2". Lamp: One medium base lamp, 75w max.

P5660-86 Burnished Chestnut One-light wall lantern. Size: 9-3/4" W., 21-1/8" ht. Extends 11-3/4". H/CTR 6". Lamp: One medium base lamp, 100w max.

See page 285 for additional chain, and page 589 for posts.

★ Cast Lantern

CAST ALUMINUM WITH BEVELED, CLEAR ACRYLIC,
SHATTER RESISTANT DIFFUSER.

P5826-30 White
P5826-31 Black
One-light wall lantern.
Size: 7" W., 15" ht.
Extends 9-3/4". H/CTR 10".
Lamp: One medium base
lamp, 75w max.



★ Integral Motion Sensor

PHOTOCELL THAT SENSES HEAT SOURCES. STAYS ON
AS LONG AS MOTION IS DETECTED THEN TURNS OFF.

P5661-71 Gilded Iron
One-light wall lantern with
water seeded glass.
Size: 6-1/2" W., 12-3/4" ht.
Extends 8". H/CTR 2-3/4".
Lamp: One medium base lamp,
75w max.

P5662-31 Black
One-light wall lantern with
clear seeded glass.
Size: 9-1/2" W., 13" ht.
Extends 6-1/2". H/CTR 6".
Lamp: One medium base lamp,
100w max.



★ Carriage Classic

BLACK FINISH WITH CLEAR GLASS.
CAST ALUMINUM CONSTRUCTION.

P5925-31 Black
One-light wall lantern.
Size: 6-1/2" W., 12-1/8" ht.
Extends 7-1/2".
Lamp: One medium base lamp,
100w max.



★ Die-Cast Shade

ROMANTICIZE OUTDOOR AREAS WITH VINTAGE STYLING.
LANTERNS AND PATH LIGHT FINISHED IN ANTIQUE BRONZE.

P5253-20 Antique Bronze
Low voltage path light.
Includes wire guard. (Requires transformer).
Size: 6" W., 25" ht.
Lamp: One 18w T5 wedge base lamp (included).



P5454-20 Antique Bronze
One-light post lantern.
Size: 8-5/8" W., 16" ht.
Fits 3" post (order separately).
Lamp: One medium base G40 lamp, 100w max.

P5654-20 Antique Bronze
One-light wall lantern.
Size: 8-5/8" W., 11-3/4" ht.
Extends 10-1/4". H/CTR 8-1/4".
Lamp: One medium base G40 lamp, 100w max.



★ Newport

PAGODA STYLE SHADE, CAST ALUMINUM WITH WHITE,
RIBBED GLASS DIFFUSER.

P5666-31 Black
One-light wall lantern.
Size: 10" W., 11-3/4" ht.
Extends 12". H/CTR 6-3/4".
Lamp: One medium base lamp, 100w max.



★ NightSaver® Lamp Shield

ENJOY DARK SKY FRIENDLY ILLUMINATION AND
ENVIRONMENTALLY FRIENDLY BENEFITS, SHROUDED LIGHT
SOURCE, NO LIGHT EMITTED ABOVE 45 DEGREES. USE WITH
PROGRESS A-19 MEDIUM BASE.

P8709-20 Antique Bronze
P8709-31 Black
NighSaver® lamp shade.
Size: 3" W. bottom, 2-1/2" W. top



See page 285 for additional chain,
and page 589 for posts.

★ BrassGuard® Lanterns

UNIQUE, CLEAR LACQUER APPLIED FOR LONG-LASTING FINISH, NON-CORROSIVE ALL-BRASS CONSTRUCTION ELIMINATES RUST LEAKAGE ON BRASS FINISHES INCLUDES PROTECTIVE GASKET FINISHES HAVE BEEN SUBJECTED TO 120-HOUR ACCELERATED SALT SPRAY TEST WITH NO VISIBLE DETERIORATION.

9" Lanterns

Product No.	Finish	Description	Size	Lamp(s)
P5432-10	Polished Solid Brass	Three-light post lantern	9-1/2" dia., 21" ht.	3 candelabra base, each 60w max.
P5432-31	Black		Fits 3" post (order separately).	
P5730-10	Polished Solid Brass	Three-light wall lantern	9-1/2" W., 26" ht. Extends 9-1/2". H/CTR 20-1/4".	3 candelabra base, each 60w max.
P5731-31	Black	Three-light wall lantern	9-1/2" W., 35" ht. Extends 9-1/2". H/CTR 20-1/2".	3 candelabra base, each 60w max.



P5730-10



P5731-31



P5432-31



P5432-10

★ Flat Glass

A SQUARE FIXTURE WITH CLEAR FLAT GLASS.

Product No.	Finish	Description	Size	Lamp(s)
P5607-09	Brushed Nickel	One-light wall lantern	4-1/2" W., 8" ht. Extends 6".	1 medium base, 100w max.
P5607-10	Polished Brass			
P5607-20	Antique Bronze		H/CTR 2-3/4".	
P5607-31	Black			



P5607-10



P5607-09



P5607-20

P5607-31

7" Lanterns

Product No.	Finish	Description	Size	Lamp(s)
P5430-10	Polished Solid Brass	One-light post Fits 3" post (order separately).	7" dia., 17" ht.	1 medium base, 100w max.
P5831-31	Black	One-light wall lantern	7" W., 29" ht. Extends 6-3/4". H/CTR 15-3/8".	1 medium base, 100w max.
P5832-10	Polished Solid Brass	One-light wall lantern	7" W., 14-1/4" ht. Extends 7". H/CTR 5-3/8".	1 medium base, 100w max.
P5832-11	Weathered Solid Brass			
P5834-10	Polished Solid Brass	One-light hanging lantern. Chain and ceiling mounts both included.	7" dia., 10" ht. Overall ht. w/chain 39-1/2"; wire 10'.	1 medium base, 100w max.



5" Lanterns

Product No.	Finish	Description	Size	Lamp(s)
P5756-09	Brushed Nickel	One-light wall lantern. Open bottom.	5-1/2" W., 10-1/4" ht. Extends 5-3/4". H/CTR 3-3/4".	1 medium base, 100w max.
P5756-10	Polished Solid Brass			
P5756-31	Black			
P5758-31	Black	One-light wall lantern	5-1/2" W., 18-3/4" ht. Extends 5-5/8". H/CTR 7-1/4".	1 medium base, 100w max.
P5846-31	Black	One-light wall lantern	5-1/4" W., 14-3/4" ht. Extends 6". H/CTR 8-3/8".	1 medium base, 60w max.



See page 285 for additional chain, and page 589 for posts.

★ Roman Coach

ENJOY OUTDOOR SETTINGS WITH CLEAR SEEDED GLASS PANELS IN A SOLID BRASS CONSTRUCTION.

Product No.	Finish	Description	Size	Lamp(s)
P5565-20 P5565-31	Antique Bronze Black	One-light lantern. Chain and ceiling mounts included.	7" dia., 13" ht. Overall ht. w/chain 36"; wire 10'. Ceiling mount ht. 12-3/4".	1 medium base, 100w max.
P5773-20	Antique Bronze	One-light wall lantern. Can be used with or without tail	5-3/4" W., 18-1/4" ht. w/tail. 13-1/2" ht. w/o tail. Extends 5-3/4". H/CTR 7-1/4".	1 medium base, 100w max.
P5777-20	Antique Bronze	One-light wall lantern	7" W., 12-1/2" ht. Extends 7-1/4". H/CTR 4".	1 medium base, 100w max.
P6019-20 P6019-31	Antique Bronze Black	Two-light flush mount	11" W., 6-3/8 ht.	2 medium base lamps, each 60w max.



P6019-31



P5565-31
(chain mount)



P5565-20
(chain mount)



P6019-20



P5773-20
(shown with tail)



P5773-20
(shown without tail)



P5777-20

★ Roman Coach

ENJOY OUTDOOR SETTINGS WITH CLEAR SEEDED GLASS PANELS IN A SOLID BRASS CONSTRUCTION.

Product No.	Finish	Description	Size	Lamp(s)
P5762-20	Antique Bronze	One-light wall lantern	6" W., 9-1/2" ht. Extends 6-1/2". H/CTR 3-1/2".	1 medium base, 100w max.
P5762-31	Black			
P5765-20	Antique Bronze	One-light wall lantern	7" W., 14-1/4" ht. Extends 7-1/4". H/CTR 6-7/8".	1 medium base, 100w max.
P5765-31	Black			
P5767-20	Antique Bronze	One-light wall lantern. Can be used with or without tail.	7" W., 24-1/2" ht. w/tail. 19-1/4" ht. w/o tail. Extends 7". H/CTR 16-1/4".	1 medium base, 100w max.
P5767-31	Black			
P6417-20	Antique Bronze	One-light post lantern	8.5" W., 22-1/2" ht. Fits 3" post (order separately).	1 medium base, 100w max.
P6417-31	Black			



P5767-20 (shown with tail)



P5765-20



P5765-31



P5767-20 (shown without tail)



P5767-31



P5762-20



P5762-31



P6417-20







P6417-31

See page 285 for additional chain, and page 589 for posts.

Coach CFL

A TIMELESS STYLE WITH ENVIRONMENTALLY FRIENDLY BENEFITS. ETCHED GLASS IN BRUSHED NICKEL, ANTIQUE BRONZE OR BLACK FINISHES. SOLID BRASS CONSTRUCTION.

Product No.	Finish	Description	Size	Lamp(s)	
P5766-09	Brushed Nickel	One-light	6" W., 9-7/8" ht.	1 GU24	
P5766-20	Antique Bronze	wall lantern	Extends 7".	CFL lamp	
P5766-31	Black		H/CTR 3-1/2".	26w max	
P5770-09	Brushed Nickel	One-light	7" W., 15-3/8" ht.	1 GU24	
P5770-20	Antique Bronze	wall lantern	Extends 7-1/4".	CFL lamp	
P5770-31	Black		H/CTR 6-7/8".	26w max	
P5772-09	Brushed Nickel	One-light	7" W., 26-3/8" ht. w/tail	1 GU24	
P5772-20	Antique Bronze	wall lantern	19-1/4" ht. w/o tail.	CFL lamp	
P5772-31	Black		Extends 6-7/8". H/CTR 16-1/4".	26w max	
P6413-09	Brushed Nickel	One-light CFL	22" W., 9-1/2" dia.	1 GU24	
P6413-20	Antique Bronze	post lantern	Fits 3" post (order separately).	CFL lamp	
P6413-31	Black			26w max	

** Can mount with or without tail.



P5766-09



P5766-31



P5766-20



P5770-09



P5770-31



P5770-20



P5772-09
(shown with tail)



P5772-31
(shown with tail)



P5772-20
(shown without tail)



P5770-09



P5770-31



P5770-20



P6413-31



P6413-09



P6413-20



ETCHED GLASS WITH LINEAR FEATURES
BRUSHED NICKEL, ANTIQUE BRONZE OR BLACK FINISHES.

Product No.	Finish	Description	Size	Lamp(s)
P5985-09WB	Brushed Nickel	One-light wall lantern	4-5/8" W., 10" ht.	1 26w GU24 CFL lamp (included)
P5985-20WB	Antique Bronze		Extends 6-1/8".	
P5985-31WB	Black		H/CTR 2-3/4".	
P5986-09	Brushed Nickel	One-light wall lantern	4-5/8" W., 8-1/2" ht.	1 GU24 CFL lamp
P5986-20	Antique Bronze		Extends 6-1/8".	
P5986-31	Black		H/CTR 2-3/4".	
P6020-09	Brushed Nickel	Two-light close-to-ceiling	11" W., 6-1/8" ht.	2 GU24 CFL lamp
P6020-20	Antique Bronze			
P6020-31	Black			



P6020-31



P6020-20



P5985-31WB



P5985-09WB



P5985-20WB



P5986-09



P5986-20



P5986-31

See page 285 for additional chain,
and page 589 for posts.

Utility

DRESS UP ESSENTIAL LIGHTING WITH FINESSE TO MATCH ANY DÉCOR, GLOBE OR CYLINDRICAL MARINE GLASS FOR CLEAN, MINIMALIST LOOK.

Product No.	Finish	Description	Size	Lamp(s)
P5602-30	White	One-light with clear marine glass	4-1/2" W., 7-1/4" ht. Extends 5-1/2". H/CTR 2-1/4".	1 medium base, 75w max.
P5602-31	Black			
P5603-30	White	One-light with clear marine glass	4-7/8" dia., 6-1/4" ht.	1 medium base, 60w max.
P5603-31	Black			
P5604-30	White	One-light with white 6" glass globe	6" W., 8-1/2" ht. Extends 6-1/2". H/CTR 2-1/4".	1 medium base, 100w max.
P5604-31	Black			



P5602-31



P5603-30



P5603-31



P5602-30



P5604-30



P5604-31

Ceiling Mount

GEOMETRIC FLUSH-MOUNT CEILING LIGHT WITH ANTIQUE BRONZE, WHITE OR BLACK FINISH, TOP FRAME FEATURES SUBTLE DETAILING, TEXTURED WHITE GLASS OR POLYCARBONATE DIFFUSERS.

Metal

Product No.	Finish	Description	Size	Lamp(s)
P5727-20	Antique Bronze	One-light ceiling light. Textured glass.	7-1/2" sq., 5" ht.	1 medium base, 60w max.
P5727-31	Black			
P5729-20	Antique Bronze	Two-light ceiling light. Textured glass.	9-1/4" sq., 5" ht.	2 medium base, each 60w max.
P5729-31	Black			



P5727-20



P5729-31

Polycarbonate

Product No.	Finish	Description	Size	Lamp(s)
P5744-30	White	Ceiling light with white acrylic panels	8-1/4" sq., 4-3/4" ht.	1 medium base, 60w max.
P5744-31	Black			
P5745-30	White	Ceiling light with white acrylic panels	10-1/4" sq., 5-1/2" ht.	2 medium base, each 60w max.
P5745-31	Black			



P5745-31



P5745-30



P5744-31

See page 574 for cfl versions and page 577 for LED versions of this fixture.

Cast Aluminum

THREADED OPAL GLASS SHADES SCREW DIRECTLY INTO FITTERS
VAPOR-PROOF GASKETS AND PORCELAIN SOCKETS.

Product No.	Finish	Description	Size	Lamp(s)
P5510-16	Satin Aluminum	One-light ceiling fixture	4-3/4" dia., 6-3/4" ht.	1 medium base, 60w max.
P5511-16 P5511-31	Satin Aluminum Black	One-light wall fixture	4-1/2" W., 6-3/4" ht. Extends 4-3/4". H/CTR 3-1/4".	1 medium base, 100w max.
P5512-16	Satin Aluminum	Two-light wall fixture. Mount horizontally or vertically.	4-1/2" W., 13" ht. Extends 6". H/CTR 6-1/2".	2 medium base, each 100w max.
P5616-16	Satin Aluminum	One-light ceiling fixture	6" dia., 7-1/2" ht.	1 medium base, 60w max.
P5617-16 P5617-31	Satin Aluminum Black	One-light wall fixture	6" W., 7" ht. Extends 7". H/CTR 3-1/4".	1 medium base, 100w max.




P5510-16

P5616-16



P5511-31



P5512-16



P5511-16



P5617-16



P5617-31

Beveled Glass

FANCIFUL OCTAGONAL CLOSE-TO-CEILING FIXTURES CLEAR,
BOUND BEVELED GLASS HIGHLIGHTS CLASSIC BULBS INSIDE,
DAMP LOCATION LISTED.

Product No.	Finish	Description	Size	Lamp(s)
P5788-09	Brushed Nickel	Three-light	9" dia., 7" ht.	3 candelabra base, each 25w max.*
P5788-10	Polished Solid Brass			
P5788-20	Antique Bronze			
P5789-09	Brushed Nickel	Four-light	12" dia., 7" ht.	4 candelabra base, each 25w max.*
P5789-10	Polished Solid Brass			
P5789-20	Antique Bronze			

*G16.5 lamp recommended



P5788-09



P5788-10



P5788-20



P5789-09



P5789-20






P5789-10

See page 285 for additional chain,
and page 589 for posts.



★ Non-Metallic ENERGY STAR

LOW PROFILE ROUND WALL OR CEILING MOUNT WITH LINEAR DETAILS. TWO-LIGHT FIXTURE FINISHED IN WHITE SETS ITSELF APART FROM THE CROWD.

Product No.	Finish Description	Ballast	Size	Lamp(s)
P7337-30EBWB	White Two-light round wall or ceiling mount.	120V NPF electronic	11" dia. Extends 6-1/2" 5-1/8" ht.	2 13w triple tube CFL. GX24q-1 base. (included) 
P7338-30EBWB	White Two-light oval wall or ceiling mount.	120V NPF electronic	6-3/4" W., 10-5/8" L., 4" ht.	2 13w triple tube CFL. ADA GX24q-1 base. (included) 
P7339-30EBWB	White Two-light oval wall or ceiling mount.	120V NPF electronic	6-3/4" W., 10-5/8" L., 4" ht.	2 13w triple tube CFL. ADA GX24q-1 base. (included) 

See page 581 for incandescent versions of this fixture.



P7337-30EBWB




P7339-30EBWB



P7338-30EBWB

GEOMETRIC FLUSH-MOUNT CEILING LIGHT BOASTS WHITE OR BLACK FINISH, TOP FRAME FEATURES SUBTLE DETAILING, TEXTURED WHITE ACRYLIC COMPLETES ENERGY EFFICIENT FIXTURE.

Product No.	Finish	Description	Size	Lamp(s)
P7340-30WB	White	One-light close-to-ceiling.	8-1/4" sq., 4-5/8" ht.	1 26w GU24 CFL 
P7340-31WB	Black	One-light close-to-ceiling.	8-1/4" sq., 4-5/8" ht.	1 26w GU24 CFL lamp (included)




P7340-30WB



P7340-31WB

OCTAGONAL FLUSH-MOUNT





Product No.	Finish	Description	Size	Lamp(s)
P3719-31WB	Black	One-light close-to-ceiling.	10-1/4" w., 5-3/4" ht.	1 26w GU24 CFL 



P3719-31WB

★ Non-Metallic ENERGY STAR

ENJOY FUNCTIONAL AND STYLISH GREEN LIGHTING DESIGNS IN CLASSIC WHITE OR BLACK FINISHES ENERGY STAR QUALIFIED OUTDOOR LANTERNS PRODUCE ABOUT 75% LESS HEAT THAN INCANDESCENT SOURCES.

Product No.	Finish	Description	Size	Lamp(s)	
P5748-30WB P5748-31WB	White Black	One-light wall lantern	8" W., 19-7/8" ht. Extends 8-1/4". H/CTR 10".	1 18w CFL. GU24 base (included)	
P5816-30WB P5816-31WB	White Black	One-light polycarbonate wall lantern	6" W., 7-3/4" ht. Extends 6-1/2".	1 18w CFL. GU24 base (included)	
P5843-30WB P5843-31WB	White Black	One-light wall lantern	8-1/4" W., 17-5/8" ht. Extends 8-1/2". H/CTR 9-3/4".	1 18w CFL. GU24 base (included)	
P5881-30WB P5881-31WB	White Black	One-light wall lantern w/white acrylic	6" W., 8-7/8" ht. Extends 6-7/8". H/CTR 4-1/8".	1 18w CFL. GU24 base (included)	



P5843-31WB



P5748-31WB



P5816-30WB



P5816-31WB



P5881-30WB




P5881-31WB



P5748-30WB

See page 285 for additional chain, and page 589 for posts.



★ Non-Metallic CFL

ENERGY EFFICIENT OUTDOOR LIGHTING TO MATCH ANY DÉCOR
LIGHT WALLS OR CEILING WITH ENERGY EFFICIENT FIXTURES
NON-METALLIC COMPONENTS.

Product No.	Finish	Description	Size	Ballast	Lamp(s)	
P3623-30	White	One-light ceiling mount with shatter resistant 6" globe.	6" dia., 7-1/4" ht.	120V NPF	1 7w 2-pin twin CFL. G23 base.	
P7118-30	White	Two-light	12" sq., 2-1/4" ht.	120V NPF	2 13w 2-pin twin CFL. GX23 base.	ADA
P7182-30	White	Two-light	9-1/2" sq., 2" ht.	120V NPF	2 7w or 2 9w 2-pin twin CFL. G23 base.	ADA



P7118-30



P7182-30



P3623-30

★ Milford CFL

STACKED ROOF, LINEAR DETAILS AND GEOMETRIC WHITE MATTE
ACRYLIC DIFFUSER PANELS, ANTIQUE BRONZE, WHITE OR
BLACK FINISHES.

Product No.	Finish	Size	Lamp(s)	
P5821-20	Antique Bronze	5-3/4" W., 8-3/4" ht.	1 13w GU24 CFL	
P5821-30	White	Extends 4-5/8".		
P5821-31	Black	H/CTR 5-1/8"		



P5821-20



P5821-30



P5821-31

Non-Metallic LED



120/277V INPUT VOLTAGE. CONSTANT CURRENT AT 700 MILLIAMPS.
 DURABLE NON-CORROSIVE UV RESISTANT PLASTICS. THERMALLY
 PROTECTED LED ARRAY 4000K.

Product No.	Finish	Description	Size	Lamp(s)	
P3712-30	White	Wall mount. Powder coated aluminum back plate. 11.3w input power. Wet location listed.	10-5/8" W., 6" ht. Extends 4-1/2" H/CTR 3"	4 LED array 10w	
P3713-31	Black	Close-to-ceiling or wall mount. 22w input power. Wet location listed.	8-3/8" sq., 4-1/2" ht. Extends 9".	8 LED array 18w	
P3714-31	Black	Aluminum base. Acrylic diffuser. 11.3w input power. Damp location listed.	8-1/4" sq., 4-3/4" ht.	4 LED array 10w	
P3715-31	Black	Wall lantern. 11.3w input power. Wet location listed.	6" sq., 9" ht. H/CTR 4-1/4" Extends 7".	4 LED array 10w	



P3713-31



P3714-31



P3715-31



P3712-30

See page 285 for additional chain,
 and page 589 for posts.

★ Non-Metallic Incandescent

NON-METALLIC INCANDESCENT LANTERNS AVAILABLE IN CLASSIC WHITE OR BLACK FINISHES. CLASSIC OUTDOOR LANTERN LINES. CLEAR BEVELED ACRYLIC PANELS COMPLETE THE TIMELESS PROFILE.

Product No.	Finish	Description	Size	Lamp(s)
P5456-30	White	One-light post lantern w/ beveled acrylic panels	8" sq., 18" ht.	1 medium base, 100w max.
P5456-31	Black		Fits 3" post (order separately).	
P5656-30	White	One-light wall lantern w/ beveled acrylic panels	8" W., 20" ht.	1 medium base, 100w max.
P5656-31	Black		Extends 9". H/CTR 15".	
P5657-30	White	One-light wall lantern w/ tail and beveled acrylic panels	8" W., 25" ht.	1 medium base, 100w max.
P5657-31	Black		Extends 9". H/CTR 15".	



Product No.	Finish	Description	Size	Lamp(s)
P5437-30	White	One-light post lantern	8" dia., 15-1/4" ht.	1 medium base, 60w max.
P5437-31	Black		Fits 3" post (order separately).	
P5737-30	White	One-light wall lantern	8" W., 16" ht.	1 medium base, 60w max.
P5737-31	Black		Extends 8-1/2". H/CTR 13".	
P5738-30	White	One-light wall lantern	8" W., 21" ht.	1 medium base, 60w max.
P5738-31	Black		Extends 8-1/2". H/CTR 13".	



Newport II Non-Metallic Lanterns

TIERED PAGODA OUTDOOR LIGHT FIXTURES FOR SAFETY AND SECURITY WITH STYLE. CLEAR PRISMATIC POLYCARBONATE DIFFUSERS. UV STABILIZED TO PREVENT FADING, POLYPROPYLENE LANTERNS WILL NOT RUST.

Product No.	Finish	Description	Size	Lamp(s)
P5444-30 P5444-31	White Black	One-light post lantern	10" dia., 10" ht. Fits 3" post (order separately).	1 medium base, 60w max.
P5493-31	Black	Two-light post lantern	28-3/4" W., 13" ht. Fits 3" post (order separately).	2 medium base, each 60w max.
P5645-30 P5645-31	White Black	One-light wall lantern	10" W., 10" ht. Extends 11". H/CTR 5-1/2".	1 medium base, 60w max.



Mansard Roof

FOUR-SIDED GAMBREL-STYLE HIP ROOF. LINEAR DETAILS ON DOUBLE SLOPE. OUTDOOR LANTERNS IN CLASSIC WHITE OR BLACK FINISHES.

Product No.	Finish	Description	Size	Lamp(s)
P5414-30 P5414-31	White Black	One-light post lantern	8" sq., 12" ht. Fits 3" post (order separately).	1 medium base, 60w max.
P5814-30 P5814-31	White Black	One-light wall lantern	8" W., 12-3/4" ht. Extends 8-1/4". H/CTR 10-5/8".	1 medium base, 60w max.
P5815-30 P5815-31	White Black	One-light wall lantern	8" W., 17" ht. Extends 8-1/4". H/CTR 10-5/8".	1 medium base, 60w max.



See page 285 for additional chain, and page 589 for posts.

✦ Polycarbonate Lanterns

CREATE WELCOMING ENTRYWAYS WITH VARIETY OF OUTDOOR LANTERNS, AVAILABLE WITH DRAMATIC OR SUBTLE DETAILING FEATURING DURABLE CONSTRUCTION, FIXTURES ARE VIRTUALLY MAINTENANCE FREE.

Product No.	Finish	Description	Size	Lamp
P3213-30	White	One-light polycarbonate canopy with white shatter-resistant acrylic globe. UL approved for damp locations.	6" dia., 8" ht. Extends 5-3/4"	1 medium base, 60w max.
P5612-30 P5612-31	White Black	One-light polycarbonate wall lantern with clear lexan diffuser	4-3/4" W., 7-1/4" ht. Extends 5-3/4". H/CTR 2-1/2".	1 medium base, 60w max.
P5813-30 P5813-31	White Black	One-light polycarbonate wall bracket with 6" acrylic globe	6" W., 7-3/4" ht. Extends 6-1/2". H/CTR 2-1/2".	1 medium base, 60w max.
P5817-31	Black	One-light polypropylene wall lantern with white cylindrical acrylic diffuser	4-3/8" W., 7" ht. Extends 5-3/4". H/CTR 3-1/4"	1 medium base, 60w max.
P5818-30 P5818-31	White Black	One-light polypropylene wall lantern with textured acrylic panels	7-1/4" W., 7-3/4" ht. Extends 5-3/4". H/CTR 2-1/2".	1 medium base, 60w max.
P5844-30 P5844-31	White Black	One-light polypropylene wall bracket with white acrylic "acorn" diffuser	6" W., 8-3/4" ht. Extends 7-1/4". H/CTR 3".	1 medium base, 60w max.



P5612-30



P5612-31



P5818-30



P3213-30



P5817-31



P5818-31



P5844-30



P5844-31



P5813-31



P5813-30

White Acrylic Globes

SHATTER-RESISTANT GLOBE IDEAL FOR RANGE OF OUTDOOR AREAS, CAST ALUMINUM WALL MOUNTS IN WHITE OR BLACK POLYCARBONATE FINISH.

Product No.	Finish	Description	Size	Lamp(s)
P5426-60	White	One-light post lantern white fitter	12" dia., 13" ht. Fits 3" post (order separately).	1 medium base, 100w max.
P5436-60	White	One-light post lantern white fitter	14" dia., 15" ht. Fits 3" post (order separately).	1 medium base, 150w max.
P5446-60	White	One-light post lantern white fitter	16" dia., 17" ht. Fits 3" post (order separately).	1 medium base, 200w max.
P5478-60	White	One-light post lantern with black polycarbonate fitter. Twist-lock globe.	10" dia., 10-1/4" ht. Fits 3" post (order separately).	1 medium base, 100w max.
P5626-60	Black	One-light cast aluminum wall torch	8" W., 15" ht. Extends 10". H/CTR 8".	1 medium base, 100w max.
P5636-60	Black	One-light cast aluminum wall torch	10" W., 17" ht. Extends 11". H/CTR 10-3/8".	1 medium base, 150w max.



Polycarbonate Surface Mount

VIRTUALLY MAINTENANCE FREE FIXTURES. MOUNT ON CEILINGS OR WALLS, CLASSIC WHITE DETAILS AND TRIM, CORROSION AND IMPACT RESISTANT, UV STABILIZED AND SHATTER RESISTANT.

Product No.	Finish	Description	Mounting	Size	Lamp(s)
P5702-30	White	Round	Wall or ceiling	10" dia., Extends 4-3/4".	1 medium base, 75w max.
P5703-30	White	Round with grill	Wall or ceiling	10" dia., Extends 5".	1 medium base, 75w max.
P5704-30	White	Oval	Wall	10" L., 5-5/8" W. Extends 3-3/4".	1 medium base, ADA 60w max.
P5705-30	White	Oval with grill	Wall	10-1/2" L., 5-7/8" W. Extends 4".	1 medium base, ADA 60w max.
P5706-30	White	Hooded	Wall	10-1/2" L., 5-7/8" W. Extends 4".	1 medium base, ADA 60w max.



See page 285 for additional chain, and page 589 for posts.

See page 249 for additional chain, and page 549 for posts.

Hard-Nox[®] Incandescent

VARIETY OF GEOMETRIC SHAPES IDEAL FOR WIDE RANGE OF OUTDOOR AREAS, IMPACT RESISTANT DURABILITY WITH POLYCARBONATE OR ACRYLIC DIFFUSERS, WET LOCATION LISTED FOR INDOOR OR OUTDOOR USE, CLASSIC WHITE, BLACK OR SATIN ALUMINUM FINISHES.

Product No.	Finish	Polycarbonate Diffuser	Mounting	Size	Lamp(s)
P5691-60 P5691-68	White	White ribbed Clear prismatic	Wall and ceiling	5-3/4" W., 8-1/4" ht. Extends 4-3/8". H/CTR 4-1/8"	1 medium base, 75w max.
P5695-16	Satin Aluminum	White	Wall	4-1/2" W., 6-3/4" ht. Extends 4-3/4". H/CTR 3-1/4"	1 medium base, 60w max.
P5710-31	Black	White	Wall and ceiling	8-3/4" dia., 5-1/4" ht.	1 medium base, 75w max.
P5711-31	Black	White	Wall and ceiling	12" dia., 5-1/4" ht.	2 medium base, each 75w max.
P5791-60 P5791-68	White	White ribbed Clear prismatic	Wall and ceiling	10-1/2" sq., 4" ht.	2 medium base, ADA each 75w max.
P5795-16	Satin Aluminum	White	Wall and ceiling	4-3/4" dia., 6-3/4" ht.	1 medium base, 60w max.



P5691-68



P5691-60



P5791-60



P5791-68



P5695-16



P5795-16














P5710-31



P5711-31

Hard-Nox[®] CFL

VARIETY OF GEOMETRIC SHAPES IDEAL FOR ENERGY EFFICIENT ILLUMINATION. IMPACT RESISTANT DURABILITY WITH POLYCARBONATE OR ACRYLIC DIFFUSERS, WET LOCATION LISTED FOR INDOOR OR OUTDOOR USE, CLASSIC WHITE OR BLACK FINISHES.

Product No.	Finish	Diffuser	Dimensions	UL Listing	Ballast	Lamp(s)	
P5694-60 P5694-68	White	White ribbed polycarbonate Clear prismatic polycarbonate	5-3/4" W., 8-1/4" ht. Extends 4-3/8". H/CTR 4-1/8".	Wet	120V HPF magnetic	1 2-pin twin 9w CFL. G23 base.	
P5698-31	Black	White polycarbonate globe	6" W., 7" ht. Extends 7". H/CTR 3-1/4".	Wet	120V NPF	2 2-pin twin 7w CFL. G23 base.	
P7124-60 P7124-68	White	White ribbed DR acrylic Clear prismatic DR acrylic	4-1/4" W., 12-1/4" ht. Extends 4-1/4". H/CTR 6-1/8".	Damp	120V HPF	1 2-pin twin 13w CFL. GX23 base.	
P7191-31	Black	Clear prismatic polycarbonate	4-1/2" W., 6-3/4" ht. Extends 5-7/8". H/CTR 3-1/4".	Wet	120V HPF	2 2-pin twin 7w CFL. G23 base.	
P7372-30	White	White DR acrylic	13-3/4" dia., 3-1/4" ht.	Damp	120V NPF Rapid start	1 22w FC8T9 and 1 32w FC12T9 circline	ADA HPF 
P7372-30STRWB	White	White DR acrylic	13-3/4" dia., 3-1/4" ht.	Damp	120V NPF electronic	2 13w 4-pin Quad CFL. G24q-1 base. (incl)	ADA 
P7373-30	White	White DR acrylic	19" dia., 4-1/4" ht.	Damp	120V HPF Rapid start	1 40w FC16T9 and 1 32w FC12T9 circline	
P7375-30 P7375-31	White Black	White DR acrylic	9" dia., 3-1/4" ht.	Damp	120V NPF	2 2-pin twin 7w CFL. G23 base.	ADA 
P7375-30STRWB	White	One-light	9" dia., 3-1/4" ht.	Damp	120V NPF electronic	1 13w 4-pin Quad CFL. G24q-1 base. (incl)	ADA 
P7376-30 P7376-31	White Black	White DR acrylic	11" dia. 3-1/4" ht.	Damp	120V NPF	2 2-pin twin 13w CFL. GX23 base.	ADA 
P7396-60 P7396-68	White	White ribbed polycarbonate Clear prismatic polycarbonate	10-1/2" sq. Extends 4".	Wet	120V HPF	2 2-pin twin 13w CFL. GX23 base.	ADA 



P7375-31



P7376-31



P7373-30



P7372-30
P7372-30STRWB



P5698-31



P5694-68



P7124-68



P7191-31



P7396-60

See page 285 for additional chain,
and page 589 for posts.



Aluminum Cylinders

SLEEK, CYLINDRICAL FORMS IN ELEGANT FINISH SELECTIONS
 DIE-CAST ALUMINUM WALL BRACKETS AND HEAVY-DUTY
 ALUMINUM FRAMING, FADE- AND CHIP-RESISTANT UL
 LISTED FOR WET LOCATIONS WHEN USED WITH LENS COVER.
 DARK SKY COMPLIANT.

5" Aluminum Cylinders

Product No.	Finish	Description	Size	Lamp(s)
P5674-20	Bronze	One-light down	5" W., 7-1/4" ht. Extends 8". H/CTR 2-1/2".	1 75w PAR-30 or 75w BR-30
P5674-30	White			
P5674-31	Black			
P5674-82	Metallic Gray			
P5675-20	Bronze	Two-light up/down For wet locations specify P8799 top cover lens.	5" W., 14" ht. Extends 8". H/CTR 7".	2 75w PAR-30
P5675-30	White			
P5675-31	Black			
P5675-82	Metallic Gray			
P5774-20	Bronze	One-light. Mounts flush to ceiling	5" dia., 6-1/2" ht.	1 75w PAR-30 or 75w BR-30
P5774-30	White			
P5774-31	Black			



P5674-20



P5774-20



P5774-31



P5774-30



P5674-31



P5674-82



P5675-20



P5675-82

6" Aluminum Cylinders

Product No.	Finish	Description	Size	Lamp(s)
P5641-20	Bronze	One-light down	6" W., 12" ht. Extends 8-7/8". H/CTR 4-1/2".	1 250w PAR-38 or 150w BR-40
P5641-30	White			
P5641-31	Black			
P5641-82	Metallic Gray			
P5642-20	Bronze	Two-light up/down. For wet location specify P8798 top cover lens.	6" W., 18" ht. Extends 8-7/8". H/CTR 8".	2 250w PAR-38 or 150w BR-40
P5642-30	White			
P5642-31	Black			
P5642-82	Metallic Gray			
P5741-20	Bronze	One-light cylinder. Mounts flush to ceiling or hangs with pendant accessory kit (pg. 547).	6" dia., 12" ht.	1 250w PAR-38 or 150w BR-40
P5741-30	White			
P5741-31	Black			



P5641-31



P5741-31



P5741-30



P5641-82



P5642-20

See page 285 for additional chain,
 and page 589 for posts.

★ Polymeric Cylinders

SLEEK, CYLINDRICAL FORMS ESPECIALLY IDEAL FOR COASTAL LOCATIONS. UP OR DOWN CONFIGURATION OPTIONS. NON-CORROSIVE COMPONENTS WITHSTAND SALT, WIND, SAND, WATER AND SUN, DOWN VERSION SHIELDS PAR LAMP AND BUG LIGHTS TO MINIMIZE GLARE ONTO BEACH FOR TURTLE LAW COMPLIANCE. WET LOCATION LISTED. DARK SKY COMPLIANT.

Product No.	Finish	Description	Size	Lamp(s)
P5712-30	Textured White	One-light polymeric cylinder	5" W., 7-1/4" ht. Extends 7-3/4".	1 75w PAR-30 or 65w BR-30
P5712-31	Black			
P5713-30	Textured White	Two-light polymeric cylinder	5" W., 14" ht. Extends 7-3/4".	2 75w PAR-30 or 65w BR-30
P5713-31	Black			
P8712-30	Textured White	Turtle-friendly accessory	5" dia., 4" ht.	n/a
P8712-31	Black			




★ Sea Turtle Friendly

P8712-30 White
P8712-31 Black
Size: 5" dia., 4" ht.

Accessory provides additional shielding of the light source to achieve "turtle-friendly" illumination. Check with your local turtle enforcement official.

P8712-30
P8712-31



Aluminum Squares

HEAVY-DUTY ALUMINUM CONSTRUCTION, DIE-CAST ALUMINUM WALL BRACKET, UL LISTED FOR WET LOCATIONS. POWDER COAT FOR CHIPPING AND FADING RESISTANCE. DARK SKY COMPLIANT.

Product No.	Finish	Description	Size	Lamp(s)
P5643-20	Bronze	One-light 6" square	6" W., 12" ht.	1 250w PAR-38
P5643-30	White		Extends 8-7/8".	or 150w BR-40
P5643-31	Black		H/CTR 4-1/2".	
P5644-20	Bronze	Two-light 6" up/down square*	6" W., 18" ht.	2 250w PAR-38
P5644-30	White		Extends 8-7/8".	or 150w BR-40
P5644-31	Black		H/CTR 8".	

*For use in wet locations, specify P8797-31 top cover.



Accessories for Squares and Cylinders

Deep Groove Step Baffles

Black anodized aluminum to minimize glare

Product No.	Finish	Description	Size
P8710-31	Black	Deep groove step baffle for P5641, P5642 and P5741 6" cylinders.	6" dia., 4" ht.



Top Cover Lens

Adapts up/down fixtures for wet location use. Heat & shatter-resistant clear tempered lens w/black trim.

Product No.	Finish	Description	Size
P8797-31	Black	Top cover lens for P5644 6" squares	6" sq.
P8798-31	Black	Top cover lens for P5642 6" cylinders	6" dia.
P8799-30	White	Top cover lenses for P5675 & P5713 5" cylinders	5" dia.
P8799-31	Black		



P8797-31




P8798-31
P8799-31

Pendant Kit

Pendant kit adapts P5741 ceiling fixture to 6", 12" or 18" stem mounting. Includes canopy, hang-straight swivel, 6" and 12" sections with coupling.

Product No.	Finish	Description
P8741-20	Bronze	Pendant kit for P5741
P8741-30	White	
P8741-31	Black	

See page 285 for additional chain, and page 589 for posts.



★ Cylinder Accessories for P8071

THE ACCESSORIES ON THIS PAGE ARE USED WITH P8071 LED RECESSED TRIM. THESE PROVIDE AN OPTION FOR LED CYLINDERS. THESE CYLINDERS COME WITH A QUICK CONNECTOR WHICH EASILY CONNECTS TO MATCHING CONNECTOR ON THE P8071. WET LOCATION LISTED WHEN USED WITH P8071 TRIM. DURABLE POWDER COATED FINISH ON ALUMINUM.

Product No.	Finish	Description	Size
P6006-20	Antique Bronze	6" surface mount cylinder.	7-7/8" dia., 7-3/8" ht.
P6006-28	Bright White		
P6006-31	Black		
P6006-82	Metallic		
P6007-20	Antique Bronze	6" wall mount cylinder.	7-7/8" dia., 7-3/8" ht. Extends 10-11/16"
P6007-28	Bright White		
P6007-31	Black		
P6007-82	Metallic		
P6008-20	Antique Bronze	6" pendant mount cylinder with stem and canopy.	7-7/8" dia., 7-3/8" ht.
P6008-28	Bright White		
P6008-31	Black		
P6008-82	Metallic		
P6009-20	Antique Bronze	6" cord mount cylinder.	7-7/8" dia., 7-3/8" ht.
P6009-28	Bright White		
P6009-31	Black		
P6009-82	Metallic		



How to Order

P8071-28/30KSTR2

+

Connect quick connect wires and snap-in trim.

=

This will give you a complete LED cylinder.

★ Address Lights

LONG LAMP LIFE (50,000 HOURS) AND WEATHER RESISTANT. QUICK AND EASY INSTALL. HOUSING CONSTRUCTED FROM HIGH-GRADE POLYPROPYLENE. STAINLESS STEEL MOUNTING HARDWARE AND LAMPS INCLUDED. COMPLIES WITH MUNICIPAL CODES THAT REQUIRE LIT NUMBERS.

*ORDER 16V TRANSFORMER SEPARATELY

Address Light Housing

Numbers, letters and blanks must be ordered separately from address light fixture. * Not UL Listed

Product No.	Finish	Description	Size	Lamp(s)
P5968-31WB*	Black	Two-light address light housing 12V	12-1/2" W., 6-3/4" ht. Extends 2-1/4".	2 T-3/1/4 5w Xenon wedge base lamps included.
P5969-01	n/a	Transformer 16V 10w for P5968	2" W., 1-3/4" L.	n/a
P5972-30	White	CFL address light. 120V NPF magnetic ballast. Numbers included.	10" W., 4-3/4" ht. Extends 2-7/8".	1 13w 2-pin twin CFL. GX23 base.



P5968-31WB



P5969-01



P5972-30



P5972-30
(with numbers
included)

Address Numbers

Numbers, letters and blanks must be ordered separately from address light fixture, P5968. Ten numbers per pack. Not UL Listed.

Product No.	Description	Size
P5970-000	0	2-1/4" W., 5" ht. Extends 1/4".
P5970-001	1	
P5970-002	2	
P5970-003	3	
P5970-004	4	
P5970-005	5	
P5970-006	6 or 9	
P5970-007	7	
P5970-008	8	
P5970-00A	A	
P5970-00B	B	
P5970-HLF	1/2	
P5970-FBK	Full Blank	
P5970-HBK	Half Blank	1-1/8" W., 5" ht. Extends 1/4".



★ Door Chimes

AVAILABLE IN ONE OR TWO CHIME KITS. INCLUDES TRANSFORMER, CHIME ASSEMBLY AND LIGHTED PUSH BUTTONS. KITS PLAY TWO NOTES FOR FRONT DOOR AND ONE NOTE FOR SECOND DOOR.

Product No.	Finish	Description	Size
PC001-30	Textured White	One-chime kit with 10va transformer	4" W., 7-3/16" ht. Depth 2".
PC002-30	Textured White	Two-chime kit with 30va transformer	4" W., 7-3/16" ht. Depth 2".



PC001-30



PC002-30

See page 285 for additional chain,
and page 589 for posts.

✦ Non-Metallic Par Lampholders

IDEAL FOR ENVIRONMENTAL CONDITIONS WHERE METALLIC FIXTURES ARE UNDESIRABLE. UV STABILIZED NON-METALLIC MATERIALS AND NON-CORROSIVE HARDWARE ENABLE THESE PAR LAMP HOLDERS TO WITHSTAND THE ELEMENTS.

P5212-20 Bronze

P5212-30 White

Double non-metallic PAR lampholder.

Size: 11" W., 4-5/8" ht. Extends 5".

Lamp: One PAR 38, 120w max.



P5212-30



P5214-30

P5214-30 White

PAR lampholder shroud.

Fits P5211 and P5212.

Size: 6-5/8" dia., 5-1/8" ht.



P5212-20

✦ Par Lampholders

P5202-20 Bronze

P5202-31 Black

Single painted adjustable swivel floodlight. Aluminum construction.

Locking adjustment.

Size: 5-7/8" dia., 9" height

Lamp: One PAR38, 150w max.



P5202-20



P5202-31



P5207-30

P5203-20 Bronze

P5203-30 White

P5203-31 Black

Two painted adjustable swivel floodlights with lamp shroud.

Aluminum construction.

Size: 6-1/4" dia., 9" ht.

Lamps: Two PAR38, each 150w max.



P5203-20



P5203-31

P5207-30 White

Two painted adjustable swivel floodlights. Aluminum construction.

Locking adjustment.

Size: 4-7/8" dia., 6-3/4" ht.

Lamps: Two PAR20, PAR30 or PAR38, each 150w max.

★ Posts

SURROUND YOUR HOME WITH DECORATIVE POSTS TO ADD STYLE AND ELEGANCE FOR YEARS TO COME, ALUMINUM FRAMING AND POPULAR FINISH CHOICES ADD TO FUNCTIONALITY OF OUTDOOR LIGHTING.

Product No.	Finish	Description	Size
P5330-31	Black	Decorative post accepts any single lantern which fits a 3" diameter post.	3" dia., 10" base. 75-1/2" ht.
P5331-31	Black	Decorative post accepts any single lantern which fits a 3" diameter post.	3" dia., 11-3/4" base. 84-1/2" ht.
P5390-31	Black	Aluminum post.	3" dia., 7' ht. (Can be cut to desired length)
P5390-31PC	Black	Aluminum post with photocell which automatically turns on at dusk, off at dawn.	3" dia., 7' ht. (Can be cut to desired length)
P5391-30	White	Aluminum post with ladder rest.	3" dia., 7' ht. (Can be cut to desired length)
P5391-31	Black		
P5391-31PC	Black	Aluminum post with ladder rest and photocell which automatically turns lantern on at dusk and off at dawn.	3" dia., 7' ht. (Can be cut to desired length)
P5392-31PC	Black	Black aluminum post with ladder rest, photocell which automatically turns on at dusk off at dawn and weather proof GCO.	3" dia., 7' ht. (Can be cut to desired length)
P5394-31	Black	Commercial grade black aluminum post, .125 wall thickness.	3" dia., 12' ht. (Can be cut to desired length)



(Lantern not included)

P5331-31

P5330-31



P5390-31
P5394-31

P5391-30

P5391-31PC
P5392-31PC

★ Mounting Accessories

ALUMINUM FRAME OFFERS VIRTUALLY MAINTENANCE-FREE BENEFITS AND STURDY OPERATION THAT WILL LAST OVER TIME.

Product No.	Finish	Description	Size
P8726-31	Black	Pedestal mount cast aluminum For mounting post lanterns with 3" fitters on pedestals or on top of walls.	7" dia., 3-1/4" ht.
P8726-46	Weathered Bronze		
P8748-31	Black	Surface Mount Post Adapter Flanged cast aluminum base for surface mounting round 3" bottom O.D. posts. Anchor bolts and allen set screws included.	8" dia., 5" ht.



P8726-46

P8726-31

P8748-31

★ Outdoor Living with Progress Lighting

AS OUTDOOR ROOMS BECOME INCREASINGLY POPULAR AS A WAY TO EXTEND LIVING SPACE, THE LINES BETWEEN INDOOR AND OUTDOOR FURNITURE AND LIGHTING STYLES ARE BEING BLURRED.

ALFRESCO DINING SPACES ARE MORE POPULAR THAN EVER, WHILE OUTSIDE FIREPLACES AND GAS HEATERS EXTEND THE USE OF GARDEN SETTINGS YEAR ROUND. BECAUSE OF THIS, EXTERIOR FIXTURES ARE BEING DESIGNED TO COMPLEMENT THEIR INTERIOR COUNTERPARTS, SEAMLESSLY TRANSITIONING TO OUTDOOR AREAS.

AS MORE PEOPLE ARE ENJOYING OUTDOOR SETTINGS, IT'S INCREASINGLY IMPORTANT THAT LANDSCAPE LIGHTING OFFER FUNCTIONAL - YET AESTHETIC - FEATURES. ADDITIONALLY, UPDATED LANDSCAPE LIGHTING PROVIDES THE FOLLOWING BENEFITS FOR YOUR HOME.

Aesthetic Benefits

Show off the beauty of your home after dark

Highlight favorite items in your garden, including flowers and shrubs

Dramatize trees, pools, fountains and masonry texture

Accent focal points, such as garden statues

Relax and entertain friends and family on your deck or patio

Functional Features

Increase safety by highlighting pathways, steps and walkways. Improve security with landscape lighting.

Make a practical investment by increasing the resale value of your home.

In addition to offering a stronger sense of security in one's home, lighting can make a real difference in aesthetics and function for outdoor living. No matter how you plan your landscape lighting design, Progress Lighting offers a breadth of fixtures, styles and options to cater to your outdoor living needs.



★ Landscape Lighting Step-by-Step

Establish Lighting Goal: Determine Technique Needed

Lay out the installation, determine number of fixtures

Create plan or diagram, determine spacing and configuration, count fixtures needed

Determine fixture type

Select from step light, spread light, accent light, etc.

Determine aesthetic style, select fixture

120V (line voltage) – Used in most U.S. homes, this option is recommended if the lighted subject is larger than 25 ft. or positioned more than 30 ft. from the fixture. Ground mounted 120V units require permanent installation with buried cable to meet safety standards and codes.

Determine voltage ballast and lamp types

Before you can select lighting fixtures and techniques for your outdoor setting, you must choose the type of voltage system you want to use: 120V (line voltage) or 12V (low voltage).

12V (low voltage) – This system uses a transformer to reduce the usual 120V power supply down to 12V, reducing the risk of injury from electrical shock because the amount of electrical current is much less. This option is preferable where lights might be moved, and the fixtures are usually smaller due to the lamp.

Order Fixtures

★ Lighting Design Techniques for Creating Dramatic Effects

Progress Lighting offers the following tips and design techniques to follow when planning landscape design, ensuring your yard will be a wonderful environment where your friends and family can relax.



Accent Lighting



Also known as spot lighting, this effect uses cross lighting and uplighting techniques to showcase a particular item in your garden with bright light in an otherwise dark area. Use an accessory shield to avoid glare.

Path Lighting



Lighting along paths and driveways enhances the overall theme of your outdoor space while preventing accidents in the dark.

- Position lights on alternate sides for even illumination
- Define edges by positioning lights about one foot from one or both sides of the path
- Position lights to avoid shadows when used at steps, as well as away from plants so they don't interfere with light distribution

Grazing



Grazing light is an effect that illuminates the outline of a particular tree, shrub or architectural feature to enhance its shape and texture. This must be done precisely and is usually requires mounting a carefully positioned spotlight 6 to 12 inches from the surface.

Uplighting



Highlight or accent distinct plants, trees or accessories in your yard by positioning in-ground lights close to your focal point.

The best way to enhance the texture of objects outdoors is by mounting spotlight or floodlight fixtures on the ground.

Downlighting



Create a soft, subtle glow by mounting flood and spotlights above the landscape.

Be sure to test the lighting effects of various fixture locations before permanently installing fixtures.

Security Lighting



Decorative outdoor lighting designs can also add security features for your home. The majority of residential crimes take place after dark – when thieves feel they cannot be seen.

A well-lit yard can be an excellent crime prevention method and fixtures designed specifically for security, like motion sensors, can add extra protection and convenience. Consider using PAR lampholders on the corners aimed down each wall of your home.

Decks and Porches




It's important to outline the perimeters of the deck and railings, as well as provide safety for nighttime use on decks and outdoor porches. Use low voltage (12V) fixtures for maximum electrical safety.

Silhouetting




Produce an awe-inspiring effect by placing light fixtures directly behind your subject. Lights mounted near the bottom of a tree or shrub will cast the plant's shadow against the sky for an intriguing twilight display. This technique is often used near the home for an appealing façade.

Shadowing



Add an elegant, but mysterious, touch to your outdoor design with this effect. Shadow lighting is typically achieved with uplighting placed out of sight to create silhouette images of trees, plants, and accessories.

Step Lighting



To increase safety, step lighting uses small fixtures that are typically shielded to cast a soft, glare-free light across steps and decks.

Install one step light on every other riser and use louvered wall plates to avoid glare.

★ Path Lights

Lighting walkways, paths, steps and driveways will welcome your guests and help prevent unwanted accidents. The first impression of a home or business is the entryway, and it is important that care be taken to light it properly.



P5271-20



P5257-20



P5253-20



P5261-46



P5250-20



P5250-31



P5272-46



P5273-46

ASHMORE

P5250-20 Antique Bronze
P5250-31 Black
 Water seeded glass. Cast aluminum construction.
 Size: 6-1/2" W., 25-1/2" ht.
 Lamp: One 12V T5 wedge base, 18w max. (included).

CAST ALUMINUM SHADE

P5253-20 Antique Bronze
 With wire guard and etched glass enclosure. Solid brass stem.
 Size: 6" W., 25" ht.,
 Lamp: One 12V T5 wedge base, 18w max. (included).

COPPER

P5257-20 Antique Bronze
 Path light with clear optic seeded glass. Solid brass construction.
 Size: 7-3/4" dia., 26" ht., 10" depth
 Lamp: One 12V T5 wedge base, 18w max. (included).

TIFFANY ART GLASS

P5271-20 Antique Bronze
 Green art glass shade suspended from detailed arm. Solid brass construction.
 Size: 7" dia., 23" ht.
 Lamp: One 12V T5 wedge base, 18w max. (included).

ARTS & CRAFTS

P5272-46 Weathered Bronze
 Light honey art glass panels. Solid brass construction.
 Size: 5-1/2" W., 28-3/4" ht., 6-1/2" depth
 Lamp: One 12V T5 wedge base, 18w max. (included).

MISSION

P5273-46 Weathered Bronze
 Light honey art glass. Solid brass construction. Square stem included with 1/2 NPS thread.
 Size: 6-1/2" sq., 30" ht.
 Lamp: One medium base lamp, 60w max. (line voltage)

MISSION

P5261-46 Weathered Bronze
 Light honey art glass. Solid brass construction.
 Size: 6-1/2" sq., 19-3/8" ht.
 Lamp: One 12V T5 wedge base, 18w max. (included).



Shown with P5261-46, Weathered Bronze




P5276-71




P5275-31




P5298-31

CRANBROOK
P5276-71 Gilded Iron
 Tiffany art glass
 Size: 6-1/4" dia., 25" ht.
 Lamp: One 12V T5 wedge
 base, 18w max. (included). 

COVENTRY
P5275-31 Black
 Water seeded glass.
 Size: 5-3/4" dia., 25" ht.
 Lamp: One 12V T5 wedge
 base, 18w max. (included). 

LED PATH LIGHT
P5298-31 Black
 Die cast aluminum construction.
 Includes stake and deck mount,
 4' cable and connector. Use with
 P8270-31 transformer.
 Size: 6" dia., 17-1/2" ht.
 Lamp: One 1.5w LED lamp, 3000k
 (included).

*All low voltage  fixtures include:
 1/2 NPS threaded adapter connector
 (P8651) mounting stake (P8618-31),
 and lamp. Must be connected to a
 12V transformer p. 602.*

★ Spread Lights



P5225-31

LED DOME PATH LIGHT

P5225-31 Black

Die cast aluminum construction. Includes stake and deck mount, 4' cable and connector. Use with P8270-31 transformer. 45° tilt-up. Size: 7" dia., 23" ht. Lamp: One 1.5w LED lamp, 3000k (included).



P5238-31

SPREAD LIGHT

P5238-31WB Black

Cast aluminum construction. Twist off cover for easy relamping. Size: 6-1/2" dia., 11-1/2" ht. Lamp: One 12V halogen bi-pin, 20w max. (included).



P5248-25

ADJUSTABLE PATH/FLOOD

P5248-25WB Verde

Die cast aluminum construction with ribbed patterned top housing. Size: 4" W., 20" ht., Extends 7-7/8" Lamp: One 12-volt halogen bi-pin, 20w max. (included).



P5265-31

DOME

P5265-31 Black

Cast aluminum construction. White innerlined shade for maximum light output. Size: 9" dia., 26-3/4" ht. Lamp: One medium base A-19 lamp, 100w max.

★ Linear



P5297-31

LED SPREAD LIGHT

P5297-31 Black

Die cast aluminum construction. Includes stake and deck mount, 4' cable and connector. Use with P8270-31 transformer. Size: 7" dia., 16-1/2" ht. Lamp: One 1.5 LED lamp, 3000k (included).



P5200-20

LINEAR

P5200-20 Antique Bronze

Cast solid bronze. Furnished with stake. Size: 7" W., 1-7/8" ht. Lamp: One 12-volt T5 wedge base, 18w max. (included).

★ Pagoda



P5204-38

PAGODA

P5204-38 Green

P5204-31 Black
Cast aluminum. Clear glass liner. 1/2 NPS threaded fitting for permanent or P5233 installation. Size: 6" dia., 7" ht. Lamp: One medium base lamp, 100w max.



P5219-31

PAGODA

P5219-31 Black

Cast aluminum. Clear glass liner. 1/2 NPS threaded fitting for P8667 or P8618 installation. Size: 6" dia., 7" ht. Lamp: One 12V T5 wedge base, 18w max (included).

✦ Bollard

OPTIONAL POLE MOUNT OR
MOUNT DIRECTLY ON GROUND



P5205-31



P5205-31 with P5313-31 Pole

P5205-31 Black
Etched glass. 1/2 NPS threaded fitting for permanent or P5233 installation. For Bollard mount order with P5313-31.
Size: 5" dia., 7-1/4" ht.
Lamp: One medium base lamp, 60w max.

Pole Mount Options

Mount P5205-31 on top of bollard to spread wider circles of light and to coordinate ground lights with bollards. Aluminum construction with pedestal and "J" bolts for surface mounting on paved areas or atop walls. For complete unit order bollard accessory and light.



P5233-31 Black
7" Cast aluminum spike for portable installation. 15' SJT #18 cord with plug. Accommodates 1/2 NPS threaded fitting.



P5313-31

P5313-31 Black
Bollard Pole for P5205-31. (order each separately).
Size: 4-3/4" dia., 28-3/8" ht.
Accepts P5205-31 only.

✦ Pagoda

OPTIONAL POLE MOUNT OR
MOUNT DIRECTLY ON GROUND



P5210-31



P5210-31 with P5312-31 Pole

LARGE PAGODA
P5210-31 Black
Cast aluminum path and driveway light. Clear glass liner. 1/2 NPS threaded fitting for permanent or P5233 installation. For Bollard mount order with P5312-31 pole.
Size: 10" dia., 9-1/2" ht.
Lamp: One medium base lamp, 100w max.

Pole Mount Options

Mount P5210-31 on top of bollard to spread wider circles of light and to coordinate ground lights with bollards. Aluminum construction with pedestal and "J" bolts for surface mounting on paved areas or atop walls. For complete unit order bollard accessory and light.




P5233-31 Black
7" Cast aluminum spike for portable installation. 15' SJT #18 cord with plug. Accommodates 1/2 NPS threaded fitting.



P5312-31


P5312-31 Black
Bollard Pole for P5210-31. (order each separately).
Size: 3-7/8" dia., 28-3/8" ht.


All low voltage  fixtures include: 1/2 NPS threaded adapter connector (P8651) mounting stake (P8618-31), and lamp. Must be connected to a 12V transformer p. 602.



★ Well Lights



P5228-31 Black P5228-31*
 Cast aluminum adjustable well light. Clear glass lens. Twist off cover for easy relamping. Internal gimbal ring adjusts 45° max. Size: 3-1/2" dia., 8-1/2" ht. Lamp: One 12-volt MR-16, 50w max. 

All low voltage  fixtures include: 1/2 NPS threaded adapter connector (P8651) mounting stake (P8618-31), and lamp. Must be connected to a 12V transformer p. 602.




P5295-31 Black
 Die cast aluminum, glass cover. Includes 4' cable and connector. Size: 5" dia., 4" ht. Lamp: One 3w LED lamp, 3000k (included). Use with P8270-31 transformer.


PROGRESS  LED



P5229-31
 shown with optional P8613-31 and optional P8684-68

P5229-31 Black
 Adjustable well light. Well sleeve is 1/4" thick PVC pipe and installs flush or reversed provides lamp shielding. Inconspicuous "up light" which adjusts to 45° from its concealed in-ground installation. (Requires external transformer.) Size: 6-5/8" dia., 13-1/4" ht. Lamp: One 12-volt PAR-36, 50w max. 

Note: Glass cover and cube cell louver need to be ordered separately



P8613-31 Black
 Cube cell louver for glare control for P5229-31.

P8684-68 Clear
 Tempered glass cover for added lamp protection for P5229-31.

★ Flood Lights

LINE VOLTAGE



P5234-31

P5234-31 Black
 Black powder-coat painted aluminum resists chipping and fading. Clear lens. Locking vertical adjustment. Size: 4-1/2" dia., 6-5/8" long. Lamp: One PAR 20, 50w max.



P5235-31

P5235-31 Black
 Black powder-coat painted aluminum resists chipping and fading. Clear lens. Locking vertical adjustment. Size: 5-1/4" dia., 8-1/4" long. Lamp: One PAR 38, 150w max.



P5241-31


P5241-31 Black
 Black powder-coat painted cast aluminum resists chipping and fading. Clear lens. Locking vertical adjustment. Size: 4-3/4" dia., 6-5/8" long. Lamp: One PAR 30, 75w max.

★ Flood Lights

LOW VOLTAGE




P5230-31

P5230-31 Black
 Miniature low voltage spot light. Black powder coat finish over die cast aluminum. Locking vertical adjustment. Mounting stake included. Size: 3" dia., 5" long. 




P5237-31

P5237-31 Black
 Black powder-coat painted aluminum resists chipping and fading. Locking vertical adjustment. Size: 5-1/4" dia., 5-1/4" length. Lamp: One 12V PAR-36, 50w max. 




P5239-31WB

P5239-31WB Black
 Adjustable hinge door for easy relamping. Includes stake. Size: 5-1/4" W., 6" ht., 3-1/2" depth. Lamp: One 12V halogen bi-pin lamp. 50w max (included). 



P5279-31

P5279-25 Verde
P5279-31 Black
 12V composite accent light. Non-metallic construction and stainless hardware prevent corrosion. Size: 4-1/4" dia., 8-3/4" ht. Lamp: One MR16, GU5.3 base, 50w max. 




P5299-31

P5299-31 Black
 Adjustable knuckle for aiming. Die cast aluminum. Stake and deck mount, 4' cable and connector included. Size: 4-1/2" dia., 6-5/8" ht. Lamp: One 3w LED lamp, 3000k (included). Use with P8270-31 transformer.

PROGRESS 

★ Specialty, Deck and Rail Lights





P5224-31WB Black
 Durable cast aluminum is powder-coat painted for superior resistance to chipping, fading and the effects of salt air.
 Size: 3" W., 1-3/4" ht., extends 1-3/8"
 Lamp: One T5 wedge base, 13w max. (included). 



P5224-31WB



P5223-31WB Black
P5223-54WB Natural
 Durable cast aluminum. Black finish is powder-coat painted to resist chipping, fading and the effects of salt air.
 Size: 3-1/8" W., 2" ht., extends 1-3/8"
 Lamp: One T5 wedge base, 13w max. (included) 



P5223-31WB



P5223-54WB




P5296-31 Black
 Die cast aluminum with black powder-coat finish. Polycarbonate diffuser. 12v AC input. Use with LED transformer P8270-31.
 Size: 4" dia., 2" ht., extends 3"
 Lamp: 3 LED, 1.5w, 3000k

PROGRESS 




P5296-31



MISSION
P5262-46 Weathered Bronze
RAIL mount or post lantern.
 Fits 4" x 4" post or flush mount.
 Size: 6-1/2" W., 7-1/2" ht.
 Lamp: One T5 wedge base, 18w max. (included). 



All low voltage  fixtures include: 1/2 NPS threaded adapter connector (P8651) mounting stake (P8618-31), and lamp. Must be connected to a 12V transformer p. 602.

★ LED Step Lights PROGRESS LED

5W LED WITH THE LUMEN OUTPUT COMPARABLE TO A 7W CFL OR 25W INCANDESCENT.
2700K COLOR TEMPERATURE WITH 80+ CRI AND A 120° BEAM SPREAD. CRI: 80+



P6827-09 Brushed Nickel
P6827-30 White
LED step/wall lights are available in a vertical or horizontal configuration for mounting into a single-gang wallbox
Size: 5-1/4" W. , 3-1/2" ht.
Lamp: 5w LED (included).

P6828-09 Brushed Nickel
P6828-30 White
Step/wall lights are available in a vertical or horizontal configuration for mounting into a single-gang wallbox
Size: 3-1/2" W. , 5-1/4" ht.
Lamp: 5w LED (included).

P6829-09 Brushed Nickel
P6829-20 Antique Bronze
P6829-30 White
P6829-31 Black
Mini decorative vertical step/wall light. Wet location listed.
Dimensions: 2-7/8" W., 4-1/2" ht.
Lamp: 5w LED (included).

P6832-09 Brushed Nickel
P6832-20 Antique Bronze
P6832-30 White
P6832-31 Black
Mini decorative vertical step/wall light. Wet location listed.
Dimensions: 2-7/8" ht., 4-1/2" W.
Lamp: 5w LED (included).

★ Step Lights







P6802-31 Black P6802-31, P6803-31
Cast aluminum housing with black aluminum louver. For wood, brick, masonry, and poured concrete installations. IC Rated.
Size: Refer to diagram.
Lamp: One 7w 2-pin twin compact fluorescent lamp.

P6803-31 Black P6803-31
P6803-30 White
Cast aluminum housing with metal louver. For wood, brick, masonry, and poured concrete installations. With Therma-Gard protection.
Size: Refer to diagram.
Lamp: One 25w 120V T6-1/2, intermediate base.

P6817-16 Satin Aluminum P6817-16
P6817-31 Black
Cast aluminum, tempered glass with louver faceplate. Two 1/2" I.P. for conduit entry. For poured concrete and masonry installations.
Size: Refer to diagram.
Lamp: One medium base; 25w max.

P6819-16 Satin Aluminum P6819-16
Cast aluminum, tempered glass with louver faceplate. Two 1/2" I.P. for conduit entry. For poured concrete and masonry installations.
Size: Refer to diagram.
Lamp: One medium base; 75w max.



Transformers

Plug-in Compatible Transformers



P8519-01



P8520-01



P8522-31



P8523-31

- Multiple secondary taps of 12, 13 and 15 volts allow maximum light output and lamp life for long or short runs and loading variations (300, 600 and 900 watt units only)
- Three foot 12 gauge cord with grounding plug
- Thermal protection in the primary circuit to avoid overheating
- Resettable circuit breakers in secondary circuits for electrical safety and convenience
- Weatherproof construction, powder-coat painted (P8590-31, P8591-31, P8592-31, P8522-31 and P8523-31)
- Stainless steel construction (P8519-01, P8520-01 and P8521-01)
- Easy open enclosure with KO's for hardwiring and photocell installation
- Easy wire terminal board for secondary connections
- For outdoor use
- Plug in timer and photocell compatible (see page 603)

P8521-01 (shown with access cover removed)



with photocell
(P8521-31)

with timer
(P8524-01)

with photocell
and timer

Product	Watt	Description	Size (W x H x D)
P8519-01	300	300w stainless steel	5-3/8" x 17" x 5-3/8"
P8520-01	600	(2) 300w circuits, stainless steel	6-5/8" x 17" x 5-5/8"
P8521-01	900	(3) 300w circuits, stainless steel	6-5/8" x 19" x 5-7/8"
P8522-31	300	300w	5" x 17" x 5-5/8"
P8523-31	600	(2) 300w circuits	5" x 17" x 5-5/8"

Manual Transformers



P8590-31, P8591-31, P8592-31

- These transformers have all the features shown above except plug-in capability.
- Powder coated for outdoor use
- Magnetic

Product	Watt	Description	Size (W X H X D)
P8590-31	150	150w manual	3-1/2" x 8-3/4" x 3"
P8591-31	300	300w manual	4" x 10" x 5"
P8592-31	600	(2) 300w circuits manual	4" x 12" x 4-1/2"

Electronic Transformers



P8517-31

P8517 supplied with integral photo-cell. Non-metallic housing to prevent corrosion. Three foot 18-gauge cord with grounding plug. Suitable for outdoor installation only.

Product	Watt	Description	Size (W X H X D)
P8517-31	100	100w electronic	3-5/8" x 6-1/2" x 2-3/8"
P8518-31	300	300w electronic	5-1/8" x 7-1/4" x 3"



P8518-31

P8518 supplied with remote mount photo-cell with auto setting and 2 hr., 6 hr., and 8 hr. shut off settings. Suitable for outdoor installation only.

LED Transformer



11

P8270-31 Non metallic case protects timer controls and 120v to 12v transformer. Surge protected with grounded cord/plug set and easy 12V cable attachment. Photocontrol triggers "time on", eliminating seasonal adjustment. 45w max.

Product	Watt	Description	Size (W X H X D)
P8270-31	45	45w LED	4" x 5-5/8" x 3-1/2"

★ Landscape Accessories

Accent Light Accessories



P8613-31 Black
45° cube cell louver fits under supplied glass lens.
Size: 4-3/4" cube cell for P5235-31 & P5237-31



P8614-31 Black
Light shields adjust to desired length on cowling of light fixture. Rotate bias-cut end to adjust cutoff angle.
Size: 7-1/4" long for P5235-31 & P5237-31

Installation Accessories



P8651-01 Black
Low voltage Quick-connector. Allows #10 or #12 gauge outdoor low voltage cable to connect to an 18 gauge wire from fixture.
Size: 1-5/8" W., 5/8" ht.



12-Volt Cable, 2 conductor. Black. UL listed.

P8635-31 10-gauge 300 ft.

P8628-31 12-gauge 100 ft.

P8699-31 12-gauge 200 ft.



P8671-31 Black
Polycarbonate canopy for tree trunks and walls. 1/2 NPS thread.
Size: 4-1/8" dia. Extends 1-3/16".



P8617-31 Black / **P8626-31** Black
Recommended for use with P8270-31 transformer and LED Lighting. Low voltage #14 cable runs from P8270-1 control center down path of lighting. UV protected, burial is not required, hide with mulch if desired. Perfect fit with fixture connectors for easy installation (150' is the max. run distance from transformer location to assure best fixture operation). Available in 75', P8617-31 and 150' lengths, P8626-31.



P8672-31 Black
Miniature pedestal mount. Powder-coat painted cast metal. Flanged base for surface mounting. 1/2 NPS thread.
Size: 1-1/2" dia., 1" ht.



Mounting Stems 1/2 NPS threads
16" stem

P8666-31 Black

P8666-38 Green

8-1/2" stem

P8667-31 Black

P8667-38 Green



P8708-01 Silicone filled
underground direct burial wire connector. #20-#10 gauge. 10 per pack (1 standard pack = 10 pieces).
Size: 1-3/4" L., 5/8" dia.



P8618-31 Black
Ground stake, 8-3/4" ABS movable stake for direct mounting of 12v landscape lights.
1/2 NPS thread.



P8562-31 Black
Quick-mount landscape post for 120v or 12v PVC.
Size: 3" dia., 20" length with stabilizing grid and post, 1/2 NPS threaded hole. Wet location UL listed.

Plug-in Compatible Transformer Accessories



P8524-01 Two-prong plug-in timer. Allows multiple settings. (To be used with plug-in compatible transformers.)
Size: 2-3/4" W., 3-1/4" ht. (see page 602)



P8525-31 Direct mount photo-cell. Turns transformer on at dusk and off when ambient light appears. (To be used with plug-in compatible transformers.) (see page 602) Size: 1-3/8" dia., 3-3/4" length.



P8531-01 Digital timer. Size: 3" w, 4-1/8" ht, extends 1-5/8" Allows multiple settings. (To be used with plug-in compatible transformers.) (see page 602)



P8526-31 Remote mount photo-cell. Turns on transformer at dusk and off when ambient light appears. Includes 10 ft. of cord. (To be used with plug-in compatible transformers.) (see page 602) Photocell Size: 1-3/8" dia., 5-1/4" length

Lamp



P7801-01 Lamp
18w T5 wedge base lamp

6" LED Recessed New Construction and Remodel

New Construction
Air-Tight IC and Non-IC



P87-LED
Ceiling opening: 6-7/8" dia.
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" & 3/4"

- Universal junction box with snap-out sides
- Removable housing for field inspection of wiring
- Knock-out free Romex clamps
- 1/2" and 3/4" Knock outs for rigid or BX fitting
- Pre-installed wire quick connects
- Thru-branch wiring for #12 90° conductors (4in/4 out) Construction
- Toolless adjustment for 1/2" to 2-1/2" thick ceilings
- Full wrap-around plaster frame
- Galvanized steel construction
- Quick connector allows easy electrical connection with trim.
- Integral nail for wood joist construction
- Integral snap-on T-bar mounting clip
- Rigid male/female design spans 24" for suspended ceilings
- Lock to secure housing
- 90° mounting for tight spaces
- Joist alignment tab
- IC and Non-IC rated
- UL-CUL listed for damp location and through branch wiring
- Approved for use in New York City per calendar #40330.
- Complies with California Title 24
- Labeled as 15w maximum input
- Trim-Lok® action forces trim to fit snugly against the ceiling
- P87-LED is designed for use with P8071-##STR LED Trims (purchased separately)

P8071 New Construction or Remodel



P8071-28/30KSTR2 

Features

- Frosted polycarbonate lens controls direct glare from the LEDs
- 5 LED (Light Emitting Diode) lamps included
- 13.5-watt input power
- Lumen output 691 lumens
- Lumen output and distribution comparable to a 65w BR30 incandescent lamp
- CRI is 80+ rivaling CFL
- 60,000 hours life based on 70% lumen maintenance (TM-21)
- Suitable for use in IC or NON-IC applications
- cULus listed for wet locations



Includes Edison base socket and Quick-Link connector

Please see page 586 for Wall and Pendant Cylinder options that use the P8071 fixture. The options below have painted flanges to match cylinders on page 586.



P8071-20/30KSTR2



P8071-31/30KSTR2



P8071-82/30KSTR2

Also available as an 

 4" LED


4" LED Recessed New Construction and Remodel

**P831-LED**

Ceiling opening: 4-1/2"
Plaster frame: 8-3/8" x 13"
Recessed depth: 7-1/2"

P831-LED


- Integral quick link connector mates with P8080 series LED trims
- Integral Romex clamp
- Notched plaster frame for easy alignment
- Trim mounted socket snaps into trim for consistent lamp positioning
- cCSAus listed for damp locations and feed through wiring
- Rated for 8 #12 90° conductors (4 in/4 out)
- Nail bar hangers accommodate up to 24" on center ceiling joists
- Integral T-bar clamps
- Locking feature to secure housing
- Adjustable from 1/2" to 2-1/2" ceiling thickness
- Shipped in air-tight configuration
- Meets WSEC code requirements

**P830-LED**

Ceiling opening: 4-1/2"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 5-1/2"
Pryouts: 1/2" and 3/4"

P830-LED

- Integral quick link connector mates with P8080 series LED trims
- Integral Romex clamp
- Notched plaster frame for easy alignment
- Trim mounted socket snaps into trim for consistent lamp positioning
- cCSAus listed for damp locations and through wiring
- Rated for 8 #12 90° conductors (4 in/4 out)
- Nail grip bar hangers accommodate up to 24" on center ceiling joists
- Integral T-bar clamps
- Locking feature to secure housing
- Adjustable from 1/2" to 2-1/2" ceiling thickness

**P832-LED**

Ceiling opening: 4-1/4"
Recessed depth: 5-1/2"
Pryouts: 1/2"

P832-LED

- Retrofit version of P830-TG for use in existing ceilings
- Integral quick link connector mates with P8080 series LED trims
- Integral flange on housing and exclusive locking bars permits quick mounting in ceilings from 1/2" to 1" thick
- Attached junction box with removable sides
- cCSAus listed for damp locations and through wiring

P8080 New Construction or Remodel



P8080-28/30KSTR2 

Features

- LED (Light Emitting Diode) lamp included
- 9-watt input power
- Lumen output 550 lumens
- Lumen output and distribution comparable to 50w R20 incandescent lamp
- CRI is 80+ rivaling CFL
- 50,000 hours life based on 70% lumen maintenance (TM-21)
- Suitable for use in IC or NON-IC applications
- cULus listed for wet locations



Includes Edison base socket and Quick-Link connector

6" Incandescent

For insulated or non-insulated ceilings. 7-3/4" outside diameter (OD), except where indicated.

IC Trims & Non-IC Trims

Step Baffle



P8066-28 White
IC Lamp: 75w PAR 30,
65w BR30
Non-IC Lamp: 150w
PAR 38, 120w BR40,
40w A19

Step Baffle



P8066-09 Brushed Nickel
Unpainted flange
IC Lamp: 75w PAR 30,
65w BR30
Non-IC Lamp: 150w
PAR 38, 120w BR40,
40w A19

Step Baffle



P8066-20 Antique Bronze
Unpainted flange
IC Lamp: 75w PAR 30,
65w BR30
Non-IC Lamp: 150w
PAR 38, 120w BR40,
40w A19

Step Baffle



P8066-31 Black
White flange
IC Lamp: 75w PAR 30,
65w BR30
Non-IC Lamp: 150w
PAR 38, 120w BR40,
40w A19

Step Baffle



P8082-31 Black
P8082-28 White
OD: 8-3/4"
IC Lamp: 90w PAR 38,
BR40
Non-IC Lamp:
150w PAR38, 120w BR40

Long Neck Baffle



P8075-28 White
P8075-31 Black
IC Lamp: 65w BR30
75w PAR30 long neck
Non-IC Lamp: 100w A19,
75w PAR 30 Long Neck,
85w BR 30

Eyeball

Rotates 358°, tilts 30° max.



P8076-20 Antique
Bronze
IC/Non-IC Lamp:
75w PAR 30, 65w BR30

Eyeball

Rotates 358°, tilts 30° max.



P8076-09 Brushed Nickel
P8076-28 White
IC/Non-IC Lamp:
75w PAR 30, 65w BR30

Baffled Mini Eyeball

Rotates 358°, tilts 30° max.



P8077-28 White Baffle
IC/Non-IC Lamp:
75w R20, PAR 20

Regressed Baffled Eyeball

Rotates 358°, tilts 30° max.



P8079-28 White Baffle
IC Lamp: 65w BR30,
50w PAR 30
Non-IC Lamp: 75w
PAR 30, 85w BR 30

Regressed Baffled Eyeball

Rotates 358°, tilts 30° max.



P8079-31 Black Baffle
IC Lamp: 65w BR30,
50w PAR 30
Non-IC Lamp: 75w
PAR 30, 85w BR 30

Regressed Mini Eyeball

Rotates 358°, tilts 30° max.



P8078-28 White
IC/Non-IC Lamp:
75w R 20, PAR 20

Open



P8074-28 White
OD: 8-3/4"
IC Lamp: 90w BR40/
PAR 38
Non-IC Lamp: 150w
PAR 38, 120w BR40

Open Splay



P8072-28 White
IC Lamp: 75w PAR 30
Long Neck, 65w BR 30
Non-IC Lamp: 75w
PAR30 Long Neck,
100w A19, 85w BR 30

Cones



P8068-21A ClearAlzak®
White flange
IC Lamp: 75w PAR 30,
65w BR30
Non-IC Lamp: 150w
PAR 38, 120w BR 40,
40w A19

Cones



P8068-28 White
White flange
IC Lamp: 75w PAR 30,
65w BR30
Non-IC Lamp: 150w
PAR 38, 120w BR 40,
40w A19

Cones



P8068-22A Gold Alzak®
White flange
IC Lamp: 75w PAR 30,
65w BR30
Non-IC Lamp: 150w
PAR 38, 120w BR 40,
40w A19

Cones



P8053-31 Black Alzak®
Black flange
IC Lamp: 75w PAR 30,
65w BR30
Non-IC Lamp: 150w
PAR 38, 120w BR 40,
40w A19

Drop Opal Shower
Wet location listed



P8007-60 White
Metal flange
O.D.: 8-1/4"
IC Lamp: 60w A19,
50w PAR30
Non-IC Lamp: 100w A19,
75w PAR 30

Drop Opal Shower
Wet location listed



P8009-60 White Glass
Non-metallic flange
IC Lamp: 40w A19,
50w PAR 30
Non-IC Lamp: 75w A19,
75w PAR 30

Dome Shower
Wet location listed



P8025-60 White
Polycarbonate
OD: 8-3/4"
IC Lamp: 40w A 19
Non-IC Lamp: 75w A19

Open Shower
Wet location listed



P8072WL-28* White
Metal flange
IC/Non-IC Lamp:
50w PAR 30 Long Neck

Open Shower
Wet location listed



P8074WL-28 White
Metal flange
OD: 8-3/4"
IC/Non-IC Lamp: 75w
PAR 38*

Fresnel Shower
Wet location listed



P8011-60 White
Non-metallic flange
IC Lamp: 50w PAR
30 SN
Non-IC Lamp:
75w PAR 30 Short Neck

* WL trims require use with
outdoor rated PAR lamps
progresslighting.com

6" Incandescent

For insulated or non-insulated ceilings. 7-3/4" outside diameter (OD), except where indicated.

IC, Non-IC, Air-Tight Universal Housings

New Construction Air-Tight IC and Non-IC



P87-AT
Ceiling opening: 6-7/8" dia.
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" & 3/4"

- P87-AT**
- Can be installed in ceilings from 1/2" to 2-1/2" thick
 - Meets Washington State Energy Code requirements
 - UL & CUL listed for damp locations and through wiring
 - Integral Romex clamp
 - Tool-less can adjustment for varying ceiling thickness
 - Slotted, interlocking bar hangers securely span 24" T-bar spacing
 - Full reflector design eliminates light leaks
 - Rated for 8 #12 90° conductors (4 in/4 out)
 - US Patent #5758959, 5857766, 6004011


Remodel IC and Non-IC



P187-TG
Ceiling opening: 6-5/8" dia.
Recessed depth: 7-1/2"
Pryouts: 1/2"

- P187-TG**
- Retrofit version of the P87-AT
 - Exclusive mounting slide bars permit quick and solid mounting in ceilings
 - Can be installed in ceilings from 1/2" to 1-1/2" thick
 - IC/Non-IC peel away label for field conversion
 - UL and CUL listed for damp locations and through wiring
 - Rated for 4 #12 90° conductors (2 in/2 out)
 - Rated for 60° supply wires in end-of-run applications
 - US Patent #5758959

New Construction Air-Tight IC and Non-IC



P87-ATQC
Ceiling opening: 6-7/8" dia.
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" & 3/4"

- P87-ATQC**
- Quick-connects allow simple installation of 12-20 AWG wire, without the need for wire nuts
 - Can be installed in ceilings from 1/2" to 2-1/2" thick
 - Meets Washington State Energy Code requirements
 - UL & CUL listed for damp locations and through wiring
 - Integral Romex clamp
 - Tool-less can adjustment for varying ceiling thickness
 - Slotted, interlocking bar hangers securely span 24" T-bar spacing
 - Full reflector design eliminates light leaks
 - Rated for 8 #12 90° conductors (4 in/4 out)
 - US Patent #5758959, 5857766, 6004011



Quick-connect

Non-IC Trims

Insulation must be 3" from housing. 7-3/4" outside dia.

Pin Hole



P8065-28 White w/ Black Baffle
Lamp: 75w PAR16, 40w R16, 50w R20/PAR20/PAR30, 40w A19

Wall Washer



P8052-28 White Baffle
Lamp: 60w A19

Fresnel Wet location listed



P8062-28 White Metal flange
Lamp: 60w A19, 75w PAR 30 Short Neck

Albalite Glass Wet location listed



P8060-28 White Metal flange
Lamp: 60w A19, 75w PAR 30 Short Neck

Albalite Glass Wet location listed



P8008-60 White Non-metallic flange
Lamp: 60w A19, 75w PAR 30 Short Neck

6" Incandescent

For insulated ceilings. IC trims may be used as non-IC trims with same wattages. 7-3/4" outside diameter(O.D.), except where indicated.

High Wattage IC Housing & Trims

New Construction or Top Accessible Ceilings Air-Tight IC



P821-AT

Ceiling opening: 6-7/8" dia.
Plaster frame: 8-3/8" x 13"
Recessed depth: 7-5/8"
Pryouts 1/2" and 3/4"

P821-AT

- Allows for high wattage in insulated ceilings up to 150w
- Meets Washington State Energy Code requirements
- Can be installed in ceilings from 1/2" to 2-1/2" thick
- UL and CUL listed for damp locations and through wiring
- Socket mounts to trim for consistent lamp position
- Spans 24" T-bar spacing
- Integral Romex clamp
- Integral nailer and T-bar mounting clamp
- Rated for 8 #12 90° conductors (4 in/4 out)
- US Patent #5758959, 5857766, 6004001

IC Trims

Step Baffle



P8075-28 White
P8075-31 Black
Lamp: 85w BR30,
75w PAR30 Long Neck,
75w A19

Step Baffle



P8066-20 Antique
Bronze
Lamp: 120w BR40, 150w
PAR 38, 100w A19

Step Baffle



P8066-09 Brushed Nickel*
P8066-31 Black
Lamp: 120w BR40, 150w
PAR 38, 100w A19
*Unpainted flange

Step Baffle



P8066-28 White
Lamp: 120w BR40, 150w
PAR 38, 100w A19
*Unpainted flange

Step Baffle



P8082-28 White
P8082-31 Black
O.D.: 8-3/4"
Lamp: 120w BR40,
150w PAR 38

Cones



P8053-31 Black Alzak®
Black Flange
Lamp: 150w PAR 38,
120w BR 40, 100w A19

Cones



P8068-22A Gold Alzak®
P8068-21A Clear Alzak®
P8068-28 White
White Flange
Lamp: 120w BR 40, 150w
PAR 38, 100w A19

Wall Washer



P8052-28 White Baffle
Lamp: 40w A19

Eyeball

Rotates 358°, tilts 30° max.



P8076-09 Brushed Nickel
P8076-20 Antique Bronze
P8076-28 White
Lamp: 85w BR30,
75w PAR 30

Baffled Eyeball

Rotates 358°, tilts 30° max.



P8079-28 White Baffle
P8079-31 Black Baffle and
Black Eyeball
Lamp: 85w BR30,
75w PAR 30

Baffled Mini Eyeball

Rotates 358°, tilts 30° max.



P8077-28 White Baffle
Lamp: 75w R20, PAR 16,
PAR 20

Regressed Mini Eyeball

Rotates 358°, tilts 30° max.



P8078-28 White
Lamp: 75w R 20, PAR 16,
PAR 20

Open Splay



P8072-28 White
Lamp: 85w BR30, 75w
PAR 30 Long Neck,
75w A19

Open



P8074-28 White
O.D.: 8-3/4"
Lamp: 120w BR40,
150w PAR 38

Fresnel

Wet location listed



P8062-28 White
Metal flange
Lamp: 40w A19

Albalite

Wet location listed



P8060-28 White
Metal Flange
Lamp: 40w A19

Fresnel

Wet location listed



P8011-60
Non-metallic flange
Lamp: 75w PAR30 Short
Neck

Drop Opal Shower

Wet location listed



P8007-60 White
Metal flange, OD: 8-1/4" dia.
Lamp: 75w A19,
75w PAR 30

Drop Opal Shower

Wet location listed



P8009-60 White glass
Non-metallic flange
Lamp: 60w A19,
75w PAR 30

Open Shower Trims

Wet location listed



P8072WL-28 Metal flange
Lamp: 50w PAR 30
Long Neck
P8074WL-28 White
O.D.: 8-3/4"
Lamp: 75w PAR 38*

Dome Shower

Wet location listed



P8025-60 White
Polycarbonate
8-3/4" outside diameter
Lamp: 60w A19

Lamp wattages shown are maximum.

For accessories see page 638.

* WL trims require use with outdoor rated PAR lamps

6" Incandescent

Shallow Housings & Trims

Non-IC Trims

Insulation must be 3" from housing. 7-3/4" outside diameter (OD), except where indicated.

Wet location listed



P8020-28 White
Metal flange
Lamp: 60w A19

Wet location listed



P8010-60 White glass
Non-metallic flange
Lamp: 60w A19

Wet location listed



P8028-60 White
Polycarbonate
8-3/4" outside diameter
Lamp: 75w A19

For insulated ceilings. 7-3/4" outside diameter (OD). IC trims may be used as non-IC trims with same wattages.

IC Trims

Step Baffle



P8063-28 White
P8063-31 Black
Lamp: 75w PAR30,
65w BR30

Open Trim



P8073-28 White
Lamp: 75w PAR30 Long
Neck, 65w BR30

Eyeball



P6676-29 White
Lamp: 75w PAR30,
65w BR30

Regressed Mini Eyeball
Rotates 358°, tilts 30° max.




P6678-29 White
Lamp: 50w PAR20, R20

Open Shower Trim
Wet location listed



P8073WL-28 White
Metal flange
Lamp: 50w PAR30*

New Construction IC and Non-IC



P86-TG
Ceiling opening: 6-7/8" dia.
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 5-1/2"
Pryouts 1/2" and 3/4"

Remodel IC and Non-IC



P186-TG
Ceiling opening: 6-5/8" dia.
Recessed depth: 5-1/2"
Pryouts 1/2"

- P86-TG**
- Integral Romex clamp
 - Designed for shallow plenums and 2"x 6" construction
 - UL and CUL listed for damp locations and through wiring
 - Can be installed in ceilings from 1/2" to 1-1/2" thick
 - Integral nailer and T-bar mounting clamp
 - Rated for 8 #12 90° conductors (4 in/4 out)
 - Integral bar hanger

- P186-TG**
- Retrofit version of P86-TG
 - For use in existing ceilings
 - Integral flange on housing
 - Exclusive locking bars permit quick mounting in ceilings 1/2" to 1" thick
 - UL and CUL listed for damp locations and through wiring
 - Rated for 4 #12 90° conductors (2 in/2 out)
 - Rated for 60° supply wires in end-of-run applications

* P86-TG and P186-TG can be converted to Air-Tight in the field with P8593-01 Gasket Kit



★ 6" Sloped Ceiling

Housings & Trims

6" 45° IC Sloped Ceiling Housing

For complete fixture, order housing with trim.

New Construction IC



P645-TG
Ceiling opening: 6-7/8"
Plaster frame: 8-3/8" x 13"
Recessed depth: 7-5/8"
Pryouts: 1/2" and 3/4"

New Construction Air-Tight & IC



P645-AT
Ceiling opening: 6-7/8"
Plaster frame: 8-3/8" x 13"
Recessed depth: 7-5/8"
Pryouts: 1/2" and 3/4"

6" 45° Remodel Sloped Ceiling Housing

For complete fixture, order housing with trim.

Remodel IC



P745-IC
Ceiling opening: 7-3/8"
Recessed depth: 7-1/4"
Pryouts: 1/2"

P645-TG

- Maintains lamp in a vertical position from a 0° to a 45° slope (0/12 to 12/12 pitch)
- Easy spring installation of trims
- Bar hangers, with nail grip feature, span to position housing anywhere within 24" joist spacing
- Locking screw to secure housing in place
- Rated for 8 #12 90° conductors (4 in/4 out)
- Integral Romex clamps
- Integral nailer and T-bar clamps
- UL and CUL listed for damp locations and through wiring
- Can be installed in ceiling from 1/2" to 3/4"

P645-AT

- Maintains lamp in a vertical position from a 0° to a 45° slope (0/12 to 12/12 pitch)
- Meets Washington State Energy Code requirements
- Bar hangers, with nail grip feature, span to position housing anywhere within 24" joist spacing
- Locking screw to secure housing in place
- Rated for 8 #12 90° conductors (4 in/4 out)
- Integral Romex clamps
- Integral nailer and T-bar clamps
- UL and CUL listed for damp locations and through wiring
- Can be installed in ceiling from 1/2" to 3/4"

P745-IC

- Maintains lamp in a vertical position from a 0° to a 45° slope (0/12 to 12/12 pitch)
- Easy spring installation of trims
- Bar hangers, with nail grip feature, span to position housing anywhere within 24" joist spacing
- Slide bars stay in place, and have locking screw to secure housing in place
- Rated for 4 #12 90° conductors (2 in/2 out)
- Integral Romex clamps
- Integral nailer and T-bar clamps
- UL and CUL listed for damp locations and through wiring
- Can be installed in ceiling from 1/2" to 1-1/2"

Trims 8-1/4" outside diameter

Baffles



P8004-28 White



P8004-31 Black



P8004-20 Antique Bronze

Lamps

Catalog No.	Lamp(s)
P645-TG	65w BR 30, 75w BR30/PAR 30LN
P645-AT	65w BR 30, 75w PAR 30LN
P745-IC	65w BR 30, 75w PAR 30LN

Lamp wattages shown are maximum.

For accessories see page 638.

★ 8" Sloped Ceiling



Housings & Trims

8" 45° Remodel Sloped Ceiling Housings

For complete fixture, order housing with trim.

8" 45° Sloped Ceiling Housing

For complete fixture, order housing with trim.

Remodel IC



P245-TG
 Ceiling opening: 9"
 Recessed depth: 7-13/16"
 Pryouts: 1/2"

P245-TG

- UL and CUL listed for damp locations and through wiring
- Single spring installation of trims
- Lamp is adjustable to vertical position in 9° to 45° ceilings (2/12 to 12/12 pitch)
- Rated for 4 #12 90° conductors (2 in/2 out)
- Rated for 60° supply wires in end of run applications
- Exclusive mounting bars permit quick and solid mounting
- Cast trim flange is integral part of housing
- Can be installed in ceilings from 1/2" to 3/4" thickness

New Construction Air-Tight & IC



P45-AT
 Ceiling opening: 8-3/4"
 Plaster frame: 15-3/4" x 9-3/4"
 Recessed depth: 7-1/2"
 Pryouts: 1/2" and 3/4"

P45-AT

- Maintains lamp in a vertical position in 9° to 45° ceilings (2/12 to 12/12 pitch)
- Single spring installation of trims
- Meets Washington state energy code requirements
- Integral nailer and T-bar mounting clamp
- UL & CUL listed for damp locations and through wiring
- Can be installed in ceilings from 1/2" to 3/4" thick


Trims

9-3/4" outside diameter

Baffle



P8000-28 White



P8000-31 Black

Alzak® Cones



P8001-21 Clear Alzak®



P8001-22 Gold Alzak®

Lamps

Catalog No.	Lamp(s)
P45-AT	120w PAR 38, BR40
P245-TG	75w PAR 38, BR40
P145-TG	250w R40, PAR 38, BR40

5" Incandescent

Housings & Trims

Standard IC and Non-IC Universal Housings

For complete fixture, order housing with trim.

New Construction Air-Tight IC




P85-AT

Ceiling opening: 5-1/4"
Plaster frame: 8-3/8" x 13"
Recessed depth: 7-5/8"
Pryouts: 1/2" and 3/4"

P85-AT

- Rated for direct contact with ceiling insulation
- Trims are Easy-in and push-lock into place
- Notched mounting frame for easy alignment
- Slotted, interlocking bar hangers provide solid mounting on 24" centers.
- P85-AT meets Washington State Energy Code requirements

New Construction Non-IC



P85-TG

Ceiling opening: 5-1/4"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" and 3/4"

P85-TG

- Nail grip bar hangers accommodate 24" on center ceiling joists or T-bars, and have locking feature to secure housing in place
- Integral T-bar clamps on bar hangers
- Complete with grounding pigtail
- UL and CUL Listed for damp locations and through wiring
- Integral Romex clamps
- Rated for 8 #12 90° conductors (4 in/4 out)
- Can be installed in ceilings from 1/2" to 2" thickness

Remodel Non-IC



P185-TG

Ceiling opening: 5-1/8"
Recessed depth: 7-1/2"
Pryouts: 1/2"

P185-TG

- Locking clips (furnished) permit quick mounting in ceiling
- Can be installed in ceilings 1/2" to 1-3/4"
- Rated for 4 no.12 90° conductors (2 in/2 out)
- Rated 60° degrees supply wires in end-of-run applications.
- Trims are easy in and push into place

IC/Non-IC Trims

For insulated and non-insulated ceilings.
6-1/8" outside diameter, except where indicated.

Open



P8168-28 White
IC Lamp: 65w BR30,
50w PAR 30 long neck
Non-IC Lamp: 85w BR30,
75w PAR 30 long neck,
60w A19

Eyeball



P8176-28 White
P8176-20 Antique Bronze
OD: 6-3/8"
IC/Non-IC Lamp: 75w
PAR30 short neck

Deep Cone



P8172-09 Brushed Nickel
IC Lamp: 65w BR30,
50w PAR30 short neck
Non-IC Lamp: 85w BR30,
75w PAR30 short neck

Deep Cone



P8172-21A Clear Alzak®
P8172-22A Gold Alzak®
White flange
IC Lamp: 65w BR30,
50w PAR30 short neck
Non-IC Lamp: 85w BR30,
75w PAR30 short neck

Step Baffle



P8175-31 Black
P8175-28 White
IC Lamp: 65w BR 30,
50w PAR 30 long neck
Non-IC Lamp: 65w BR 30,
50w PAR-30 long neck,
40w A19

Step Baffle



P8175-20 Antique Bronze
IC Lamp: 65w BR 30,
50w PAR 30 long neck
Non-IC Lamp: 65w BR 30,
50w PAR-30 long neck,
40w A19

Open Shower Trim Wet location listed



P8367WL-28 White
Metal flange
IC/Non IC Lamp: 50w
PAR 30 short neck*

Shower Light Wet location listed



P8109-28 White
Metal flange
IC Lamp: 40w A19,
50w PAR30
Non-IC: 60w A19,
75w PAR30

Lamp wattages shown are maximum.

For accessories see page 638.

Patent Pending

* WL trims require use with
outdoor rated PAR lamps


5" Incandescent

Shallow Housings & Trims

Shallow IC and Non-IC Universal Housings

For complete fixture, order housing with trim.

New Construction Air-Tight IC and Non-IC



P84-AT

Ceiling opening: 5-1/4"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 5-1/2"
Pryouts: 1/2" and 3/4"

Shallow Remodel IC and Non-IC



P184-TG

Ceiling opening: 5-1/8"
Recessed depth: 5-1/2"
Pryouts: 1/2"

P84-AT

- Notched mounting frame for easy alignment
- Can be installed in ceilings from 1/2" to 2" thick
- Nail grip bar hangers accommodate up to 24" on center ceiling joists
- Slotted interlocking bar hangers provide solid mounting on 24" centers
- Locking feature to secure housing
- Integral T-bar clamps
- Integral Romex clamps
- UL & CUL listed for damp locations & through wiring
- Rated for 8 #12 90 degree conductors (4 in/4 out)
- Trims are easy-in & push-lock into place
- Shallow profile (5-1/2") for 2x6 construction
- Adjustable lamp position
- Meets Washington State Energy Code requirements

P184-TG

- Locking clips (furnished) permit quick mounting in ceiling
- Can be installed in ceilings from 1/2" to 1-3/4" thick.
- UL & CUL listed for damp locations
- Rated for 4 #12 90 degree conductors (2 in/2 out).
- Rated for 60 degree supply wires in end-of-run applications.
- Trims are easy-in & push-lock into place
- Shallow profile (5-1/2") for 2x6 construction



IC/Non-IC Trims

For insulated and non-insulated ceilings. 6-1/8" outside diameter. IC/Non IC applications.

Shallow Baffle



P8375-28 White
P8375-31 Black
IC/Non IC Lamp: 65w
BR-30, 50w PAR-30

Open



P8368-28 White
IC/Non-IC Lamp: 65w
BR-30, 50w PAR-30

Alzak®



P8368-21A Clear Alzak®
IC/Non-IC Lamp: 65w
BR-30, 50w PAR-30

Alzak®



P8368-22A Gold Alzak®
IC/Non-IC Lamp: 65w
BR-30, 50w PAR-30

Eyeball



P8176-28 White
OD: 6-3/8"
IC/Non IC Lamp: 75w
PAR-30 short neck

Eyeball



P8176-20 Antique Bronze
OD: 6-3/8"
IC/Non IC Lamp: 75w
PAR-30 short neck

Drop Opal Shower Wet location listed



P8109-28 White
Metal flange
IC/Non-IC Lamp: 30w R-20

Open Shower Trim Wet location listed



P8367-WL28 White
IC/Non IC Lamp:
50w PAR 30*

4" Incandescent

Housings & Trims

IC, Air-Tight Housing

New Construction Air-Tight, IC



P831-AT
Ceiling opening: 4-1/2"
Plaster frame: 8-3/8" x 13"
Recessed depth: 7-1/2"

P831-AT

- Integral Romex clamp
- Notched plaster frame for easy alignment
- Trim mounted socket snaps into trim for consistent lamp positioning
- UL and CUL listed for damp locations and feed through wiring
- Rated for 8 #12 90° conductors (4 in/4 out)
- Nail grip bar hangers accommodate up to 24" on center ceiling joists
- Integral T-bar clamps
- Locking feature to secure housing
- Adjustable from 1/2" to 2-1/2" ceiling thickness
- Shipped in air-tight configuration
- Meets WSEC code requirements

Non-IC Housings

For complete fixture, order housing with trim.

New Construction Non-IC



P830-TG
Ceiling opening: 4-1/2"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 5-1/2"
Pryouts: 1/2" and 3/4"

P830-TG

- Integral Romex clamp
- Notched plaster frame for easy alignment
- Trim mounted socket snaps into trim for consistent lamp positioning
- UL and CUL listed for damp locations and through wiring
- Rated for 8 #12 90° conductors (4 in/4 out)
- Nail grip bar hangers accommodate up to 24" on center ceiling joists
- Integral T-bar clamps
- Locking feature to secure housing
- Adjustable from 1/2" to 2-1/2" ceiling thickness

Remodel Non-IC



P832-TG
Ceiling opening: 4-1/4"
Recessed depth: 5-1/2"
Pryouts: 1/2"

P832-TG

- Retrofit version of P830-TG for use in existing ceilings
- Integral flange on housing and exclusive locking bars permits quick mounting in ceilings from 1/2" to 1" thick
- Attached junction box with removable sides
- UL and CUL listed for damp locations and through wiring

IC Trims

5" outside diameter. IC trims may be used as Non-IC trims with same wattages. All trims: tilt 20°.

Open



P8041-09 Brushed Nickel
Lamp: 55w PAR 16, 50w PAR 20, R20



P8041-28 White
Lamp: 55w PAR 16, 50w PAR 20, R20

Pinhole



P8042-28 White
Lamp: 40w PAR 16, 30w R20

Wall Washer



P8047-31 White w/Black Baffle
Lamp: 40w PAR 16, 30w R 20

Eyeball



P8046-28 White
P8046-09 Brushed Nickel
P8046-20 Antique Bronze
Lamp: 40w PAR 16, 30w R 20

Step Baffle



P8044-31 Black Baffle
P8044-09 Brushed Nickel
P8044-28 White Baffle



P8044-20 Antique Bronze
Lamp: 55w PAR 16, 50w PAR 20, R20

Alzak® Cone



P8043-22 Gold Alzak®
P8043-21 Clear Alzak®
Lamp: 75w PAR 16, R 20, 50w PAR 20

Alzak® Cone



P8048-21 Clear Alzak®
Lamp: 75w PAR 16, R 20, 50w PAR 20

Alzak® Cone



P8049-31 Black Alzak®
Lamp: 75w PAR 16, R 20, 50w PAR 20

Open Shower Trim



P8041WL-28 White
Wet location listed
Lamp: 50w PAR 20*

Non-IC Trims

Insulation must be 3" from housing 5" outside diameter. Lamps tilt 20°

Step Baffle



P8044-09 Brushed Nickel
P8044-20 Antique Bronze
Unpainted flange



P8044-28 White
P8044-31 Black
Lamp: 55w PAR 16, 50w PAR 20, R 20

Eyeball



P8046-09 Brushed Nickel
P8046-28 White
Lamp: 75w PAR 16, 50w PAR 20

Eyeball



P8046-20 Antique Bronze
Lamp: 75w PAR 16, 50w PAR 20

Pinhole Spot



P8042-28 White
Lamp: 40w PAR 16, 30w R 20

Wall Washer



P8047-31 White w/Black Baffle
Lamp: 40w PAR 16, 30w R 20, PAR 20

Alzak® Cone



P8043-21 Clear Alzak®
Lamp: 55w PAR 16, 50w PAR 20, R 20

Alzak® Cone



P8043-22 Gold Alzak®
Lamp: 55w PAR 16, 50w PAR 20, R 20

Open Shower Trim



P8041WL-28 White
Wet location listed
Lamp: 50w PAR 20*


4" Low Voltage (MR 16)

Housings & Trims

Low Voltage Housings

For complete fixture, order housing with trim.


New Construction Air-Tight and IC



P817-AT
 Ceiling opening: 4-1/2"
 Plaster frame: 15-3/4" x 9-3/4"
 Recessed depth: 7-1/2"
 Pryouts: 1/2" and 3/4"

- P817-AT**
- UL and CUL Listed for damp locations and through wiring
 - Meets Washington State Energy Code requirements
 - Electronic transformer
 - Can be installed in ceilings from 1/2" to 2-1/2" thick.
 - Rated for 8 #12 90° conductors (4 in/4 out)


New Construction Non-IC



P816-TG
 Ceiling opening: 4-1/2"
 Plaster frame: 7-7/8" x 10-3/4"
 Recessed depth: 5-1/2"
 Pryouts: 1/2" and 3/4"

- P816-TG**
- UL and CUL Listed for damp locations and through wiring
 - Rated for 8 #12 90° conductors (4 in/4 out)
 - Can be installed in ceilings from 1/2" to 2-1/2" thick.
 - Magnetic transformer

Remodel Non-IC



P818-TG
 Ceiling opening: 4-1/4"
 Recessed depth: 5-1/2"
 Pryouts: 1/2"

- P818-TG**
- Integral flange on housing and exclusive locking bars permit quick mounting on ceilings from 1/2" to 1" thick
 - UL & CUL Listed for damp locations
 - Rated for 4 #12 90° conductors (2 in/2 out)
 - Rated for 60° supply wires in end-of-run applications.
 - Magnetic transformer

Lamp wattages shown are maximum.
 For accessories see page 638 for details.

IC Trims & Non-IC Trims

5" outside diameter All trims have 360° positioning
 Lamps tilt 30° max.

Step Baffle



P8037-28 White Baffle
 IC/Non-IC Lamp: 12V 50w MR-16



P8037-31 Black Baffle
 IC/Non-IC Lamp: 12V 50w MR-16



P8037-09 Brushed Nickel
 IC/Non-IC Lamp: 12V 50w MR-16

Slotted



P8039-28 White
 IC Lamp: 12V 35w MR-16
 Non-IC Lamp: 12V 50w MR-16



P8036-28 White
 IC Lamp: 12V 35w MR-16
 Non-IC Lamp: 12V 50w MR-16



P8045-31 White w/ Black Baffle
 IC Lamp: 12V 35w MR-16
 Non-IC Lamp: 12V 50w MR-16

Eyeball



P8057-28 White
 Rotates 360°, tilts 30°
 IC/Non-IC Lamp: 12V 50w MR-16



P8057-20 Antique Bronze
 IC/Non-IC Lamp: 12V 50w MR-16



P8056-21 Clear Alzak®
 IC/Non-IC Lamp: 12V 50w MR-16

Alzak® Cone

6" Compact Fluorescent

For complete fixture, order housing with trim.

Housings & Trims – 26w

New Construction
Air-Tight, IC 26w



New Construction and Remodel
Dimmable 26w



Remodel IC 26w



Remodel IC
Dimmable 26w



P83-26ICAT

Ceiling opening: 6-7/8"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" and 3/4"

P83-26ICAT

- Quick-connects allow simple installation of 12-20 AWG wire, without the need for wire nuts
- 120V NPF electronic ballast
- Meets California T-24 requirements
- Not rated for through branch, but can be "daisy-chained"
- One 26w 4-pin triple CFL vertically mounted
- Nail bar hangers span 24" T-bar spacing
- Can be installed in ceilings from 1/2" to 2" thick
- Meets WSEC code requirements



P83-26ICATDM

Ceiling opening: 6-7/8"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" and 3/4"

P83-26ICATDM

- 120V NPF electronic dimmable ballast. Dimmable to 15% of lamp output on standard incandescent dimmers
- Meets California T-24 requirements
- Not rated for through branch, but can be "daisy-chained"
- One 26w 4-pin triple CFL vertically mounted
- Nail bar hangers span 24" T-bar spacing
- Can be installed in ceilings from 1/2" to 2" thick
- Meets WSEC code requirements



P183-26EB

Ceiling opening: 6-5/8"
Recessed depth: 7-1/2"
Pryouts: 1/2"

P183-26EB

- 120V NPF electronic ballast
- Exclusive slide mounting bars permit quick and solid mounting in ceilings
- Can be installed in ceilings from 1/2" to 1-1/2" thick.
- UL and CUL listed for damp locations and through wiring
- Rated for 4 #12 90° conductors (2 in/2 out)
- Rated for 60° supply wires in end of run applications
- One 26w 4-pin triple CFL vertically mounted
- Meets WSEC code requirements



P183-26DM

Ceiling opening: 6-5/8"
Recessed depth: 7-1/2"
Pryouts: 1/2"

P183-26DM

- 120V NPF electronic dimmable ballast. Dimmable to 15% of lamp output on standard incandescent dimmers
- Exclusive slide mounting bars permit quick and solid mounting in ceilings
- Can be installed in ceilings from 1/2" to 1-1/2" thick.
- UL and CUL listed for damp locations and through wiring
- Rated for 4 #12 90° conductors (2 in/2 out)
- Rated for 60° supply wires in end of run applications
- One 26w 4-pin triple CFL vertically mounted
- Meets WSEC code requirements



Catalog No: **P83-26ICAT, P183-26EB, P83-26ICATDM, P183-26DM**

Wattage: 26w

Lamp base: GX24q-3, 4-pin

Lamp type: Triple

Trim no.	Lamp*	Maximum Length of Lamp
P8025	GE F26TBX, Philips PLT26, Sylvania CF26DT	5.3"
P8052, P8053, P8054	GE F26TBX, Philips PLT26, Sylvania CF26DT	5.5"
P8060, P8062, P8008	Sylvania CF26DT	4.8"
P8066, P8068, P8072, P8075	GE F26TBX, Philips PLT26, Sylvania CF26DT	5.5"
P8096	GE F26TBX, Philips PLT26, Sylvania CF26DT	5.9"

* Partial lamp list of maximum wattages and lengths.
Consult lamp manufacturers for available lamps with M.O.L. requirements.

IC Housings & Trims – 26w

7-3/4" outside diameter, except where indicated
IC trims may be used as non-IC trims with same wattages.

Baffle



P8075-28 White

Baffle



P8075-31 Black

Open Splay



P8072-28 White

Wall Washer



P8052-28 White Baffle

Step Baffle



P8066-28 White

Baffle



P8066-31 Black

Open Splay



P8066-09 Brushed Nickel*
P8066-20 Antique Bronze
*Unpainted Flange

Cone



P8068-21A Clear Alzak®
P8068-21 Clear Anodized

Cone



P8068-22A Gold Alzak®
P8068-28 White

Cone



P8053-31 Black Alzak®
Black Flange

IC Trims: Wet Location Listed

7-3/4" outside diameter, except as noted. IC trims may be used as non-IC trims with same wattages

Dome Shower



P8025-60 White
Polycarbonate
Wet location listed
8-3/4" outside diameter

Drop Opal Shower



P8096-60 White
Wet location listed
Non-metallic flange

Fresnel



P8062-28 White
Wet location listed
Metal flange

Albalite - Metal



P8060-28 White
Wet location listed
Metal flange

Albalite - Plastic



P8008-60 White
Wet location listed
Non-metallic flange



6" Compact Fluorescent

For complete fixture, order housing with trim.

Housings & Trims – 13w, 18w

New Construction
Air Tight, IC 13w



New Construction
Air Tight, IC 13w



New Construction Air
Tight, IC 18w



P83-ICAT
Ceiling opening: 6-7/8"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" and 3/4"



P83-AT
Ceiling opening: 6-7/8"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" and 3/4"



P88-ICAT
Ceiling opening: 6-7/8"
Plaster frame: 7-7/8" x 10-3/4"
Recessed depth: 7-1/2"
Pryouts: 1/2" and 3/4"

- P83-ICAT**
- 120V NPF electronic ballast
 - One 13w 4-pin quad or triple CFL vertically mounted
 - Meets California T-24 requirements
 - Not rated for through branch, but can be "daisy-chained"
 - Nail bar hangers span 24" T-bar spacing
 - Can be installed in ceilings from 1/2" to 2" thick
 - Meets ASTM E283 and WSEC for air-tight requirements

- P83-AT**
- 120-277V HPF electronic ballast
 - FCC rated Class A ballast
 - One 13w 4-pin quad or triple CFL vertically mounted
 - Accessory Ceiling Gasket
 - Integral Romex clamp
 - Spans 24" T-bar spacing
 - Rated for 8 #12 90° conductors (4 in/4 out)
 - Can be installed in ceilings from 1/2" to 2" thick
 - Meets ASTM E283 and WSEC for air-tight requirements

- P88-ICAT**
- 120V NPF electronic ballast
 - Not rated for through branch, but can be "daisy-chained"
 - One 18w 4-pin quad or triple CFL vertically mounted
 - Meets California T-24 requirements
 - Spans 24" T-bar spacing
 - Can be installed in ceilings from 1/2" to 2" thick
 - Meets ASTM E283 and WSEC for air-tight requirements

Catalog No: **P83-ICAT, P83-AT**
Wattage: 13w
Lamp base: G24q-1 or GX24q-1, 4-pin
Lamp type: Triple or Quad

Catalog No: **P88-ICAT, P183-EB**
Wattage: 18w
Lamp base: GX24q-2, 4-pin
Lamp type: Triple or Quad

Trim No.	Lamp*	Maximum Length of Lamp
P8007, P8009	GE F13TBX, Sylvania CF13DT, Philips PLT18, Sylvania CF18DT	4.8"
P8025	GE F13DBX, GE F13TBX, Philips PLC13, Sylvania CF13DD, Sylvania CF13DT	5.3"
P8052, P8053, P8054	GE F13DBX, GE F13TBX, Philips PLC13, Sylvania CF13DD, Sylvania CF13DT	5.5"
P8008, P8060, P8062	GE F13DBX, GE F13TBX, Sylvania CF13DT	4.8"
P8066, P8068, P8072, P8075	GE F13DBX, GE F13TBX, Philips PLC13, Sylvania CF13DD, Sylvania CF13DT	5.5"
P8096	GE F13DBX, GE F13TBX, Philips PLC13, Sylvania CF13DD, Sylvania CF13DT	5.9"

Trim No.	Lamp*	Maximum Length of Lamp
P8007, P8009	Philips PLT18, Sylvania CF18DT	4.8"
P8025	GE F18TBX, Philips PLT18, Sylvania CF18DT	5.3"
P8052, P8053, P8054	GE F18TBX, Philips PLT18, Sylvania CF18DT	5.5"
P8008, P8060, P8062	GE F18TBX, Philips PLT18, Sylvania CF18DT	4.8"
P8066, P8068, P8072, P8075	GE F18TBX, Philips PLT18, Sylvania CF18DT,	5.5"
P8096	GEF18DBX, GE F18TBX, Philips PLC18, Philips PLT18, Sylvania CF18DD, Sylvania CF18DT	5.9"

* Partial lamp list of maximum wattages and lengths.
Consult lamp manufacturers for available lamps

IC Trims

Baffle



P8075-28 White
P8075-21 Black Baffle

Wall Washer



P8052-28 White Baffle
P8052-31 Black Baffle

Open Splay



P8072-28 White

Step Baffle



P8066-28 White

7-3/4" outside diameter, except where indicated. IC trims may be used as non-IC trims with same wattages. Trims are for use with compact fluorescent recessed fixtures listed in chart at left.

*For accessories see page 638 for details.
US Patent # 9758959, 9857766, 6004011*

Cone



P8068-22A Gold Alzak®



P8068-21A Clear Alzak®
P8068-28 White

Cone



P8053-31 Black



P8066-31 Black
P8066-09 Brushed Nickel*
P8066-20 Antique Bronze
*Unpainted Flange

IC Trims: Wet Location Listed

Albalite



P8060-28 White
Wet location listed
Metal flange

Albalite



P8008-60 White
Wet location listed
Non-metallic flange

Dome Shower



P8025-60
White Polycarbonate
Wet location listed
OD: 8-3/4"

Fresnel



P8062-28 White
Wet location listed
Metal flange

7-3/4" outside diameter, except as noted. IC trims may be used as non-IC trims with same wattages. Trims are for use with compact fluorescent recessed fixtures listed in chart at left.

*For accessories see page 638 for details.
US Patent # 9758959, 9857766, 6004011*

Drop Opal Shower



P8096-60 White
Wet location listed
Non-metallic flange

Drop Opal Shower



P8007-60 White Glass
Wet location listed
Metal Flange
OD: 8-1/4"

Drop Opal Shower




P8009-60 White
Wet location listed
Non-metallic flange

4" Compact Fluorescent

Housings & Trims For complete fixture, order housing with trim.

AT/IC 18w & 13w New Construction



P830-18ICAT
P830-13ICAT
Ceiling opening: 4-1/2"
Plaster frame: 17-7/8" x 10-3/4"
Recessed depth: 5-1/2"

P830-18ICAT P830-13ICAT

- 120V NPF electronic ballast
- One 13w or 18w GX24q triple CFL vertically mounted
- Exclusive slide mounting bars permit quick and solid mounting in ceilings
- Nail hanger spans 24" T-bar spacing
- UL and CUL listed for damp locations
- Meets WSEC for air-tight requirements



Trims 5" outside diameter

Open



P8145-28 White



P8145-21 Clear Anodized

Baffle



P8144-28 White



P8144-31 Black

Housings & Trims



P8023-EB
P8212-EB120
P8212-EB277

Ceiling Opening: 6-1/4"
Ceiling Thickness: 1-1/4"
Plaster Frame: 9-1/16" x 15-1/2"
Pryouts: 1/2" and 3/4"

- Universal 120-277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50 lumens per watt fixture efficacy
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers included
- Suitable for wet locations, non-IC rated
- 5 year warranty



Wall Washer
P8005-EB
P8223-EB120V
P8223-EB277V

Ceiling Opening: 6-1/4"
Ceiling Thickness: 1-1/4"
Plaster Frame: 9-1/16" x 15-1/2"
Pryouts: 1/2" and 3/4"

- Wall wash orientation field adjustable in 90° increments
- Universal 120-277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers included
- Suitable for wet locations, non-IC rated
- 5 year warranty

1100 Lumen Open Module Trims (P8023)



P8021-21A/30K
P8021-21A/35K
P8021-21A/40K



P8021-22A/30K
P8021-22A/35K
P8021-22A/40K



P8021-28/30K
P8021-28/35K
P8021-28/40K

2000 Lumen Open Module Trims (P8023)



P8050-21A/30K
P8050-21A/35K
P8050-21A/40K



P8050-22A/30K
P8050-22A/35K
P8050-22A/40K



P8050-28/30K
P8050-28/35K
P8050-28/40K

2800 Lumen Open Module Trims (P8212)



P8112-21A/30K
P8112-21A/35K
P8112-21A/40K



P8112-22A/30K
P8112-22A/35K
P8112-22A/40K



P8112-28/30K
P8112-28/35K
P8112-28/40K

1100 Lumen Wall Wash Module (P8005)



P8006-21A/30K
P8006-21A/35K
P8006-21A/40K



P8006-22A/30K
P8006-22A/35K
P8006-22A/40K

2000 Lumen Wall Wash Module (P8005)



P8051-21A/30K
P8051-21A/35K
P8051-21A/40K



P8051-22A/30K
P8051-22A/35K
P8051-22A/40K

2800 Lumen Wall Wash Module (P8223)



P8123-21A/30K
P8123-21A/35K
P8123-21A/40K



P8123-22A/30K
P8123-22A/35K
P8123-22A/40K



P8123-28/30K
P8123-28/35K
P8123-28/40K

6" LED Retrofit



Housings & Trims



P8002-EB

Ceiling Opening: min. 6-1/8" max. 6-1/2"
P8002-EBSD (Must use WF trims)
 Ceiling Opening: min. 5-15/16" max. 6-1/8"
 Ceiling Thickness: 1-1/2"
 Plaster Frame: 7" x 12-3/4" to 15"
 Pryouts: 1/2" and 3/4"

- Universal 120-277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50 lumens per watt fixture efficacy
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers included
- Suitable for wet locations, non-IC rated
- 5 year warranty



P8214-EB277V

P8214-EB120V

Ceiling Opening: min. 6-1/8" max. 6-1/2"
P8214-EBSD (Must use WF trims)
 Ceiling Opening: min. 5-15/16" max. 6-1/8"
 Ceiling Thickness: 1-1/2"
 Plaster Frame: 7" x 12-3/4" to 15"
 Pryouts: 1/2" and 3/4"

- 120V or 277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50 lumens per watt fixture efficacy
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Suitable for wet locations, non-IC rated
- 5 year warranty

1100 Lumen Open Module Trims (P8002EB)



P8021-21A/30K
 P8021-21A/35K
 P8021-21A/40K

P8021-22A/30K
 P8021-22A/35K
 P8021-22A/40K

P8021-28/30K
 P8021-28/35K
 P8021-28/40K

1100 Lumen Open Module Trims (P8002ESB)



P8021-21A/30KWF*
 P8021-21A/35KWF*
 P8021-21A/40KWF*

P8021-22A/30KWF*
 P8021-22A/35KWF*
 P8021-22A/40KWF*

P8021-28/30KWF*
 P8021-28/35KWF*
 P8021-28/40KWF*

2000 Lumen Open Module Trims (P8002EB)



P8050-21A/30K
 P8050-21A/35K
 P8050-21A/40K

P8050-22A/30K
 P8050-22A/35K
 P8050-22A/40K

P8050-28/30K
 P8050-28/35K
 P8050-28/40K

2000 Lumen Open Module Trims (P8002ESB)



P8050-21A/30KWF*
 P8050-21A/35KWF*
 P8050-21A/40KWF*

P8050-22A/30KWF*
 P8050-22A/35KWF*
 P8050-22A/40KWF*

P8050-28/30KWF*
 P8050-28/35KWF*
 P8050-28/40KWF*

2800 Lumen Open Module Trims (P8214)



P8112-21A/30K
 P8112-21A/35K
 P8112-21A/40K

P8112-22A/30K
 P8112-22A/35K
 P8112-22A/40K

P8112-28/30K
 P8112-28/35K
 P8112-28/40K

2800 Lumen Open Module Trims (P8214-EBSD)



P8112-21A/30KWF*
 P8112-21A/35KWF*
 P8112-21A/40KWF*

P8112-22A/30KWF*
 P8112-22A/35KWF*
 P8112-22A/40KWF*

P8112-28/30KWF*
 P8112-28/35KWF*
 P8112-28/40KWF*

Housings & Trims



P8220-EB120V
P8220-EB277V

Ceiling Opening: 6-1/4"
Ceiling Thickness: 1-1/4"
Plaster Frame: 9-1/16" x 15-1/2"
Pryouts: 1/2" and 3/4"

- 120V or 277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50 lumens per watt fixture efficacy
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers included
- Suitable for wet locations, non-IC rated
- 5 year warranty

2800 Lumen Open Module Trims (P8220)



P8120-21A/30K
P8120-21A/35K
P8120-21A/40K



P8120-22A/30K
P8120-22A/35K
P8120-22A/40K



P8120-28A/30K
P8120-28A/35K
P8120-28A/40K



P8103-EB

Ceiling Opening: 6-1/4"
Ceiling Thickness: 1-1/4"
Plaster Frame: 9-1/16" x 15-1/2"
Pryouts: 1/2" and 3/4"

- 120V or 277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50 lumens per watt fixture efficacy
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers included
- Suitable for wet locations, non-IC rated
- 5 year warranty

1100 Lumen Open Module Trims (P8103)



P8121-21A/30K
P8121-21A/35K
P8121-21A/40K



P8121-22A/30K
P8121-22A/35K
P8121-22A/40K



P8121-28A/30K
P8121-28A/35K
P8121-28A/40K

2000 Lumen Open Module Trims (P8103)



P8133-21A/30K
P8133-21A/35K
P8133-21A/40K



P8133-22A/30K
P8133-22A/35K
P8133-22A/40K



P8133-28/30K
P8133-28/35K
P8133-28/40K

8" LED: Retrofit

Housings & Trims



P8102-EB

Ceiling Opening: min. 8-1/8" max. 8-3/4"
P8102-EBSD (Must use WF trims)
 Ceiling Opening: min. 7-15/16" max. 8-1/8"
 Ceiling Thickness: 1-1/2"
 Plaster Frame: 9" x 13-3/4" to 16"
 Pryouts: 1/2" and 3/4"

- Universal 120-277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50 lumens per watt fixture efficacy
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Suitable for wet locations, non-IC rated
- 5 year warranty

1100 Lumen Open Module Trims (P8102-EB)



P8121-21A/30K
 P8121-21A/35K
 P8121-21A/40K

P8121-22A/30K
 P8121-22A/35K
 P8121-22A/40K

P8121-28/30K
 P8121-28/35K
 P8121-28/40K

1100 Lumen Open Module Trims (P8102-EBSD)



P8121-21A/30KWF*
 P8121-21A/35KWF*
 P8121-21A/40KWF*

P8121-22A/30KWF*
 P8121-22A/35KWF*
 P8121-22A/40KWF*

P8121-28/30KWF*
 P8121-28/35KWF*
 P8121-28/40KWF*

2000 Lumen Open Module Trims (P8102-EB)



P8133-21A/30K
 P8133-21A/35K
 P8133-21A/40K

P8133-22A/30K
 P8133-22A/35K
 P8133-22A/40K

P8133-28/30K
 P8133-28/35K
 P8133-28/40K

2000 Lumen Open Module Trims (P8102-EBSD)



P8133-21A/30KWF*
 P8133-21A/35KWF*
 P8133-21A/40KWF*

P8133-22A/30KWF*
 P8133-22A/35KWF*
 P8133-22A/40KWF*

P8133-28/30KWF*
 P8133-28/35KWF*
 P8133-28/40KWF*



P8215-EB120V

P8215-EB277V
P8215-EBSD (Must use WF trims)
 Ceiling Opening: min. 7-15/16" max. 8-1/8"
 Ceiling Thickness: 1-1/2"
 Plaster Frame: 9" x 13-3/4" to 16"
 Pryouts: 1/2" and 3/4"

- 120V or 277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50 lumens per watt fixture efficacy
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Suitable for wet locations, non-IC rated
- 5 year warranty

2800 Lumen Open Module Trims (P8215)



P8120-21A/30K
 P8120-21A/35K
 P8120-21A/40K

P8120-22A/30K
 P8120-22A/35K
 P8120-22A/40K

P8120-28/30K
 P8120-28/35K
 P8120-28/40K

2800 Lumen Open Module Trims (P8215-EBSD)



P8120-21A/30KWF*
 P8120-21A/35KWF*
 P8120-21A/40KWF*

P8120-22A/30KWF*
 P8120-22A/35KWF*
 P8120-22A/40KWF*

P8120-28/30KWF*
 P8120-28/35KWF*
 P8120-28/40KWF*

Housings & Trims

1100 Lumen Open Module Trims (P8064)



P8067-21A/30K
P8067-21A/35K
P8067-21A/40K



P8067-22A/30K
P8067-22A/35K
P8067-22A/40K



P8067-28A/30K
P8067-28A/35K
P8067-28A/40K

P8064-EB

Ceiling Opening: 5-3/8"

Ceiling Thickness: 1-1/4"

Plaster Frame: 9-1/16" x 15-1/2"

Pryouts: 1/2" and 3/4"

- Universal 120-277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K, 80 CRI
- 50 lumens per watt fixture efficacy
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers included
- Suitable for wet locations, non-IC rated
- 5 year warranty

2000 Lumen Open Module Trims (P8064)



P8206-21A/30K
P8206-21A/35K
P8206-21A/40K



P8206-22A/30K
P8206-22A/35K
P8206-22A/40K



P8206-28/30K
P8206-28/35K
P8206-28/40K



6" LED: New Construction



Housings & Trims



P8216-EB 120V LED Housing
P8216-EBDM 120V LED Dimmable Housing
P8216-277EB 277V LED Housing
P8216-277EBDM 277V LED Dimmable Housing

Ceiling Opening: 6-1/4"
 Ceiling Thickness: 1-1/4"
 Plaster Frame:
 Pryouts: 1/2" and 3/4"

Built to order with a 2-4 week lead time

- Universal 120-277V high efficiency driver
- 3000K, 3500K and 4000K, 80 CRI
- 50,000 hour life at 70% lumen maintenance
- J-box rated for (8) #12-90° conductors (4 in/4 out)
- Suitable for wet locations, non-IC rated
- 5 year warranty

900 Lumen Open Module Trims (P8216)



P8104-28K/30K
P8104-28K/35K
P8104-28K/40K

1300 Lumen Open Module Trims (P8216)



P8105-28K/30K
P8105-28K/35K
P8105-28K/40K

1500 Lumen Open Module Trims (P8216)



P8106-28K/30K
P8106-28K/35K
P8106-28K/40K



6" CFL New Construction



Housings & Trims



P63-EB shown with P8030-21A trim

Catalog No.	Ballast	Wattage	Lamp Base	Line Current (Amps)	Input (Watts)	Power Factor	Minimum START Temp. (°F)
P63-EB	120/277V Electronic	2 13w Quad 4-Pin	GX24q-1	0.25/0.11	29	>0.90	0
P63-EBEM							
P66-EB	120/277V Electronic	2 26w Quad 4-Pin	GX24q-3	0.45/0.20	54	>0.90	0
P66-EBEM							
P66-DM	120 Electronic Dimmable	2 26w Quad 4-Pin	GX24q-3	0.48	54	>0.90	50
P66-DBEM							
P68-EB	120/277V Electronic	2 18w Quad 4-Pin	GX24q-2	0.33/0.14	39	>0.90	0
P68-EBEM							
P6132-EB	120/277V Electronic	1 26w Triple 4-Pin 1 32w Triple 4-Pin	GX24q-4 GX24q-4	0.24/0.11 0.31/0.13	29 36	>0.90 >0.90	0 0

Ceiling opening: 6-1/4" dia.
Plaster frame: 9-1/16" x 14"
Recessed depth: see trims
Pryouts: 1/2" and 3/4"

- 120/277v HPF electronic ballast
- Bar hangers included
- J-box rated for 8 #12 90° conductors (4 in/4 out)
- cCSAus listed for damp locations
- Accommodates 1-1/4" thick ceilings
- EM at end of Catalog No. is for Integral Emergency Battery Pack. See Page 628 for details. **MTO**

Trims for P63, P66, P68

7" outside diameter (OD)
5-3/4" aperture
Recessed Depth: 4-3/4"
(except as indicated)

Open



P8030-28 White



P8030-21A Clear Alzak®



P8030-22A Gold Alzak®

Wall Wash



P8032-21 Clear Alzak®
RD: 5-3/4"

Baffle



P8031-28 White



P8031-31 Black

Regressed Prismatic Lens



P8035-68 White
Wet location listed
RD: 5-3/4"

Regressed Fresnel Lens



P8034-83 White
Wet location listed
RD: 5-3/4"

*MTO

Trims for P6132-EB

7" outside diameter (OD)
5-3/4" aperture
Recessed Depth: 4-3/4"
(except as indicated)

Baffle



P8014-28 White

Open



P8015-21A Clear Alzak®

Regressed Prismatic Lens



P8016-68 White
Wet location listed
RD: 5-3/4"

Regressed Fresnel Lens



P8016-83 White
Wet location listed
RD: 5-3/4"

Baffle



P8014-31 Black

Open



P8015-22A Gold Alzak®

6" CFL Retrofit



Housings & Trims



P166H-DVEB shown with P8030-21A trim

- Maximizes energy efficiency and helps meet lighting power density demands.
- cCSAus listed as a stand-alone product as a means to retrofit existing 6" downlight housings, no matter the brand or manufacturer of existing housing in ceiling.
- Requires no bar hangers for installation and are easily installed into drywall or t-bar ceilings, without requiring top access.
- Retrofit CFL is the only product on the market of its kind to be cCSAus listed, regardless of the housing above ceiling.

Catalog No.	Ballast	Wattage	Lamp Base	Line Current (Amps)	Input (Watts)	Power Factor	Minimum START Temp. (°F)
P162H-DVEB*	120/277V Electronic	1 26W Triple 4-Pin	GX24Q-3	0.24/0.11	29	>0.90	0
		1 32W Triple 4-Pin	GX24Q-3	0.31/0.13	36	>0.90	0
P162H-DVEBSD*	120/277V Electronic	1 26W Triple 4-Pin	GX24Q-3	0.24/0.11	29	>0.90	0
		32W Triple 4-Pin	GX24Q-3	0.31/0.13	36	>0.90	0
P163H-DVEB*	120/277V Electronic	2 13W Quad 4-Pin	G24Q-1	0.25/0.11	29	>0.90	0
P163H-DVEBSD*	120/277V Electronic	2 13W Quad 4-Pin	G24Q-1	0.25/0.11	29	>0.90	0
P166H-DVEB*	120/277V Electronic	2 26W Quad 4-Pin	G24Q-3	0.43/0.19	52	>0.90	0
P166H-DVEBSD*	120/277V Electronic	2 26W Quad 4-Pin	G24Q-3	0.43/0.19	52	>0.90	0
P166H-DM*	120 Electronic	2 26W Quad 4-Pin	G24Q-3	0.48	58	>0.90	50
P166H-DMSD*	120 Electronic	2 26W Quad 4-Pin	G24Q-3	0.48	58	>0.90	50
P168H-DVEB*	120/277V Electronic	2 18W Quad 4-Pin	G24Q-2	0.30/0.13	35	>0.90	0
P168H-DVEBSD*	120/277V Electronic	2 18W Quad 4-Pin	G24Q-2	0.30/0.13	35	>0.90	0

Use P8100-01 accessory with wide flange (WF) trims. Refer to housing compatibility guide on spec sheet. DM dimmable housings are 120V only. Dimmable to 5% with 2-wire switches compatible with Advance Mark X ballasts. All Retrofit housings listed above are MTO only. Consult Factory for timing. Normally 2 to 4 week turnaround.

Trims for P162H

7" outside diameter (OD)
5-3/4" aperture
Recessed Depth (RD): 4-3/4"
(except as indicated)

*MTO

Open	Baffle		
P8015-21A Clear Alzak® P8015-21AWF Wide Flange*	P8015-22A Gold Alzak® P8015-22AWF Wide Flange*	P8014-28 White R.D.: 7-1/8"	P8014-31 Black
Regressed Prismatic Lens	Regressed Fresnel Lens	* Wide flange trims come with 80 Housings, MTO.	
P8016-68 White Wet location listed RD: 5-3/4"	P8016-83 White Wet location listed RD: 5-3/4"		

Trims for P163H/168H/166H

7" outside diameter (OD)
5-3/4" aperture
Recessed Depth (RD): 4-3/4"
(except as indicated)

* Wide flange trims come with 80 Housings, MTO.

Open	Wall Wash	Open	
P8030-28 White Alzak® P8030-28WF Wide Flange*	P8030-21A Clear Alzak® P8030-21AWF Wide Flange*	P8032-21A Clear RD: 5-3/4"	P8030-22A Gold Alzak® P8030-22AWF Wide Flange*
Baffle		Regressed Prismatic Lens	Regressed Fresnel Lens
P8031-28 White	P8031-31 Black	P8035-28 White Wet location listed RD: 5-3/4"	P8034-83 White Wet location listed RD: 5-3/4"

8" CFL: New Construction

Housings & Trims



P8226-DVEB shown with P8130-21A trim

Ceiling opening: 8-3/16" dia.
Plaster frame: 9-1/16" x 14"
Recessed depth: see trims
Pryouts: 1/2" and 3/4"

Catalog No.	Ballast	Lamp Wattage	Lamp Base	Line Current (Amps)	Input (Watts)	Minimum Start Temp. (°F)
P8213-EB	120/277V Elec.	2 13w Quad 4-Pin	GX24q-1	0.25/.11	29	0
P8213-EBEM*	120/277V Elec.	2 13w Quad 4-Pin	GX24q-1	0.25/.11	29	0
P8218-DVEB	120/277V Elec.	2 18w Quad 4-Pin	GX24q-2	0.33/0.14	39	0
P8218-DVEBEM*	120/277V Elec.	2 18w Quad 4-Pin	GX24q-2	0.33/0.14	39	0
P8226-DVEB	120/277V Elec.	2 26w Quad 4-Pin	GX24q-3	0.45/0.20	54	0
P8226-DVEBEM*	120/277V Elec.	2 26w Quad 4-Pin	GX24q-3	0.45/0.20	54	0
P8226-DM	120V Elec.	2 26w Quad 4-Pin Dimmable	GX24q-3	0.46	54	50
P8232-EB	120/277V Elec.	2 32w Triple 4-Pin 2 42w Triple 4-Pin	GX24q-4	0.57/0.25 0.78/0.33	68 93	0 0
P8232-EBEM*	120/277V Elec.	2 32w Triple 4-Pin 2 42w Triple 4-Pin	GX24q-4	0.57/0.25 0.78/0.33	68 93	0 0

- 120/277V HPF electronic ballast
- Bar hangers span 24" T-bar spacing
- J-Box rated for 8 #12 90° conductors (4 in/4 out)
- Accommodates 1-1/4" thick ceilings
- cCSAus listed for damp locations
- EM at end of Catalog No. is for Integral Emergency Battery Pack. See page 628 for details.



Trims for P8213, P8218, P8226

9" outside diameter
7-3/4" aperture
Recessed Depth: 6"
(except as indicated)

Open			Baffle		
	P8130-21A Clear Alzak®	P8130-22A Gold Alzak®		P8131-28 White	P8131-31 Black
Shallow Cross Louver			Regressed Prismatic Lens		Wall Wash
	P8170-21A 3-7/8" overall height R.D.: 4-3/16"	P8170-22A 3-7/8" overall height R.D.: 4-3/16"		P8135-68 Wet location listed R.D.: 7-1/8"	P8132-21 R.D.: 7-1/8"

Trims for P8232EB

For use with P8232-EB only

9" outside diameter
7-3/4" aperture
Recessed Depth: 6"
(except as indicated)

Open			Baffle		
	P8115-21A Clear Alzak®	P8115-22A Gold Alzak®		P8114-28 White	P8114-31 Black
Regressed Prismatic Lens		Regressed Fresnel Lens		Wall Wash	
	P8116-68 White Wet location listed RD: 7-1/8"		P8116-83 White Fresnel Wet location listed RD: 7-1/8"		P8113-21A Clear Alzak®
					P8113-22A Gold Alzak®

Emergency Battery Pack*

for use with all 6" and 8" standard housings



Pro-Optic offers the ability to conceal the test button and indicator light inside the trim and between the lamps, completely out of sight of the general public. The tops of all open cone and baffle* Pro-Optic trims are equipped with clearance holes for the emergency test switch and indicator light.

All internal emergency housings are MTO. Add "EM" to end of standard SKU number.

* 6" P8030 and P8031 series
8" P8130 and 8131 series

EM Options

8" CFL: Retrofit



Housings & Trims



P186H-DVEB shown with P8130-21A trim

- Maximizes energy efficiency and helps meet lighting power density demands.
- cCSAus listed as a stand-alone product as a means to retrofit existing 8" downlight housings, no matter the brand or manufacturer of existing housing in ceiling.
- Requires no bar hangers for installation and are easily installed into drywall or t-bar ceilings, without requiring top access.
- Retrofit CFL is the only product on the market of its kind to be cCSAus listed, regardless of the housing above ceiling.

Catalog No.	Ballast	Wattage	Lamp Base	Line Current (Amps)	Input (Watts)	Power Factor	Minimum START Temp. (°F)
P182H-DVEB	120/277V Electronic	2 32W Triple 4-Pin	GX24Q-4	0.57/0.25	68	>0.90	0
	120/277V Electronic	2 42W Triple 4-Pin	GX24Q-4	0.78/0.33	93	>0.90	0
P182H-DVEBSD*	120/277V Electronic	2 32W Triple 4-Pin	GX24Q-4	0.24/0.11	29	>0.90	0
	120/277V Electronic	2 42W Triple 4-Pin	GX24Q-4	0.31/0.13	36	>0.90	0
P183H-DVEB	120/277V Electronic	2 13W Quad 4-Pin	G24Q-1	0.25/0.11	29	>0.90	0
P183H-DVEBSD*	120/277V Electronic	2 13W Quad 4-Pin	G24Q-1	0.25/0.11	29	>0.90	0
P186H-DVEB	120/277V Electronic	2 26W Quad 4-Pin	G24Q-3	0.43/0.19	52	>0.90	50
P186H-DVEBSD*	120/277V Electronic	2 26W Quad 4-Pin	G24Q-3	0.43/0.19	52	>0.90	50
P186H-DM	120 Electronic	2 26W Quad 4-Pin	G24Q-3	0.48	58	>0.90	50
P186H-DMSD*	120 Electronic	2 26W Quad 4-Pin	G24Q-3	0.48	58	>0.90	50
P188H-DVEB	120/277V Electronic	2 18W Quad 4-Pin	G24Q-2	0.30/0.13	35	>0.90	0
P188H-DVEBSD*	120/277V Electronic	2 18W Quad 4-Pin	G24Q-2	0.30/0.13	35	>0.90	0

Use P8100-01 accessory with wide flange (WF) trims. Refer to housing compatibility guide on spec sheet. DM dimmable housings are 120V only. Dimmable to 5% with 2-wire switches compatible with Advance Mark X ballasts. All Retrofit housings listed above are MTO only. Consult Factory for timing. Normally 2 to 4 week turnaround. * Must use Wide Flange trims.

Trims for P182H

9" outside diameter (OD)
7-3/4" aperture
Recessed Depth (RD):
6" (except as indicated)

Open		Baffle	
P8115-21A Clear Alzak® P8115-21AWF Wide Flange*	P8115-22A Gold Alzak® P8115-22AWF Wide Flange*	P8114-28 White	P8114-31 Black
Regressed Prismatic Lens		Regressed Fresnel Lens	
		Wall Wash	
P8116-68 White Wet location listed RD: 7-1/8"	P8116-83 White Wet location listed RD: 7-1/8"		
		P8113-21A Clear Alzak® RD: 7-1/8"	P8113-22A Gold Alzak® RD: 7-1/8"

*MTO: Wide Flange trims go with SD Housings.

Trims for P183H, P188H, P186H

9" outside diameter (OD)
7-3/4" aperture
Recessed Depth (RD):
6" (except as indicated)

Open		Baffle	
P8130-21A Clear Alzak® P8130-21AWF Wide Flange*	P8130-22A Gold Alzak® P8130-22AWF Wide Flange*	P8131-28 White	P8131-31 Black
Regressed Prismatic Lens		Wall Wash	
P8135-68 White Wet location listed RD: 7-1/8"	P8132-21 Clear Alzak® RD: 7-1/8"		

*MTO: Wide Flange trims go with SD Housings.

Housings & Trims New Construction

Ceiling Opening: 6-1/4"
Recessed Depth: 8-3/8"
Plaster Frame: 9-5/8" x 15-1/2"
Pryouts: 1/2" and 3/4"



P8200-EB
with P8018-21A trim

P8200-EB/P8201-EB

- 120V HPF Electronic Ballasts.
- Bar hangers span 24" t-bar spacing.
- cCSAus listed for damp locations.
- Designed for use with ceramic metal halide lamps offering excellent CRI, color stability, and life.
- Bar hangers sold separately
 - P8725-01 for T-bar
 - P8739-01 for joist

Ceiling Opening: 8-1/4"
Recessed Depth: 10"
Plaster Frame: 9-5/8" x 15-1/2"
Pryouts: 1/2" and 3/4"



P8202-EB
with P8018-21A trim

P8202-EB/P8203-EB

- 120V HPF Electronic Ballasts.
- Bar hangers span 24" t-bar spacing.
- cCSAus listed for damp locations.
- Designed for use with ceramic metal halide lamps offering excellent CRI, color stability, and life.
- Bar hangers sold separately
 - P8725-01 for T-bar
 - P8739-01 for joist

Catalog No.	Ballast	Lamp Wattage	Lamp Base	Line Current (Amps)	Input (Watts)	Power Factor	Minimum Start Temp. (°F)
P8200-EB	120V HPF Electronic	1 70w ED17 or PAR30L CMH	E26med	0.67	80	>0.90	-20
P8201-EB*	120V HPF Electronic	1 100w ED17	E26med	0.92	110	>0.90	-20

*Open and baffle trims only

Trims for P8200, P8201 7" outside diameter (OD) 5-3/4" aperture Recessed Depth: 8"

Open



P8018-21A Clear Alzak®



P8018-22A Gold Alzak®

Baffle



P8017-28 White



P8017-31 Black

Regressed Prismatic Lens*



P8019-68 White
Wet location listed

Regressed Fresnel Lens*



P8019-83 White
Wet location listed

*70W PAR30L or ED17 only

Catalog No.	Ballast	Wattage	Lamp Base	Line Current (Amps)	Input (Watts)	Power Factor	Minimum Start Temp. (°F)
P8202-EB	120V HPF Electronic	1 70w ED17 or PAR30L CMH	E26med	0.67	80	>0.90	-20
P8203-EB	120V HPF Electronic	1 100w ED17	E26med	0.92	110	>0.90	-20

Trims for P8202, P8203 9" outside diameter (OD) 7-3/4" aperture Recessed Depth: 10"

Open



P8118-21A Clear Alzak®



P8118-22A Gold Alzak®

Baffle



P8117-28 White



P8117-31 Black

Regressed Prismatic Lens



P8119-68 White
Wet location listed

Regressed Fresnel Lens



P8119-83 White
Wet location listed



6" 26W – 42W Compact Fluorescent Trimlite

Housings & Trims

For complete fixture, order housing with trim.

6" Vertical Mounted Lamp

P632-EB

- 3 lamps (26w, 32w, 42w), 2 voltages (120V/277), 1 housing
- 120V/277V HPF electronic ballast
- Superior visual cut off of lamp image
- End of Lamp Life Shutdown Circuit Protection
- Ceiling opening 6-7/8", plaster frame 7-7/8" x 10-3/4", Recessed Depth (R.D.) See reflector trims
- Maximum ceiling thickness: 1-1/2"
- Socket cup mounts to trim for consistent lamp positioning
- Socket cup can be positioned in upper or lower positions for different beamspread diameters
- Full reflector design eliminates light leaks around trim flange
- Slotted, interlocking bar hangers securely span 24" T-bar spacing
- UL and CUL listed for damp locations and through wiring
- Integral nailer and T-bar mounting clamp
- Rated for 8 #12 90° conductors (4 in/4 out)



P632-EB

Ceiling Opening: 6-7/8"
 Plaster Frame: 7-7/8" x 10-3/4"
 Recess Depth (R.D.): See trims
 Pryouts: 1/2" and 3/4"

Lamp Wattage	Line Current Voltage	Input Amps	Min Start Watts	Temp.(F)
26W Triple Tube	120	0.25	28	0°
26W Triple Tube	277	0.11	28	0°
32W Triple Tube	120	0.32	36	0°
32W Triple Tube	277	0.14	36	0°
42W Triple Tube	120	0.42	48	0°
42W Triple Tube	277	0.18	48	0°

Total Harmonic Distortion <10%
 Lamp Current Crest Factor <1.5
 Power Factor >.98
 End of Lamp Life Shutdown Circuit Protection

Trims for P632-EB

Lamp: 26w, 32w or 42w triple tube CFL
 RD: 8-1/4", OD: 7-7/16" (except as noted)

Open Trim



P6621-30 White

Scoop Wall Washer



P6623-30 White

Step Baffle



P6625-30 White

Alzak® Multiplier



P6715-21 Clear Alzak®
 RD: 10-5/8"
 OD: 7-3/4"

Regressed Lens



P6691-83
 Wet location listed
 RD: 8-1/4", OD: 7-5/8"



★ 6" LED Fire Rated

Housings & Trims



P821-FBLED

- IC rated
- Fits into 2" x 10" construction
- CUL and UL listed for wet location when used w/P8071 (sold separately)
- UL classified to maintain fire ratings of 2 hour or less (see spec sheet for ceiling/floor designs)



P821-FBLED

Ceiling Opening: 6-7/8"
Recessed Depth: 8-9/16"
Plaster Frame: 12-3/8" - 9-9/16"
Pryouts: 1/2" and 3/4"

P8071

Features

- Frosted polycarbonate lens controls direct glare from the LEDs
- 5 LED (Light Emitting Diode) lamps included
- 13.5-watt input power
- Lumen output 691 lumens
- Lumen output and distribution comparable to a 65w BR30 incandescent lamp
- CRI is 80+ rivaling CFL
- 60,000 hours life based on 70% lumen maintenance (TM-21)
- Suitable for use in IC or NON-IC applications
- cULus listed for wet locations



P8071-28/30KSTR2 



Includes Edison base socket and Quick-Link connector



6" Fluorescent Fire Rated



Housings & Trims Pro-Optic® Firebox®



Catalog Number	Ballast	Wattage	Lamp Base	Current (Amps)	Line Input (Watts)	Minimum Start Temp
P63-EBFB	120/277V Electronic	2 13w Quad 4-Pin	G24q-1	0.25/0.11	29	0
P66-EBFB	120/277V Electronic	2 26w Quad 4-Pin	G24q-3	0.42/0.21	54	0
P68-EBFB	120/277V Electronic	2 18w Quad 4-Pin	G24q-2	0.35/0.15	42	0

Integral emergency option not available on any Pro-Optic Firebox® housing.
See page 598 for remote mount battery pack options.
U.S. Patent #: 6357891, 6254527, 6838618

P63-EBFB
P66-EBFB
P68-EBFB
Ceiling Opening: 6-7/8"
Recessed Depth: 8-9/16"
Plaster Frame: 12-3/8"- 9-9/16"
Pryouts: 1/2" and 3/4"

*Accessory P8555-01 IC Box required for use in IC rated applications.



- P63-EBFB, P66-EBFB, P68-EBFB**
- Non-IC rated*
 - Fits into 2" x 10" construction
 - UL 1598 and CUL listed for damp locations and through branch wiring
 - UL classified to maintain fire ratings of 1 hour or less for UL500 series ceiling/floor designs

Trims for P63-EBFB, P66-EBFB, P68-EBFB

7-3/4" outside diameter (OD), except where indicated
6-3/8" aperture
Recessed depth: 5-5/16" except where indicated

Open Alzak®



P8030-21AFB Clear



P8030-22AFB Gold

Wall Washer Alzak®



P8032-21FB Clear Alzak®



P8030-28FB White

Baffle



P8031-31FB Black Baffle
RD: 5-1/4"



P8031-28FB White Baffle
RD: 5-1/4"

Regressed Prismatic Lens



P8035-68FB Regressed Prismatic
Wet location listed
RD: 5-1/2"

Flush Albalite Lens



P8033-60FB Flush Albalite
Wet location listed
RD: 5-7/16"

Regressed Fresnel Lens



P8034-83FB Regressed Fresnel
Wet location listed
RD: 5-3/4"

Flush Fresnel Lens



P8038-83FB Flush Fresnel
Wet location listed
RD: 5-7/16"

6" Fluorescent Fire Rated



Housings & Trims Firebox®

2-Hour Fluorescent Firebox



P62-FB
 Ceiling Opening: 6-7/8"
 Recessed Depth: 8-9/16"
 Plaster Frame: 12-3/8" X 9-9/16"
 Pryouts: 1/2" and 3/4"



Energy Star qualified for 120v only

*Accessory P8555-01 IC Box required for use in IC rated applications.

- **P62-FB**
- Non-IC rated*
- Air-Tight
- Fits into 2 x 10 construction
- 120/277v HPF ballast
- UL classified to maintain up to a two hour fire rating in UL L500 & G531 fire rated ceiling assemblies
- All trims accept 26w or 32w triple tube or spiral 4-pin CFLs unless stated otherwise
- Includes hardware for mounting to furring channels



Patented

Catalog no: **P62-FB**
 Wattage: 26w or 32w
 Lamp base: GX24q-3, 4-pin
 Lamp type: Triple

Trim No.	Lamp*	Maximum Length of Lamp
P8008,P8096	Progress P7817-01, Sylvania CF26DT	4.8"
P8025	Phillips PLT26, GE F32TBX, Sylvania CF26DT, Progress P7817-01	5.3"
P8052,P8053,P8054	GE F32TBX, Sylvania CF26DT	5.5"
P8060,P8062	Progress P7817-01, Sylvania CF26DT	4.8"
P8066,P8068,P8072	GE F32TBX	5.5"
P8074, P8075	GE F32TBX, Philips PLT32, Sylvania CF32DT	5.9"

*Partial lamp list of maximum wattages and lengths. Consult lamp manufacturers for available lamps with M.O.L. requirements.

U.S. Patent #: 6357891, 6254527, 6838618

7-3/4" outside diameter, except where indicated. IC trims may be used as non-IC trims with same wattages. All trims accept 26w or 32w triple tube 4-pin CFLs unless stated otherwise.

Trims for P62-FB

Open



P8074-28 White
 OD: 8-3/4"

Open Splay



P8072-28 White

Step Baffle



P8066-09 Brushed Nickel



P8066-28 White
P8066-31 Black Baffle



P8066-20 Antique Bronze

Wall Washer



P8052-28 White Baffle

Baffle



P8075-28 White
P8075-31 Black

Cone



P8068-22A Gold Alzak®
P8068-21A Clear Alzak®
P8068-28 White

Cone



P8053-31 Black

Dome Shower



P8025-60 White Polycarbonate
 Wet location listed
 O.D. 8-3/4"

Albalite - Metal



P8060-28 White
 Wet location listed
 Metal flange

Albalite - Plastic



P8008-60 White
 Wet location listed
 Non-metallic flange

Drop Opal Shower



P8096-60 White
 Wet location listed
 Non-metallic flange

Fresnel



P8062-28 White
 Wet location listed
 Metal flange

6" Incandescent Fire Rated




Housings & Trims Firebox®



P821-FB
Ceiling Opening: 6-7/8"
Recessed Depth: 8-13/16"
Plaster Frame: 12-3/8" X 9-9/16"
Pryouts: 1/2" and 3/4"
Incandescent

- P821-FB**
- Non-IC rated*
 - UL-CUL listed for damp location and through branch wiring
 - Fits into 2 x 10 construction
 - UL Classified to maintain fire ratings of 1 hour or less for UL P200 and P500 series roof/ceiling designs
 - UL Classified to maintain fire ratings of 2 hours or less for UL D200, D500, G200, G500, L200 and L500 series floor/ceiling designs
 - Acoustically tested to maintain STC Ratings of L500 floor/ceiling assemblies



P821-FBFC
Ceiling Opening: 6-7/8"
Recessed Depth: 8-13/16"
Plaster Frame: 12-3/8" X 9-9/16"
Pryouts: 1/2" and 3/4"
Incandescent

- P821-FBFC**
- Air-Tight
 - Shipped with hardware to install bar hangers to furring channels.
 - Non-IC rated; insulation must be kept at least 3" away from housing*
 - Fits into 2 x 10 construction
 - UL-CUL listed for damp location and feed through wiring
 - UL Classified to maintain fire ratings of 1 hour or less for all UL P500 series fire rated ceiling/floor assemblies
 - UL Classified to maintain fire ratings of 2 hours or less in all UL D200, G200, L200, D500, G500 and L500 series fire rated ceiling assemblies.
 - Acoustically tested to maintain STC Ratings of L500 floor/ceiling assemblies

Trims for P821-FB & P821-FBFC

7-3/4" outside diameter (OD), except where indicated
For complete fixture, order housing with trim.

Step Baffle



P8066-28 White
LAMP: 120w BR40, 150w PAR38, 40w A19



P8066-20 Antique Bronze
P8066-31 Black Baffle
Lamp: 120w BR40, 150w PAR38, 40w A19



P8066-09 Brushed Nickel
Lamp: 120w BR40, 150w PAR38, 40w A19

Pin Hole



P8065-28 White w/Black Baffle
Lamp: 75w PAR16, 40w R16, 50w R20/PAR20/ PAR30

Open



P8074-28 White
OD: 8-3/4"
Lamp: 120w BR40, 150w PAR38

Open Splay



P8072-28 White
Lamp: 85w BR30, 75w PAR30, 60w A19

Step Baffle Splay



P8082-28 White Baffle
P8082-31 Black Baffle
OD: 8-3/4"
Lamp: 120w BR40, 150w PAR38, 40w A19

Long Neck Baffle



P8075-28 White Baffle
OD: 8-3/4"
Lamp: 85w BR30, 75w PAR30

Wall Washer



P8052-28 White Baffle
Lamp: 60w A19

Regressed Eyeball



P8079-28 White Baffle
P8079-31 Black Baffle
Rotates 358°, tilts 30° max.
Lamp: 65w BR30, 75w PAR30

Cone



P8053-31 Black Alzak®
Lamp: 120w BR40, 150w PAR38

Cone



P8068-22A Gold Alzak®
P8068-21A Clear Alzak®
P8068-28 White
Lamp: 120w BR40, 150w PAR38

Baffled Mini Eyeball



P8077-28 White Baffle
Rotates 358°, tilts 30° max
Lamp: 75w R20, PAR20, PAR16

Regressed Mini Eyeball



P8078-28 White
Rotates 358°, tilts 30° max.
Lamp: 75w R20/PAR20/ PAR16

Eyeball



P8076-09 Brushed Nickel
P8076-20 Antique Bronze
P8076-28 White
Rotates 358°, tilts 30° max.
Lamp: 85w BR30, 75w PAR30

Open Shower Trim



P8074WL-28 White
Wet location listed
Metal flange
OD: 8-3/4"
Lamp: 75w PAR38*

Fresnel



P8011-60 White
Wet location listed
Non-metallic flange
Lamp: 50w PAR30

Fresnel Glass



P8062-28 White
Wet location listed
Metal flange
Lamp: 60w A19

Albalite Glass



P8060-28 White
Wet location listed
Metal flange
Lamp: 60w A19



U.S. Patent #: 5758959, 6004011, 6357891, 6254527

Drop Opal Shower



P8009-60 White Glass
Wet location listed
Non-metallic flange
Lamp: 50w PAR30, 60w A19

Drop Opal Shower



P8007-60 White Glass
Wet location listed
Metal flange. OD: 8-1/4"
Lamp: 75w A19, 75w PAR30

Open Shower



P8072WL-28 White
Wet location listed
Metal flange
Lamp: 50w PAR30*

Dome Shower



P8025-60 White Polycarbonate
Wet location listed
OD: 8-3/4"
Lamp: 60w A19

Lamp wattages shown are maximum.

For accessories see page 638.

U.S. Patent Nos. 5758959, 6357891, 6004011

* WL trims require use with outdoor rated PAR lamps

5" Incandescent Fire Rated



Housings & Trims Firebox®

New Construction Fire Rated Ceilings



- P85-FB**
- Non-IC rated*
 - Fits into 2" x 10" construction
 - UL Classified to maintain fire rating of 1 hour or less for UL P200 and P500 series roof/ceiling designs
 - UL Classified to maintain fire ratings of 2 hours or less for UL D200, D500, G200, G500, L200 and L500 series floor/ceiling designs

*See page 598 for P8555-01 IC Box to allow use in IC rated applications.



U.S. Patent #:
5758959, 6004011, 6357891,
6254527

Ceiling Opening: 5-1/4"
Recessed Depth: 8-13/16"
Plaster Frame: 8-3/8" x 13"
Pryouts: 1/2" and 3/4"

P85-FB

Trims for P85-FB

6-1/8" outside diameter, except where indicated.

Eyeball



P8176-20 Antique Bronze
P8176-28 White

Step Baffle



P8175-20 Antique Bronze
P8175-31 Black
Lamp: 65w BR 30, 50w PAR 30



P8175-28 White
Lamp: 65w BR 30, 50w PAR 30

Open



P8168-28 White
Lamp: 65w BR 30, 50w PAR 30 LN

Deep Cone



P8172-09 Brushed Nickel
Lamp: 65w BR30, 50w PAR30 short neck

Alzak®



P8172-22A Gold Alzak®
P8172-21A Clear Alzak®
Lamp: 65w BR30, 50w PAR30 short neck

Open Shower



P8367WL-28 White
Wet location listed
Lamp: 50w PAR 30*

Shower Light



P8109-60 White Glass
Wet location listed
Metal flange
Lamp: 40w A19, 50w PAR30 short neck

* WL trims require use with outdoor rated PAR lamps

4" Incandescent Fire Rated



Housings & Trims

4" Low Voltage Firebox

New Construction Fire Rated Ceilings



P817-FB

Ceiling Opening: 4-1/2"
 Recessed Depth: 15-3/4" x 9-3/4"
 Plaster Frame: 7-1/2"
 Pryouts: 1/2" and 3/4"

P817-FB

- Non-IC rated*
- Fits Into 2" x 10" construction
- UL-CUL listed for damp location and feed through wiring
- UL Classified to maintain fire ratings of 1 hour or less for UL P200 and P500 series roof/ceiling designs
- UL Classified to maintain fire ratings of 2 hours or less for UL D200, D500, G200, G500, L200 and L500 series floor/ceiling designs

Trims for P817-FB

5" outside diameter. All trims have 360° positioning. Lamps tilt 30° max.

Step Baffle



P8037-28 White
P8037-31 Black



P8037-09 Brushed Nickel
 Lamp: 12V 50w MR-16

Eyeball



P8057-20 Antique Bronze



P8057-28 White
 Rotates 360°, tilts 30°
 Lamp: 12V 50w MR-16

Alzak® Cone



P8056-21 Clear Alzak®
 Lamp: 12V 50w MR-16

Slotted



P8039-28 White
 Lamp: 12V 50w MR-16

Wall Washer



P8045-31 Black
 Lamp: 12V 50w MR-16

Pinhole Spot



P8036-28 White
 Lamp: 12V 50w MR-16

New Construction Fire Rated Ceilings



P831-FB

Ceiling Opening: 4-1/2"
 Recessed Depth: 8-13/16"
 Plaster Frame: 8-3/8" x 13"
 Pryouts: 1/2" and 3/4"

P831-FB

- Non-IC rated*
- Fits Into 2" x 10" construction
- UL-CUL listed for damp location and feed through wiring
- UL Classified to maintain fire ratings of 1 hour or less for UL P200 and P500 series roof/ceiling designs
- UL Classified to maintain fire ratings of 2 hours or less for UL D200, D500, G200, G500, L200 and L500 series floor/ceiling designs

4" Line Voltage Firebox

Trims for P831-FB

5" outside diameter. All trims: 360° positioning, tilt 20°.

Open



P8041-28 White
P8041-09 Brushed Nickel
 Lamp: 55w PAR 16, 50w PAR 20, R20

Step Baffle



P8044-09 Brushed Nickel
P8044-31 Black
P8044-28 White
 Lamp: 55w PAR 16, 50w PAR 20, R20

Open Shower



P8044-20 Antique Bronze
 Lamp: 55w PAR 16, 50w PAR 20, R20

Open Shower



P8041WL-28 White
 Wet location listed
 Lamp: 50w PAR 20

Alzak® Cone



P8043-21 Clear Alzak®
P8043-22 Gold Alzak®
 Lamp: 75w PAR 16, R20, 50w PAR 20

Alzak® Cone



P8048-21 Clear Alzak®
 Lamp: 75w PAR 16, R20, 50w PAR 20

Alzak® Cone



P8049-31 Black Alzak®
 Lamp: 75w PAR 16, R20, 50w PAR 20

Eyeball



P8046-09 Brushed Nickel
P8046-20 Antique Bronze
P8046-28 White
 Lamp: 40w PAR 16, 30w R20

Wall Washer



P8047-31 Black Baffle
 Lamp: 40w PAR 16, 30w R20

Pinhole Spot



P8042-28 White
 Lamp: 40w PAR 16, 30w R20



U.S. Patent #: 5758959, 6004011, 6357891, 6254527

Recessed Accessories

Recessed Enclosure for Non-IC Housings in IC Applications



P8555-01 IC Box
Creates a barrier to prevent insulation from making contact with recessed fixtures. For use only with Firebox, Pro-Optic, P816, P830, P85-TG, and P83. For use with any other Progress fixture consult factory.

Dimensions: 24-1/2"W. x 35"Ht.


- Material is Coroplast™, which is made from polypropylene co-polymer resin
- Deflection temperature F(@66psi) = 194 (90C)
- Melting point = 162C, 324F
- Normal temperature performance range = -17F to 160F
- MSDS available upon request

Application

- Use to create a barrier to keep insulation from making contact with the following type Non-IC rated recessed housings: P60-FB, P62-FB, P821-FB, P821-FBFC, P85-FB, P831-FB, P85-TG, P830-TG, P86-TG, P816-TG
- Requires no insulation on top

All Pro-Optic® housings from Progress Lighting: P63, P66, P68, P69, P8213, P8218, P8226

U.S. Patent #: 6,872,885



P8555-01 IC Box flat

Recessed Accessories



P8584-01
P8588-01
P8587-01
P8589-01

P8588-01 4" ceiling gasket
P8584-01 5" ceiling gasket
P8587-01 6" ceiling gasket
P8589-01 8" ceiling gasket
Ceiling gasket seals housing to drywall opening for Washington State Energy Code compliance.



P8773-01

P8773-01 Four mounting clips and screws for T-Bar ceilings for any new construction recessed product using bar hangers.




P8585-01

P8585-01 Goof Ring
O.D. 8-7/8".
For use with any recessed trim with a 7-3/4" O.D.



P8700-01

P8700-01 Four plaster frame clips and screws for complete squares and rounds.



P8607-01

P8607-01 Remodel Clips
Three plaster frame clips for use in new construction frames in finished ceilings.



P8511-01

P8511-01 Furring channel mounting clip for bar hangers.



P8716-01

P8716-01 Adjustable hangers
Two 26" adjustable hangers for step lights, complete rounds and squares.



P8593-01

P8593-01 Airtight Gasket Kit to convert the P86-TG, P186-TG P183-26EB to an air tight unit. When not using caulk at the ceiling line, P8587-01 may also be required.

Emergency Battery Pack



Emergency battery packs for remote mounting. Can be used with any compact fluorescent fixture. Remote battery must be located within 50 feet of ballast, or 1/2 the recommended distance specified by the AC Ballast manufacturer, whichever is less. Comes with test switch, indicator light, junction box and 4ft of flex.

Cat. No.	Watts	Lamp	Length	Width	Height
P8643-01	10-42W	4 pin Quad, Triple, 2D and twins	9-1/2"	2-3/8"	1-1/2"

Trim Ring Accessory

P8100-01
6" Trim Ring Accessory for Retrofit wide flange (WF) trims

P8101-01
8" Trim Ring Accessory for Retrofit wide flange (WF) trims

Bar Hangars

P8725-01
Bar Hangar for T-Bar. For use with P8200/8201/P82002/P8203

P8725-01
Bar Hangar for joist. For use with P8200/8201/P82002/P8203

Specialty Recessed Housings and Trims



COMPLETE ROUND
Unwired unit: White trim, housing, plaster frame, clips and 4-1/2 feet of wire. All are UL listed for damp locations. Therma-Gard™ automatic resetting thermal protection.

Cat. No.	P6917-TG
Desc.	Open trim, unwired
Finish	White
Plaster Frame	6-5/8" sq.
Recess Depth	5-3/4"
Ceiling Opening	4-1/2"
Trim O.D.	5-7/8"
Lamp	45w BR 30, 50w PAR 30



BATH
Complete with housing, trim and 26" adjustable bar hangers. Therma-Gard™ automatic resetting thermal protection. Junction box has riveted ground, 9 K.O.'s. UL listed for damp locations. Thru-branch wiring, 4 in, 4 out.

Cat. No.	P6952-16TG
Desc.	Heater light
Finish	Satin aluminum
Plaster Frame	8-3/8" x 13"
Recess Depth	7-3/4"
Ceiling Opening	6-7/8"
Trim O.D.	7-3/4"
Lamp	250w R 40



COMPLETE SQUARE
Complete with housing and trim. Flat white glass. Torsion springs for easy relamping. UL listed for damp locations. Therma-Gard™ automatic resetting thermal protection.

Cat. No.	P6414-30TG	P6416-30TG
Desc.	Pre-wired	White
Finish	Pre-wired	White
Recess Depth	4-1/4"	4-1/4"
Ceiling Opening	8-1/8"	10-1/8"
Trim (Sq.)	9-1/2"	11-1/2"
Lamp	100w	150w

ACCESSORY
P8700-01 four clips for finished or suspended ceiling installation. P8716-01 accessory bar hangers for new construction. For use with complete squares (P6914, P6416) and complete rounds (P6917).

Steps, Corridors and Walls

Brick Lights – Outdoor & Indoor



Lighting for safety in traffic areas, indoors and outdoors.


Cast aluminum housing with black metal louver. Three 1/2" I.P. conduit entries. Measures 7-3/4" x 2-1/2" x 3-1/8". For brick, masonry, and poured concrete installations. UL listed for wet locations.

P6802-31 Black .
Lamp: One 7w compact fluorescent lamp.



P6803-30 White
P6803-31 Black
Therma-Gard protection.
Lamp: One 120V T6-1/2 25w intermediate base.

P6805-31 Black
Lamp: One 120v 13w 2pin twin CFL GX23 base.



Indoor & Protected Outdoor



Spring-held white louver faceplate. Metal housing has 1/2" I.P. conduit entry. For indoor and protected outdoor use. UL listed for damp locations. Sheet rock or dry wall installations.


P6820-30TG* White
Therma-Gard protection. Porcelain socket. Lamp: One 60w A19

P6820-31TG* Black
Therma-Gard protection. Porcelain socket. Lamp: One 60w A19

P6821-30* White
Standard 120V NPF ballast.
Lamp: One 7w or 9w twin CFL lamp.



P6826-30* White
Compact fluorescent.
Same as P6821-30 except with a shatter-resistant white acrylic faceplate.
Lamp: One 7w or 9w twin CFL lamp.



Thru-Wall Double Face




One metal housing with two shatter-resistant white acrylic faceplates for both sides of a stud wall, 3-1/2" to 4-1/2" thick. White trim. Reduces costs by illuminating two areas with one fluorescent light. For indoor and protected outdoor use. UL listed for damp locations. Sheet rock or dry wall installations.

P6824-30* White
Compact fluorescent.
Lamp: One 7w or 9w twin CFL lamp.



P6825-30* White
Same as P6824-30 except with two louver faceplates.
Lamp: One 7w or 9w twin CFL lamp.



Indoor & Outdoor



P6816-16



P6818-16

Cast aluminum, porcelain socket, reflector, tempered glass. Two 1/2" I.P. for conduit entry. For poured concrete and masonry installations only. UL listed for wet locations.

P6816-16 Satin Aluminum
White glass face.
Lamp: One 25w A-19.


P6818-16 Satin Aluminum
White glass face.
Lamp: One 75w A-19.

P6817-16 Satin Aluminum
Louver faceplate over glass.
Lamp: One 25w A-19.


P6817-31 Black
Louver faceplate over glass.
Lamp: One 25w A-19.

P6819-16 Satin Aluminum
Louver faceplate over glass.
Lamp: One 75w A-19.


P6816-16 & P6817-16,31



P6818-16 & P6819-16



P6817-31



P6819-16

* Requires accessory bar hanger kit, P8716-01 for installation to wood studs.

LED Step & Wall Lights

P6827 and **P6828** LED step/wall lights are available in a vertical or horizontal configuration for mounting into a single-gang wallbox

- cCSAus listed for dry locations
Integral power supply module in a compact package
- Consumes less than 5w of power per fixture.
- Lumen output comparable to 7w CFL and 25w incandescent
- Warm white 2700K LED's included
- CRI: 80+
- Beam spread: 120 degrees



P6827-09



P6827-30



P6828-09



P6828-30

Product No.	Finish	Description	Size	Lamp
P6827-09	Brushed Nickel	Mini horizontal step/wall light	4-13/16" W.	5w LED (included).
P6827-30	White		3" ht.	
P6828-09	Brushed Nickel	Mini vertical step/wall light	3" W.	5w LED (included).
P6828-30	White		4-13/16" ht.	

P6829 and **P6832** LED step/wall lights provide an attractive solution for a variety of illumination tasks

- cCSAus listed for outdoor as well as indoor applications
- Integral power supply module in a compact package
- Consumes less than 5w of power per fixture
- Lumen output comparable to 7w CFL and 25w incandescent
- Warm white 2700K LED's included
- CRI: 80+
- Beam spread: 120 degrees



P6829-09



P6829-20



P6829-30



P6829-31



P6832-09



P6832-31

See more Progress LED fixtures throughout this catalog.

U.S. Patent #.
6357891, 5379199

Product No.	Finish	Description	Size	Lamp
P6829-09	Brushed Nickel	Mini vertical step/wall light	3" W.	5w LED (included).
P6829-20	Antique Bronze		4-3/4" ht.	
P6829-30	White			
P6829-31	Black			
Product No.	Finish	Description	Size	Lamp
P6832-09	Brushed Nickel	Mini vertical step/wall light	4-3/4" W.	5w LED (included).
P6832-20	Antique Bronze		3" ht.	
P6832-30	White			
P6832-31	Black			

Commercial Outdoor

PROGRESS LIGHTING OFFERS COMMERCIAL-RATED OUTDOOR AREA PRODUCTS FOR VARIETY OF SETTINGS THROUGH SPECIAL ORDER. FIXTURES SHOWN ON THESE PAGES ARE EXAMPLES OF POPULAR CONFIGURATIONS, WITH MANY OTHER OPTIONS AND STYLES AVAILABLE TO MEET YOUR NEEDS.

CONTACT YOUR PROGRESS LIGHTING REPRESENTATIVE TO DETERMINE AVAILABILITY, PRICING AND DELIVERY OPTIONS FOR COMMERCIAL OUTDOOR LIGHTING PRODUCTS.

Area/Street Lighting


The geometrical form of the cylinder is the elementary center this luminaire. A clear, timeless design concept underlines simplicity and functionality. Both the contemporary and traditional styles of architecture seen in today's public spaces benefit from the integration of this clean, minimal form.

Model	Engine-Watts	Optics	Voltage	Options	Shade	Color	
PBS27	24NB-27	T2 Type II	UNV 120-277V	PEC Photocell button	Flat Top	BB Black	
	24NB-55	T3 Type III				BZ Bronze	
	36NB-80	T4 Type IV					
	48NB-110	T5QW				SQ Wide	
		T5W				Round Wide	



A traditional lantern design with superior light performance. This series features a cast aluminum housing and stainless steel hardware. Clear optical grade acrylic lens sealed with a silicone gasket to protect the inside from airborne contaminants and insects. The precision molded borosilicate glass refractor provides a standard Type V distribution pattern. The fixture slips over a 4" diameter pole and is secured with 6 stainless steel set screws.

Model	Lens	Source	Voltage	Optics	Mounting	Options	Color
PBL30	Acrylic Clear	100w PSMH	120V	GR3	Glass Refractor Type 3	Post Top PEC Photocell	BB Black
	Acrylic Frosted	150w PSMH	208V	GR5	Glass Refractor Type 5		LSP Lighting Surge Protector
		100w HPS	240V	DIR3	Direct Type III LED		
		150w HPS	277V	DIR4	Direct Type IV LED		
		30w LED	347V	DIR5	Direct Type V LED		
		60w LED	480V				



Area/Street Lighting Fixtures provide area illumination while maintaining a traditional look, the Street series fixtures feature a cast aluminum housing and stainless steel hardware. Clear diffused lexan lens. The fixture can slip over a standard 4" diameter pole and is secured with 3 stainless steel set screws.

ETL listed for outdoor use in wet locations. IP53 rated.
EPA =2.8ft² (0.7m²)
Weight=28lbs (12.7kg)



PBM1-C1



PB24

Model	Lens	Source	Voltage	Optics	Mounting	Options	Color
PBM1-C1 (with cage)	Acrylic Clear	100w PSMH	120V	GR3	Glass Refractor Type 3	Post Top PEC Photocell	BB Black
PBM1-NC (no cage)	Acrylic Frosted	150w PSMH	208V	GR5	Glass Refractor Type 5		LSP Lighting Surge Protector
PB24		100w HPS	240V	DIR3	Direct Type III LED		
		150w HPS	277V	DIR4	Direct Type IV LED		
		30w LED	347V	DIR5	Direct Type V LED		
		60w LED	480V				

See page 644 for poles and arms.



Parking Lot Lighting

Model	Engine-Watts	Optics	Voltage	Options	Style Options	Color
PBU21	24NB-27	T2 Type II	UNV 120-277V	PEC Photocell button	3RNW Three Cast Rings	BB Black
	24NB-55	T3 Type III			NRNW No Rings	BZ Bronze
	36NB-80	T4 Type IV				
	T5QW SQ Wide					
	T5W Round Wide					



This versatile luminaries epitomizes transitional lighting. It is suitable for parking lots, roadway, area, walkways and wall mounting. Full cut-off options.

This LED lighting system offers a low-profile, ultimate solution in pathway, roadway, and parking applications. With its contemporary-streamlined design, it leads the industry with a unique visual appearance that is sure to compliment both new and existing architecture.



Model	Engine-Watts	Optics	Voltage	Options	Style Options	Options	Color
PBV2	22NB-50	T2 Type II	UNV 120-277V	PEC Photocell button voltage required	3RNW	PEC Photocell	BB Black
	22NB-70	T3 Type III			NRNW	LSP Lighting Surge Protector	BZ Bronze
	30NB-70	T4 Type IV				NC No Cage FRV1 Only	
	30NB-90	T5QW SQ Wide					
	T5W Round Wide						

Single-piece formed and welded aluminum housings with smooth sides, weatherproof construction and flat tempered glass. The fixtures feature a tool-less door, and hydroformed reflectors. The standard Type III distribution pattern is ideal for roadway, general parking, and other area applications. Wet location listed.



Model	Mounting	SourceVoltage	Optics	Voltage	Options	Color
PLL1	A 6" Arm	100w PSMH	H3 Horiz. Type III	Q - Quad Tap	HS House Side Shield	BB Black
	AD 6" Decorative Arm	150w PSMH	H4Horiz. Type IV	120/208/240/277V		BZ Bronze
	WB Wall Bracket	250w PSMH	H5 Horiz. Type V	Wired to 277V		
		400w PSMH				
		250w HPS				
		150w HPS				
		250w HPS				
400w HPS						

Wall Packs

This contemporary LED WALLPACK has been created to optimize the LED source with its lighting performance and thermal management. Traverse has been designed to retrofit your existing Wall Pack installations with a substantial reduction in energy. The Traverse is designed to meet strict lighting codes with environment-friendly full cutoff and is available in varied distributions. It is a suitable replacement for up to 400 watt HID lighting fixtures. DLC and NEEP listed

Model	Engine-Watts	Optics	Voltage	Options	Color
PBT1-D	24NB-27	T2 Type II	UNV 120-277V	PEC Photocell	BB Black
PBT1-U	24NB-55	T3 Type III			BZ Bronze
	36NB-80	T4 Type IV			
	48NB-110	T5R Rectangular			
	60NB-136	MF Medium Flood			



PBT1-U



PBT1-D



Catalog #	Wattage-Voltage	Voltage	Color
PHFC-100P-B	100W PSMH	120/277/347V	Bronze IDA Compliant



PHFC-100P-B

Catalog #	Wattage-Voltage	Voltage	Color
PHGH-100P-B	100W PSMH	120/208/240/277V	Bronze



PHGH-100P-B

Catalog #	Wattage-Voltage	Voltage	Color
PHGH-150P-B	150W PSMH	120/208/240/277V	Bronze



PHGH-150P-B

Catalog #	Wattage-Voltage	Voltage	Color
PHGH-250P-B	250W PSMH	120/208/240/277V	Bronze



PHGH-250P-B

Catalog #	Wattage-Voltage	Voltage	Color
PHSL-13-23-B	13LEDs; 23.3W; 1184 lumens	120-277V	Bronze IDA Compliant



PHSL-13-23-B


Photocontrol


Catalog #	Wattage-Voltage
PC-120	Photocontrol, button type 120V
PC-277	Photocontrol, button type 277V


Lamps

Compact Fluorescent Lamps



MLS13GUWW
13w self-ballasted CFL lamp. GU24 base. 


MLS18GUWW
18w self-ballasted CFL lamp. GU24 base. 

MLS26GUWW
26w self-ballasted CFL lamp. GU24 base. 


MLS32GUWW
32w self-ballasted CFL lamp. GU24 base.

MLS42GUWW
42w self-ballasted CFL lamp. GU24 base.




MLS13GUSWW6
13w self ballasted squat GU24 lamp. 2700K, 900 lumens. 



MLS18GUSWW6
18w self ballasted squat GU24 lamp. 2700K, 1250 lumens. 



MLS26GUSWW
26w self ballasted squat GU24 lamp. 2700K, 1650 lumens. 

Halogen Lamps



P7829-01
35w MR11 GU4 MFL lamp, 12v.

P7830-01*
35w MR11 GU4 MFL coated lamp, 12v.



P7831-01
50w MR16 GU5.3 MFL lamp, 12v.

P7832-01*
50w MR16 GU5.3 MFL coated lamp, 12v.



P7833-01
50w GU10 MFL lamp, 120v.



P7834-01*
50w GU10 MFL coated lamp, 120v.

* Coated lamp eliminates pink color behind lamp.



P7802-01 20w G4 halogen, 12-volt.



P7805-01 50w mini candelabra halogen, 120 volt.

Xenon Lamps



P7800-01 5w 12-volt Xenon replacement lamp. 8,000 hour rated life.



P7807-01 60w krypton replacement lamp. 60w Krypton, 120-volt. E12 (candelabra)



P7812-01 35w G9 halogen, 120-volt.



P7818-01 6-pack of 60w G9 halogen, 120-volt.



P7801-01 18w T5 wedge base lamp, 12-volt.

T5 Lamp

Socket Collar Tool



P8637-01 Socket collar tool
The socket collar tool was designed to provide extra leverage and eliminate a loose fit when installing glass shades. Working like a wrench, the socket collar tool extends into the shade and tightens the socket ring, securing the shade in place,

and can reverse to loosen the ring to remove the shade. This new accessory can be used on a variety of fixtures, including chandeliers, mini-pendants, sconces and wall brackets. For use on medium base lamp fixtures only.

Exit / Emergency

ENERGY SAVING EMERGENCY LED EXIT SIGNS.

PE008-30 White with Red Letters

PE009-30 White with Green Letters

Size: 11-1/2" W., 7-1/8" ht. Extends 2".

Features: Universal face, LED life-cycle of more than 10 years, molded-in template for quick installation, dual-voltage 120 or 277V AC input, includes long-life Nickel Cadmium battery for UL recognized 90 minutes emergency lighting,, damp location listed, provided with test switch and AC-on indicator, canopy included. 2 year full unit warranty.



PE008-30



PE009-30

PE010-30 White with Red Letters

PE011-30 White with Green Letters

Size: 18" W., 7-1/8" ht. Extends 4-1/3".

Features: Combination Exit/Emergency Light, universal face, LED life-cycle of more than 10 years, molded-in template for quick installation, dual-voltage 120 or 277V AC input, includes long-life Nickel Cadmium battery for UL recognized 90 minutes emergency lighting, damp location listed, provided with test switch and AC-on indicator, lamp-heads are fully adjustable, canopy included.



PE010-30

PE013-30 White with Red Letters

PE014-30 White with Green Letters

Size: 13" W., 9-5/16" ht. Extends 3-1/2".

Features: Superior panel illumination with Red or Green letters, surface mount, single face, LED life-cycle of more than 10 years, dual-voltage 120 or 277V AC input, includes long-life Nickel Cadmium battery for UL recognized 90 minutes emergency lighting, field installed directional arrow indicators with template, mirror divider, provided with test switch and AC-on indicator, canopy included.



PE013-30

PE012-30 White

Size: 9" W., 4" ht. Extends 2-3/4".

Features: Dual LED head emergency light, LED life-cycle of more than 10 years, quick installation, dual-voltage 120 or 277V AC input, 3 VDC, 1 W Lamp, includes long-life Nickel Cadmium battery for UL recognized 90 minutes emergency lighting, damp location listed, fully adjustable lamp-heads, provided with test switch and AC-on indicator.



PE012-30

★ Index: Families

★ Loft

Bay Court



P3701 51
 P3941 ... 297,507
 P3942 ... 297,506
 P5499 507
 P5589 51,507
 P5849 506
 P5851 506

Calven



P3209 12,367
 P3210 367
 P3223 367
 P3236 367
 P3937 14
 P4537 13
 P4539 13
 P5004 15,253
 P5118 15,253

Coupe



P2029 46,360
 P2030 360
 P2031 360
 P2032 360
 P3979 46,295
 P3980 46,295
 P3985 47,295
 P4694 47
 P5102 47,247
 P6415 503

Divot



P6515 502
 P6604 ... 455,503
 P6605 ... 455,502
 P7051 455
 P3798 294
 P3948 33
 P4648 32
 P4649 32
 P5062 33,52
 P5129 32,252

Bingo



P2026 . 7,291,454
 P3681 . 7,290,441
 P3711 10
 P3741 292
 P3752 292
 P3956 . 9,293,441
 P3957 . 8,291,440
 P3958 . 9,290,440
 P4647 7
 P5014 10,251
 P5314 10,251
 P5314 10,251
 P7056 10,454

Cuddle



P5049 22
 P5058 23
 P5059 22,252
 P7065 23,454

Dibs



P2757 363,34
 P2765 363
 P2766 363
 P2767 363
 P3943 ... 35,294
 P3968 35
 P5126 34,252
 P5490 500
 P5590 500
 P5990 500
 P5991 500
 P5992 500
 P7027 34,456

DynamO



P3930 44,296
 P3976 296
 P3981 44,296
 P3982 44,296
 P3983 45,296
 P3984 296

Helium



P2901 43,61
 P2905 361
 P4185 43

Nissé



P2012 366 P4538 26
 P2013 366 P4629 25
 P2014 366 P4630 31
 P2015 366 P5019 27,251
 P2933 25 P5027 30
 P3881 . 30,251,292 P5105 30,251
 P3938 29
 P4062 29
 P4139 27
 P4431 25

Rock-on



P3100 36,364
 P3109 364
 P3112 364
 P3113 364
 P3897 36,295
 P4432 37
 P4433 37
 P5164 37,254

Torque



P2719 38,65
 P2720 365
 P2721 365
 P2722 365
 P3978 295
 P4691 38
 P4692 39
 P4693 41
 P5081 38,254
 P5085 40

★ Transcend

Alexa



P2851 298
 P2959 65,378
 P2977 378
 P2978 378
 P2998 378
 P3846 65
 P3977 66
 P4458 65
 P4459 65
 P4619 66
 P4626 66
 P5147 65,257

Ashbury



P2843 59
 P2885 379
 P2886 379
 P2887 379
 P2888 379
 P3886 297
 P3932 57
 P4349 58
 P4462 58
 P4463 59
 P5054 57,264
 P5056 57,264

Bravo



P2004 369
 P2005 369
 P2006 369
 P2007 369
 P3821 74
 P3912 74
 P3969 73
 P4621 73
 P4622 71
 P4623 75
 P4625 71
 P4687 72
 P5300 75,259

Dance



P3967 61
 P5015 60
 P5048 61
 P5303 61,260
 P7058 60,463

★ Index: Families

★ Transcend

Gather



P2706 382 P2714 382
 P2706 383 P3914 88
 P2707 382 P3928 89
 P2707 383 P3929 89
 P2708 382 P4440 87
 P2708 383 P4441 87
 P2709 382 P4627 88
 P2709 383 P5113 89,263
 P2713 382

Haven



P3898 63
 P3921 63
 P5134 63,260

Joy



P2000 368 P4489 17
 P2001 368 P4490 19
 P2002 368 P4492 21
 P2003 368 P4497 20
 P3587 21 P5270 17,259
 P3950 18
 P3951 18

Markor



P5198 53,264 P8823 52
 P5199 53 P8824 52
 P8765 53,264 P8825 52
 P8766 52
 P8768 52
 P8820 53,264
 P8821 53,264
 P8822 52

Rave



P3550 297
 P3944 84
 P3945 85
 P4641 83
 P4642 84
 P4643 85
 P5128 83,262
 P7053 83,62

Splendid



P4679 68
 P4680 68
 P4681 69
 P5304 69,57
 P7059 69,463

Wisten



P2649 349 P3509 77
 P2649 355 P3510 77
 P2794 80,380 P3757 81
 P2795 380 P4434 81
 P2796 380 P4435 80
 P2797 380 P4436 78
 P3290 298 P4439 78
 P3359 470 P5108 76,263
 P3360 470 P5112 76,263
 P3361 470 P5167 76,263
 P3362 470 P7127 80
 P3363 470

★ Elements

Archie



- P2989 386
- P2989 386
- P2991 386
- P2992 386
- P2997 386
- P3740 300
- P4688 108
- P4689 108
- P4690 109
- P5026 ... 109,270
- P5173 ... 109,270

Clayton



- P2849 112
- P3759 299
- P3909 ... 113,265
- P4400 112
- P4421 113
- P4422 111
- P5256 ... 113,265



Crestwood



- P3902 93
- P3903 93
- P3904 93

Eclipse



- P3480 304
- P3481 304
- P3482 304
- P3483 305
- P3484 305
- P3485 305
- P3486 119
- P3487 119
- P3489 304
- P3491 304
- P3492 305
- P3493 305
- P3496 119
- P3521 304
- P3561 304
- P3562 304
- P3563 304
- P3564 304
- P3567 305
- P3568 305
- P3569 305
- P3570 305
- P3573 119
- P3575 119
- P7170 466
- P7171 466
- P7175 466
- P7176 466
- P7315 304
- P7316 304
- P7319 305
- P7320 305
- P7322 119
- P7323 119
- P7324 304
- P7325 304
- P7326 304
- P7327 305
- P7328 305
- P7329 305

Equinox



- P3827 95
- P3889 95
- P5142 ... 95,269

★ Index: Families

★ Elements

Glendale



P3780 303
 P3781 120
 P4082 120
 P4083 121
 P4085 121
 P4086 121

Madison



P2623 352
 P3161 ... 122,397
 P3162 397
 P3163 397
 P3164 397
 P3311 302
 P3312 302
 P3663 302
 P3792 123
 P3793 123
 P3794 122
 P4280 124
 P4281 124
 P4282 125
 P4283 123
 P5078 ... 124,267
 P5079 ... 125,267

North Park



P2531 340
 P2654 349
 P2733 394
 P2738 394
 P2743 394
 P2745 394
 P3597 ... 117,00
 P3852 300
 P3854 300
 P3906 117
 P4001 116
 P4002 114
 P4003 116
 P4004 115
 P4053 115
 P5135 ... 117,267

Moments



P2734 384
 P2778 384
 P2829 384
 P3952 299
 P3953 299
 P3959 100
 P4670 100
 P4671 101
 P4672 100
 P5006 ... 101,269

Orbitz



P4659 98
 P4660 98
 P4661 96
 P4662 98
 P4663 99
 P5114 ... 99,269

Piedmont



P3884 92
 P3888 92

Renovations



P2625 352
 P2730 398
 P2731 398
 P2732 398
 P3016 127
 P3352 ... 399,473
 P3515 301
 P3607 ... 126,301
 P3608 129
 P3849 ... 399,473
 P3850 ... 399,473
 P4113 128
 P4114 129
 P4115 127
 P4116 126
 P4269 128
 P4509 129
 P4510 127
 P5104 ... 128,267
 P7122 ... 127,466

★ Relax

Arts & Crafts



- P2900 169
- P3002 ... 413,465
- P3003 413
- P3004 413
- P3005 413
- P3513 309
- P3613 168
- P3620 168
- P4100 169
- P4101 169
- P4102 169
- P5020 ... 168,275
- P5021 ... 168,275

Avalon



- P3153 429
- P3154 429
- P3155 429
- P3156 429
- P3266 ... 202,429
- P3267 429
- P3268 429
- P3269 429
- P3467 ... 202,312
- P3468 ... 202,312
- P3773 202
- P3785 200



Cantata



- P3216 ... 157,410
- P3222 410
- P3248 410
- P3249 410
- P3440 ... 159,308
- P3814 157
- P3853 308
- P4005 159
- P4006 159
- P4039 157
- P4040 158

Eden



- P3237 414
- P3238 414
- P3239 414
- P3438 309
- P3439 309
- P3696 170
- P4022 170
- P4023 170
- P4024 171
- P5077 ... 171,275

Flirt



- P3079 148
- P3845 ... 148,307
- P3879 149
- P4460 149
- P4461 149
- P4469 148
- P5136 ... 148,274

Heart



- P2913 406
- P2915 406
- P2919 406
- P2928 406
- P3955 146
- P4664 144
- P4665 145
- P4666 144
- P4667 145
- P4668 147
- P4669 146
- P4686 143
- P5131 ... 147,274

★ Index: Families

★ Relax

Inspire



P2018	408	P4638	138
P2018	408	P5065	...	140,274
P2019	408	P7026	...	138,465
P2019	408			
P2020	408			
P2021	408			
P3799	139			
P3931	139			
P3939	306			
P4632	140			
P4635	140			

Kensington



P2783	...	193,416	P4288	193
P2784	416	P4314	192
P2785	416	P5141	...	194,275
P2786	416			
P3464	191			
P3532	194			
P3678	...	195,306			
P3829	306			
P3986	306			
P4158	195			
P4238	191			

Le Jardin



P2841	...	173,309	P4203	176
P2967	415	P5083	...	175,277
P2968	415	P5122	...	177,277
P2969	415	P5406	528
P3012	173	P5507	528
P3598	310	P5742	528
P3684	177	P5743	528
P3686	177	P5747	528
P4147	174			
P4200	172			
P4201	172			
P4202	174			

Maison Orleans



P2929	...	188,419			
P2961	419			
P2962	419			
P2963	419			
P3622	189			
P3635	310			
P4371	188			
P4373	188			
P4374	188			
P4375	189			
P5063	...	189,277			

Meeting Street



P2022	...	184,420	P4568	182
P2023	420	P4569	187
P2024	420			
P2025	420			
P2527	338			
P2639	348			
P2744	183			
P2827	311			
P2828	311			
P4530	186			
P4566	185			
P4567	183			

Melbourne



P2918	180	P4061	178
P3022	418	P4266	180
P3023	418	P4267	180
P3024	418	P4268	179
P3606	181	P5000	...	181,273
P3641	311	P5001	...	181,273
P3717	311			
P3718	311			
P3885	311			
P4055	181			
P4058	180			
P4060	178			

Pavilion



P3265	...	196,417	P4604	198
P3270	417	P5084	...	196,279
P3294	417	P5125	...	198,279
P3325	197			
P3478	312			
P3479	312			
P3738	312			
P4579	197			
P4580	197			
P4592	199			
P4603	199			

Riverside



- P3092 ... 165,412
- P3093 412
- P3094 412
- P3095 412
- P3519 165
- P3525 309
- P4212 166
- P4213 165
- P4214 166
- P4229 166
- P4245 167
- P5002 ... 167,276



Santiago



- P2752 ... 411,161
- P2753 ... 411,162
- P2754 411
- P3837 308
- P3839 ... 163,308
- P3840 161
- P4179 163
- P4586 163
- P4587 161
- P4588 162
- P5076 ... 162,276

Torino



- P2645 348
- P2881 ... 139,407
- P2882 407
- P2883 407
- P2884 407
- P3184 307
- P3824 152
- P3843 ... 152,307
- P3847 151
- P4405 152
- P4415 153
- P4416 151
- P4418 155
- P4419 154
- P5144 ... 150,278
- P5153 ... 150,278
- P7181 ... 150,465

Trinity



- P2628 353
- P3190 ... 105,404
- P3191 404
- P3192 405
- P3193 405
- P3473 ... 103,301
- P3474 103
- P3475 301
- P3476 301
- P3477 301
- P3806 106
- P3807 106
- P4324 104
- P4325 105
- P4326 105
- P4327 106
- P4328 104
- P4329 107
- P4365 102
- P5095 ... 107,278
- P5096 ... 107,278

★ Index: Families

★ Grace

Americana



P2936 131
 P3801 132
 P3802 132
 P4346 131
 P4354 131
 P4355 130
 P4356 130
 P4357 132
 P4358 133
 P4359 133

Bedford



P2934 241
 P2953 242
 P3556 ... 242,316
 P4153 241
 P4154 242
 P4155 241
 P4156 243
 P4157 243
 P5060 ... 242,282

Caress



P3076 421
 P3077 421
 P3078 421
 P3434 313
 P3682 210
 P3946 210
 P3947 210
 P4644 209
 P4645 209
 P4646 211
 P4685 208

Chanelle



P3292 229
 P3825 229
 P4442 228
 P4443 227
 P4444 228

Fiorentino



P2879 238
 P2951 239
 P3815 314
 P4407 238
 P4409 239
 P4410 239
 P4411 238
 P5140 ... 239,282

Fortune



P2920 422
 P2927 422
 P3970 313
 P4673 219
 P4674 219
 P4675 219
 P5034 ... 218,281
 P7049 ... 218,422

Lady Luck



P3960 220
 P4676 221
 P4677 220
 P4678 221
 P5008 ... 220,280
 P7050 220

Messina



P2704 234
 P2705 234
 P3461 315
 P3809 234
 P4191 233
 P4192 235
 P4533 232
 P4535 233
 P4536 233

Noir



- P2729 223
- P3400 ... 225,314
- P4208 224
- P4209 223
- P4210 225

Palais



- P2955 230
- P3634 230
- P4337 230
- P4338 230
- P4339 230
- P4340 230



Roxbury



- P2724 ... 216,423
- P2726 ... 215,423
- P2727 423
- P2728 423
- P2772 212
- P2816 212
- P2817 ... 216,314
- P2819 313
- P4500 213
- P4501 212
- P4502 213
- P4503 215
- P4504 215
- P4505 217
- P4506 215
- P4507 217
- P4508 216
- P5100 ... 217,282
- P8670 286
- P8701 284
- P8702 284
- P8703 284
- P8704 284

Savannah



- P3158 424
- P3159 424
- P3204 ... 249,424
- P3205 424
- P3206 424
- P3207 424
- P3351 ... 425,472
- P3497 316
- P3498 316
- P3539 316
- P3540 316
- P3541 316
- P3542 247
- P3543 246
- P3857 ... 425,472
- P3858 ... 425,472
- P4007 249
- P4010 245
- P4117 248
- P4120 245
- P4121 246
- P4122 247
- P4278 245
- P5040 ... 249,283
- P5146 ... 249,283
- P5515 560
- P5714 560
- P5718 560
- P5720 560
- P7209 ... 245,467
- P7210 ... 245,467

Savona



- P2944 236
- P3544 314
- P3545 236
- P3683 236
- P4544 237
- P4545 237
- P4547 237
- P5117 ... 237,280







Veranda



- P3187 428
- P3188 428
- P3367 ... 204,428
- P3368 428
- P3369 428
- P3788 ... 204,312
- P4390 205
- P4391 204
- P5090 ... 205,280

★ Index: Bath & Vanity

★ Loft

Calven 367	Cliche 362	Coupe 360	Dibs 363	Helium 361	Joy 368
					

★ Transcend

Nisse 366	Rock-on 364	Torque 365	Adorn 370	Alexa 378	Ashbury 379
					

Bravo 369	Gather 382	Lahara 375	Lynzie 377	Michael Graves 373	Rizu 376
					

★ Elements

Reign 381	Sentura 372	Wisten 380	Academy 388	Addison 390	Archie 386
					

Bath Match 403	Botanical 402	Bratenahl 395	Fairfield 389	Glenmont 393	Leland 396
					

★ Elements

Madison

397



Moments

384



North Park

394



Orbitz

385



Renovations

398



Victorian

400



★ Relax

Alabaster Glass

426



Arts & Crafts

413



Cantata

410



Eden

414



Etched Glass

430



Fluted Glass

428



Heart

406



Inspire

408



Kensington

416



Le Jardin

415



Maison Orleans

419



Meeting Street

420



Melbourne

418



Pavilion

417



Riverside

412



Santiago

411



Torino

407



Trinity

404



★ Grace

Avalon

429



Bedford

428



Caress

421



Fortune

422



Roxbury

423



Savannah

424








★ Index: Wall Brackets

★ Loft

Calven 12	Coupe 46	Coupe 453	Cuddle 23	Dibs 34	Dibs 34
					

Joy 368	Joy 368	Nisse 25	Nisse 366	Rock-on 36	Torque 38
					

★ Transcend

Adorn 370	Alexa 65	Ashbury 59	Ashbury 379	Bravo 369	Bravo 369
					

Dance 60	Etched Glass 430	Gather 382	Lahara 375	Lynzie 377	Michael Graves 373
					

★ Transcend

Rave

83



Rizu

376



Sentura

372



Splendid

69



Wisten

80



Wisten

80



★ Elements

Academy

388



Academy

388



Addison

390



Americana

132



Americana

131



Americana

132



Alabaster Glass

426



Archie

386



Archie

386



Bath Match

403



Botanical

402



Bratenahl

395



Clayton

112



Fairfield

389



Glenmont

393



Leeland

396



Madison

122



Moments

101



★ Index: Wall Brackets

★ Elements

North Park
394



Opal Glass
426



Orbitz
385



Orbitz
385



Renovations
127



Victorian
400



★ Relax

Arts & Crafts
168



Avalon
202



Bedford
204



Cantata
157



Eden
414



Eden
171



Flirt
148



Heart
406



Inspire
408



Inspire
408



Kensington
193



Kensington
193



Le Jardin
173



Maison Orleans
188



Melbourne
180



Pavilion
196



Pavilion
417



Riverside
165



★ Relax

Santiago

161



Meeting Street

183



Meeting Street

420



Torino

151



Torino

151



Trinity

105



★ Grace

Caress

209



Chanelle

229



Fiorentino

239



Fortune

218



Lady Luck

220



Messina

234



Noir

223



Noir

223



Palais

230



Roxbury

212



Roxbury

216



Satin-Etched Glass

430



Savannah

249



Savannah

249



Savona

236



Veranda

241



Victorian Glass

430



White Glass

431



★ Index: Outdoor

★ Loft

Anson CFL
508



Bay Court
506



Coupe CFL
502



Dibs
500



Hoop CFL
505



Jack
504



Parker CFL
508



Peek-a-Boo
504



Penfield
510



Shelton CFL
508



Soul CFL
505



Valera CFL
509



★ Transcend

Fairview
512



Fairview CFL
513



Greetings
516



Greetings
517



Welcome
514



Welcome
514



★ Elements

Andover
536



Andover CFL
537



Brookside
547



Crawford
532



Crawford CFL
535



Meadowlark
539



Pedigree CFL
541



Promise
535



Reside
538



Salute
540



Westport
542



Westport CFL
544



★ Relax

Arts & Crafts

524



Ashmore CFL

529



Coventry

527



Derby

521



Domino

519



Le Jardin

528



Mac

526



Merit

520



Mission

525



Mission

525



Prairie

522



Regatta

518



★ Grace

Brass Guard

565



Carriage Classic

562



Cast Lantern

562



Die Cast

563



Enchant

549



Imperial

553



Mansard

577



Meridian

552



Milford CFL

574



Newport

577



Non-Metallic

576



Non-Metallic ES

573



Nottingham

550



Prestwick

551



Resort

548



Roman Coach

566



Roman Coach

567



Roman Coach CFL

577



Index: Product Number

Product # Page

MLS

MLS13GUSWW6 648
 MLS13GUWW 648
 MLS18GUSWW6 648
 MLS18GUWW 648
 MLS26GUSWW 648
 MLS26GUWW 648
 MLS32GUWW 648
 MLS42GUWW 648

P1000

P45 611
 P62 634
 P63 626
 P66 626
 P68 626
 P83 616
 P84 613
 P85 612
 P86 609
 P87 607
 P88 618

P162H 627
 P163H 627
 P166H 627
 P168H 627
 P182H 629
 P183 616
 P183H 629
 P184 613
 P185 612
 P186H 628
 P186 608
 P187 607
 P188 628
 P245 611
 P632 631
 P645 610
 P745 610
 P816 615
 P817 615
 P818 615
 P821 608
 P830 619
 P831 614
 P832 605

P2000

P2000 368
 P2001 368
 P2002 368
 P2003 368
 P2004 369
 P2005 369
 P2006 369
 P2007 369
 P2008 370
 P2008 370
 P2009 370
 P2009 370
 P2010 370

P2011 370
 P2012 366
 P2013 366
 P2014 366
 P2015 366
 P2018 408
 P2018 408
 P2019 408
 P2019 408
 P2019 408
 P2020 408
 P2021 408
 P2022 184, 420
 P2023 420
 P2024 420
 P2025 420
 P2026 7, 291, 454
 P2029 46, 360
 P2030 360
 P2031 360
 P2032 360
 P2500 345
 P2501 344
 P2502 347
 P2503 341
 P2514 340
 P2521 342
 P2522 344
 P2524 345
 P2525 346
 P2526 347
 P2527 338
 P2530 339
 P2531 340
 P2533 346
 P2600 351
 P2601 356
 P2602 354
 P2603 357
 P2604 357
 P2605 357
 P2606 357
 P2607 357
 P2608 357
 P2609 357
 P2610 351
 P2611 356
 P2612 353
 P2613 357
 P2614 357
 P2616 351
 P2618 357
 P2619 357
 P2620 355
 P2621 355
 P2623 352
 P2625 352
 P2628 353
 P2630 357
 P2631 357
 P2636 356

P2639 348
 P2642 350
 P2643 350
 P2644 354
 P2645 348
 P2646 350
 P2649 349
 P2649 355
 P2650 349
 P2651 348
 P2654 349
 P2655 343
 P2704 234
 P2705 234
 P2706 382
 P2706 383
 P2707 382
 P2707 383
 P2708 382
 P2708 383
 P2709 382
 P2709 383
 P2713 382
 P2714 382
 P2719 38, 365
 P2720 365
 P2721 365
 P2722 365
 P2724 216, 423
 P2726 215, 423
 P2727 423
 P2728 423
 P2729 223
 P2730 398
 P2731 398
 P2732 398
 P2733 394
 P2734 384
 P2738 394
 P2739 372
 P2740 372
 P2741 372
 P2742 372
 P2743 394
 P2744 183
 P2745 394
 P2752 411, 161
 P2753 162, 411
 P2754 411
 P2757 34, 363
 P2758 375
 P2759 375
 P2760 375
 P2765 363
 P2766 363
 P2767 363
 P2772 212
 P2778 384
 P2783 193, 416
 P2784 416
 P2785 416

P2786 416
 P2794 80, 380
 P2795 380
 P2796 380
 P2797 380
 P2801 377
 P2802 377
 P2803 377
 P2804 377
 P2805 376
 P2806 376
 P2807 376
 P2808 376
 P2810 388
 P2811 388
 P2812 388
 P2813 388
 P2816 212
 P2817 216, 314
 P2819 313
 P2823 362, 463
 P2824 362
 P2825 362
 P2826 362
 P2827 311
 P2828 311
 P2829 384
 P2841 173, 309
 P2842 381, 462
 P2843 59
 P2844 381
 P2845 381
 P2846 390
 P2847 390
 P2848 390
 P2849 112
 P2851 298
 P2852 381
 P2879 238
 P2881 139, 407
 P2882 407
 P2883 407
 P2884 407
 P2885 379
 P2886 379
 P2887 379
 P2888 379
 P2900 169
 P2901 43, 361
 P2905 361
 P2913 406
 P2915 406
 P2918 180
 P2919 406
 P2920 422
 P2927 422
 P2928 406
 P2929 188, 419
 P2933 25
 P2934 241

P2936 131
 P2944 236
 P2951 239
 P2953 242
 P2955 230
 P2959 65, 378
 P2961 419
 P2962 419
 P2963 419
 P2967 415
 P2968 415
 P2969 415
 P2977 378
 P2978 378
 P2989 386
 P2989 386
 P2991 386
 P2992 386
 P2993 396
 P2994 396
 P2995 396
 P2997 386
 P2998 378

P3000

P3002 413, 465
 P3003 413
 P3004 413
 P3005 413
 P3012 173
 P3016 127
 P3022 418
 P3023 418
 P3024 418
 P3025 432
 P3026 432
 P3027 400
 P3028 400
 P3029 400
 P3030 385
 P3038 432
 P3040 432
 P3041 400
 P3044 431
 P3045 431
 P3046 431
 P3051 426
 P3052 426
 P3053 426
 P3054 426
 P3055 426
 P3056 426
 P3057 385
 P3058 385
 P3076 421
 P3077 421
 P3078 421
 P3079 148
 P3092 165, 412
 P3093 412
 P3094 412
 P3095 412

Product # Page

P3100	36, 364	P3261	403	P3426	321	P3544	314	P3715	575
P3106	402	P3265	196, 417	P3427	321	P3545	236	P3716	250
P3107	402	P3266	202, 429	P3428	328	P3547	322, 329	P3717	311
P3108	402	P3267	429	P3429	328	P3548	322, 329	P3718	311
P3109	364	P3268	429	P3430	328	P3550	297	P3719	319, 572
P3110	431	P3269	429	P3431	321	P3556	242, 316	P3730	317
P3111	431, 461	P3270	417	P3433	319	P3561	304	P3731	317
P3112	364	P3287	428	P3434	313	P3562	304	P3732	315
P3113	364	P3287	428	P3438	309	P3563	304	P3733	315
P3114	433	P3288	428	P3439	309	P3564	304	P3738	312
P3115	433	P3289	428	P3440	159, 308	P3567	305	P3740	300
P3116	433	P3290	298	P3458	135	P3568	305	P3741	292
P3117	433	P3292	229	P3460	330	P3569	305	P3745	315
P3118	433	P3294	417	P3461	315	P3570	305	P3750	335
P3131	389	P3295	395	P3464	191	P3573	119	P3752	292
P3132	389	P3296	395	P3467	202, 312	P3575	119	P3753	135
P3133	389	P3297	395	P3468	202, 312	P3587	21	P3754	135
P3134	389	P3298	433	P3473	103, 301	P3597	117, 300	P3757	81
P3135	393	P3299	433	P3474	103	P3598	310	P3759	299
P3136	393			P3475	301	P3599	335	P3760	323
P3137	393	P3300	433	P3476	301	P3599	335	P3761	322
P3153	429	P3301	430	P3477	301	P3599	335	P3762	322
P3154	429	P3302	430	P3478	312			P3764	323
P3155	429	P3303	430	P3479	312	P3605	335	P3765	323
P3156	429	P3311	302	P3480	304	P3606	181	P3773	202
P3158	424	P3312	302	P3481	304	P3607	126, 301	P3779	250
P3159	424	P3325	197	P3482	304	P3608	129	P3780	303
P3161	122, 397	P3326	303	P3483	305	P3613	168	P3781	120
P3162	397	P3326	303	P3484	305	P3620	168	P3785	200
P3163	397	P3328	471	P3485	305	P3622	189	P3788	204, 312
P3164	397	P3329	471	P3486	119	P3623	335, 574	P3792	123
P3184	307	P3330	471	P3487	119	P3624	320	P3793	123
P3187	428	P3331	471	P3489	304	P3634	230	P3794	122
P3188	428	P3332	471	P3491	304	P3635	310	P3798	294
P3190	105, 404	P3333	433	P3492	305	P3637	319	P3799	139
P3191	404	P3335	433	P3493	305	P3641	311		
P3192	405	P3348	334	P3496	119	P3642	320	P3801	132
P3193	405	P3350	334	P3497	316	P3645	250, 317	P3802	132
		P3351	425, 472	P3498	316	P3651	320	P3806	106
		P3352	399, 473			P3655	329	P3807	106
P3203	335	P3359	470	P3509	77	P3656	329	P3809	234
P3204	249, 424	P3360	470	P3510	77	P3660	320	P3813	431, 461
P3205	424	P3361	470	P3513	309	P3663	302	P3814	157
P3206	424	P3362	470	P3515	301	P3678	195, 306	P3815	314
P3207	424	P3363	470	P3516	334	P3681	7, 290, 441	P3816	324, 328
P3209	12, 367	P3364	301	P3518	334	P3682	210	P3817	324, 328
P3210	367	P3367	204, 428	P3519	165	P3683	236	P3818	324, 328
P3213	335, 578	P3368	428	P3520	334	P3684	177	P3821	74
P3216	157, 410	P3369	428	P3521	304	P3686	177	P3824	152
P3222	410	P3373	430	P3524	335	P3687	320	P3825	229
P3223	367	P3374	430	P3525	309	P3688	334	P3827	95
P3236	367	P3375	430	P3526	335	P3689	335	P3829	306
P3237	414	P3376	430	P3528	335	P3690	250, 317	P3830	430
P3238	414			P3532	194	P3696	170	P3832	430
P3239	414	P3400	225, 314	P3535	329	P3697	335	P3836	298
P3240	373	P3401	335	P3536	329			P3837	298
P3241	373	P3405	337	P3538	333	P3701	51	P3837	308
P3242	373	P3406	337	P3539	316	P3705	335	P3839	163, 308
P3248	410	P3408	336	P3540	316	P3711	10	P3840	161
P3249	410	P3410	336	P3541	316	P3712	321, 575	P3843	152, 307
P3258	403	P3412	336	P3542	247	P3713	319, 575	P3845	148, 307
P3259	403	P3425	321	P3543	246	P3714	319, 575	P3846	65
P3260	403								

Index: Product Number

Product #	Page				
P3847	151	P3956	9, 293, 441	P4114	129
P3849	399, 473	P3957	8, 291, 440	P4115	127
P3850	399, 473	P3958	9, 290, 440	P4116	126
P3852	300	P3959	100	P4117	248
P3853	308	P3960	220	P4120	245
P3854	300	P3967	61	P4121	246
P3855	331	P3968	35	P4122	247
P3857	425, 472	P3969	73	P4139	27
P3858	425, 472	P3970	313	P4147	174
P3870	302	P3976	296	P4153	241
P3876	331	P3977	66	P4154	242
P3879	149	P3978	295	P4155	241
P3880	303	P3979	46, 295	P4156	243
P3881	30, 251, 292	P3980	46, 295	P4157	243
P3883	318, 543	P3981	44, 296	P4158	195
P3884	92	P3982	44, 296	P4179	163
P3885	311	P3983	45, 296	P4185	43
P3886	297	P3984	296	P4191	233
P3888	92	P3985	47, 295	P4192	235
P3889	95	P3986	306		
P3892	461	P3997	320	P4200	172
P3893	461	P3998	320	P4201	172
P3897	36, 295	P3999	320	P4202	174
P3898	63			P4203	176
		P4000		P4208	224
P3902	93	P4001	116	P4209	223
P3903	93	P4002	114	P4210	225
P3904	93	P4003	116	P4212	166
P3906	117	P4004	115	P4213	165
P3909	113, 265	P4005	159	P4214	166
P3910	323, 325	P4006	159	P4229	166
P3911	323, 325	P4007	249	P4238	191
P3912	74	P4008	134	P4245	167
P3914	88	P4009	134	P4266	180
P3921	63	P4010	245	P4267	180
P3924	324, 332	P4022	170	P4268	179
P3925	324, 332	P4023	170	P4269	128
P3926	324, 332	P4024	171	P4275	201
P3927	330	P4039	157	P4276	200
P3928	89	P4040	158	P4278	245
P3929	89	P4053	115	P4280	124
P3930	44, 296	P4055	181	P4281	124
P3931	139	P4057	201	P4282	125
P3932	57	P4058	180	P4283	123
P3937	14	P4060	178	P4288	193
P3938	29	P4061	178		
P3939	306	P4062	29	P4314	192
P3941	297, 507	P4067	200	P4324	104
P3942	297, 506	P4068	201	P4325	105
P3943	35, 294	P4069	203	P4326	105
P3944	84	P4070	200	P4327	106
P3945	85	P4082	120	P4328	104
P3946	210	P4083	121	P4329	107
P3947	210	P4085	121	P4337	230
P3948	33	P4086	121	P4338	230
P3950	18	P4094	134	P4339	230
P3951	18	P4095	134	P4340	230
P3952	299			P4346	131
P3953	299	P4100	169	P4349	58
P3954	96, 299	P4101	169	P4354	131
P3955	146	P4102	169	P4355	130
		P4113	128		
				P4356	130
				P4357	132
				P4358	133
				P4359	133
				P4365	102
				P4371	188
				P4373	188
				P4374	188
				P4375	189
				P4390	205
				P4391	204
				P4400	112
				P4401	254
				P4402	254
				P4403	254
				P4405	152
				P4406	254
				P4407	238
				P4409	239
				P4410	239
				P4411	238
				P4415	153
				P4416	151
				P4418	155
				P4419	154
				P4421	113
				P4422	111
				P4431	25
				P4432	37
				P4433	37
				P4434	81
				P4435	80
				P4436	78
				P4439	78
				P4440	87
				P4441	87
				P4442	228
				P4443	227
				P4444	228
				P4458	65
				P4459	65
				P4460	149
				P4461	149
				P4462	58
				P4463	59
				P4469	148
				P4489	17
				P4490	19
				P4492	21
				P4497	20
				P4500	213
				P4501	212
				P4502	213
				P4503	215
				P4504	215
				P4505	217
				P4506	215
				P4507	217
				P4508	216
				P4509	129
				P4510	127
				P4530	186
				P4533	232
				P4535	233
				P4536	233
				P4537	13
				P4538	26
				P4539	13
				P4544	237
				P4545	237
				P4547	237
				P4566	185
				P4567	183
				P4568	182
				P4569	187
				P4579	197
				P4580	197
				P4586	163
				P4587	161
				P4588	162
				P4592	199
				P4603	199
				P4604	198
				P4609	337
				P4610	337
				P4619	66
				P4621	73
				P4622	71
				P4623	75
				P4625	71
				P4626	66
				P4627	88
				P4629	25
				P4630	31
				P4632	140
				P4635	140
				P4638	138
				P4641	83
				P4642	84
				P4643	85
				P4644	209
				P4645	209
				P4646	211
				P4647	7
				P4648	32
				P4649	32
				P4659	98
				P4660	98
				P4661	96
				P4662	98
				P4663	99
				P4664	144
				P4665	145
				P4666	144
				P4667	145
				P4668	147
				P4669	146
				P4670	100
				P4671	101

Product # Page

P4672 100	P5076 162, 276	P5187 262	P5331 589	P5512 571
P4673 219	P5077 171, 275	P5188 268	P5390 589	P5515 560
P4674 219	P5078 124, 267	P5195 266	P5391 589	P5520 552
P4675 219	P5079 125, 267	P5196 266	P5392 589	P5525 519
P4676 221	P5080 271	P5197 268	P5394 589	P5528 524
P4677 220	P5081 38, 254	P5198 53, 264		P5529 527
P4678 221	P5083 175, 277	P5199 53	P5401 559	P5530 542, 545
P4679 68	P5084 196, 279		P5402 512	P5530 542, 545
P4680 68	P5085 40	P5200 596	P5406 528	P5538 550
P4681 69	P5087 272	P5202 588	P5414 577	P5547 513
P4685 208	P5090 205, 280	P5203 588	P5415 519	P5549 516
P4686 143	P5091 273	P5204 596	P5420 552	P5550 531
P4687 72	P5094 272	P5205 596	P5426 579	P5554 540
P4688 108	P5095 107, 278	P5207 588	P5428 524	P5558 561
P4689 108	P5096 107, 278	P5210 596	P5429 527	P5559 526
P4690 109		P5212 588	P5430 565	P5562 318, 531
P4691 38	P5100 217, 282	P5214 588	P5432 564	P5563 522
P4692 39	P5102 47, 247	P5219 597	P5434 542, 544	P5565 566
P4693 41	P5103 271	P5223 600	P5434 544	P5574 532
P4694 47	P5104 128, 267	P5224 600	P5436 579	P5579 521
P4961 337	P5105 30, 251	P5225 596	P5437 576	P5582 554, 556
P4962 337	P5108 76, 263	P5228 598	P5438 550	P5584 551
P4971 337	P5112 76, 263	P5229 598	P5444 577	P5587 536
	P5113 89, 263	P5230 598	P5445 542	P5589 51, 507
P5000	P5114 99, 269	P5233 597	P5445 542	P5590 500
P5000 181, 273	P5117 237, 280	P5234 599	P5446 579	
P5001 181, 273	P5118 15, 253	P5235 599	P5449 516	P5602 570
P5002 167, 276	P5121 254	P5237 599	P5450 531	P5603 570
P5003 258	P5122 177, 277	P5238 596	P5453 540	P5604 570
P5004 15, 253	P5125 198, 279	P5239 599	P5454 563	P5607 564
P5006 101, 269	P5126 34, 252	P5241 599	P5456 576	P5607 564
P5008 220, 280	P5127 271	P5248 596	P5458 561	P5612 578
P5011 258	P5128 83, 262	P5250 531, 594	P5459 526	P5616 571
P5012 258	P5129 32, 252	P5253 594, 565	P5461 525	P5617 571
P5013 272	P5131 147, 274	P5256 113, 265	P5463 522	P5626 579
P5013 272	P5134 63, 260	P5257 594	P5463 522	P5628 524
P5014 10, 251	P5135 117, 267	P5261 529, 595	P5468 539	P5629 524
P5015 60	P5136 148, 274	P5262 529, 600	P5472 511	P5631 516
P5019 27, 251	P5140 239, 282	P5265 596	P5474 532	P5633 524
P5020 168, 275	P5141 194, 275	P5270 17, 259	P5478 579	P5636 579
P5021 168, 275	P5142 95, 269	P5271 594	P5479 521	P5641 583
P5023 266	P5144 150, 278, 307	P5272 526, 594	P5482 554, 557	P5642 583
P5024 266	P5145 203, 279	P5273 594	P5483 557	P5643 585
P5025 258	P5146 249, 283	P5275 529, 595	P5484 551	P5644 585
P5026 109, 270	P5147 65, 257	P5276 594	P5485 558	P5645 577
P5027 30	P5150 260	P5279 598	P5486 558	P5649 531
P5034 218, 281	P5153 150, 278	P5295 598	P5487 536	P5650 531
P5040 249, 283	P5159 256	P5296 600	P5489 513	P5651 531
P5042 257	P5163 255	P5297 596	P5490 500	P5652 530
P5044 211, 281, 314	P5164 37, 254	P5298 595	P5492 513	P5653 530
P5048 61	P5167 76, 263	P5299 599	P5493 577	P5654 563
P5049 22	P5172 261		P5494 513	P5656 576
P5054 57, 264	P5173 109, 270	P5300 75, 259	P5496 513	P5657 576
P5056 57, 264	P5174 256	P5303 61, 260	P5499 507	P5658 561
P5058 23	P5177 261	P5304 69, 257		P5659 561
P5059 22, 252	P5178 261	P5306 210, 281	P5501 559	P5660 561
P5060 242, 282	P5179 261	P5312 597	P5502 539	P5661 562
P5062 33, 252	P5182 255	P5313 597	P5503 511	P5662 562
P5063 189, 277	P5183 255	P5314 10, 251	P5507 528	P5666 563
P5065 140, 274	P5184 257	P5314 10, 251	P5510 571	P5670 532
P5068 203, 279	P5186 262	P5330 589	P5511 571	P5671 532

Index: Product Number

Product #	Page				
P5672	532	P5759	525	P5875	529
P5673	532	P5760	525	P5878	559
P5674	583	P5762	567	P5881	573
P5675	583	P5763	522	P5887	537
P5681	556	P5764	522	P5888	537
P5682	556	P5765	567	P5891	642
P5682	554, 556	P5766	568	P5895	511
P5683	554, 557	P5767	567	P5896	511
P5684	554, 558	P5768	525	P5897	511
P5685	535	P5770	568	P5898	510
P5686	535	P5772	568	P5899	510
P5687	536	P5773	566		
P5688	536	P5774	583	P5906	526
P5689	536	P5775	512	P5907	526
P5690	558	P5777	566	P5914	460, 508
P5691	580	P5778	512	P5915	460, 508
P5694	581	P5780	512	P5920	551
P5695	580	P5781	293, 505	P5921	551
P5698	581	P5786	293, 505	P5923	551
		P5788	317, 571	P5925	562
P5700	559	P5789	317, 571	P5939	519
P5701	559	P5790	459, 508	P5948	458, 504
P5702	579	P5791	580	P5949	458, 504
P5703	579	P5795	580	P5951	519
P5704	579			P5952	519
P5705	579	P5800	460, 509	P5953	540
P5706	579	P5801	460, 509	P5954	540
P5710	580	P5806	460, 509	P5955	540
P5711	580	P5813	578	P5959	549
P5712	584	P5814	577	P5966	549
P5713	584	P5815	577	P5967	549
P5714	560	P5816	573	P5968	587
P5715	539	P5817	578	P5969	587
P5716	539	P5818	578	P5970	587
P5717	539	P5819	463, 505	P5972	587
P5718	560	P5820	552	P5977	538
P5719	516	P5821	574	P5978	538
P5720	560	P5822	552	P5979	538
P5721	547	P5823	552	P5980	541
P5722	547	P5824	552	P5981	541
P5723	547	P5826	562	P5982	541
P5727	570	P5828	527	P5985	569
P5728	516	P5829	527	P5986	569
P5729	570	P5831	565	P5987	548
P5730	564	P5832	565	P5988	548
P5731	564	P5834	319, 565	P5989	548
P5736	458, 508	P5835	550	P5990	500
P5737	458, 576	P5836	550	P5991	500
P5738	576	P5837	550	P5992	500
P5741	583	P5838	550	P5996	549
P5742	528	P5843	573	P5997	518
P5743	528	P5844	578	P5998	518
P5744	570	P5846	565	P5999	526
P5745	570	P5848	512		
P5747	528	P5849	506	P6000	520
P5748	573	P5851	506	P6001	520
P5749	521	P5854	530	P6002	520
P5750	521	P5862	542, 544	P6003	514
P5751	521	P5863	543, 545	P6004	514
P5756	565	P5864	543, 545	P6005	514
P5758	565	P5874	529	P6006	586
				P6007	586
				P6008	586
				P6009	586
				P6018	524
				P6019	318, 566
				P6020	318, 569
				P6021	535
				P6022	535
				P6023	318, 526
				P6104	493
				P6105	493
				P6111	488
				P6112	488
				P6115	488
				P6116	488
				P6117	488
				P6118	488
				P6119	484
				P6120	484
				P6124	485
				P6125	485
				P6126	485
				P6132	626
				P6135	481
				P6136	482
				P6137	480
				P6138	479
				P6139	481
				P6140	479
				P6144	475
				P6145	477
				P6146	477
				P6147	475
				P6148	477
				P6149	475
				P6153	477
				P6154	476
				P6155	475
				P6160	474
				P6161	474
				P6162	474
				P6163	476
				P6171	479
				P6177	480
				P6178	480
				P6182	479
				P6227	486
				P6228	486
				P6280	491
				P6325	491
				P6326	491
				P6327	491
				P6328	492
				P6329	492
				P6339	493
				P6369	491
				P6397	475
				P6398	475
				P6400	520
				P6401	549
				P6402	538
				P6403	541
				P6404	548
				P6405	518
				P6406	514
				P6407	553
				P6413	568
				P6414	639
				P6415	503
				P6416	639
				P6417	567
				P6419	534
				P6500	520
				P6501	549
				P6502	538
				P6503	541
				P6504	548
				P6505	273, 518
				P6506	259, 514
				P6507	283, 553
				P6508	553
				P6515	502
				P6519	534
				P6600	553
				P6601	553
				P6602	458, 504
				P6603	458, 504
				P6604	455, 503
				P6605	455, 502
				P6613	534
				P6614	534
				P6621	630
				P6623	630
				P6625	630
				P6676	609
				P6678	609
				P6691	631
				P6715	631
				P6802	601, 640
				P6803	601, 640
				P6805	640
				P6816	640
				P6817	601, 640
				P6818	640
				P6819	601, 640
				P6820	640
				P6821	640
				P6824	640
				P6825	640
				P6826	640
				P6827	601, 640
				P6828	601, 640
				P6829	601, 640
				P6829	601, 640
				P6832	601, 640
				P6832	601, 640

Product # Page

P6917 639
P6952 639
P7000
P7001 451
P7002 449
P7003 464
P7004 451
P7005 449
P7007 451
P7008 451
P7009 451
P7011 451
P7012 449
P7013 449
P7014 451
P7015 451
P7016 451
P7017 451
P7018 451
P7019 451
P7020 448
P7021 448
P7022 448
P7023 448
P7025 434
P7026 138, 465
P7027 34, 456
P7032 447
P7033 447
P7033 447
P7034 447
P7035 447
P7044 457
P7045 457
P7046 209, 467
P7049 218, 422
P7050 220
P7051 455
P7052 457
P7053 83, 462
P7056 10, 454
P7058 60, 463
P7059 69, 463
P7061 456
P7065 23, 454
P7068 457
P7079 467
P7081 457
P7082 457
P7083 459
P7085 459
P7087 456
P7092 462
P7093 462
P7094 437
P7095 437
P7096 437

P7102 462
P7103 458
P7109 461

P7110 461
P7112 456
P7113 456
P7114 437
P7115 437
P7116 437
P7118 326, 574
P7120 469
P7121 469
P7122 127, 466
P7124 581
P7127 80
P7128 437
P7129 437
P7130 437
P7131 437
P7132 437
P7133 437
P7137 445
P7138 413, 465
P7139 413
P7140 413
P7144 467
P7151 469
P7153 466
P7154 445
P7170 466
P7171 466
P7175 466
P7176 466
P7181 150, 465
P7182 326, 574
P7183 444
P7186 444
P7189 445
P7191 581
P7195 469
P7196 444

P7200 468
P7201 445
P7206 443
P7209 245, 467
P7210 245, 467
P7211 434
P7212 434
P7213 444
P7214 444
P7215 444
P7216 444
P7217 464
P7218 435, 443
P7221 435, 443
P7227 436
P7228 436
P7229 436
P7230 436
P7231 436
P7232 436
P7236 435
P7237 435

P7249 319, 442, 449
P7250 442
P7251 442
P7252 442
P7258 442
P7262 444
P7263 444
P7264 444
P7265 445
P7266 445
P7267 445
P7268 445
P7273 444
P7274 444
P7275 444
P7276 444
P7278 443
P7279 443
P7280 443
P7285 443

P7307 326
P7309 326
P7310 326
P7311 326
P7312 325
P7312 322
P7313 325
P7315 304
P7316 304
P7319 305
P7320 305
P7322 119
P7323 119
P7324 304
P7325 304
P7326 304
P7327 305
P7328 305
P7329 305
P7337 572
P7338 572
P7339 572
P7340 572
P7364 322, 329
P7372 327, 581
P7373 327, 581
P7375 327, 581
P7376 327, 581
P7377 327
P7378 327
P7379 326
P7380 326
P7381 326
P7382 326
P7383 327
P7384 327
P7385 327
P7396 581

P7510 446
P7533 450

P7800 648
P7801 603, 648
P7802 648
P7805 452, 648
P7807 648
P7812 648
P7818 648
P7829 648
P7830 648
P7831 648
P7832 648
P7833 648
P7834 473, 648

P8000
P8000 611
P8001 611
P8002 621
P8004 610
P8005 622
P8006 622
P8007 606, 608, 619
P8008 607, 617, 619, 634
P8009 606, 608, 619
P8010 609
P8011 606, 608
P8014 626, 627
P8015 626, 627
P8016 626, 627
P8017 630
P8018 630
P8019 630
P8020 609
P8021 620, 621
P8022 319
P8023 620
P8025 606, 608, 617, 619, 634
P8028 609
P8030 626, 627, 633
P8031 626, 627, 633
P8032 626, 627, 633
P8033 633
P8034 626, 627, 633
P8035 626, 627, 633
P8036 615, 637
P8037 615, 637
P8038 633
P8039 615, 637
P8041 614, 637
P8042 614, 637
P8043 614, 637
P8044 614, 637
P8045 615, 619, 637
P8046 614, 637
P8047 614, 637
P8048 614, 637
P8049 614, 637
P8050 620, 621
P8051 620, 621
P8052 607, 608, 617, 634

P8053 606, 608, 617, 619, 634
P8056 615, 637
P8057 615, 637
P8060 607, 608, 617, 619, 634
P8062 607, 608, 617, 619, 634
P8063 609
P8064 624
P8065 607
P8066 606, 608, 617, 619, 634
P8067 624
P8068 606, 608, 617, 619, 634
P8071 604, 608, 617
P8072 606, 608, 619, 634
P8073 609
P8074 606, 608, 617, 634
P8075 606, 608, 617, 619, 634
P8076 606, 608
P8077 606, 608
P8078 606, 608
P8079 606, 608
P8080 605
P8082 606, 608
P8096 617, 619, 634

P8100 639
P8101 639
P8102 623
P8103 623
P8103 622
P8104 625
P8105 625
P8106 625
P8109 612, 613, 636
P8112 620, 621
P8113 628, 629
P8114 628, 629
P8115 628, 629
P8116 628, 629
P8117 630
P8118 630
P8119 630
P8120 622, 623
P8121 622, 623
P8123 620
P8130 628, 629
P8131 628, 629
P8132 628, 629
P8133 623
P8135 628, 629
P8144 619
P8145 619
P8168 612, 636
P8170 628

Index: Product Number

Product #	Page				
P8172	612, 636	P8624	286	P8739	630, 639
P8175	612	P8625	287	P8740	447
P8175	612	P8626	603	P8741	585
P8176	612, 613, 636	P8628	603	P8741	585
P8176	612, 613, 636	P8632	284	P8742	496
		P8635	603	P8743	447
P8200	630	P8637	648	P8745	496
P8201	630	P8639	284	P8746	496
P8202	630	P8640	284	P8748	589
P8203	630	P8643	638	P8751	496
P8206	624	P8651	603	P8753	496
P8212	620	P8652	487	P8755	285
P8213	628	P8653	487	P8757	285
P8214	621	P8654	487	P8758	285
P8215	623	P8655	487	P8759	285
P8216	625	P8666	603	P8759	285
P8218	628	P8667	603	P8760	496
P8220	622	P8669	284	P8761	285
P8223	620	P8670	286	P8765	53, 264
P8226	628	P8671	603	P8766	52
P8232	628	P8672	603	P8768	52
P8270	602	P8678	287	P8769	284
		P8684	598	P8770	496
P8367	612, 613, 636	P8698	443	P8771	496
P8368	613	P8699	603	P8772	284
P8375	613			P8773	638
		P8700	638	P8776	486
P8511	638	P8701	284	P8777	497
P8516	496	P8702	284	P8778	486
P8517	602	P8703	284	P8780	486
P8518	602	P8704	284	P8781	486
P8519	602	P8706	487	P8782	486
P8520	602	P8707	487	P8783	486
P8521	602	P8708	603	P8784	486
P8522	602	P8709	563	P8785	486
P8523	602	P8710	585	P8786	487
P8524	603	P8712	584	P8788	284
P8525	603	P8713	284	P8789	548
P8526	603	P8714	284	P8790	487
P8531	603	P8715	497	P8791	487
P8555	638	P8716	638	P8792	487
P8562	603	P8717	496	P8793	487
P8584	638	P8718	497	P8794	486
P8585	638	P8719	284	P8795	486
P8587	638	P8720	495	P8797	585
P8588	638	P8721	495	P8798	585
P8589	638	P8722	495	P8799	585
P8590	602	P8723	495		
P8591	602	P8724	496	P8820	53, 264
P8592	602	P8725	630, 639	P8821	53, 264
P8593	638	P8726	589	P8822	52
		P8727	496	P8823	52
P8601	286	P8728	497	P8824	52
P8603	451	P8729	284	P8825	52
P8607	638	P8730	496	P8926	284
P8608	451	P8733	446		
P8613	598, 603	P8734	497	Pg000	
P8614	603	P8735	446	P9103	495
P8617	639	P8736	495	P9104	495
P8618	603	P8737	446	P9105	495
P8620	284	P8738	446	P9106	495
				P9106	495
				P9107	496
				P9108	496
				P9109	496
				P9110	496
				P9111	496
				P9113	497
				P9115	495
				P9116	495
				P9117	495
				P9121	496
				P9122	496
				P9123	496
				P9200	490
				P9201	490
				P9202	490
				P9203	491
				P9204	491
				P9205	489
				P9206	489
				P9207	489
				P9208	490
				P9209	490
				P9212	494
				P9215	494
				P9216	494
				P9217	494
				P9218	493
				P9219	492
				P9220	492
				PC - PV	
				PC001	587
				PC002	587
				PE008	647
				PE009	647
				PE010	647
				PE011	647
				PE012	647
				PE013	647
				PE014	647
				PV008	438
				PV020	438
				PV021	438

Every effort has been made to ensure the accuracy of information in this catalog. Progress Lighting reserves the right to make product changes from time to time, without prior notification, which may change the information provided in this catalog. Errors brought to our attention will be corrected in subsequent issues.

UL Listed or Classified or CSA Certified unless otherwise noted.

Thomasville Lighting® is manufactured by Progress Lighting under a license from and to the quality and design specifications of Thomasville Furniture Industries, Inc.

Bulbs not included with fixtures unless specified. Specifications subject to change without notice.

Metal finishes not specified as "solid" have quality plated or painted finishes.

Finish representations are high resolution digital reproductions, and, while every effort has been made to render colors accurately, they may vary slightly from the actual product, especially hand-painted finishes, due to the nature of hand craftsmanship.

©Progress Lighting 2013

All rights reserved.
International Copyright
Secured.

★ Finishes Index

Bronzes



Aged Mahogany (75)



Fieldstone (87)



Antique Bronze (20)



Forged Bronze (77)



Autumn Haze (97)



Heirloom (88)



Biscay Crackle (91C)



Oil Rubbed Bronze (108)



Burnished Chestnut (86)



Roasted Java (102)



Cognac (72)



Urban Bronze (174)



Copper Bronze (124)



Venetian Bronze (74)



Desert Sand (111)



Espresso (84)



Weathered Bronze (46)

Silvers



Antique Nickel (81)



Satin Aluminum (16)



Brushed Nickel (09)



Silver Ridge (134)



Brushed Platinum (08)



Stainless Steel (135)



Burnished Silver (126)

Blacks



Classic Silver (101)



Black (31)



Polished Chrome (15)



Forged Black (80)



Polished Nickel (104)



Gilded Iron (71)

Gold



Antique Brass (11)



Brushed Bronze (109)



Imperial Gold (63)



Polished Brass (10)



Seabrook (42)

These finish representations are high-resolution digital reproductions, and while every effort has been made to render colors accurately, they may vary slightly from the actual product, especially hand-painted finishes due to the nature of hand craftsmanship.



Progress Lighting

701 Millennium Boulevard
Greenville, South Carolina
29607

www.progresslighting.com