





3M Oral Care
3m.com/orthodontics
(800) 423-4588

Allure Ortho
allureortho.com
(844) 442-5587

American Orthodontics
americanortho.com
(800) 558-7687

ClearBow
clearbow.com
(855) 538-4002



				
Wire name	Unitek™ Beta III Titanium Archwire	NiTi or SS White Wire	Tanzo Premium Heat Activated Wire	ClearBow Labial Bow
Alloys	Titanium Molybdenum	NiTi, Stainless Steel	Thermal NiTi, Copper NiTi	Thermoplastic, Stainless Steel
Archforms	Tapered, Ovoid, Square OrthoForm™ II	Damon, Natural	Damon, Natural, Ovoid, Roth	1.5 mm and 3 mm wide concave
Rectangular sizes available	.016" x .022", .016" x .025", .017" x .025", .019" x .025", .021" x .025"	.016" x .022", .017" x .025", .018" x .025", .019" x .025", .021" x .025"	.014" x .025", .016" x .022", .016" x .025", .017" x .025", .018" x .025", .019" x .025", .021" x .025"	N/A
Round sizes available	N/A	.012", .014", .016", .018", .020"	.013", .014", .016", .018"	N/A
Square sizes available	.0175" x .0175" (upper and lower; not available in tapered archform); .021" x .021" (upper and lower; not available in tapered and square archform); not available in ovoid archform (lower only).	.016" x .016", .018" x .018", .020" x .020"	.016" x .016", .018" x .018", .020" x .020"	N/A
Cost per wire	Contact company	Round: \$55/10 pack. Rectangular: \$59/10 pack	Contact company	\$8.50
Special features	Known in the industry as the "happy medium" between nickel titanium and stainless steel, this archwire provides the extended working range of a titanium alloy and the bendability of stainless steel.	These are top quality aesthetic wires that keep the coating longer than the others on the market.	Tanzo provides a moderate loading force with a responsiveness to chilling, which eases engagement into brackets. Light to moderate unloading force delivers predictable results and excellent patient comfort.	Clear and virtually indestructible labial bow for active and passive orthodontic appliances. Can be bent with a three prong plier—0% breakage rate since 2007. Made in the USA and Canada.
Other wires available	Unitek Ligature Ties Pre-formed Tooth Colored Shorty .012"; Nitinol Open and Closed Coil Springs. Other Unitek archwires include: Heat-Activated, Super-Elastic, and Classic.	N/A	NT3 Superelastic NiTi Wire, Beta Titanium Wire, Stainless Steel Wire, SS Multi Strand Wire, Tritanium Multi Force NiTi Wire	ClearBow Wide—4 sizes for maxillary and mandibular arch. ClearBow Slim—2 sizes; adjustable for a wide range of sizes.

Information in this guide based on data submitted by product manufacturers. Orthodontic Products strives for accuracy in all data but cannot be held responsible for claims made by manufacturers.



**Simply Great Wire.
Great Prices.**



- Nickel Titanium
- Inconel
- Stainless Steel
- Beta Titanium
- Molybdenum

**Come visit us during AADI -
Booth #1234**

South-coated wire -



- DURABLE
- RUST RESISTANT
- SPOT COATING



All Highland wires are proudly
manufactured in the U.S.A.

To place an order - highlandmetals.com

Toll-Free 1 (888) 373-6003

Online: www.highlandmetals.com - E-mail: orders@highlandmetals.com





Dentaurum
dentaurum.com
(800) 523-3946

**Dentsply Sirona
Orthodontics**
dentsplysirona.com
(800) 645-5530

DynaFlex
dynaflex.com
(800) 489-4020

Forestadent USA
forestadentusa.com
(800) 721-4940



				
Wire name	Noninium	BioForce® Plus	Brilliant Coated Archwire	PDS System Archwires
Alloys	Nickel free* stainless steel. (Nickel trace elements of <0.2% are due to the process of manufacturing)	Superelastic NiTi	NiTi, Stainless Steel, Aesthetic Coated	Superelastic NiTi, Thermal NiTi, Beta Titanium
Archforms	Ideal Archform	Damon, Roth, Standard	Natural	Roncone
Rectangular sizes available	.016" x .022", .017" x .025", .018" x .025", .019" x .025", .021" x .025"	.016" x .022", .018" x .025", .019" x .025", .021" x .028", .022" x .028"	.016" x .022", .017" x .025", .018" x .025", .019" x .025"	.017" x .025", .019" x .025"
Round sizes available	.012", .014", .016", .018"	N/A	.012", .014", .016", .018", .020"	.012", .014", .018"
Square sizes available	.016" x .016", .018" x .018"	.016" x .016", .018" x .018", .020" x .020"	.016" x .016"	.020" x .020"
Cost per wire	Contact company	Contact company	As low as \$5.49 per wire	Contact company
Special features	Nickel free stainless steel in round, rectangular, and square.	N/A	Brilliant Coated wires are dual coated with a very thin silver layer that forms a very strong bond with the second non-staining, non-corroding polymer material second layer. The double layer coating results in a durable, anti-bacterial and hypo-allergenic.	.012" and .014" PDS archwires are sold in a duo pack. The .019" x .025" and .017" x .025" are sold in pre-looped forms for easy adjustment.
Other wires available	Thermal-active, twist stainless steel, nickel titanium, stainless steel, titanium molybdenum	Superelastic shape memory, nickel titanium wire that provides gradually increasing forces from the anterior to posterior segment all within one archwire. Body heat activated and is also available with IonGuard®.	Stainless Steel, Nickel Titanium, Thermal NiTi, PreTorqued Wire, and Copper NiTi Wire.	NEW PDS - DWS (cosmetic wire)

Information in this guide based on data submitted by product manufacturers. Orthodontic Products strives for accuracy in all data but cannot be held responsible for claims made by manufacturers.



WELCOMING

all AAO members and friends to

SAN DIEGO
CALIFORNIA

Visit us at **BOOTH #1849**
and **SAVE** on arch wires,
accessories and more.

CASH Sales
over \$500 receive
a discount!

3 lucky winners
RECEIVE \$100
in product or credit!

Enter at **BOOTH #1849**
or email your entry to
sales@modernarches.com

PAID ADVERTISEMENT

Modern Arch, LLC, Wyomissing, PA, USA
866-MOD-ARCH(663-2724)





modernarches.com

G&H Orthodontics
ghorthodontics.com
(800) 526-1026

Gold'n Braces Inc
goldnbraces.com
(800) 785-1970

Great Lakes Orthodontics Ltd
greatlakesortho.com
(800) 828-7626

Henry Schein Orthodontics
henryscheinortho.com
(800) 547-2000

				
Wire name	TitanMoly™	Gold Plated Wire	Duraloy Chrome-Cobalt	Carrière® System Archwires
Alloys	Titanium Molybdenum	NiTi, Stainless Steel, Thermal NiTi, Multistrand Stainless Steel	Nickel Cobalt	Thermal NiTi, Copper Nickel Titanium, Beta Titanium
Archforms	Damon, Ovoid, Roth, Standard, Tapered	Natural	N/A	Ovoid, Natural, Damon
Rectangular sizes available	.016" x .022", .017" x .025", .018" x .025", .019" x .025", .021" x .025"	.016" x .022", .017" x .025", .018" x .025", .019" x .025", .021" x .025"	N/A	.014" x .025", .017" x .025", .019" x .025", .012" x .027"
Round sizes available	.016" and .018"	.012", .014", .016", .018", .020"	.018", .020", .022", .025", .028", .030", .032", .036", .038", .040", .045"	.013", .014"
Square sizes available	.016" x .016", .0175" x .0175", .020" x .020"	.016" x .016"	N/A	N/A
Cost per wire	Contact company	Contact company	Round: \$17.95 to \$13.82 each	Contact company
Special features	Smoother surface finish for improved sliding mechanics; accepts adaptation bends without breakage; nickel-free.	Gold plated	Duraloy Chrome-Cobalt Wire from Great Lakes Orthodontics is longer functioning as a resilient spring wire without distortion or fatigue; soldered easily without annealing; and can be treated to create greater strength.	Carrière Archwires complement the philosophy of fast, gentle, and natural tooth movement. Carrière Cu™ Nitanium® Archwires include the innovative EZ Stops™ delivery system, crimp-stops preloaded onto a disposable holder, prethreaded.
Other wires available	Nickel Titanium, Thermal Copper NiTi, Stainless Steel, Heat-treated Stainless, Tooth-Colored	Gold retainer wire: .026", .028", .030", .032", .036". Penta Twist: .0195", .0155", .0175", .0215".	Stainless Steel Wire-Round, Menzanium Wire, Titanium Molybdenum Alloy Archwire-Round	Cu Nitanium RCS Straight Leg D-LX™ Archwire, Bio-Kinetix® Plus™ Thermal Nitanium Archwires, Variable Force 3™ Thermal Nitanium Archwires, and more.

Information in this guide based on data submitted by product manufacturers. Orthodontic Products strives for accuracy in all data but cannot be held responsible for claims made by manufacturers.



Level 1

Social Marketing Training Sessions
AAO San Diego Booth 3129

Wow patients Win referrals
Grow profits!

Launch Your Reward & Engagement Marketing Suite

- Reward & Kids Clubs
- Social Management
- Automated Content
- Analytics & Reporting
- Price Fulfillment
- Referral Automation
- Reputation Management
- Certified Patient Hubs
- Mobile & Watch Apps
- Reminders & Messaging



AAO San Diego
Booth 3129

Call To Learn More
800-560-1469






LeoneAmerica
americantooth.com
(800) 235-4639

**MidAtlantic
Orthodontics Inc**
midatlanticortho.com
(800) 255-3525

Modern Arch LLC
sales@modernarches.com
(866) 663-2724

OC Orthodontics
oc-orthodontics.com
(866) 752-0065

Ormco Corp
ormco.com
(800) 854-1741

					
Wire name	Pozzi Cobalt Clasp Crozat Wire	FIT.20 Extra Broad Archwire	Tri-Sectional Arch	H4 Premium Wire	Ormco Copper Ni-Ti™
Alloys	N/A	Superelastic NiTi, Titanium Molybdenum	Bi-dimensional, Multi Alloy	NiTi, Stainless Steel, Superelastic NiTi, Thermal NiTi	NiTi, Copper Ni-Ti
Archforms	N/A	Extra broad	Damon, Natural, European	Pitts' Standard, Pitts' Broad	Damon, Orthos®, Tru-Arch®, Lingual
Rectangular sizes available	No	.016" x .025", .017" x .025", .018" x .025", .019" x .025" (rounded)	Anterior: .016" x .025", .017" x .022", .018" x .025", .019" x .025". Posterior: .016" x .016", .017" x .017", .018" x .018"	.017" x .017", .018" x .018", .020" x .020", .016" x .022", .016" x .025", .017" x .025", .018" x .025", .019" x .025" x .025", .021" x .025"	Damon: .014" x .025", .016" x .025", .018" x .025". Additional sizes available for Orthos and Tru-Arch archforms.
Round sizes available	Yes	.014", .016", .018"	Posterior: .016", .018"	.012", .014", .016", .018", .020"	Damon, Orthos, Tru-Arch, and Lingual sizes available.
Square sizes available	No	.016" x .016", .018" x .018", .020" x .020"	.016" x .016", .017" x .017", .018" x .018"	.016" x .016", .017" x .017", .018" x .018", .019" x .019", .020" x .020"	Orthos and Tru-Arch: .017" x .017", .020" x .020". Lingual: .016" x .016", .018" x .018"
Cost per wire	Contact company	Contact company	\$7.99	Contact company	Contact company
Special features	Specifically for the Crozat Method. It comes in various gauge sizes ranging from 15 to 23. Wire is prepared on a coiled spool for a length up to 22 feet.	FIT.20 Extra Broad Archwires take what we have learned about expanded arch form to a whole new level. Greater range of motion sooner with broader, more expressive smiles upon finishing. All in pre-stopped, non-coordinated arches that reduce your stocking requirements.	Free sliding mechanics made easy during final stage of closing cases.	State-of-the-art manufacturing techniques exhibit the most optimum hysteresis curves possible for both Nickel-Titanium and Thermal Activated Nickel Titanium. Broad archform allows for more natural axial inclination of teeth and a more functional occlusion.	The performance combination and specialized processing of copper, chromium, nickel, and titanium alloys provide a low hysteresis material that allows clinicians to easily engage the wire while also providing consistent, light unloading forces that facilitate fast, comfortable tooth movement.
Other wires available	Standard spooled round wire, ¾ hard 14-inch lengths, ½ hard 14-inch lengths, no nickel spooled wire, Pozziloy Blue 14-inch lengths.	N/A	NiTi, Stainless Steel, Beta Titanium, Copper NiTi, Multi Strand	Tooth Coated Wires, Super Elastic Nickel Titanium, Thermal Activated Nickel Titanium, Beta Titanium, and Stainless Steel	Ni-Ti-Pre-Torqued; Ni-Ti Reverse Curve; TMA®-Low-Friction; Stainless Steel; Stainless Steel-Posted

Information in this guide based on data submitted by product manufacturers. Orthodontic Products strives for accuracy in all data but cannot be held responsible for claims made by manufacturers.


See us at AAO
Booth 2937

30% LESS TIME*



"When people are given the proper tools and motivation, what can be accomplished is often nothing short of amazing."

Jeff Johnson, DDS, MS
Dallas, TX



■ suresmile ■ conventional

CRE- Case Report Examination OGS- Objective Grading System

*Data available upon request only.

PROVEN RESULTS, FASTER.

Studies show that the suresmile Treatment Management System achieves better or equal quality finishes in 30% less time while effectively accomplishing desired tooth movements.*

For more information, call suresmile at **877.787.7645**
or visit suresmile.com

suresmile®

to be sure.™

suresmile.com






OrthoEssentials
orthoessentials.net
(866) 517-3257

Ortho Technology Inc
orthotechnology.com
(800) 999-3161

RMO Inc
rmortho.com
(800) 525-6375

SML/Space Maintainers Labs
smlglobal.com
(800) 423-3270

TP Orthodontics Inc
tportho.com
(800) 348-8856


					
Wire name	Royal Premium Wires	TruFlex™ Copper Nickel Titanium Archwire	FLI® Wire (Aesthetic Coated)	SML Brand	Aesthetic Archwire
Alloys	Multistrand Stainless Steel, NiTi, Stainless Steel, Superelastic NiTi, Thermal NiTi, Titanium Molybdenum	Copper Nickel Titanium	NiTi, Stainless Steel, Beta-Ti	Multistrand Stainless Steel, NiTi, Stainless Steel, Thermal NiTi, Titanium Molybdenum, Tooth Tone	NiTi, Stainless Steel, TiMolium®
Archforms	Damon, Natural, Ovoid	Full Form, Euro Form, or Universal Form™ (with or without stops)	Natural	Natural, Standard	Natural
Rectangular sizes available	.016" x .022", .017" x .022", .017" x .025", .018" x .025", .019" x .025"	.014" x .025", .016" x .022", .016" x .025", .017" x .025", .018" x .025", .019" x .025"	.016" x .022", .017" x .025", .018" x .025", .019" x .025"	.016" x .022", .017" x .025", .018" x .025", .019" x .025"	.016" x .022", .017" x .025", .018" x .025", .019" x .025", .0215" x .025", .0215" x .028"
Round sizes available	.012", .014", .016", .018"	.013", .014", .016", .018"	.012", .014", .016", .018"	.012", .014", .016", .018", .020"	.012", .014", .016", .018", .020"
Square sizes available	.016" x .016", .018" x .018"	.017" x .017", .020" x .020"	.016" x .016", .020" x .020"	.016" x .016"	.016" x .016" and .0175" x .0175" (SS and TiMolium)
Cost per wire	Varies by style and type	Contact company	Contact company	Contact company	Contact company
Special features	All of the Royal Premium Wires are produced to the standards of ISO 13585. We use only the finest raw materials and perform rigorous testing before the products are approved for shipment.	The inclusion of copper to the nickel titanium alloy accentuates the thermal properties and provides a lighter tactile "feel" at room temperature. Available in 27°C or 35°C Force Levels.	The aesthetic tooth colored coating is applied to the labial surface of the archwire to provide a natural cosmetic appearance ideally suited with RMO's wide variety of ceramic brackets.	All wires are compatible with stainless steel, composite, or ceramic brackets. Our Tooth Tone wires are practically invisible in addition to being a prime choice for leveling, aligning, correcting rotations, and torque control. Available individually or in series.	Tooth-colored coating is applied to the labial surface only, leaving the remaining three critical wire dimensions unchanged, resulting in no additional friction. Stainless steel, NiTi Convenience-Pak packaging.
Other wires available	Contact company	Tooth Tone® Coated Archwire; TRIFECTA® Thermal Nickel Titanium Archwire; TruFlex Nickel Titanium Archwire; TruForce™ Stainless Steel Archwire; TruGold™ 24K Gold Plated Archwire.	Orthonol, Elgiloy, Thermalloy, Thermalloy Plus, FLI Copper Nickel-Titanium, Bentaloy, Tru-Chrome	Twist Coaxial—.016" x .022" dead soft	Standard non-coated wires (formed and straight); braided wire.

Information in this guide based on data submitted by product manufacturers. Orthodontic Products strives for accuracy in all data but cannot be held responsible for claims made by manufacturers.

G&H PREMIUM ARCHWIRES

ARCHWIRE VARIETIES IN EVERY ALLOY + DIRECT FROM THE MANUFACTURER VALUE

 AMERICAN MADE WITH QUALITY MANUFACTURING



By using G&H® archwires in harmony with our brackets & elastomers, you can be confident that you'll achieve optimal results on every patient.

VISIT US AT AAOI - BOOTH 1421

Our premium archwires and some of the treatment-specific options available—

- Nickel Titanium
- Thermal Copper NiTi
- Titanium Molybdenum
- Stainless Steel
- Heat-Treated Stainless
- Multi-Strand Stainless
- Tooth-Colored
- Reverse-Curve NiTi
- Looped
- Ported
- Pre-Stopped
- Dimpled
- Pre-Torqued
- Lingual
- Solo-Pack®



ORTHODONTICS®

Quality Manufacturing. Every. Time.™



BRACKETS



BANDS



TUBES



WIRES



SPRINGS



ELASTOMERS

Design, engineered and manufactured in the U.S.A.

Order our full line of products at GHOthodontics.com or call 888-223-1412

Find **GAC** and **Raintree Essix**
at AAO BOOTH #2414



Dentsply Sirona Orthodontics

Changing the Face of Orthodontics Together

Recently DENTSPLY and Sirona united to form the world's largest manufacturer of professional dental products and technologies—Dentsply Sirona. With the formation of this new company, we are proud to introduce Dentsply Sirona Orthodontics, a division that includes **DENTSPLY GAC** and **DENTSPLY Raintree Essix**. Dentsply Sirona Orthodontics is empowering professionals by enhancing diagnosis and treatment capabilities, expediting case progression and improving oral health worldwide.

While this new division represents the evolving scope of the company, one thing that will not change is the trusted relationship shared between each practice and their respective GAC and Raintree Essix representatives. So while you will see the new face of Dentsply Sirona Orthodontics on our packaging, print ads, brochures, and more, you can be confident that you will continue enjoying the same outstanding service you've come to expect.

Find out more on dentsplysirona.com