

# LUXON *video*

2010 V3.1		Prices in effect August 1st 2010 till Nov. 1st 2010.	
IMAGE	Luxon PART #	DESCRIPTION	List
<b>BOX CAMERAS (3 year warranty)</b>			
	C550	<b>High Res Color Camera (550TVL)</b> 1/3" SONY Super HAD CCD, 550TVL, DC/Video Iris, 0.3 Lux Color, AWB, AGC On/Off, BLC On/Off, Dual Voltage <i>Lens not included</i>	\$190.00
	C6DN	<b>High Res Color Camera (600TVL)</b> 1/3" SONY Super HAD CCD, 600TVL, DC/Video Iris, 0.01 Lux Color, OSD, ICR, TDN, SBLCL, Dual Voltage <i>Lens not included</i>	\$290.00
	C550DN	<b>Low Light Day/Night Camera (ICR) (550TVL)</b> <b>(ICR, DSS, SDNR, D/N)</b> 1/3" SONY Super HAD CCD, 550TVL <b>Color (0.3 Lux), B/W (0.001 Lux, DSS On)</b> <b>B/W (0.0000 Lux, IR LED On)</b> (Digital Zoom, D/N, AWB, AGC, Flickerless with On/Off) D&N(ICR), BLC On/Off, DSS, SDNR, DC/Video Iris, Dual Voltage <i>This camera can pick up an external IR light source !</i> <i>Lens not included</i>	\$286.00
	C6WD	<b>Color Box Camera (560TVL, WDR, OSD, DSS)</b> 1/3" SONY Double Scan CCD, 560TVL, WDR, C/CS Mount, , Back Focus Control Color/BW, AWB, AGC (Auto), BLC(Zone Selectable), Flickerless On/Off, Motion Detection, DSS On/Off, 16x Digital Zoom, D&N(ICR), 0.0003Lux, Dual Voltage <i>This camera can pick up an external IR light source !</i> <i>Lens not included</i>	\$360.00
<b>INDOOR MINI DOME CAMERAS (3 year warranty)</b>			
	D38B	<b>Fixed Dome Camera (380 TVL)</b> 1/3" SONY CCD, 380 TVL, 0.1 lx, 3.8 mm lens Auto white balance, AGC On/off, BLC On/off, 85mm dome size, DC12V	\$78.00
	D6B	<b>Fixed Dome Camera (600TVL)</b> 1/3" SONY CCD, 600 TVL, 0.1 lx, 3.8 mm lens AGC, BLC, Flickerless On/off, 85mm dome size, DC12V	\$132.00
<b>INDOOR VARI FOCAL DOME CAMERAS (3 year warranty)</b>			
	D6V	<b>Vari-Focal Dome Camera with Day/Night (600/650 TVL)</b> 1/3" SONY Super HAD CCD, (600TVL COLOR), (650TVL B/W), 2.8-10mm Lens <b>600 TVL Color (0.1Lux), 650 TVL B/W (0.03Lux)</b> (OSD, SBLCL, SDNR, D/N, Privacy & Motion Zones), Service Video Out Dome size: 100mm, Dual Voltage	\$240.00
	D6VDN	<b>Vari-Focal Dome Camera with Day/Night (600/650 TVL)</b> 1/3" SONY Super HAD CCD, (600TVL COLOR), (650TVL B/W), 2.8-10mm Lens <b>600 TVL Color (0.1Lux), 650 TVL B/W (0.005Lux)</b> (OSD, SBLCL, SDNR, D/N, Privacy & Motion Zones), Service Video Out Dome size: 100mm, Dual Voltage	\$326.00
	D55V49DN	<b>Day/Night Vari-Focal Dome with ICR (550TVL)</b> 1/3" SONY Super HAD CCD, 2.9-10mm Vari-focal Lens <b>Color (0.3 Lux), B/W (0.001 Lux, DSS On)</b> <b>B/W (0.0000 Lux, with IR LED On)</b> Digital Slow Shutter, SDNR, Day/Night AGC, BLC, & Flickerless On/Off, AWB Service Video Out, Dome size: 100mm, Dual Voltage <i>This camera can pick up an external IR light source !</i>	\$326.00
	D55V49IR	<b>IR Day/Night Vari-Focal Dome (530TVL)</b> 1/3" SONY Super HAD CCD, 3.8-9.5mm Vari-focal Lens <b>Color (0.3 Lux), B/W (0.0000 Lux, IR LED On)</b> Digital Slow Shutter, Day/Night, AWB Distance at 0.000 Lux, (75 FT with IR LED's) DSS, Digital Zoom, D/N, AGC, BLC, & Flickerless On/Off Service Video Out, Dome size: 100mm, Dual Voltage	\$270.00
	D6VWD	<b>(Wide Dynamic Day/Night Dome (580TVL)</b> <b>(WDR, OSD, DSS, SDNR, D/N, ICR)</b> 1/3" SONY Double Scan CCD, 580 TVL, 2.8-10.5mm Lens <b>Color (0.1 Lux), Color (0.001 Lux, DSS On), B/W (0.0002 Lux, DSS On)</b> Wide Dynamic, Digital Slow Shutter, SDNR, Day/Night ICR WDR, AGC, BLC, & Flickerless On/Off, On Screen Display RS485 Connection, Service Video Out, Dome size: 100mm, Dual Voltage <i>This camera can pick up an external IR light source !</i>	\$426.00
<b>VANDAL / WEATHER PROOF DOME CAMERAS (3 year warranty)</b>			
	VD6V	<b>Vari-Focal Vandal Dome Camera with Day/Night (600/650 TVL)</b> 1/3" SONY Super HAD CCD, (600TVL COLOR), (650TVL B/W), 2.8-10mm Lens <b>600 TVL Color (0.1Lux), 650 TVL B/W (0.03Lux)</b> (OSD, SBLCL, SDNR, D/N, Privacy & Motion Zones), Service Video Out Weather Proof (IP66), Surface/Flush Mount, Dome size: 100mm, Dual Voltage	\$298.00



VD6VDN	<b>Vari-Focal Vandal Dome Camera with Day/Night (600/650 TVL)</b> 1/3" SONY Super HAD CCD, (600TVL COLOR), (650TVL B/W), 2.8-10mm Lens 600 TVL Color (0.1Lux), 650 TVL B/W (0.005Lux) (OSD, S.B.L.C, SDNR, D/N, Privacy & Motion Zones), Service Video Out Weather Proof (IP66), Surface/Flush Mount, Dome size: 100mm, Dual Voltage	\$380.00
VD55V49DN	<b>Day/Night Vandal/Weather Dome with ICR (550TVL)</b> 1/3" SONY Super HAD CCD, 2.9-10mm Vari-focal Lens Color (0.3 Lux), B/W (0.008 Lux, DSS On) B/W (0.0000 Lux, IR LED On) Digital Slow Shutter, SDNR, Day/Night AGC, B.L.C, & Flickerless On/Off, A.W.B Service Video Out, Dome size: 100mm, Dual Voltage, Weather Proof (IP66) <i>This camera can pick up an external IR light source !</i>	\$380.00
VD55V49IR	<b>IR Day/Night Vari-Focal Dome (530TVL)</b> 1/3" SONY Super HAD CCD, 3.8-9.5mm Vari-focal Lens Color (0.3 Lux), B/W (0.0000 Lux, IR LED On) Digital Slow Shutter, Day/Night, A.W.B Distance at 0.000 Lux: (75 FT w/IR LED's) DSS, Digital Zoom, D/N, AGC, B.L.C, & Flickerless On/Off, Weather Proof (IP66), Service Video Out, Dome size: 100mm, Dual Voltage	\$344.00
VD6VWD	<b>Wide Dynamic Day/Night Dome (580TVL)</b> (WDR, OSD, DSS, SDNR, D/N, ICR) 1/3" SONY Double Scan CCD, 580 TVL., 2.8-10.5mm Lens Color (0.1 Lux), Color (0.001 Lux, DSS On), B/W (0.0003 Lux, DSS On) Wide Dynamic, Digital Slow Shutter, SDNR, Day/Night ICR WDR, AGC, B.L.C, & Flickerless On/Off, On Screen Display, Weather Proof (IP66) RS485 Connection, Service Video Out, Dome size: 100mm, Dual Voltage <i>This camera can pick up an external IR light source !</i>	\$514.00

### IR BULLET CAMERAS (3 year warranty on camera)



BIR380	<b>Bullet IR Camera (fixed lens) (380 TVL)</b> 1/3" SONY Super HAD CCD, 380 TVL, 4.3mm Fixed Lens 12 IR LED's, 1 CDS, Visibility Range: 45 FT Weather Proof (IP65), Camera Diameter: 50mm, DC12V	\$126.00
BIR550	<b>Bullet IR Camera (fixed lens) (550 TVL)</b> 1/3" SONY Super HAD CCD, 550 TVL, 4.3mm Fixed Lens 12 IR LED's, 1 CDS, Visibility Range: 49 FT Camera Diameter: 50mm, Weather Proof (IP65), DC12V	\$174.00
BIR55D	<b>Bullet IR Camera (fixed lens) (550 TVL)</b> 1/3" SONY Super HAD CCD, 550 TVL, 6mm Fixed Lens 34 IR LED's, 1 CDS, Visibility Range: 15 Degree at 110 FT Camera Diameter: 65mm, Weather Proof (IP65), DC12V	\$214.00
BIR55V49	<b>Varifocal Bullet IR Camera (550 TVL)</b> 1/3" SONY Super HAD CCD, 550 TVL, 3.8-9.5mm Lens 18 IR LED's, 1 CDS, Visibility Range: 15 Degree at 60 FT Camera Diameter: 65mm, Weather Proof (IP65), DC12V	\$288.00

### 220X ZOOM CAMERAS (2 year warranty)



CDZ220DN	<b>220x Zoom Day/Night Camera (With Digital Slow Shutter)</b> 1/4" SONY Super HAD CCD, 480 TVL Day&Night (0.001 lux B/W with DSS on) On Screen Display, Digital Slow Shutter 22x Optical Power Zoom (Digital 10x) Video Transmission Distance Adjustable RS-485 & PTZ Control Interface, Dual Voltage	\$390.00
VDDZ220DN	<b>220x Zoom Day/Night Vandal Dome (With DSS) (480 TVL)</b> 1/4" SONY Super HAD CCD, 480 TVL, Vandal Proof Day&Night (0.001 lux B/W with DSS on), OSD 22x Zoom (Digital 10x), Weather Proof (IP65) RS-485 Interface, Service Video Out, 3-Axis Construction, Dual Voltage	\$470.00


### COVERT CAMERAS (1 year warranty)



CVTSMOKE	<b>Covert Camera (Smoke Detector Type, 380TVL)</b> 1/3" SONY Super HAD CCD, 380TVL, 3.8mm Fixed Lens, A.W.B, AGC, 12VDC, 0.3Lux	\$130.00
CVTSMOKE1	<b>Covert Camera (Smoke Detector Type, 530TVL)</b> 1/3" SONY Super HAD CCD, 530TVL, 3.8mm Fixed Lens, A.W.B, AGC, 12VDC, 0.3Lux	\$220.00
CVTPIR420	<b>Covert PIR Camera (420TVL)</b> 1/3" SONY CCD, 420TVL, 3.7mm Fixed Pinhole Lens, 0.8Lux 12VDC 150mA	\$190.00
CVTC540	<b>Covert Ceiling Camera (540TVL)</b> 1/3" SONY High Res CCD, 540TVL, 2.5mm Fixed Lens, Slow Shutter 32x, SDNR, 12VDC 150mA, 0.001Lux	\$300.00
CVTFIRE420	<b>Covert Sprinkler Camera (420TVL)</b> 1/3" SONY CCD, 420TVL, 3.7mm Fixed Pinhole Lens, 0.1Lux 12VDC 150mA	\$300.00

	CVTCLOCK420	<b>Covert Clock Camera (420TVL)</b> 1/3" SONY CCD, 420TVL, 3.7mm Fixed Pinhole Lens, 0.1Lux 12VDC 150mA	\$398.00
<b>VALUE LINE CAMERAS (1 year warranty)</b>			
	VL2BIR420	<b>Bullet IR Camera (fixed lens) (420 TVL)</b> 1/4" SONY Super HAD CCD, 420 TVL, 4.3mm Fixed Lens 24 IR LED's, 1 CDS, Visibility Range: 45 FT Weather Proof (IP66), DC12V	\$80.00
	VL3BIR420	<b>Bullet IR Camera (fixed lens) (420 TVL)</b> 1/4" SONY Super HAD CCD, 420 TVL, 4.3mm Fixed Lens 24 IR LED's, 1 CDS, Visibility Range: 45 FT Cable inside bracket, Weather Proof (IP66), DC12V	\$114.00
	VL5BIR420	<b>Varifocal IR Camera (4-9mm lens) (420 TVL)</b> 1/4" SONY Super HAD CCD, 420 TVL, 4-9mm Lens 36 IR LED's, 1 CDS, Visibility Range: 90 FT Cable inside bracket, Weather Proof (IP66), DC12V	\$130.00
	VL4BIR420	<b>Varifocal IR Camera (9-22mm lens) (420 TVL)</b> 1/4" SONY Super HAD CCD, 420 TVL, 9-22mm Lens 36 Super IR LED's, 1 CDS, Visibility Range: 150 FT Cable inside bracket, Weather Proof (IP66), DC12V	\$184.00
	VL1B420	<b>Bullet Camera (fixed lens) (420 TVL)</b> 1/4" Sharp CCD, 420 TVL, 4.3mm Fixed Lens Weather Proof (IP66), DC12V	\$90.00
	VL2VDTIR420	<b>Vandal IR Dome Camera (3.6mm fixed lens) (420 TVL)</b> 1/3" SONY Super HAD CCD, 420 TVL, 3.6mm Fixed Lens 24 IR LED's, 1 CDS, Visibility Range: 45 FT Weather Proof (IP66), DC12V	\$80.00
	VLVDTIR420V	<b>Vandal Varifocal IR Dome Camera (4-9mm lens) (420 TVL)</b> 1/4" SONY Super HAD CCD, 420 TVL, 4-9mm Lens 36 IR LED's, 1 CDS, Visibility Range: 75 FT Weather Proof (IP66), DC12V	\$134.00

### 550/680TVL VANDAL/WEATHER RESISTANT PTZ'S & ACCESSORIES (2 year v

	Z5532DNODW	<b>Vandal In/Outdoor Day/Night PTZ Speed Dome with Wall Mount</b> 1/4" Sony CCD, 550 TV Lines, 324x Zoom, OSD Color (0.4 Lux), BW (0.02 Lux), Day/Night with IR cut filter (ICR) 27X Optical, 12X Digital Zoom with Digital Image Stabilization Vandal-Proof Dome and Housing, IP67 128 Presets, 4 Patterns, 8 Swings, 8 Groups Endless Pan Rotation, Auto Flip, 8 Privacy Zones	\$1,660.00
	Z5532DNODC	<b>Vandal In/Outdoor Day/Night PTZ Speed Dome with Ceiling Mount</b> 1/4" Sony CCD, 550 TV Lines, 324x Zoom, OSD Color (0.4 Lux), BW (0.02 Lux), Day/Night with IR cut filter (ICR) 27X Optical, 12X Digital Zoom with Digital Image Stabilization Vandal-Proof Dome and Housing, IP67 128 Presets, 4 Patterns, 8 Swings, 8 Groups Endless Pan Rotation, Auto Flip, 8 Privacy Zones	\$1,660.00
	Z5544DNODW	<b>Vandal In/Outdoor WDR, Day/Night PTZ Speed Dome with Wall Mount</b> 1/4" Sony CCD, 550 TV Lines, 444x Zoom, OSD Color (0.4 Lux), BW (0.02 Lux), Day/Night with IR cut filter (ICR) 37X Optical, 12X Digital Zoom with Digital Image Stabilization Vandal-Proof Dome and Housing, IP67 128 Presets, 4 Patterns, 8 Swings, 8 Groups Endless Pan Rotation, Auto Flip, 8 Privacy Zones	\$2,300.00
	Z5544DNODC	<b>Vandal In/Outdoor WDR, Day/Night PTZ Speed Dome with Ceiling Mount</b> 1/4" Sony CCD, 550 TV Lines, 444x Zoom, OSD Color (0.4 Lux), BW (0.02 Lux), Day/Night with IR cut filter (ICR) 37X Optical, 12X Digital Zoom with Digital Image Stabilization Vandal-Proof Dome and Housing, IP67 128 Presets, 4 Patterns, 8 Swings, 8 Groups Endless Pan Rotation, Auto Flip, 8 Privacy Zones	\$2,300.00
	MPTZW	<b>Mini Vandal In/Outdoor Day/Night PTZ with Wall Mount</b> 1/4" Interline Transfer CCD, 500 TV Lines, 100x Zoom 0.02 Lux BW (Night), On Screen Display 10X Optical, 10X Digital Zoom Day & Night with IR cut filter Built in Heater and Blower Endless Pan Rotation, SNR (Super Noise Reduction)	\$1,260.00
	MPTZC	<b>Mini Vandal In/Outdoor Day/Night PTZ with Ceiling Mount</b> 1/4" Interline Transfer CCD, 500 TV Lines, 100x Zoom 0.02 Lux BW (Night), On Screen Display 10X Optical, 10X Digital Zoom Day & Night with IR cut filter Built in Heater and Blower Endless Pan Rotation, SNR (Super Noise Reduction)	\$1,260.00



ZCOM5539	Corner Mount Bracket for all LUXON PTZ's on this pricelist	\$80.00
ZPM5539	Pole Mount Bracket for all LUXON PTZ's on this pricelist	\$80.00
PARAPETW	Parapet Wall Mount Bracket for Z5243DNOD Only	\$500.00
PARAPETR	Parapet Rooftop Mount Bracket for Z5243DNOD Only	\$500.00

### PTZ CONTROLLER (1 year warranty)



ZCONTROL	3 Dimension controller	\$500.00
----------	------------------------	----------

### ST SERIES DVR (3 year warranty)



ST4500	Embedded, 4 Channel, 120 FPS, 500GB, H.264, Jump Drive, Networkable, Remote	\$700.00
ST41TB	Embedded, 4 Channel, 120 FPS, 1TB, H.264, Jump Drive, Networkable, Remote	\$860.00
ST8500	Embedded, 8 Channel, 120 FPS, 500GB, H.264, Jump Drive, Networkable, Remote	\$900.00
ST81TB	Embedded, 8 Channel, 120 FPS, 1TB, H.264, Jump Drive, Networkable, Remote	\$1,060.00
ST16500	Embedded, 16 Channel, 120 FPS, 500GB, H.264, Jump Drive, Networkable, Remote	\$1,100.00
ST161TB	Embedded, 16 Channel, 120 FPS, 1TB, H.264, Jump Drive, Networkable, Remote	\$1,260.00

### DVRL SERIES DVR (3 year warranty)



DVRL-4-120-500	H.264 Embedded 4CH, 120FPS, 500GB, Jump Drive	\$925.00
DVRL-4-120-1TB	H.264 Embedded 4CH, 120FPS, 1TB, Jump Drive	\$1,139.00
DVRL-8-240-500	H.264 Embedded 8CH, 240FPS, 500GB, Jump Drive	\$1,373.00
DVRL-8-240-1TB	H.264 Embedded 8CH, 240FPS, 1TB, Jump Drive	\$1,587.00
DVRL-16-240-500	H.264 Embedded 16CH, 240FPS, 500GB, Jump Drive	\$1,626.00
DVRL-16-240-1TB	H.264 Embedded 16CH, 240FPS, 1TB, Jump Drive	\$1,840.00

### DVRH SERIES DVR (3 year warranty)



DVRH-4-120-500	HYBRID 4CH, 120FPS, 500GB, DVDRW	\$1,248.00
DVRH-4-120-1TB	HYBRID 4CH, 120FPS, 1TB, DVDRW	\$1,462.00
DVRH-4-120-2TB	HYBRID 4CH, 120FPS, 2TB, DVDRW	\$1,728.00
DVRH-8-240-500	HYBRID 8CH, 240FPS, 500GB, DVDRW	\$1,750.00
DVRH-8-240-1TB	HYBRID 8CH, 240FPS, 1TB, DVDRW	\$1,965.00
DVRH-8-240-2TB	HYBRID 8CH, 240FPS, 2TB, DVDRW	\$2,230.00
DVRH-16-240-500	HYBRID 16CH, 240FPS, 500GB, DVDRW	\$2,019.00
DVRH-16-240-1TB	HYBRID 16CH, 240FPS, 1TB, DVDRW	\$2,042.00

DVRH-16-240-2TB	HYBRID 16CH, 240FPS, 2TB, DVDRW	\$2,499.00
-----------------	---------------------------------	------------

### HVR SERIES HYBRID IP/ANALOG DVR (3 year warranty)



HVR-8-240-500	HYBRID 8CH, 240FPS, 500GB, DVDRW	\$2,642.00
HVR-8-240-1TB	HYBRID 8CH, 240FPS, 1TB, DVDRW	\$2,870.00
HVR-8-240-2TB	HYBRID 8CH, 240FPS, 2TB, DVDRW	\$3,237.00
HVR-8-240-4TB	HYBRID 8CH, 240FPS, 4TB, DVDRW	\$4,066.00
HVR-16-480S-500	HYBRID 16CH, 480FPS, 500GB, DVDRW	\$2,907.00
HVR-16-480S-1TB	HYBRID 16CH, 480FPS, 1TB, DVDRW	\$3,135.00
HVR-16-480S-2TB	HYBRID 16CH, 480FPS, 2TB, DVDRW	\$3,417.00
HVR-16-480S-4TB	HYBRID 16CH, 480FPS, 4TB, DVDRW	\$4,247.00
HVR-16-480S-6TB	HYBRID 16CH, 480FPS, 6TB, DVDRW	\$5,076.00
HVR-16-480-500	HYBRID 16CH, 480FPS, 500GB, DVDRW	\$4,199.00
HVR-16-480-1TB	HYBRID 16CH, 480FPS, 1TB, DVDRW	\$4,427.00
HVR-16-480-2TB	HYBRID 16CH, 480FPS, 2TB, DVDRW	\$4,709.00
HVR-16-480-4TB	HYBRID 16CH, 480FPS, 4TB, DVDRW	\$5,539.00
HVR-16-480-6TB	HYBRID 16CH, 480FPS, 6TB, DVDRW	\$6,368.00

#### 16 HYBRID CHANNELS of IP, 480fps @ CIF



NVR-16	Network Video Recorder 16CH, NO Hard Drive, DVD-R	\$4,477.20
NVR-16-1TB	Network Video Recorder 16CH, 1TB, DVD-R	\$4,858.00
NVR-16-2TB	Network Video Recorder 16CH, 2TB, DVD-R	\$5,092.58
NVR-16-4TB	Network Video Recorder 16CH, 4TB, DVD-R	\$5,707.97
NVR-16-6TB	Network Video Recorder 16CH, 6TB, DVD-R	\$6,323.35
NVR-16-8TB	Network Video Recorder 16CH, 8TB, DVD-R	\$6,938.72

#### 16 HYBRID CHANNELS of IP, 480fps @ D1



NVR-16D1	Network Video Recorder 16CH, NO Hard Drive, Full fps @ D1, DVD-R	\$5,717.40
NVR-16D1-1TB	Network Video Recorder 16CH, 1TB, Full fps @ D1, DVD-R	\$6,071.00
NVR-16D1-2TB	Network Video Recorder 16CH, 2TB, Full fps @ D1, DVD-R	\$6,288.83
NVR-16D1-4TB	Network Video Recorder 16CH, 4TB, Full fps @ D1, DVD-R	\$6,860.26
NVR-16D1-6TB	Network Video Recorder 16CH, 6TB, Full fps @ D1, DVD-R	\$7,431.68
NVR-16D1-8TB	Network Video Recorder 16CH, 8TB, Full fps @ D1, DVD-R	\$8,003.11

#### 32 HYBRID CHANNELS of IP, 960fps @ VGA



NVR-32H	32 CH IP/Analog, NO Hard Drive, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$6,717.20
NVR-32H-2TB	32 CH IP/Analog, 2TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$7,332.61
NVR-32H-4TB	32 CH IP/Analog, 4TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$7,947.97
NVR-32H-6TB	32 CH IP/Analog, 6TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$8,563.35
NVR-32H-8TB	32 CH IP/Analog, 8TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$9,178.74
NVR-32H-10TB	32 CH IP/Analog, 10TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$9,794.12

### LINUX PLATFORM HYBRID IP/ANALOG DVR (2 year warranty)



8 HYBRID CHANNELS of Analog with up to 8 as IP		
LIN8-240	HYBRID 8CH, 240FPS, NO Hard Drive, DVDRW	\$1,947.40
LIN8500GB240	HYBRID 8CH, 240FPS, 500GB, DVDRW	\$2,126.80
LIN81TB240	HYBRID 8CH, 240FPS, 1TB, DVDRW	\$2,301.00
LIN82TB240	HYBRID 8CH, 240FPS, 2TB, DVDRW	\$2,518.83
LIN84TB240	HYBRID 8CH, 240FPS, 4TB, DVDRW	\$3,090.26
16 HYBRID CHANNELS of Analog with up to 16 as IP		
LIN16-480	HYBRID 16CH, 480FPS, NO Hard Drive, DVDRW	\$2,597.40
LIN161TB480	HYBRID 16CH, 480FPS, 1TB, DVDRW	\$2,951.00
LIN162TB480	HYBRID 16CH, 480FPS, 2TB, DVDRW	\$3,168.83
LIN164TB480	HYBRID 16CH, 480FPS, 4TB, DVDRW	\$3,740.26
LIN166TB480	HYBRID 16CH, 480FPS, 6TB, DVDRW	\$4,311.68


### ST SERIES DVR KITS WITH CAMERAS & ACCESSORIES

STBIR4500KIT	Kit includes (1) ST4500, (4) VL2BIR420, (4) CABLE60, (1) 1TO4P, (1) DC2A	\$1,140.00
--------------	--	------------


<b>STVIR4500KIT</b>	Kit includes (1) ST4500, (4) VL2VDTIR420, (4) CABLE60, (1) 1TO4P, (1) DC2A	\$1,140.00
<b>STBIR41TBKIT</b>	Kit includes (1) ST41TB, (4) VL2BIR420, (4) CABLE60, (1) 1TO4P, (1) DC2A	\$1,300.00
<b>STVIR41TBKIT</b>	Kit includes (1) ST41TB, (4) VL2VDTIR420, (4) CABLE60, (1) 1TO4P, (1) DC2A	\$1,300.00
<b>STBIR8500KIT</b>	Kit includes (1) ST8500, (8) VL2BIR420, (8) CABLE60, (2) 1TO4P, (2) DC2A	\$1,792.00
<b>STVIR8500KIT</b>	Kit includes (1) ST8500, (8) VL2VDTIR420, (8) CABLE60, (2) 1TO4P, (2) DC2A	\$1,792.00
<b>STBIR81TBKIT</b>	Kit includes (1) ST81TB, (8) VL2BIR420, (8) CABLE60, (2) 1TO4P, (2) DC2A	\$1,952.00
<b>STVIR81TBKIT</b>	Kit includes (1) ST81TB, (8) VL2VDTIR420, (8) CABLE60, (2) 1TO4P, (2) DC2A	\$1,952.00

IMAGE	Luxon PART #	DESCRIPTION	List
-------	--------------	-------------	------

#### IP Cameras (1 year warranty)

	<b>MIP1280</b>	<b>1.3 Mega-Pixel IP Camera (1280x1024)</b> 1/4" CMOS, 1280x1024, MPEG4 IP Camera 2 way audio, SD Card and Analog Output Alarm Inputs and Outputs, 1 Lux Color AWB, AGC, BLC, 5 VDC/700mA	\$390.00
	<b>MIPVD1280</b>	<b>1.3 Mega-Pixel IP Vandal/Weather Dome POE Camera (1280x1024)</b> 1/4" CMOS, 1280x1024, MPEG4 IP Camera 2 way audio, SD Card , 3.7-12mm Vari-focal Lens POE, AWB, AGC, BLC, 12VDC/600mA	\$540.00
	<b>MIPC1280</b>	<b>1.3 Mega-Pixel IP Box Camera (1280x1024)</b> 1/4" CMOS, 1280x1024, MPEG4 IP Camera 2 way audio, SD Card and Analog Output Alarm Inputs and Outputs, 1 Lux Color POE, AWB, AGC, BLC, 12VDC/600mA <b>Lens not included</b>	\$530.00
	<b>IPC540DN</b>	<b>Day/Night High Res IP Color Camera (720*480)</b> 1/3" CCD, MPEG4/M-JPEG IP Camera 720*480, 2 way audio, SD Card and Analog Output Alarm Inputs and Outputs, 0.003 Lux Color Color (0.3 Lux), BW (0.003 Lux) AWB, AGC, BLC, 12VDC/500mA <b>Lens not included</b>	\$390.00
	<b>IPVD54VIR</b>	<b>IP IR Day/Night Vari-Focal Vandal/Weather Dome POE (720*480)</b> 1/3" CCD, MPEG4/M-JPEG IP Camera 4-12mm Vari-focal Lens 720*480, 2 way audio, AWB, AGC, BLC Alarm Inputs and Outputs, 12VDC/600mA	\$610.00
	<b>ENCODER1</b>	MPEG4/JPEG 1ch video server, 720*480, SD card	\$380.00
	<b>MIPC1600</b>	<b>2 Mega-Pixel IP Box Camera (1600x1200)</b> 1/3" CMOS, 1600x1200, H.264, MPEG4 & JPEG IP Camera 2 way audio, SD Card and Analog Output Alarm Inputs and Outputs, 1 Lux, Color POE, AWB, AGC, BLC, 12VDC/450mA <b>Lens not included</b>	\$615.00
	<b>MIPD1280V</b>	<b>1.3 Mega-Pixel IP Varifocal Dome Camera (1280x1024)</b> 1/4" CMOS, 1280x1024, MPEG4 & M-JPEG IP Camera SD Card , 3.7-12mm Vari-focal Lens POE, 12VDC/320mA	\$450.00
	<b>MIPB1280V</b>	<b>1.3 Mega-Pixel IP Varifocal IR Bullet Camera (1280x1024)</b> 1/4" CMOS, 1280x1024, MPEG4 & M-JPEG IP Camera Day/Night, 2.8-10mm Vari-focal Lens, 80' IR Distance POE, 12VDC/450mA	\$540.00
	<b>MIPVD1600V</b>	<b>2 Mega-Pixel IP Vandal/Weather Dome POE Camera (1600x1200)</b> 1/3" CMOS, 1600x1200, H.264, MPEG4, JPEG IP Camera SD Card , 2.7-9mm Vari-focal Lens, 36' IR Distance POE, 12VDC/600mA	\$675.00

#### NVR's (Software Included) (2 year warranty)

<b>4 CHANNELS of IP</b>			
	<b>NVR-4</b>	Network Video Recorder 4CH, NO Hard Drive	\$1,033.20
	<b>NVR-4-500GB</b>	Network Video Recorder 4CH, 500GB	\$1,226.00
	<b>NVR-4-1TB</b>	Network Video Recorder 4CH, 1TB	\$1,414.00
	<b>NVR-4-2TB</b>	Network Video Recorder 4CH, 2TB	\$1,648.58
<b>16 HYBRID CHANNELS of IP, 480fps @ CIF</b>			
	<b>NVR-16</b>	Network Video Recorder 16CH, NO Hard Drive, DVD-R	\$4,477.20
	<b>NVR-16-1TB</b>	Network Video Recorder 16CH, 1TB, DVD-R	\$4,858.00
	<b>NVR-16-2TB</b>	Network Video Recorder 16CH, 2TB, DVD-R	\$5,092.58
	<b>NVR-16-4TB</b>	Network Video Recorder 16CH, 4TB, DVD-R	\$5,707.97
	<b>NVR-16-6TB</b>	Network Video Recorder 16CH, 6TB, DVD-R	\$6,323.35
	<b>NVR-16-8TB</b>	Network Video Recorder 16CH, 8TB, DVD-R	\$6,938.72
<b>16 HYBRID CHANNELS of IP, 480fps @ D1</b>			
	<b>NVR-16D1</b>	Network Video Recorder 16CH, NO Hard Drive, Full fps @ D1, DVD-R	\$5,717.40
	<b>NVR-16D1-1TB</b>	Network Video Recorder 16CH, 1TB, Full fps @ D1, DVD-R	\$6,071.00
	<b>NVR-16D1-2TB</b>	Network Video Recorder 16CH, 2TB, Full fps @ D1, DVD-R	\$6,288.83
	<b>NVR-16D1-4TB</b>	Network Video Recorder 16CH, 4TB, Full fps @ D1, DVD-R	\$6,860.26
	<b>NVR-16D1-6TB</b>	Network Video Recorder 16CH, 6TB, Full fps @ D1, DVD-R	\$7,431.68



NVR-16D1-8TB	Network Video Recorder 16CH, 8TB, Full fps @ D1, DVD-R	\$8,003.11
<b>32 HYBRID CHANNELS of IP, 960fps @ VGA</b>		
NVR-32H	32 CH IP/Analog, NO Hard Drive, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$6,717.20
NVR-32H-2TB	32 CH IP/Analog, 2TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$7,332.61
NVR-32H-4TB	32 CH IP/Analog, 4TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$7,947.97
NVR-32H-6TB	32 CH IP/Analog, 6TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$8,563.35
NVR-32H-8TB	32 CH IP/Analog, 8TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$9,178.74
NVR-32H-10TB	32 CH IP/Analog, 10TB, 960/960 FPS, DVDRW, POS, 16 CH AUDIO	\$9,794.12
<b>32 CHANNELS of IP (IP only)</b>		
NVR-32	Network Video Recorder 32CH, NO Hard Drive, DVD-R	\$5,597.20
NVR-32-2TB	Network Video Recorder 32CH, 2TB, DVD-R	\$6,212.61
NVR-32-4TB	Network Video Recorder 32CH, 4TB, DVD-R	\$6,827.97
NVR-32-6TB	Network Video Recorder 32CH, 6TB, DVD-R	\$7,443.35
NVR-32-8TB	Network Video Recorder 32CH, 8TB, DVD-R	\$8,058.74
NVR-32-10TB	Network Video Recorder 32CH, 10TB, DVD-R	\$8,674.12
<b>LINUX PLATFORM HYBRID IP/ANALOG DVR (2 year warranty)</b>		
<b>8 HYBRID CHANNELS of Analog with up to 8 as IP</b>		
LN8-240	HYBRID 8CH, 240FPS, NO Hard Drive, DVDRW	\$2,097.20
LN8500GB240	HYBRID 8CH, 240FPS, 500GB, DVDRW	\$2,290.40
LN81TB240	HYBRID 8CH, 240FPS, 1TB, DVDRW	\$2,478.00
LN82TB240	HYBRID 8CH, 240FPS, 2TB, DVDRW	\$2,712.58
LN84TB240	HYBRID 8CH, 240FPS, 4TB, DVDRW	\$3,327.97
<b>16 HYBRID CHANNELS of Analog with up to 16 as IP</b>		
LN16-480	HYBRID 16CH, 480FPS, NO Hard Drive, DVDRW	\$2,797.20
LN161TB480	HYBRID 16CH, 480FPS, 1TB, DVDRW	\$3,178.00
LN162TB480	HYBRID 16CH, 480FPS, 2TB, DVDRW	\$3,412.58
LN164TB480	HYBRID 16CH, 480FPS, 4TB, DVDRW	\$4,027.97
LN166TB480	HYBRID 16CH, 480FPS, 6TB, DVDRW	\$4,643.35

**UTP (Unshielded Twisted Pair) Products (3 year warranty)**















IMAGE	PART #	DESCRIPTION	List
	MBALUN	Mini Balun	\$10.00
	MBALUNL	Mini Balun w/lead	\$10.00
	TP1VPBR	<b>BNC Male To RJ45 Female With Power</b> Video Transceiver BNC Male To RJ45 Female With Power Cord Use with TP4VP-RR to transmit video & power over one CAT 5 cable.	\$22.00
	TP1VPBT	<b>BNC Male To Terminal With Power</b> Video Transceiver BNC Male To RJ45 Female With Power Cord Use with TP4VP-RR to transmit video & power over one CAT 5 cable.	\$22.00
	TP1VPDBT	<b>Video, Power, Data Tranceiver (Terminal Termination)</b> Sent over one CAT 5 cable.	\$34.00
	TP1VPDBR	<b>Video, Power, Data Tranceiver (RJ45 Termination)</b> Sent over one CAT 5 cable.	\$34.00
	TP4VTR	Separates 4 BNC channels of video from one CAT 5 cable.	\$58.00
	TP4VDBR	4 BNC or 3 RJ45 one data sent over one CAT 5 cable with RJ45 termination	\$70.00
	TP44VPDRB	4 RJ45 or 3 RJ45 one data sent over one CAT 5 cable with RJ45 termination. Use with TP1VP-BR and TP1VPD-BR.	\$84.00
	TA1AVDT	<b>Transmission of video audio &amp; data up to 2400 meters.</b> Active Video & Audio & Data Twisted Pair Transmission - Transmitter	\$84.00
	TA1AVDR	<b>Receiver for TA1AVD-R</b> Active Video & Audio & Data Twisted Pair Transmission - Receiver	\$92.00
	TA1VT	Transmission of video & data up to 1.5KM. (Use with TA1V-R) Active Video Twisted Pair Transmission Transmitter Adjustments for color gain and brightness.	\$70.00
	TA1VR	<b>Receiver for video and data.</b> Active Video Twisted Pair Transmission Receiver (Use with TA1V-T for 1.5 KM or with Balun1 for 1KM transmission)	\$80.00
	TP16VTB	16 port Passive Video Transceiver Hub in 1U Rack Mounting Panel (Terminal Block to BNC)	\$550.00
	TP16VRB	16 channels of video in through RJ45 into BNC 16 port Passive Video Transceiver Hub in 1U Rack Mounting Panel (RJ45 to BNC)	\$500.00
	TP4VPRR	4 RJ45 Female to 1 RJ45 Female Cable Hub With Power Transmit 4 channel of video over one CAT 5 use with TP1VP-BR	\$66.00
	TP16PI	<b>16 Port Cable Integrator (Video, Power, Data) In 1U Rack</b> 16 channels of video or data in from TP1VP-BR or TP1VPD-BR. Individual power inputs for different voltages Built in surge protection on data	\$300.00
	CA14VBB	<b>BNC Video Distributor</b> 1 BNC Input to 4 BNC Outputs	\$66.00
	TA8VTB	8 port Active Receiver Hub in 1U Rack Mounting Panel Per channel adjustments for color gain & brightness Built in transient protection and ground looping. Transmission range up to 3,300 ft.	\$750.00
	TA16VTB	16 port Active Receiver Hub in 1U Rack Mounting Panel Per channel adjustments for color gain & brightness Built in transient protection and ground looping. Transmission range up to 3,300 ft.	\$1,246.00
	PACDC	AC to DC 12V Power Converter 500 mA (Regulated)	\$29.24
	AUDIO1	Audio Pickup Box Add on to any camera that needs audio funtion. Highly sensitive microphone (-65dB) and DC12V power regulator box built in. (see diagram on www.luxonvideo.com)	\$28.80








Luxon Part #	Size	Key Features	List
<b>Most Popular!!! (IN STOCK!)</b>			
<b>PC MONITOR LCD VGA Monitor Series - RTLD (MOST POPULAR!)</b>			
VGALCD19	19"	19" VGA Monitor (Brand may vary between Acer, Dell, HP, ect.)	307.972
<b>ECONOMIC LCD CCTV Monitor Series - (19" MOST POPULAR!)</b>			
LCD17A	17"	1000:1, 300cd/m² Video I/O(BNCx2), VGA(RGB 15pin), S-Video, 2D Comb Filter, Noise Reduction, Tilt Function	680
LCD19A	19"	800:1, 300cd/m² Video I/O(BNCx2), VGA(RGB 15pin), S-Video, 2D Comb Filter, Noise Reduction, Tilt Function	790
SM4KIT	4"	Portable 4" Color LCD Test Monitor with Cable Tester & Built-in Rechargeable Battery	390
<b>Wall &amp; Rack Mounting Brackets (More mounts at bottom of page!)</b>			
LCD101	n/a	Articulating LCD Mount (SILVER)	78
LCD301	n/a	Tilting LCD Mount (Black)	48







**NEW MONITORS and MOUNTS!!! (Allow 1 week for shipping!)**

VALUE LCD CCTV Monitor Series -			
LCD17V	17"	1000:1, 300cd/m <sup>2</sup> , 600 TV LINE, VOV, Trigger & Auto switching, Video I/O(BNCx2), VGA(RGB 15pin), HDMI, S-Video, LCD Protection Shield, Built in Speakers, Remote Controller	850
LCD19V	19"	800:1, 300cd/m <sup>2</sup> , 600 TV LINE, VOV, Trigger & Auto switching, Video I/O(BNCx2), VGA(RGB 15pin), HDMI, S-Video, LCD Protection Shield, Built in Speakers, Remote Controller	930
LCD22V	22"	1000:1, 300cd/m <sup>2</sup> , 600 TV LINE, VOV, Trigger & Auto switching, Video I/O(BNCx2), VGA(RGB 15pin), HDMI, S-Video, Built in Speakers, Remote Controller	1058.4
PREMIUM LED CCTV Monitor Series -			
LED185E	18.5"	600 TV Lines, 10bit Digital Conversion Rate, 1000:1, 250cd/m <sup>2</sup> , <5ms, PC Stereo In/Out, RGB 15pin, HDMI, PIP/PBP/VOV, Built in Speakers, Energy Efficient, Remote	548.8
LED185P	18.5"	600 TV Lines, 10bit Digital Conversion Rate, 1000:1, 250cd/m <sup>2</sup> , <5ms, Video I/O(BNCx2/1), PC Stereo Input, RGB 15pin, Trigger In, Audio In(RCA), DVI, HDMI, PIP/PBP/VOV, Built in Speakers, Energy Efficient, Remote	775.6
LED215E	21.5"	600 TV Lines, 10bit Digital Conversion Rate, 1000:1, 250cd/m <sup>2</sup> , <5ms, PC Stereo In/Out, RGB 15pin, HDMI, PIP/PBP/VOV, Built in Speakers, Energy Efficient, Remote	680.4
LED215S	21.5"	600 TV Lines, 10bit Digital Conversion Rate, 1000:1, 250cd/m <sup>2</sup> , <5ms, SDI I/O, Video I/O(BNCx2/1), PC Stereo Input, RGB 15pin, Trigger In, Audio In(RCA), HDMI, DVI PIP/PBP/VOV, Built in Speakers, Energy Efficient, Remote	1181.6
LED215P	21.5"	600 TV Lines, 10bit Digital Conversion Rate, 1000:1, 250cd/m <sup>2</sup> , <5ms, Video I/O(BNCx2/1), PC Stereo Input, RGB 15pin, Trigger In, Audio In(RCA), HDMI, DVI PIP/PBP/VOV, Built in Speakers, Energy Efficient, Remote	946.4
PREMIUM LCD CCTV Monitor Series -			
LCD8C	8"	500:1, 250cd/m <sup>2</sup> , Supports 2 units in 1 tiltable rack (RMK-08), Video I/O(BNCx2), VGA(RGB 15pin), S-Video I/O, Trigger Input, PC stereo In	585.2
LCD10C	10.4"	400:1, 230cd/m <sup>2</sup> , Video I/O(BNCx2), VGA(RGB 15pin), S-Video I/O, Trigger Input, PC stereo In	604.8
LCD15C	15"	700:1, 250cd/m <sup>2</sup> , Video I/O(BNCx2), Audio In(x2), S-Video I/O, VGA Input, Built in Speakers, Remote Control, Trigger Input, All metal cabinet, LCD Protection Glass	865.2
LCD17C	17"	1000:1, 300cd/m <sup>2</sup> , Video I/O(BNCx2), VGA Input, S-Video, DVI, HDMI, PIP, Built in Speakers, Trigger Input, All metal cabinet, LCD Protection Glass	1055.6
LCD19C	19"	800:1, 300cd/m <sup>2</sup> , Video I/O (BNCx2), VGA Input, S-Video, DVI, HDMI, PIP, Built in Speakers, Trigger Input, All metal cabinet, LCD Protection Glass	1153.6
LCD20H	20"	800:1, 300cd/m <sup>2</sup> , Video I/O(BNCx2), Audio I/O(x2) VGA Input, S-Video, DVI, HDMI, PIP, Built in Speakers, Trigger Input, All metal cabinet, LCD Protection Glass	1383.2
PREMIUM WIDE LCD CCTV Monitor Series -			
LCD24C	24"	Full HD Resolution, 16:9, 1000:1, 400cd/m <sup>2</sup> , Video I/O(BNCx2), VGA Input, DVI-D, HDMI, Component, Audio I/O(x2/1), S-Video I/O, PIP, LCD Protection Glass, Built in Speakers, Remote Control, Trigger Input	1814.4
LCD26C	26"	16:9, 1500:1, 450cd/m <sup>2</sup> , Video I/O(BNCx2), VGA Input, DVI-D, HDMI, Component, Audio I/O(x2/1), S-Video I/O, PIP, LCD Protection Glass, Remote Control, Trigger Input	1853.6
LCD32C	32"	16:9, 3000:1, 500cd/m <sup>2</sup> , Video I/O(BNCx2), VGA Input, DVI-D, HDMI, Component, Audio I/O(x2), S-Video I/O, PIP, LCD Protection Glass, Built in Speakers, Remote Control, Trigger Input	2080.4
LCD32C120	32"	120Hz, 16:9, 3000:1, 500cd/m <sup>2</sup> , Video I/O(BNCx2), VGA Input, DVI-D, HDMI, Component, Audio I/O(x2), S-Video I/O, PIP/PBP, LCD Protection Glass, Built in Speakers, Remote Control, Trigger Input	2192.4
LCD42H	42"	Full HD Resolution, 16:9, 1300:1, 500cd/m <sup>2</sup> , Video I/O(BNCx2), HDMI, VGA Input, DVI, Component, Audio I/O(x2/1), S-Video I/O, PIP/PBP, Built in Speakers, Remote Control, Trigger Input	3477.6
LCD42H120	42"	120Hz, Full HD Resolution, 16:9, 1300:1, 500cd/m <sup>2</sup> , Video I/O(BNCx2), HDMI, VGA Input, DVI, Component, Audio I/O(x2/1), S-Video I/O, PIP/PBP, Built in Speakers, Remote Control, Trigger Input	3592.4
ULTRA NARROW BEZEL LCD CCTV Monitor Series - (Digital Signage)			
LCD40L	40"	16:9, 700cd/m <sup>2</sup> , 2000:1, 3D Comb Filter, 8ms, PIP / PBP, DeInterlace, 3D Noise Reduction, 11mm narrow bezel, RS-232C I/O, Video I/O(BNCx2), HDMI I/O, DVI-D I/O, S-Video I/O, Component In, Audio In(RCAx2/1), PC Stereo In, Built in Speakers, IR Remote Control, optional Mounting Bracket	4536
LCD46L	46"	16:9, 700cd/m <sup>2</sup> , 2000:1, 3D Comb Filter, 8ms, PIP / PBP, DeInterlace, 3D Noise Reduction, 11mm narrow bezel, RS-232C I/O, Video I/O(BNCx2), HDMI I/O, DVI-D I/O, S-Video I/O, Component In, Audio In(RCAx2/1), PC Stereo In, Built in Speakers, IR Remote Control, optional Mounting Bracket	5860.4
LCD52L	52"	16:9, 600cd/m <sup>2</sup> , 1700:1, 3D Comb Filter, 8ms, PIP / PBP, DeInterlace, 3D Noise Reduction, 11mm narrow bezel, RS-232C I/O, Video I/O(BNCx2), HDMI I/O, DVI-D I/O, S-Video I/O, Component In, Audio In(RCAx2/1), PC Stereo In, Built in Speakers, IR Remote Control, optional Mounting Bracket	6920
LCD65L	65"	16:9, 700cd/m <sup>2</sup> , 2500:1, 3D Comb Filter, 8ms, PIP / PBP, DeInterlace, 3D Noise Reduction, 11mm narrow bezel, RS-232C I/O, Video I/O(BNCx2), HDMI I/O, DVI-D I/O, S-Video I/O, Component In, Audio In(RCAx2/1), PC Stereo In, Built in Speakers, IR Remote Control, optional Mounting Bracket	16537.5
LCD70L	70"	16:9, 600cd/m <sup>2</sup> , 1500:1, 3D Comb Filter, 8ms, PIP / PBP, DeInterlace, 3D Noise Reduction, 11mm narrow bezel, RS-232C I/O, Video I/O(BNCx2), HDMI I/O, DVI-D I/O, S-Video I/O, Component In, Audio In(RCAx2/1), PC Stereo In, Built in Speakers, IR Remote Control, optional Mounting Bracket	20587.5
RACK MOUNTABLE LCD CCTV Monitor Series -			
LCD15RM	15"	600:1, 250cd/m <sup>2</sup> , Video I/O(BNCx2), VGA RGB Input, S-Video I/O, PC Stereo Input, Built In Speakers & Tilt	865.2
LCD17RM	17"	1000:1, 300cd/m <sup>2</sup> , Video I/O(BNCx2), VGA RGB Input, S-Video I/O, PC Stereo Input, Built In Speakers & Tilt	1055.6
LCD19RM	19"	800:1, 300cd/m <sup>2</sup> , Video I/O(BNCx2), VGA RGB Input, S-Video I/O, PC Stereo Input, Built In Speakers & Tilt	1153.6
PUBLIC VIEW LCD CCTV Monitor Series -			
LCD22PV	22"	Built in WDR Camera w/ Microwave Motion Sensor, 16:9, 1000:1, 300cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlace, PIP/PBP/VOV, Built in Speakers, Remote Control, (AC 110 & DC 24)	1720
LCD22PVW	22"	White Cabinet, Built in WDR Camera w/ Microwave Motion Sensor, 16:9, 1000:1, 300cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlace, PIP/PBP/VOV, Built in Speakers, Remote Control, (AC 110 & DC 24)	1758.4
LCD22PV/CR	22"	Built in WDR Camera w/ Microwave Motion Sensor + Card Reader, 16:9, 1000:1, 300cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlace, PIP/PBP/VOV, Built in Speakers, Remote Control, (AC 110 & DC 24)	1892.8
LCD22PVW/CR	22"	White Cabinet, Built in WDR Camera w/ Microwave Motion Sensor + Card Reader, 16:9, 1000:1, 300cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlace, PIP/PBP/VOV, Built in Speakers, Remote Control, (AC 110 & DC 24)	1909.6
LCD26PV	26"	Built in WDR Camera w/ Microwave Motion Sensor, 16:9, 2000:1, 450cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlaced, PIP/PBP/VOV, LCD Protective Shield, Built in Speakers, Remote Control, AC 110	1946
LCD26PV/CR	26"	Built in WDR Camera w/ Microwave Motion Sensor + Card Reader, 16:9, 2000:1, 450cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlaced, PIP/PBP/VOV, LCD Protective Shield, Built in Speakers, Remote Control, AC 110	2307.2
LCD26PVW/CR	26"	White Cabinet, Built in WDR Camera w/ Microwave Motion Sensor + Card Reader, 16:9, 2000:1, 450cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlaced, PIP/PBP/VOV, LCD Protective Shield, Built in Speakers, Remote Control, AC 110	2343.6
LCD32PV	32"	Built in WDR Camera w/ Microwave Motion Sensor, 16:9, 3000:1, 500cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlaced, PIP/PBP/VOV, LCD Protective Shield, Built in Speakers, Remote Control, AC 110	2690
LCD32PV/CR	32"	Built in WDR Camera w/ Microwave Motion Sensor + Card Reader, 16:9, 3000:1, 500cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlaced, PIP/PBP/VOV, LCD Protective Shield, Built in Speakers, Remote Control, AC 110	2836.4
LCD32PVW/CR	32"	White Cabinet, Built in WDR Camera w/ Microwave Motion Sensor + Card Reader, 16:9, 3000:1, 500cd/m <sup>2</sup> , Video I/O(BNC), Audio I/O(x2), S-Video I/O, VGA Input, DVI, HDMI, 3D Comb Filter, Deinterlaced, PIP/PBP/VOV, LCD Protective Shield, Built in Speakers, Remote Control, AC 110	2872.8
TOUCH SCREEN LCD CCTV Monitor Series -			
LCD15TC	15"	5-Wire Analog Capacitive Touch Panel, 700:1, 250cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNC), Audio In(x2), S-Video I/O, VGA Input, Trigger Input, LCD Protection Glass, Built in Speakers, Remote Control	1470
LCD15TR	15"	5-Wire Analog Resistive Touch Panel, 700:1, 250cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNCx2), Audio In(x2), S-Video I/O, VGA Input, Trigger Input, LCD Protection Glass, Built in Speakers, Remote Control	1092
LCD17TC	17"	5-Wire Analog Capacitive Touch Panel, 1000:1, 300cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNCx2), S-Video I/O, VGA Input, Trigger Input, DVI, HDMI, PIP, LCD Protection Glass, Built in Speakers, Remote Control	1716.4
LCD17TR	17"	5-Wire Analog Resistive Touch Panel, 1000:1, 300cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNCx2), S-Video I/O, VGA Input, Trigger Input, DVI, HDMI, PIP, LCD Protection Glass, Built in Speakers, Remote Control	1318.8
LCD19TC	19"	5-Wire Analog Capacitive Touch Panel, 800:1, 300cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNCx2), S-Video I/O, VGA Input, Trigger Input, DVI, HDMI, PIP, LCD Protection Glass, Built in Speakers, Remote Control	1870.4
LCD19TR	19"	5-Wire Analog Resistive Touch Panel, 800:1, 300cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNCx2), S-Video I/O, VGA Input, Trigger Input, DVI, HDMI, PIP, LCD Protection Glass, Built in Speakers, Remote Control	1492.4
LCD26T	26"	5-Wire Infrared Touch Panel, 16:9, 1500:1, 450cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNCx2), S-Video I/O, VGA Input, Trigger Input, Component Input, Audio I/O(x2), DVI, HDMI, PIP, LCD Protection Glass, Remote Control	3138.8
LCD32T	32"	5-Wire Infrared Touch Panel, 16:9, 3000:1, 500cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNCx2), S-Video I/O, VGA Input, Trigger Input, Component Input, Audio I/O(x2), DVI-D, HDMI, PIP, LCD Protection Glass, Built in Speakers, Remote	3861
LCD42T	42"	5-Wire Infrared Touch Panel, Full HD Resolution, 16:9, 1300:1, 500cd/m <sup>2</sup> , All Metal Cabinet, Video I/O(BNCx2), S-Video I/O, VGA Input, Trigger Input, Component Input, Audio I/O(x2), DVI-D, HDMI, PIP/PBP, LCD Protection Glass, Built in Speakers, Remote Control	6107.4
Wall & Rack Mounting Brackets			
LCD101	n/a	Articulating LCD Mount (SILVER)	
LCD301	n/a	Tilting LCD Mount (Black)	
M105	n/a	Flat Wall Mount (Low Profile: 0.5"), For Monitors 13" ~ 30", VESA: 75/100mm, Max 60lbs	70
M110	n/a	Tilt / Rotate Wall Mount, Double Articulating Arm (20°/180°), VESA: 75/100mm, Max 40lbs.	70
M130	n/a	Tilt / Rotate Wall Mount, Double Articulating Arm (20°/180°), VESA: 75/100mm, Max: 30lbs	126
M131	n/a	Tilt / Rotate Wall Mount, Double Articulating Arm, (20°/180°), VESA: 75 ~ 200mm, Max: 60lbs	168
M140	n/a	Flat Wall Mount (Low Profile: 1"), For Monitors 32" ~ 42", Built in Level Indicator, Lateral Adjustability, VESA compatible, UL / GS Listed, Max: 132lbs	168
M150	n/a	Low Profile Flat Wall Mount (1"), For Monitors 32" ~ 42", Built in Level Indicator, Lateral Adjustability, VESA compatible and Non-VESA, UL / GS Listed, Max: 132lbs	196
M160	n/a	Low Profile Flat Wall Mount (1"), For Monitors 42" ~ 65", Built in Level Indicator, Lateral Adjustability, VESA compatible and Non-VESA, UL / GS Listed, Max: 132lbs	210
M170	n/a	Tilt Wall Mount, For Monitors 42" ~ 65", Built in Level Indicator, Lateral Adjustability, VESA compatible and Non-VESA, UL / GS Listed, Max: 132lbs	238
MC105	n/a	Adjustable Pendant Mount, Tilt: 20°, Rotation: 360°, Excellent Cable Management, Structural Ceiling Plate, Monitor Interface Adapter, VESA: 50/75/100mm, Pole Adjusts: 25" ~ 48", Max: 55lbs	182
MC107	n/a	Adjustable Pendant Mount, Tilt: 15°, Rotation: 360°, Excellent Cable Management, Structural Ceiling Plate, Monitor Interface Adapter, VESA: 75/100/200mm, Pole Adjusts: 25" ~ 31", Max: 55lbs	196
MC110	n/a	Adjustable Pendant Mount, For Monitors 32" ~ 55" (max 165lbs), Tilt: 15°, Rotation: 360°, Excellent Cable Management, Structural Ceiling Plate, Monitor Interface Adapter, VESA: 100/200mm, Pole Adjusts: 20" ~ 40", Rugged Black Powdercoat Finish, UL Safety Listed	308
MRM-108	n/a	Rack Mounts 8" to 20"	168

## Mounts, Power Supplies, Lens, & Accessories

IMAGE	PART #	DESCRIPTION	List
	WMOUNT	Wall Mount Bracket for Vandal Proof Dome Camera	\$70.00
	CMOUNT	Ceiling Mount Bracket for Vandal Proof Dome Camera	\$70.00
	IPODWMOUNT	Outdoor Wall Mount Bracket for Vandal Proof IP Dome Camera	\$50.00
	IPIWMOUNT	Wall Mount Bracket for Vandal Proof IP Dome Camera	\$34.00
	OH	Outdoor Housing Use Mount Part# MOUNT1	\$31.00
	OHHF	Outdoor Housing with Heater and Blower (24VAC) Use Mount Part# MOUNT1	\$46.00
	OHHF1	Modern Style Outdoor Housing with Heater and Blower (24VAC) Use Mount Part# MOUNT5	\$79.04
	OHHF2	Heavy Duty Outdoor Housing with Heater and Blower (24VAC) Use Mount Part# MOUNT5	\$92.80
	CHIW	Indoor Wedge Housing	\$80.00
	DOMEH1	7" Dome Ceiling Housing for Box Cameras	\$92.00
	MOUNT1	Mount for Outdoor Housing (OH, OHHF, CHIR25)	\$12.00
	MOUNT2	T-Bar, Ceiling, Pedestal Camera Mount	\$12.00
	MOUNT4	Ceiling J-Mount for Outdoor Housings (OH, OHHF)	\$48.00
	MOUNT5	Mount for Outdoor Housing (OHHF1, OHHF2)	\$18.24
	PMOUNT1	Pole Mount Adapter for Outdoor Housing (OHHF, OH) For Use with MOUNT1 only	\$19.68
<b>Power Supplies &amp; Accessories</b>			
	CABLE60	RG59 (with BNC) + DC cable (with connectors), Black, 60ft	\$24.00
	CABLE125	RG59 (with BNC) + DC cable (with connectors), Black, 125ft	\$36.00
	1TO4P	Power Adapter DC Y Cable Pigtail 1 to 4, use DC2A to power	\$18.00
	DC2A	12 Volt 2Amp Transformer	\$14.00

	AC40VA	24 Volt 40 Amp Transformer	\$10.00
	DC500MA	12 Volt 500 mA Transformer	\$8.00
			\$0.00
	DC4UL	4 CAMERA, PTC 12VDC 4AMP POWER SUPPLY	\$98.00
	DC8UL	8 CAMERA, PTC 12VDC 4AMP POWER SUPPLY	\$130.00
	DC16UL	16 CAMERA, PTC 12VDC 8AMP POWER SUPPLY	\$198.00
	P-16DCUL	16 CAMERA, PTC 12VDC 12AMP POWER SUPPLY	\$300.00
			\$0.00
	AC4UL	4 CAMERA, PTC 24VAC 4AMP POWER SUPPLY	\$90.00
	AC8UL	8CAMERA, PTC 24VAC 4AMP POWER SUPPLY	\$110.00
	AC16UL	16 CAMERA, PTC 24VAC 8AMP POWER SUPPLY	\$190.00
	P-AC16UL	16 CAMERA, PTC 24VAC 15 AMP POWER SUPPLY	\$290.00
	PTZ-AC16UL	16ch, 17amps, fused@2amps, PTZ/OHMF	\$386.00
	OD-AC1	Outdoor NEMA-4 rated, 1 channel, 100AMP 24VAC	\$188.00
			\$0.00
	RM-AC16	Rackmount Power Supply 16 CH 8AMP 24VAC	\$320.00
	RM-DC16	Rackmount Power Supply 16 CH 8AMP 12VDC	\$340.00
<b>Surge Protection</b>			
	SP1VP12	Over Voltage and Over Current protection for video and power. (1 video & power input) 15V RMS	\$56.84
	SP1VDP24	Over Voltage and Over Current protection for video, data and power. (1 video, data & power input) 28V RMS	\$130.00
<b>Accessories</b>			
	FDCPG	DC Female Pigtail Adapter	\$3.00
	MDCPG	DC Male Pigtail Adapter	\$3.00

	VL358AI	Lens 3.5-8mm Vari-focal Auto Iris	\$54.00
	VL2812AI	Lens 2.8-12mm Vari-focal Auto Iris	\$86.00
	VL660AI	Lens 6-60mm Vari-focal Auto Iris	\$114.00
	VL5100IR	Lens 5-100mm Vari-focal Auto Iris	\$142.80
	MVL358MI	Mega Pixel Camera Lens 3.5-8mm Vari-focal Manual Iris for MIPC1280	\$92.00
	MVL1230MI	Mega Pixel Camera Lens 12-30mm Vari-focal Manual Iris for MIPC1280	\$96.00
	IR170	170' IR Illuminator, 12VDC, 45° Beam Spread, IP66	\$100.00
	IR300	350' IR Illuminator, 12VDC, 10° Beam Spread, IP66	\$190.00