

Stock Guide

HALO
HALO TRAC & SURFACE
HALO COMMERCIAL
ALL-PRO
METALUX
ALL-PRO AMBIENT
LUMARK OUTDOOR
LUMARK INDOOR
CONSUMER PRODUCTS
SURE-LITES
ALL-PRO EMERGENCY
PORTFOLIO
IRIS
LUMIERE
MCGRAW-EDISON
FAIL-SAFE
MWS
HID ACCESSORIES
POLES
CONTROLS

Product Indicators Include:



ARRA
Eligible Product



EISA
Compliant Product

2013
January

Stocking Guide

INDEX

★ Indicates
ARRA
Eligible Product

ⓔ Indicates
EISA Compliant
Pulse Start Products

☑ Indicates
Off The Shelf
Product

HALO

3" Housings and Trims.....	pg 2
4" Housings and Trims.....	pg 4
4" Halo LED	pg 8
5" Housings and Trims.....	pg 12
6" Housings and Trims.....	pg 15
6" Halo LED	pg 17
Chicago Plenum Housings	pg 24
7" Housings and Trims.....	pg 30
8" Housings and Trims.....	pg 30
10" Housings and Trims.....	pg 32
Step and Wall Lights.....	pg 32
Accessories	pg 33

HALO TRAC

Power - Trac Luminaire.....	pg 34
Power - Trac Systems.....	pg 38
Lazer Lampholders and Systems	pg 44
Architectural Flexible Track Lampholders and Systems.....	pg 48
Halo Architectural Linear Track and Connectors.....	pg 49
Linea Lampholders and Systems	pg 52
Surface.....	pg 52
LED Luminaire.....	pg 52

HALO COMMERCIAL

4" Housings and Reflectors.....	pg 55
6" Housings and Trims.....	pg 55
8" Housings and Trims.....	pg 57

ALL-PRO

3" Housings	pg 59
4" Housings and Trims.....	pg 59
5" Housings and Trims.....	pg 61
5" / 6" LED Module.....	pg 63
6" Housings and Trims.....	pg 64

METALUX

Recessed Static.....	pg 69
Recessed Direct / Indirect	pg 71
Recessed Accessories	pg 72
Modular Surface	pg 72
Wraparound	pg 72
Wall Brackets.....	pg 75
Paralux III High Performance.....	pg 76
Parabolic Surface	pg 76
Advance Retrofit Kit Technology (ART).....	pg 77
Strip	pg 77
Industrial	pg 79
Vapor Tite.....	pg 83
Undercabinet	pg 84
Accessories	pg 84

ALL-PRO AMBIENT

Parabolics	pg 85
Troffers	pg 86
Wraparounds	pg 87
Striplights.....	pg 88
Vapor Tite.....	pg 88
High Bay	pg 89
Low Bay	pg 89

LUMARK OUTDOOR

Floodlight	pg 90
Area / Site	pg 91
Dusk to Dawn	pg 93
Wall Mount	pg 93
Parking/Canopy	pg 95
Canopy	pg 95

LUMARK INDOOR

Worklight.....	pg 96
Industrial	pg 96
Industrial Component	pg 97
Worklight and Industrial Component Accessories.....	pg 97
Indoor.....	pg 97

CONSUMER PRODUCTS - SECURITY & WORKLIGHTS

Floodlight.....	pg 98
-----------------	-------

Motion Activated.....	pg 99
Worklight.....	pg 103
Dusk to Dawn	pg 104
Accessory	pg 107

SURE-LITES

Emergency.....	pg 108
Exit Signs	pg 111
Industrial / Hazardous.....	pg 115
Retrofit	pg 115
Accessories	pg 116
Chicago Code	pg 116
Chicago Code and Emergency.....	pg 116
Replacement Part	pg 117

ALL-PRO EMERGENCY

LED Exit and Emergency	pg 118
Exit and Emergency.....	pg 119

PORTFOLIO

LED	pg 120
CFL	pg 121
HID	pg 125
Incandescent	pg 125
HID and Incandescent	pg 126
CFL, HID and Incandescent Accessories.....	pg 126

IRIS

Iris Platform.....	pg 127
Iris Power Modules	pg 127
Iris Optical Element.....	pg 128
Iris Components and Accessories.....	pg 131

LUMIÈRE

Accent / Flood	pg 132
Inground.....	pg 133
Pathway	pg 133
Step	pg 134
Underwater	pg 134
Wall	pg 134
Accessories	pg 135

McGRAW-EDISON

Floodlight	pg 136
Wall Mount.....	pg 136
Vandal Resistant Accessories.....	pg 136

FAIL-SAFE

Commercial Vandal Resistant.....	pg 137
Cleanroom	pg 137
Medical	pg 138
Food Processing.....	pg 138

MWS

Starter Fitting.....	pg 139
Extender Cables	pg 139
Splitter	pg 139
Fixture Fitting.....	pg 139

HID ACCESSORIES

HID Accessories	pg 140
-----------------------	--------

POLES

Poles	pg 142
-------------	--------

CONTROLS

Lighting Control Panels - Stand-Alone	pg 143
Occupancy Sensors	pg 143

ARRA

The American Recovery and Reinvestment Act	pg 147
--	--------

TERMS & CONDITIONS

Cooper Lighting Stock Guide 2013 Terms and Conditions	pg 148
---	--------



www.cooperlighting.com





CATALOG
NUMBER

DESCRIPTION





UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Halo



3" H3 Housing

	IC Air-Tite - H36ICAT									
	H36ICAT	3" HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, GU10	623961361302	5	4	4		•	•	•
	IC Air-Tite - H38ICAT									
	H38ICAT	3" HOUSING IC AIR-TITE 120V LINE VOLTAGE, GU10	623961361272	5	4	4		•	•	•
	Non-IC Air-Tite Remodel									
	H36RTAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, REMODEL, GU10	623961361326	1.5	6	6		•	•	•
	Non-IC Air-Tite									
	H36TAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, GU10	623961377662	2	6	6		•	•	•

3" H3 Low Voltage Housing

	IC Air-Tite - H36LVICAT									
	H36LVICAT	3" HOUSING IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	623961361333	7.25	4	4		•	•	•
	IC Air-Tite - H38LVICAT									
	H38LVICAT	3" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16	623961361289	6	4	4		•	•	•
	Non-IC Air-Tite Remodel									
	H36LVRTAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE REMODEL, MR16	623961361340	3.2	6	6		•	•	•
	H36LVRTAT277	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING, 277V (DUAL-TAP 120/277V) TRANSFORMER, LOW VOLTAGE, REMODEL, MR16	080083528479	3.2	6	6				•
	Non-IC Air-Tite									
	H36LVTAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	623961361357	4	6	6		•	•	•
	H36LVTAT277	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING, 277V (DUAL-TAP 120/277V) TRANSFORMER, LOW VOLTAGE, MR16	623961690068	4	6	6				•

3" H3 Trim

	Adjustable Pinhole Baffle - 15 Degree Tilt									
	3001BKBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE BLACK TRIM WITH BLACK BAFFLE	623961379673	0.6	36	36				•
	3001TBZBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961591976	0.8	36	36				•
	3001WHBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE WHITE TRIM WITH BLACK BAFFLE	623961379727	0.6	36	36				•
	Adjustable Pinhole Reflector - 15 Degree Tilt									
	3002WHC	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE WHITE TRIM WITH CLEAR REFLECTOR	623961384349	0.6	36	36				•









★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Adjustable Pinhole Baffle - 35 Degree Tilt										
	3003BKBB	3" TRIM ADJUSTABLE 35 DEGREE BAFFLE BLACK TRIM WITH BLACK BAFFLE	623961384929	0.6	36	36				•
	3003SNB	3" TRIM ADJUSTABLE 35 DEGREE BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623961384417	0.6	36	36				•
	3003TBZB	3" TRIM ADJUSTABLE 35 DEGREE BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961591990	0.6	36	36				•
	3003WHBB	3" TRIM ADJUSTABLE 35 DEGREE BAFFLE WHITE TRIM WITH BLACK BAFFLE	623961384431	0.6	36	36				•
	3003WHWB	3" TRIM ADJUSTABLE 35 DEGREE BAFFLE WHITE TRIM WITH WHITE BAFFLE	623961384455	0.6	36	36				•
Adjustable Reflector - 35 Degree Tilt										
	3004SN	3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961384523	0.74	36	36				•
	3004TBZ	3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	623961592003	0.6	36	36				•
	3004WHC	3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH CLEAR REFLECTOR	623961384547	0.721	36	36				•
	3004WHH	3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH HAZE REFLECTOR	080083588220	0.721	36	36				•
	3004WHW	3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH WHITE REFLECTOR	623961401091	0.6	36	36				•
Adjustable Slot Aperture - 35 Degree Tilt										
	3006TBZBB	3" TRIM ADJUSTABLE SLOT 35 DEGREE APERTURE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961592010	0.6	36	36				•
	3006WHBB	3" TRIM ADJUSTABLE SLOT 35 DEGREE APERTURE WHITE TRIM WITH BLACK BAFFLE	623961379635	0.6	36	36				•
Lensed Shower Light - 15 Degree Tilt										
	3007PCC	3" TRIM LENSED SHOWER LIGHT 15 DEGREE POLISHED CHROME TRIM WITH CLEAR REFLECTOR	623961384776	0.6	36	36				•
	3007SN	3" TRIM LENSED SHOWER LIGHT 15 DEGREE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961384790	0.6	36	36				•
	3007WHC	3" TRIM LENSED SHOWER LIGHT 15 DEGREE WHITE TRIM WITH CLEAR REFLECTOR	623961384813	0.8	36	36				•
Shower Light										
	3008FG	3" TRIM SHOWER LIGHT WHITE PLASTIC TRIM WITH FROSTED GLASS LENS	623961384837	0.6	36	36				•
Adjustable Gimbal - 35 Degree Tilt										
	3009BKBB	3" TRIM ADJUSTABLE 35 DEGREE GIMBAL BLACK WITH BLACK BAFFLE	623961384592	0.6	36	36				•
	3009SNBB	3" TRIM ADJUSTABLE 35 DEGREE GIMBAL SATIN NICKEL WITH BLACK BAFFLE	623961384615	0.6	36	36				•
	3009TBZBB	3" TRIM ADJUSTABLE 35 DEGREE GIMBAL TUSCAN BRONZE WITH BLACK BAFFLE	623961592249	0.6	36	36				•
	3009WHBB	3" TRIM ADJUSTABLE 35 DEGREE GIMBAL WHITE WITH BLACK BAFFLE	623961384646	0.6	36	36				•
	3009WHWB	3" TRIM ADJUSTABLE 35 DEGREE GIMBAL WHITE WITH WHITE BAFFLE	623961384660	0.6	36	36				•
Super Adjustable, 80 Degree, White										
	3010TBZ	3" TRIM, SUPER ADJUSTABLE, 80 DEGREE, TUSCAN BRONZE	080083514403	0.494	36	36				•
Super Adjustable, 80 Degree, Tuscan Bronze										
	3010WH	3" TRIM, SUPER ADJUSTABLE, 80 DEGREE, WHITE	080083514366	1	36	36				•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Square Adjustable - 15 Degree Tilt										
	3011BKBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE BLACK TRIM WITH BLACK BAFFLE	623961978326	0.6	36	36		•		
	3011SNBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961978333	0.8	36	36				•
	3011TBZBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961978357	0.6	36	36				•
	3011WHBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE WHITE TRIM WITH BLACK BAFFLE	623961978210	0.5	36	36				•
	3011WHWB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE WHITE TRIM WITH WHITE BAFFLE	623961978203	0.6	36	36		•		•
Square Regressed Lens Adjustable Shower Light										
	3012BKBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE BLACK TRIM WITH BLACK BAFFLE	623961978395	0.5	36	36				•
	3012SNBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961978401	0.6	36	36				•
	3012TBZBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961978425	0.8	36	36				•
	3012WHBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE WHITE TRIM WITH BLACK BAFFLE	623961978364	0.6	36	36				•
	3012WHWB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE WHITE TRIM WITH WHITE BAFFLE	623961978388	0.8	36	36		•		•
Square Adjustable Gimbal										
	3013SN	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, SATIN NICKEL	623961978463	0.6	36	36				•
	3013TBZ	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, TUSCAN BRONZE	623961978487	0.6	36	36				•
	3013WH	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, WHITE	623961978432	0.4	36	36				•
All-Glass Frost Curve Showerlight Trim										
	3017FGS	3" TRIM, FROST ALL-GLASS CURVE SHOWER TRIM WITH WHITE BASE	080083514502	0.916	36	36				•
Wall Wash Pinhole with Clear Reflector										
	3020WW	3" TRIM WALL WASH PINHOLE WHITE TRIM WITH CLEAR REFLECTOR AND CLEAR KICK REFLECTOR	080083514533	1.375	36	36				•
4" Housing										
IC Air-Tite - H99ICAT										
	H99ICAT	4" HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083582259	2.25	6	6	•	•	•	•
Non-IC Air-Tite Remodel - H99RAT										
	H99RAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING REMODEL 120V LINE VOLTAGE	080083584369	2	6	6	•	•	•	•
Non-IC Air-Tite - H99TAT										
	H99TAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING 120V INCANDESCENT	080083584260	2	6	6	•	•	•	•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products




Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA




4" Low Voltage Housing

	IC Air-Tite - H1499ICAT H1499ICAT	4" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16	080083584079	6.283	4	4	•	•	•	•	•
	Non-IC Air-Tite Remodel - H1499RTAT H1499RTAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING REMODEL 12V LOW VOLTAGE MR16	080083584406	3.77	6	6	•	•	•	•	•
	Non-IC Air-Tite - H1499TAT H1499TAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	080083584383	2	6	6	•	•	•	•	•
	Non-IC Dual Tap Transformer H1499T75	4" HOUSING NON-IC SHALLOW CEILING 120/277V DUAL TAP TRANSFORMER LOW VOLTAGE 75W MR16 MAX.	662400611660	5.8	6	6			•		•

4" CFL Housing









	IC Air-Tite Shallow Ceiling CFL Housing H470ICAT	4" HOUSING COMPACT FLUORESCENT IC AIR-TITE SHALLOW CEILING 13W ELECTRONIC BALLAST, 120V	080083516667	5	6	6					•
	H471ICAT	4" HOUSING COMPACT FLUORESCENT IC AIR-TITE SHALLOW CEILING 18W ELECTRONIC BALLAST, 120V	080083516674	6	6	6			•		•
	IC Air-Tite Shallow CFL Housing H470RICAT	4" HOUSING, REMODEL, COMPACT FLUORESCENT, IC AIR-TITE SHALLOW 13W ELECTRONIC BALLAST, 120V	080083516667	5	6	6					•
	IC Air-Tite Shallow Ceiling CFL Housing - H471RICAT H471RICAT	4" HOUSING COMPACT FLUORESCENT IC AIR-TITE SHALLOW CEILING REMODEL 18W ELECTRONIC BALLAST, 120V	080083516643	5	6	6			•		•

4" Trim

	Adjustable Lensed Shower Light - 15 Degree Tilt 1951PS	4" TRIM LENSED SHOWERLIGHT WHITE TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	622697464974	0.8	12	12			•		•
	1951SNS	4" TRIM LENSED SHOWERLIGHT SATIN NICKEL TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	623960387594	1	12	12					•
	1951TBZS	4" TRIM LENSED SHOWERLIGHT TUSCAN BRONZE TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	623961311758	0.38	12	12					•
	Metropolitan Ice Lite - For H99T, H99RT & H99ICT 945	4" TRIM METROPOLITAN 120V FROSTED GLASS	662400188612	1.75	6	6					•
	Metropolitan Deco - For H99T, H99RT & H99ICT 946BC	4" TRIM METROPOLITAN 120V BLACK CHROME ACCENT WITH TRANSLUCENT RINGS	662400184430	1.44	1	1					•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓜ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Shower Light										
 951PS	4" TRIM LENSED SHOWERLIGHT 120V WHITE TRIM WITH GLASS LENS	622697283117	0.5	6	6	•	•	•	•	•
951SNS	4" TRIM LENSED SHOWERLIGHT 120V SATIN NICKEL TRIM WITH GLASS LENS	623960387556	0.5	6	6	•	•	•	•	•
951TBZS	4" TRIM LENSED SHOWERLIGHT 120V TUSCAN BRONZE TRIM WITH GLASS LENS	623961311574	0.6	6	6	•	•	•	•	•
Metal Baffle										
 953P	4" TRIM, METAL BAFFLE, WHITE TRIM WITH BLACK BAFFLE	080083516001	0.4	12	12	•	•	•	•	•
953SN	4" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623960387532	0.31	12	12	•	•	•	•	•
953TBZ	4" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311499	0.38	12	12	•	•	•	•	•
953W	4" TRIM, METAL BAFFLE, WHITE TRIM WITH WHITE BAFFLE	080083516025	0.4	12	12	•	•	•	•	•
Shower Light - 955PS										
 955PS	4" TRIM, LENSED SHOWERLIGHT, WHITE TRIM WITH PRISMATIC GLASS LENS	080083515943	0.6	6	6	•	•	•	•	•
Pinhole Trim										
 990P	4" TRIM PINHOLE TRIM WHITE	662400320647	0.2	24	24	•	•	•	•	•
Wall Wash with Baffle										
 992P	4" TRIM WALL WASH WHITE TRIM AND SCOOP, BLACK BAFFLE	662400320531	0.38	6	6	•	•	•	•	•
992TBZ	4" TRIM WALL WASH TUSCAN BRONZE TRIM AND SCOOP, BLACK BAFFLE	623961311550	0.4	12	12	•	•	•	•	•
992W	4" TRIM WALL WASH WHITE TRIM AND SCOOP, WHITE BAFFLE	662400320654	0.38	6	6	•	•	•	•	•
Coilex Baffle										
 993P	4" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE	080083628223	0.2	6	6	•	•	•	•	•
993SN	4" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623960250485	0.04	12	12	•	•	•	•	•
993TBZ	4" TRIM COILEX BAFFLE TUSCAN BRONZE WITH BLACK BAFFLE	080083628520	0.38	6	6	•	•	•	•	•
993W	4" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400164289	0.4	12	12	•	•	•	•	•
Step Baffle										
994W	4" TRIM STEP BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400320708	0.28	6	6	•	•	•	•	•
Adjustable Eyeball - 30 Degree Tilt - 996										
 996P	4" TRIM EYEBALL PAR20 LAMP WHITE TRIM WITH WHITE EYEBALL	662400320630	0.68	12	12	•	•	•	•	•
996SN	4" TRIM EYEBALL PAR20 LAMP SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL	623960282769	0.68	12	12	•	•	•	•	•
996TBZ	4" TRIM EYEBALL PAR20 LAMP TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL	623961311512	0.8	12	12	•	•	•	•	•
Adjustable Eyeball - 30 Degree Tilt - 998										
 998P	4" TRIM EYEBALL R16, PAR16 LAMP WHITE TRIM WITH WHITE EYEBALL	080083628209	0.8	6	6	•	•	•	•	•
998SN	4" TRIM EYEBALL R16, PAR16 LAMP SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL	623960250492	0.8	12	12	•	•	•	•	•
998TBZ	4" TRIM EYEBALL R16, PAR16 LAMP TUSCAN BRONZE WITH TUSCAN BRONZE EYEBALL	623961311437	1	12	12	•	•	•	•	•

★ Indicates ARRA Eligible Product, **Off The Shelf** **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Reflector										
999H	4" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR	622696606221	0.31	12	12					•
999P	4" TRIM REFLECTOR CONE WHITE TRIM WITH SPECULAR CLEAR REFLECTOR	662400320586	0.31	12	12			•		•
999RG	4" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400320548	0.4	12	12					•
999SN	4" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	080083628186	0.25	6	6			•		•
999TBZ	4" TRIM REFLECTOR CONE TUSCAN BRONZE WITH TUSCAN BRONZE REFLECTOR	623961311451	0.38	12	12					•
999W	4" TRIM REFLECTOR CONE WHITE TRIM WITH WHITE REFLECTOR	623961394287	0.4	6	6					•

4" Low Voltage Trim

1 - 7 / 8" Pinhole Baffle										
1419P	4" TRIM PINHOLE BAFFLE WHITE TRIM WITH BLACK BAFFLE, MR16	662400320494	0.67	6	6			•		•
1419SN	4" TRIM PINHOLE BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE, MR16	623960295226	0.41	6	6					•
1419TBZ	4" TRIM PINHOLE BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE, MR16	623961311611	0.6	6	6					•
1419W	4" TRIM PINHOLE BAFFLE WHITE TRIM WITH WHITE BAFFLE, MR16	662400320760	0.6	6	6			•		•

Adjustable Slot Aperture - 35 Degree Tilt										
1420P	4" TRIM SLOT APERTURE WHITE, MR16	662400132264	1	12	12			•		•
1420SN	4" TRIM, ADJUSTABLE SLOT SATIN NICKEL TRIM, MR16	623960295233	0.6	6	6					•
1420TBZ	4" TRIM SLOT APERTURE TUSCAN BRONZE, MR16	623961311673	0.38	6	6					•




Reflector Trim										
1421C	4" TRIM REFLECTOR WHITE TRIM, CLEAR SPECULAR REFLECTOR, MR16	662400320524	0.4	12	12			•	•	•
1421CG	4" TRIM REFLECTOR WHITE TRIM, CHAMPAGNE GOLD REFLECTOR, MR16	662400603054	0.4	6	6			•		
1421H	4" TRIM REFLECTOR WHITE TRIM, HAZE REFLECTOR, MR16	662400621508	0.475	6	6					• ★
1421MB1	4" TRIM REFLECTOR WHITE TRIM, SPECULAR BLACK REFLECTOR, MR16	662400102045	0.4	20	20			•		
1421SN	4" TRIM REFLECTOR SATIN NICKEL TRIM, SATIN NICKEL REFLECTOR, MR16	623960295257	0.38	6	6					•
1421TBZ	4" TRIM REFLECTOR TUSCAN BRONZE TRIM, TUSCAN BRONZE REFLECTOR, MR16	623961311598	0.38	6	6					•
1421W	4" TRIM REFLECTOR WHITE TRIM, WHITE REFLECTOR, MR16	623961394270	0.38	6	6					•

Metal Baffle - 35 Degree Tilt										
1453TBZ	4" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE, MR16	623961311659	0.38	6	6					•
1493P	4" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE, MR16	662400320555	0.4	6	6			•		•
1493SN	4" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE, MR16	623960295264	0.42	6	6					•
1493TBZ	4" TRIM COILEX BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE, MR16	623961311635	0.38	6	6					•
1493W	4" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE, MR16	662400320623	0.4	6	6			•	•	•



Adjustable Gimbal - 30 Degree Tilt										
1495P	4" TRIM ADJUSTABLE GIMBAL WHITE, MR16	662400659679	0.4	6	6			•		•
1495SN	4" TRIM ADJUSTABLE GIMBAL SATIN NICKEL, MR16	623960295271	0.46	6	6			•		•
1495TBZ	4" TRIM ADJUSTABLE GIMBAL TUSCAN BRONZE, MR16	623961311697	0.38	6	6					•

Retractable Elbow - 60 Degree Tilt										
1496P	4" TRIM RETRACTABLE ELBOW WHITE, MR16	662400659686	0.38	6	6			•		•
1496SN	4" TRIM RETRACTABLE ELBOW SATIN NICKEL, MR16	623960295172	0.38	6	6					•
1496TBZ	4" TRIM RETRACTABLE ELBOW TUSCAN BRONZE, MR16	623961311710	0.4	6	6					•


★ Indicates ARRA Eligible Product, **Off The Shelf** Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Adjustable Mirror Trim - 90 Degree Tilt										
 1497P	4" TRIM ADJUSTABLE MIRROR WHITE TRIM WITH WHITE SCOOP, MR16	662400671879	0.55	6	6			•		•
Adjustable Eyeball with Baffle - 30 Degree Tilt										
 1498P	4" TRIM EYEBALL WHITE TRIM WITH WHITE EYEBALL, BLACK BAFFLE, MR16	662400320517	0.8	6	6			•		
1498SN	4" TRIM EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, BLACK BAFFLE, MR16	623960295189	0.8	6	6					•
1498TBZ	4" TRIM EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, BLACK BAFFLE, MR16	623961311734	0.6	6	6					•
1498W	4" TRIM EYEBALL WHITE TRIM WITH WHITE EYEBALL, WHITE BAFFLE, MR16	662400302858	0.6	6	6			•		•
Metropolitan Ice Lite - For H1499T, 1499RT & H1499IC										
 1945	4" TRIM METROPOLITAN FROSTED GLASS, MR16	662400194989	2.19	6	6					•




4" LED Housing

4" LED Housing IC Air-Tite, 120V Line Voltage										
 H995ICAT	4" LED HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083616930	2.125	6	6			•		•
4" LED Remodel Housing IC Air-Tite, 120V Line Voltage										
 H995RICAT	4" LED REMODEL HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083616947	1.5	6	6			•		•








4" LED Module

4" LED Retrofit Module, with E26 Medium Screwbase adapter										
 RL406830WH	4" ALL-PURPOSE LED RETROFIT MODULE-TRIM, WITH LED CONNECTOR AND E26 MEDIUM SCREWBASE ADAPTER	080083616916	1.367	2	2	•	•	•	•	•

4" Halo H4 LED

4" LED Light Engine, 2700K, for Halo H455 and H456 LED Housings										
 EL405827	4" LED LIGHT ENGINE, 2700K, FOR HALO H455 AND H456 LED HOUSINGS	080083529018	1.71	6	6					•
4" LED Light Engine, 3000K, for Halo H455 and H456 LED Housings										
 EL405830	4" LED LIGHT ENGINE, 3000K, FOR HALO H455 AND H456 LED HOUSINGS	080083529025	1.71	6	6			•	•	•
4" LED Light Engine, 3500K, for Halo H455 and H456 LED Housings										
 EL405835	4" LED LIGHT ENGINE, 3000K, FOR HALO H455 AND H456 LED HOUSINGS	080083529032	1.71	6	6					•
4" LED Light Engine, 4000K, for Halo H455 and H456 LED Housings										
EL405840	4" LED LIGHT ENGINE, 3000K, FOR HALO H455 AND H456 LED HOUSINGS	080083529247	1.6	6	6					•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	
	4" LED White Gimbal Trim / Light Engine, 2700K										
ELG405827WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 2700K, FOR HALO H455 AND H456 LED HOUSINGS	080083580941	2	4	4					•	★
	4" LED Satin Nickel Gimbal Trim / Light Engine, 3000K										
ELG405830SN	4" LED SATIN NICKEL GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H455 AND H456 LED HOUSINGS	080083576265	2	6	6					•	★
	4" LED Tuscan Bronze Gimbal Trim / Light Engine, 3000K										
ELG405830TBZ	4" LED TUSCAN BRONZE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H455 AND H456 LED HOUSINGS	080083576340	2	6	6					•	★
	4" LED White Gimbal Trim / Light Engine, 3000K										
ELG405830WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H455 AND H456 LED HOUSINGS	080083576180	2	6	6			•	•	•	★
	4" LED White Gimbal Trim / Light Engine, 3500K										
ELG405835WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3500K, FOR HALO H455 AND H456 LED HOUSINGS	080083576203	2	6	6					•	★
	4" LED White Gimbal Trim / Light Engine, 4000K										
ELG405840WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 4000K, FOR HALO H455 AND H456 LED HOUSINGS	080083576227	2	6	6					•	★
	4" LED White Square Gimbal Trim / Light Engine, 2700K										
ELSG405827WH	4" LED WHITE SQUARE GIMBAL TRIM / LIGHT ENGINE, 2700K, FOR HALO H455 AND H456 LED HOUSINGS	080083576401	2	6	6					•	★
	4" LED White Square Gimbal Trim / Light Engine, 3000K										
ELSG405830WH	4" LED WHITE SQUARE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H455 AND H456 LED HOUSINGS	080083576425	2	6	6					•	★
	4" LED ICAT Remodel Housing, 120V, for Halo EL4, ELG4, ELSG4 series LED Light Engines										
H455RICAT120D	4" LED HOUSING IC AIR-TITE REMODEL, DIMMABLE, 120V, FOR HALO EL4, ELG4, ELSG4 SERIES LED LIGHT ENGINES	080083525119	6.14	6	6	•		•		•	
	4" LED NON-IC Housing, 120V-277V, for Halo EL4, ELG4, ELSG4 series LED Light Engines										
H455TUNVD010	4" LED HOUSING NON-IC, DIMMABLE WITH 0-10V DIMMERS, 120V-277V, FOR HALO EL4, ELG4, ELSG4 SERIES LED LIGHT ENGINES	080083545131	5.8	6	6			•		•	

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
	4" LED NON-IC Housing , 120V-277V - Remodel, for Halo EL4, ELG4, ELSG4 series LED Light Engines H455RTUNVD010	080083543106	6.14	6	6					•
	4" LED ICAT Housing, 120V, for Halo EL4, ELG4, ELSG4 series LED Light Engines H456ICAT120D	080083575923	2.25	6	6	•		•	•	•
	4" LED Reflector - Haze, Matte White Ring TL400H	080083527854	0.4	18	18					•
	4" LED Reflector - Specular Black, Matte White Ring TL400SBK	080083544226	0.4	18	18					•
	4" LED Reflector - Specular Clear, Matte White Ring TL400SC	080083527847	0.4	18	18					•
	4" LED Reflector - Satin Nickel, Satin Nickel Ring TL400SN	080083544202	0.4	18	18					•
	4" LED Reflector - Tuscan Bronze, Tuscan Bronze Ring TL400TBZ	080083544219	0.4	18	18					•
	4" LED Reflector - Matte White, Matte White Ring TL400WH	080083527861	0.4	18	18			•		•
	4" LED Reflector - Black Baffle, Matte White Ring TL401BB	080083544233	0.4	18	18					•
	4" LED Reflector - White Baffle, Matte White Ring TL401WB	080083527878	0.4	18	18			•		•
	4" LED Regressed Lens - Haze Reflector, Matte White Ring TL402HS	080083527892	0.4	18	18			•		•






★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
	4" LED Regressed Lens - Specular Black Reflector, Matte White Ring TL402SBKS 4" LED TRIM, SOLITE(R) REGRESSED LENS, SPECULAR BLACK REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544264	0.4	18	18					•
	4" LED Regressed Lens - Specular Clear Reflector, Matte White Ring TL402SCS 4" LED TRIM, SOLITE(R) REGRESSED LENS, SPECULAR CLEAR REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527885	0.4	18	18					•
	4" LED Regressed Lens - Satin Nickel Reflector, Satin Nickel Ring TL402SNS 4" LED TRIM, SOLITE(R) REGRESSED LENS, SATIN NICKEL REFLECTOR, SATIN NICKEL RING, SHOWER RATED	080083544240	0.4	18	18					•
	4" LED Regressed Lens - Tuscan Bronze Reflector, Matte White Ring TL402TBZS 4" LED TRIM, SOLITE(R) REGRESSED LENS, TUSCAN BRONZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544257	0.4	18	18					•
	4" LED Regressed Lens - Matte White Reflector, Matte White Ring TL402WHS 4" LED TRIM, SOLITE(R) REGRESSED LENS, MATTE WHITE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527908	0.4	18	18			•		•
	4" LED Regressed Lens - Black Baffle Reflector, Matte White Ring TL403BBS 4" LED TRIM, SOLITE(R) REGRESSED LENS, BLACK BAFFLE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544271	0.4	18	18					•
	4" LED Regressed Lens - White Baffle, Matte White Ring TL403WBS 4" LED TRIM, SOLITE(R) REGRESSED LENS, WHITE BAFFLE, MATTE WHITE RING, SHOWER RATED	080083527915	0.4	18	18			•		•
	4" LED Wall Wash Trim, White Reflector, Specular Wall Wash Optic, Matte White Ring TL409WHWW 4" LED TRIM, WALL WASH, WHITE REFLECTOR WITH SPECULAR WALL WASH OPTIC, MATTE WHITE RING	080083575800	0.4	18	18					•
	4" LED Wall Wash Trim, Semi-Specular Clear Reflector, Specular Wall Wash Optic, Matte White Ring TL409WW 4" LED TRIM, WALL WASH, SEMI-SPECULAR CLEAR REFLECTOR WITH SPECULAR WALL WASH OPTIC, MATTE WHITE RING	080083585090	0.4	18	18					•
	4" LED Optional Reflector Kit 25, 35, 50 degree, for ELG4 and ELSG4 Gimbal Trim / Light Engines TL412RK 4" LED OPTIONAL REFLECTOR KIT 25, 35, 50 DEGREE, FOR ELG4 AND ELSG4 GIMBAL TRIM / LIGHT ENGINES	080083575817	0.4	18	18					•
	4" LED Trim, "Dead Front" Polymer Trim Ring and Lens Lens, Matte White Ring, Shower Rated TL422PS 4" LED TRIM, "DEAD FRONT" POLYMER TRIM RING AND LENS LENS, MATTE WHITE RING, SHOWER RATED	080083527922	0.4	18	18					•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, Satin Nickel Ring										
 TLS408SNBB	4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, SATIN NICKEL RING, SHOWER RATED	080083575787	0.4	18	18					•
4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, Tuscan Bronze Ring										
 TLS408TBZBB	4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, TUSCAN BRONZE RING, SHOWER RATED	080083575794	0.4	18	18					•
4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, White Ring										
 TLS408WHBB	4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, WHITE RING, SHOWER RATED	080083575770	0.4	18	18					•
4" LED Square Baffle Trim with Solite(R) Regressed Lens, White Baffle, White Ring										
 TLS408WHWB	4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, WHITE BAFFLE, WHITE RING, SHOWER RATED	080083575763	0.4	18	18			•	•	•
4" LED Accessory										
	TRM400BK	4" LED ACCESSORY - SLIM RING, BLACK	080083544585	0.2	24	24				•
	TRM400PC	4" LED ACCESSORY - SLIM RING, POLISHED CHROME	080083544646	0.2	24	24				•
	TRM400SN	4" LED ACCESSORY - SLIM RING, SATIN NICKEL	080083544608	0.2	24	24				•
	TRM400TBZ	4" LED ACCESSORY - SLIM RING, TUSCAN BRONZE	080083544622	0.2	24	24				•
	TRM400WH	4" LED ACCESSORY - SLIM RING, MATTE WHITE	080083544561	0.2	24	24				•











5" CFL Housing

IC Air-Tite, CFL										
 H572ICAT	5" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961305955	3.2	4	4			•	•	•
IC Air-Tite Remodel, CFL										
 H572RICAT	5" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT REMODEL, ELECTRONIC BALLAST, 120V	623961597497	1.54	6	6			•	•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
5" H5 Housing										
	IC Air-Tite H5ICAT	5" HOUSING IC AIR-TITE 120V LINE VOLTAGE	080083609413	2.83	6	6	•	•	•	•
	IC Air-Tite Remodel H5RICAT	5" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	080083609444	1.8	6	6	•	•	•	•
	Non-IC Remodel H5RT	5" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	662400602668	2.4	6	6	•	•	•	•
	Non-IC H5T	5" HOUSING NON-IC 120V LINE VOLTAGE	662400602651	3.25	6	6	•	•	•	•
5" H5 Shallow Housing										
	IC Air-Tite H25ICAT	5" HOUSING ICAT SHALLOW 120V LINE VOLTAGE	662400664109	2.5	6	6	•	•	•	•
5" H5 Trim										
	Splay Trim 5000P	5" TRIM SPLAY WHITE TRIM AND WHITE SPLAY	662400602712	0.6	6	6	•	•	•	•
	5000SN	5" TRIM SPLAY SATIN NICKEL TRIM AND SATIN NICKEL SPLAY	623961112881	0.6	6	6	•	•	•	•
	5000TBZ	5" TRIM SPLAY TUSCAN BRONZE TRIM AND TUSCAN BRONZE SPLAY	623961311802	0.8	6	6	•	•	•	•
	Metal Splay Baffle 5001MB	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400602736	0.58	6	6	•	•	•	•
	5001P	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602729	0.5	6	6	•	•	•	•
	5001SN	5" TRIM BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	080083588886	1.2	6	6	•	•	•	•
	5001TBZ	5" TRIM BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311826	0.38	6	6	•	•	•	•
	Step Baffle 5010	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400602743	0.74	6	6	•	•	•	•
	5010W	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602750	0.74	6	6	•	•	•	•
	High Coilex Baffle 5012W	5" TRIM DEEP BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602811	1.04	6	6	•	•	•	•
	Shallow Metal Baffle 5014P	5" TRIM METAL BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400664086	0.81	6	6	•	•	•	•



★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓜ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
Coilex Baffle with Reflector and Torsion Springs										
 5016P	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	623961558962	1.18	6	6					•
5016W	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	623961558979	1.04	6	6			•		•
Reflector Cone										
 5020H	5" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR	622697053390	0.86	6	6					•
5020P	5" TRIM REFLECTOR CONE WHITE TRIM WITH WHITE REFLECTOR	662400602781	0.86	6	6					•
5020RG	5" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400602798	0.86	6	6					•
5020SC	5" TRIM REFLECTOR CONE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400602767	0.86	6	6			•		•
5020SN	5" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961112843	0.86	6	6					•
5020TBZ	5" TRIM REFLECTOR CONE TUSCAN BRONZE WITH TUSCAN BRONZE REFLECTOR	623961311772	0.38	6	6					•
Reflector Trim										
 5021H	5" TRIM, FULL REFLECTOR HAZE, WHITE TRIM	622697053406	0.78	6	6					•
Full Reflector										
 5021SC	5" TRIM FULL REFLECTOR WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400602828	0.83	6	6			•		•
5021SN	5" TRIM FULL REFLECTOR SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	080083508587	0.83	6	6					•
Wall Wash with Baffle										
 5030W	5" TRIM WALL WASH WHITE TRIM AND SCOOP, WHITE BAFFLE	662400664949	1.2	6	6					•
Frosted Lens Shower Light										
 5051PS	5" TRIM SHOWERLIGHT WHITE TRIM WITH FLAT FROST LENS	080083521388	1.4	6	6		•	•	•	•
Shower Light										
 5054PS	5" TRIM SHOWERLIGHT WHITE TRIM WITH FROSTED DOME DIFFUSER	623961531644	1.25	6	6		•	•	•	•
5054SNS	5" TRIM DROP SHOWERLIGHT SATIN NICKEL TRIM WITH FROSTED DIFFUSER	623961836251	1.6	6	6					•
5054TBZS	5" TRIM DROP SHOWERLIGHT TUSCAN BRONZE TRIM WITH FROSTED DIFFUSER	623961827365	1.6	6	6					•
Adjustable Gimbal - 25 Degree Tilt										
 5060P	5" TRIM GIMBAL WHITE TRIM WITH WHITE GIMBAL	662400610700	0.75	6	6			•		•
Adjustable Eyeball - 30 Degree Tilt - 5070										
 5070P	5" TRIM PAR30 EYEBALL WHITE TRIM WITH WHITE EYEBALL	662400602682	0.83	6	6			•		•
5070SN	5" TRIM PAR30 EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, 30 DEGREE TILT	623961113789	0.8	6	6					•
5070TBZ	5" TRIM PAR30 EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, 30 DEGREE TILT	623961311864	0.8	6	6					•
Adjustable Eyeball - 30 Degree Tilt - 5071										
 5071P	5" TRIM PAR20 EYEBALL WHITE TRIM WITH WHITE EYEBALL, 30 DEGREE TILT	662400602705	1.04	12	12					•








★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" CFL Housing										
IC Air-Tite, CFL										
	H270ICAT	6" HOUSING 13W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900670	3.7	4	4		•		•
	H271ICAT	6" HOUSING 18W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900694	3.1	4	4		•		•
	H272ICAT	6" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900700	3.7	4	4		•	•	•
IC Air-Tite Remodel, CFL										
	H270RICAT	6" HOUSING 13W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961597503	2.08	6	6				•
	H272RICAT	6" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961597527	2.08	6	6		•		•
6" CFL Dimming Housing										
IC Air-Tite - Slope Ceiling, CFL										
	H247ICAT	6" SLOPE CEILING HOUSING 26/32/42W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961774751	5.6	4	4		•		
	H248ICAT1D	6" SLOPE CEILING HOUSING 26/32/42W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC DIMMING BALLAST, 120V	623961774768	5.6	4	4				•
IC Air-Tite, CFL, Dimming										
	H273ICAT1D	6" HOUSING 26/32W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC DIMMING BALLAST, 120V	623961432767	3.4	4	4		•		•
IC Air-Tite Remodel, CFL, Dimming										
	H273RICAT1D	6" HOUSING 26/32W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC DIMMING BALLAST, 120V	623961432798	2.8	6	6		•		•
6" CFL Trim										
Regressed Albalite Lens with White Baffle, CFL										
	370W	6" TRIM REGRESSED ALBALITE LENS FOR COMPACT FLUORESCENT WITH WHITE BAFFLE	623961559020	0.52	6	6		•		•
Champagne Gold Reflector, CFL										
	470CG	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR	623961720543	0.7	6	6		•		
Haze Reflector, CFL										
	470H	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH HAZE REFLECTOR	623961558993	0.7	6	6		•		•
Residential Gold Reflector, CFL										
	470RG	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH GOLD REFLECTOR	623961559006	0.7	6	6		•		•
Specular Reflector, CFL										
	470SC	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	623961558986	0.7	6	6		•		•


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
6" CFL Housing - Electronic Ballast										
Non-IC - Electronic Ballast										
	H280E	6" HOUSING COMPACT FLUORESCENT NON-IC 18W ELECTRONIC HPF BALLAST, 120-277V	623961486661	2.72	4	4				•
	H285E	6" HOUSING COMPACT FLUORESCENT IC AIR-TITE 26W ELECTRONIC HPF BALLAST, 120-277V	662400623847	4.05	4	4				•
	H285EL	6" HOUSING COMPACT FLUORESCENT NON-IC 26W ELECTRONIC HPF BALLAST, 120-277V - LAMP INCLUDED	662400625056	4.35	4	4				•
IC Air-Tite - Electronic Ballast										
	H285EICAT	6" HOUSING COMPACT FLUORESCENT IC AIR-TITE HOUSING 26W ELECTRONIC HPF BALLAST, UNIVERSAL 120/277V	623961034930	4.8	4	4				•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" Halo H7 LED										
6" LED Module - IC Rated 600 Series										
	ML706827	6" LED RETROFIT MODULE, 600 SERIES, IC-RATED, 80 CRI, 2700K, 120V, WITH EDISON SCREW BASE ADAPTER	080083522866	2.7	4	4	•	•	•	
	ML706830	6" LED RETROFIT MODULE, 600 SERIES, IC-RATED, 80 CRI, 3000K, 120V, WITH EDISON SCREW BASE ADAPTER	080083522859	4.5	4	4	•	•	•	•
	ML706835	6" LED RETROFIT MODULE, 600 SERIES, IC-RATED, 80 CRI, 3500K, 120V, WITH EDISON SCREW BASE ADAPTER	080083522873	4.5	4	4	•	•	•	•
	ML706840	6" LED RETROFIT MODULE, 600 SERIES, IC-RATED, 80 CRI, 4000K, 120V, WITH EDISON SCREW BASE ADAPTER	080083522880	4.5	4	4	•	•	•	•
6" LED Module - IC Rated 900 Series										
	ML709827ICAT120D	6" LED RETROFIT MODULE, 900 SERIES, IC-RATED, 2700K, 120V, WITH EDISON SCREW BASE ADAPTER	080083523030	4.5	4	4	•	•	•	•
	ML709830ICAT120D	6" LED RETROFIT MODULE, 900 SERIES, IC-RATED, 3000K, 120V, WITH EDISON SCREW BASE ADAPTER	080083523047	4.5	4	4	•	•	•	•
	ML709835ICAT120D	6" LED RETROFIT MODULE, 900 SERIES, IC-RATED, 3500K, 120V, WITH EDISON SCREW BASE ADAPTER	080083523054	4.5	4	4	•	•	•	•
	ML709840ICAT120D	6" LED RETROFIT MODULE, 900 SERIES, IC-RATED, 4000K, 120V, WITH EDISON SCREW BASE ADAPTER	080083523061	4.5	4	4	•	•	•	•
6" LED Module - Non IC Rated 1200 Series										
	ML712827TUNVD010	6" LED RETROFIT MODULE, 1200 SERIES, NON-IC-RATED, 2700K, 120V-277V, WITH EDISON SCREW BASE ADAPTER	080083522996	4.5	4	4	•	•	•	•
	ML712830TUNVD010	6" LED RETROFIT MODULE, 1200 SERIES, NON-IC-RATED, 3000K, 120V-277V, WITH EDISON SCREW BASE ADAPTER	080083523009	4.5	4	4	•	•	•	•
	ML712835TUNVD010	6" LED RETROFIT MODULE, 1200 SERIES, NON-IC-RATED, 3500K, 120V-277V, WITH EDISON SCREW BASE ADAPTER	080083523016	4.5	4	4	•	•	•	•
	ML712840TUNVD010	6" LED RETROFIT MODULE, 1200 SERIES, NON-IC-RATED, 4000K, 120V-277V, WITH EDISON SCREW BASE ADAPTER	080083523023	4.5	4	4	•	•	•	•
6" LED Accessory Adapter Band										
	ML7RAB	6" LED RETROFIT ADAPTER BAND, ADAPTS HOUSINGS WITHOUT TORSION SPRING BRACKETS, 4-PACK	080083522842	1.9	6	6	•	•	•	★
6" LED Accessory Retrofit Oversize Housing Ring, for ML7BXRFK and ML7E26RFK Retrofit Enclosures										
	OH470WH	6" LED OVERSIZE HOUSING RING FOR ML7BXRFK AND ML7E26RFK RETROFIT ENCLOSURES ONLY	080083607495	0.5	12	12	•	•	•	•
6" LED Accessory Oversize Trim Ring, for ML7 - 600, 900 & 1200 Series LED Modules										
	OT490WH	6" LED OVERSIZE TRIM RING FOR HALO ML7 - 600, 900 & 1200 SERIES LED MODULES	080083581078	0.8	12	12	•	•	•	•
6" LED Accessory										
	TRM490PC	6" LED ACCESSORY - SLIM RING, POLISHED CHROME	080083510726	0.2	12	12	•	•	•	•
	TRM490SN	6" LED ACCESSORY - SLIM RING, SATIN NICKEL	080083510689	0.2	12	12	•	•	•	•
	TRM490TBZ	6" LED ACCESSORY - SLIM RING, TUSCAN BRONZE	080083510702	0.2	12	12	•	•	•	•
	TRM490WH	6" LED ACCESSORY - SLIM RING, MATTE WHITE	080083508174	0.2	12	12	•	•	•	•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" Halo LED										
6" LED ICAT Housing										
	H550ICAT	5" LED HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083626533	2.2	6	6		•		•
	H550RICAT	5" LED HOUSING, REMODEL, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083626557	0.01	6	6		•		•
	H2750ICAT	6" LED SHALLOW HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083618163	2.6	6	6		•	•	•
	H750ICAT	6" LED HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	623961872655	2.77	6	6	•		•	•
6" LED ICAT Remodel Housing										
	H750RICAT	6" LED HOUSING, IC AIR-TITE, REMODEL, FOR LISTED HALO LED MODULES	623961052248	2.77	6	6		•		•
6" LED NON-IC Housing										
	H750T	6" LED HOUSING, NON-IC, FOR LISTED HALO LED MODULES	623961052224	2.77	6	6		•	•	•
6" LED NON-IC Remodel Housing, 0-10V Dimmer Wiring										
	H750RTD010	6" LED HOUSING, NON-IC REMODEL, FOR HALO ML7 - 1200 SERIES LED MODULES WITH 0-10V DIMMING WIRING	080083530755	2.4	6	6	•			
6" LED NON-IC Housing, 0-10V Dimmer Wiring										
	H750TD010	6" LED HOUSING, NON-IC, FOR HALO ML7 - 1200 SERIES LED MODULES WITH 0-10V DIMMING WIRING	080083523078	4.5	6	6		•	•	•
6" LED NON-IC Housing, Chicago Plenum, for Halo ML7 - 1200 Series LED Modules										
	H750TCPD010	6" LED HOUSING, NON-IC, CHICAGO PLENUM, FOR HALO ML7 - 1200 SERIES LED MODULES	080083549016	3.5	6	6	•			
6" H7 LED Trim										
6" LED Regressed Frosted Glass Lens Shower										
	492PS06	6" LED TRIM - REGRESSED FROSTED GLASS LENS SHOWER, MATTE WHITE RING	080083508167	0.3	12	12		•	•	•
6" LED Regressed Lens - Black Baffle, Matte White Ring										
	493BBS06	6" LED TRIM, SOLITE(R) REGRESSED LENS, BLACK BAFFLE, MATTE WHITE RING, SHOWER RATED	080083512140	0.8	12	12				•
6" LED Regressed Lens - Haze Reflector, Matte White Ring										
	493HS06	6" LED TRIM, SOLITE(R) REGRESSED LENS, HAZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083510764	0.8	12	12		•	•	•
6" LED Regressed Lens - White Reflector, Matte White Ring										
	493PS06	6" LED TRIM, SOLITE(R) REGRESSED LENS, WHITE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083580712	0.8	12	12		•	•	•







★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
	6" LED Regressed Lens - Specular Clear Reflector, Matte White Ring 493SCS06 6" LED TRIM, SOLITE(R) REGRESSED LENS, SPECULAR CLEAR REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083510740	0.967	12	12			•		•
	6" LED Regressed Lens - Satin Nickel Reflector, Satin Nickel Ring 493SNS06 6" LED TRIM, SOLITE(R) REGRESSED LENS, SATIN NICKEL REFLECTOR, SATIN NICKEL RING, SHOWER RATED	080083512157	0.8	12	12					•
	6" LED Regressed Lens - Tuscan Bronze Reflector, Tuscan Bronze Ring 493TBZS06 6" LED TRIM, SOLITE(R) REGRESSED LENS, TUSCAN BRONZE REFLECTOR, TUSCAN BRONZE RING, SHOWER RATED	080083512164	0.8	12	12					•
	6" LED Regressed Lens - White Baffle, Matte White Ring 493WBS06 6" LED TRIM, SOLITE(R) REGRESSED LENS, WHITE BAFFLE, MATTE WHITE RING, SHOWER RATED	080083510641	0.8	12	12			•	•	•
	6" LED Reflector - Haze, Matte White Ring 494H06 6" LED TRIM - HAZE REFLECTOR, MATTE WHITE RING	080083508143	0.3	12	12			•	•	•
	6" LED Accessory Lens, for 494 Series LED Open Trims 494OPTIC 6" LED POLYMER ACCESSORY LENS, FOR 494 SERIES LED OPEN TRIMS ONLY	080083580750	0.8	12	12			•	•	•
	6" LED Reflector - Matte White, Matte White Ring 494P06 6" LED TRIM - MATTE WHITE REFLECTOR, MATTE WHITE RING	080083507825	0.3	12	12			•	•	•
	6" LED Reflector - Specular Clear 6" LED Reflector, Matte White Ring 494SC06 6" LED TRIM - SPECULAR CLEAR REFLECTOR, MATTE WHITE RING	080083521449	0.3	12	12			•	•	•
	6" LED Reflector - Matte White Baffle, Matte White Ring 494WB06 6" LED TRIM - MATTE WHITE BAFFLE, MATTE WHITE RING	080083508136	0.3	12	12			•	•	•
	6" LED Wall Wash Trim, White Reflector, Specular Wall Wash Optic, Matte White Ring 495PWW06 6" LED TRIM, WALL WASH, WHITE REFLECTOR WITH SPECULAR WALL WASH OPTIC, MATTE WHITE RING	080083591985	0.8	12	12					•
	6" LED Wall Wash Trim, Semi-Specular Clear Reflector, Specular Wall Wash Optic, Matte White Ring 495WW06 6" LED TRIM, WALL WASH, SEMI-SPECULAR CLEAR REFLECTOR WITH SPECULAR WALL WASH OPTIC, MATTE WHITE RING	080083580736	0.8	12	12			•	•	•







★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
5" LED Trim										
Shallow Baffle Trim										
	591WB	5" TRIM, "DEAD FRONT" SHALLOW WHITE POLYMER BAFFLE & TRIM	080083623280	0.01	6	6				•
Reflector Trim										
	592H	5" TRIM, REFLECTOR, HAZE, WHITE TRIM	080083634286	0.01	6	6				•
	592SC	5" TRIM, REFLECTOR, SPECULAR CLEAR, WHITE TRIM	080083623303	0.5	6	6		•		•
	592W	5" TRIM, REFLECTOR, WHITE, WHITE TRIM	080083623341	0.5	6	6				•
Baffle Trim										
	593BB	5" TRIM, BLACK BAFFLE, WHITE TRIM	080083623884	0.01	6	6				•
	593SNB	5" TRIM, SATIN NICKEL BAFFLE, SATIN NICKEL TRIM	080083634309	0.5	6	6				•
	593TBZB	5" TRIM, TUSCAN BRONZE BAFFLE, TUSCAN BRONZE TRIM	080083623921	0.5	6	6				•
	593WB	5" TRIM, WHITE BAFFLE, WHITE TRIM	080083634293	0.5	6	6				•
Eyeball Trim - 30 degree Tilt										
	594SNB	5" TRIM, LOW PROFILE EYEBALL, SATIN NICKEL	080083623198	0.92	6	6				•
	594TBZB	5" TRIM, LOW PROFILE EYEBALL, TUSCAN BRONZE	080083623211	0.01	6	6				•
	594WB	5" TRIM, LOW PROFILE EYEBALL, WHITE	080083634347	0.01	6	6		•	•	•
Wall Wash Trim										
	595WW	5" WALL WASH TRIM, SPECULAR CLEAR, REPOSITIONABLE KICK REFLECTOR	080083623945	0.6	6	6				•
Shallow Baffle Trim - 596WB										
	596WB	5" TRIM, SHALLOW WHITE BAFFLE, WHITE TRIM	080083623969	0.45	6	6				•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" LED Trim										
Shallow Baffle Trim										
	691WB	6" TRIM, "DEAD FRONT" SHALLOW WHITE POLYMER BAFFLE & TRIM	080083623983	0.01	6	6				•
Reflector Trim										
	692H	6" TRIM, REFLECTOR, HAZE, WHITE TRIM	080083634316	0.01	6	6				•
	692SC	6" TRIM, REFLECTOR, SPECULAR CLEAR, WHITE TRIM	080083624003	0.01	6	6				•
	692W	6" TRIM, REFLECTOR, WHITE, WHITE TRIM	080083624041	0.01	6	6				•
Baffle Trim										
	693BB	6" TRIM, BLACK BAFFLE, WHITE TRIM	080083624089	0.01	6	6				•
	693SNB	6" TRIM, SATIN NICKEL BAFFLE, SATIN NICKEL TRIM	080083634330	0.55	6	6				•
	693TBZB	6" TRIM, TUSCAN BRONZE BAFFLE, TUSCAN BRONZE TRIM	080083624126	0.58	6	6				•
	693WB	6" TRIM, WHITE BAFFLE, WHITE TRIM	080083634323	0.58	6	6		•	•	•
Eyeball Trim - 30 degree Tilt										
	694SNB	6" TRIM, LOW PROFILE EYEBALL, SATIN NICKEL	080083623259	0.97	6	6				•
	694TBZB	6" TRIM, LOW PROFILE EYEBALL, TUSCAN BRONZE	080083626373	0.97	6	6				•
	694WB	6" TRIM, LOW PROFILE EYEBALL, WHITE	080083634354	0.01	6	6		•	•	•
Wall Wash Trim										
	695WW	6" WALL WASH TRIM, SPECULAR CLEAR, REPOSITIONABLE KICK REFLECTOR	080083624140	0.7	6	6				•
Shallow Baffle Trim - 696WB										
	696WB	6" TRIM, SHALLOW WHITE BAFFLE, WHITE TRIM	080083624164	0.54	6	6				•

★ Indicates ARRA Eligible Product, **Off The Shelf** **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

ML56 LED



5"/6" LED Module 600 Series

ML5606827	5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 2700K	080083630967	1.8	6	6	•	•	•	★
ML5606830	5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 3000K	080083633265	1.8	6	6	•	•	•	★
ML5606835	5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 3500K	080083630981	1.8	6	6	•	•	•	★
ML5606840	5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 4000K	080083631001	1.8	6	6	•	•	•	★
ML5606927	5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 2700K	080083631087	1.8	6	6	•	•	•	★
ML5606930	5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 3000K	080083626496	1.8	6	6	•	•	•	★
ML5606935	5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 3500K	080083631100	1.8	6	6	•	•	•	★
ML5606940	5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 4000K	080083631124	1.8	6	6	•	•	•	★
ML5609827	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 2700K	080083631025	1.7	6	6	•	•	•	
ML5609830	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 3000K	080083633289	0.01	6	6	•	•	•	
ML5609835	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 3500K	080083631049	0.01	6	6	•	•	•	
ML5609840	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 4000K	080083631063	0.01	6	6	•	•	•	
ML5609927	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 2700K	080083631148	0.01	6	6	•	•	•	
ML5609930	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 3000K	080083626519	0.01	6	6	•	•	•	
ML5609935	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 3500K	080083631162	0.01	6	6	•	•	•	
ML5609940	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 4000K	080083631186	0.01	6	6	•	•	•	



5" LED Accessory - TRM590WH

TRM590WH	5" LED ACCESSORY - OVERSIZE TRIM RING	080083624225	0.183	12	12	•			
----------	---------------------------------------	--------------	-------	----	----	---	--	--	--

5" LED Accessory

WW595SC	5" LED ACCESSORY - WALL WASH KICK REFLECTOR	080083633173	0.01	1	1	•			
---------	---	--------------	------	---	---	---	--	--	--



6" LED Accessory - TRM690WH

TRM690WH	6" LED ACCESSORY - OVERSIZE TRIM RING	080083624249	0.36	12	12	•			
----------	---------------------------------------	--------------	------	----	----	---	--	--	--

6" LED Accessory

WW695SC	6" LED ACCESSORY - WALL WASH KICK REFLECTOR	080083633180	0.05	12	12	•			
---------	---	--------------	------	----	----	---	--	--	--

Accessory










ML56CLIP	6" FRICTION CLIP KIT FOR ML56 LED MODULES	080083624195	0.01	12	12	•			
----------	---	--------------	------	----	----	---	--	--	--

RL4 LED











4" LED Retrofit

RL406830SN	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 3000 K, SATIN NICKEL	080083616923	1.5	2	2	•	•	•	★	✓
------------	--	--------------	-----	---	---	---	---	---	---	---











CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
RL56 LED										
5" LED Retrofit										
 RL560SN	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 3000 K, SATIN NICKEL	080083623136	2	2	2				•	★
RL560WH	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 3000 K, WHITE	080083623112	2	2	2			•	•	•
5" LED Retrofit - Clip Kit										
RL56CLIP	5"/6" FRICTION CLIP KIT FOR RL560 LED MODULES	080083623488	0.01	12	12				•	✓
6" H7 Housing										
IC and IC Air-Tite										
 H7ICAT	6" HOUSING IC AIR-TITE 120V LINE VOLTAGE INCANDESCENT	080083609628	3.17	6	6	•	•	•	•	•
H7ICATNB	6" HOUSING IC AIR-TITE NO SOCKET BRACKET 120V LINE VOLTAGE INCANDESCENT	662400612032	2.77	6	6				•	•
H7ICT	6" HOUSING IC 120V LINE VOLTAGE	662400132936	3.17	6	6	•	•	•	•	•
H7ICTNB	6" HOUSING IC NO SOCKET BRACKET 120V LINE VOLTAGE INCANDESCENT	662400608523	2.4	6	6	•	•	•	•	•
IC and IC Air-Tite Remodel - H7RICAT										
 H7RICAT	6" HOUSING IC AIR-TITE REMODEL HOUSING 120V LINE VOLTAGE	662400610588	2	6	6	•	•	•	•	•
IC and IC Air-Tite Remodel										
 H7RICT	6" HOUSING IC REMODEL HOUSING 120V LINE VOLTAGE	662400600718	1.75	6	6	•	•	•	•	•
Non-IC Remodel										
 H7RT	6" HOUSING NON-IC REMODEL HOUSING 120V LINE VOLTAGE	662400600725	2.4	6	6	•	•	•	•	•
Non-IC										
 H7T	6" HOUSING NON-IC 120V LINE VOLTAGE	080083609727	3.5	6	6	•	•	•	•	•
6" Housing Non-IC, No Socket Bracket, 120V Line Voltage										
 H7TNB	6" HOUSING NON-IC, NO SOCKET BRACKET, 120V LINE VOLTAGE	662400664628	3.1	6	6					•
IC Air-Tite Universal										
 H7UICAT	6" HOUSING UNIVERSAL IC AIR-TITE 120V LINE VOLTAGE	662400164753	4.58	4	4		•		•	•
IC Universal										
 H7UIC	6" HOUSING UNIVERSAL IC 120V LINE VOLTAGE	662400164746	4.58	4	4				•	•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.









CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" Chicago Plenum Housings										
Non-IC										
 H7TCP	6" HOUSING NON-IC 120V LINE VOLTAGE CHICAGO PLENUM CONSTRUCTION	662400133032	4.81	6	6				•	
6" H7 Trim										
Albalite Lens with Reflector - 170										
 170P	6" TRIM ALBALITE LENS WITH REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH FROSTED ALBALITE LENS	662400130758	1.2	6	6					•
170PS	6" TRIM SHOWERLIGHT ALBALITE LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FROSTED ALBALITE LENS	662400130765	1	6	6			•	•	•
Drop Opal Lens with Reflector - 171										
 171PS	6" TRIM SHOWERLIGHT DROP OPAL LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH DROP OPAL LENS	662400130796	1.38	6	6			•		•
Dome Shower Light - 172										
 172ACS	6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED ANTIQUE COPPER TRIM WITH FROSTED GLASS DOME	623961311031	1.6	6	6					•
172PS	6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FROSTED GLASS DOME	662400663553	1.74	6	6			•	•	•
172SNS	6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED SATIN NICKEL TRIM WITH FROSTED GLASS DOME	623961114274	0.86	6	6			•		•
172TBZS	6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED TUSCAN BRONZE TRIM WITH FROSTED GLASS DOME	623961312038	1.4	6	6			•		•
Fresnel Lens with Reflector										
 173P	6" TRIM FRESNEL LENS WITH REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH FRESNEL LENS	662400130802	1.2	6	6					•
173PS	6" TRIM FRESNEL LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FRESNEL LENS	662400318385	1.2	6	6					•
Albalite Lens with Reflector - 270										
 270PS	6" TRIM SHOWERLIGHT TRIM WET LOCATION LISTED WHITE TRIM WITH FROSTED ALBALITE LENS AND REFLECTOR	623961524462	1.4	8	8					•
Drop Opal Lens										
 271PS	6" TRIM SHOWERLIGHT WET LOCATION LISTED WHITE TRIM WITH DROP OPAL LENS AND REFLECTOR	623961559037	0.75	6	6					•
Air-Tite Super Trim - Baffle										
 30HAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM WITH HAZE REFLECTOR	622697839826	0.5	18	18			•		•
30PAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, BLACK BAFFLE, CLEAR REFLECTOR	662400603313	0.5	18	18			•		•
30TBZAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE AND REFLECTOR	623961312052	0.38	18	18					•
30WAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, WHITE BAFFLE, WHITE REFLECTOR	662400603320	0.45	18	18	•	•	•	•	•
30WATH	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, WHITE BAFFLE, CLEAR REFLECTOR	080083628469	0.49	6	6			•		•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
Air-Tite Super Trim - Reflector White										
 30RGAT	6" TRIM AIR-TITE SUPER TRIM - REFLECTOR WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400603344	0.5	18	18					•
30CAT	6" TRIM AIR-TITE SUPER TRIM - REFLECTOR WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400603337	0.1	18	18	•		•	•	•
Air-Tite Super Trim - Reflector Black										
 30SBAT	6" TRIM AIR-TITE SUPER TRIM - REFLECTOR BLACK SPECULAR REFLECTOR AND TRIM	622697060855	0.5	18	18			•		•
Open Trim with Socket Support										
 300AC	6" TRIM OPEN - SOCKET SUPPORTING ANTIQUE COPPER	623961310935	0.6	6	6					•
300P	6" TRIM OPEN - SOCKET SUPPORTING WHITE	662400302421	0.6	6	6	•		•	•	•
300SN	6" TRIM OPEN - SOCKET SUPPORTING SATIN NICKEL	623961113819	0.86	6	6			•		•
300TBZ	6" TRIM OPEN - SOCKET SUPPORTING TUSCAN BRONZE	623961311925	0.38	6	6			•		•
Open Trim - 301										
 301P	6" TRIM OPEN WHITE	662400130864	0.4	12	12	•		•		•
301PB	6" TRIM OPEN POLISHED BRASS	662400130871	0.42	12	12					•
301SN	6" TRIM OPEN SATIN NICKEL	623961113802	0.5	12	12			•		•
301TBZ	6" TRIM OPEN TUSCAN BRONZE	623961311901	0.5	12	12			•		•
Wall Wash										
 303P	6" TRIM WALL WASH WHITE TRIM AND SCOOP	662400130901	1.33	10	10	•				•
Coilex Baffle - 310										
 310P	6" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400130932	0.541	6	6			•		•
310SN	6" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623960346508	0.6	6	6			•		• ★
310TBZ	6" TRIM COILEX BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961311949	0.6	6	6			•		• ★
310W	6" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400163022	0.5	6	6	•	•	•	•	• ★
310WG	6" TRIM COILEX BAFFLE WHITE OVERSIZE TRIM RING WITH WHITE BAFFLE	662400302360	0.6	6	6			•		•
Coilex Baffle - 312										
 312P	6" TRIM COILEX BAFFLE - NARROW LAMP OPENING WHITE TRIM WITH BLACK BAFFLE	662400634089	0.6	9	9			•		• ★
312W	6" TRIM COILEX BAFFLE - NARROW LAMP OPENING WHITE TRIM WITH WHITE BAFFLE	662400634096	0.4	9	9			•		• ★
White Splay Trim - 327										
 327P	6" TRIM SPLAY TRIM - SOCKET SUPPORTING WHITE SPLAY TRIM WITH TORSION SPRINGS	662400635451	1.2	12	12					•
White Splay Trim - 328										
 328P	6" TRIM SPLAY WHITE SPLAY TRIM	662400163831	0.54	12	12			•		•
Metal Baffle										
 353SN	6" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623961114236	0.4	6	6			•		•
353TBZ	6" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311963	0.4	6	6			•		•











★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Adjustable										
 376P	6" TRIM PAR30 ADJUSTABLE WITH BAFFLE WHITE TRIM RING, BLACK BAFFLE	662400183754	0.58	12	12			•		•
Adjustable with Splay - 378										
 378	6" TRIM PAR30 ADJUSTABLE SPLAY, WHITE TRIM WITH CLEAR SPECULAR SPLAY	662400164647	0.9	6	6					•
378P	6" TRIM PAR30 ADJUSTABLE SPLAY WHITE TRIM WITH WHITE SPLAY	662400164630	0.8	6	6			•		•
Open Trim - 401										
 401AL	6" TRIM OPEN LARGE APERTURE SATIN ALUMINUM TRIM	662400131045	0.2	12	12			•		•
401P	6" TRIM OPEN LARGE APERTURE WHITE TRIM	662400131069	0.4	12	12			•		•
Specular Reflector - 404										
 404C	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400131120	0.8	6	6					• ★
404H	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH HAZE REFLECTOR	622697063641	0.67	6	6					• ★
404SN	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961114267	0.86	6	6					•
404TBZ	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	623961312007	0.38	6	6					•
Specular Reflector - 405										
 405CG	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR	662400131151	0.6	6	6					•
405H	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH HAZE REFLECTOR	622697053598	0.8	6	6					•
405RG	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400131168	0.8	6	6					•
405SC	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400131175	0.8	6	6			•		•
Self Flanged White Reflector - 4051P										
 4051P	6" TRIM SELF FLANGED REFLECTOR WHITE WITH WHITE TRIM RING	662400161097	0.983	6	6					• ★
Specular Reflector - 406										
 406BA	6" TRIM BAFFLE WITH REFLECTOR BLACK BAFFLE WITH CLEAR SPECULAR REFLECTOR AND TORSION SPRINGS	662400615811	0.8	6	6			•		•
406RG	6" TRIM BAFFLE WITH RESIDENTIAL GOLD REFLECTOR AND TORSION SPRINGS	662400615804	0.75	6	6					•
406SC	6" TRIM BAFFLE WITH SPECULAR CLEAR REFLECTOR AND TORSION SPRINGS	662400615798	0.8	6	6			•		•
406WB	6" TRIM BAFFLE WITH REFLECTOR WHITE BAFFLE WITH CLEAR SPECULAR REFLECTOR AND TORSION SPRINGS	662400615828	0.52	6	6			•		•
406WWB	6" TRIM BAFFLE WITH REFLECTOR WHITE BAFFLE WITH WHITE REFLECTOR AND TORSION SPRINGS	622696032174	0.8	15	15			•		•
Coilex Baffle - 410										
 410P	6" TRIM R40, PAR38 BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400131229	0.54	6	6			•		• ★
410W	6" TRIM R40, PAR38 BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400163039	0.58	6	6			•		• ★
410WG	6" TRIM R40, PAR38 BAFFLE OVERSIZE WHITE TRIM RING WITH WHITE BAFFLE	662400302988	0.54	6	6			•		• ★

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Coilex Baffle Eyeball - 30 Degree Tilt										
 417P	6" TRIM COILEX BAFFLE EYEBALL WHITE TRIM AND EYEBALL WITH BLACK COILEX BAFFLE	662400131250	1.5	4	4					•
417W	6" TRIM COILEX BAFFLE EYEBALL WHITE TRIM AND EYEBALL WITH WHITE COILEX BAFFLE	662400302896	1.4	8	8					•
Regressed Eyeball - 30 Degree Tilt										
 420P	6" TRIM REGRESSED EYEBALL WITH BAFFLE WHITE TRIM WITH WHITE EYEBALL AND BLACK BAFFLE	662400606000	1.2	6	6			•		•
420W	6" TRIM REGRESSED EYEBALL WITH BAFFLE WHITE TRIM WITH WHITE EYEBALL AND WHITE BAFFLE	662400606017	1.13	6	6			•		•
Wall Wash / Reflector Downlight										
 424P	6" TRIM WALL WASH DOWNLIGHT WHITE TRIM	662400131298	1	6	6			•		•
Wall Wash with Coilex Baffle and Reflector Scoop										
 425P	6" TRIM WALL WASH WHITE WITH BLACK BAFFLE	662400131304	1	4	4	•				•
425W	6" TRIM WALL WASH WHITE WITH WHITE BAFFLE	662400302957	0.88	4	4			•		•
Reflector Cone										
 426	6" TRIM REFLECTOR CONE WHITE WITH CLEAR SPECULAR REFLECTOR CONE	662400131311	0.25	6	6	•		•	•	•
426CG	6" TRIM REFLECTOR CONE WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR CONE	662400131328	0.4	6	6			•		•
426H	6" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR CONE	662400165170	0.33	6	6					•
426MB	6" TRIM REFLECTOR CONE WHITE TRIM WITH SPECULAR BLACK REFLECTOR CONE	662400131342	0.18	6	6			•		
426RG	6" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR CONE	662400131359	0.4	6	6			•		•
426SN	6" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR CONE	623961114250	0.4	6	6					•
426TBZ	6" TRIM REFLECTOR CONE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR CONE	623961311987	0.6	6	6					•
Self Flanged White Reflector Cone										
 4261P	6" TRIM SELF FLANGED REFLECTOR CONE WHITE WITH WHITE TRIM RING	662400161127	0.21	6	6					• ★
Dayform White Cone										
 429P	6" TRIM DAYFORM CONE WHITE TRIM AND SPLAY REFLECTOR	662400167532	0.5	6	6			•		•
Wall Wash with Baffle										
 430P	6" TRIM WALL WASH WHITE TRIM WITH BLACK BAFFLE	662400664932	1	6	6	•				•
430W	6" TRIM WALL WASH WHITE TRIM WITH WHITE BAFFLE	662400664925	1.2	6	6			•		•
Adjustable with Splay - 478										
 478	6" TRIM ADJUSTABLE WITH SPLAY REFLECTOR WHITE TRIM WITH CLEAR SPECULAR SPLAY	662400164661	0.6	6	6					•
478P	6" TRIM ADJUSTABLE WITH SPLAY REFLECTOR WHITE TRIM WITH WHITE SPLAY	662400164654	0.6	6	6			•		•
Albalite Lens with Reflector - 70										
 70P	6" TRIM ALBALITE LENS WHITE TRIM WITH FROSTED ALBALITE LENS	662400130383	1	12	12			•		•
70PS	6" TRIM WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH FROSTED ALBALITE LENS	080083628247	0.75	6	6	•	•	•	•	•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" Albalite Lens with Reflector and Satin Nickel Ring										
 70SNS	6" TRIM, WET LOCATION AND AIR-TITE LISTED SATIN NICKEL TRIM WITH FROSTED ALBALITE LENS	080083628506	1	6	6			•		•
Drop Opal Lens with Reflector - 71										
 71P	6" TRIM DROP OPAL LENS WHITE TRIM WITH DROP OPAL LENS	662400130437	1.28	6	6					•
71PS	6" TRIM DROP OPAL LENS WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH DROP OPAL LENS	662400646631	0.89	6	6					•
Fresnel Lens										
 73P	6" TRIM FRESNEL LENS WHITE TRIM WITH FRESNEL LENS	662400130505	1	12	12			•		•
73PS	6" TRIM FRESNEL LENS WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH FRESNEL LENS	662400601241	1	12	12			•		•
Diffuser										
 75	6" TRIM ALL GLASS DIFFUSER	662400130529	1.8	6	6			•		
Adjustable Gimbal										
 76P	6" TRIM GIMBAL RING - PAR 38 STANDARD OR SIDE PRONG LAMPS WHITE TRIM WITH GIMBAL RING	662400130536	1.2	12	12					•
Eyeball - 30 Degree Tilt										
 78AC	6" TRIM PAR30L EYEBALL ANTIQUE COPPER TRIM WITH ANTIQUE COPPER EYEBALL, 30 DEGREE TILT	623961310898	1.4	6	6					•
78B	6" TRIM PAR30L EYEBALL SATIN BRASS TRIM WITH SATIN BRASS EYEBALL, 30 DEGREE TILT	662400130604	1.4	6	6					•
78P	6" TRIM PAR30L EYEBALL WHITE TRIM WITH WHITE EYEBALL, 30 DEGREE TILT	662400130628	1.37	6	6			•	•	•
78PAT	6" TRIM PAR30L EYEBALL WHITE TRIM WITH WHITE EYEBALL - AIR-TITE TRIM, 30 DEGREE TILT	662400611745	1.2	6	6					•
78SN	6" TRIM PAR30L EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, 30 DEGREE TILT	623961113796	0.86	6	6			•		•
78TBZ	6" TRIM PAR30L EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, 30 DEGREE TILT	623961311888	1.4	6	6			•		•
Pinhole Trim										
 79P	6" TRIM PINHOLE WHITE TRIM - PINHOLE TRIM	662400130666	0.6	12	12					•
Double Bubble Adjustable - 60 Degree Tilt										
 90P	6" TRIM DOUBLE BUBBLE ADJUSTABLE WHITE TRIM AND EYEBALL, 60 DEGREE TILT	662400607830	2.8	1	1					•


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA


6" Low Voltage H7T & H7RT Retrofit Trim


Low Voltage Adjustable Spot - 30 Degree Tilt											
	1412P	6" TRIM LOW VOLTAGE ADJUSTABLE SPOT WITH TRANSFORMER WHITE TRIM WITH BLACK BAFFLE & 30 DEGREE TILT	662400606055	3.4	6	6			•		•
	1412W	6" TRIM LOW VOLTAGE ADJUSTABLE SPOT WITH TRANSFORMER WHITE TRIM WITH WHITE BAFFLE & 30 DEGREE TILT	662400606048	3.4	6	6					•


Low Voltage Slot Aperture - 30 Degree Tilt											
	1450P	6" TRIM LOW VOLTAGE ADJUSTABLE SLOT APERTURE 30 DEGREE TILT WITH TRANSFORMER WHITE TRIM & SLOT	662400132363	4.108	6	6			•		•


Low Voltage Pinhole Trim											
	1479P	6" TRIM LOW VOLTAGE PINHOLE WITH TRANSFORMER WHITE TRIM WITH BLACK BAFFLE	662400132387	4	6	6			•		

6" Shallow Housing


IC and IC Air-Tite											
	H27ICAT	6" HOUSING SHALLOW CEILING IC AIR-TITE 120V LINE VOLTAGE	662400605898	3	6	6	•	•	•	•	•
	H27ICT	6" HOUSING SHALLOW CEILING IC 120V LINE VOLTAGE	662400694571	2.95	6	6	•	•	•	•	•


IC and IC Air-Tite Remodel											
	H27RICAT	6" HOUSING SHALLOW CEILING IC AIR-TITE REMODEL 120V LINE VOLTAGE	080083609253	2	6	6			•		•
	H27RICT	6" HOUSING SHALLOW CEILING IC REMODEL 120V LINE VOLTAGE	662400654759	1.8	6	6	•		•		•


Non-IC Remodel											
	H27RT	6" HOUSING SHALLOW CEILING NON-IC REMODEL 120V LINE VOLTAGE	662400600732	2	6	6			•		•

Non-IC											
	H27T	6" HOUSING SHALLOW CEILING NON-IC 120V LINE VOLTAGE	662400133148	2.22	6	6	•	•	•	•	•









6" Slope Ceiling Housing

IC and IC Air-Tite											
	H47ICAT	6" HOUSING SLOPE CEILING IC AIR-TITE 120V LINE VOLTAGE	662400302070	5.6	4	4	•	•	•	•	•
	H47ICT	6" HOUSING SLOPE CEILING IC INCANDESCENT	662400133315	4.2	4	4	•	•	•	•	•

Non-IC											
	H47T	6" HOUSING SLOPE CEILING NON-IC 120V LINE VOLTAGE	662400133322	4.63	4	4					•




Non-IC Air-Tite											
	H645IC	6" HOUSING ALL-SLOPE CEILING IC AIR-TITE 120V LINE VOLTAGE	662400501473	5.21	4	4	•	•	•	•	•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" Slope Ceiling Trim										
Specular Reflector										
 455H	6" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH HAZE REFLECTOR	622697063719	0.542	6	6					★
455SC	6" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400679332	0.55	6	6					★
Baffle - 456										
 456P	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH BLACK BAFFLE	662400676270	0.758	6	6					★
456W	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH WHITE BAFFLE	662400676287	0.758	6	6					★
Baffle - 496										
 496W	6" TRIM BAFFLE WITH REFLECTOR - SLOPE CEILING TRIM WHITE TRIM WITH WHITE BAFFLE AND REFLECTOR	662400302803	1.13	4	4					★
Baffle - 498										
 498P	6" TRIM BAFFLE - SLOPE CEILING TRIM WHITE TRIM WITH BLACK COILEX BAFFLE	662400131717	0.75	4	4					★
498W	6" TRIM BAFFLE - SLOPE CEILING TRIM WHITE TRIM WITH WHITE COILEX BAFFLE	662400167334	1	4	4					★
7" Slope Ceiling Housing										
 IC Air-Tite										
H745ICAT	7" HOUSING ALL-SLOPE CEILING IC AIR-TITE HOUSING 120V LINE VOLTAGE	662400601197	5.26	4	4					★
7" Slope Ceiling Trim										
Specular Reflector										
 457P	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH BLACK BAFFLE	662400601098	1.663	4	4					★
457PW	7" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH WHITE REFLECTOR	662400601180	1.2	4	4					★
457SC	7" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400601159	1	4	4					★
457W	7" SLOPE CEILING TRIM BAFFLE WITH WHITE COILEX BAFFLE	662400601142	1.53	4	4					★
7" M700 HID Trim										
Black Baffle with Tempered Glass Shield										
 1705C	7" TRIM REFLECTOR FOR M700 WHITE TRIM WITH CLEAR REFLECTOR AND TEMPERED GLASS SAFETY SHIELD	662400122777	1.6	1	1					★
Fresnel Glass Lens										
 1773P	7" TRIM REGRESSED FRESNEL LENS SPLAY FOR M700 WHITE TRIM	662400122838	2.2	1	1					★
8 1/2" Square Housing										
Non-IC										
 H1T	8 1/2" HOUSING SQUARE NON-IC INCANDESCENT	662400132820	2.6	6	6					

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.






CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
8 1/2" Square Trim										
	Albalite Lens 10P	8 1/2" TRIM SQUARE ALBALITE LENS	662400130031	1.8	12	12			•	•
	Drop Diffuser 11GP	8 1/2" TRIM SQUARE GLASS DROP DIFFUSER	662400130093	2.4	6	6			•	•
	Albalite Glass Diffuser Shower Light 110P	8 1/2" TRIM SQUARE ALBALITE LENS SPLAY	662400304012	1.4	6	6				•
	Fresnel Lens 13P	8 1/2" TRIM SQUARE FRESNEL LENS	662400130130	1.8	12	12				•

10 1/2" Square HID Housing






	Non-IC M200T	10 1/2" HOUSING SQUARE NON-IC, HID	662400603122	8.2	1	1		•	•	•	★
---	------------------------	------------------------------------	--------------	-----	---	---	--	---	---	---	---

10 1/2" Square Incandescent Housing

	Non-IC H2T	10 1/2" HOUSING SQUARE NON-IC, INCANDESCENT	662400132844	3.4	6	6			•	•
--	----------------------	---	--------------	-----	---	---	--	--	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
10 1/2" Square Trim (H2 & M200)										
	Albalite Diffuser Shower Light 120P 10 1/2" TRIM ALBALITE SPLAY, WHITE TRIM	662400304081	2	6	6					•
	Fresnel Splay 123P 10 1/2" TRIM SQUARE FRESNEL LENS SPLAY, WHITE TRIM	662400304104	2.8	9	9					•
	Albalite Lens 20P 10 1/2" TRIM SQUARE ALBALITE LENS, WHITE TRIM	662400130192	2.4	9	9			•		•
	Drop Diffuser 21GP 10 1/2" TRIM SQUARE GLASS DROP DIFFUSER, WHITE TRIM	662400130222	3.57	6	6			•		•
	Fresnel Lens 23P 11 5/8" TRIM SQUARE FRESNEL LENS, WHITE TRIM	662400130253	2.92	12	12			•		

Step & Wall Lights

	Step Light IC - No Junction Box or Bar Hangers H2920ICT STEP LIGHT, IC, INCANDESCENT, WITH LOUVER FACE PLATE, NO JUNCTION BOX OR BAR HANGERS	662400135531	2.5	1	1			•	•	•
	Step Light IC - Junction Box & Bar Hangers H2922ICT STEP LIGHT, IC, INCANDESCENT, WITH LOUVER FACE PLATE, JUNCTION BOX & BAR HANGERS	623961644283	3.85	1	1			•		•
	Brick / Aisle Light with Flat Lens H2925PL BRICK/AISLE LIGHT WITH FLAT LENS, 7W COMPACT FLUORESCENT, MAGNETIC BALLAST	662400135579	2.6	6	6			•		
	H2925TW BRICK/AISLE LIGHT WITH FLAT LENS, INCANDESCENT, WET LOCATION LISTED	662400135593	2.31	6	6			•		•
	Brick / Aisle Light with Shade H2926TW BRICK/AISLE LIGHT WITH SHADE, INCANDESCENT, WET LOCATION LISTED	662400135616	2.2	6	6			•		•
	Non-IC - Shallow Rectangle H2932T CEILING LENSED CLOSET LIGHT, NON-IC, INCANDESCENT, SHALLOW RECTANGLE	662400135647	4.4	6	6			•		•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

H7 Accessory



Power Trac Adapter Trim

477W	ACCESSORY ADAPTER FOR TRACK LAMPHOLDER IN RECESSED HOUSING WHITE	662400302841	1.76	6	6						•
------	--	--------------	------	---	---	--	--	--	--	--	---

Accessories

Glass Diffuser Kit

GDK12	12" GLASS DIFFUSER KIT	622696776504	4	1	1						•
-------	------------------------	--------------	---	---	---	--	--	--	--	--	---



Socket Extender

H1999	ACCESSORY SCREW-BASE SOCKET EXTENDER	662400134558	0.25	6	6						•
-------	--------------------------------------	--------------	------	---	---	--	--	--	--	--	---



Transformer - 300VA

H277	STEPDOWN TRANSFORMER, 277V TO 120V, 300VA	662400133476	5.24	1	1						•
------	---	--------------	------	---	---	--	--	--	--	--	---



Transformer - 200VA

H347200	STEPDOWN TRANSFORMER, 347V TO 120V, 200VA	080083534401	0.75	1	1						• ★
---------	---	--------------	------	---	---	--	--	--	--	--	-----




Oversize Trim Ring

OT400P	OVERSIZE TRIM RING	662400136507	0.5	12	12					•	•
OT403P	OVERSIZE TRIM RING	662400136514	0.2	12	12					•	•
OT460P	OVERSIZE TRIM RING	662400136538	0.6	12	12						•
OT500P	OVERSIZE TRIM RING FOR STRAIGHT PRECISION SIDED H5 FAMILY TRIM	623961651830	0.2	12	12						•
OT999P	OVERSIZE TRIM RING	662400163572	0.2	24	24						•



Replacement Coil Springs

RS7H	REPLACEMENT COIL SPRINGS FOR USE WITH TRIMS - BLISTER PACK OF 4	662400610182	0.07	24	24					•	•
------	---	--------------	------	----	----	--	--	--	--	---	---



Trim Ring

TRM6MB	TRIM RING, 6" METAL, MATTE BLACK	662400149163	0.15	12	12						• ★
TRM6TBZ	TRIM RING, 6" METAL, TUSCAN BRONZE	623961311475	0.4	12	12						•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓜ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA


Halo Trac


Power - Trac Luminaire


Alto


	Alto - 3750									
	L3750MBX	ALTO HIGH INTENSITY DISPLAY LAMPHOLDER, MATTE BLACK, PAR38	662400149989	2.2	1	1				•
	L3750PX	ALTO HIGH INTENSITY DISPLAY LAMPHOLDER, WHITE, PAR38	662400149972	2.2	1	1				•


Universal


	Symmetrical Universal Lampholder - L1701MBX									
	L1701MBX	SYMMETRICAL UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20	662400300021	0.6	6	6				•


	Symmetrical Universal Lampholder - L1701PX									
	L1701PX	SYMMETRICAL UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20	662400300014	0.6	6	6				•


	Asymmetrical Universal Lampholder - L1702									
	L1702MBX	ASYMMETRICAL UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20, PAR30, PAR38	662400300045	0.6	6	6				•


	Universal Lampholder - L1735									
	L1735MBX	UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20, PAR30, PAR38	662400144069		1	6	6			•
	L1735PX	UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20, PAR30, PAR38	662400144076	0.8	6	6		•		•

	Quartz Wall Washer - L1752									
	L1752PX	QUARTZ WALL WASHER, WHITE, T4	662400144311	1.6	4	4				•

	Universal Lampholder - L4009									
	L4009MBX	UNIVERSAL LAMPHOLDER, MATTE BLACK, R40, PAR16, PAR20, PAR30, PAR38	662400160960	0.92	6	6				•
	L4009PX	UNIVERSAL LAMPHOLDER, WHITE 50-300W	662400160977	0.8	6	6		•		

	Universal Lampholder - L700									
	L700PX	UNIVERSAL LAMPHOLDER, WHITE, R, PAR38	662400137887	1.01	12	12				•


	Universal Lampholder - L702									
	L702MBX	UNIVERSAL LAMPHOLDER, MATTE BLACK, R, PAR16, PAR20, PAR30L, PAR38	662400164333	0.6	24	24				•
	L702PX	UNIVERSAL LAMPHOLDER, WHITE, R, PAR16, PAR20, PAR30L, PAR38	662400164326	0.6	24	24		•		•


	Universal Lampholder - L703									
	L703MBX	UNIVERSAL LAMPHOLDER, MATTE BLACK, R, PAR16, PAR20, PAR30L, PAR38	662400301394	0.8	24	24	•			•
	L703PX	UNIVERSAL LAMPHOLDER, WHITE, R, PAR16, PAR20, PAR30L, PAR38	662400301387	0.74	24	24	•			•

Bachetta


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
Roundback Cylinder - L741, L743, L746, L747										
 L741MBX	ROUNDBACK CYLINDER, MATTE BLACK, BR30, R30, PAR30, BR25, A19	662400139010	1	6	6	6	•	•		
L741PX	ROUNDBACK CYLINDER, WHITE, BR30, R30, PAR30, BR25, A19	662400139027	1.6	6	6	6	•	•		
L743MBX	ROUNDBACK CYLINDER, MATTE BLACK, R20, PAR20, A19	662400139058	0.92	6	6	6				•
L743PX	ROUNDBACK CYLINDER, WHITE, R20, PAR20, A19	662400139065	0.6	6	6	6				•
L746MBX	ROUNDBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25, A19	662400139096	1.2	6	6	•				•
L746PX	ROUNDBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25, A19	662400139102	1.2	6	6	•				•
L747MBX	ROUNDBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400139133	1.17	6	6					•
L747PX	ROUNDBACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400139140	1.2	6	6					•

Roundback Cylinder - L855										
 L855PX	ROUNDBACK CYLINDER, WHITE, PAR38	662400140757	1.21	6	6	6				•


Continental Cylinder


Continental Cylinder Yoke - L704										
 L704MBX	CONTINENTAL CYLINDER, YOKE, MATTE BLACK, R40, PAR38	662400137917	2.2	6	6	6				•
L704PX	CONTINENTAL CYLINDER, YOKE, WHITE, R40, PAR38	662400137931	2	6	6	6				•

Continental Cylinder - L730										
 L730MBX	CONTINENTAL CYLINDER, MATTE BLACK, BR30, R30, PAR30, A19, BR25	662400138358	1	6	6	6		•		•
L730PX	CONTINENTAL CYLINDER, WHITE, BR30, R30, PAR30, A19, BR25	662400138372	0.8	6	6	6		•		•


Continental Cylinder - L734										
 L734MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400138815	2.4	6	6	6				•
L734PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400138839	2.6	6	6	6				•

Continental Cylinder - L735										
L735MBX	CONTINENTAL CYLINDER, MATTE BLACK, R20, PAR20, A19	662400138853	0.8	6	6	6				•

Continental Cylinder - L736										
 L736MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, A19, BR25	662400138891	1.25	6	6	6		•		•
L736PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, A19, BR25	662400138907	1.29	6	6	6				•

Continental Cylinder - L737										
 L737MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400138945	0.8	6	6	6				•
L737PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400138952	1.2	6	6	6				•

Flatback

Flatback Cylinder - L1763										
 L1763MBX	LOW VOLTAGE, FLATBACK CYLINDER, MAGNETIC TRANSFORMER, MATTE BLACK, MR16	662400144564	3.52	6	6	6		•		
L1763PX	LOW VOLTAGE, FLATBACK CYLINDER, MAGNETIC TRANSFORMER, WHITE, MR16	662400144588	3.5	6	6	6				•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
Flatback Cylinder - L761										
 L761PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R16, PAR16	662400139348	0.8	6	6					•
Flatback Cylinder - L763										
 L763MBX	FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400139690	1.6	4	4					•
L763PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400139720	1.4	4	4					•
Flatback Cylinder - L764										
 L764MBX	FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400139805	2	6	6					•
L764PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400139836	1.6	6	6					•
Gimbal Ring										
Gimbal Ring - L1730										
 L1730MBX	GIMBAL RING, MATTE BLACK, PAR30	662400144014	1.08	6	6	•		•		•
L1730PX	GIMBAL RING, WHITE, PAR30	662400144038	1.04	6	6	•		•		•
Front Loading Gimbal Ring - L1731										
 L1731MB	FRONT LOADING GIMBAL RING, MATTE BLACK, PAR30	662400687696	0.01	6	6					•
L1731P	FRONT LOADING GIMBAL RING, WHITE, PAR30,	662400687702	1.1	6	6					•
Gimbal Ring - L1738										
 L1738MBX	GIMBAL RING, MATTE BLACK, PAR38	662400144151	1.2	6	6					•
L1738PX	GIMBAL RING, WHITE, PAR38	662400144175	1.15	6	6	•				•
Front Loading Gimbal Ring - L1739										
 L1739PX	FRONT LOADING GIMBAL RING, WHITE, PAR38	662400318774	1.6	4	4					•
Low Voltage Gimbal Ring - L2716										
 L2716MB	LOW VOLTAGE GIMBAL RING, MATTE BLACK, MR16	662400145325	0.4	48	48					•
L2716P	LOW VOLTAGE GIMBAL RING, WHITE, MR16	662400145332	0.4	48	48					•
Low Voltage Gimbal Ring - L2717										
 L2717MBX	LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400145394	0.83	48	48			•		•
L2717PX	LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, WHITE, MR16	662400145417	0.82	12	12		•	•	•	•
Micro Style										
Low Voltage Micro Style - L1760										
 L1760PX	LOW VOLTAGE MICRO STYLE LAMPHOLDER, MAGNETIC TRANSFORMER, WHITE, MR16	662400144427	3.2	15	15					•
Low Voltage Lampholder - L2701										
 L2701P	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, WHITE, MR16	662400615552	0.6	48	48					•

★ Indicates ARRA Eligible Product, **Off The Shelf** Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
Low Voltage Lampholder - L2702										
L2702MB	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400615583	0.68	6	6					•
L2702P	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, ELECTRONIC TRANSFORMER, WHITE, MR16	662400615576	0.89	6	6					•



Low Voltage Micro Style - L2770										
L2770MBX	LOW VOLTAGE MICRO STYLE, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400145738	1.81	6	6					•
L2770PX	LOW VOLTAGE MICRO STYLE, ELECTRONIC TRANSFORMER, WHITE, MR16	662400145752	1.6	6	6					•

Studio



Studio Lampholder - L1820										
L1820MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR20	662400663720	1	6	6					• ★
L1820P	STUDIO LAMPHOLDER, WHITE, PAR20	662400663713	0.97	6	6					• ★



Studio Lampholder - L1830										
L1830MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR30	662400663768	1.575	6	6					• ★
L1830P	STUDIO LAMPHOLDER, WHITE, PAR30	662400663744	1.63	6	6					• ★



Studio Lampholder - L1838										
L1838MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR38	662400663799	2.23	6	6					• ★

Studio Classic



Studio Classic Lampholder - L1807										
L1807MB	STUDIO CLASSIC LAMPHOLDER, MATTE BLACK, PAR30,	662400660439	1.4	12	12					•
L1807PAL	STUDIO CLASSIC LAMPHOLDER, POLISHED ALUMINUM, PAR30	662400660446	1.8	12	12					•



Studio Classic Lampholder - L1808										
L1808MB	STUDIO CLASSIC LAMPHOLDER, MATTE BLACK, PAR38	662400660453	3.6	6	6					•



Studio Classic Lampholder - L1808PAL										
L1808PAL	STUDIO CLASSIC LAMPHOLDER, POLISHED ALUMINUM, PAR38	662400660484	3.4	6	6					•

Power - Trac Systems












Single Circuit



Single Circuit										
L650MB	SINGLE CIRCUIT TRAC, 2FT, MATTE BLACK	662400137597	0.85	6	6	•		•		•
L650P	SINGLE CIRCUIT TRAC, 2FT, WHITE	662400137603	0.6	6	6	•		•		•
L651MB	SINGLE CIRCUIT TRAC, 4FT, MATTE BLACK	662400137672	1.9	1	1	•		•	•	•
L651P	SINGLE CIRCUIT TRAC, 4FT, WHITE	662400137689	1.9	1	1	•	•	•	•	•
L652MB	SINGLE CIRCUIT TRAC, 8FT, MATTE BLACK	662400137764	3.7	1	1	•		•	•	•
L652P	SINGLE CIRCUIT TRAC, 8FT, WHITE	662400137771	3.4	1	1	•	•	•	•	•
L653MB	SINGLE CIRCUIT TRAC, 12FT, MATTE BLACK	662400137818	6	1	1	•		•	•	•
L653P	SINGLE CIRCUIT TRAC, 12FT, WHITE	662400137825	5.75	1	1	•	•	•	•	•











★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓜ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
Dead End										
 DE60050A - 1 PK	DEAD END, SINGLE CIRCUIT, WHITE	623961478505	0.13	1	1					•
Live End Connector										
 L901MB	LIVE END CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140825	0.19	12	12	•		•	•	•
L901P	LIVE END CONNECTOR, SINGLE CIRCUIT, WHITE	662400140832	0.19	12	12	•	•	•	•	•
Flex Connector										
 L902MB	FLEX CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140863	0.54	6	6					•
L902P	FLEX CONNECTOR, SINGLE CIRCUIT, WHITE	662400140870	0.5	12	12					•
Straight Connector										
 L903MB	STRAIGHT CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140894	0.33	12	12	•		•		•
L903P	STRAIGHT CONNECTOR, SINGLE CIRCUIT, WHITE	662400140900	0.33	12	12	•		•		•
L Connector										
 L904MB	L CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140924	0.32	6	6	•		•		•
L904P	L CONNECTOR, SINGLE CIRCUIT, WHITE	662400140931	0.32	6	6	•		•		•
T Connector										
 L905MB	T CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140948	0.6	12	12					•
L905P	T CONNECTOR, SINGLE CIRCUIT, WHITE	662400140955	0.52	12	12					•
X Connector										
 L906MB	X CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140962	0.6	6	6					•
L906P	X CONNECTOR, SINGLE CIRCUIT, WHITE	662400140979	0.6	6	6					•
Outlet Box										
 L907MB	OUTLET BOX FOR T-BAR CEILING, MATTE BLACK	662400140986	0.4	1	1					•
L907P	OUTLET BOX FOR T-BAR CEILING, WHITE	662400140993	0.4	1	1					•
Mini Joiner										
 L908MB	MINI JOINER, SINGLE CIRCUIT, MATTE BLACK	662400141037	0.07	12	12	•		•		•
L908P	MINI JOINER, SINGLE CIRCUIT, WHITE	662400141044	0.07	12	12	•		•		•
Floating Canopy & Connector										
 L909MB	FLOATING CANOPY & CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400141068	0.6	12	12			•		•
L909P	FLOATING CANOPY & CONNECTOR, SINGLE CIRCUIT, WHITE	662400141075	0.6	12	12			•		•
Cord & Plug Connector										
 L950MB	CORD & PLUG CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400141792		1	12					•









★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Conduit Continuation Kit										
 L979MB	CONDUIT CONTINUATION KIT, SINGLE CIRCUIT, MATTE BLACK	662400142218	0.6	6	6					•
L979P	CONDUIT CONTINUATION KIT, SINGLE CIRCUIT, WHITE	662400142225	0.71	6	6					•
Live End Conduit Adapter										
 L980MB	LIVE END CONDUIT ADAPTER, SINGLE CIRCUIT, MATTE BLACK	662400142249	0.31	16	16	•		•		•
L980P	LIVE END CONDUIT ADAPTER, SINGLE CIRCUIT, WHITE	662400142256	0.4	12	12	•		•		•
Two Circuit										
Two Circuit										
 L641MB	TWO CIRCUIT TRAC, 4FT, MATTE BLACK	662401137497	1.985	1	1					•
L641P	TWO CIRCUIT TRAC, 4FT, WHITE	662401137503	1.985	1	1					•
L642MB	TWO CIRCUIT TRAC, 8FT, MATTE BLACK	662400137511	3.94	1	1					•
L642P	TWO CIRCUIT TRAC, 8FT, WHITE	662401167241	4	1	1	•		•		•
L643MB	TWO CIRCUIT TRAC, 12FT, MATTE BLACK	662400137535	6.4	1	1					•
L643P	TWO CIRCUIT TRAC, 12FT, WHITE	662400137542	6.4	1	1					•
Dead End										
DE641P - 1 PK	DEAD END, TWO CIRCUIT, WHITE	623961478635	0.13	1	1					•
Floating Canopy & Connector										
 L929MB	FLOATING CANOPY & CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400163053	0.6	12	12					•
L929P	FLOATING CANOPY & CONNECTOR, TWO CIRCUIT, WHITE	662400163046	0.6	12	12					•
Live End										
 L941MB	LIVE END CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141587	0.2	6	6			•		•
L941P	LIVE END CONNECTOR, TWO CIRCUIT, WHITE	662400141594	0.17	6	6			•		•
Flex Joiner										
 L942MB	FLEX JOINER, TWO CIRCUIT, MATTE BLACK	662400141600	0.6	6	6					•
L942P	FLEX JOINER, TWO CIRCUIT, WHITE	662400141617	0.6	6	6					•
Straight / L Connector										
 L943MB	STRAIGHT/L CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141624	0.6	6	6					•
L943P	STRAIGHT/L CONNECTOR, TWO CIRCUIT, WHITE	662400141631	0.6	6	6					•
Left T Connector										
 L945LMB	LEFT T CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141648	0.71	6	6					•
Right T Connector										
 L945RMB	RIGHT T CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141662	0.71	6	6					•
X Connector										
 L946P	X CONNECTOR, TWO CIRCUIT, WHITE	662400141693	0.74	6	6					•





★ Indicates ARRA Eligible Product, **Off The Shelf** Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Conduit Connector										
 L947MB	CONDUIT CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141709	0.4	1	1					•
L947P	CONDUIT CONNECTOR, TWO CIRCUIT, WHITE	662400141716	0.29	6	6					•
Mini Joiner										
 L949MB	MINI JOINER, TWO CIRCUIT, MATTE BLACK	662400141761	0.2	6	6			•		•
L949P	MINI JOINER, TWO CIRCUIT, WHITE	662400141778	0.17	30	30			•		•
Conduit Continuation Kit										
 L989MB	CONDUIT CONTINUATION KIT, TWO CIRCUIT, MATTE BLACK	662400142331	0.6	6	6					•
Recessed										
Recessed Housing Hanger										
 L935	RECESSED HOUSING HANGER	662400141495	0.2	12	12					•
Lathing Tab										
 L939	LATHING TAB	662400141563	0.06	50	50					•
Mini Connector Kit										
 L940	RECESSED POWER-TRAC MINI CONNECTOR KIT	662400141570	0.1	12	12					•
Lampholder and Power - Trac Accessories										
Stasis Media Holder										
LM10520AH	STASIS MEDIA HOLDER FOR SMALL LED AND PAR20 FIXTURES, ALUMINUM HAZE	623961135781	0.3	9	9					•
LM10520MB	STASIS MEDIA HOLDER FOR SMALL LED AND PAR20 FIXTURES, MATTE BLACK	080083571215	0.3	9	9					•
LM10530P	STASIS MEDIA HOLDER FOR MEDIUM LED AND PAR30 FIXTURES, WHITE	623961135828	0.3	3	3					•
Lens										
L450	SOLITE DIFFUSED LENS 3 3/4"	080083535903	0.21	20	20					• ★
Lens - L110N, L111, L113 & L115										
 L110N	DIFFUSE SAND BLASTED LENS, 2"	662400136774	0.1	1	1					• ★
L111	SOFT FOCUS LENS, 2"	662400627517	0.04	42	42			•		• ★
L113	PRISMATIC LENS, 2"	662400136804	0.05	50	50					• ★
L115	LINEAR SPREAD LENS, 2"	662400136811	0.052	50	50					• ★
Lens - L114 & L124										
L114	ULTRAVIOLET DICHROIC LENS, 2"	662400160991	0.09	1	1					• ★
Low Voltage Canopy Adapter										
 L1973MB	LOW VOLTAGE CANOPY ADAPTER, MATTE BLACK	662400145042	0.4	12	12					•
L1973P	LOW VOLTAGE CANOPY ADAPTER, WHITE	662400145059	0.4	12	12					•


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Filters											
 L212	WARM RED COLOR FILTER, 4-11/16	662400136989	0.2	120	120					•	★
Media Holder											
 L252MB	MEDIA HOLDER, PAR30, L1830, MATTE BLACK	662400301400	0.52	6	6					•	★
Cube Cell Louver - L274											
 L274MB	CUBE CELL LOUVER, 3 3/4"	662400301424	0.11	6	6					•	★
Cube Cell Louver - L275											
 L275MB	CUBE CELL LOUVER, MATTE BLACK	662400137108	0.13	6	6					•	
48" Steel Stem											
L48MB	48" STEEL STEM, MATTE BLACK	662400136750	1.15	6	6					•	
L48P	48" STEEL STEM, WHITE	662400136767	1.07	6	6					•	
Outlet Box											
 L900MB	OUTLET BOX COVER, MATTE BLACK	662400140771	0.4	12	12					•	
L900P	OUTLET BOX COVER, WHITE	662400140788	0.4	12	12					•	
18" Extension Wand											
 L918PX	18" EXTENSION WAND, WHITE	662400141334	0.6	6	6					•	
48" Extension Wand											
L948MBX	48" EXTENSION WAND, MATTE BLACK	662400141730	1	6	6					•	
L948PX	48" EXTENSION WAND, WHITE	662400141754	1	6	6					•	
Cord & Plug Connector											
 L950P	CORD & PLUG CONNECTOR, SINGLE CIRCUIT, WHITE	662400141808	1.01	12	12					•	
Wireway Cover for Pendant Assembly Kit											
 L951MB	WIREWAY COVER FOR PENDANT ASSEMBLY KIT, MATTE BLACK	662400141815	0.15	1	1					•	
L951P	WIREWAY COVER FOR PENDANT ASSEMBLY KIT, WHITE	662400141822	0.14	1	1					•	
Showroom Fixture Adapter											
 L956P	SHOWROOM FIXTURE ADAPTER, WHITE	662400141884	0.6	12	12					•	


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Pendant Adapter - L957										
 L957MB	PENDANT ADAPTER, MATTE BLACK	662400141907	0.2	12	12			•	•	•
L957P	PENDANT ADAPTER, WHITE	662400141921	0.2	12	12			•	•	•
Outlet Adapter										
 L966P	OUTLET ADAPTER, WHITE	662400142003	0.2	6	6			•		•
C Clamp Adapter										
 L972MB	C CLAMP ADAPTER, MATTE BLACK	662400142102	0.8	1	1					•
Canopy Adapter										
 L973MBN	CANOPY ADAPTER, MATTE BLACK	662400142126	0.29	12	12					•
L973PN	CANOPY ADAPTER, WHITE	662400142133	0.4	12	12			•		•
T-Bar Attachment Clip - L983N										
 L983N	T-BAR ATTACHMENT CLIP	662400142300	0.02	6	6			•		•
T-Bar Attachment Clip - L984N										
 L984N	T-BAR ATTACHMENT CLIP	662400142317	0.2	6	6					•
Mini-Bar Attachment Clip - L986										
 L986	MINI T-BAR ATTACHMENT CLIP	662400142324	0.2	6	6					•
Pendant Kit Assembly - L992										
 L992MB	PENDANT KIT ASSEMBLY, MATTE BLACK	662400142355	1.8	6	6			•		•
L992P	PENDANT KIT ASSEMBLY, WHITE	662400142362	1.4	6	6			•		•
Pendant Adapter										
 L994MB	PENDANT ADAPTER, 45 DEGREE, MATTE BLACK	662400142393	0.72	1	1					•
L994P	PENDANT ADAPTER, 45 DEGREE, WHITE	662400142409	0.8	1	1					•
Power-Trac Transformers										
Low Voltage Power-Trac Transformer - L2001										
 L2001MBX	LOW VOLTAGE POWER-TRAC TRANSFORMER, MATTE BLACK	662400602996	0.4	6	6			•		•
L2001PX	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	662400602989	0.4	60	60					•
Low Voltage Power-Trac Transformer - L2004										
 L2004MB	LOW VOLTAGE POWER-TRAC TRANSFORMER, MATTE BLACK	662400618508	0.4	6	6					•
L2004P	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	662400618492	0.44	60	60					•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 L2005AH	Low Voltage Power-Trac Transformer - L2005 LOW VOLTAGE POWER-TRAC TRANSFORMER, ALUMINUM HAZE	623961195099	0.8	4	4					•

Current Limiters

Circuit Breakers


CB120P	CIRCUIT BREAKER 1 AMP 120W WHITE	080083508747	0.04	25	25					• ★
CB300MB	CIRCUIT BREAKER 2.5 AMP 300W BLACK	080083508785	0.4	25	25					• ★
CB300P	CIRCUIT BREAKER 2.5 AMP 300W WHITE	080083508778	0.04	25	25					• ★
CB600MB	CIRCUIT BREAKER 5 AMP 600W BLACK	080083508754	0.04	25	25					• ★
CB600P	CIRCUIT BREAKER 5 AMP 600W WHITE	080083508792	0.4	25	25					• ★
CB1200P	CIRCUIT BREAKER 10 AMP 1200W WHITE	080083508860	0.25	50	50					• ★

Single Circuit


 LC901MB	SINGLE CIRCUIT END FEED CONNECTOR AND HOUSING BLACK	623961052453	0.9	24	24					•
LC901P	SINGLE CIRCUIT END FEED CONNECTOR AND HOUSING WHITE	623961052477	0.9	24	24					•

Lazer Lampholders and Systems


Roundback

 LZR311PL	Round Back Cylinder LAZER ROUND BACK CYLINDER, WHITE, 120V MR16 INCLUDED	662400689409	2	6	6					•
---	--	--------------	---	---	---	--	--	--	--	---


Low Voltage Roundback Cylinder

 LZR405P	LAZER LOW VOLTAGE ROUND BACK CYLINDER, ELECTRONIC TRANSFORMER, WHITE, MR16	662400687566	0.78	6	6					•
--	--	--------------	------	---	---	--	--	--	--	---


Gimbal Ring

 LZR1320MB	Front Loading Gimbal - LZR1320 LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR20	662400663669	0.8	12	12					•
LZR1320P	LAZER FRONT LOADING GIMBAL, WHITE, PAR20	662400663652	0.9	16	16					•


Front Loading Gimbal - LZR1330











 LZR1330MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR30	662400663683	1.4	6	6	•				•
LZR1330P	LAZER FRONT LOADING GIMBAL, WHITE, PAR30	662400663676	1.4	6	6	•				•

Front Loading Gimbal - LZR1338

 LZR1338MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR38	662400663706	1.4	6	6					•
LZR1338P	LAZER FRONT LOADING GIMBAL, WHITE, PAR38	662400663690	1.67	6	6					•


Gimbal Ring - LZR316

 LZR316MBL	LAZER GIMBAL RING, MATTE BLACK, 120V MR16 LAMP INCLUDED	662400689454	0.49	6	6					•
LZR316PL	LAZER GIMBAL RING, WHITE, 120V MR16 LAMP INCLUDED	662400689447	0.49	6	6					•


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Small Gimbal Ring - LZR330										
 LZR330MB	LAZER SMALL GIMBAL RING, MATTE BLACK, PAR30	662400613305	1.2	6	6			•		•
LZR330P	LAZER SMALL GIMBAL RING, WHITE, PAR30	662400613299	0.9	6	6		•	•		•
Gimbal Ring - LZR338										
 LZR338MB	LAZER GIMBAL RING, MATTE BLACK, PAR38	662400613329	1.38	6	6					•
LZR338P	LAZER GIMBAL RING, WHITE, PAR38	662400613312	1.1	6	6			•		•
Low Voltage Gimbal Ring - LZR401										
 LZR401MB	LAZER LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400614005	0.78	12	12			•	•	•
LZR401P	LAZER LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, WHITE, MR16	662400613992	0.7	12	12		•	•	•	•
Cylinder										
Small Roundback Cylinder										
 LZR301MB	LAZER SMALL ROUNDBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612643	0.8	12	12					•
LZR301P	LAZER SMALL ROUNDBACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612636	1.03	12	12			•		•
LZR301P/W	LAZER SMALL ROUNDBACK CYLINDER, WHITE BAFFLE, WHITE, R20, PAR20, A19	662400612667	0.9	12	12			•		•
Roundback Cylinder										
 LZR302MB	LAZER ROUNDBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612681	1.35	12	12			•		•
LZR302P	LAZER ROUNDBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612674	1.2	10	10					•
LZR302P/W	LAZER ROUNDBACK CYLINDER, WHITE BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612704	1.4	12	12					•
Large Roundback Cylinder										
 LZR303MB	LAZER LARGE ROUNDBACK CYLINDER, BLACK BAFFLE, BLACK, PAR38, R40	662400612551	2	6	6					•
LZR303P	LAZER LARGE ROUNDBACK CYLINDER, BLACK BAFFLE, WHITE, PAR38, R40	662400612544	1.7	6	6			•		•
Small Step Cylinder										
 LZR304MB	LAZER SMALL STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612728	1	12	12					•
LZR304P	LAZER SMALL STEP CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612711	0.9	12	12					•
Step Cylinder										
 LZR305MB	LAZER STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612773	1.24	12	12					•
LZR305P	LAZER STEP CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612759	1.2	12	12			•		•
LZR305P/W	LAZER STEP CYLINDER, WHITE BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612797	1.2	12	12					•
Large Step Cylinder										
 LZR306MB	LAZER LARGE STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400612575	1.6	6	6					•
LZR306P	LAZER LARGE STEP CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400612568	1.6	6	6			•		•
Flatback Cylinder - LZR307										
 LZR307MB	LAZER FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612810	1.14	12	12			•		•
LZR307P	LAZER FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612803	1.14	12	12					•


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
	Flatback Cylinder - LZR308										
	LZR308MB	LAZER FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612599	1.2	12	12					•
LZR308P	LAZER FLATBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612582	1.2	12	12					•	


Glass and Perforated Bell & Contemporary Gimbal

	Perforated Bell										
	LZR402MB	LAZER LOW VOLTAGE PERFORATED BELL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616559	0.8	12	12					•
LZR402P	LAZER LOW VOLTAGE PERFORATED BELL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616542	0.8	12	12					•	


	Glass Bell										
	LZR403MB	LAZER LOW VOLTAGE GLASS BELL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616573	1.4	12	12					•
LZR403P	LAZER LOW VOLTAGE GLASS BELL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616566	1.13	12	12			•		•	

	Contemporary Gimbal										
	LZR404MB	LAZER LOW VOLTAGE CONTEMPORARY GIMBAL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616597	0.6	12	12					•
LZR404P	LAZER LOW VOLTAGE CONTEMPORARY GIMBAL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616580	0.8	12	12					•	


Step Cylinder


	Low Voltage Step Cylinder										
	LZR406MB	LAZER LOW VOLTAGE STEP CYLINDER, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400687597	0.8	6	6					•
LZR406P	LAZER LOW VOLTAGE STEP CYLINDER, ELECTRONIC TRANSFORMER, WHITE, MR16	662400687580	0.91	6	6			•		•	












Lazer Track System

	Single Circuit										
	LZR102MB	LAZER SINGLE CIRCUIT TRACK, 2FT, MATTE BLACK	662400617464	1.2	12	12					•
	LZR102P	LAZER SINGLE CIRCUIT TRACK, 2FT, WHITE	662400617396	0.7	12	12			•		•
	LZR104MB	LAZER SINGLE CIRCUIT TRACK, 4FT, MATTE BLACK	662400617426	1.6	12	12	•				•
	LZR104P	LAZER SINGLE CIRCUIT TRACK, 4FT, WHITE	662400617419	1.5	12	12	•		•		•
	LZR106MB	LAZER SINGLE CIRCUIT TRACK, 6FT, MATTE BLACK	662400617440	2.55	12	12	•				•
	LZR106P	LAZER SINGLE CIRCUIT TRACK, 6FT, WHITE	662400617433	2.4	12	12	•				•
	LZR108MB	LAZER SINGLE CIRCUIT TRACK, 8FT, MATTE BLACK	662400617402	3.2	12	12	•		•		•
LZR108P	LAZER SINGLE CIRCUIT TRACK, 8FT, WHITE	662400617457	3.4	12	12	•	•	•	•	•	

	T-Bar Clip										
	LZR207	LAZER T-BAR CLIP	662400617129	0.1	96	96			•		•


	Monopoint Feed										
	LZR209MB	LAZER MONOPOINT FEED, MATTE BLACK	662400617150	0.3	12	12			•		•
LZR209P	LAZER MONOPOINT FEED, WHITE	662400617167	0.3	48	48			•		•	

	Monopoint Feed Low Voltage										
	LZR210MB	LAZER MONOPOINT FEED, LOW VOLTAGE, MATTE BLACK	662400617174	0.4	12	12					•
LZR210P	LAZER MONOPOINT FEED, LOW VOLTAGE, WHITE	662400617181	0.29	48	48					•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Live End Feed w / Junction Box Cover										
 LZR200MB	LAZER LIVE END FEED W/JUNCTION BOX COVER, MATTE BLACK	662400616993	0.29	6	6					•
LZR200P	LAZER LIVE END FEED W/JUNCTION BOX COVER, WHITE	662400617006	0.3	24	24			•		•
Live End Feed										
 LZR201MB	LAZER LIVE END FEED, MATTE BLACK	662400617013	0.16	8	8	•		•		•
LZR201P	LAZER LIVE END FEED, WHITE	662400617020	0.16	96	96	•		•		•
Floating Canopy & Connector Feed										
 LZR202MB	LAZER FLOATING CANOPY AND CONNECTOR FEED, MATTE BLACK	662400617037	0.4	24	24					•
Adjustable L & Straight Connector										
 LZR203MB	LAZER ADJUSTABLE L AND STRAIGHT CONNECTOR, MATTE BLACK	662400617051	0.4	4	4					•
LZR203P	LAZER ADJUSTABLE L AND STRAIGHT CONNECTOR, WHITE	662400617068	0.3	48	48			•		•
Conduit Adapter Feed										
 LZR204MB	LAZER CONDUIT ADAPTER FEED, MATTE BLACK	662400617075	0.2	12	12					•
LZR204P	LAZER CONDUIT ADAPTER FEED, WHITE	662400617082	0.2	8	8					•
Conduit Continuation Feed										
 LZR205MB	LAZER CONDUIT CONTINUATION FEED, MATTE BLACK	662400617099	0.25	48	48					•
LZR205P	LAZER CONDUIT CONTINUATION FEED, WHITE	662400617105	0.33	6	6					•
T-Bar Canopy										
 LZR206P	LAZER T-BAR CANOPY, WHITE	662400617112	0.4	12	12					•
Flexible Connector Feed										
 LZR211P	LAZER FLEXIBLE CONNECTOR FEED, WHITE	662400617204	0.4	96	96					•
Mini Connector										
 LZR212MB	LAZER MINI CONNECTOR, MATTE BLACK	662400617211	0.2	12	12	•		•		•
LZR212P	LAZER MINI CONNECTOR, WHITE	662400617228	0.1	96	96	•		•		•
T Connector Right										
 LZR213LMB	LAZER T CONNECTOR, LEFT HAND, MATTE BLACK	662400685944	0.37	12	12					•
LZR213LP	LAZER T CONNECTOR, LEFT HAND, WHITE	662400685951	0.4	12	12					•
T Connector Left										
 LZR213RMB	LAZER T CONNECTOR, RIGHT HAND, MATTE BLACK	662400685968	0.4	12	12					•
LZR213RP	LAZER T CONNECTOR FEED RIGHT, WHITE	662400685975	0.37	48	48					•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 X Connector LZR214P	LAZER X CONNECTOR FEED, WHITE	662400685999	0.46	48	48					•


Architectural Flexible Track Lampholders and Systems


Architectural Flexible Track System


 Clamp Installation Tool LFC1	ARCHITECTURAL FLEXIBLE CLAMP INSTALLATION TOOL	623961404801	0.2	12	12					•
--	--	--------------	-----	----	----	--	--	--	--	---


 Hand Roller Installation Tool LFHR1	ARCHITECTURAL FLEXIBLE HAND ROLLER INSTALLATION TOOL	623961768699	1.92	6	6					•
---	--	--------------	------	---	---	--	--	--	--	---


 4' & 8' LF4AH LF8AH	ARCHITECTURAL FLEXIBLE TRACK, 4' ARCHITECTURAL FLEXIBLE TRACK, 8'	623961138270 623961138287	3.2 3.31	6 6	6 6					• •
--	--	------------------------------	-------------	--------	--------	--	--	--	--	--------


 Connectors and Components - LF601AH4 LF601AH4	120V FEED WITH J-BOX CANOPY, FLEXIBLE TRACK, 4"	623961198083	1.01	12	12					•
--	---	--------------	------	----	----	--	--	--	--	---

 Connectors and Components - LF602AH4, LF602AH48 LF602AH4	CLAM SHELL FLEXIBLE TRACK SUPPORT STEM WITH CANOPY, ALUMINUM HAZE, 4"	623961194955	0.25	12	12					•
--	---	--------------	------	----	----	--	--	--	--	---

 Connectors and Components - LF602AH4, LF602AH49 LF602AH48	CLAM SHELL TRACK SUPPORT STEM WITH SMALL CANOPY, ALUMINUM HAZE, 48"	623961138317	1.01	16	16					•
---	---	--------------	------	----	----	--	--	--	--	---

 Connectors and Components - LF607AH LF607AH	VARIABLE CONNECTOR, FLEXIBLE TRACK, ALUMINUM HAZE	623961138447	0.85	12	12					•
---	---	--------------	------	----	----	--	--	--	--	---

 Connectors and Components - LF612AH LF612AH	FLEXIBLE TRACK DEAD END, ALUMINUM HAZE	623961138676	0.1	10	10					•
---	--	--------------	-----	----	----	--	--	--	--	---

 Connectors and Components - LF614AH LF614AH	CABLE SUSPENSION FOR FLEXIBLE TRACK	623961053658	0.1	6	6					•
---	-------------------------------------	--------------	-----	---	---	--	--	--	--	---

 Transformers and Converters LF2005AH	LOW VOLTAGE FLEXIBLE TRACK TRANSFORMER, ALUMINUM HAZE	623961195075	1	24	24					•
--	---	--------------	---	----	----	--	--	--	--	---

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓜ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA





Halo Architectural Linear Track and Connectors


Halo Architectural Track

120V Track - LA631										
	LA631MB	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, MATTE BLACK	622697896737	4.22	1	1				•
	LA631MB277	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, 277V, MATTE BLACK	622697896638	3.72	1	1				•
	LA631P	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, WHITE	622697896690	4.22	1	1				•
	LA631P277	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, 277V, WHITE	622697896553	4.22	1	1				•
	LA631SL	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, SILVER	080083660261	4.22	1	1				•


120V Track - LA632										
	LA632MB	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, MATTE BLACK	622697896744	9.16	1	1				•
	LA632P	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, WHITE	622697896713	9.16	1	1				•
	LA632SL	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, SILVER	080083660278	9.16	1	1				•


120V Track - LA633										
	LA633MB	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, MATTE BLACK	622697896775	14.1	1	1				•
	LA633P	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, WHITE	622697896720	15.9	1	1				•
	LA633SL	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, SILVER	080083660285	14.1	1	1				•


277V Track - LA632										
	LA632MB277	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, 277V, MATTE BLACK	622697896652	8.16	1	1				•
	LA632P277	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, 277V, WHITE	622697896577	9.16	1	1				•
	LA632SL277	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, 277V, SILVER	080083528295	9.16	1	1				•

277V Track - LA633										
	LA633MB277	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, 277V, MATTE BLACK	622697896669	14.1	1	1				•
	LA633P277	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, 277V, WHITE	622697896591	14.1	1	1				•
	LA633SL277	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, 277V, SILVER	080083528288	14.1	1	1				•











Halo Architectural Track Connectors

120V Connectors - LA670										
	LA670MB	LIVE END CONDUIT CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, BLACK	623961396465	0.54	6	6				•
	LA670P	LIVE END CONDUIT CONNECTOR, WHITE	623961676833	0.8	6	6				•
	LA670SL	LIVE END CONDUIT CONNECTOR, SILVER	623961676826	0.54	6	6				•

120V Connectors - LA671										
	LA671MB	LIVE END CONNECTOR, MATTE BLACK	623961676802	0.54	6	6				•
	LA671P	LIVE END CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961676796	0.8	6	6				•
	LA671SL	LIVE END CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, SILVER	623961414732	0.54	6	6				•







120V Connectors - LA672										
	LA672MB	FLEXIBLE CONNECTOR, MATTE BLACK	623961676789	0.54	6	6				•
	LA672P	FLEXIBLE CONNECTOR, WHITE	623961676772	0.54	6	6				•
	LA672SL	FLEXIBLE CONNECTOR, SILVER	623961676765	0.54	6	6				•

★ Indicates ARRA Eligible Product, **Off The Shelf** **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
120V Connectors - LA673										
 LA673MB	STRAIGHT CONNECTOR, MATTE BLACK	623961676734	0.17	6	6					•
LA673P	STRAIGHT CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961676727	1.2	6	6					•
LA673SL	STRAIGHT CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, SILVER	623961676710	0.17	6	6					•
120V Connectors - LA674										
 LA674MB	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, MATTE BLACK	623961676598	0.17	6	6					•
LA674P	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961676581	0.17	6	6					•
LA674SL	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961414749	0.17	6	6					•
120V Connectors - LA675										
 LA675MB	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, MATTE BLACK	623961676550	1.02	6	6					•
LA675P	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961676543	1.02	6	6					•
LA675SL	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961414756	1.02	6	6					•
120V Connectors - LA676										
 LA676MB	X CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, MATTE BLACK	623961676529	1.02	6	6					•
LA676P	X CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	080083660308	0.17	6	6					•
LA676SL	X CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, SILVER	080083660315	0.17	6	6					•
120V Connectors - LA678										
 LA678MB	MINI JOINER, 2 CIRCUIT ARCHITECTURAL, 120V, BLACK	623961675683	0.17	6	6					•
LA678P	MINI JOINER, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961675676	0.633	6	6					•
LA678SL	MINI JOINER, 2 CIRCUIT ARCHITECTURAL, 120V, SILVER	623961414763	0.17	6	6					•
277V Connectors - LA670										
 LA670MB277	LIVE END CONDUIT CONNECTOR, 277V, MATTE BLACK	623961624056	0.54	6	6					•
LA670P277	LIVE END CONDUIT CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, WHITE	623961019876	0.54	6	6					•
LA670SL277	LIVE END CONDUIT CONNECTOR, 277V, SILVER	623961676819	0.54	6	6					•
277V Connectors - LA671										
 LA671MB277	LIVE END CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V BLACK	623961011610	1	6	6					•
LA671P277	LIVE END CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V WHITE	623961019890	0.54	6	6					•
LA671SL277	LIVE END CONNECTOR, 277V, SILVER	623961200212	0.5	6	6					•
277V Connectors - LA672										
 LA672P277	FLEXIBLE CONNECTOR, 277V, WHITE	623961019906	0.54	6	6					•
LA672SL277	FLEXIBLE CONNECTOR, 277V, SILVER	080083660292	0.54	6	6					•
277V Connectors - LA673										
 LA673MB277	STRAIGHT CONNECTOR, 277V, MATTE BLACK	623961624049	1.2	6	6					•
LA673P277	STRAIGHT CONNECTOR, 277V, WHITE	623961019913	1.6	6	6					•
LA673SL277	STRAIGHT CONNECTOR, 277V, SILVER	623961676604	0.17	6	6					•
277V Connectors - LA674										
 LA674MB277	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, MATTE BLACK	623961011641	0.17	6	6					•
LA674P277	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, WHITE	623961019937	1.2	6	6					•
LA674SL277	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, SILVER	623961676574	0.17	6	6					•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
277V Connectors - LA675										
	LA675MB277	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, MATTE BLACK	623961011665	1.3	6	6				•
	LA675P277	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, WHITE	623961019944	0.54	6	6				•
	LA675SL277	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, SILVER	623961676536	1.02	6	6				•
277V Connectors - LA676										
	LA676MB277	X CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, MATTE BLACK	623961011696	1.75	6	6				•
277V Connectors - LA678										
	LA678P277	MINI JOINER, 2 CIRCUIT ARCHITECTURAL, 277V, WHITE	623961019968	0.54	6	6				•
	LA678SL277	MINI JOINER 2 CIRCUIT ARCHITECTURAL, 277V, SILVER	623961675669	0.17	6	6				•
Halo Architectural Track Accessories										
Accessories - LA995										
	LA995P	PENDANT KIT, ARCHITECTURAL TRACK, WHITE	623960237097	1.01	6	6				•
	LA995SL	18 INCH PENDANT KIT, 2 CIRCUIT ARCHITECTURAL, SILVER	623961460319	1.01	3	3				•
Accessories - LA996										
	LA996MB	WIREWAY COVER, 2 CIRCUIT ARCHITECTURAL, MATTE BLACK	623961457340	0.19	60	60				•
	LA996SL	WIREWAY COVER, 2 CIRCUIT ARCHITECTURAL, SILVER	623961457357	1.01	4	4				•
	LA996P	WIREWAY COVER, 2 CIRCUIT ARCHITECTURAL, WHITE	623961457333	0.1	80	80				•
Accessories - LA48										
	LA48MB	48 INCH STEM, 2 CIRCUIT ARCHITECTURAL, MATTE BLACK	080083660162	2.3	1	1				•
	LA48P	48 INCH STEM, 2 CIRCUIT ARCHITECTURAL, WHITE	080083622498	1.4	6	6				•
	LA48SL	48 INCH STEM, 2 CIRCUIT ARCHITECTURAL, SILVER	080083660179	1.4	6	6				•
Convertors										
	LA1LMB	POWER-TRAC TO ARCHITECTURAL LINEAR TRACK CONVERTOR, MATTE BLACK	623961195525	0.3	4	4				•
	LA1LP	POWER-TRAC TO ARCHITECTURAL LINEAR TRACK CONVERTOR, WHITE	623961195518	0.3	4	4				•
	LA1LSL	POWER-TRAC TO ARCHITECTURAL LINEAR TRACK CONVERTOR, SILVER	623961195495	0.3	48	48				•

★ Indicates ARRA Eligible Product, **Off The Shelf** **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA


Linea Lampholders and Systems


Undercabinet

Undercabinet Single Wedge Base										
	LV301P	LINEA UNDERCABINET SINGLE WEDGE BASE LAMPHOLDER, WHITE, T3.25	662400669210	0.06	24	24				•


Linea LV Surface Track and Connect


Surface Channel										
	LV104MB	LINEA SURFACE CHANNEL, 4FT, MATTE BLACK	662400662846	0.19	6	6				• ★
	LV104P	LINEA SURFACE CHANNEL, 4FT, WHITE	662400662853	0.19	6	6				• ★
	LV108MB	LINEA SURFACE CHANNEL, 8FT, MATTE BLACK	662400662884	0.4	6	6				• ★
	LV108P	LINEA SURFACE CHANNEL, 8FT, WHITE	662400662891	0.4	6	6				• ★

Surface Channel End Feed										
	LV201MB	LINEA SURFACE CHANNEL END FEED, BLACK	662401194865	0.85	6	6				•
	LV201P	LINEA SURFACE CHANNEL END FEED, WHITE	662401194858	0.08	1	1				•

Surface Channel Straight Joiner										
	LV202MB	LINEA SURFACE CHANNEL STRAIGHT JOINER, MATTE BLACK	662401194803	0.85	6	6				•
	LV202P	LINEA SURFACE CHANNEL STRAIGHT JOINER, MATTE WHITE	662401194797	0.85	6	6				•


Surface Etchings

Square Etchings Sconce										
	H2522MC	SQUARE ETCHINGS SCONCE, INCANDESCENT, MATTE CHROME	662400215806	8.2	4	4				•
	H2523MC	SQUARE ETCHINGS SCONCE, COMPACT FLUORESCENT, MATTE CHROME	662400215813	8.2	4	4				•

Rectangle Etchings Sconce										
	H2525MC	RECTANGLE ETCHINGS SCONCE, COMPACT FLUORESCENT, MATTE CHROME	662400677727	5.9	4	4				•

Lamps

Compact Fluorescent

Compact Fluorescent										
	Z132P35	32W 10MM HEX 4PIN GX24Q-3 AMALGAM TRIPLE (3500 DEGREE K)	662400604754	0.15	12	12				• ★

Compact Fluorescent - Z28										
	Z28	50W, 120V, GU10, 25 DEGREE ALUMINUM LAMP	622696050215	0.1	100	100				• ★

LED Luminaire

HU10 Undercabinet

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
LED Undercabinet - HU10										
HU1012D830MB	HALO HU10 LED UNDERCABINET 12 IN, 3000K, MATTE BLACK	080083641550	1	1	1					•
HU1012D830P	HALO HU10 LED UNDERCABINET 12 IN, 3000K, WHITE	080083641543	1	1	1					•
HU1018D830MB	HALO HU10 LED UNDERCABINET 18 IN, 3000K, MATTE BLACK	080083641581	1	1	1					•
HU1018D830P	HALO HU10 LED UNDERCABINET 18 IN, 3000K, WHITE	080083641574	1	1	1					•
HU1024D830MB	HALO HU10 LED UNDERCABINET 24 IN, 3000K, MATTE BLACK	080083641611	2	10	10					•
HU1024D830P	HALO HU10 LED UNDERCABINET 24 IN, 3000K, WHITE	080083641604	2	10	10					•

HU10 Undercabinet Accessories

LED Undercabinet Accessories- HU10

HU101MB	HALO HU10 LED UNDERCABINET 3 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641666	1	1	1					•
HU101P	HALO HU10 LED UNDERCABINET 3 IN DAISEY CHAIN CONNECTOR WHITE	080083641659	1	1	1					•
HU102MB	HALO HU10 LED UNDERCABINET 6 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641680	1	1	1					•
HU102P	HALO HU10 LED UNDERCABINET 6 IN DAISEY CHAIN CONNECTOR WHITE	080083641673	1	1	1					•
HU103MB	HALO HU10 LED UNDERCABINET 24 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641703	1	1	1					•
HU103P	HALO HU10 LED UNDERCABINET 24 IN DAISEY CHAIN CONNECTOR WHITE	080083641697	1	1	1					•
HU104MB	HALO HU10 LED UNDERCABINET 120 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641727	1	1	1					•
HU104P	HALO HU10 LED UNDERCABINET 120 IN DAISEY CHAIN CONNECTOR WHITE	080083641710	1	1	1					•
HU105MB	HALO HU10 LED UNDERCABINET 48 IN POWER CORD MATTE BLACK	080083641642	1	1	1					•
HU105P	HALO HU10 LED UNDERCABINET 48 IN POWER CORD CONNECTOR WHITE	080083641635	1	1	1					•
HU106MB	HALO HU10 LED UNDERCABINET DIRECT WIRE SPLICE BOX MATTE BLACK	080083641765	1	5	5					•
HU106P	HALO HU10 LED UNDERCABINET DIRECT WIRE SPLICE BOX CONNECTOR WHITE	080083641758	1	1	1					•
HU107MB	HALO HU10 LED UNDERCABINET 1.5 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641741	1	1	1					•
HU107P	HALO HU10 LED UNDERCABINET 1.5 IN DAISEY CHAIN CONNECTOR WHITE	080083641734	1	1	1					•

Stasis

Stasis Medium

L805MEDFL830MB	STASIS LED MEDIUM, FLOOD DISTRIBUTION, 3000K, MATTE BLACK	080083630721	2.7	4	4					•
L805MEDFL830P	STASIS LED MEDIUM, FLOOD DISTRIBUTION, 3000K, WHITE	080083631285	2.7	4	4					•
L805MEDNF830MB	STASIS LED MEDIUM, NARROW FLOOD DISTRIBUTION, 3000K, MATTE BLACK	080083630738	2.7	4	4					•
L805MEDNF830P	STASIS LED MEDIUM, NARROW FLOOD DISTRIBUTION, 3000K, WHITE	080083656417	2.7	4	4					•
L805MEDSP830MB	STASIS LED MEDIUM, SPOT DISTRIBUTION, 3000K, MATTE BLACK	080083630745	2.7	4	4					•
L805MEDSP830P	STASIS LED MEDIUM, SPOT DISTRIBUTION, 3000K, WHITE	080083631322	2.7	4	4					•

Stasis Small

L805SMLFL830MB	STASIS LED SMALL, FLOOD DISTRIBUTION, 3000K, MATTE BLACK	080083531097	2.7	4	4					•
L805SMLFL830P	STASIS LED SMALL, FLOOD DISTRIBUTION, 3000K, WHITE	080083631308	2.7	4	4					•
L805SMLNF830MB	STASIS LED SMALL, NARROW FLOOD DISTRIBUTION, 3000K, MATTE BLACK	080083631261	2.7	4	4					•
L805SMLNF830P	STASIS LED SMALL, NARROW FLOOD DISTRIBUTION, 3000K, WHITE	080083631315	2.7	4	4					•
L805SMLSP830MB	STASIS LED SMALL, SPOT DISTRIBUTION, 3000K, MATTE BLACK	080083631278	2.7	4	4					•
L805SMLSP830P	STASIS LED SMALL, SPOT DISTRIBUTION, 3000K, WHITE	080083631339	2.7	4	4					•

★ Indicates ARRA Eligible Product, **Off The Shelf** Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
Stasis Large										
L805LRGFL830MB	STASIS LED LARGE, FLOOD DISTRIBUTION, 3000K, MATTE BLACK	080083631384	6.4	1	1					•
L805LRGFL830P	STASIS LED LARGE, FLOOD DISTRIBUTION, 3000K, WHITE	080083631414	7.68	1	1					•
L805LRGNF830P	STASIS LED LARGE, NARROW FLOOD DISTRIBUTION, 3000K, WHITE	080083631421	6	1	1					•
L805LRGSP830P	STASIS LED LARGE, SPOT DISTRIBUTION, 3000K, WHITE	080083631438	1	4	4					•

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Halo Commercial

Recessed Commercial Lighting

4" Housing



4" Directional Commercial Housing

PA4	HOUSING, 4" PAR20/30S DIRECTIONAL, 120V	080083611669	12	1	1						★	✓
-----	---	--------------	----	---	---	--	--	--	--	--	---	---

4" Reflector

4" Directional Commercial Reflector

4AC	REFLECTOR, 4" ANGLE CUT OPEN REFLECTOR, SPECULAR CLEAR	080083611683	12	1	1						★	✓
4AH	REFLECTOR, 4" ANGLE CUT OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652945	12	1	1						★	✓
4ACWF	REFLECTOR, 4" ANGLE CUT OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652761	12	1	1						★	✓

6" Housings



6" Directional Commercial Housing

PA6	HOUSING, 6" PAR30L/38 DIRECTIONAL, 120V	080083611676	12	1	1						★	✓
-----	---	--------------	----	---	---	--	--	--	--	--	---	---



6" CFL Commercial Horizontal Lamp Housing

PD6H142E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORIZONTAL, 120-277V UNV	080083611744	2.77	6	6						★	✓
PD6H1423E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORIZONTAL, 347V	080083629077	12	1	1						★	✓
PD6H213E	HOUSING, 6" (2) 13W DTT / TTT HORIZONTAL, 120V	080083628810	4.4	6	6						★	✓
PD6H2133E	HOUSING, 6" (2) 13W DTT / TTT HORIZONTAL, 347V	080083628797	2	6	6						★	✓
PD6H2183E	HOUSING, 6" (2) 18W DTT / TTT HORIZONTAL, 347V	080083632138	6.9	1	1						★	✓
PD6H226E	HOUSING, 6" (2) 26W DTT HORIZONTAL, 120-277V UNV	080083611737	4.5	6	6						★	✓
PD6H2263E	HOUSING, 6" (2) 26W DTT / TTT HORIZONTAL, 347V	080083628803	4.2	6	6						★	✓



6" CFL Commercial Horizontal Lamp Emergency Housing

PD6H142REM	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORIZONTAL, 120/277V EM	080083620494	12	1	1						★	✓
PD6H226REM	HOUSING, 6" (2) 26W DTT HORIZONTAL, 120/277V EM	080083630707	6.9	1	1						★	✓



6" CFL Commercial Horizontal Lamp Housing, Dimming

PD6H1421DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ., 120V DIMMING	080083626953	12	1	1						★	✓
PD6H1422DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ., 277V DIMMING	080083629558	12	1	1						★	✓



6" CFL Commercial Vertical Lamp Housing

PD6V142E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERTICAL, 120-277V UNV	080083611812	2	6	6						★	✓
PD6V1423E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERTICAL, 347V	080083630776	12	1	1						★	✓




6" CFL Commercial Vertical Lamp Emergency Housing

PD6V142REM	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERTICAL, 120/277V EM	080083622566	12	1	1						★	✓
------------	--	--------------	----	---	---	--	--	--	--	--	---	---

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					★	✓
				QTY	QTY	NJ	IL	TX	CA	GA		
6" CFL Commercial Vertical Lamp Housing Dimming												
 PD6V1421DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT., 120V DIMMING	080083652792	12	6	6			•	•		★	✓
PD6V1422DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT., 277V DIMMING	080083649754	12	1	1			•			★	✓
6" Metal Halide Commercial Vertical Lamp Housing												
 PD6V70E	HOUSING, 6" VERTICAL, E26 METAL HALIDE (PROTECTED) 70W MH, 120/277V UNV	080083628834	12	1	1			•	•		★	✓
PD6V703E	HOUSING, 6" VERTICAL, E26 METAL HALIDE (PROTECTED) 70W MH, 347V	080083638277	5.4	1	1					•	★	✓
PD6V100E	HOUSING, 6" VERTICAL, E26 METAL HALIDE (PROTECTED) 100W MH, 120/277V UNV	080083611799	12	5	5			•	•	•	★	✓
PD6V1003E	HOUSING, 6" VERTICAL, E26 METAL HALIDE (PROTECTED) 100W MH, 347V	080083638284	12	1	1					•	★	✓
6" Incandescent Commercial Vertical Lamp Housing												
 PD6V120	HOUSING, 6" VERTICAL E26, 120V	080083611805	3	6	6			•		•	★	✓

6" Reflectors

6" Directional Commercial Reflector

6AC	REFLECTOR, 6" ANGLE CUT OPEN REFLECTOR, SPECULAR CLEAR	080083611720	1	6	6			•		•	★	✓
6AH	REFLECTOR, 6" ANGLE CUT OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652938	1	6	6			•			★	✓
6ACWF	REFLECTOR, 6" ANGLE CUT OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652631	1	6	6					•	★	✓

6" Commercial Vertical Lamp Reflector

60VC	REFLECTOR, 6" VERTICLE, OPEN REFLECTOR, SPECULAR CLEAR	080083605286	1.1	6	6	•		•	•	•		✓
60V1GC	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083652969	1	6	6					•	★	✓
60VH	REFLECTOR, 6" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652891	1	6	6			•	•		★	✓
60V1GH	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR	080083652884	1	6	6			•			★	✓
60V1GW	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS GLOSS WHITE	080083652877	1	6	6			•			★	✓
60V1GCWF	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652754	1	6	6					•	★	✓
60V1GHWF	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR, WHITE FLANGE	080083652747	1	6	6			•			★	✓
60VCWF	REFLECTOR, 6" VERT, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652730	1	1	1			•	•		★	✓
60VHWF	REFLECTOR, 6" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652723	1	6	6			•	•		★	✓






6" Commercial Vertical Lamp Wall Wash Reflector

60VWWH	REFLECTOR, 6" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652860	1	6	6			•			★	✓
60VWWC	REFLECTOR, 6" VERTICLE, OPEN WALL WASH SPECULAR CLEAR	080083605293	1	6	6	•						✓
60VWWCWF	REFLECTOR, 6" VERT, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652716	1	6	6			•	•		★	✓
60VWWHWF	REFLECTOR, 6" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652709	1	6	6			•			★	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	
6" CFL Commercial Horizontal Lamp Reflector											
62HC	REFLECTOR, 6" HORIZONTAL, OPEN REFLECTOR, SPECULAR CLEAR	080083605262	1	6	6	6	•	•	•	★	✓
62H1GC	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083652952	1	6	6	6	•	•	•	★	✓
62HH	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652921	1	6	6	6	•	•	•	★	✓
62H1GH	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR	080083652914	1	6	6	6	•	•	•	★	✓
62H1GW	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS GLOSS WHITE	080083652907	1	6	6	6	•	•	•	★	✓
62H1GCWF	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652693	1	6	6	6	•	•	•	★	✓
62H1GHWF	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR, WHITE FLANGE	080083652686	1	6	6	6	•	•	•	★	✓
62HCWF	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652679	1	6	6	6	•	•	•	★	✓
62HHWF	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652662	1	6	6	6	•	•	•	★	✓
62H4GDF	REFLECTOR, 6" HORZ, LENS, FRESNEL GLASS FLUSH MOUNT (DEAD FRONT TRIM)	080083660322	1	6	6	6	•	•	•	★	✓
6" CFL Commercial Horizontal Lamp Wall Wash Reflector											
62HWWH	REFLECTOR, 6" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR	080083655977	1	6	6	6	•	•	•	★	✓
62HWWCWF	REFLECTOR, 6" HORZ, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652655	1	6	6	6	•	•	•	★	✓
62HWWHWF	REFLECTOR, 6" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652648	1	6	6	6	•	•	•	★	✓

8" Housings

8" CFL Commercial Horizontal Lamp Housing											
	PD8H142E	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT HORIZONTAL, 120-277V UNV	080083611782	4.75	6	6	•	•	•	★	✓
	PD8H242E	HOUSING, 8" (2) 26W DTT, 26/32/42W TTT HORIZONTAL, 120-277V UNV	080083611775	4.75	6	6	•	•	•	★	✓
	PD8H2423E	HOUSING, 8" (2) 26W DTT, 26/32/42W TTT HORIZONTAL, 347V	080083628858	4.75	1	1	•	•	•	★	✓
8" CFL Commercial Horizontal Lamp Housing, Emergency											
	PD8H242REM	HOUSING 8" (2) 26W DTT, 26/32/42W TTT HORZ., 120-277V EM	080083631704	4.75	1	1	•	•	•	★	✓
8" CFL Commercial Vertical Lamp Housing											
	PD8V142E	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERTICAL, 120-277V UNV	080083611768	4.75	1	1	•	•	•	★	✓
8" CFL Commercial Vertical Lamp Housing, Emergency											
	PD8V142REM	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERTICAL, 120/277V EM	080083633036	4.75	1	1	•	•	•	★	✓
8" Metal Halide Commercial Vertical Lamp Housing											
	PD8V100E	HOUSING, 8" VERTICAL, E26 (PROTECTED) 100W MH, 120/277V UNV	080083611799	12	5	5	•	•	•	★	✓
	PD8V1003E	HOUSING, 8" VERTICAL, E26 (PROTECTED) 100W MH, 347V UNV	080083611799	12	5	5	•	•	•	★	✓
	PD8V150E	HOUSING, 8" VERTICAL, E26 (PROTECTED) 150W MH, 120/277V UNV	080083630769	4.75	1	1	•	•	•	★	✓
	PD8V1503E	HOUSING, 8" VERTICAL, E26 (PROTECTED) 150W MH, 347V UNV	080083638260	4.75	1	1	•	•	•	★	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
	8" Metal Halide Commercial Vertical Lamp Housing, Dimming										
	PD8V1421DMARKX HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERTICAL, 120V DIMMING	080083633029	4.75	1	1			•			★
	8" Incandescent Commercial Vertical Lamp Housing										
	PD8V120 HOUSING, 8" VERTICAL E26, 120V	080083611751	4.75	1	1			•		•	★ ✓

8" Reflectors

8" CFL Commercial Horizontal Lamp Reflector

82HC	REFLECTOR, 8" HORIZONTAL, OPEN REFLECTOR, SPECULAR CLEAR	080083605309		1	6	6		•		•	★ ✓
82H1GC	REFLECTOR, 8" HORZ, LENS, PRISMATIC GLASS, SPECULAR CLEAR	080083660339		1	6	6		•		•	★
82HH	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652853		1	6	6		•			★ ✓
82H1GW	REFLECTOR, 8" HORZ, LENS, PRISMATIC GLASS GLOSS WHITE	080083652846		1	6	6		•			★ ✓
82HCWF	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652594		1	6	6		•		•	★ ✓
82HHWF	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652587		1	6	6		•		•	★ ✓

8" CFL Commercial Horizontal Lamp Wall Wash Reflector

82HWWC	REFLECTOR, 8" HORIZONTAL, OPEN WALL WASH SPECULAR CLEAR	080083605316		1	6	6		•		•	★ ✓
82HWWH	REFLECTOR, 8" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652839		1	6	6		•			★ ✓
82HWWCWF	REFLECTOR, 8" HORZ, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652570		1	6	6		•			★ ✓
82HWWHWF	REFLECTOR, 8" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652563		1	6	6		•			★ ✓

8" Commercial Vertical Lamp Reflector









80VC	REFLECTOR, 8" VERTICAL, OPEN REFLECTOR, SPECULAR CLEAR	080083605323	1.5	6	6		•		•		✓
80V1GC	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083655984		1	6	6		•		•	★ ✓
80VH	REFLECTOR, 8" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652822		1	6	6		•		•	★ ✓
80V1GW	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS GLOSS WHITE	080083652815		1	6	6		•			★ ✓
80V1GCWF	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652624		1	6	6		•			★ ✓
80VCWF	REFLECTOR, 8" VERT, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652617		1	6	6		•		•	★ ✓
80VHWF	REFLECTOR, 8" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652600		1	6	6		•			★ ✓

8" Commercial Vertical Lamp Wall Wash Reflector






80VWWC	REFLECTOR, 8" VERTICAL, OPEN WALL WASH SPECULAR CLEAR	080083605330		1	6	6		•			✓
80VWWH	REFLECTOR, 8" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652808		1	6	6		•			★ ✓
80VWWCWF	REFLECTOR, 8" VERT, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652785		1	6	6		•			★ ✓
80VWWHWF	REFLECTOR, 8" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652778		1	6	6		•			★ ✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.












CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
4" Trim											
4" Trim											
Baffle - ERT401											
	ERT401	4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH BLACK BAFFLE	662400212928	0.2	12	12	•	•	•	✓	
	ERT401WHT	4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE BAFFLE	662400212935	0.2	12	12	•	•	•	•	✓
Eyeball											
	ERT402	4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE EYEBALL	662400212942	0.67	12	12	•	•	•	✓	
Reflector											
	ERT403	4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400212959	0.33	12	12	•	•	•	✓	
White Metal Cone Baffle											
	ERT410WHT	4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE METAL BAFFLE	080083542185	0.31	12	12	•	•	•	•	
Baffle - ERT413											
	ERT413	4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH BLACK METAL BAFFLE	662400679684	0.19	12	12	•	•	•	•	
	ERT413WHT	4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE METAL BAFFLE	662400660361	0.4	12	12	•	•	•	•	
Prismatic Glass Lens											
	ERT455	4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH FLAT PRISMATIC GLASS LENS	080083515981	0.6	6	6	•	•	•	•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
4" Low Voltage Trim											
4" Low Voltage Trim											
	Baffle - ERT401LV ERT401LV 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK BAFFLE, LOW VOLTAGE	662400213574	0.59	12	12					•	✓
	Baffle - ERT401LVW ERT401LVW 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE BAFFLE, LOW VOLTAGE	662400213581	1	12	12		•	•		•	✓
	Eyeball ERT402LV 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE EYEBALL, LOW VOLTAGE	662400213598	0.7	12	12					•	✓
	Reflector ERT403LV 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR, LOW VOLTAGE	662400213604	0.49	12	12					•	✓
	Slot Aperture ERT404LV 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM SLOT APERTURE, LOW VOLTAGE	662400215479	0.64	12	12			•			✓
5" Housing											
5" Housing											
	IC Air-Tite EI500AT 5" HOUSING IC AIR-TITE 120V LINE VOLTAGE	623960274733	3.3	6	6		•			•	✓
	IC Air-Tite Remodel EI500RAT 5" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	622696731268	1.45	6	6		•			•	✓
	Non-IC ET500 5" HOUSING NON-IC 120V LINE VOLTAGE	622696731176	3.95	4	4					•	✓
	Non-IC Remodel ET500R 5" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	622696731244	2.53	6	6					•	✓
5" Trim											
5" Trim											


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.










CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
 Metal Splay Baffle - ERT501											
ERT501	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL SPLAY BAFFLE	623960342197	0.58	6	6					•	✓
 Metal Splay Baffle - ERT501WHT											
ERT501WHT	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL SPLAY BAFFLE	623960342180	0.58	6	6		•	•		•	✓
 Baffle - ERT513											
ERT513	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE	662400679691	0.27	48	48			•		•	✓
 Baffle - ERT513TS											
ERT513TS	5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH BLACK METAL BAFFLE AND TORSION SPRINGS	623960380618	0.3	36	36					•	✓
 Baffle - ERT513WHT											
ERT513WHT	5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH WHITE METAL BAFFLE	662400679707	0.27	48	48		•	•		•	✓
 Baffle - ERT513WHTTS											
ERT513WHTTS	5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH WHITE METAL BAFFLE AND TORSION SPRINGS	623960380595	0.4	36	36			•		•	✓
 Reflector Cone											
ERT520	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR CONE	622697152963	0.73	6	6					•	✓
 Wall Wash											
ERT530WHT	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SCOOP AND WHITE BAFFLE	623961562570	0.6	6	6					•	✓
 Frosted Dome Glass Lens Shower Light											
ERT550	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FROSTED DROP DOME GLASS LENS	623961733680	1.4	6	6					•	✓
 Frosted Glass Lens Shower Light											
ERT551	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FROSTED LENS	623961733697	1	6	6		•			•	✓
 Fresnel Glass Lens Shower Lens											
ERT552	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FRESNEL LENS	622697152956	1.1	4	4			•		•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.










CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
 Eyeball - 30 Degree Tilt ERT570	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE EYEBALL, PAR 30 LAMP	622697152987	0.83	4	4					•	✓
	5"/6" LED LED Accessory										

 LED Accessory HE26LED	E26 MEDIUM SCREWBASE TO T24 LED ADAPTER, SINGLE PACK	080083577019	0.03	8	8					•	✓
	HE26LED24PK	E26 MEDIUM SCREWBASE TO T24 LED ADAPTER, BULK PACK 24PCS.	080083582440	2.5	24	24					•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
6" Housing												
6" Housing												
	IC EI700	6" HOUSING IC 120V LINE VOLTAGE	662400316664	2.7	6	6					•	✓
	IC Air-Tite EI700AT	6" HOUSING IC AIR-TITE 120V LINE VOLTAGE	080083609031	2.65	6	6	•	•	•	•	•	✓
	IC and IC Air-Tite No Socket Bracket - EI700ATNB EI700ATNB	6" HOUSING IC AIR-TITE NO SOCKET BRACKET 120V LINE VOLTAGE	622696854462	2.8	6	6	•				•	✓
	IC and IC Air-Tite No Socket Bracket - EI700NB EI700NB	6" HOUSING IC NO SOCKET BRACKET 120V LINE VOLTAGE	662400502654	2.55	6	6					•	✓
	IC and IC Air-Tite Remodel - EI700R EI700R	6" HOUSING IC REMODEL 120V LINE VOLTAGE	622696731138	1.9	6	6					•	✓
	IC and IC Air-Tite Remodel - EI700RAT EI700RAT	6" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	622696731169	2.04	6	6				•	•	✓
	IC and IC Air-Tite Universal EI700UAT	6" HOUSING UNIVERSAL IC AIR-TITE 120V LINE VOLTAGE	622696847167	4.58	4	4		•				✓
	Non-IC ET700	6" HOUSING NON-IC 120V LINE VOLTAGE	662400212744	3.68	6	6		•				✓
	Non-IC Remodel ET700R	6" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	622696731121	2.3	6	6		•				✓












★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
6" Shallow Housing											
6" Shallow Housing											
	IC and IC Air-Tite - EI2700 EI2700 6" HOUSING SHALLOW IC 120V LINE VOLTAGE	622696731077	2.75	6	6					•	✓
	IC and IC Air-Tite - EI2700AT EI2700AT 6" HOUSING SHALLOW IC AIR-TITE 120V LINE VOLTAGE	622696731084	2.75	6	6					•	✓
	IC Remodel EI2700R 6" HOUSING SHALLOW IC REMODEL 120V LINE VOLTAGE	622696731107	1.8	6	6					•	✓
	Non-IC ET2700 6" HOUSING SHALLOW NON-IC 120V LINE VOLTAGE	622696731053	3.33	6	6					•	✓
6" CFL Energy Star / Title 24 Housing											
6" Housing											
	IC Air-Tite EI2072AT 6" HOUSING 26W ENERGY STAR TITLE 24 IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961966798	2.95	4	4				•	•	✓
	IC Remodel EI2072RAT 6" HOUSING 26W ENERGY STAR TITLE 24 IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961967849	2.95	6	6				•		✓
6" Slope Ceiling Housing											
6" Housing											
	IC and IC Air-Tite EI4700AT 6" HOUSING IC AIR-TITE SLOPE CEILING 120V LINE VOLTAGE	623961562624	4.63	4	4					•	✓
6" Trim											
6" Trim											
	Albalite Lens Shower Light ERT701 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH ALBALITE LENS	662400212751	1	12	12	•	•	•	•	•	
	Drop Opal Plastic Lens Shower ERT702 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH DROP OPAL LENS	662400212768	0.54	12	12					•	•














★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
Fresnel Lens Shower Light												
 ERT703	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FRESNEL LENS	662400212775	0.75	12	12			•		•		
Eyeball												
 ERT704	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE EYEBALL	662400212782	1	6	6	•		•	•	•		✓
Open Trim - ERT705												
 ERT705	6" TRIM HIGH GLOSS APPLIANCE WHITE OPEN TRIM, WITH SOCKET SUPPORT	662400316718	0.6	6	6	•		•	•	•		✓
Open Trim - ERT706												
 ERT706	6" TRIM HIGH GLOSS APPLIANCE WHITE OPEN TRIM	662400316732	0.4	24	24					•		✓
Metal Baffle - ERT707												
 ERT707	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400316749	0.5	18	18	•		•		•		✓
Metal Baffle - ERT707WHT												
 ERT707WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212874	0.5	18	18	•	•	•	•	•		✓
Plastic Baffle												
 ERT707WHTSP	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE AND NARROW TRIM RING	662401001514	0.47	18	18					•		
Large Aperture Open												
 ERT708	6" TRIM HIGH GLOSS APPLIANCE WHITE LARGE APERTURE OPEN TRIM	662400316763	0.37	24	24	•						✓
Large Aperture Open Metal Baffle - ERT709												
 ERT709	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212836	0.42	18	18	•				•		✓
Large Aperture Open Metal Baffle - ERT709WHT												
 ERT709WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212881	0.42	18	18	•	•			•		✓
Specular Reflector												
 ERT710	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400316794	0.8	6	6	•		•		•		✓





★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
White Reflector											
 ERT712	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE REFLECTOR	662400615378	0.6	48	48	•		•		•	✓
White Reflector and Torsion Springs											
 ERT712TS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE REFLECTOR AND TORSION SPRINGS	662400687450	0.4	36	36			•		•	✓
White Trim, Black Metal Baffle - ERT713											
 ERT713	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE	662400649564	0.4	48	48	•		•		•	✓
White Trim, Black Metal Baffle - ERT713L											
 ERT713L	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE (LONGER VERSION)	662400677437	0.32	48	48	•				•	
 ERT713LTS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE AND TORSION SPRINGS (LONGER VERSION)	662400687481	0.417	36	36					•	✓
White Trim, Black Metal Baffle - ERT713TS											
 ERT713TS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE AND TORSION SPRINGS	662400687467	0.1	36	36			•		•	✓
White Trim, White Metal Baffle - ERT713WHT											
 ERT713WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE BAFFLE	662400643104	0.4	48	48	•	•	•		•	✓
White Trim, White Metal Baffle - ERT713WHTTS											
 ERT713WHTTS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE BAFFLE AND TORSION SPRINGS	662400687474	0.4	36	36		•	•	•	•	✓
Plastic Baffle - ERT714											
 ERT714	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK PLASTIC BAFFLE	662400646884	0.2	36	36					•	✓
Plastic Baffle - ERT714WHT											
 ERT714WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE	662400646891	0.2	36	36			•		•	✓
 ERT714WHTSP	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE AND NARROW TRIM RING	622697764067	0.26	36	36					•	
Shallow Metal Baffle											
 ERT716WHT	6" TRIM SHALLOW HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE FULL BAFFLE	662400671558	0.26	24	24	•				•	✓
Shower Light with Frosted Glass Lens and Reflector - ERT721											
 ERT721	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH GLASS FROSTED LENS	623961051210	1.2	6	6		•	•		•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 Shower Light with Glass Fresnel Lens and Reflector - ERT723										
ERT723	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH GLASS FRESNEL LENS	662400688112	1.38	6	6			•	•	✓
 Black and White Metal Baffle / Splay - ERT725TS										
ERT725TS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK SPLAY BAFFLE AND TORSION SPRINGS, NARROW COLLAR	623960293024	0.35	36	36				•	✓
 Black and White Metal Baffle / Splay - ERT725WHT										
ERT725WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SPLAY BAFFLE, NARROW COLLAR	623960293031	0.35	48	48				•	✓
 Black and White Metal Baffle / Splay - ERT725WHTTS										
ERT725WHTTS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SPLAY BAFFLE AND TORSION SPRINGS, NARROW COLLAR	623960293062	0.35	36	36				•	✓

6" CFL Energy Star / Title 24 Trim
6" Trim

 Drop Opal Lens Shower										
ERT724	6" TRIM DROP OPAL LENS SHOWER FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, DROP OPAL LENS WITH TORSION SPRINGS	623961026553	0.89	6	6			•		✓
 Reflector - ERT770										
ERT770MST	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, MATTE HAZE REFLECTOR WITH TORSION SPRINGS	623961442643	0.54	36	36				•	✓
ERT770TS	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, CLEAR SPECULAR REFLECTOR WITH TORSION SPRINGS	623961307164	0.54	36	36			•	•	✓
 Reflector - ERT771										
ERT771TS	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING AND GLOSS WHITE REFLECTOR WITH TORSION SPRINGS	623961307171	0.54	36	36			•	•	✓
 Baffle - ERT772TS										
ERT772TS	6" TRIM BAFFLE FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, BLACK BAFFLE WITH TORSION SPRINGS	623961307188	0.54	36	36				•	✓
 Baffle - ERT772WHTTS										
ERT772WHTTS	6" TRIM BAFFLE FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, GLOSS WHITE BAFFLE WITH TORSION SPRINGS	623961307201	0.8	36	36			•	•	✓

6" Slope Ceiling Trim
6" Trim

 Baffle										
ERT4980WHT	6" TRIM SLOPE CEILING HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE BAFFLE	623961738975	0.8	6	6				•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Metalux

Recessed Static

Accord Series



2'x2'

2AC-LD2-25-UNV-L835-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 2500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083627295	13.8	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-LD2-25-UNV-L840-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 2500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654079		1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-LD2-33-UNV-L835-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 3300 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083627288	13.95	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-LD2-33-UNV-L840-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 3300 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083640492		1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★



2'x4'

2AC-LD2-47-UNV-L835-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 4700 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083627271	24	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-LD2-47-UNV-L840-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 4700 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654062		1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-LD2-53-UNV-L835-CD2-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 5300 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083627264	24.1	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-LD2-53-UNV-L840-CD2-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 5300 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083640485	24.5	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-228T5-UNV-L5835-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	623961677014	36	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-228T5-UNV-L5835-EBT1NDIM-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL STEP DIMMING & LAMPS	623961830419	36	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2AC-228T5-UNV-L5841-EBT1N-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	623961511394	36	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★


Arcline Series





2'x2'

2ALNG-LD1-27-UNV-L835-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 2700 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083643790	18.5	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2ALNG-LD1-27-UNV-L840-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 2700 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654161	18.5	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2ALNG-LD1-36-UNV-L835-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 3600 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083643783	18.5	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2ALNG-LD1-36-UNV-L840-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 3600 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654178	18.5	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2ALNG-217-UNV-L8735-EB81-U	2 LAMP, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T8 LAMPS	080083613229	10.25	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★
2ALNG-224T5-UNV-L5841-EBT1-U	2 LAMP, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T5 LAMPS	080083614363	10.25	1	1	█	█	█	█	█	█	█	█	█	█	█	█	█	★




★ Indicates ARRA Eligible Product, **Off The Shelf** **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ IL TX CA GA				
2'x4'										
	2ALNG-LD1-45-UNV-L835-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 4500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083643806	20.5	1	1				• ★
	2ALNG-LD1-45-UNV-L840-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 4500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654185	20.5	1	1				• ★
	2ALNG-LD1-55-UNV-L835-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083643813	20.5	1	1				• ★
	2ALNG-LD1-55-UNV-L840-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654192	20.5	1	1				• ★
	2ALNG-228T5-UNV-L5841-EBT1-U	2 LAMP, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T5 LAMPS	080083613755	20.5	1	1				• ★
	2ALNG-232-UNV-L8835-EB81-U	2 LAMP, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T8 LAMPS	080083613236	20.5	1	1				• ★

GC8 Series


1'x4' Flanged										
	FC8-232A-UNV-EB81-U	2 LAMP, 1'X4' DRYWALL LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	623961174018	15.56	1	1				•
	FC8IC-232A-UNV-EB81-U	2-LAMP, IC RATED, 1'X4' DRYWALL LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	080083626946	15.56	1	1				•
2'x4'										
	2GC8-232A125-UNV-EB81-U	2 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	622696152865	20.5	1	1				• ★
	2GC8-332A-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401730094	20.5	1	1				• ★
	2GC8-332A125-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	622696380657	20.5	1	1				• ★
	2GC8-432A-UNV-EB81-U	4 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	622697823832	20.5	1	1				• ★
	2GC8-432A125-UNV-EB81-U	4 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961023187	20.5	1	1				• ★

GR8 Series


1'x4'										
	GR8-232A-UNV-EB81-U	2 LAMP, 1'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401551330	16.2	1	1				• •
2'x2'										
	2GR8-2U6T8A-UNV-EB81-U	2 LAMP, 2'X2' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 U6	623961643842	12.2	1	1	•	•	•	• • ★
	GR82U	2 U-LAMP, 2'X2' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	623961182563	15.13	1	1				• ★ 


★ Indicates ARRA Eligible Product,  Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET									
				QTY	QTY	NJ	IL	TX	CA	GA			
	2'x4' 2GR8-232A125-UNV-EB81-U	2 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961689376	20.5	1	1					★		
	2GR8-232A-UNV-EB81-U	2 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	623961759802	22.5	1	1	•	•	•	•	•	★	☑
	2GR8-232A-UNV-L8735-EB81-U	2 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401340095	21.85	1	1	•					★	
	2GR8-332A125-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961689697	20.5	1	1						★	
	2GR8-332A-UNV-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401286805	20.5	1	1	•	•	•	•	•	★	☑
	2GR8-332A-UNV-L8735-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401012213	21.85	1	1	•					★	☑
	GR83	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	623961285875	23.83	1	1						★	☑
	2GR8-332A-UNV-L8735-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401335831	23.83	1	1		•	•	•		★	☑
	2GR8-332A-UNV-L8741-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	623961689840	23.83	1	1						★	☑
	2GR8-332A-UNV-EB82-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST (2), T8	662401341405	22.5	1	1	•		•	•	•	★	☑
	2GR8-432A125-UNV-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, #12. 125 THICK ACRYLIC LENS, CEE LISTED ELECTRONIC BALLAST, T8	662401334247	20.5	1	1						★	
	2GR8-432A-UNV-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401286812	20.5	1	1	•	•	•	•	•	★	☑
	2GR8-432A-UNV-L8735-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401335862	22.3	1	1	•					★	☑
	2GR8-432A-UNV-L8741-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	623961689482	22.3	1	1		•				★	☑
	GR8	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	622697079918	22.66	1	1						★	☑
	2GR8-432A-UNV-L8735-A3/8-2/18G-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401335848	24.28	1	1		•	•	•		★	☑
2GR8-432A-UNV-L8741-A3/8-2/18G-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401321902	22.5	1	1		•				★	☑	
2GR8-432A-UNV-EB82-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST (2), T8	662400102229	22.5	1	1	•		•			★	☑	

Recessed Direct / Indirect
RDI Ovation Series

	2'x2' - Center Mount 2RDI-2BX40RP-UNV-TU-C240PUNVHPB-U	2 BIAx LAMP 2'X2', ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, ELECTRONIC BALLAST, T5, UNV	662401926923	23.36	1	1		•		•	•	
	2RDI-217RP-UNV-EB81-U	2 LAMP, 2'X2' ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	622696299461	14.2	1	1			•			
	2RDI-317RP-UNV-EB81-U	3 LAMP, 2'X2' ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	662401814206	14.2	1	1					•	

	2'x4' - Center Mount 2RDI-232RP-UNV-EB81-U	2 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	622696409877	36	1	1		•	•	•	•	
	2RDI-332RP-UNV-EB81-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	662401732708	36	1	1	•	•	•	•	•	
	2RDI-332RP-UNV-EB82-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST (2), T8	622696299065	37	1	1				•	•	
	2RDI-332RP-UNV-L8735-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	622697399627	42	1	1			•			

★ Indicates ARRA Eligible Product, ☑ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		NJ	IL	TX	CA	GA
				QTY	QTY					

Recessed Accessory

Accessory




A12-100-22GP-U	2'X2' #12 LENS FOR G, GR8, GC & GC8 SERIES	662400106357	1	5	5					•	
A12-100-242G-U	2'X4' #12 LENS FOR G, GR8, GC & GC8 SERIES	662400106227	1.2	20	20					•	•
A12-125-24GC-U	2'X4' #12 .125 LENS FOR G, GR8, GC & GC8 SERIES	662400230144	2.8	200	200					•	
DF-14W-U	1'X4' DRY WALL FRAME KIT	662401232949	2.2	1	1					•	•
DF-22W-U	2'X2' DRY WALL FRAME KIT	662401232963	1.95	1	1					•	•
DF-24W-U	2'X4' DRY WALL FRAME KIT	662401232970	2.57	1	1					•	•
EQ-CLIP-U	T-BAR SAFETY CLIP FOR TROFFERS AND OVATION SERIES - ORDER 4 PER FIXTURE	662400107194	0.01	4500	4500					•	•
FCS-22W-U	2'X2' WHITE STEEL FLANGE KIT FOR G, GR8, GC8, GR5	662400105978	3.8	1	1					•	
FCS-24W-U	2'X4' WHITE STEEL FLANGE KIT, FOR 2G, 2GR8, 2GC8 & 2GR5 SERIES	662400105985	4.8	1	1					•	•
FCTKA-22W-U	2'X2' WHITE STEEL FLANGE KIT FOR 2GR8, 2GC8 & 2GR5 SERIES	080083617166	5.48	1	1					•	•
FCTKA-24W-U	2'X4' WHITE STEEL FLANGE KIT FOR 2GR8, 2GC8 & 2GR5 SERIES	080083608423	2.65	1	1					•	•
2GR8-4-A W/SPGL FRM	2'X4' REPLACEMENT FRAME & LENS FOR 2G & 2GR8 SERIES	622697133917	4.4	6	6					•	•
T3A END E.Q. BRACKET PARTS BAG	EQ CLIPS FOR USE ON FIXTURE ENDS. INCLUDES FOUR SCREWS AND BRACKETS.	662400107279	0.4	24	24					•	•

Modular Surface

	2'x2' 2M-2U6T8A-UNV-EB81-U	2 U-LAMP, 2'X2' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401879502	20.67	1	1				•	•
	2'x4' 2M-332A-UNV-EB81-U	3 LAMP, 2'X4' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401793532	32	1	1				•	•
	2M-432A-UNV-EB81-U	4 LAMP, 2'X4' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401812486	33.2	1	1				•	•

Wraparound

Specification Wraparound

	4' - 2 Lamp WS-232A-UNV-EB81-U	2 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191352	11.22	1	1				•	•
	WS-232A-UNV-ER81-U	2 LAMP, 4' WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	622697665234	11.22	1	1				•	•
	4' - 3 Lamp WS-332A-UNV-EB81-U	3 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191345	10.25	1	1				•	•
	4' - 4 Lamp WS-432A-UNV-EB81-U	4 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191338	15.59	1	1				•	•






Replacement Lens

WS-2A-U	2 LAMP, 4' WRAPAROUND LENS FOR WS SERIES	662400106302	3.8	1	1					•	•
WS-4A-U	4 LAMP, 4' WRAPAROUND LENS FOR WS SERIES	662400106319	4.6	1	1					•	•

Commercial Wraparound

★ Indicates ARRA Eligible Product, **Off The Shelf** **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
 2' - 2 Lamp WN-217A-UNV-EB81-U	2 LAMP, 2' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518852	6.51	1	1	•			•	•
 4' - 2 Lamp WN-232A-UNV-EB81-U	2 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518845	7.5	1	1	•	•	•	•	•
	WN-232A-UNV-ER81-U	080083545766	9.6	1	1				•	
 4' - 3 Lamp WN-332A-UNV-EB81-U	3 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518524	11.96	1	1				•	•
	WN-332A-UNV-ER81-U	080083569083	11.96	1	1				•	
 4' - 4 Lamp WN-432A-UNV-EB81-U	4 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518517	14	1	1	•	•	•	•	•
	WN-432A-UNV-EB82-U	080083518500	18.64	1	1				•	
 8' - 4 Lamp 8TWN-232A-UNV-EB81-U	4 LAMP, 8' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518487	21.98	1	1				•	•

Replacement Lens

WN-2A-U	WN SERIES REPLACEMENT LENS	080083517749	1	1	1				•	•
WN-4A-U	WN SERIES REPLACEMENT LENS	080083517756	1.7	1	1				•	•
W-2A-U	WN SERIES - 2 LAMP REPLACEMENT LENS	662400106241	2.4	1	1				•	★
W-4A-U	WN SERIES - 4 LAMP REPLACEMENT LENS	662400106265	9.7	1	1				•	★

Commercial Wraparound - WP

4' - 2 Lamp


WP232R	2 LAMP, 4' WRAPAROUND, INSTANT RAPID START ELECTRONIC BALLAST, T8	080083632299	6	1	1				•	•
--------	---	--------------	---	---	---	--	--	--	---	---

Commercial Softside Cloud

2' - 2 Lamp

 WSC-232-D-W-UNV-EB81-U	2 LAMP, 2' SOFTSIDE CLOUD, CEE LISTED ELECTRONIC BALLAST, T8	080083523610	12.6	1	1				•	★
--	--	--------------	------	---	---	--	--	--	---	---

4' - 2 Lamp

 WSC-432-D-W-UNV-EB81-U	2 LAMP, 4' SOFTSIDE CLOUD, CEE LISTED ELECTRONIC BALLAST, T8	080083523627	17.1	1	1				•	★
--	--	--------------	------	---	---	--	--	--	---	---




Replacement Lens

WSC-2A-U	2 LAMP, 4' REPLACEMENT PUFF REPLACEMENT LENS	080083587506	6.5	1	1				•	★
WSC-4A-U	4 LAMP, 4' REPLACEMENT PUFF REPLACEMENT LENS	080083587490	6.5	1	1				•	★


Residential Wraparound

★ Indicates ARRA Eligible Product, **Off The Shelf** Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 2' - 2 Lamp WN-217A-120V-REB1-U	2 LAMP, 2' WRAPAROUND, 120V RESIDENTIAL, T8	080083523269	6.51	1	1					•
 4' - 2 Lamp WN-232A-120V-REB1-U	2 LAMP, 4' WRAPAROUND, 120V RESIDENTIAL, T8	080083523276	11.91	1	1					•
 4' - 4 Lamp WN-432A-120V-REB1-U	4 LAMP, 4' WRAPAROUND, 120V RESIDENTIAL ELECTRONIC BALLAST, T8	080083523283	14	1	1					•


Economy Wraparound





 4' - 2 Lamp WE-232A-UNV-EB81-U	2 LAMP, 4' WRAPAROUND CEE LISTED ELECTRONIC BALLAST, T8	662401234493	10.11	1	1					•
Replacement Lens										
WE-A-U	WE SERIES - 2 LAMP REPLACEMENT LENS	662401640881	2.58	1	1					•

Corridor Wraparound

 4' - 2 Lamp CR-232A-UNV-EB81-U	2 LAMP, 4' CORRIDOR WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401004027	11.38	1	1				•	★
Replacement Lens										
CR-A-U	REPLACEMENT ACRYLIC LENS FOR CR SERIES	662400106272	1.8	2	2					• ★

SA Wrap

 4' - 2 Lamp SA-232A-UNV-EB81-U	2 LAMP, 4' SURFACE MODULAR WRAP, CEE LISTED ELECTRONIC BALLAST, T8	622696337255	17.1	1	1					• ★
---	--	--------------	------	---	---	--	--	--	--	-----

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET				
				QTY	QTY	NJ	IL	TX
Wall Brackets								
BE Wall Brackets								
	4' - 2 Lamp							
BEU-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED CEE LISTED ELECTRONIC BALLAST, T8 W/UPLIGHT	622696153060	17.06	1	1			• ★
BE-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401715107	15.23	1	1			• ★
BC Wall Bracket								
	2' - 2 Lamp							
BC-217-UNV-EB81-U	2 LAMP, 2' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401753703	6.1	1	1			• ★
	4' - 1 Lamp							
BC-132-UNV-EB81-U	1 LAMP, 4' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	622696202355	7.4	1	1			• ★
	4' - 2 Lamp							
BC-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401620364	10.8	1	1	•	•	• • ★
Replacement Lens								
BC-14-B	REPLACEMENT LENS, 4FT, BC SERIES	662400180340	1.8	2	2			• ★


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

Paralux III High Performance

EP3GAX Series

2'x2' - 9 Cell										
	AP32U	2 U-LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	080083520176	16.1	1	1				✓
	2EP3GAVX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC, W/VANES, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520220	14.3	1	1				✓
	2EP3GX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520145	14.3	1	1				✓
	2EP3GX-317S33I-UNV-EB81-U	3 LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520084	14.3	1	1				✓

2'x4' - 12 Cell										
	2EP3GX-232S26I-UNV-EB81-U	2 LAMP, 2'X4' STATIC PARABOLIC, 12 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520169	27.36	1	1				✓

2'x4' - 18 Cell										
	AP3	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC W/VANES, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	622696199785	27.36	1	1				✓
	2EP3GAVX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, W/VANES, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401000685	27.36	1	1				✓
	2EP3GAX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401339785	27.36	1	1				✓
	2EP3GX-232S36I-UNV-EB81-U	2 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520237	27.36	1	1				✓
	2EP3GX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401012084	27.36	1	1				✓
	2EP3GX-332S36I-UNV-EB82-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST (2), T8	662401339761	27.36	1	1				✓
	2EP3GX-332S36I-UNV-L8735-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8, W/LAMPS & FLEX	662401339730	27.36	1	1				✓
	2EP3GX-332S36I-UNV-L8735-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662400201908	27.36	1	1				✓
	2EP3GX-332S36I-UNV-L8741-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	622697478087	27.36	1	1				✓

2'x4' - 32 Cell

	2EP3GX-432S48I-UNV-EB81-U	4 LAMP, 2'X4' STATIC PARABOLIC, 32 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	080083520206	27.36	1	1				✓
--	---------------------------	---	--------------	-------	---	---	--	--	--	---



Chicago Approved - 2'x2' 9 Cell

	ATW-SW4-2EP3GAVX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC W/VANES, 9 CELL SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, ELECTRONIC BALLAST, T8, CHICAGO PLENUM APPROVED	623961053474	16.47	1	1				✓
--	---------------------------------------	---	--------------	-------	---	---	--	--	--	---

Parabolic Surface










High Performance

Standard 3" Parabolic

	EP3X-S36I-24-C-U	REPLACEMENT LOUVER, 2EP3, 18 CELL, SEMI-SPECULAR, 2'X4'	662401644490	6.2	1	1				✓
--	------------------	---	--------------	-----	---	---	--	--	--	---





★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Advanced Retrofit Kit Technology (ART)											
Architectural Kits - ARCDUO											
	2'x2' Architectural ART-2ARC-217L-UNV-EB81-U	ARCDUO 2' X 2' RETROFIT KIT, 2-LAMP, DIRECT DUAL LENS ARCHITECTURAL DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED TO CEE LISTED BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083590742	26.04	1	1				•	
	2'x4' Architectural ART-2ARC-232L-UNV-HB81-U	ARCDUO 2' X 4' RETROFIT KIT, 2-LAMP, DIRECT DUAL LENS ARCHITECTURAL DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083609888	26.04	1	1	•	•		•	
Troffer / Parabolic Kits											
	2'x2' Commercial ART-2CRK-217-W-UNV-EB81-U	COMMERCIAL 2' X 2' RETROFIT KIT, 2-LAMP, WHITE REFLECTOR, PRE-WIRED INSTANT START SOCKETS TO CEE LISTED BALLAST, UNIT PACK	080083590728	26.04	1	1	•	•		✓	
	2'x4' Commercial ART-2CRK-232-W-UNV-EB81-U	COMMERCIAL 2' X 4' RETROFIT KIT, 2-LAMP, WHITE REFLECTOR, PRE-WIRED INSTANT START SOCKETS TO CEE LISTED BALLAST, UNIT PACK	080083590711	26.04	1	1	•		•	✓	
Architectural Kits - CRUZE											
	2'x4' Architectural ART-2CRZ-232L-UNV-HB81-U	CRUZE 2' X 4' RETROFIT KIT, 2-LAMP, DIRECT/INDIRECT CENTER BASKET LENS DOOR AND WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083609895	26.04	1	1				•	
Optica Kits											
	2'x4' High Performance - 12 Cell ART-2OP-232-UNV-HB81-U	OPTICAH 2' X 4' RETROFIT KIT, 2-LAMP, 12-CELL FACETED STRAIGHT BLADE DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083608348	26.04	1	1	•	•		•	
Strip											
Commercial Strip											
	2' - T8 SSF-217-UNV-EB81-U	2 LAMP, 2' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519613	5.4	1	1				•	
	3' - T8 SSF-225-UNV-EB81-U	2 LAMP, 3' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519521	7.6	1	1			•	•	
	4' - T8 SSF-132-UNV-EB81-U	1 LAMP, 4' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519637	5.4	1	1	•			•	
	SSF-232-UNV-EB81-U	2 LAMP, 4' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519590	5.4	1	1	•	•	•	•	✓
	SSF-232-UNV-EB81/PLUS-U	2 LAMP, 4' STANDARD STRIP, T8 INSTANT START CEE LISTED HBF, FLIP-UP SOCKETS	080083571819	5.4	1	1				•	✓
	SSF-232-UNV-ER81-U	2 LAMP, 4' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083620845	5.4	1	1				•	

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.




CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET								
				QTY	QTY	NJ	IL	TX	CA	GA		
 4' - T5HO SSF-254T5-UNV-EBT1-U	2 LAMP, 4' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T5HO, FLIP-UP SOCKETS	080083552511	5.4	1	1	•						
 4' - T12 SSF-248HO-120V-EB21-U	2 LAMP, 4' HIGH OUTPUT STANDARD STRIP, ELECTRONIC T12, FLIP-UP SOCKETS	080083519491	12	1	1						•	
 8' - T8	SSF-296-UNV-EB81-U	2 LAMP, 8' STANDARD STRIP, ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519569	12	1	1	•			•	•	
	8TSSF-132-UNV-EB81-U	2 LAMP, TANDEM 8' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519729	11.4	1	1					•	
	8TSSF-232-UNV-EB81-U	4 LAMP, TANDEM 8' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519682	11.4	1	1	•	•	•	•	•	✓
	8TSSF-232-UNV-ER81-U	4 LAMP, 8' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083620852	11.4	1	1					•	
 8' - T12	SSF-296HO-120V-EB21-U	2 LAMP, 8' HIGH OUTPUT STANDARD STRIP, ELECTRONIC BALLAST, T12, FLIP-UP SOCKETS	080083521395	12	1	1	•	•			•	
	SSF-296-120V-EB21-U	2 LAMP, 8' STANDARD STRIP, ELECTRONIC BALLAST, T12, FLIP-UP SOCKETS	080083519279	12	1	1					•	
Accessory												
GRP-SSF-U	GRIPPER FOR USE W/SSF, IAF & ICF SERIES EXCEPT IA/IC - HO SERIES	080083519262	0.4	50	50						•	
SSF-ASY-4-B	ASYMMETRIC REFLECTOR FOR SSF STRIPS (4')	080083519187	2.1	15	15						•	★
WG/SSF-4FT-B	4' WHITE WIRE GUARD FOR USE W/SSF SERIES ONLY	662400106647	0.85	24	24	•	•	•	•	•	•	
1/4-TN-FSTN-U	1/4 TURN FASTENER	662400106876	0.001	1	1						•	

Commercial Narrow Strip



 18" - T12 SNF-115-LTS-120V-U	1 LAMP, 18" NARROW STRIP, LOW TRIGGER START BALLAST, T12, FLIP-UP SOCKETS	080083519842	3.6	1	1						•	
 2' - T8 SNF-117-UNV-EB81-U	1 LAMP, 2' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519897	4.2	1	1	•	•	•	•	•	✓	
 3' - T8 SNF-125-UNV-EB81-U	1 LAMP, 3' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519873	4.2	1	1			•		•	✓	
 4' - T8	SNF-132-UNV-EB81-U	1 LAMP, 4' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519859	4.83	1	1	•	•	•	•	•	✓
	SNF-232-UNV-EB81-U	2 LAMP, 3' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519750	7.59	1	1			•		•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products



Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
 8' - T8 8TSNF-132-UNV-EB81-U	2 LAMP, TANDEM 8' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519927	11.4	1	1			•		•	✓
 2' - T12 SNF-120-LTS-120V-U	1 LAMP, 2' NARROW STRIP, MAGNETIC BALLAST, T12, FLIP-UP SOCKETS	080083519835	4.2	1	1		•			•	
 4' - T12 SNF-140-LRS-120V-U	1 LAMP, 4' NARROW STRIP, MAGNETIC BALLAST, T12, FLIP-UP SOCKETS	080083519781	7.9	1	1					•	
Accessory											
WG/SNF-4FT-B	4' WHITE WIRE GUARD FOR USE W/SNF SERIES ONLY	662400106630	1.2	30	30					•	


Staggered Strip

 3' SSL-225-UNV-EB81-U	2 LAMP, 3' STAGGERED STRIP, CEE LISTED ELECTRONIC BALLAST, T8	662401715138	7.91	1	1					•	★
 4' SSL-232-UNV-EB81-U	2 LAMP, 4' STAGGERED STRIP, CEE LISTED ELECTRONIC BALLAST, T8	662401715114	7.91	1	1					•	★
Accessory											
AYC-CHAIN/SET-U	(2) V HOOKS & 36" CHAIN SET W/S HOOKS	080083545704	0.46	24	24		•	•	•	•	★

**Industrial
F-Bay I5**

 4 Lamp I5454HT5-UPL-L5	4 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST, UPLIGHT, W/850 LAMPS	623961832376	27.5	1	1					•	✓
I5454HT5-UPL-L5-MS	4 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST, UPLIGHT, W/850 LAMPS, MOTION SENSOR	623961832390	27.5	1	1			•			✓
 6 Lamp 8I5355	TANDEM 8', 3 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST W/THIN BLADE WHITE BAFFLE TOP CONNECTOR PLATE, UPLIGHT, 850 LAMPS	623961744259	27.5	1	1					•	

F-Bay HBE


 4 Lamp HBE454HT5-L4	(4) 54W T5HO PROGRAM START START CEE LISTED , 120-277V , 4000K LAMPS, V HANGERS PROVIDED	080083562862	17.5	1	1			•			
--	--	--------------	------	---	---	--	--	---	--	--	--


F-Bay HBE Accessory

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
Accessory											
HBE-4/6LT-FRM/CL/WG PK	HBE DOORFRAME WITH CLEAR LENS	80083660476	6.15	4	4				•		
HBE-4/6LT-FRM/LENS WDF PK	HBE DOORFRAME WITH PRISMATIC LENS	080083552559	6.15	3	3				•		

F-Bay HBI

4 Lamp											
	HBI454HT5-UPL	(4) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083535378	17.5	1	1			•		✓
	HBI454HT5-UPL-L5	(4) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, 5000K LAMPS, V-HANGERS PROVIDED	080083535385	17.5	1	1	•		•	•	✓
	HBI454HT5	(4) 54W T5HO PROGRAM START, 120-277V, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083563692	17.5	1	1			•		


6 Lamp											
	HBI632	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, V-HANGERS PROVIDED	080083535408	17.5	1	1			•	•	✓
	HBI632PS	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, V HANGERS PROVIDED	080083563005	17.5	1	1			•		
	HBI632PS-MP-L5HL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, 5000K HIGH LUMEN LAMPS, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083580361	25.5	1	1			•		
	HBI632-UPL	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, V-HANGERS PROVIDED	080083535415	17.5	1	1			•		✓
	HBI632-UPL-L5	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, LAMPS, 85CRI, 5000K, V-HANGERS PROVIDED	080083534838	17.5	1	1				•	✓
	HBI632-UPL-L5HL	(6) 32W T8 INSTANT START CEE LISTED HBF, 120-277V, 5000K HIGH LUMEN LAMPS, UPLIGHT, V HANGERS PROVIDED	080083554966	17.5	1	1			•		
	HBI654HT5-UPL	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083535354	17.5	1	1			•	•	✓
	HBI654HT5-UPL-L5	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, 5000K LAMPS, V-HANGERS PROVIDED	080083535361	21.5	1	1	•		•	•	✓
	HBI654HT5	(6) 54W T5HO PROGRAM START, 120-277V, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083547708	17.5	1	1			•	•	


F-Bay HBI Accessory

Accessory											
HBI-FRM/CL PK	HBI DOORFRAME WITH CLEAR LENS	080083545865	7.25	4	4				•	•	•
HBI-FRM/CL/DROP/WG PK	HBI DOORFRAME WITH CLEAR DROP LENS AND WIREGUARD	080083660469	7.25	4	4				•		
HBI-FRM/DROP/WG PK	HBI DOORFRAME WITH PRISMATIC DROP LENS AND WIREGUARD	080083660483	7.25	4	4				•		
HBI-FRM/LENS PK	HBI DOORFRAME WITH PRISMATIC LENS	080083545872	7.25	4	4			•		•	•
HBI-FRM/LENS/WG PK	HBI DOORFRAME, PRISMATIC LENS AND WIREGUARD	080083545889	7.25	4	4					•	
HBI-FRM/WG PK	WIREGUARD FOR HBI	080083545896	7.25	4	4						•
HBI-MS-KIT PK (120V-347V)	MOTIONS SENSOR KIT FOR HBI	080083582464	0.7	4	4				•		
HBAYC-CHAIN/SET-U	(2) HOOK-STYLE V-HANGERS, 36" CHAIN & (2) S-HOOKS (HBI AND HBL ONLY)	080083575756	0.45	24	24						• ★
HB-SPM	SINGLE MONOPOINT HANGING KIT WITH HUB (HBI ONLY)	623961956218	2	1	1				•	•	✓
Y-TOGGLE-10	MOUNTING TOGGLE & 10' #2 CABLE	623961528552	0.18	80	80				•	•	• ★
SWG/HBI-4FT-B	HEAVY DUTY WIREGUARD FOR HBI	080083545964	3.05	6	6	•			•	•	• ★

F-Bay HBL

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
4 Lamp											
 HBL432	(4) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, V-HANGERS	080083563272	17.5	1	1				•		
HBL432-MP-UPL	(4) 32W T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, V HANGERS PROVIDED,	080083553938	17.5	1	1				•		
HBL454T5	(4) 54W T5HO PROGRAM START BALLAST, 120-277V V-HANGERS	080083535491	17.5	1	1	•	•	•	•		
HBL454T5-MP	(4) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083563333	17.5	1	1			•			
HBL454T5-MP-UPL	(4) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083589104	17.5	1	1				•		
HBL454T5-UPL-L5	(4) 54W T5HO PROGRAM START BALLAST, 120-277V, UPLIGHT, W/ 5000K LAMPS, V-HANGERS	623961039829	17.5	1	1	•				•	✓
HBL454T5-UPL-L5-MS	(4) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, UPLIGHT, 5000K LAMPS, V HANGERS PROVIDED, MOTION SENSOR	623961039843	17.5	1	1			•			



6 Lamp											
 HBL632	(6) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, V-HANGERS	080083547760	17.5	1	1		•	•	•		
HBL632-MP-UPL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083549795	17.5	1	1				•		
HBL632PS-MP-L5HL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, 5000K HIGH LUMEN LAMPS, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083577354	17.5	1	1				•		
HBL632-UPL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, UPLIGHT, V HANGERS PROVIDED	623961020759	17.5	1	1			•			
HBL632-UPL-L5	(6) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, UPLIGHT, W/ 5000K LAMPS, V-HANGERS	623961039812	17.5	1	1	•		•		•	✓
HBL632-UPL-L5HL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, UPLIGHT 5000K HIGH LUMEN LAMPS, V HANGERS PROVIDED	080083644261	17.5	1	1				•		
HBL654HT5-UPL-L5	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH AMBIENT BALLAST, W/ 5000K LAMPS, V-HANGERS	623961039850	17.5	1	1	•		•	•	•	✓
HBL654T5	(6) 54W T5HO PROGRAM START BALLAST, 120-277V, UPLIGHT, V-HANGERS	080083517718	17.5	1	1		•	•	•		
HBL654T5-L5	(6) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, 5000K LAMPS, V HANGERS PROVIDED	080083563258	17.5	1	1					•	
HBL654T5-MP-UPL	(6) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083589111	17.5	1	1			•	•		
HBL654T5-UPL-L5	(6) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, UPLIGHT, 5000K LAMPS, V HANGERS PROVIDED	080083521487	17.5	1	1	•					

F-Bay HBL Accessory


Accessory											
HBL-SPM	SINGLE MONOPOINT HANGING KIT WITH HUB (HBL ONLY)	623961956201	0.69	1	1					•	✓
MC6	MODULAR CORD & PLUG, 6' LENGTH, USE WITH MP OPTION	623961368455	0.55	60	60				•	•	
MMS	MODULAR MOTION SENSOR, GREENGATE, 120 THRU 277V, AISLE (180-DEG) AND GENERAL COVERAGE (360-DEG) LENS INCLUDED	623961344213	1.875	12	12				•	•	
MPC6-120	MODULAR CORD & PLUG, 6FT, WITH 120V NEMA TWIST LOCK PLUG. USE WITH MP OPTION	623961368462	0.775	40	40				•	•	
MPC6-277	MODULAR CORD & PLUG, 6FT, WITH 277V NEMA TWIST LOCK PLUG. USE WITH MP OPTION	623961368479	0.72	40	40					•	
WG/HBL6-4FT-B	4FT WIREGUARD FOR HBL 4 OR 6 LAMP	080083521494	1.5	8	8	•		•		•	★








Light Duty

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
IAF Series										
 IAF-232-UNV-EB81-U	2 LAMP, 4' APERTURED UPLIGHT INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519392	10.55	1	1				•	•
IAF-296-UNV-EB81-U	2 LAMP, 8' APERTURED UPLIGHT, INDUSTRIAL, T12, ELECTRONIC BALLAST, UNV, FLIP-UP SOCKETS	080083519323	33.09	1	1					•
8TIAF-232-UNV-EB81-U	4 LAMP, TANDEM 8' INDUSTRIAL APERTURED UPLIGHT, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519453	22.4	1	1				•	•
8TIAF-232-UNV-ER81-U	4 LAMP, 8' APERTURED UPLIGHT INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083613854	22.4	1	1				•	
ICF Series										
 ICF-232-UNV-ER81-U	2 LAMP, 4' CLOSED UPLIGHT INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083589814	10.55	1	1				•	
ICF-232-UNV-EB81-U	2 LAMP, 4' INDUSTRIAL CLOSED TOP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519361	10.55	1	1		•	•	•	•
ICF-296-UNV-EB81-U	2 LAMP, 8' INDUSTRIAL CLOSED TOP, ELECTRONIC BALLAST, T8, 1UNV, FLIP-UP SOCKETS	080083519330	33.09	1	1			•		•
8TICF-232-UNV-EB81-U	4 LAMP, TANDEM 8' INDUSTRIAL CLOSED TOP, ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519439	22.4	1	1		•	•	•	•
Accessory										
ICF-4FT-REFL-B	WHITE 4' CLOSED TOP INDUSTRIAL REFLECTOR	080083519224	4.2	4	4					•
WG/ICF-4FT-B	4' WHITE WIRE GUARD FOR USE W/IAF & ICF SERIES ONLY	662400106623	0.9	12	12	•			•	•

Heavy Duty

2 Lamp 4'										
 DMF-232-UNV-EB81-U	2 LAMP, 4' HEAVY INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8	080083608003	13.5	1	1					•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Vapor Tite											
VT1 Vapor Tite											
	4' VT1-154T5-PCR-UNV-EHT1-WL-U	(1) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, WET LOCATION	080083521326	15	1	1				•	★
VT2 Vapor Tite											
	4' VT2-248HODR-120V-EB21-WL-U	2 LAMP, 4' 48W HO VAPORTITE, HIGH IMPACT PRISMATIC LENS, ELECTRONIC T12 BALLAST, WET LOCATION	623961216091	24.9	1	1				•	★
	VT2-254T5DR-UNV-EBT1-WL-U	2 LAMP, 4' VAPOR-TITE INDUSTRIAL, HIGH IMPACT PRISMATIC LENS, ELECTRONIC BALLAST, T5HO, SUITABLE FOR WET LOCATIONS	623961168826	13.2	1	1	•			•	★
	8' VT2-296DR-UNV-EB81-WL-U	2 LAMP, 8' VAPOR-TITE INDUSTRIAL, HIGH IMPACT PRISMATIC LENS, SLIMLINE ELECTRONIC BALLAST, T8, SUITABLE FOR WET LOCATIONS	623961014086	22.3	1	1	•				
	VT2-296HODR-120V-EB21-WL-U	2 LAMP, 8' 96W HO VAPORTITE, 120V, ELECTRONIC T12 BALLAST, WET LOCATION	662401552405	23.97	1	1				•	★
Accessory											
	VT LATCH	VAPOR-TITE LATCHES	662400106685	0.01	1000	1000				•	★
	VT2-CHAIN/SET-U	VAPOR-TITE CHAIN MOUNTING KIT	080083565740	0.51	25	25				•	★
	VT2-4DR-U	4' VAPOR-TITE REPLACEMENT LENS FOR VT2 SERIES	662400233237	3.9	1	1			•	•	•
	VT2-8DR-U	8' VAPOR-TITE REPLACEMENT LENS FOR VT2 SERIES	662400233220	15	1	1			•	•	
VT3 Vapor Tite											
	4' VT3-232DR-UNV-EB81-WL-GT4-U	(2) 32W T8 INSTANT START CEE LISTED BALLAST, 120-277V, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	623961996689	10.2	1	1	•	•	•	•	•
	VT3-254T5DR-UNV-EHT1-WL-GT4-U	(2) 54W T5 PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	623961996702	17.21	1	1			•	•	
	8' 8TVT3-232DR-UNV-EB81-WL-GT4-U	(4) 32W T8 8' TANDEM INSTANT START CEE LISTED BALLAST, 120-277V, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	080083534319	17.21	1	1				•	
VT4 Vapor Tite											
	4 Lamp VT4-454T5-M-DR-UNV-EHT1-WL-U	(4) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521425	20	1	1				•	★
	6 Lamp VT4-654T5-M-DR-UNV-EHT2-WL-U	(6) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521432	18	1	1				•	★
	VT4-654T5-M-DR-UNC-EBT2-WL-U	(6) 54 T5HO PROGRAM START BALLAST, 347-480V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521371	27	1	1				•	★

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓜ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET					
				QTY	QTY	NJ	IL	TX	CA
Undercabinet									
UC Series									
	1 Lamp								
	UC12T518	12" 1 LAMP T5 8 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594801	1.14	6	6		•	•
	UC18T8115	18" 1 LAMP T8 15 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594818	3.1	6	6		•	•
	UC21T5113	21" 1 LAMP T5 13 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594825	3.2	6	6			•
	UC24T8117	24" 1 LAMP T8 17 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594849	5.6	6	6		•	•
	UC36T8125	36" 1 LAMP T8 25 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083595860	2.1	6	6			•
UC48T8132	48" 1 LAMP T8 32 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083595884	4.1	6	6		•	•	
	2 Lamp								
	UC24T528	24" 2 LAMP T5 2/8 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083594832	4.6	6	6		•	•
	UC33T51813	33" 2 LAMP T5 1/8 & 1/13 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083594856	2	6	6		•	•
UC42T5213	42" 2 LAMP T5 2/13 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083595877	3.14	6	6		•	•	

Accessories

LTG04T8	4', T8 TUBE GUARD	623961408526	0.18	24	24			•		★
R-A12-222G-U	TROFFER REPLACEMENT LENS - 2 X 2	662401723638	0.75	20	20			•		
R-A12-242G-U	TROFFER REPLACEMENT LENS - 2 X 4	662401723645	1.75	10	10			•		

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

All-Pro Ambient

Parabolics

APP/APPV Series

2 Lamp

APP-2U6T8	2 U-LAMP, 2'X2' PARABOLIC, 9 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621880	13.7	1	1	•	•	•	•	•	✓
APPV-2U6T8	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC, 9 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621897	14.3	1	1	•	•	•	•	•	✓






3 Lamp






APP-332	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621866	27.36	1	1	•	•	•	•	•	✓
APP-332-2EB	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621927	27.36	1	1	•	•	•	•	•	✓
APP-332-L735	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083621910	27.36	1	1	•	•	•	•	•	✓
APP-332-L735F	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621903	27.36	1	1	•	•	•	•	•	✓
APPV-332	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621873	27.36	1	1	•	•	•	•	•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.








CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Troffers											
APT Series											
2 Lamp											
	APT-232	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622009	20.5	1	1	•	•	•	★	✓
	APT-232-L735	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083653591	21.2	1	1	•	•	•	★	✓
	APT-232-L735F	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622078	23.38	1	1	•	•	•	★	✓
	APT-2U6T8	2 LAMP, 2'X2' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM U6T8 UNV ELECTRONIC BALLAST	080083621958	12.2	1	1	•	•	•	★	✓
3 Lamp											
	APT-332	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621941	20.5	1	1	•	•	•	★	✓
	APT-332-2EB	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622023	23.1	1	1	•	•	•	★	✓
	APT-332-L735	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083622016	21.85	1	1	•	•	•	★	✓
	APT-332-L735F	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621996	24.28	1	1	•	•	•	★	✓
	APT-332-L741	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS	080083622054	21.85	1	1	•	•	•	★	✓
	APT-332-L741F	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622061	23.83	1	1	•	•	•	★	✓
4 Lamp											
	APT-432	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621934	20.5	1	1	•	•	•	★	✓
	APT-432-2EB	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622030	23.1	1	1	•	•	•	★	✓
	APT-432-L735	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM UNV ELECTRONIC BALLAST, T8 W/735 LAMPS	080083621972	22.3	1	1	•	•	•	★	✓
	APT-432-L735F	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621989	24.28	1	1	•	•	•	★	✓
	APT-432-L741	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS	080083621965	22.3	1	1	•	•	•	★	✓
	APT-432-L741F	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622047	24.28	1	1	•	•	•	★	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products






CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Wraparounds											
APW-GPW Series											
	2 Lamp APW-GPW232	2 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622115	9.6	1	1	•	•	•	•	•
	3 Lamp APW-GPW332	3 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622122	11.96	1	1	•	•	•	•	•
	4 Lamp APW-GPW432	4 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622139	14	1	1	•	•	•	•	•
APW-SW Series											
	2 Lamp APW-SW232	2 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622153	11.22	1	1	•	•	•	•	•
	3 Lamp APW-SW332	3 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622160	10.25	1	1	•	•	•	•	•
	4 Lamp APW-SW432	4 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622177	15.59	1	1	•	•	•	•	•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	
Striplights											
APS-NS Series											
	2'										
	APS-NS120-R	1 LAMP, 24" NARROW STRIPLIGHT, T12 120V ELECTRONIC BALLAST	080083622283	4.2	1	1	•	•	•	•	
	APS-NS117	1 LAMP, 24" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622313	4.2	1	1	•	•	•	•	✓
	APS-NS217	2 LAMP, 24" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622320	4.2	1	1	•	•	•	•	✓
	3'										
	APS-NS130-R	1 LAMP, 36" NARROW STRIPLIGHT, T12 120V ELECTRONIC BALLAST	080083622290	4.2	1	1	•	•	•	•	
	APS-NS125	1 LAMP, 36" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622337	4.2	1	1	•	•	•	•	✓
	APS-NS225	2 LAMP, 36" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622344	4.2	1	1	•	•	•	•	✓
	4'										
	APS-NS140-R	1 LAMP, 48" NARROW STRIPLIGHT, T12 120V ELECTRONIC BALLAST	080083622306	7.9	1	1	•	•	•	•	
	APS-NS132	1 LAMP, 48" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622351	4.83	1	1	•	•	•	•	✓
	APS-NS232	2 LAMP, 48" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622382	4.87	1	1	•	•	•	•	✓
	8'										
	APS-8NS132	2 LAMP, 96" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622368	11.4	1	1	•	•	•	•	✓
	APS-8NS232	4 LAMP, 96" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622399	11.4	1	1	•	•	•	•	✓
APS-WS Series											
	4'										
	APS-WS232	2 LAMP, 48" WIDE STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622412	5.4	1	1	•	•	•	•	
	APS-WS248HO-T12	2 LAMP, 48" WIDE STRIPLIGHT, T12HO 120V ELECTRONIC BALLAST	080083622443	12	1	1	•	•	•	•	
	8'										
	APS-8WS232	4 LAMP, 96" WIDE STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622405	11.4	1	1	•	•	•	•	✓
	APS-WS296HO-T12	2 LAMP, 96" WIDE STRIPLIGHT, T12HO 120V ELECTRONIC BALLAST	080083622450	12	1	1	•	•	•	•	
Vapor Tite											
APHDVT Series											
	2 Lamp										
APHDVT-232	2 LAMP, 48" HEAVY DUTY VAPORTITE, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083623563	11.77	1	1	•	•	•	•	✓	

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET								
				QTY	QTY	NJ	IL	TX	CA	GA		
High Bay												
APHL Series												
	4 Lamp											
	APHL-432-SN-UPL	4 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622191	17.5	1	1	•	•	•	•	•	✓
	APHL-432-SW-UPL	4 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622207	17.5	1	1	•	•	•	•	•	✓
	APHL-454-SN-UPL	4 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST	080083622238	2.7	1	1	•	•	•	•	•	✓
	APHL-454-SW-UPL-L850	4 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST WITH 850 LAMPS	080083622245	17.5	1	1	•	•	•	•	•	✓
	6 Lamp											
	APHL-632-SN-UPL	6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622214	17.5	1	1	•	•	•	•	•	✓
	APHL-632-SW-UPL	6 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622221	17.5	1	1	•	•	•	•	•	✓
	APHL-654-SN-UPL	6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST	080083622252	17.5	1	1	•	•	•	•	•	✓
	APHL-654-SW-UPL-L850	6 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST WITH 850 LAMPS	080083622269	17.5	1	1	•	•	•	•	•	✓
Low Bay												
APLBA Series												
	2 Lamp											
APLBA-232	2 LAMP, 48" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST WITH 8% UPLIGHT	080083622085	10.55	1	1	•	•	•	•	•	✓	
APLBC Series												
	2 Lamp											
APLBC-232	2 LAMP, 48" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622092	10.55	1	1	•	•	•	•	•	✓	
	4 Lamp											
AP8LBC-232	4 LAMP, 96" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622108	22.4	1	1	•	•	•	•	•	✓	

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Lumark Outdoor

Floodlight Arrowhead



Trunnion - Pulse Start Metal Halide

MPAH15T	150W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	080083532025	33	1	1	•	✓
MPAH25T	250W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	080083532032	33	1	1	•	E ✓
MPAH40T	400W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	080083533152	33	1	1	•	E ✓

Trunnion - High Pressure Sodium

HPAH40T	400W HPS MULTI-TAP TRUNNION, W/LAMP BRONZE	080083532018	33	1	1	•	
---------	--	--------------	----	---	---	---	--



Slipfitter - Pulse Start Metal Halide

MPAH15S	150W MP MULTI-TAP SLIPFITTER, W/LAMP BRONZE	080083533190	33	1	1	•	✓
MPAH25S	250W MP MULTI-TAP SLIPFITTER, W/LAMP BRONZE	080083533206	33	1	1	•	E ✓
MPAH40S	400W MP MULTI-TAP SLIPFITTER, W/LAMP BRONZE	080083533220	33	1	1	•	E ✓

Accessory (For Additional Accessories see HID Accessories)

AH/V-BZ	ARROWHEAD TOP/SIDE VISOR WITH HARDWARE	080083533466	0.9	12	12	•	
---------	--	--------------	-----	----	----	---	--

SF Falcon



Knuckle - Pulse Start Metal Halide

MPSF70K	70W MP 120/277V KNUCKLE, W/LAMP BRONZE	623961978043	16	1	1	•	✓
MPSF10K-MT	100W MP MULTI-TAP KNUCKLE, W/LAMP BRONZE	623961978111	13.2	1	1	•	✓
MPSF15K-MT	150W MP MULTI-TAP KNUCKLE, W/LAMP BRONZE	623961757723	16	1	1	•	✓

Trunnion - Pulse Start Metal Halide

MPSF10T-MT	100W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	623961042898	14.6	1	1	•	
MPSF15T-MT	150W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	623961757730	16	1	1	•	

Warrior

Trunnion - Pulse Start Metal Halide

WP25	250W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961754487	34.5	1	1	•	E ✓
WP40	400W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961754524	32.2	1	1	•	E ✓

Trunnion - High Pressure Sodium

WS25	250W HPS MULTI-TAP TRUNNION W/LAMP BRONZE	662400116592	36	1	1	•	
WS40	400W HPS MULTI-TAP TRUNNION W/LAMP BRONZE	662400117360	38	1	1	•	



Slipfitter - Pulse Start Metal Halide



XP25	250W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961751479	36	1	1	•	E ✓
XP40	400W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961754463	33.6	1	1	•	E ✓

Slipfitter - High Pressure Sodium

XS25	250W HPS MULTI-TAP SLIPFITTER W/LAMP BRONZE	662400117469	36.5	1	1	•	
XS40	400W HPS MULTI-TAP SLIPFITTER W/LAMP BRONZE	662400117476	38	1	1	•	✓


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Nighthawk										
	Slipfitter - Metal Halide									
MHMK-S76-1000-480V	1000W MH 480V SLIPFITTER BRONZE	662400118794	64	1	1					•
Slipfitter - Pulse Start Metal Halide										
MPNKS40	400W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961755132	57	1	1	•				•
Slipfitter - High Pressure Sodium										
HPNKS1K	1000W HPS MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961565168	64	1	1					•
Yoke - Metal Halide										
MHMK-Y76-1000-480V	1000W MH 480V CWA YOKE BRONZE	662400118787	72	1	1					•
MHNKY1K	1000W MH MULTI-TAP YOKE W/LAMP BRONZE	623961565328	65.17	1	1	•	•	•		•
Yoke - Pulse Start Metal Halide										
MPNKY40	400W MP MULTI-TAP YOKE W/LAMP BRONZE	623961755170	58	1	1					•
Yoke - High Pressure Sodium										
HPNKY40	400W HPS MULTI-TAP YOKE W/LAMP BRONZE	623961565199	54.6	1	1					•
HPNKY1K	1000W HPS MULTI-TAP YOKE W/LAMP BRONZE	623961565182	64.2	1	1					•
Eagle										
Accessory (For Additional Accessories see HID Accessories)										
S/XL	SLIPFITTER ADAPTER FOR USE WITH 2 3/8" OD VERTICAL TENON	662400121220	7.4	1	1					•
Area / Site										
Tribute										
	Pulse Start Metal Halide									
MPTR2315	150W MP MULTI-TAP TYPE II & III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961009440	49	1	1	•	•	•	•	•
MPTR2325	250W MP MULTI-TAP TYPE III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961750960	41.7	1	1	•	•	•	•	•
MPTR2340	400W MP MULTI-TAP TYPE III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961750984	41.7	1	1	•	•	•	•	•
MPTR4F40	400W MP MULTI-TAP TYPE IV TRIBUTE W/8" ARM ROUND POLE ADAPTER LAMP BRONZE	623961751554	41.7	1	1					•
Tribute Pole / Fixture Combo										





★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
Pulse Start Metal Halide Single Fixture										
 PFT11523P15	15' 4" SQ. STEEL POLE & 150W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2315 POLSS4APSA15M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT11523P15N/AB)	623961009921		Consult Factory		•			•	★
PFT12523P15	15' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA15M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT12523P15N/AB)	080083515653		Consult Factory		•			•	★ E
PFT12523P20	20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT12523P20N/AB)	623961784675		Consult Factory				•	•	★ E
PFT12523P25	25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT12523P25N/AB)	623961817236		Consult Factory		•	•	•		★ E
PFT14023P20	20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT14023P20N/AB)	623961784705		Consult Factory				•	•	★ E
PFT14023P25	25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT14023P25N/AB)	623961817212		Consult Factory		•	•	•		★ E
PFT1404FP20	20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE IV TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR4F40 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL PFT1404FP20N/AB)	623961897818		Consult Factory				•	•	★ E
PFT1404FP25	25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE IV TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR4F40 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT1404FP25N/AB)	623961897825		Consult Factory				•	•	★ E


Pulse Start Metal Halide Twin Fixture										
 PFT21523P15	15' 4" SQ. STEEL POLE & 150W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2315 POLSS4APSA15M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT21523P15N/AB)	623961013331		Consult Factory		•			•	★
PFT22523P15	15' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA15M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT22523P15N/AB)	080083515646		Consult Factory		•			•	★ E
PFT22523P20	20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT22523P20N/AB)	623961784699		Consult Factory				•	•	★ E
PFT22523P25	25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT22523P25N/AB)	623961817106		Consult Factory		•	•	•		★ E
PFT24023P20	20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT24023P20N/AB)	623961784583		Consult Factory				•	•	★ E
PFT24023P25	25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT24023P25N/AB)	623961817304		Consult Factory		•	•	•		★ E
PFT2404FP20	20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE IV TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR4F40 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT2404FP20N/AB)	623961897870		Consult Factory				•	•	★ E
PFT2404FP25	25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE IV TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR4F40 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1, (NO ANCHOR BOLT MODEL: PFT2404FP25N/AB)	623961847776		Consult Factory				•	•	★ E

★ Indicates ARRA Eligible Product, **Off The Shelf** Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Dusk to Dawn											
Eternalume											
Pulse Start Metal Halide											
	MPEL10	100W MP 120V, ETERNALUME ARM, LAMP	623961986079	13.2	1	1					☑
High Pressure Sodium											
	HPEL70	70W HPS 120V W/18" ARM W/LAMP	662401746927	9.2	1	1					☑
	HPEL15	150W HPS 120V W/18" ARM W/LAMP	662401746972	11	1	1					☑
Wall Mount											
Crosstour											
LED											
	XTOR1A	CROSSTOUR, LED, 10W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120V, CARBON BRONZE, 5000K	080083643189	3.7	6	6					☑
	XTOR1A-PC1	CROSSTOUR, LED, 10W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120V, CARBON BRONZE, 5000K, PHOTO CONTROL	080083592432	3.8	6	6					☑
	XTOR2A	CROSSTOUR, LED, 20W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083592418	3.8	6	6					☑
	XTOR2A-PC1	CROSSTOUR, LED, 20W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592395	3.8	6	6					☑
	XTOR2A-N	CROSSTOUR, LED, 20W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, NEUTRAL WARM 3500K	080083592357	3.8	6	6					☑
	XTOR2A-WT	CROSSTOUR, LED, 20W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592401	3.8	6	6					☑
	XTOR3A	CROSSTOUR, LED, 30W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083592296	5.1	6	6					☑
	XTOR3A-PC1	CROSSTOUR, LED, 30W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592272	5.1	6	6					☑
	XTOR3A-N	CROSSTOUR, LED, 30W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, NEUTRAL WARM 3500K	080083591831	5.1	6	6					☑
	XTOR3A-WT	CROSSTOUR, LED, 30W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592289	5.1	6	6					☑
Accessory - Knuckle											
	XTORFLD-KNC	CROSSTOUR, KNUCKLE FLOODLIGHT KIT CARBON BRONZE, INCLUDES 1/2" KNUCKLE PLATE, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619115	1.2	4	4					☑
	XTORFLD-KNC-WT	CROSSTOUR, KNUCKLE FLOODLIGHT KIT SUMMIT WHITE, INCLUDES 1/2" KNUCKLE PLATE, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619139	1.2	4	4					☑
Accessory - Trunnion											
	XTORFLD-TRN	CROSSTOUR, TRUNNION FLOODLIGHT KIT CARBON BRONZE, INCLUDES TRUNNION BRACKET, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619153	1.9	4	4					☑
	XTORFLD-TRN-WT	CROSSTOUR, TRUNNION FLOODLIGHT KIT SUMMIT WHITE, INCLUDES TRUNNION BRACKET, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619177	1.9	4	4					☑
Accessory											
	WG/XTOR	CROSSTOUR WIRE GUARD	080083607402	1.75	15	15					☑

Wal-Lite

★ Indicates ARRA Eligible Product, ☑ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	
	High Pressure Sodium									
	HPWM70P	70W HPS 120V NPF W/LAMP & PHOTOCONTROL BRONZE	662401326679	5.622	4	4	•	•	•	•
HPWM70	70W HPS 120V NPF W/LAMP BRONZE	662401326693	5.423	4	4	•	•	•	•	✓


Wally

	Pulse Start Metal Halide									
	LP70G	70W MP 120/277V NPF W/LAMP BRONZE	623961978241	11	1	1	•	•	•	•
LP10G	100W MP 120/277V NPF W/LAMP BRONZE	623961978258	11	1	1	•	•	•	•	✓


High Pressure Sodium

LS70G	70W HPS 120V NPF W/LAMP BRONZE	622696399413	11	1	1	•	•	•	•	
LS10G	100W HPS 120V NPF W/LAMP BRONZE	622696399406	8.2	1	1	•	•	•	•	
LS15G	150W HPS 120V NPF W/LAMP BRONZE	662401051496	10.5	1	1	•	•	•	•	

Wally Cutoff

	Pulse Start Metal Halide									
	LP70C	70W MP 120/277V NPF W/LAMP BRONZE	623961978265	13.04	1	1	•	•	•	•

Z-Pak

	Pulse Start Metal Halide									
	MPFZ15	150W MP MULTI-TAP W/LAMP BRONZE	623961997167	18	1	1	•	•	•	•


High Pressure Sodium

HPFZ15	150W HPS 120V NPF W/LAMP BRONZE	623961007279	18	1	1	•	•	•	•	
--------	---------------------------------	--------------	----	---	---	---	---	---	---	--

Z-Pak Cutoff

	Pulse Start Metal Halide									
	MPFZ15C	150W MP MULTI-TAP W/LAMP BRONZE CUTOFF	623961997525	16.56	1	1	•	•	•	•

Wal-Pak

	Borosilicate Glass - LED										
	WPL2A	28W LED, 120-277V, DIE CAST, BRONZE, BOROSILICATE GLASS, HINGED REMOVABLE DOOR	080083557066	24	1	1	•	•	•	•	★
WPL4A	40W LED, 120-277V, DIE CAST, BRONZE, BOROSILICATE GLASS, HINGED REMOVABLE DOOR	080083557080	24	1	1	•	•	•	•	★	✓

Borosilicate Glass - Pulse Start Metal Halide

WPP15	150W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541164	22.8	1	1	•	•	•	•	•	✓
WPP25	250W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541171	24.5	1	1	•	•	•	•	•	E ✓
WPP32	320W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083547005	22.8	1	1	•	•	•	•	•	E
WPP40	400W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541195	22.8	1	1	•	•	•	•	•	E ✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, E Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
Borosilicate Glass - High Pressure Sodium										
WPS10	100W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541201	22.8	1	1					✓
WPS15	150W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541218	24.6	1	1	•	•	•	•	✓
WPS25	250W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541225	22.8	1	1		•	•	•	✓
WPS40	400W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541232	22.8	1	1	•			•	✓



Full Cutoff - LED

WPL2AC	28W LED, 120-277V, DIE CAST, BRONZE, FULL CUTOFF HINGED REMOVABLE DOOR	080083557073	24	1	1				•	★
WPL4AC	40W LED, 120-277V, DIE CAST, BRONZE, FULL CUTOFF HINGED REMOVABLE DOOR	080083557097	24	1	1				•	★ ✓



Full Cutoff - Pulse Start Metal Halide

WPP15C	150W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541249	22.8	1	1	•				•
WPP25C	250W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541256	22.8	1	1	•				ⓔ
WPP40C	400W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541263	22.8	1	1	•				ⓔ

Accessory (For Additional Accessories see HID Accessories)

WLR	REPLACEMENT GLASS LENS	662400120964	5.9	2	2					•
WG/WPGL	WAL-PAK BOROSILICATE GLASS DOOR WIRE GUARD	080083545674	1	1	1					• ✓
VS/WPGL	WAL-PAK BOROSILICATE GLASS DOOR VANDAL SHEILD	080083547685	2.5	1	1					• ★

Parking/Canopy Quadcast



LED

QDCAST1A	PARKING GARAGE/CANOPY, QUADCAST LED, 56W, TWO PIECE STEEL HOUSING, HINGED DOOR. UNIVERSAL MOUNTING PLATE, 4-LED OPTICAL PANELS AND LED DRIVER, 120V-277V, 4000K, CONCRETE GREY	080083632749	7.7	4	4				•	• ✓
QDCAST1A-347V	PARKING GARAGE/CANOPY, QUADCAST LED, 56W, TWO PIECE STEEL HOUSING, HINGED DOOR. UNIVERSAL MOUNTING PLATE, 4-LED OPTICAL PANELS AND LED DRIVER, 347V, 4000K, CONCRETE GREY	080083632879	9	4	4				•	
QDCAST1A-OCC	PARKING GARAGE/CANOPY, LED W/FACTORY INSTALLED OCC SENSOR, 56W, 2 PIECE STEEL HOUSING, HINGED DOOR, UNIVERSAL MOUNTING PLATE, 4-LED OPTICAL PANELS & LED DRIVER, 120V-277V, 4000K, CONCRETE GREY	080083654963	7.7	4	4				•	✓

Accessory

QDOCC	PARKING GARAGE, QUADCAST ON/OFF OPERATION PHOTOCONTROL AND OCCUPANCY SENSOR	080083650996	0.25	1	1				•	★ ✓
QDPBG	PARKING GARAGE, QUADCAST 6" PENDANT BIRD GUARD	080083650989	0.25	1	1				•	★ ✓

Canopy Canopy Light



Pulse Start Metal Halide

MPCL-150-MT-LL	150W MP MULTI-TAP CWA W/LAMP WHITE	080083587834	27.1	1	1	•				• ★
MPCL-250-MT-LL	250W MP MULTI-TAP CWA W/LAMP WHITE	623961265266	27.1	1	1	•				• ★ ⓔ
MPCL-400-MT-LL	400W MP MULTI-TAP CWA W/LAMP WHITE	623961366796	32	1	1	•				• ★ ⓔ

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE PALLET QTY QTY NJ IL TX CA GA

Lumark Indoor

Worklight

Steeler Series



Pulse Start Metal Halide

MPCW40-OR	400W MP MULTI-TAP UNIT PACK W/OPEN LAMP & HOOK UNIT PACK	623961013270	30	1	1	•	ⓔ ✓
-----------	--	--------------	----	---	---	---	-----

Industrial

Vaportight Incandescent



Ceiling Mount

ICVC1G	100 / 200W INCANDESCENT CEILING	662401690237	2.55	4	4	•	
--------	---------------------------------	--------------	------	---	---	---	--



Wall Mount

ICVW1G	100 / 200W INCANDESCENT WALL MOUNT	662401690299	3.85	4	4	•	
--------	------------------------------------	--------------	------	---	---	---	--

Steeler



High Bay Unit Pack - Pulse Start Metal Halide

MPSS40-OR	400W MP MULTI-TAP ALUMINUM REFLECTOR, OPEN RATED LAMP	623961086366	22.5	1	1	• • • •	ⓔ
MPSS40-PD-OR	400W MP MULTI-TAP HIGH-BAY 22" ACRYLIC REFRACTOR OPEN RATED W/LAMP	623961797446	30.36	1	1	•	ⓔ ✓



Pulse Start Metal Halide

MPSS-400-480V-OR	400W MP MULTI-TAP, 480V OPEN RATED SOCKET	662401596126	20.26	1	1	•	
------------------	---	--------------	-------	---	---	---	--

Enterprise



Low Bay Unit Pack - Pulse Start Metal Halide

FP25-OR	250W MP MULTI-TAP 22" REFLECTOR W/LAMP UNIT PACK OPEN RATED	080083535859	29.2	1	1	•	ⓔ
FP40-OR	400W MP MULTI-TAP 22" REFLECTOR W/LAMP UNIT PACK OPEN RATED	080083535880	35	1	1	• • • •	ⓔ

★ Indicates ARR A Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Industrial Component
Ballast Pod

Steeler Series - Metal Halide

MHSS-1000-MT-OR	1000W MH MULTI-TAP OPEN RATED	623961126727	30.36	1	1	•				•
-----------------	-------------------------------	--------------	-------	---	---	---	--	--	--	---

Steeler Series - Pulse Start Metal Halide

MPSS-400-MT-OR	400W MP MULTI-TAP, OPEN RATED SOCKET	623961925986	20.26	1	1					•	ⓔ
----------------	--------------------------------------	--------------	-------	---	---	--	--	--	--	---	---

Optics

SA15	15" ALUMINUM HIGH-BAY REFLECTOR	662400127505	1	10	10	•					★
PD22	22" ACRYLIC HIGH-BAY REFRACTOR	662400125211	6.25	4	4					•	
DB22	22" DROP ACRYLIC LENS	662400975779	2.2	5	5					•	★
SA23	23" ALUMINUM HIGH-BAY REFLECTOR	662400609636	3.2	5	5	•					✓

Accessory

Wire Guard

WG15	15" WIRE GUARD	662400121381	1.8	5	5					•	★	✓
------	----------------	--------------	-----	---	---	--	--	--	--	---	---	---

Worklight and Industrial Component Accessories

Accessory

FH-1	FIXTURE HOOK 2-1/2"	662400121244	0.2	10	10	•				•	✓
------	---------------------	--------------	-----	----	----	---	--	--	--	---	---

Indoor

Vertimark II



Pulse Start Metal Halide

MPBE-5A-250H-MT-OR-LL	250W MP MULTI-TAP HPF TYPE V W/LAMP	080083580330	23.75	1	1					•
-----------------------	-------------------------------------	--------------	-------	---	---	--	--	--	--	---

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Consumer Products - Security & Worklights

Floodlight

FSL2030L



LED

FSL2030L

LED FLOODLIGHT, BRONZE

080083624324

1.3

2

2



FSL2030LW



LED

FSL2030LW

LED FLOODLIGHT, WHITE

080083630400

1.3

2

2



HQ500WL



Quartz Halogen

HQ500WL

500W HALOGEN FLOODLIGHT

044427002421

2.75

6

6



ML300Q



Quartz Halogen

ML300Q

300W QUARTZ HALOGEN DECORATIVE LOW-PROFILE FLOODLIGHT, BRONZE

044427001080

1.65

1

1



ML300QW



Quartz Halogen

ML300QW

300W QUARTZ HALOGEN DECORATIVE LOW-PROFILE FLOODLIGHT, WHITE

044427001165

1.65

6

6



MQF150



Quartz Halogen

MQF150

150W QUARTZ HALOGEN 120V W/LAMP BRONZE

044427001912

1.23

6

6



MQF150W



Quartz Halogen

MQF150W

150W QUARTZ HALOGEN 120V W/LAMP WHITE

044427001929

1.23

6

6



MX1



Quartz Halogen

MX1

TWIN 100W QUARTZ HALOGEN 120V W/LAMP BRONZE

044427003275

1.36

2

2



MX1W










★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
 MT125W	Quartz Halogen MX1W TWIN 100W QUARTZ HALOGEN 120V W/LAMP WHITE	044427003282	1.36	2	2			•		•	✓
 TMQ150	PAR MT125W 150W PAR 120V WHITE	044427300442	0.79	6	6			•			
 TMQ150W	Quartz Halogen TMQ150 TWIN 150W QUARTZ HALOGEN 120V HEADS W/LAMP BRONZE	044427001936	2.71	2	2			•		•	✓
 Motion Activated HS8	Quartz Halogen TMQ150W TWIN 150W QUARTZ HALOGEN 120V HEADS W/LAMP WHITE	044427001943	2.71	2	2			•		•	✓
 MS100PG	Incandescent HS8 90 DEGREE MOTION-ACTIVATED NIGHT LIGHT	044427500064	0.27	6	6			•			
 MS180	LED MS100PG 110 DEGREE 100W QUARTZ HALOGEN MOTION-ACTIVATED PLUG-IN SECURITY LIGHT	044427351239	2.75	2	2			•		•	
 MS180W	Sensor MS180 180 DEGREE SENSOR 120V 500W MAX. BRONZE	044427006313	0.6	4	4			•		•	✓
 MS185	Sensor MS180W 180 DEGREE SENSOR 120V 500W MAX. WHITE	044427006337	0.6	4	4			•		•	✓
 MS185	PAR MS185 180 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	044427006351	1.5	2	2			•		•	

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
MS185D												
	PAR MS185D 180 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	080083602285	1.57	2	2			•		•	✓	
MS185DW												
	PAR MS185DW 180 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	080083602292	1.57	2	2			•		•	✓	
MS185R												
	PAR MS185R 180 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT WITH COVERS, BRONZE	044427006399	2.41	2	2			•		•	✓	
MS185RW												
	PAR MS185RW 180 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT WITH COVERS, WHITE	044427006412	2.41	2	2			•		•	✓	
MS185W												
	PAR MS185W 180 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	044427006375	1.5	2	2			•		•	✓	
MS188												
	Quartz Halogen MS188 180 DEGREE 300W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	044427006436	2.6	2	2			•		•	✓	
MS188W												
	Quartz Halogen MS188W 180 DEGREE 300W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	044427006450	2.6	2	2			•		•	✓	
MS245R												
	PAR MS245R 270 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT WITH COVERS, BRONZE	044427006559	1.99	2	2			•		•	✓	
MS245RW												
	PAR MS245RW 270 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT WITH COVERS, WHITE	044427006573	1.99	2	2			•		•	✓	






★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
 MS248W	Quartz Halogen MS248 270 DEGREE 200W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	044427006597	1	2	2			•		•		✓
 MS276RD	Quartz Halogen MS248W 270 DEGREE 200W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	044427006610	1	2	2			•		•		✓
 MS276RDW	PAR MS276RD 270 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	080083539147	1.8	2	2			•		•		✓
 MS280D	PAR MS276RDW 270 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	080083539154	1.8	2	2			•		•		✓
 MS280DW	Quartz Halogen MS280D 270 DEGREE DOPPLER 200W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	080083504268	1.8	2	2			•		•		✓
 MS34	Quartz Halogen MS280DW 270 DEGREE DOPPLER 200W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	080083504275	1.8	2	2			•		•		✓
 MS34W	PAR MS34 110 DEGREE 300W PAR, BLACK	044427351277	1.12	6	6			•		•		✓
 MS600	PAR MS34W 110 DEGREE 300W PAR, WHITE	044427351284	1.12	6	6			•		•		✓
 MS80	PAR MS600 110 DEGREE HIDDEN SENSOR 300W PAR, BLACK	044427002773	1.1	2	2			•		•		✓









★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
 MS80W	Quartz Halogen MS80 110 DEGREE 150W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BLACK	044427002360	1.5	2	2			•		•	☑
 MSLED100	Quartz Halogen MS80W 110 DEGREE 150W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	044427002308	1.5	2	2			•		•	☑
 MSLED180W	LED MSLED100 100 DEGREE LED MOTION-ACTIVATED SOLAR LIGHT, BLACK	080083517848	1.5	2	2			•		•	☑
 MSS11315LES	LED MSLED180W 180 DEGREE LED MOTION-ACTIVATED SOLAR FLOODLIGHT, WHITE	080083565313	3.53	2	0			•		•	☑
 MST18920L	LED MSS11315LES 110 DEGREE MOTION SMALL SINGLE LED FLOODLIGHT, ENERGY STAR, BRONZE	080083624300	1.07	2	2			•			☑
 MST18920LES	LED MST18920L 180 DEGREE MOTION TWIN LED FLOODLIGHT, BRONZE	080083630271	1.51	2	2			•			☑
 MST18920LWES	LED MST18920LES 180 DEGREE MOTION TWIN LED FLOODLIGHT, ENERGY STAR, BRONZE	080083630264	1.51	2	2					•	☑
 MST18920LW	LED MST18920LWES 180 DEGREE MOTION TWIN LED FLOODLIGHT, ENERGY STAR, WHITE	080083630288	1.51	2	2					•	☑
 MST27920LES	LED MST18920LW 180 DEGREE MOTION TWIN LED FLOODLIGHT, WHITE	080083630295	1.51	2	2			•			☑

★ Indicates ARRA Eligible Product, ☑ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
 MT250	LED MST27920LES 270 DEGREE MOTION TWIN LED FLOODLIGHT, ENERGY STAR, BRONZE	080083624317	1.51	2	2			•			✓
 MT250W	PAR MT250 TWIN 150W PAR 120V BRONZE	044427300473	1.15	6	6			•		•	✓
 Worklight LED110	PAR MT250W TWIN 150W PAR 120V WHITE	044427300480	1	6	6			•		•	✓
 LED120	LED LED110 LED PLUG-IN WORKLIGHT	080083508945	2.2	4	4			•		•	✓
 LED125	LED LED120 LED RECHARGEABLE WORKLIGHT	080083508952	2.2	4	4			•		•	✓
 LED125C	MIGHT-D-LIGHT, MINI LED125 LED COMPACT FOLDING WORKLIGHT	080083585816	2.2	6	6			•		•	✓
 LED130	MIGHT-D-LIGHT, MINI LED125C LED COMPACT FOLDING CAMO WORKLIGHT	080083610204	2.2	6	6			•		•	✓
 LED130C	MIGHT-D-LIGHT LED130 LED RECHARGEABLE FOLDING WORKLIGHT	080083512041	2.2	2	2			•		•	✓
 LED130C	MIGHT-D-LIGHT LED130C LED RECHARGEABLE FOLDING CAMO WORKLIGHT	080083570782	2.5	2	2			•		•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		NJ	IL	TX	CA	GA	
				QTY	QTY						
PQS2504IN1											
	Quartz Halogen PQS2504IN1 250W QUARTZ HALOGEN 4-IN-1 PORTABLE WORKLIGHT	080083524990	2.5	6	6			•		•	✓
PQS45											
	Quartz Halogen PQS45 500W QUARTZ HALOGEN PORTABLE WORKLIGHT	044427002605	4.1	4	4			•		•	✓
PQS600R											
	Quartz Halogen PQS600R 600W QUARTZ HALOGEN PORTABLE WORKLIGHT	080083528752	6.94	4	4			•		•	✓
SQS505QD											
	Quartz Halogen SQS505QD 500W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535941	8.95	2	2					•	✓
TQS1000QD											
	Quartz Halogen TQS1000QD 1000W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535958	14.77	2	2			•		•	✓
TQS1200QDR											
	Quartz Halogen TQS1200QDR 1200W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535965	21.51	2	2			•		•	✓
Dusk to Dawn											
AL2050LPCGY											
	LED AL2050LPCGY LED AREA AND WALL SECURITY LIGHT WITH PHOTO CONTROL, GRAY	080083650460	5.8	2	2					•	
AL2050LPCBZ											
	LED AL2050LPCBZ LED AREA AND WALL SECURITY LIGHT WITH PHOTO CONTROL, BRONZE	080083650477	5.8	1	1					•	
AL6501FL											



★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
 AL70MH	Fluorescent AL6501FL 65W FLUORESCENT SECURITY AREA LIGHT WITH PHOTO CONTROL	080083584963	4.5	1	1			•		•	✓
 E-70-H	Metal Halide AL70MH 70W METAL HALIDE SECURITY AREA LIGHT WITH PHOTO CONTROL	044427450772	9	1	1			•		•	
 FE13PC	High Pressure Sodium E-70-H 70W HIGH PRESSURE SODIUM SECURITY AREA LIGHT WITH PHOTO CONTROL	044427000519	6.31	1	1			•		•	
 FE13PCW	Fluorescent FE13PC 13W FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL, BRONZE	044427450529	1.5	2	2			•		•	✓
 FFL23PC-T24	Fluorescent FE13PCW 13W FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL, WHITE	044427450536	2	2	2			•		•	✓
 FFL23PCW-T24	Fluorescent FFL23PC-T24 23W FLUORESCENT GU24 FLOODLIGHT WITH PHOTO CONTROL, BLACK	080083565283	1.5	2	2			•		•	✓
 FNF18PC	Fluorescent FFL23PCW-T24 23W FLUORESCENT GU24 FLOODLIGHT WITH PHOTO CONTROL, WHITE	080083565290	1.5	2	2			•		•	✓
 FNF26PC	Fluorescent FNF18PC 18W FLUORESCENT FLOODLIGHT WITH PHOTO CONTROL, BRONZE	044427450543	1.74	6	6			•		•	
 FSS1530LPCES	Fluorescent FNF26PC 26W FLUORESCENT FLOODLIGHT WITH PHOTO CONTROL, BRONZE	044427450567	1.78	6	6					•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
 LED FSS1530LPCES	DUSK TO DAWN FLOODLIGHT WITH PHOTOCELL, ENERGY STAR, BRONZE	080083630509	0.9	2	2					•	✓
FSS1530LPCW											
 LED FSS1530LPCW	DUSK TO DAWN FLOODLIGHT WITH PHOTOCELL, WHITE	080083630554	0.9	2	2				•		✓
FW26PC											
 Fluorescent FW26PC	26W FLUORESCENT WALL PACK WITH PHOTO CONTROL, BRONZE	044427450604	3.3	6	6				•	•	
FW42PC											
 Fluorescent FW42PC	42W FLUORESCENT WALL PACK WITH PHOTO CONTROL, BRONZE	044427450581	3.3	6	6				•	•	
MD42FLB											
 Fluorescent MD42FLB	42W FLUORESCENT ENTRY AND PATIO LIGHT WITH PHOTO CONTROL, BLACK	080083501069	11.5	2	2				•	•	
MD42FLW											
 Fluorescent MD42FLW	42W FLUORESCENT ENTRY AND PATIO LIGHT WITH PHOTO CONTROL, WHITE	080083501076	11.5	2	2				•	•	✓
MT250PCW											
 PAR MT250PCW	300W PAR METAL TWIN FLOODLIGHT WITH PHOTO CONTROL, WHITE	044427300503	1.42	6	6					•	✓
MT250PC											
 PAR MT250PC	300W PAR METAL TWIN FLOODLIGHT WITH PHOTO CONTROL, BRONZE	044427300497	1.42	6	6					•	
P8-HS-5											
 Incandescent P8-HS-5	DUSK TO DAWN NIGHT LIGHT WITH ROTATABLE HEAD	044427002957	0.23	6	6				•		
PFL23PC-T24											

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
 Fluorescent PFL23PCW-T24	23W FLUORESCENT GU24 PATIO LIGHT WITH PHOTO CONTROL, BLACK	080083565269	1.5	2	2			•		•	✓
PFL23PCW-T24											
 Fluorescent PFL23PCW-T24	23W FLUORESCENT GU24 PATIO LIGHT WITH PHOTO CONTROL, WHITE	080083565276	1.5	2	2			•		•	✓
Accessory											
EA24											
Hardware											
EA24	24" EXTENSION ARM	044427000717	1.8	1	1			•		•	
800-0411											
Hardware											
800-0411	REPLACEMENT LENS FOR FE13PC / FE13PCW	080083626793	0.41	4	4					•	
SL3120											
Sensor											
SL3120	TWIST & LOCK PHOTO SENSOR	044427531204	1.6	6	6			•		•	
B65FMOG											
Fluorescent											
B65FMOG	65W FLUORESCENT MOGUL BASE LAMP	080083510276	0.64	4	4					•	
PLC13W											
Fluorescent											
PLC13W	13W FLUORESCENT 4-PIN LAMP	044427450345	0.4	4	4			•		•	

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Sure-Lites











Emergency

Emergency Commercial

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
LED Thermoplastic Emergency Light - LEM												
	LEM	LED EMERGENCY LIGHT, 2 HEAD	080083637263	1.43	28	28					•	✓
	LEMBK	LED EMERGENCY LIGHT, 2 HEAD, BLACK	080083637546	1.5	1	1					•	✓
	LEMSD	LED EMERGENCY LIGHT, 2 HEAD, SELF DIAGNOSTICS	080083637409	1.15	28	28					•	✓
LED Thermoplastic Emergency Light - LEM 2 Head Remote												
	LEM2	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY	080083637287	2	1	1					•	✓
	LEM2BK	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY, BLACK	080083637560	2	1	1					•	✓
	LEM2SD	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY, SELF DIAGNOSTICS	080083637423	2	1	1					•	✓
LED Thermoplastic Emergency Light - LEM 4 Head Remote												
	LEM4	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE	080083637300	2	1	1					•	✓
	LEM4BK	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, BLACK	080083637584	2	1	1					•	✓
	LEM4SD	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, SELF DIAGNOSTICS	080083637447	2	1	1					•	✓
LED Thermoplastic Emergency Light Remote - LEMR1												
	LEM R1	LED REMOTE 1 HEAD	080083637324	0.5	1	1					•	✓
	LEM R1BK	LED REMOTE 1 HEAD, BLACK	080083637607	0.5	1	1					•	✓
LED Thermoplastic Emergency Light Remote - LEMR2												
	LEM R2	LED REMOTE 2 HEAD	080083637348	0.92	36	36					•	✓
	LEM R2BK	LED REMOTE 2 HEAD, BLACK	080083637621	0.92	36	36					•	✓
LED Thermoplastic Emergency Light Remote - LEMWR1												
	LEMWR1	LED REMOTE 1 HEAD, WET LOCATION	080083637362	0.6	1	1					•	✓
	LEMWR1BK	LED REMOTE 1 HEAD, WET LOCATION, BLACK	080083637645	0.6	1	1					•	✓
LED Thermoplastic Emergency Light Remote - LEMWR2												
	LEMWR2	LED REMOTE 2 HEAD, WET LOCATION	080083637386	0.6	1	1					•	✓
	LEMWR2BK	LED REMOTE 2 HEAD, WET LOCATION, BLACK	080083637669	0.6	1	1					•	✓
LED Thermoplastic Emergency Light Remote												
	6LEM85WH	6V, 85 LUMEN, 1 HEAD REMOTE, WHITE	080083637461	0.81	36	36					•	✓
	6LEM85DWH	6V, 85 LUMEN, 2 HEAD REMOTE, WHITE	080083637485	0.92	36	36					•	✓
	6LEM85WWH	6V, 85 LUMEN, 1 HEAD REMOTE, WET LOCATION, WHITE	080083637508	0.6	1	1					•	✓
	6LEM85DWWH	6V, 85 LUMEN, 2 HEAD REMOTE, WET LOCATION, WHITE	080083637522	0.6	1	1					•	✓
Steel Housing - AA1												
	AA1	6V, (2) 9W INCANDESCENT LAMPS, WHITE	662400107422	7.15	1	1					•	•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products






Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Steel Housing - LM1										
 LM1	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400107415	5.8	6	6				•	•
Steel Housing - XR										
 XR12206	12V, (2) 9W INCANDESCENT LAMPS, 18W REMOTE CAPACITY, WHITE	662400107484	15.8	1	1					•
XR12208	12V, (2) 9W INCANDESCENT LAMPS, 36W REMOTE CAPACITY, WHITE	662400107491	16.4	1	1			•		•
XR3	6V, (2) 9W INCANDESCENT LAMPS, 9W REMOTE CAPACITY, WHITE	662400107439	11	1	1				•	•
XR7	6V, (2) 9W INCANDESCENT LAMPS, 18W REMOTE CAPACITY, WHITE	662400107453	11.8	1	1			•		
Polycarbonate Housing - CC2										
 CC2	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400238034	3.373	6	6	•	•	•	•	•
Polycarbonate Housing - CC3, CC4, CC5										
 CC3WH	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662401965793	4.5	6	6		•	•	•	•
CC3WHSD	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE, SELF-DIAGNOSTICS	662401967902	5	4	4					•
CC4WH	6V, (2) 9W INCANDESCENT LAMPS, WHITE	662401903924	7.3	6	6				•	•
CC5WH	6V, (2) 9W INCANDESCENT LAMPS, 9W REMOTE CAPACITY, WHITE	662401903948	6.856	6	6			•		•
CC5WHSQ	6V, (2) 5.4W INCANDESCENT LAMPS (SQUARE), 16W REMOTE CAPACITY, WHITE	662401919291	8	4	4			•		
Polycarbonate Housing - CC7										
 CC7	12V, (2) 12W INCANDESCENT LAMPS, 36W REMOTE CAPACITY, WHITE	662401162970	13	4	4			•		•
CC7NCSD	12V, (2) 12W INCANDESCENT LAMPS, NICKEL CADMIUM BATTERY, 26W REMOTE CAPACITY, WHITE	623961349287	9.65	4	4					•
Polycarbonate Housing - CC8										
 CC8	12V, (2) 12W INCANDESCENT LAMPS, 76W REMOTE CAPACITY, WHITE	662401162987	7.62	2	2					•
Polycarbonate Housing - CU2										
 CU2	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662401222728	3.175	6	6	•		•		•
Polycarbonate Housing - HS1R										
 HS1R	W/CORD & PLUG, 6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662401000807	4	6	6					•
Thermoplastic Housing - CU1										
 CU1	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400107606	4.45	6	6				•	•
Emergency Architectural										
Die Cast Aluminum Housing - AEL1BKSD										
 AEL1BKSD	6V, (3) 6W XENON LAMPS, WET LOCATION LISTED, BLACK	623961856099	5.093	4	4					•





★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Die Cast Aluminum Housing - AEL1BZSD											
 AEL1BZSD	6V, (3) 6W XENON LAMPS, WET LOCATION LISTED, BRONZE	080083508334	5.101	4	4					•	
Die Cast Aluminum Housing - AEL1SD											
 AEL1SD	6V, (3) 6W XENON LAMPS, WET LOCATION LISTED, SILVER	080083508341	5.071	4	4					•	
Die Cast Aluminum Housing - AEL1WHSD											
 AEL1WHSD	6V, (3) 6W XENON LAMPS, WET LOCATION LISTED, WHITE	080083508358	5.106	4	4					•	
Die Cast Aluminum Housing - AEL231, AEL246											
 AEL231	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, SILVER	080083593835	2.21	4	4					•	
AEL246	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, SILVER	080083593842	2.21	4	4					•	
Die Cast Aluminum Housing - AEL231BK, AEL246BK											
 AEL231BK	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, BLACK	080083593859	5.093	4	4					•	
AEL246BK	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, BLACK	080083593866	5.093	4	4					•	
Die Cast Aluminum Housing - AEL231BZ, AEL246BZ											
 AEL231BZ	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, BRONZE	080083593873	5.093	4	4					•	
AEL246BZ	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, BRONZE	080083593880	5.093	4	4					•	
Die Cast Aluminum Housing - AEL231WH, AEL246WH											
 AEL231WH	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, WHITE	080083593897	5.106	4	4					•	
AEL246WH	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, WHITE	080083593903	5.106	4	4					•	
Recessed - GC15012											
 GC15012	STEEL, RECESSED, STEEL, (2) 9W INCANDESCENT LAMPS, WHITE	662400108252	17.4	1	1					•	
Recessed - P4C1											
 P4C1	SURFACE/RECESSED, 6V, 10W HALOGEN LAMP, WHITE COLLAR/BLACK HOUSING	662400107521	8.2	1	1					•	
Recessed - RLM1 and RLM2											
 RLM1	RECESSED, 6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400108313	8.6	1	1					•	
RLM2	RECESSED, 6V, (2) 9W INCANDESCENT LAMPS, WHITE	662400108320	9.2	1	1					•	
Emergency Remote Heads											
Remote Heads Thermoplastic - Universal											
 12T8WHU	UNIVERSAL, 12V, 8W HALOGEN LAMP, WHITE	662401426003	1.6	6	6					•	


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
Remote Heads Thermoplastic - Weatherproof Halogen											
 6T6WGY	WEATHERPROOF, 6V, 6W HALOGEN LAMP, GREY	662400238416	1.35	6	6					•	✓
6T6WWH	WEATHERPROOF, 6V, 6W HALOGEN LAMP, WHITE	662401318803	1.2	6	6					•	•
Remote Heads Thermoplastic - Weatherproof Doublehead Incandescent											
 6XW54DWWH	WEATHERPROOF, DOUBLE HEAD, 6V, 5.4W INCANDESCENT LAMPS, WHITE	662401472222	1.6	6	6		•				
Remote Heads Thermoplastic - Weatherproof Incandescent											
 6X7WGY	WEATHERPROOF, 6V, 7.2W INCANDESCENT LAMPS, GRAY	662400238423	1.4	6	6					•	
6X7WWH	WEATHERPROOF, 6V, 7.2W INCANDESCENT LAMP, WHITE	662401195428	1.25	6	6					•	
6X9WWH	WEATHERPROOF, 6V, 8W INCANDESCENT LAMP, WHITE	662401139095	1.2	6	6					•	
6XW54WWH	WEATHERPROOF, 6V, 5.4W INCANDESCENT LAMPS, WHITE	662401472215	0.9	6	6		•				
Remote Heads Metal - Weatherproof Incandescent, Single Head											
 6T12WMHWH	WEATHERPROOF, 6V, 12W INCANDESCENT LAMP, WHITE, SINGLE HEAD	622696586813	1.57	6	6					•	
Thermoplastic Remote Head Incandescent Lamp - 12V											
 12X9WHU	REMOTE EMERGENCY LIGHT, 12V, 9W, WHITE HOUSING	662401645039	0.95	6	6		•				✓
Thermoplastic Remote Head Incandescent Lamp - 6V											
6X54WHU	WEATHERPROOF REMOTE EMERGENCY LIGHT, 6V, 5.4W, (2) INCANDESCENT LAMP HEADS, WHITE HOUSING	662401222926	0.8	6	6		•				

Emergency Light


Thermoplastic Emergency - CC5											
 CC5WH266	EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, DUAL HEAD, 6V, 12W	662401183227		8	4	4				•	
Thermoplastic Emergency - CC6											
 CC6WH	EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, DUAL HEAD, 6V, 9W INCANDESCENT HEADS	662401103706		8	4	4		•			
Thermoplastic Emergency - CC7											
 CC70	EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, NO HEADS, RUNS 12V WITH 60W	662401452569	11.4	4	4					•	
Steel Housing, Emergency Light - CEL											
 CELBKBX	RECESSED EMERGENCY LIGHT HOUSING, CONCEALED EMERGENCY LIGHT	080083587520		5	1	1				•	

Exit Signs


Exit Signs Commercial - Edge-lit - EEX

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET						
					QTY	NJ	IL	TX	CA		GA
Edge-lit - EEX											
 EEX61R	LED, SURFACE, WHITE POLYCARBONATE HOUSING, SINGLE FACE, RED LETTERS, AC ONLY	662401758692	18.66	1	1					•	✓
EEX71G	LED, SURFACE, WHITE POLYCARBONATE HOUSING, SINGLE FACE, GREEN LETTERS, SELF-POWERED	662401747887	18.66	1	1					•	✓
EEX71R	LED, SURFACE, WHITE POLYCARBONATE HOUSING, SINGLE FACE, RED LETTERS, SELF-POWERED	662401758487	5.6	1	1					•	✓
EEX72R	LED, SURFACE, WHITE POLYCARBONATE HOUSING, DOUBLE FACE, RED LETTERS, SELF-POWERED	662401758531	18.66	1	1					•	


Exit Signs Commercial - Edge-lit - EUR Surface

Edge-lit - EUR Surface											
 EUR60R	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, AC ONLY	622697725617	4.5	4	4					•	
EUR70R	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	622697725594	10.025	4	4					•	

Exit Signs Commercial - Edge-lit - EUS Recessed

Edge-lit - EUS Recessed											
 EUS60R	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, AC ONLY	622697725587	4.5	1	1					•	
EUS70R	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	622697725556	6.6	6	6					•	

Exit Signs Commercial - Steel Housing - CHX

Steel Housing - CHX											
 CHX60	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITHOUT LENS	080083573615	11.3	1	1					•	
CHX61	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITH LENS	080083574629	11.3	1	1					•	✓
CHX70	SELF POWERED, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITHOUT LENS	080083576753	11.3	1	1					•	
CHX71	SELF POWERED, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITH LENS	080083567614	11.3	1	1					•	✓

Exit and Emergency Commercial - Steel Combo - CHX Combo

Steel Combo - CHX Combo

CHX71DH	CHICAGO, COMBO, EXIT AND EMERGENCY, SINGLE FACE	080083623365	11.3	1	1					•	✓
---------	---	--------------	------	---	---	--	--	--	--	---	---

Exit Signs Commercial - Steel Housing - EH

Steel Housing - EH

EH7R	SURFACE MOUNT EDGE-LIT EXIT HOUSING, EEX EDGE-LIT COMPATIBLE	662401742578	2.315	6	6					•	
------	--	--------------	-------	---	---	--	--	--	--	---	--


Exit Signs Commercial - Steel Housing - ELE

Steel Housing - ELE

ELE770	POWER TRAY, ELX EDGE-LIT COMPATIBLE	662401278466	2.95	1	1					•	
--------	-------------------------------------	--------------	------	---	---	--	--	--	--	---	--

Exit Signs Commercial - Steel Housing - SLX

Steel Housing - SLX

 SLX6	LED, WHITE, UNIVERSAL FACE, RED AND GREEN LETTERS, AC ONLY	080083534227	6	6	6					•	
SLX7	LED, WHITE, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534234	6	6	6					•	•

Exit Signs Commercial - Steel Housing - SLX Self Diagnostic

Steel Housing - SLX Self Diagnostic

SLX7SD	SELF-POWERED, EXIT SIGN, STEEL HOUSING, SELF DIAGNOSTIC, UNIVERSAL 2 FACE & RED/GREEN	080083534241	6	6	6					•	
--------	---	--------------	---	---	---	--	--	--	--	---	--

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

Exit and Emergency Commercial - Steel Combo - UN1SR Combo



Steel Combo - UN1SR Combo

UNH1SRWDH	COMBO UNIT, INCANDESCENT-EXIT, (2) 9W INCANDESCENT LAMPS-EMERGENCY, WHITE, UNIVERSAL FACE, RED LETTERS	662400107798	14.2	1	1				•	•
UNH1SRWDHL	COMBO UNIT, LED-EXIT, (2) 9W INCANDESCENT LAMPS-EMERGENCY, WHITE, UNIVERSAL FACE, RED LETTERS	662400235477	14.2	1	1				•	•

Exit Signs Commercial - Polycarbonate Housing - LPX



Polycarbonate Housing - LPX

LPX6	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, AC ONLY	080083532742	3	6	6		•	•	•	•
LPX6-G	LED, WHITE HOUSING, UNIVERSAL FACE, GREEN AND RED LETTERS, AC ONLY	080083552078	3	6	6		•			
LPX7	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083532773	3	6	6	•	•	•	•	•
LPX7BK	LED, BLACK HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083532780	3	6	6					•
LPX7-G	LED, WHITE HOUSING, UNIVERSAL FACE, GREEN AND RED LETTERS, SELF-POWERED	080083552061	3	6	6		•			
LPX7SD	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083532797	3	6	6		•	•	•	

Exit and Emergency Commercial - Polycarbonate Combos - LPX Combo Incandescent

Polycarbonate Combos - LPX Combo Incandescent

LPX70RBKDH	COMBO UNIT, BLACK HOUSING, LED-EXIT, (2) 5.4W INCANDESCENT LAMPS-EMERGENCY, UNIVERSAL FACE, RED LETTERS	622696732791	3.3	6	6					•
------------	---	--------------	-----	---	---	--	--	--	--	---

Exit Signs Commercial - Thermoplastic Housing - LPX Self Diagnostic

Thermoplastic Housing - LPX Self Diagnostic

LPX7BKSD	SELF-POWERED, EXIT SIGN, THERMOPLASTIC BLACK HOUSING, SELF DIAGNOSTIC, UNIVERSAL 2 FACE & RED/GREEN	080083532803	3	6	6					•
----------	---	--------------	---	---	---	--	--	--	--	---

Exit and Emergency Commercial - Polycarbonate Combo - LPX Combo



Polycarbonate Combo - LPX Combo

LPX7DH	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY	080083605057	8.5	4	4	•		•	•	•
LPX7DHNC	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY	080083604944	7.8	4	4					•
LPX7DHNCSD	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY, SELF-DIAGNOSTIC	080083604968	7.8	4	4					•

Exit Signs Commercial - Polycarbonate Housing - LPXH



Polycarbonate Housing - LPXH

LPXH7	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, HIGH POWER UNIT	080083605095	9.5	4	4					•
-------	--	--------------	-----	---	---	--	--	--	--	---

Exit and Emergency Commercial - Polycarbonate Combo - LPXH Combo



Polycarbonate Combo - LPXH Combo

LPXH7DH	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT HIGH POWER, EXIT AND EMERGENCY	080083604982	9.5	4	4	•		•	•	
---------	--	--------------	-----	---	---	---	--	---	---	--

Exit Signs Commercial

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	
Aluminum Trim Kit											
TC71R	TRIM KIT, ELX EDGE-LIT COMPATIBLE	662401278459	6.5	1	1					•	

Exit Signs Architectural



Die Cast Aluminum Housing - CX

CX61	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534043	6	6	6				•	•	✓
CX61WH	LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534067	6	6	6				•	•	✓
CX62	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534050	6	6	6				•		✓
CX62WH	LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534074	6	6	6				•		✓
CX71	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534104	6	6	6				•		✓
CX71BK	LED, BLACK FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534142	6	6	6				•		✓
CX71SD	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534166	6	6	6	•			•	•	
CX71WH	LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534128	6	6	6				•		✓
CX71WHSD	LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534180	6	6	6				•		
CX72	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534111	6	6	6				•		✓
CX72BK	LED, BLACK FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534159	6	6	6				•		✓
CX72SD	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534173	6	6	6				•	•	
CX72WH	LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534135	6	6	6				•		✓
CX72WHSD	LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534197	6	6	6				•		

Edge-lit - ESH71

ESH71	RECESSED HOUSING - ES EXIT SIGN	080083502332	3.4	1	1					•
-------	---------------------------------	--------------	-----	---	---	--	--	--	--	---



Edge-lit - UHLED

UHLED	RECESSED HOUSING ELX EXIT SIGN (LED)	662401278473	3.5	1	1			•		•
-------	--------------------------------------	--------------	-----	---	---	--	--	---	--	---




Photoluminescent - PHL


PHL1GBA	PHOTOLUMINESCENT, BRUSHED ALUMINUM HOUSING/FACE, SINGLE FACE, GREEN LETTERS	623961142697	1.8	10	10					•
---------	---	--------------	-----	----	----	--	--	--	--	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Industrial / Hazardous

Industrial Emergency

UEL										
 UEL1BKSD	NEMA 4X, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, BLACK, SELF DIAGNOSTICS	080083508396	5.76	1	1					•
UEL1SD	NEMA 4X, DIE CAST HOUSING, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, SILVER, SELF DIAGNOSTICS	080083508402	13.276	4	4	•			•	•
UEL1WHSD	NEMA 4X, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, WHITE, SELF DIAGNOSTICS	080083508426	11.905	1	1					•


UMB1										
 UMB1	6V, (2) 8W INCANDESCENT LAMPS, WET LOCATION LISTED, GREY	662400108399	10.6	1	1					•


Industrial Exit Signs

UX										
 UX61G	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, AC ONLY	662400687849	9.943	4	4					•
UX61R	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, AC ONLY	662400687832	9.943	4	4					•
UX61RWH	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, AC ONLY	622696170173	4.52	4	4					•
UX71GWHSD	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696170210	4.49	4	4					•
UX71RBKSD	NEMA 4X, LED, DIE CAST ALUMINUM, BLACK HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696170227	10.049	4	4					•
UX71RSD	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	662400687856	10.7	4	4					•
UX71RWHSD	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696167531	4.62	4	4					•
UX71GSD	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	662401000838	4.496	4	4					•
UXUK	CONVERSION KIT - UX EXIT (SILVER) SINGLE TO DOUBLE FACE	662400687870	0.844	6	6					•
UXUKBK	CONVERSION KIT - UX EXIT (BLACK) SINGLE TO DOUBLE FACE	622696170258	1.768	1	1					•
UXUKWH	CONVERSION KIT - UX EXIT (WHITE) SINGLE TO DOUBLE FACE	622696170241	1.768	6	6					•

Retrofit

Fluorescent Emergency Battery Pack

FBP										
 FBP3500	ONE/TWO LAMPS, 1450-3500 LUMENS	662401531325	10.5	2	2					•


EBP										
 EBP450X	FLUORESCENT BATTERY PACK, 700 LUMEN	080083561650	2.16	6	6	•	•	•	•	•
EBP700X	FLUORESCENT BATTERY PACK, 450 LUMEN	080083564262	2.205	6	6			•		•
EBP1400X	FLUORESCENT BATTERY PACK, 1400 LUMEN	080083597970	2	6	6			•		•

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA





Accessories

Accessories

	FRK1 FRK1	FULLY RECESSING KIT - P4C/R4C	662400109389	5	1	1						•	
	Laser LASER	RED LASER POINTER (USED TO ACTIVATE REMOTE TESTING FIXTURES)	662401215256	0.25	12	12						•	
	Vandal Guard - VS1 VS1	POLYCARBONATE VANDAL SHIELD	662401459674	4.5	1	1						•	
	Wireguard - WG WG1	WIREGUARD (18"X15"X6")	662400109419	2.4	1	1						•	
	WG10	WIREGUARD (13 3/4"X13 3/8"X4 3/8")	662400109426	2.3	1	1						•	


Chicago Code

Chicago Code Emergency

	Steel Housing - GC15072 GC15072	RECESSED, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400108276	18.15	1	1						•	•	✓
	Steel Housing - ST1 ST1	STEEL, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400107583	8.4	1	1						•		✓
	Steel Housing - XR6C XR6C	STEEL, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400107507	8.311	6	6						•	•	✓
	Steel Housing - XR9C XR9C	STEEL, 6V, (2) 12W HALOGEN LAMPS, 30W REMOTE CAPACITY, WHITE	662400107514	15	4	4						•		✓

Chicago Code and Emergency

Chicago Code Emergency and Emergency Architectural

	Die Cast Aluminum Housing - CHEL Silver / White CHEL1SD	6V, (2) 12W HALOGEN LAMPS, DAMP LOCATION LISTED, SILVER	080083508372	9	4	4						•	
	CHEL1WHSD	6V, (2) 12W HALOGEN LAMPS, DAMP LOCATION LISTED, WHITE	080083508389	9	4	4						•	

Chicago Code Emergency and Emergency Remote Heads

Remote Heads Metal - Halogen

6T12MHWH	METAL, 6V, 12W HALOGEN LAMP, WHITE	662400238355	1.2	6	6	6						•		✓
----------	------------------------------------	--------------	-----	---	---	---	--	--	--	--	--	---	--	---

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Replacement part

Replacement part

Transformer

004213SP	REPLACEMENT PART; TRANSFORMER	662400111160	0.3	10	10				•	
004214SP	REPLACEMENT PART; TRANSFORMER	662400111177	0.2	10	10				•	
004215SP	REPLACEMENT PART; TRANSFORMER	662400111184	0.2	10	10				•	
004216SP	REPLACEMENT PART; TRANSFORMER	662401182107	0.3	10	10				•	
004260SP	REPLACEMENT PART; TRANSFORMER	662400111207	0.69	10	10				•	
004261SP	REPLACEMENT PART; TRANSFORMER	662400112389	0.7	10	10				•	
004262SP	REPLACEMENT PART; TRANSFORMER	662400112396	0.7	10	10				•	
004320SP	REPLACEMENT PART; TRANSFORMER	662401362905	1.3	10	10				•	
004321SP	REPLACEMENT PART; TRANSFORMER	662401812639	1.3	10	10				•	

Replacement part

026117SP	REPLACEMENT PART, BATTERY	662400109273	1.6	1	1					•
02645SP	REPLACEMENT PART, BATTERY	662400109242	2.6	1	1					•
02650SP	REPLACEMENT PART, BATTERY	662400109259	4.6	1	1					•

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

All-Pro Emergency

LED Exit and Emergency

Exit Signs Commercial

Thermoplastic Housing - APXEL

APXEL61G	EXIT SIGN EDGE LIT, 1F, GREEN, AC ONLY	080083635481	4.1	6	6				•		•	✓
APXEL61R	EXIT SIGN EDGE LIT, 1F, RED, AC ONLY	080083635245	4.1	6	6						•	✓
APXEL62G	EXIT SIGN EDGE LIT, 2F, GREEN, AC ONLY	080083635566	4.03	6	6				•		•	✓
APXEL62R	EXIT SIGN EDGE LIT, 2F, RED, AC ONLY	080083635528	4	6	6						•	✓
APXEL71G	EXIT SIGN EDGE LIT, 1F, GREEN, BATTERY	080083635504	4.2	6	6				•		•	✓
APXEL71R	EXIT SIGN EDGE LIT, 1F, RED, BATTERY	080083635467	4.2	6	6						•	✓
APXEL72G	EXIT SIGN EDGE LIT, 2F, GREEN, BATTERY	080083635580	4.14	6	6				•		•	✓
APXEL72R	EXIT SIGN EDGE LIT, 2F, RED, BATTERY	080083635542	4.14	6	6						•	✓



Thermoplastic Combos - Double Head - APC

APC7G	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE GREEN LETTERS	080083567164	1.21	8	8				•		•	✓
APC7R	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE RED LETTERS	080083566556	1.22	8	8						•	✓



Thermoplastic Combos - Double Head - APCH

APCH7G	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE GREEN LETTERS	080083567188	1.29	8	8						•	✓
APCH7R	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE RED LETTERS	080083567171	1.29	8	8						•	✓



Thermoplastic Housing - APX6 and APX7

APX6G	AC ONLY, WHITE HOUSING, LED EXIT, GREEN LETTERS	080083566525	2.4	6	6						•	✓	
APX6R	AC ONLY, WHITE HOUSING, LED EXIT, RED LETTERS	080083566518	2.4	6	6				•		•	✓	
APX7G	SELF POWERED, WHITE HOUSING, LED EXIT, GREEN LETTERS	080083566549	2.4	6	6						•	✓	
APX7R	SELF POWERED, WHITE HOUSING, LED EXIT, RED LETTERS	080083566532	2.4	6	6				•	•	•	•	✓

Emergency Commercial



Thermoplastic Housing - APEL

APEL	3.6V, (2) .78W LED EMERGENCY LIGHT HEAD, EQUIVALENT TO (2) 5.4W INCANDESCENT LAMPS	080083566501	0.46	8	8				•	•	•	•	•	✓
------	--	--------------	------	---	---	--	--	--	---	---	---	---	---	---






Thermoplastic Housing - APR

APR1	(2) .78W LED EMERGENCY LIGHT REMOTE HEAD, EQUIVALENT TO (2) 5.4W INCANDESCENT LAMP	080083567195	0.17	30	30						•	✓
APR2	(1) .78W LED EMERGENCY LIGHT REMOTE HEAD, EQUIVALENT TO (1) 5.4W INCANDESCENT LAMP	080083567201	0.21	30	30						•	✓



Thermoplastic Housing - APWR

APWR1	REMOTE, SINGLE HEAD, WET LISTED	080083608560	0.3	30	30						•	✓
APWR2	REMOTE, DOUBLE HEAD, WET LISTED	080083608584	0.42	30	30						•	✓

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA			
Exit and Emergency													
Exit Signs Commercial													
Thermoplastic Combos - Double Head Square													
	AP70RWHDSQ	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) 5.4W INCANDESCENT LAMPS (SQUARE)-EMERGENCY, UNIVERSAL FACE, RED LETTERS	080083555871	8.2	6	6					•	✓	
	APH70RWHDSQ	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) 5.4W INCANDESCENT LAMPS (SQUARE)-EMERGENCY, UNIVERSAL FACE, RED LETTERS	080083555888	10.567	6	6					•	✓	
Edge-lit - EUR & EUS													
	EUR70G	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, SELF-POWERED	623960072742	8.8	4	4					•		
	EUS60G	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, AC ONLY	623960072681	3.39	4	4					•		
	EUS70G	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, SELF-POWERED	623960072728	3.39	6	6			•		•		
Emergency Commercial													
Thermoplastic Housing - AP2SQ													
	AP2SQ	6V, (2) 5.4W INCANDESCENT LAMPS (SQUARE), WHITE	662401000753		4	6	6	•	•	•	•	•	✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		NJ	IL	TX	CA	GA
				QTY	QTY					
6" Power Modules										
ERW6827	LED MODULE 6" WIDE, 80CRI 2700K	080083621453	6	6	6					•
ERW6830	LED MODULE 6" WIDE, 80CRI 3000K	080083621446	1.8	6	6					•
ERW6830H20	LED MODULE 6" WIDE 2000 LUMEN 3000K	080083621194	6	6	6					•
ERW6835	LED MODULE 6" WIDE, 80CRI 3500K	080083621439	1.5	6	6					•
ERW6835H20	LED MODULE 6" WIDE 2000 LUMEN 3500K	080083621255	6	6	6					•
ERW6840	LED MODULE 6" WIDE, 80CRI 4000K	080083621422	1.93	6	6					•
ESQ4830	LED MODULE 4" SQUARE 3000K	080083621545	1.35	6	6					•
ESQ4835	LED MODULE 4" SQUARE 2000 LUMEN 3500K	080083621248	1.25	6	6					•
ESQ6835	LED MODULE 6" SQUARE 2000 LUMEN 3500K	080083621231	3.166	6	6					•



6" Square Downlight

LDSQ413D010	4" SQUARE LED HOUSING, 1300 LUMENS, 0-10V DIMMING, 120-277V	080083621514	19	1	1					•
LDSQ615D010	6" SQUARE LED HOUSING, 1500 LUMENS, 0-10V DIMMING, 120-277V	080083621507	19	1	1					•

6" Square

6LSQ0LI	SQUARE 6" LED DOWNLIGHT REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083606719	0.85	1	1					• ★
6LSQ0H	SQUARE 6" LED DOWNLIGHT REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083606726	0.85	1	1					• ★
6LSQ1LI	SQUARE 6" LED DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083635405	0.85	1	1					• ★

6" Trims

6LM111LI	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630073	1	1	1					• ★
6LM1H	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083598953	1	1	1					• ★
6LM1LI	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083598946	1	1	1					• ★
6LW0H	6" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083599066	1	1	1					• ★
6LW0LI	6" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083599301	1	1	1					• ★
6LW111LI	6" LED WIDE WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630080	1	1	1					• ★
6LW1H	6" LED WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083613212	1.05	1	1					• ★
6LW1LI	6" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083601011	0.75	1	1					• ★

CFL Recessed



4" Vertical Downlight

C4013E	VERTICAL 4" 13W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083553662	4.1	1	1					• ★
C4018E	VERTICAL 4" 18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083553679	4.05	1	1					• ★
C4026E	VERTICAL 4" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558643	4.05	1	1					• ★

4" Trims

4050LI	VERTICAL 4" CFL WIDE BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400313366	0.55	1	1					• ★
4051LI	VERTICAL 4" CFL WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313397	0.6	1	1					• ★







4" Square

CSQ4132E	HORIZONTAL 4" 26/32W CFL SQUARE HORIZONTAL DOWNLIGHT, 120-277V ELECTRONIC BALLAST	080083610075	4.95	1	1					• ★
----------	---	--------------	------	---	---	--	--	--	--	-----

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
4" SQ Trims										
4CSQ1LI	SQUARE 4" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083610082	0.85	1	1					★
6" Lens Wall Wash										
 CLW6132E	6" LENS WALL WASH 32W HOUSING, 120-277V ELECTRONIC BALLAST	080083565566	5.8	1	1					★
6" Square										
 CSQ6142E	HORIZONTAL 6" 26/32/42W CFL SQUARE HORIZONTAL DOWNLIGHT, 120-277V ELECTRONIC BALLAST	080083610044	4.95	1	1					★
CSQ6226E	HORIZONTAL 6" 2-26W CFL SQUARE HORIZONTAL DOWNLIGHT, 120-277V ELECTRONIC BALLAST	080083610068	4.95	1	1					★
6" Vertical Downlight										
 CD6018E	VERTICAL 6" 18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660896	4.6	1	1					★
CD6042D26/32	VERTICAL 6" 26/32W CFL HOUSING, LUTRON DIMMING	080083660902	4.5	1	1					★
CD6042E	VERTICAL 6" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660919	4.6	1	1	•	•	•	•	★
CD6042ECP	VERTICAL 6" 26/32/42W CHICAGO PLENUM CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660926	5.3	1	1					★
CD6042EEM	VERTICAL 6" 26/32/42W CFL HOUSING WITH EMERGENCY MODULE, 120-277V ELECTRONIC BALLAST,	080083660933	10	1	1					★
CD6042EIEM	VERTICAL 6" 26/32/42W CFL HOUSING WITH INTEGRAL EMERGENCY MODULE, 120-277V ELECTRONIC BALLAST,	080083660940	4.5	1	1					★
CD60423E	VERTICAL 6" 26/32/42W CFL HOUSING, 347V ELECTRONIC BALLAST	080083661022	4.5	1	1					★
6" Horizontal Downlight										
 CD6126E	HORIZONTAL 6" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660957	4.45	1	1					★
CD6142D26/32	HORIZONTAL 6" 26/32W CFL HOUSING, LUTRON DIMMING	080083660964	4.6	1	1					★
CD6142E	HORIZONTAL 6" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660971	4.75	1	1	•	•	•	•	★
CD6142ECP	HORIZONTAL 6" 26/32/42W CHICAGO PLENUM CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660988	5.2	1	1					★
CD61423E	HORIZONTAL 6" 26/32/42W CFL HOUSING, 347V ELECTRONIC BALLAST	080083661039	4.6	1	1					★
CD6213E	HORIZONTAL 6" 2-13W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660995	4.5	1	1					★
CD6218E	HORIZONTAL 6" 2-18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083661008	4.5	1	1					★
CD6226E	HORIZONTAL 6" 2-26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083661015	4.5	1	1					★
6" SQ Trims										
6CSQ1LI	REFLECTOR 6" COMPACT FLUORESCENT SQUARE SELF FLANGED SPECULAR CLEAR FINISH	080083610051	0.85	1	1					★

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
6" Trims										
6CV142M0LI	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660773	1.1	1	1	•	•	•	•	★
6CV142M1H	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083660780	1.1	1	1	•	•	•	•	★
6CV142M1LI	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660797	1.1	1	1	•	•	•	•	★
6CV142M1LIWF	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083660803	1.1	1	1	•	•	•	•	★
6CWWV1420LI	VERTICAL 6" CFL WALL WASH REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660810	1.05	1	1	•	•	•	•	★
6CWWV1421LI	VERTICAL 6" CFL WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660827	1.05	1	1	•	•	•	•	★
6CV142W1H	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083660834	1.1	1	1	•	•	•	•	★
6CLV142M1LI1	VERTICAL 6" CFL ACRYLIC PRISMATIC MEDIUM BEAM LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660841	0.8	1	1	•	•	•	•	★
6CLH1420LI1	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	080083660858	1.2	1	1	•	•	•	•	★
6CLH1421LI1	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, SELF FLANGED TRIM, SPECULAR CLEAR FINISH	080083660865	1.1	1	1	•	•	•	•	★
6CV142W0LI	VERTICAL 6" CFL WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660872	1.1	1	1	•	•	•	•	★
6CV142W1LI	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660889	1.1	1	1	•	•	•	•	★
6CH1420LI	HORIZONTAL 6" CFL REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083661046	1.1	1	1	•	•	•	•	★
6CH1421H	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, HAZE FINISH	080083661053	1.1	1	1	•	•	•	•	★
6CH1421LI	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083661060	1.1	1	1	•	•	•	•	★
6CH2260LI	HORIZONTAL 6" CFL REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083661077	1.1	1	1	•	•	•	•	★
6CH2261H	HORIZONTAL 6" CFL REFLECTOR,, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083661084	1.1	1	1	•	•	•	•	★
6CH2261LI	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083661091	1.1	1	1	•	•	•	•	★
6CH1421HWF	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083661107	1.1	1	1	•	•	•	•	★
6CH1421LIWF	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083661114	1.1	1	1	•	•	•	•	★



7" Vertical Downlight

C7042E	VERTICAL 7" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616023	4.95	1	1	•	•	•	•	★
--------	--	--------------	------	---	---	---	---	---	---	---



7" Horizontal Downlight

C7142EADV	HORIZONTAL 7" 42W CFL HOUSING, ADVANCE DIMMING	080083617180	5.8	1	1	•	•	•	•	★
C7126E	HORIZONTAL 7" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400613275	5.2	1	1	•	•	•	•	★
C7218E	HORIZONTAL 7" 2-18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400613152	5.4	1	1	•	•	•	•	★
C7226E	HORIZONTAL 7" 2-26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400005209	5.2	1	1	•	•	•	•	★
C7226D	HORIZONTAL 7" 2-26W CFL HOUSING, LUTRON DIMMING	080083660766	5.65	1	1	•	•	•	•	★



7" Horizontal Downlight - C7142, C7242

C7142E	HORIZONTAL 7" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616054	5.45	1	1	•	•	•	•	★
C7242E	HORIZONTAL 7" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	623961436604	6	1	1	•	•	•	•	★

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
7" Trims										
7001LI	VERTICAL 7" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313816	1.7	1	1					★
7050LI	VERTICAL 7" CFL WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	662400313847	1.1	1	1				★	★
7150LI	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400313946	1.2	1	1			★	★	★
7151H	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, HAZE FINISH	662400315575	1.2	1	1				★	★
7151LI	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313977	1.25	1	1				★	★
7181LI1	HORIZONTAL 7" CFL PRISMATIC LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313991	2	1	1				★	★
7251LIWF	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF WHITE FLANGE, SPECULAR CLEAR FINISH	662400642305	1.12	1	1				★	★
7351LI	HORIZONTAL, 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	623961498947	1.25	1	1				★	★



8" Vertical Downlight										
C8042E	VERTICAL 8" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558636	5.45	1	1				★	★



8" Horizontal Downlight										
C8242E	HORIZONTAL 8" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558650	6	1	1				★	★

8" Trims										
8351LI	HORIZONTAL 8" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	623961545566	1.2	1	1				★	★



9" Horizontal Downlight										
C9242E	HORIZONTAL 9" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616115	7.7	1	1				★	★

9" Trims										
9250LI	HORIZONTAL 9" CFL DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400314332	1.8	1	1				★	★
9251LI	HORIZONTAL 9" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400316282	2	1	1				★	★

CFL Accessories

Accessories										
C836P	PENDANT KIT, CFL, 36", WHITE	662400602187	3.25	4	4				★	★



Frosted Disc										
DT7DISC	7" FROSTED DISC FOR USE ON 7" CFL, INCANDESCENT AND HID DOWNLIGHTS	662400680512	3.4	1	1				★	★

★ Indicates ARRA Eligible Product,  Indicates Off the Shelf Product,  Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
HID										
Recessed										
	6" Vertical Downlight MD670E VERTICAL 6" 70W METAL HALIDE	080083534395	7.3	1	1					★
	7" Vertical Downlight MD7100E VERTICAL 6" 100W METAL HALIDE	080083534449	7.7	1	1					★
Lens - Round 8"-12"										
10002P	9" ROUND REGRESSED FRESNEL LENS WITH BLACK BAFFLE, WHITE TRIM	662400122845	2.9	1	1					★
Lens - Square 13"										
11302P	13" SQUARE REGRESSED LENS	662400122890	6.8	1	1					★
11311P	13" SQUARE PRISMATIC DROP LENS	662400187165	7.6	1	1					★
Incandescent										
Recessed										
	3" Adjustable HA3MR ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING	662400648857	9.9	2	2					★
	HA3MRDR37 ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING, 37W DERATED LABEL	622696245604	9.475	2	2					★
	HA3MRDR50 ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING, 50W DERATED LABEL	622696245598	9.225	2	2					★
3" Trims										
3450LI	6" MR16 DOWNLIGHT REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH, HA6/MA6	623960220877	0.508	6	6					★
3470PIN	PINHOLE REFLECTOR FOR HA3MR	662400664321	0.6	6	6					★
	6" Downlight HD6 VERTICAL 6" INCANDESCENT HOUSING	662400619024	4.75	1	1					★
	HD6CP VERTICAL 6" INCANDESCENT CHICAGO PLENUM HOUSING	662400633280	6.25	1	1					★
	6" Incandescent Shallow Plenum Downlight H7601T VERTICAL 6" INCANDESCENT SHALLOW PLENUM DOWNLIGHT	662400148371	3.75	1	1					★
	7" Downlight HD7 VERTICAL 7" INCANDESCENT HOUSING	662400620433	5.4	1	1					★
Incandescent Accessories										
Accessories										
H836P	PENDANT KIT, 36", INCANDESCENT, WHITE	662400133681	2.4	1	1					★
SA91	SOCKET ADAPTER MR16 75W MAX	662400317029	0.5	4	4					★

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓜ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

HID and Incandescent Recessed

6" Trims

6471LI	6" CUT CONE REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HA6/MA6	662400619758	0.7	1	1					•	★
6500LI	VERTICAL 6" DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD6/MD6	662400625773	1.05	1	1					•	★
6601LI	VERTICAL 6" DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HD6/MD6	662400623564	0.75	1	1					•	★
6700LI	VERTICAL 6" MEDIUM BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD6/MD6	662400623243	0.8	1	1					•	★
6710LI	VERTICAL 6" WALL WASH REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD6/MD6	662400625704	0.95	1	1					•	★

7" Trims

7601LI	VERTICAL 7" DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HD7/MD7	662400620549	1.4	1	1					•	★
7750LI	VERTICAL 7" WIDE BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD7/MD7	662400626541	1	1	1					•	★

CFL, HID, and Incandescent Accessories

CFL, HID, and Incandescent Accessories

Accessories

HB26	BAR HANGER, C-CHANNEL 26" LONG	662400136187	1.3	20	20					•	•	•	•	★
RMB22	22" LONG WOOD JOIST MOUNTING BARS	662401000821	0.866	4	4									★
TRM6P	6" METAL TRIM RING, WHITE	662400149170	0.1	12	12									★

CFL Accessories

Frosted Disc

DTC6DISC	6" FROSTED DISC DECORATIVE TRIM RING FOR 6-3/8" CFL	080083661121	2.45	1	1									•	★
----------	---	--------------	------	---	---	--	--	--	--	--	--	--	--	---	---

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Iris












Iris Platform

	3" IC Rated LED											
	P3LED98301E0-10V/TE	3" IC RATED LED HOUSING, 120V TE & 0-10V DIMMING	080083629961	15.7	1	1	■	■	●	■	●	★
	3" IC Rated Low Voltage											
	P3MR	3" IC RATED LOW VOLTAGE HOUSING	662400609674	10.35	1	1	●	●	●	●	●	★
	3" Non-IC Low Voltage											
	PN3MR	3" NON-IC LOW VOLTAGE HOUSING	662400609667	7.95	1	1	●	●	●	●	●	★
	3" Non-IC Low Voltage Remodel											
	RPN3MR	3" NON-IC LOW VOLTAGE REMODEL HOUSING 50W	623961149153	4.5	1	1	■	●	●	■	●	★
	RPN3MRSA	3" NON-IC LOW VOLTAGE REMODEL HOUSING, SUPER ADJUSTABLE, 50W	623961148545	4.45	1	1	●	■	■	■	■	★
	4" Square IC Rated											
	P408ICAT	4" IC RATED MODULAR HOUSING	623961387203	9.05	2	2	■	■	●	■	●	
	P4MRICAT	4" SQUARE IC MR16 HOUSING	623961542787	8.9	2	2	■	■	■	■	●	
	4" Square Non-IC											
	P406TAT	4" SQUARE NON-IC MODULAR HOUSING	623961082795	8.9	2	2	■	■	●	■	●	
	P4MRTAT	4" SQUARE NON-IC MR16 HOUSING	623961542770	8.9	2	2	■	■	■	■	●	★
	4" Square Non-IC - CFL											
	PN41H42ED26/32ES	4" SQUARE NON-IC 26/32W CFL HOUSING, 120 - 277V ECOSYSTEMS DIMMING	080083613052	8.9	2	2	■	■	■	■	●	★
	5" IC Rated											
	P5	5" IC RATED MODULAR HOUSING	662400611356	7	1	1	●	●	●	●	●	
	5" Non-IC											
	PN5	5" NON-IC MODULAR HOUSING	622697326531	6.95	1	1	■	■	■	■	●	★
	6" Square Non-IC											
	PN61H42E	6" SQUARE NON-IC 26/32/42W CFL HOUSING, 120 - 277V	080083629985	8.9	2	2	■	■	■	■	●	★
	PN6L1H42E	6" SQUARE NON-IC 26/32/42W CFL LENS WALL WASH HOUSING, 120 - 277V	080083629978	8.9	2	2	■	■	■	■	●	★

Iris Power Modules



















★ Indicates ARR A Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Compact Fluorescent Electronic Ballast										
 M42T	26/32/42W COMPACT FLUORESCENT ELECTRONIC BALLAST MODULE	662400621287	1.175	6	6			•	•	★
Compact Fluorescent										
 MH4CFL42E	26W DTT, 26/32/42W TTT, COMPACT FLUORESCENT	623961448515	2.03	6	6				•	★
4" Square MR16 Low Voltage - MA4MR										
 MA4MR	4" SQUARE ADJUSTABLE MR16 LOW VOLTAGE MODULE	623961379352	5.35	12	12			•	•	
4" Square MR16 Low Voltage - MV4MR										
 MV4MR	4" SQUARE VERTICAL MR16 LOW VOLTAGE MODULE	623961677809	1.2	1	1				•	★
4" Line Voltage										
 MH4BT	4" SQUARE HORIZONTAL BT15 TUNGSTEN-HALOGEN LAMP MODULE	623961611278	1	6	6				•	★
5" and 7" Line Voltage Downlight										
 M120	5" AND 7" LINE VOLTAGE A AND PAR LAMP DOWNLIGHT MODULE	662400615415	0.3	16	16		•	•	•	•
5" Low Voltage										
 M5MR	5" MR16 LOW VOLTAGE MODULE	662400611967	4.4	6	6				•	★
5" Line Voltage										
 M5P30	5" PAR30 ADJUSTABLE LINE VOLTAGE MODULE	662400615422	1.3	6	6			•	•	★
7" Line Voltage										
 M7P38	7" PAR38 ADJUSTABLE LINE VOLTAGE MODULE	662400621294	2	6	6				•	★
Iris Optical Element										
3" Adjustable Accent										
 E3AAC	3" ADJUSTABLE ACCENT, CLEAR REFLECTOR	662400684831	0.53	6	6				•	★
E3AAH	3" ADJUSTABLE ACCENT, HAZE REFLECTOR	662400684763	0.5	6	6				•	★
3" Downlight Pinhole										
 E3DNPIN	3" DOWNLIGHT PINHOLE	662400635116	0.7	6	6				•	★












★ Indicates ARRA Eligible Product, Indicates Off the Shelf Product, Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
3" Downlight Shower										
 E3SRH	3" DOWNLIGHT SHOWER, HAZE REFLECTOR	662400685470	0.6	6	6					★
3" Lensed Shower Adjustable Accent										
 E3AASRPIN	3" LENSED SHOWER ADJUSTABLE ACCENT PINHOLE	662400684251	0.6	6	6					★
3" Lensed Shower Downlight										
 E3SRC	3" LENSED SHOWER DOWNLIGHT, CLEAR REFLECTOR	662400685449	0.6	6	6					★
3" MR16 Downlight - Black Baffle										
 E3MRBB	3" MR16 DOWNLIGHT, BLACK BAFFLE	662400685760	0.4	6	6					★
3" MR16 Downlight										
 E3MRC	3" MR16 DOWNLIGHT, CLEAR REFLECTOR	662400685357	0.6	6	6					★
 E3MRCSF	3" MR16 DOWNLIGHT, CLEAR REFLECTOR, SELF FLANGED	662400683919	0.4	6	6					★
 E3MRH	3" MR16 DOWNLIGHT, HAZE REFLECTOR	662400685364	3.25	6	6					★
 E3MRWB	3" MR16 DOWNLIGHT, WHITE BAFFLE	662400685777	0.4	6	6					★
3" Pinhole										
 E3PIN	3" PINHOLE	662400684183	0.7	6	6					★
3" Super Adjustable										
 E3SA	3" SUPER ADJUSTABLE	623961149191	1.42	6	6					★
4" Lensed Shower Adjustable Accent										
 E4AASRH	4" LENSED SHOWER ADJUSTABLE ACCENT, HAZE REFLECTOR	623961366406	1	36	36					★
 E4AASRHSF	4" LENSED SHOWER ADJUSTABLE ACCENT, HAZE REFLECTOR, SELF FLANGED	623961366413	1	1	1					★
4" Lensed Shower Downlight										
 E4DLSRH	4" LENSED SHOWER DOWNLIGHT, HAZE REFLECTOR	623961359583	1	6	6					★
 E4DLSRHSF	4" LENSED SHOWER DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED	623961359590	1.2	6	6					★
4" Square Adjustable Accent										
 E4AAH	4" SQUARE ADJUSTABLE ACCENT, HAZE REFLECTOR	623961366369	1	36	36					★
 E4AAHSF	4" SQUARE ADJUSTABLE ACCENT, HAZE SELF FLANGED REFLECTOR	623961366376	1	36	36					★
4" Square Downlight										
 E4DLH	4" SQUARE DOWNLIGHT, HAZE REFLECTOR	623961366321	1	36	36					★
 E4DLHSF	4" SQUARE DOWNLIGHT, HAZE SELF FLANGED REFLECTOR	623961366338	1	6	6					★


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
4" Square Lensed Wall Wash										
 E4LWWH	4" SQUARE LENSED WALL WASH, HAZE REFLECTOR	080083577477	0.49	6	6					★
E4LWWHSF	4" SQUARE LENSED WALL WASH, HAZE SELF FLANGED REFLECTOR	080083577460	0.49	6	6					★
4" Square Regressed Lensed Wall Wash										
 E4RLWW	4" SQUARE REGRESSED LENSED WALL WASH, SELF FLANGED, MATTE WHITE	080083583386	1	6	6					
E4RLWWRL	4" SQUARE REGRESSED LENSED WALL WASH, RIMLESS, MATTE WHITE	080083583393	1	6	6					
4" Square Pinhole										
 E4PIN	4" SQUARE PINHOLE, WHITE	623961366444	1	6	6					
E4PINRL	4" SQUARE PINHOLE, WHITE, RIMLESS	623961366451	1	6	6					
4" Square Regressed Pinhole										
 E4RPIN	4" SQUARE REGRESSED PINHOLE, WHITE	623961366482	0.866	6	6					
E4RPINRL	4" SQUARE REGRESSED PINHOLE, WHITE, RIMLESS	623961366499	1	6	6					
4" Square Regressed Shower Pinhole										
 E4RPINSRRL	4" SQUARE REGRESSED SHOWER PINHOLE, WHITE, RIMLESS	080083521753	1	6	6					
E4RPINSR	4" SQUARE REGRESSED SHOWER PINHOLE, WHITE SHOWER	623961366505	1	6	6					
4" Square Shower Pinhole										
 E4PINSR	4" SQUARE SHOWER PINHOLE, WHITE	623961366468	1	6	6					
E4PINSRRL	4" SQUARE SHOWER PINHOLE, WHITE, RIMLESS	080083521746	0.866	6	6					
4" Parabolic Lower Shielding Reflector										
 E4MRH	4" SQUARE PARABOLIC LOWER SHIELDING REFLECTOR	623961520594	0.31	6	6					★
5" Adjustable Accent										
 E5AAH	5" ADJUSTABLE ACCENT, HAZE REFLECTOR	662400624271	0.98	6	6					★
E5AAWB	5" ADJUSTABLE ACCENT, WHITE BAFFLE	662400621232	0.8	6	6					★
5" A Lamp Downlight and Wall Wash										
 E5A19C	5" A LAMP DOWNLIGHT, CLEAR REFLECTOR	662400613176	1.2	6	6					★
E5A19H	5" A LAMP DOWNLIGHT, HAZE REFLECTOR	662400615934	1.63	6	6					★
E5A19WWC	5" A LAMP WALL WASH, CLEAR REFLECTOR	662400615729	1.4	6	6					★
5" CFL Downlight										
 E5TC	5" CFL DOWNLIGHT, CLEAR REFLECTOR	662400615958	1.2	6	6					★
E5TH	5" CFL DOWNLIGHT, HAZE REFLECTOR	662400615965	1.04	6	6					★
5" PAR30 Downlight										
 E5P30G	5" PAR30 DOWNLIGHT, GOLD REFLECTOR	662400615989	1.2	6	6					★
E5P30H	5" PAR30 DOWNLIGHT, HAZE REFLECTOR	662400615996	1.37	6	6					★
E5P30WB	5" PAR30 DOWNLIGHT, WHITE BAFFLE	662400673149	1.05	6	6					★

★ Indicates ARRA Eligible Product, Indicates Off the Shelf Product, Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
6" Square Downlight										
 E6DLLI	6" SQUARE DOWNLIGHT, LOW IRRIDESCENT CLEAR REFLECTOR	080083595051	1.3	6	6					• ★
E6DLHSF	6" SQUARE DOWNLIGHT, HAZE SELF FLANGED REFLECTOR	080083596607	1.3	6	6					• ★
E6LWWHSF	6" SQUARE LENSED WALL WASH, HAZE SELF FLANGED REFLECTOR	080083596928	1.3	6	6					• ★

7" Decorative Lens Shower Downlight										
 E7LUNA	7" DECORATIVE LENS SHOWER DOWNLIGHT	662400628422	2.4	6	6					• ★

Iris Components & Accessories

Lenses										
 LHEX	2" HEX CELL LOUVER	662400614845	0.04	50	50					• ★
LSPD	2" SPREAD LENS	662400614715	0.05	50	50					• ★

Mount Collars										
 FMC3	3" FLUSH MOUNT COLLAR	622696870677	0.625	6	6					• ★
FMC5	5" FLUSH MOUNT COLLAR	622696870684	0.8	6	6					• ★

Replacement Socket										
 MRSKT	REPLACEMENT SOCKET FOR M5MR MODULE	662401631711	0.2	10	10					• ★

LC16KIT	RETROFIT LAMP CAPSULE KIT FOR PN3MR	623961078651	0.17	36	36					•
PLR4X4	4" PLASTER LATHING RING	623961523991	0.43	180	180					•
RLA4X4	4" RIMLESS ADAPTER	623961524912	0.38	6	6					•
RA4X4	4" SQUARE RIMLESS ADAPTER	080083603169	1.25	12	12					•
RA6X6	6" SQUARE RIMLESS ADAPTER	080083594795	0.43	12	12					•
RG50FL40	50MM GLASS LED REFLECTOR, 40 DEGREE	080083615261	1	1	1					•
RG50MH	50MM LED REFLECTOR MEDIA HOLDER	080083617623	0.79	6	6					• ★
RG50NFL25	50MM GLASS LED REFLECTOR, 25 DEGREE	080083615278	0.12	10	10					•
RG50NSP10	50MM GLASS LED REFLECTOR, 10 DEGREE	080083615285	0.12	10	10					•
RG50SP15	50MM GLASS LED REFLECTOR, 15 DEGREE	080083628742	1	1	1					•

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Lumiere

Accent / Flood

Cambria - 203



Low Voltage - 203 LED

203-10LED3012-12-BK	10W LED, BLACK, SPOT OPTIC	080083632312	1.2	1	1						•	★
203-10LED3012-12-BZ	10W LED, BRONZE, SPOT OPTIC	080083632329	1.25	1	1						•	★
203-FL-10LED3041-12-BK	10W LED, BLACK, WIDE OPTIC, FLUSH LENS	080083632336	1.08	1	1						•	★
203-FL-10LED3041-12-BZ	10W LED, BRONZE, WIDE OPTIC, FLUSH LENS	080083632343	1.08	1	1						•	★



Low Voltage - 203

203-50MR16-12-BK	50W MR16 SIDE STEM, BLACK	783363038421	1.2	1	1					•	•	★
203-50MR16-12-BZ	50W MR16 SIDE STEM, BRONZE	783363038445	1.15	1	1					•	•	★
203-50MR16-12-CS	50W MR16 SIDE STEM, CITY SILVER	783363038452	1.1	1	1					•	•	★
203-50MR16-12-VE	50W MR16 SIDE STEM, VERDE	783363038476	1.2	1	1					•	•	★
203-50MR16-12-WT	50W MR16 SIDE STEM, WHITE	783363038469	1.15	1	1					•	•	★
203-CRS-50MR16-12-BZ	50W MR16 CENTER REAR SWIVEL STEM, BRONZE	783363041797	1.3	1	1					•	•	★
203-FL-50MR16-12-BZ	50W MR16 SIDE STEM FLUSH LENS, BRONZE	662400743415	1.08	1	1					•	•	★

Cambria - 204



Low Voltage - 204

204-75MR16-12-BK	75W MR16 SIDE STEM, BLACK	783363038865	1.4	1	1						•	★
204-75MR16-12-BZ	75W MR16 SIDE STEM, BRONZE	783363039305	1.4	1	1						•	★

Cambria - 355



Line Voltage - 355

355-50MR16-120-BK	50W MR16 COMPOSITE BODY, BLACK	783363148540	2	1	1						•	★
-------------------	--------------------------------	--------------	---	---	---	--	--	--	--	--	---	---

Carmel - 403



Low Voltage - 403







403-50T4-12-BZ	50W T4 HALOGEN, BRONZE	783363041667	1.75	1	1					•	•	★
----------------	------------------------	--------------	------	---	---	--	--	--	--	---	---	---

Coronado - 806



Line Voltage - 806

806-50PAR20-120-BK	50W PAR20, SIDE STEM, BLACK	662400743934	1.6	1	1						•	★
806-50PAR20-120-BZ	50W PAR20 SIDE STEM, BRONZE	783363040134	1.65	1	1						•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		NJ	IL	TX	CA	GA
				QTY	QTY					
Inground										
Monaco - 6000A-BB										
	Metal Halide, HPS, CFL - 6000A-BB									
6000A-BB	BACKBOX FOR MONACO 6000A, BLACK	623961123177	10	1	1					★
Boca - 613										
	Low Voltage - 613									
613-50MR16-12-BK	50W MR16, 4.5" DIAMETER OPEN APERTURE 22 DEGREE TILT 360 DEGREE ROTATE, BLACK	662400742845	3.1	1	1					★
613-50MR16-12-NBR	50W MR16, 4.5" DIAMETER OPEN APERTURE 22 DEGREE TILT 360 DEGREE ROTATE, NATURAL BRASS	783363038957	3.75	1	1					★
Boca - 615										
	Low Voltage - 615									
615-50MR16-12-NBR	50W MR16, 6" DIAMETER SLOTTED APERTURE 35 DEGREE TILT 360 DEGREE ROTATE, NATURAL BRASS	783363039374	5.6	1	1					★
Boca - 630										
	Low Voltage - 630									
630-50MR16-12-BK	50W MR16, 3.5" DIAMETER OPEN APERTURE, BLACK	783363039329	1.6	1	1					★
Pathway										
Maui - 1502										
	Low Voltage - 1502									
1502-INC18-12-BK	18W S8 INCANDESCENT, BLACK	783363039411	2	1	1					★
1502-INC18-12-BZ	18W S8 INCANDESCENT, BRONZE	622697348359	1.65	1	1					★
Cambria - 206										
	Low Voltage - 206									
206-50MR16-12-BK	50W MR16, 13.375" SIDE STEM, BLACK	783363038988	1.7	1	1					★
206-50MR16-12-BZ	50W MR16, 13.375" SIDE STEM, BRONZE	662400743439	1.8	1	1					★


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
Step										
Zuma - 1201										
	Low Voltage - 1201									
1201-LA-35T4-12-BK	35W T4 HALOGEN LOUVERED ALUMINUM FACEPLATE, BLACK	662400741947	1.4	1	1			•		★
1201-LA-35T4-12-BZ	35W T4 HALOGEN LOUVERED ALUMINUM FACEPLATE, BRONZE	783363039602	1.4	1	1			•		★
Zuma - 1203										
	Low Voltage - 1203									
1203-INC13-12-BZ	13W T5 INCANDESCENT EYELID FACEPLATE, BRONZE	662400761105	0.6	1	1			•		★
1203-INC13-12-WT	13W T5 INCANDESCENT EYELID FACEPLATE, WHITE	662400743927	0.6	1	1			•		★
Zuma - 1211										
	Compact Fluorescent - 1211									
1211-LP-CF9-120-BK	9W TT LOUVERED POLYCARBONATE FACEPLATE, BLACK	783363038490	1.4	1	1			•		★
1211-LP-CF9-120-WT	9W TT LOUVERED POLYCARBONATE FACEPLATE, WHITE	783363038483	1.6	1	1			•		★
Underwater										
Atlantis - 1407										
	Low Voltage - 1407									
1407-75MR16-12-NBZ	75W MR16, NATURAL BRONZE	622697307103	6.4	1	1			•		★
	Low Voltage - 1407 LED, 15' cord									
1407-10LED5741-12-NBZ	10W LED, NATURAL BRONZE	080083632305	6	1	1			•		★
Wall										
Westwood - 903										
	Low Voltage - 903 dual head									
903-2-50MR16-120/12-BZ	50W MR16 DUAL HEAD INTEGRAL TRANSFORMER, BRONZE	783363045313	5.35	1	1			•		★
	Low Voltage - 903									
903-50MR16-120/12-BZ	50W MR16 SINGLE HEAD INTEGRAL TRANSFORMER, BRONZE	783363044798	1.9	1	1			•		★
Westwood - 912										
	Line Voltage - 912 dual head									
912-2-50PAR20-120-BZ	50W PAR20 DUAL HEAD, BRONZE	783363087474	3.2	1	1			•		★
	Line Voltage - 912									
912-50PAR20-120-BK	50W PAR20, BLACK	662400753667	1	1	1			•		★

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

Accessories



Lenses, Louvers & Filters

DIF	DIFFUSED LENS FOR PAR20 LAMPS	662400756798	0.06	50	50				•		•	★
DIF-20	DIFFUSED LENS FOR MR16 LAMPS	783363047560	0.07	1	1						•	★
LSL	LINEAR SPREAD LENS FOR MR16 FIXTURES	662401101856	0.05	20	20						•	★
LVR	HEX CELL LOUVER FOR MR16 FIXTURES	662400740308	0.02	1	1				•		•	★
LVR-1	HEX CELL LOUVER FOR MR11 FIXTURES	662400741381	0.001	1	1						•	★
OSL	OVERALL SPREAD LENS FOR MR16 FIXTURES	662400741404	0.09	1	1				•		•	★



Ground Mounting

GS01	GROUND SPIKE ACCEPTS 1/2" NPS HUBS	662400743590	0.29	1	1				•		•	★
GS03 BK	GROUND SPIKE FOR LOW VOLTAGE FIXTURES ACCEPTS 1/2" NPS HUBS, BLACK	783363039008	0.54	1	1						•	★
GS03 BZ	GROUND SPIKE FOR LOW VOLTAGE FIXTURES ACCEPTS 1/2" NPS HUBS, BRONZE	783363038841	0.57	1	1						•	★
GS05	GROUND SPIKE HEIGHT ADJUSTABLE POLYCARBONATE, BLACK	662400740537	0.6	1	1						•	★
GS08	GROUND SPIKE W/ SIDE OR BOTTOM WIRE WAY ABS	783363038735	0.28	1	1				•		•	★



Optical Accessories

FH 203 BK	GLARE SHIELD FOR 203 FIXTURE, BLACK	783363038797	0.29	1	1				•		•	★
FH 203 BZ	GLARE SHIELD FOR 203 FIXTURE, BRONZE	783363038704	0.27	1	1						•	★
FH 203 WT	GLARE SHIELD FOR 203 FIXTURE, WHITE	783363044767	0.2	1	1						•	★



Surface, Wall & Tree Mounting

FS1 BK	RECTANGULAR WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MB1, BLACK	783363039534	0.2	1	1				•		•	★
FS1 BZ	RECTANGULAR WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MB1, BRONZE	783363078960	0.2	66	66						•	★
RS1 BK	ROUND WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MBR1, BLACK	783363039282	0.68	1	1						•	★
RS1 BZ	ROUND WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MBR1, BRONZE	783363040028	0.3	1	1						•	★
TM01 BK	ROUND MOUNT SURFACE/TREE, BLACK	783363038810	0.2	1	1				•		•	★
TM01 BZ	ROUND MOUNT SURFACE/TREE, BRONZE	662400743583	0.2	1	1						•	★
TM01 WT	ROUND MOUNT SURFACE/TREE, WHITE	662400743644	0.2	1	1						•	★
TM04 BZ	EXPANDING TREE STRAP FOR ONE FIXTURE, BRONZE	662400743576	1	1	1						•	★
TM05 BK	RECTANGULAR MOUNT SURFACE/TREE, BLACK	783363039312	0.25	1	1				•		•	★
TM05 BZ	RECTANGULAR MOUNT SURFACE/TREE, BRONZE	783363038858	0.3	20	20						•	★
TM05 WT	RECTANGULAR MOUNT SURFACE/TREE, WHITE	783363041834	1	1	1						•	★



Pour Cover - Monaco

6000-CP	CONCRETE POUR COVER FOR MONACO 6000	623961125218	2	1	1						•	★
---------	-------------------------------------	--------------	---	---	---	--	--	--	--	--	---	---

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

McGraw-Edison

Floodlight

Impact Flood



Small - Pulse Start Metal Halide

MPMS70	70W MP MULTI-TAP KNUCKLE W/LAMP BRONZE	623961978227	15	1	1						•
MPMS10	100W MP MULTI-TAP KNUCKLE W/LAMP BRONZE	623961978234	15	1	1						•
MPMS15	150W MP MULTI-TAP KNUCKLE W/LAMP BRONZE	623961757501	15	1	1						•



Medium - Pulse Start Metal Halide

MPMM25	250W MP MULTI-TAP W/LAMP BRONZE	623961757433	25	1	1						•	ⓔ
MPMM40	400W MP MULTI-TAP W/LAMP BRONZE	623961762901	48	1	1						•	ⓔ

Wall Mount

Impact



Trapezoid - Pulse Start Metal Halide

MPIT10	100W MP MULTI-TAP W/LAMP BRONZE	623961932236	17	1	1						•
MPIT15	150W MP MULTI-TAP W/LAMP BRONZE	623961904714	19	1	1						•



Cylinder - Pulse Start Metal Halide

MPIC10	100W MP MULTI-TAP W/LAMP BRONZE	623961932298	18.34	1	1						•
MPIC15	150W MP MULTI-TAP W/LAMP BRONZE	623961904936	19	1	1						•



Wedge - Pulse Start Metal Halide






MPIW10	100W MP MULTI-TAP W/LAMP BRONZE	623961932250	16.9	1	1						•
--------	---------------------------------	--------------	------	---	---	--	--	--	--	--	---

Vandal Resistant Accessories

Tools

VRSD

VRSD	VANDAL RESISTANT SCREW DRIVER	662400129509	0.2	200	200						•	•	★
------	-------------------------------	--------------	-----	-----	-----	--	--	--	--	--	---	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
Medical										
Wall										
	MCL									
	MCL-A-120-W	NIGHTLIGHT / CHARTLIGHT, 120V, WHITE	080083653546	0.375	6	6				•
	MHN									
	MHN-UNV-W	NIGHTLIGHT, HORIZONTAL LOUVER, UNV, WHITE	080083651634	0.375	6	6				•
	MLN									
	MLN-UNV-BN	NIGHTLIGHT, VERTICAL LOUVER, UNV, BRUSHED NICKEL	080083651658	0.375	6	6				•
	MLN-UNV-W	NIGHTLIGHT, VERTICAL LOUVER, UNV, WHITE	080083651641	0.375	6	6				•
	MSN									
	MSN-UNV-BN	NIGHTLIGHT, SCOOP, UNV, BRUSHED NICKEL	080083651764	0.375	6	6				•
	MSN-UNV-W	NIGHTLIGHT, SCOOP, UNV, WHITE	080083651627	0.375	6	6				•
Undercabinet										
	MAS									
	MAS-32-UNV-IK12-EB81	UNDERCABINET, 32W T8 LAMP	080083589616	8.2	1	1				• ★
	MAS-32-120-IK12-EB81-RSW	UNDERCABINET, 32W T8 LAMP, WITH ROCKER SWITCH	080083589623	8.2	1	1				• ★
Food Processing										
HP Hose Down Fixture										
Accessories										
SMB	SURFACE MOUNT BRACKET ACCESSORY	662400521310	24	1	1					• ★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

MWS

Starter Fitting



277V										
27ST12/2G	277V 1-HOT, NEUTRAL AND GROUND	622697277604	0.9	60	60					•
27ST12/3G	277V 2-HOTS, NEUTRAL AND GROUND	622697277635	0.9	60	60					•

Extender Cables



277V										
27EC12/2G09	277V 1-HOT, NEUTRAL AND GROUND, 9' LENGTH	622697309824	2.835	9	9					•
27EC12/2G13	277V 1-HOT, NEUTRAL AND GROUND, 13' LENGTH	622697310158	3.4	6	6					•
27EC12/2G17	277V 1-HOT, NEUTRAL AND GROUND, 17' LENGTH	622697310257	3.86	5	5					•
27EC12/2G21	277V 1-HOT, NEUTRAL AND GROUND, 21' LENGTH	622697310370	7.35	4	4					•
27EC12/4G26	277V 3-HOTS, NEUTRAL AND GROUND, 26' LENGTH	622697325169	11.7	4	4					•

Splitter



277V										
27SP12/4G	277V 3-HOTS, NEUTRAL AND GROUND	622697383220	0.9	36	36					•

Fixture Fitting



120V										
12FF12/4G	120V 3-HOTS, NEUTRAL AND GROUND	622697395445	0.9	32	32					• •



277V										
27FF12/4G	277V 2-HOTS, NEUTRAL AND GROUND	622697395483	0.9	32	32					•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

HID Accessories

HID Accessories Industrial

ILMLAA5A	ACRYLIC TYPE 5 LENS, VERTIMARK II	662400116523	4	1	1						•	★
HPKT-150-REC-NPF-120V	150 HPS REACTOR NPF 120V REPLACEMENT BALLAST KIT	622696652587	4	1	1						•	
HPKT-400-CWA-MT	400 HPS CWA MULTI-TAP REPLACEMENT BALLAST KIT	622696652679	20	1	1						•	

Industrial Component Accessory

PC3-277V	3 FOOT CORD WITH NEMA 277V L7-15P PLUG	662401550029	1	16	16						•	★
----------	--	--------------	---	----	----	--	--	--	--	--	---	---

Lumark

OA/RA1013	SHORTING CAP FOR NEMA TWISTLOCK PHOTOCONTROL RECEPTACLE, FLOODLIGHTS ACCESSORY	662400116974	0.14	1	1						•	★	
PB120V	BUTTON PHOTOCONTROL 120V FIELD INSTALLABLE, WARRIOR, WALLY, Z-PAK, WAL-PAK, WAL-LITE	662400121206	1.06	6	6						•	★	✓
PB277V BUTTON PC	BUTTON PHOTOCONTROL 277V FIELD INSTALLABLE, WARRIOR, WALLY, Z-PAK, WAL-PAK, WAL-LITE	662400124283	0.6	10	10						•	★	✓

McGraw Edison

OA1090	ADJUSTABLE SLIPFITTER FOR 2 3/8" OD VERTICAL TENON	662400117322	4.4	1	1						•	★
LU9Y003	ANCHOR BOLT, BOLLARD	623961813962	0.8	500	500						•	

Lumark and McGraw Edison

Lumark Floodlight and McGraw Edison Galleria Square

OA/RA1016	NEMA TWISTLOCK PHOTOCELL 105-285V	662400117001	0.2	100	100						•		✓
-----------	-----------------------------------	--------------	-----	-----	-----	--	--	--	--	--	---	--	---

Lumark Floodlight and McGraw Edison Pole Bracket / Adapters

TASQ-4-2	2 3/8" OD VERTICAL REMOVABLE TENON FOR 4" SQUARE STRAIGHT STEEL POLE BRONZE	662401692699	7.2	1	1						•	★
101-A22	TWO AT 180 DEGREE BULLHORN FOR 2 3/8" OD VERTICAL TENON BRONZE	662401675739	22	1	1						•	★
101-A23	TWO AT 180 DEGREE BULLHORN FOR 3 1/2" OD VERTICAL TENON BRONZE	662400673446	27.6	1	1						•	★
OA/RA1027	NEMA TWISTLOCK PHOTOCELL 480V	662400117018	0.2	50	50						•	
RABBZ	RIGHT ANGLE BRACKET WALL MOUNT 8" BRONZE	662401691739	10	1	1	•	•				•	★
SAB	SIDE ANGLE BRACKET WALL MOUNT GALVANIZED	662400121107	10.2	1	1						•	★
SAB-BZ	SIDE ANGLE BRACKET WALL MOUNT BRONZE	662400971702	10	2	2	•					•	

HID Lamps

S55SC-150FG	150W HPS CLEAR MOGUL BASE LAMP 55V	662400118992	0.2	12	12						•	
MP1000/BU	1000W MH PROBE START BASE UP CLEAR MOGUL BASE LAMP OR	623961095757	2	6	6						•	
M47PA-1000/UFG	1000W MH PROBE START UNIV BURN BT56 CLEAR MOGUL BASE LAMP	662400116929	1.4	6	6	•					•	
MH1000/U/BT37FG	1000W MH PROBE START UNIV BURN REDUCED ENVELOPE CLEAR LAMP	662401185962	1.1	6	6						•	
MH150/U/MEDFG	150W MEDIUM BASE METAL HALIDE LAMP CLEAR	622696719341	0.16	6	6						•	

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
Accessories										
Lamp										
BP86100Q	100W BI-PIN HALO BULB	044427300046	0.06	6	6				•	
Poles										
101-J33	STEEL BRACKET FOR FLOODLIGHTS; 3 ARM ON 180 DEGREE SEPARATION	662401675944	38.8	1	1				•	★

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, ⓔ Indicates EISA Compliant Pulse Start Products

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA


Poles

Poles

Steel Poles


Accessories

AB1GF	3/4" X 25" ANCHOR BOLT W/2 NUTS, 2 FLAT WASHERS, FULLY GALVANIZED	080083587544	3.15	4	4	•	•	•	•	•	★
AB3	1" X 36" ANCHOR BOLT W/2 NUTS, 2 FLAT WASHERS	662400115038	7.1	4	4	•	•	•	•	•	★
TMP2	ANCHOR BOLT TEMPLATE 12 1/2" SSS 4-BOLT CIRCLE 1" ANCHOR BOLTS	662400119159	0.6	500	500	•	•	•	•	•	★
TMP4	ANCHOR BOLT TEMPLATE 11" RTS 4-BOLT CIRCLE 3/4" ANCHOR BOLTS	662400124917	0.1	1	1	•	•	•	•	•	★
TMP5	ANCHOR BOLT TEMPLATE 12 1/2" RTS 4-BOLT CIRCLE 1" ANCHOR BOLTS	662400124245	1	300	300	•	•	•	•	•	★



4"

SSS4A15SFM4	4" SQUARE STRAIGHT STEEL X .120 X 15' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	623961350139	130	1	1	•	•	•	•	•	★
SSS4A20SFM4	4" SQUARE STRAIGHT STEEL X .120 X 20' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	622697005276	173	1	1	•	•	•	•	•	★
SSS4A25SFM4	4" SQUARE STRAIGHT STEEL X .120 X 25' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	662401143467	216	1	1	•	•	•	•	•	★



5"

SSS5A25SFM4	5" SQUARE STRAIGHT STEEL X .120 X 25' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	080083509041	248	1	1	•	•	•	•	•	★
SSS5A30SFM4	5" SQUARE STRAIGHT STEEL X .120 X 30' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	622697006877	259	1	1	•	•	•	•	•	★


★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ IL TX CA GA				


Controls


Lighting Control Panels - Stand-Alone

	LiteKeeper 4												
	LK4-120NO	LITEKEEPER 4 STAND ALONE LIGHTING CONTROL PANEL, 120 VAC, NORMALLY OPEN RELAYS	080083592043	9.4	1	0					•	★	✓
	LK4-277NO	LITEKEEPER 4 STAND ALONE LIGHTING CONTROL PANEL, 277 VAC, NORMALLY OPEN RELAYS	080083594603	9.4	1	0					•	★	✓


	LiteKeeper 8											
	LK8	LITEKEEPER 8 STAND ALONE LIGHTING CONTROL PANEL	080083594573	15	1	0					•	★

Occupancy Sensors - Wall/Corner Mount


	OAWC-DT Dual Technology, Wall/Corner Sensor												
	OAWC-DT-120W	DUAL TECH WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE	08008359563	0.8	10	0					•		✓
	OAWC-DT-120W-R	DUAL TECH WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE, W/BAS RELAY AND DAYLIGHT SENSOR	080083579570	0.8	10	0					•		✓





	OAWC-P PIR, Wall/Corner Sensor												
	OAWC-P-120W	PIR WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE	080083577668	0.8	10	0					•		✓
	OAWC-P-120W-R	PIR WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE, W/BAS RELAY AND DAYLIGHT SENSOR	080083626304	0.8	10	0					•		✓

Occupancy Sensors - Fixture Mount

	OEF-P, High-Bay Fixture Mount Sensor											
	OEF-P-2MH0-MV-S	FIXTURE MOUNT PIR SENSOR, 2-WAY (360 DEGREE), 120-277V, SIDE MOUNT	623961699030	0.5	30	0					•	

Occupancy Sensors - Line Voltage Ceiling Mount

	OAC-P, MicroSet Passive Infrared Ceiling Sensor, Line Voltage												
	OAC-P-0500-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579389	0.5	10	0					•		✓
	OAC-P-0500-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, PASSIVE INFRARED, DUAL RELAY, 360 DEGREE, 500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579396	0.5	10	0					•		✓
	OAC-P-1500-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579402	0.5	10	0					•		✓
	OAC-P-1500-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, PASSIVE INFRARED, DUAL RELAY, 360 DEGREE, 1500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083608607	0.5	10	0					•		✓

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Occupancy Sensors - Low Voltage Ceiling Mount											
	OAC-DT, MicroSet Dual Tech Ceiling Sensor, Low Voltage										
OAC-DT-2000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579273	0.5	10	0			•			✓
OAC-DT-2000	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579266	0.5	10	0			•			✓
OAC-DT-1000	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579242	0.5	10	0			•			✓
OAC-DT-1000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579259	0.5	10	0			•			✓
OAC-DT-0501-R	MICROSET CEILING SENSOR, W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579235	0.5	10	0			•			✓
OAC-DT-0501	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579228	0.5	10	0			•			✓
	OAC-P, MicroSet Passive Infrared Ceiling Sensor, Low Voltage										
OAC-P-0500-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579136	0.5	10	0			•			✓
OAC-P-0500	MICROSET CEILING SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579129	0.5	10	0			•			✓
OAC-P-1500-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579150	0.5	10	0			•			✓
OAC-P-1500	MICROSET CEILING SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579143	0.5	10	0			•			✓
	OAC-U, MicroSet Ultrasonic Ceiling Sensor, Low Voltage										
OAC-U-2000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579211	0.5	10	0			•			✓
OAC-U-2000	MICROSET CEILING SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579204	0.5	10	0			•			✓
OAC-U-1000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579198	0.5	10	0			•			✓
OAC-U-1000	MICROSET CEILING SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579181	0.5	10	0			•			✓
OAC-U-0501-R	MICROSET CEILING SENSOR, W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579174	0.5	10	0			•			✓
OAC-U-0501	MICROSET CEILING SENSOR, ULTRASONIC, 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579167	0.5	10	0			•			✓
	OXC-P, Extreme Temperature Sensor										
OXC-P-2MH0-R	PIR EXTREME TEMPERATURE SENSOR, 25 FEET MOUNTING, DAMP LOCATION	623961699016	0.45	10	0			•			✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, **E** Indicates EISA Compliant Pulse Start Products

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

Occupancy Sensors - Switchpack



Heavy Duty Switchpack

SP20-MV	SWITCHPACK, 120/277, 20A	080083503223	0.6	30	0		•				✓
---------	--------------------------	--------------	-----	----	---	--	---	--	--	--	---

Occupancy Sensors - Commercial Grade Wall Switches



OSW-P-1001-MV PIR, Single Level 120/277V

OSW-P-1001-MV-W	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	032664729775	0.36	36	0		•				✓
OSW-P-1001-MV-V	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	032664729782	0.36	36	0		•				✓
OSW-P-1001-MV-LA	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	032664729799	0.36	36	0		•				✓
OSW-P-1001-MV-G	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, GRAY	032664729805	0.36	36	0		•				✓
OSW-P-1001-MV-B	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, BLACK	032664729812	0.36	36	0		•				✓



OSW-P-0451-DMV PIR, Dual Level 120/277V

OSW-P-0451-DMV-W	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083503490	0.358	50	0		•				✓
OSW-P-0451-DMV-V	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083503513	0.358	50	0		•				✓
OSW-P-0451-DMV-A	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, ALMOND	080083503506	0.358	50	0		•				✓

Occupancy Sensors - Light Commercial Wall Switches



OSW-P-0801-120 PIR, Single Level 120V

OSW-P-0801-120-W	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, WHITE	032664729829	0.314	36	0		•				✓
OSW-P-0801-120-LA	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, LIGHT ALMOND	032664729843	0.314	36	0		•				✓
OSW-P-0801-120-V	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, IVORY	032664729836	0.314	36	0		•				✓
OSW-P-0801-120-G	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, GRAY	032664729850	0.314	36	0		•				✓
OSW-P-0801-120-B	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, BLACK	032664730757	0.314	36	0		•				✓



VSW-P-0801-120 PIR, Single Level 120V Vacancy Sensor






VSW-P-0801-120-W	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, WHITE	032664729874	0.314	36	0		•				✓
VSW-P-0801-120-V	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, IVORY	032664729881	0.314	36	0		•				✓
VSW-P-0801-120-LA	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, LIGHT ALMOND	032664729898	0.314	36	0		•				✓
VSW-P-0801-120-G	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, GRAY	032664729904	0.314	36	0		•				✓
VSW-P-0801-120-B	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, BLACK	032664730771	0.314	36	0		•				✓

Occupancy Sensors - Specification Grade Wall Switches



ONW-D-1001-MV NeoSwitch Dual Tech, Single Level, No Neutral 120/277V

ONW-D-1001-MV-W	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083524709	0.4	10	0		•				✓
ONW-D-1001-MV-V	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, IVORY	080083524716	0.4	10	0		•				✓
ONW-D-1001-MV-LA	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524723	0.4	10	0		•				✓
ONW-D-1001-MV-G	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, GRAY	080083524730	0.4	10	0		•				✓
ONW-D-1001-MV-B	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, BLACK	080083524747	0.4	10	0		•				✓

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
ONW-D-1001-DMV NeoSwitch Dual Tech, Dual Relay, No Neutral 120/277V											
	ONW-D-1001-DMV-W	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083524754	0.4	10	0		•			✓
	ONW-D-1001-DMV-V	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, IVORY	080083524761	0.4	10	0		•			✓
	ONW-D-1001-DMV-LA	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524778	0.4	10	0		•			✓
	ONW-D-1001-DMV-G	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, GRAY	080083524785	0.4	10	0		•			✓
	ONW-D-1001-DMV-B	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, BLACK	080083524792	0.4	10	0		•			✓
ONW-D-1001-MV-N NeoSwitch Dual Tech, Single Level, with Neutral 120/277V											
	ONW-D-1001-MV-N-W	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, WHITE	080083524594	0.4	10	0		•			✓
	ONW-D-1001-MV-N-V	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, IVORY	080083524600	0.4	10	0		•			✓
	ONW-D-1001-MV-N-LA	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524617	0.4	10	0		•			✓
	ONW-D-1001-MV-N-G	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, GRAY	080083524624	0.4	10	0		•			✓
	ONW-D-1001-MV-N-B	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, BLACK	080083524631	0.4	10	0		•			✓
ONW-D-1001-DMV-N NeoSwitch Dual Tech, Dual Relay, with Neutral 120/277V											
	ONW-D-1001-DMV-N-W	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, WHITE	080083524655	0.4	10	0		•			✓
	ONW-D-1001-DMV-N-V	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, IVORY	080083524662	0.4	10	0		•			✓
	ONW-D-1001-DMV-N-LA	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524679	0.4	10	0		•			✓
	ONW-D-1001-DMV-N-G	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, GRAY	080083524686	0.4	10	0		•			✓
	ONW-D-1001-DMV-N-B	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, BLACK	080083524693	0.4	10	0		•			✓
ONW-P-1001-MV NeoSwitch PIR, Single Level 120/277V											
	ONW-P-1001-MV-W	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083523863	0.4	10	0		•			✓
	ONW-P-1001-MV-V	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083523870	0.4	10	0		•			✓
	ONW-P-1001-MV-LA	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083523887	0.4	10	0		•			✓
	ONW-P-1001-MV-G	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, GRAY	080083523894	0.4	10	0		•			✓
	ONW-P-1001-MV-B	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, BLACK	080083523900	0.4	10	0		•			✓
ONW-P-1001-DMV NeoSwitch PIR, Dual Relay 120/277V											
	ONW-P-1001-DMV-W	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, WHITE	080083524013	0.4	10	0		•			✓
	ONW-P-1001-DMV-V	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, IVORY	080083524020	0.4	10	0		•			✓
	ONW-P-1001-DMV-LA	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524037	0.4	10	0		•			✓
	ONW-P-1001-DMV-G	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, GRAY	080083524044	0.4	10	0		•			✓
	ONW-P-1001-DMV-B	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, BLACK	080083524051	0.4	10	0		•			✓

★ Indicates ARRA Eligible Product, ✓ Indicates Off the Shelf Product, Ⓢ Indicates EISA Compliant Pulse Start Products

ARRA

Cooper Lighting is uniquely positioned to help customers take advantage of the vast opportunities brought forth by the passing of the American Recovery and Reinvestment Act (ARRA)



The American Recovery and Reinvestment Act

On February 17, 2009 Congress passed the final version of the financial stimulus legislation "American Recovery and Reinvestment Act," also called ARRA. ARRA contains a strong "Buy American" provision to ensure the support of domestic companies and domestic workers.

Elements of the Act

- Revive the renewable energy industry and provide the capital over the next three years to eventually double domestic renewable energy capacity.
- Enact the largest increase in funding of our nation's roads, bridges, and mass transit systems since the creation of the national highway system in the 1950s.
- Invest \$4.5B on Energy Delivery and Reliability, and \$16.8B on Energy Efficiency.

We have added an additional column to the Cooper Lighting stock guide so that you will be able to easily identify products in our inventory that meet ARRA requirements.

Look for the ★

This guide only represents a small portion of the products Cooper Lighting has to offer. If you have any questions or need additional information on these or other products that are to be used on ARRA Stimulus, or government projects please contact one of our customer service experts and they will give you detailed information to ensure the product qualifies for the specific project.

ARRA identified items in this guide are for informational purposes only and represent products that Cooper has initially determined to be eligible under the Buy American provision (section 1605) of the American Recovery and Reinvestment Act (ARRA) for federally-funded ARRA projects. Cooper Lighting will provide an appropriate certification upon request after reviewing eligibility requirements and funding sources of a specific project.

As noted in this guide, the products were produced in the United States, in a Free Trade Agreement (FTA) country, a Least Developed Country (LDC), or in a World Trade Agreement Government Procurements Agreement (WTO GPA) country. If produced in an FTA country, LDC, or WTO GPA country, Cooper Lighting understands that the project must meet the applicable contract thresholds in order for the goods to be eligible for ARRA funding. Cooper Lighting has not sought nor has it received any waiver of the ARRA Buy American provision.

This guide does not provide country of origin or certification that any listed products satisfy the requirements of any applicable free trade agreements.

Remember, The Buy American Indicator ★ is for Stock Guide items ONLY. For all other products, please contact your Customer Service Representative.



For additional information on ARRA and Stimulus visit www.cooperindustries.com/stimulusrecovery/index.cfm

Cooper Lighting, L.L.C.

Terms and Conditions

1. Applicable Terms and Conditions

(a) These terms and conditions of sale establish the rights, obligations, and remedies of Buyer and Seller that apply to any order issued by Buyer for the purchase of Seller's products and/or services ("Products"). No additional or different terms or conditions, whether contained in Buyer's purchase order form or in any other document or communication pertaining to Buyer's order, will be binding on Seller unless accepted in writing by an authorized representative of Seller. Seller expressly objects to and rejects any additional or different terms and conditions, which shall be ineffective.

(b) If Seller's order acknowledgement, invoice, other document, or electronic transmittal including or attaching these terms and conditions is found to be an acceptance of an offer, acceptance is expressly made conditional upon Buyer's assent solely to these terms and conditions, and acceptance of any part of Products delivered by Seller shall be deemed to constitute such assent by Buyer. If the order acknowledgement, invoice, other document, or electronic transmittal including or attaching these terms and conditions constitutes an offer, Buyer's acceptance of the offer is hereby limited to the terms of the offer.

2. Price, Payment Terms, and Title

(a) All prices represent those in effect at the time of quotation and are subject to change without notice. Unless prices are bid or quoted as "firm," Seller reserves the right to invoice at prices in effect at the date of shipment, regardless of any prior bid and whether notice was received by Buyer. Prices are stated in United States dollars unless otherwise indicated, are exclusive of shipping, handling, shipping insurance, duties, and sales, use, excise or similar taxes. Export packaging or any other special handling requested by Buyer will be at Buyer's expense. A service charge of \$25 will be assessed for any order less than \$100.

(b) Buyer acknowledges that the pricing of the Products has been set based on the agreed allocation of risks contained in these terms and conditions. If, notwithstanding the provisions of these terms and conditions, a court of competent jurisdiction determines that Buyer's terms and conditions apply to an order, then Seller shall have the right to either (i) modify the prices (including retroactively) according to the additional level of risk and responsibility that Buyer's terms and conditions require Seller to undertake, or (ii) cancel the order any time after such a determination without liability for the termination other than for the Products already delivered on these terms and conditions.

(c) Unless different credit terms have been extended to Buyer in writing by Seller, payment terms are net 30 days after delivery or date of invoice, whichever first occurs, in the currency invoiced. Seller reserves the right to modify or withdraw credit terms at any time without notice. If Buyer fails to fulfill the terms of payment, Seller may defer further shipments to Buyer or, at its option, cancel the unshipped portions of Buyer's orders. Buyer agrees to pay interest on all past due invoices at the lesser of 18% per annum, compounded monthly, or the highest contractual rate allowable under the law.

(d) Until full payment of all obligations of the Buyer for an order, Seller reserves the title (but not the risk of loss) to all Products furnished under that order. If the Buyer defaults in payment or performance or becomes subject to insolvency, receivership or bankruptcy proceedings or makes an assignment for the benefit of creditors, or without the consent of Seller voluntarily or involuntarily sells, transfers, leases or permits any lien or attachment on the Products, Seller may treat all amounts then or thereafter owing by Buyer to be immediately due and payable and Seller at its election may repossess Products for which Buyer has not paid in full. In the event of repossession of Products under this section, Buyer agrees that Seller may enter the premises where the Products may be located and remove them without notice and without being liable to Buyer for such repossession. Buyer will not set off invoiced amounts or any portion thereof against sums that are due or may become due from Seller, its parents, affiliates, or subsidiaries. Buyer grants Seller a security interest in all Products for which title has passed (including all after-acquired Products) that Seller sells Buyer and all proceeds of Products (including but not limited to all products in which Products are incorporated and any funds and products that Buyer receives in exchange for Products). Buyer consents to Seller's execution of any documents to evidence and perfect this security interest, and agrees to execute the same if requested by Seller.

3. Delivery and Risk of Loss

(a) Unless otherwise agreed in writing, all deliveries of Products will be EXW (Incoterms 2000) Seller's facility. Products will be packed in Seller's standard commercial shipping packages. Charges for shipping may not reflect net transportation costs paid by Seller. Buyer shall reimburse Seller for all costs of storage and handling incurred by Seller after the date that Seller is prepared to make shipment.

(b) Delivery and shipping dates are approximate and represent Seller's best estimate of the time required to make delivery or shipment. Time is not of the essence with respect to the transactions covered by these terms and conditions, except with respect to Buyer's obligation to make all related payments. Seller's obligations under these terms and conditions will be dependent upon Seller's ability to obtain necessary raw materials and components. Seller shall have the right to make partial deliveries and to ship up to forty (40) days in advance of shipping date.

4. Acceptance

Acceptance shall occur, if not before, when Buyer fails to reject within ten (10) days after delivery of the Products. Buyer may rightfully reject only when a reasonable inspection shows that the Products fail to conform substantially to the specifications for the Products. Buyer waives any right to revoke acceptance. Buyer's remedies for any nonconformity detected after acceptance are limited to those expressly provided in these terms and conditions for breach of warranty.

5. Limited Warranty

(a) Seller warrants to each original Buyer of Products that Products are, at the time of delivery to the Buyer, in good working order and conform to Seller's official published specifications, provided that no warranty is made with respect to any product, ballasts, lamps, component parts, or accessories manufactured by others but supplied by Seller.

(b) Seller's obligation under this warranty for any Product provided not to be as warranted within the applicable warranty period is limited to, at its option, replacing the Product, refunding the purchase price of the Product, or using reasonable efforts to repair the Product during normal business hours at any authorized service facility of Seller. All costs of transportation of any Product claimed not to be as warranted and of any repaired or replacement Product to or from such service facility shall be borne by Buyer.

(c) Seller may require the return of any Product claimed not to be as warranted to one of its facilities as designated by Seller, transportation prepaid by Buyer, to establish a claim under this warranty. The cost of labor for removing a Product and for installing a repaired or replacement Product shall be borne by Buyer. Replacement parts provided under the terms of this warranty are warranted for the remainder of the warranty period of the Products in which they are installed to the same extent as if such parts were original components. Warranty services provided under these terms and conditions do not assure uninterrupted operations of Products; Seller shall not be liable for damages caused by any delays involving warranty service.

(d) The warranty period for Products is twelve (12) months from the date of shipment unless otherwise agreed by Seller in writing.

(e) EXCEPT FOR THE EXPRESS WARRANTY SET FORTH ABOVE, SELLER PROVIDES PRODUCTS AS-IS AND MAKES NO OTHER REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, REGARDING THE PRODUCTS, THEIR FITNESS FOR ANY PARTICULAR PURPOSE, THEIR MERCHANTABILITY, THEIR QUALITY, THEIR NONINFRINGEMENT, OR OTHERWISE. IN NO EVENT SHALL SELLER BE LIABLE FOR THE COST OF PROCUREMENT OR INSTALLATION OF SUBSTITUTE GOODS. THIS WARRANTY SPECIFICALLY EXCLUDES POLE FAILURE RESULTING FROM A THIRD-PARTY ACT OR OMISSION, MISUSE, UNANTICIPATED USE, FATIGUE, FAILURE, OR SIMILAR PHENOMENA RESULTING FROM INDUCED VIBRATION, HARMONIC OSCILLATION, OR RESONANCE FROM AIR CURRENT MOVEMENT AROUND THE PRODUCT. THIS WARRANTY SPECIFICALLY EXCLUDES POLES INSTALLED WITHOUT THE LUMINAIRES OR WITH UNAPPROVED DEVICES SUCH AS BANNERS, PENNANTS, CAMERAS, OR SIGNS, FOR WHICH THE POLE WAS NOT DESIGNED. USE OF SUCH ACCESSORIES MAY RESULT IN INJURY, DEATH OR PROPERTY DAMAGE. THIS WARRANTY SPECIFICALLY EXCLUDES POLES USING PRE-EXISTING ANCHORAGES, ANCHOR BOLTS, OR BOLT ADAPTERS NOT SUPPLIED BY COOPER LIGHTING. IT ALSO EXCLUDES ISSUES RELATED TO FOUNDATION OR SOIL CONDITIONS AT THE INSTALLATION SITE.

6. LIMITATION OF LIABILITY

IN NO EVENT WILL SELLER BE LIABLE FOR ANY SPECIAL DAMAGES, CONSEQUENTIAL DAMAGES, INDIRECT DAMAGES, INCIDENTAL DAMAGES, STATUTORY DAMAGES, EXEMPLARY OR PUNITIVE DAMAGES, LOSS OF PROFITS, LOSS OF REVENUE, LIQUIDATED DAMAGES, OR LOSS OF USE, EVEN IF INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. SELLER'S LIABILITY FOR DAMAGES ARISING OUT OF OR RELATED TO A PRODUCT SHALL IN NO CASE EXCEED THE PURCHASE PRICE OF THE PRODUCT FROM WHICH THE CLAIM ARISES. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THESE LIMITATIONS AND EXCLUSIONS WILL APPLY WHETHER SELLER'S LIABILITY ARISES OR RESULTS FROM BREACH OF CONTRACT, BREACH OF WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE, GROSS NEGLIGENCE, MALICE, OR INTENTIONAL CONDUCT), STRICT LIABILITY, BY OPERATION OF LAW, OR OTHERWISE.

7. Cancellation and Return of Products

Orders shall not be subject to cancellation or modification either in whole or in part without Seller's written consent and then only with terms that will reimburse Seller for all applicable costs incurred by virtue of the sale, including costs of purchased materials, engineering costs and a reasonable allowance for profit. Seller's written consent must be given in advance of Buyer's return of Products for credit. Seller reserves the right to cancel any sale of Products without liability to Buyer (except for refund of monies already paid), if the manufacture or sale of the goods is or becomes technically or economically impractical.

8. Force Majeure

Seller shall not be liable for any failure to perform or delay in performing its obligations resulting directly or indirectly from or contributed to by any acts of God, acts of Buyer or those under Buyer's control, acts of government or other civil or military authorities, priorities, strikes, or other labor disputes, fires, accidents, floods, epidemics, war, riot, embargoes, delays in transportation, lack of or inability to obtain raw materials, components, labor, fuel or supplies, or other circumstances beyond Seller's reasonable control ("Force Majeure Event"). If Seller elects, the time for performance shall be extended by a period of time equal to the time lost because of any delays caused by reasons of a Force Majeure Event. Should Seller be prevented from completing Buyer's order or any part thereof because of any Force Majeure Event, then Buyer agrees promptly upon request and upon receipt of invoice therefor, to pay Seller for any Product or Products then completed.

9. Work Product

"Work Product" shall include, without limitation, all designs, discoveries, creations, works, devices, masks, models, work in progress, service deliverables, inventions, products, special tooling, computer programs, procedures, improvements, developments, drawings, notes, documents, business processes, information and materials made, conceived or developed by Seller alone or with others that result from or relate to the Products. All Work Product shall at all times be and remain the sole and exclusive property of Seller. Buyer hereby agrees to irrevocably assign and transfer to Seller and does hereby assign and transfer to Seller all of its worldwide right, title and interest in and to the Work Product including all associated intellectual property rights. Buyer hereby waives any and all moral and other rights in any Work Product or any other intellectual property created, developed or acquired in respect of the Products. Seller will have the sole right to determine the treatment of any Work Product, including the right to keep it as trade secret, execute and file patent applications on it, to use and disclose it without prior patent application, to file registrations for copyright or trademark in its own name or to follow any other procedure that Seller deems appropriate. All tools and equipment supplied by Buyer to Seller shall remain the sole property of Seller.

10. Confidentiality

(a) Buyer may acquire knowledge of Seller Confidential Information (as defined below) in connection with Products and/or its performance hereunder and agrees to keep Seller Confidential Information in confidence during and following termination or expiration of this Agreement. "Seller Confidential Information" includes but is not limited to all information, whether written or oral, in any form, including, without limitation, information relating to the research, development, products, methods of manufacture, trade secrets, business plans, customers, vendors, finances, personnel data, Work Product, and other material or information considered proprietary by Seller relating to the current or anticipated business or affairs of Seller that is disclosed directly or indirectly to Buyer. In addition, Seller Confidential Information means any third party's proprietary or confidential information disclosed to Buyer in the course of providing Products to Buyer.

(b) Buyer agrees not to copy, alter or directly or indirectly disclose any Seller Confidential Information. Additionally, Buyer agrees to limit its internal distribution of Seller Confidential Information to Buyer's employees who have a need to know, and to take steps to ensure that the dissemination is so limited. In no event will Buyer use less than the degree of care and means that it uses to protect its own information of like kind, but in any event not less than reasonable care to prevent the unauthorized use of Seller Confidential Information. Buyer may disclose Seller Confidential Information that is required to be disclosed pursuant to a requirement of a government agency or law but only after Buyer provides prompt notice to Seller of such requirement and gives Seller the opportunity to challenge or limit the scope of the disclosure.

(c) Buyer further agrees not to use Seller Confidential Information except in the course of performing hereunder and will not use such Seller Confidential Information for its own benefit or for the benefit of any third party. All Seller Confidential Information is and shall remain the property of Seller. Upon Seller's written request, Buyer shall return, transfer or assign to Seller all Seller Confidential Information, including all Work Product, and all copies containing Seller Confidential Information.

11. Patent Indemnity

In the event any Product is made in accordance with drawings, samples or manufacturing specifications designated by Buyer, Buyer agrees to indemnify, defend and hold Seller harmless from any and all damages, costs and expenses (including attorney's fees) relating to any claim arising from or relating to the design, distribution, manufacture, marketing, sale, or use of the Product or arising from or relating to a claim that such Product furnished to Buyer by Seller, or the use thereof, infringes any claim of any patent, foreign or domestic, and Buyer agrees at its own expense to undertake the defense of any suit against Seller brought upon such claim or claims.

12. Changes in Product Design or Manufacture

Seller shall have the right to change, discontinue or modify the design and construction of any of its products and to substitute material equal to or superior to that originally specified.

13. Software License

Software, if included with a Product, is hereby licensed and not sold. The license is nonexclusive, and is limited to use with the Product with which it is included. No other use is permitted and Seller retains for itself (or, if applicable, its suppliers) all title and ownership to any software delivered hereunder, all of which contains confidential and proprietary information and which ownership includes without limitation all rights in patents, copyrights, trademarks and trade secrets. Buyer shall not attempt any sale, transfer, sublicense, reverse compilation or disassembly (save to the extent expressly permitted by law) or redistribution of the software. Buyer shall not copy, disclose or display any such software, or otherwise make it available to others.

14. Compliance with Laws

Buyer shall comply with all laws and regulations applicable to Products, including but not limited to all applicable import and export laws and regulations. Buyer and Buyer's Agent shall provide all information requested by Seller relating to Seller's voluntary or mandatory compliance with any law or regulation, and Buyer shall indemnify Seller for any losses incurred by Seller arising from Buyer's or Buyer's Agent's failure to provide the information requested by Seller.

15. Waiver

No waiver of any provision of these terms and conditions (or any right or default hereunder) shall be effective unless in writing and signed by an authorized representative of Seller. Any such waiver shall be effective only for the instance given, and shall not operate as a waiver with respect to any other rights or obligations under these terms and conditions or applicable law in connection with any other instances or circumstances.

16. Language

The parties have expressly required that these terms and conditions be prepared in the English language. *Les parties aux présentes ont expressément exigé que les présents termes et les bons de commandes émis aux termes des présentes soient rédigés en langue Anglaise.*

17. Choice of Law and Dispute Resolution

Except as set forth below, these terms and conditions shall be governed by and construed in accordance with the laws of the State of Texas, without reference to its choice of law rules. If both Seller and Buyer are incorporated under the laws of Canada or a province of Canada, these terms and conditions shall be governed by and construed in accordance with the laws of the Province of Ontario and the federal laws of Canada. If Buyer is incorporated in the United States, any claim or litigation arising out of or relating to Products shall be brought exclusively in a court of competent jurisdiction in Harris County, Texas. If Buyer is incorporated outside of the United States, any dispute will be resolved by arbitration in Houston, Texas, by three arbitrators and under the International Chamber of Commerce Rules of Arbitration. The language of the arbitration will be English. In all cases, Buyer and Seller expressly exclude from application the United Nations Convention on Contracts for the International Sale of Goods.

18. Assignment

Buyer may not assign, transfer or subcontract the performance of its services, or any of its rights and/or obligations hereunder, without Seller's prior written consent.

19. Severability

If any provision of these terms and conditions is determined to be illegal, invalid, or unenforceable, the validity and enforceability of the remaining provisions of these terms and conditions will not be affected and, in lieu of such illegal, invalid, or unenforceable provision, there will be added, as part of these terms and conditions, one or more provisions as similar in terms as may be legal, valid and enforceable under applicable law.

Cooper Lighting

Customer First Center
1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.cooperlighting.com

International Sales, USA

Cooper Lighting, LLC.
1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
F: 770-486-4801

Canada

Cooper Lighting, LLC.
5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

The Cooper Lighting Family


Halo
Metalux
Lumark
Sure-Lites
Neo-Ray
Corelite
Portfolio
Iris
Shaper
IO
Lumière
Invue
McGraw-Edison
Streetworks
Fail-Safe
MWS
RSA
Halo Commercial
Ametrix

Domestic Facilities

Cranbury, New Jersey
Elk Grove Village, Illinois
Irving, Texas
Bloomington, California
Peachtree City, Georgia

Canadian Facilities

Calgary, Alberta T2E 7V9
Mississauga, Ontario L5R 1B8

***Stock Guide***

Halo, All-Pro, Metalux, Lumark, Sure-Lites, Portfolio, PDS, Iris, Lumière, McGraw-Edison, Fail-Safe and MWS are valuable trademarks of Cooper Industries in the United States and other countries. You are not permitted to use the Cooper Trademarks without the prior written consent of Cooper Industries.

Cooper US, Inc.
600 Travis, Ste. 5600
Houston, TX 77002-1001
P: 713-209-8400
www.cooperindustries.com