

Section 1100

AMEREN APPROVED METER SOCKETS AND CT ENCLOSURE - MILBANK

WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	BY-PASS	MANUFACTURER	CATALOG NUMBER	No. Terminal	Hub Size
Temporary Power											
3	1	100	120/240	RESIDENTIAL SERVICE OR TEMP	0-125A	SELF-CONTAINED OH ONLY	Horn	MILBANK	U5101-XL-100MB-KK-11GR U5101-XL-KK-11GR	4	2 1/2"
3	1	100	120/240	RESIDENTIAL SERVICE OR TEMP	0-125A	SELF-CONTAINED UG ONLY	Horn	MILBANK	U4908-O-100MB-KK-11GR U4908-O-KK-11GR	4	2 1/2"
3	1	200	120/240	RESIDENTIAL SERVICE OR TEMP	0-200A	SELF-CONTAINED OH/UG ONLY	Horn	MILBANK	U5098-XL-200S-KK-10GR	4	2 1/2"
Residential Service											
3	1	125	120/240	RESIDENTIAL SERVICE	0-125A	SELF-CONTAINED OH ONLY	Horn	MILBANK	U7487-YL-QG-KK U7487-RL-QG-KK	4	2 1/2"
3	1	125	120/240	RESIDENTIAL SERVICE	0-125A	SELF-CONTAINED OH ONLY- METER MAIN COMBO W/ DISCONNECT	Horn	MILBANK	U5101-XL-100MB-KK U7375-RL-KK U5168-XTL-100-KK U7375-RL-100-KK U3499-XL-100-KK	4	2 1/2"
3	1	125	120/240	RESIDENTIAL SERVICE	0-125A	SELF-CONTAINED OH ONLY- METER MAIN COMBO W/ DISCONNECT FOR AUXILIARY GENERATOR APPLICATIONS	Horn	MILBANK	U5168-XTL-100-KK W/ K5815 KIT	4	2 1/2"
3	1	200	120/240	RESIDENTIAL SERVICE	0-200A	SELF-CONTAINED OH/UG WITH 2-DISC. FOR AUX. GEN. APPLIC. SELF-CONTAINED OH/UG WITH 2-DISC. FOR AUX. GEN. APPLIC. SELF-CONTAINED OH WITH 2-DISC. FOR AUX. GEN. APPLIC. SELF-CONTAINED OH WITH 2-DISC. FOR AUX. GEN. APPLIC.	Horn	MILBANK	U5168-XL-200S-KK-AMS W/ K5815 FOR 100A GEN. MAIN U5168-XL-200S-KK-AMS W/ K5820 FOR 200A GEN. MAIN U4412-RL-200-200-KK	4	2 1/2"
3	1	200	120/240	RESIDENTIAL SERVICE	0-200A	SELF-CONTAINED OH/UG SELF-CONTAINED OH/UG SELF-CONTAINED UG SELF-CONTAINED UG SELF-CONTAINED UG SELF-CONTAINED OH/UG SELF-CONTAINED OH/UG SELF-CONTAINED UG SELF-CONTAINED UG SELF-CONTAINED OH/UG	Horn	MILBANK	U4412-RL-200-100-KK U7040-XL-QG-KK U7041-XL-QG-KK U7040-O-QG-KK U7043-O-QG-KK U3850-O-QG-KK U7043-XL-QG-KK U3850-XL-QG-KK U3868-XL-QG-KK U3914-XL-QG-KK	4	2 1/2"
3	1	200	120/240	RESIDENTIAL SERVICE	0-200A	SELF-CONTAINED OH ONLY	Horn	MILBANK	U7021-RL-QG-KK U7021-DL-QG-KK U3884-DL-QG-KK	4	2 1/2"
3	1	200	120/240	RESIDENTIAL SERVICE	0-200A	SELF-CONTAINED OH/UG WITH DISC. SELF-CONTAINED OH/UG WITH DISC. SELF-CONTAINED OH/UG WITH DISC. SELF-CONTAINED OH/UG WITH DISC. SELF-CONTAINED OH WITH DISC. SELF-CONTAINED OH WITH DISC. SELF-CONTAINED OH WITH DISC. SELF-CONTAINED OH WITH DISC.	Horn	MILBANK	U5168-XL-200S-KK-AMS U4424-XL-200-KK U5098-XL-200S-KK-10GR U4423-XLPE-RL-200-KK U5844-XL-200-KK U5818-XL-200S-KK U4412-RL-200-KK U4422-XL-200-KK U3491-XL-200-KK	4	2 1/2"
3	1	125A/Position	120/240	APARTMENT 2 GANG HORIZONTAL	0-125A	SELF-CONTAINED OH/UG	Horn	MILBANK	U8032-XL-KK	4	2 1/2"
3	1	125A/Position	120/240	APARTMENT 3 GANG HORIZONTAL	0-125A	SELF-CONTAINED OH/UG	Horn	MILBANK	U8033-XL-KK	4	2 1/2"
3	1	125A/Position	120/240	APARTMENT 4 GANG HORIZONTAL	0-125A	SELF-CONTAINED OH/UG	Horn	MILBANK	U8034-XL-KK	4	2 1/2"
3	1	125A/Position	120/240	APARTMENT 5 GANG HORIZONTAL	0-125A	SELF-CONTAINED OH/UG	Horn	MILBANK	U8035-XL-KK	4	2 1/2"
3	1	125A/Position	120/240	APARTMENT 6 GANG HORIZONTAL	0-125A	SELF-CONTAINED OH/UG	Horn	MILBANK	U8036-XL-KK	4	2 1/2"
3	1	200A/Position	120/240	APARTMENT 3 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Horn	MILBANK	U1253-X-QG-KK-K1	4	4"



Section 1100

AMEREN APPROVED METER SOCKETS AND CT ENCLOSURE - MILBANK

WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	BY-PASS	MANUFACTURER	CATALOG NUMBER	No. Terminal	Hub Size
3	1	200A/Position	120/240	APARTMENT 4 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Horn	MILBANK	U1254-X-QG-KK-K1	4	4"
3	1	200A/Position	120/240	APARTMENT 5 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Horn	MILBANK	U1255-X-QG-KK-K4	4	4"
3	1	200A/Position	120/240	APARTMENT 6 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Horn	MILBANK	U1256-X-QG-KK-K4	4	4"
3	1	100A or 200A/Position	120/240	APARTMENT 2 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC	Horn	MILBANK	U2852-X-KK (100A/ POS) U5902-X-KK (100A/ POS) U5882-X-KK (200A/ POS) U2862-X-KK (200A/ POS)	4	4"
3	1	100A or 200A/Position	120/240	APARTMENT 3 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Horn	MILBANK	U2853-X-KK (100A/ POS) U5903-X-KK (100A/ POS) U5883-X-KK (200A/ POS) U2863-X-KK (200A/ POS)	4	4"
3	1	100A or 200A/Position	120/240	APARTMENT 4 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Horn	MILBANK	U2854-X-KK (100A/ POS) U5904-X-KK (100A/ POS) U5884-X-KK (200A/ POS) U2864-X-KK (200A/ POS)	4	4"
3	1	100A or 200A/Position	120/240	APARTMENT 5 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Horn	MILBANK	U2855-X-KK (100A/ POS) U5905-X-KK (100A/ POS) U5885-X-KK (200A/ POS) U2865-X-KK (200A/ POS)	4	4"
3	1	100A or 200A/Position	120/240	APARTMENT 6 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Horn	MILBANK	U2856-X-KK (100A/ POS) U5906-X-KK (100A/ POS) U5886-X-KK (200A/ POS) U2866-X-KK (200A/ POS)	4	4"

If 120/208 use field installed 5th terminal. Use 5T8K2 (Old style blocks) & K5T (New style blocks).

Mobile Home Pedestals (Missouri Territory Only)

3	1	100A/200A	120/240	MOBILE HOME SINGLE POSITION	0-200A	SELF-CONTAINED UNDERGROUND ONLY	Horn	MILBANK	U5136-0-100S & K5415 U5136-0-200S & K5415	4	N/A
3	1	100A/200A	120/240	MOBILE HOME (DOUBLE) 2 GANG VERTICAL POSITION	0-200A	SELF-CONTAINED UNDERGROUND ONLY	Horn	MILBANK	U5137-0-100S & K5415 U5137-0-200S & K5415	4	N/A

Commercial Pedestals

3	1	200A	120/240	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY	LEVER	MILBANK	CP3B51C1PAAOMO1	5	N/A
3	1	200A	120/240	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY	LEVER	MILBANK	CP3B51C1PBAOMO2	5	N/A
3	1	200A	120/240	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY	LEVER	MILBANK	CP3B51C1PBAOMO3	5	N/A
3	1	200A	480	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY - (REPLACED BY NEXT MODEL W/ CS1 SUFFIX)	LEVER	MILBANK	CP3B51D1PBAOMO1	5	N/A
3	1	200A	480	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY - COLD SEQUENCE (FUJED DISC.)	LEVER	MILBANK	CP3B51D1PBAOMO1CS1	5	N/A
3	1	200A	120/240	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY	LEVER	MILBANK	CP3B62C2NBAOMO1	5	N/A
3	1	200A	120/240	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY	LEVER	MILBANK	CP3B51110A22SL1 - K3865	5	N/A
3	1	200A	120/240	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY	LEVER	MILBANK	CP3B52110A22SL1 - K3865	5	N/A
3	1	200A	120/240	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY	LEVER	MILBANK	CP3B51115A22 - K3865	5	N/A
3	1	200A	120/240	COMMERCIAL PEDESTAL	0-200A	SELF-CONTAINED UNDERGROUND ONLY	LEVER	MILBANK	CP3B52119A22 - K3865	5	N/A

Commercial Service

3	1	200	120/240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG SELF-CONTAINED OH/UG SELF-CONTAINED OH SELF-CONTAINED OH/UG SELF-CONTAINED OH/UG	Lever	MILBANK	U9801-RXL-QG U9551-RXL-QG U9550-DL-QG U9581-RXL-QG UAP9551-XL-QG-HSP	4 5 5 5 5	4"
3	1	200	120/240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG SELF-CONTAINED OH W/DISC. SELF-CONTAINED OH/UG W/ DISC.	Lever	MILBANK	UAP9581-XL-QG U4834-XL-200-5T6 U3791N-RXL-200-5T6	5	2 1/2" 4"



Section 1100

AMEREN APPROVED METER SOCKETS AND CT ENCLOSURE - MILBANK

WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	BY-PASS	MANUFACTURER	CATALOG NUMBER	No. Terminal	Hub Size
3	1	200	120/240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG W/ 2 DISC.FOR AUX. GEN. APPLICATIONS	Lever	MILBANK	U5712-XL-200-5T6 W/ K5060 KIT FOR UP TO 125A SMALL FRAME BREAKER	5	2 1/2"
						SELF-CONTAINED OH/UG W/ 2 DISC.FOR AUX. GEN. APPLICATIONS			U5871-PXL-200-5T6 W/ K5815(S/F BRKR) OR K5820(L/F BRKR)		2 1/2"
						SELF-CONTAINED OH ONLY W/ 2 DISC.FOR AUX. GEN. APPLICATIONS			U4834-XL-200-5T6 COMES W/ 2-200A BREAKERS FACTORY INSTALLED.		2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 2 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2872-XT	5	2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 3 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2873-XT	5	2 1/2"

3	1	200A/ Position	120/240	COMMERCIAL SERVICE 4 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2874-XT	5	2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 5 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2875-XT	5	2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 6 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2876-XT	5	2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 2 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Lever	MILBANK	U4372-XT-5T6	5	2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 3 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Lever	MILBANK	U4373-XT-5T6	5	2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 4 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Lever	MILBANK	U4374-XT-5T6	5	2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 5 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Lever	MILBANK	U4375-XT-5T6	5	2 1/2"
3	1	200A/ Position	120/240	COMMERCIAL SERVICE 6 GANG VERTICAL	0-200A	SELF-CONTAINED OH/UG W/ DISC.	Lever	MILBANK	U4376-XT-5T6	5	2 1/2"
3	1	200	120/240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED UNDERGROUND ONLY (Pedestal)	Lever	MILBANK	U4322-O-100MB-5T6 W/ 1-K5081/K3188	5	N/A
3	NETWORK	200	120/208	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U9551-RXL-QG	5	2 1/2"
									U9550-DL-QG	5	
									U9581-RXL-QG	5	
									UAP9551-XL-QG-HSP	5	
3	3 DELTA	200	240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U9551-RXL-QG	5	2 1/2"
									U9550-DL-QG	5	
									U9581-RXL-QG	5	
4	3	200	120/240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U9701-RXL-QG	7	4"
						SELF-CONTAINED OH			U9700-RRL-QG		
4	3	200	120/240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG W/ 3 POLE MAIN DISC.	Lever	MILBANK	U5750-RXL-200-BL	7	4"
4	3Y	200	120/208	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U9701-RXL-QG	7	4"
4	3	200A/ Position	240V MAX.	COMMERCIAL SERVICE 2 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH	Lever	MILBANK	U9700-RRL-QG	7	2 1/2"
						SELF-CONTAINED OH/UG			U2732-XT		
4	3	200A/ Position	240V MAX.	COMMERCIAL SERVICE 3 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2733-XT	7	2 1/2"
4	3	200A/ Position	240V MAX.	COMMERCIAL SERVICE 4 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2734-XT	7	2 1/2"
4	3	200A/ Position	240V MAX.	COMMERCIAL SERVICE 5 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2735-XT	7	2 1/2"
4	3	200A/ Position	240V MAX.	COMMERCIAL SERVICE 6 GANG HORIZONTAL	0-200A	SELF-CONTAINED OH/UG	Lever	MILBANK	U2736-XT	7	2 1/2"

RESIDENTIAL OR COMMERCIAL SERVICE

3	1	400	120/240	RESIDENTIAL OR COMMERCIAL SERVICE	201-400A	SELF-CONTAINED OH/UG	Lever	MILBANK	U5786-X-K3-K2-BL W/ 1-K4802	4	4"
						SELF-CONTAINED OH/UG			U4778-X-QG-K3L-K2L-BL W/ K4802		
						SELF-CONTAINED OH			U1079-X-QG-K3-K2 W/ 1-K4802		
3	1	400	120/240	RESIDENTIAL OR COMMERCIAL SERVICE	201-400A	SELF-CONTAINED OH	Lever	MILBANK	U4363-X-QG-K3-K2 W/ 1-K4802	4	4"
						SELF-CONTAINED OH W/ 2-200A DISC			U5069-X-2/200-K3L W/ 1-K4802		
						SELF-CONTAINED OH/UG W/ 2-200A DISC			U5890-X-2/200 W/ 1-K4802		
						SELF-CONTAINED OH/UG W/ 2-200A DISC			U5891-X-2/200 W/ 1-K4802		
						SELF-CONTAINED OH/UG W/ 2-200A DISC			U5892-X-2/200 W/ 1-K4802		4"

Section 1100

AMEREN APPROVED METER SOCKETS AND CT ENCLOSURE - MILBANK

WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	BY-PASS	MANUFACTURER	CATALOG NUMBER	No. Terminal	Hub Size
4	3	400	120/240	COMMERCIAL SERVICE	201-400A	SELF-CONTAINED OH/UG	Lever	MILBANK	U4911-X-QG-BL W/ K4802 KIT	7	4"
4	3Y	400	120/208	COMMERCIAL SERVICE	201-400A	SELF-CONTAINED OH/UG	Lever	MILBANK	U4911-X-QG-BL W/ K4802 KIT	7	4"

K4802 Anti-Inversion Clip is required in every Class 320A Meter Socket. It will be field installed by the contractor in the upper right jaw assembly.

COMMERCIAL SERVICE - 480V COLD SEQUENCE SOCKET AND DISC. COMBINATION OR 480V METER SOCKET (480V BREAKER OR FUSED DISC. WITH IN 4' OF SOCKET)

3	1	200	480	COMMERCIAL COLD SEQUENCE	0-200A	SELF-CONTAINED OH/UG 35KAIC SELF-CONTAINED OH/UG 200KAIC	Lever	MILBANK	U5764-X-200-5T-CB U5764-X-200-5T-TF	5	4"
3	1	200	480	COMMERCIAL 480V M-S ONLY	0-200A	SELF-CONTAINED OH/UG - ADDITIONAL APPROVED 480V BREAKER OR FUSED DISC REQUIRED W/I 4' OF METER SOCKET	Lever	MILBANK	U9551-RXL-QG U9581-RXL-QG	5	4"
3	3 DELTA	200	480	COMMERCIAL COLD SEQUENCE	0-200A	SELF-CONTAINED OH/UG 35KAIC SELF-CONTAINED OH/UG 200KAIC	Lever	MILBANK	U5765-X-200-CB U5765-X-200-TF	5	4"
3	3 DELTA	200	480	COMMERCIAL 480V M-S ONLY	0-200A	SELF-CONTAINED OH/UG - ADDITIONAL APPROVED 480V BREAKER OR FUSED DISC REQUIRED W/I 4' OF METER SOCKET	Lever	MILBANK	U9551-RXL-QG U9581-RXL-QG	5	4"

4	3Y	200	277/480	COMMERCIAL COLD SEQUENCE	0-200A	SELF-CONTAINED OH/UG 35KAIC SELF-CONTAINED OH/UG 200KAIC	Lever	MILBANK	U5767-X-200-CB U5767-X-200-TF	7	4"
4	3Y	200	277/480	COMMERCIAL 480V M-S ONLY	0-200A	SELF-CONTAINED OH/UG - ADDITIONAL APPROVED 480V BREAKER OR FUSED DISC REQUIRED W/I 4' OF METER SOCKET	Lever	MILBANK	U9701-RXL-QG (NEUTRAL ISOLATION KIT REQUIRED-K1047)	7	4"

BUSSED CT CABINETS

											PT CABINET #
3	1	800A MAXIMUM	120/240	RESIDENTIAL OR COMMERCIAL SERVICE	401-800A	BUSSED CT CABINET-BAR TYPE CT'S	N/A	MILBANK	CT244811HC & K4797 INSERT CT304811HC W/ K4729 OR K4797 CT364811HC W/ K4729 OR K4797	NOT REQUIRED	N/A
3	3 DELTA	800A MAXIMUM	240	COMMERCIAL SERVICE	401-800A	BUSSED CT CABINET-BAR TYPE CT'S	N/A	MILBANK	CT244811HC W/ K4797 INSERT CT304811HC W/ K4729 OR K4797 CT364811HC W/ K4729 OR K4797	NOT REQUIRED	N/A
3	3 DELTA	800A MAXIMUM	480	COMMERCIAL SERVICE	201-800A	BUSSED CT CABINET-BAR TYPE CT'S	N/A	MILBANK	CT244811HC W/ K4797 INSERT CT304811HC W/ K4729 OR K4797 CT364811HC W/ K4729 OR K4797	PT48 (L or R)	N/A
4	3	800A MAXIMUM	120/240	COMMERCIAL SERVICE	401-800A	BUSSED CT CABINET-BAR TYPE CT'S	N/A	MILBANK	CT304811HC W/ K4722 OR K4798 CT364811HC W/ K4722 OR K4798	NOT REQUIRED	N/A
4	3Y	800A MAXIMUM	120/208	COMMERCIAL SERVICE	401-800A	BUSSED CT CABINET-BAR TYPE CT'S	N/A	MILBANK	CT304811HC W/ K4798 OR K4722 CT364811HC W/ K4798 OR K4722	NOT REQUIRED	N/A
4	3Y	800A MAXIMUM	277/480	COMMERCIAL SERVICE	201-800A	BUSSED CT CABINET-BAR TYPE CT'S	N/A	MILBANK	CT304811HC W/ K4798 OR K4722 CT364811HC W/ K4798 OR K4722	PT48 (L or R)	N/A

ILLINOIS CT Rated Pre-Wired Meter Sockets (Customer Supplied)

3	1	ALL CT RATED APPLICATIONS	120/240	COMMERCIAL SERVICE	401A-and LARGER	CT Metering 8 Terminal Application (Customer Supplied)	Lever	MILBANK	U4496-ZL-WC-41	8	1 1/2
3	1	ALL CT RATED APPLICATIONS	480	COMMERCIAL SERVICE	201A AND LARGER	CT Metering 8 Terminal Application (Customer Supplied)	Lever	MILBANK	U4496-ZL-WC-41	8	1 1/2
3	3 DELTA	ALL CT RATED APPLICATIONS	240	COMMERCIAL SERVICE	401A-and LARGER	CT Metering 8 Terminal Application (Customer Supplied)	Lever	MILBANK	U4496-ZL-WC-41	8	1 1/2
3	3 DELTA	ALL CT RATED APPLICATIONS	480	COMMERCIAL SERVICE	201A AND LARGER	CT Metering 8 Terminal Application (Customer Supplied)	Lever	MILBANK	U4496-ZL-WC-41	8	1 1/2
4	3	ALL CT RATED APPLICATIONS	120/240	COMMERCIAL SERVICE	401A-and LARGER	CT Metering 13 Terminal Application (Customer Supplied)	Lever	MILBANK	U4497-ZL-WC-61	13	1 1/2
4	3Y	ALL CT RATED APPLICATIONS	120/208	COMMERCIAL SERVICE	401A-and LARGER	CT Metering 13 Terminal Application (Customer Supplied)	Lever	MILBANK	U4497-ZL-WC-61	13	1 1/2
4	3Y	ALL CT RATED APPLICATIONS	277/480	COMMERCIAL SERVICE	201A AND LARGER	CT Metering 13 Terminal Application (Customer Supplied)	Lever	MILBANK	U4497-ZL-WC-61	13	1 1/2



Section 1100
AMEREN APPROVED METER SOCKETS - DURHAM, MIDWEST, CUTLER HAMMER, AND SQUARE D

APPLICATION				METER SOCKET			MAX # CONDUCTORS, TYPICAL MIN/MAX CONDUCTOR SIZES,	Number of Terminals	Max Hub Size	
WIRES	PHASE	MAX VOLTS	SERVICE TYPE	CONTINUOUS AMPS	INSTALLATION TYPE	MANUFACTURER ⁽²⁾				CATALOG NUMBER ⁽²⁾
3	1 (4-terminal)	120/240	2-GANG HORIZONTAL		SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-2R1121(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	2-1/2"
3	1 (4-terminal)	120/240	3-GANG HORIZONTAL	100	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-3R1121(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	2-1/2"
3	1 (4-terminal)	120/240	4-GANG HORIZONTAL	100	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-4R1121(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	2-1/2"
3	1 (4-terminal)	120/240	5-GANG HORIZONTAL	100	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-5R1121(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	2-1/2"
3	1 (4-terminal)	120/240	6-GANG HORIZONTAL	100	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-6R1131(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	2-1/2"
3	1 (4-terminal)	120/240	RESIDENTIAL	125	OH	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-RS101(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	2-1/2"
3	1 (4-terminal)	120/240	2-GANG HORIZONTAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-2R2332(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	4"
3	1 (4-terminal)	120/240	3-GANG HORIZONTAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-3R2332(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	4"
3	1 (4-terminal)	120/240	4-GANG HORIZONTAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-4R2352(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	4"
3	1 (4-terminal)	120/240	5-GANG HORIZONTAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-5R2392(*) (*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	4"
3	1 (4-terminal)	120/240	6-GANG HORIZONTAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-6R2392(*) (*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	4"
3	1 (4-terminal)	120/240	RESIDENTIAL	200	OH	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-RS202(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	2-1/2"
3	1 (4-terminal)	120/240	RESIDENTIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UHTT-RS213(*) ⁽¹⁾⁽⁴⁾	Horn Bypass	4	2-1/2"
3	1 (4-terminal)	120/240	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UTT-H4213(*) ⁽¹⁾⁽⁵⁾	Lever Bypass	4	4"
3	1 (4-terminal)	480 ⁽⁹⁾	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	1010109 ⁽¹⁰⁾	Lever Bypass	4	4"
3	1 (4-terminal)	120/240	RESIDENTIAL OR COMMERCIAL	320	OH	Durham for Cutler Hammer, Midwest Electric Products and Square D	1009767 ⁽⁵⁾⁽⁶⁾⁽⁸⁾	Lever Bypass	4	4"
3	1 (4-terminal)	120/240	RESIDENTIAL OR COMMERCIAL	320	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	1009722 ⁽⁵⁾⁽⁶⁾⁽⁸⁾	Lever Bypass	4	4"
3	3 (5-terminal)	120/240	COMMERCIAL	200	OH	Durham for Cutler Hammer, Midwest Electric Products and Square D	UTT-H5203(*) ⁽¹⁾	Lever Bypass	5	4"
3	3 (5-terminal)	120/240	COMMERCIAL	200	OH	Durham for Cutler Hammer Only	UTT-E5203(*) ⁽¹⁾	Lever Bypass	5	4"
3	3 (5-terminal)	120/240	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UTT-H5213(*) ⁽¹⁾	Lever Bypass	5	4"
3	3 (5-terminal)	480 ⁽⁹⁾	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	1010110 ⁽¹⁰⁾	Lever Bypass	5	4"
3	3 (5-terminal)	120/240	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer Only	UTT-E5213(*) ⁽¹⁾	Lever Bypass	5	4"
3	3 (5-terminal)	480 ⁽⁹⁾	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer Only	1010111 ⁽¹⁰⁾	Lever Bypass	5	4"

Section 1100

AMEREN APPROVED METER SOCKETS - DURHAM, MIDWEST, CUTLER HAMMER, AND SQUARE D

APPLICATION				METER SOCKET			MAX # CONDUCTORS, TYPICAL MIN/MAX CONDUCTOR SIZES,	Number of Terminals	Max Hub Size	
WIRES	PHASE	MAX VOLTS	SERVICE TYPE	CONTINUOUS AMPS	INSTALLATION TYPE	MANUFACTURER ⁽²⁾				CATALOG NUMBER ⁽²⁾
3	Network (120/208) and 3-phase (5-terminal)	120/240	COMMERCIAL	320	OH	Durham for Cutler Hammer, Midwest Electric Products and Square D	1009769 ⁽⁶⁾⁽⁸⁾	Lever Bypass	5	4"
3	Network (120/208) and 3-phase (5-terminal)	120/240	COMMERCIAL	320	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	1009899 ⁽⁶⁾⁽⁸⁾	Lever Bypass	5	4"
4	3 (7-terminal)	120/240	COMMERCIAL	200	OH	Durham for Cutler Hammer, Midwest Electric Products and Square D	UTT-H7203(*) ⁽¹⁾	Lever Bypass	7	4"
4	3 (7-terminal)	120/240	COMMERCIAL	200	OH	Durham for Cutler Hammer Only	UTT-E7203(*) ⁽¹⁾	Lever Bypass	7	4"
4	3 (7-terminal)	120/240	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	UTT-H7213(*) ⁽¹⁾	Lever Bypass	7	4"
4	3 (7-terminal)	480 ⁽⁹⁾	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	1010112 ⁽¹⁰⁾	Lever Bypass	7	4"
4	3 (7-terminal)	120/240	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer Only	UTT-E7213(*) ⁽¹⁾	Lever Bypass	7	4"
4	3 (7-terminal)	480 ⁽⁹⁾	COMMERCIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer Only	1010113 ⁽¹⁰⁾	Lever Bypass	7	4"
4	3 (7-terminal)	120/240	RESIDENTIAL OR COMMERCIAL	320	OH	Durham for Cutler Hammer, Midwest Electric Products and Square D	1009771 ⁽⁶⁾⁽⁸⁾	Lever Bypass	7	4"
3	1 (4-terminal)	120/240	RESIDENTIAL	200	SELF CONTAINED OH OR UG	Durham for Cutler Hammer Only	1008966A	Horn Bypass	4	2-1/2"
3 OR 4	1&3 (8-terminal)	120/240	RESIDENTIAL OR COMMERCIAL	20	CT RATED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	ULTS8-1C188 (Missouri Only)	Lever Bypass	8	2-1/2"
4	3 (13-terminal)	120/240	RESIDENTIAL OR	20	CT RATED OH OR	Durham for Cutler Hammer, Midwest Electric	ULTS13-1C189 (Missouri)	Lever Bypass	13	2-1/2"
3 OR 4	1&3 (8-terminal)	120/240	RESIDENTIAL OR COMMERCIAL	20	CT RATED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	ULTS8-1C227 (Illinois Only)	Lever Bypass	8	2-1/2"
4	3 (13-terminal)	120/240	RESIDENTIAL OR COMMERCIAL	20	CT RATED OH OR UG	Durham for Cutler Hammer, Midwest Electric Products and Square D	ULTS13-1C228 (Illinois Only)	Lever Bypass	13	2-1/2"

NOTES:
 (*) Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number. Some units available with only small hub or top configurations.

HUB SELECTION CHART			
HUB OR TOP CONFIGURATION	CATALOG SUFFIX	HUB OR TOP CONFIGURATIO N	CATALOG SUFFIX
SOLID	A	SOLID	A
FOR HUB (Small)	B	FOR HUB (Large)	T
HCP (small)	C	HCP (Large)	U
1-1/4" (small)	L	2-1/2" (Large)	V
1-1/2" (small)	M	3" (Large)	Q
2" (small)	N	3-1/2" (Large)	R
2-1/2" (small)	P	4" (Large)	S
Large hub opening to small hub opening adapter plate			Z

- (1) "TT" prefix is quad ground. For triplex ground (when allowed), replace "TT" prefix with "T" prefix.
- (2) Cutler Hammer, Midwest Electric Products, and Square D market Durham's products using Durham's catalog number except with a -CH, -MEP or -SQD identifying suffix.
- (3) Reserved for future notes.
- (4) Field installable 5th terminal kit for network services...Catalog Number ARP00035 (one per position).
- (5) Field installable 5th terminal kit for network services...Catalog Number ARP00862.
- (6) Note revised 7-03-08...An anti-inversion clip, catalog number ARP00984-, must be purchased separately and field installed in upper right-hand jaw of meter socket.
- (7) Reserved for future notes.
- (8) Dual #6-350MCM connectors factory installed.
- (9) 8-08-08...Added catalog numbers for 480 volt applications.
- (10) 480 volt, 200 amp services require breaker or fused switch on line side of meter socket.



**Section 1100
AMEREN APPROVED METER SOCKETS - Landis & Gyr**

Wires	Phase	Terminals	Volts	Service Type	Max. Cont. Amps	Installation Type	Bypass Type	Manufacturer	Catalog #	Closure Plate Max. Hub Size	Max. # Cdr's Min/Max Cdr. Size
Temporary Power											
3	1	4 or 5"	120/240	Residential Service or Temporary	100	OH	Hom	Landis & Gyr	LGP77RTS	C.P. / 2.5"	Line: One #6-350 MCM
3	1	4 or 5"	120/240	Residential Service or Temporary	100	UG	Hom	Landis & Gyr	LGP77RBS	N/A	Line: One #6-350 MCM
3	1	4 or 5"	120/240	Residential Service or Temporary	100	OH	Hom	Landis & Gyr	LGPB77RTS	C.P. / 2.5"	Line: One #6-350 MCM
3	1	4 or 5"	120/240	Residential Service or Temporary	100	UG	Hom	Landis & Gyr	LGPB77RBS	N/A	Line: One #6-350 MCM
Residential Service											
3	1	4 or 5"	120/240	Residential Service	135	OH/UG	Hom	Landis & Gyr	UAT111-OPQG	H.O. / 2.5"	Line: One #14-2/0 Load: One #14-2/0
3	1	4 or 5"	120/240	Residential Service	135	OH	Hom	Landis & Gyr	UAT111-BPOG	1 1/4" HUB Installed	Line: One #14-2/0 Load: One #14-2/0
		* 5th jaw kit	120/208					Landis & Gyr	H659-0121		
3	1	4 or 5"	120/240	Residential Service	200	OH	Hom	Landis & Gyr	UAT317-OPQG	H.O. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 8x15x4.5"
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Hom	Landis & Gyr	UAT417-OPQG	H.O. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 11x15x4.5"
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Hom	Landis & Gyr	UAT417-XPOG	C.P. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 11x15x4.5"
3	1	4 or 5"	120/240	Residential Service	200	UG	Hom	Landis & Gyr	UAT417-PPQG	N/A	Line: One #6-350 MCM Load: One #6-350 MCM 11x15x4.5"
		* 5th jaw kit	120/208					Landis & Gyr	H659-0121		
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Hom	Landis & Gyr	UAT777-XPG	C.P. / 2.5" 3" Btm. KO	Line: One #6-350 MCM Load: One #6-350 MCM 13x15x5"
		* 5th jaw kit	120/208					Landis & Gyr	H659-0121		
3	1	4	120/240	Residential/Commercial	320	OH/UG	Lever	Landis & Gyr	48104-82WI ⁽¹⁾	L.C.P. / 4"	Line: 3/8-24 stud Load: 3/8-24 stud 8 Lugs Req'd. (not included) One #4-600 MCM or two #1/0-250 MCM
Residential Multi Gang -100 Amp											
3	1	4 or 5"	120/240	2 Gang - Horizontal	100/100	OH/UG	Hom	Landis & Gyr	UA2311-OPQG	H.O. / 2.5"	Line: One #6-350 MCM Load: One #14-2/0 24x12x4.5"
3	1	4 or 5"	120/240	3 Gang - Horizontal	100/135	OH/UG	Hom	Landis & Gyr	UA3311-OPQG	H.O. / 2.5"	Line: One #6-350 MCM Load: One #14-2/0 32x12x4.5"
3	1	4 or 5"	120/240	4 Gang - Horizontal	100/180	OH/UG	Hom	Landis & Gyr	UA4311-OPQG	H.O. / 2.5"	Line: One #6-350 MCM Load: One #14-2/0 40x12x4.5"
		* 5th jaw kit	120/208					Landis & Gyr	H659-0121		
Residential Multi Gang - 200 Amp											
3	1	4 or 5"	120/240	2 Gang - Horizontal	200	OH/UG	Hom	Landis & Gyr	UA2717-YPOG	HD.O. / 4"	Line: One #6-350 MCM Load: One #6-350 MCM 24x14.5x5"
3	1	4 or 5"	120/240	3 Gang - Horizontal	200	OH/UG	Hom	Landis & Gyr	UA3717-YPOG	HD.O. / 4"	Line: One 1/0-600 MCM Load: One #6-350 MCM 32x14.5x5"
3	1	4 or 5"	120/240	4 Gang - Horizontal	200	OH/UG	Hom	Landis & Gyr	UA4719-YPOG	HD.O. / 4"	Line: One 1/0-600 MCM Load: One #6-350 MCM 43x14.5x5"
3	1	4 or 5"	120/240	5 Gang - Horizontal	200	OH/UG	Hom	Landis & Gyr	UA5719-KPOG	2 HD.O. / 4"	Line: One 1/0-600 MCM Load: One #6-350 MCM 51x14.4x5"
3	1	4 or 5"	120/240	6 gang - Horizontal	200	OH/UG	Hom	Landis & Gyr	UA6719-KPOG	2 HD.OP. / 4"	Line: One 1/0-600 MCM Load: One #6-350 MCM 59x14.5x5"
		* 5th jaw kit	120/208					Landis & Gyr	H659-0121		



**Section 1100
AMEREN APPROVED METER SOCKETS - Landis & Gyr**

Wires	Phase	Terminals	Volts	Service Type	Max. Cont. Amps	Installation Type	Bypass Type	Manufacturer	Catalog #	Closure Plate Max. Hub Size	Max. # Cdr's Min/Max Cdr. Size
Combination Meter / Mains											
3	1	4 or 5	120/240	Residential with Main Brkr. Disconnect	125	OH/UG	Hom	Landis & Gyr	LGMM0202B1125RJBX (Side by side / Series)	C.P. / 2.5"	Line: #6-250 MCM Load: #2-1/0 CU, 2/0 AL 18.42x17x5.14"
3	1	4 or 5	120/240	Residential with Main Brkr. Disconnect	150	OH/UG	Hom	Landis & Gyr	LGMM0202B1150RJBX (Side by side / Series)	C.P. / 2.5"	Line: #6-250 MCM Load: #1-300 MCM 18.42x17x5.14"
3	1	4 or 5	120/240	Residential with Main Brkr. Disconnect	200	OH/UG	Hom	Landis & Gyr	LGMM0202B1200RJBX (Side by side / Series)	C.P. / 2.5"	Line: #6-250 MCM Load: #1-300 MCM 18.42x17x5.14"
3	1	4 or 5*	120/240	Residential with Space for Main Brkr.	200	UG	Hom	Landis & Gyr	UAB877-PG	N.A.	
3	1	4 or 5**	120/240	Residential with Main Brkr. Disconnect	320	OH/UG	Lever	Landis & Gyr	LGMM0404L1400RLM ⁽¹⁾ (Side by side)	L.C.P. / 4"	Line: One #4-600 MCM or two #1/0-250 MCM 27x29x6"
		** 5th jaw kit	120/208					Landis & Gyr	H35815-2		
Commercial Service											
3	1	4 or 5*	120/240	Commercial	200	OH	Lever	Landis & Gyr	40804-01QG	H.O. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 10x17x5.2"
3	1	4 or 5*	120/240	Commercial	200	OH/UG	Lever	Landis & Gyr	40404-02QG	C.P. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 13x19x5.2"
		* 5th jaw kit	120/208					Landis & Gyr	H35815-2		
Commercial Service											
3	1	5	120/240	Commercial	200	OH	Lever	Landis & Gyr	41005-01F (Aluminum)	H.O. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 10x17x5.2"
3	1	5	120/240	Commercial	200	OH	Lever	Landis & Gyr	40005-01QG	H.O. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 10x17x5.2"
3	1	4	120/240	Commercial	200	OH/UG	Lever	Landis & Gyr	40405-02QG	C.P. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 13x19x5.2"
3	1	5	120/240	Commercial	200	OH/UG	Lever	Landis & Gyr	9804-8592	C.P. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 13x19x5.2"
4	3	7	120/240	Commercial	200	OH	Lever	Landis & Gyr	40007-01QG	N.P. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 10x17x5.2"
4	3	7	120/208	Commercial	200	OH/UG	Lever	Landis & Gyr	40407-02QG	C.P. / 2.5"	Line: One #6-350 MCM Load: One #6-350 MCM 13x19x5.2"
4	3	7	120/240	Commercial	320/400	OH/UG	Lever	Landis & Gyr	9804-9109 ⁽¹⁾	L.C.P. / 4"	1/2-20 stud 6 lugs, #H56732, provided. Accept two #4-350 MCM 20.25x34x6"
4	3	7	120/240	Commercial	320/400	OH/UG	Lever	Landis & Gyr	49007-01FL ⁽¹⁾	L.C.P. / 4"	1/2-20 stud (Lugs not included) Recommend # H60162 or 1- #4-600MCM or two 1/0-250 MCM 20.25x34x6"

⁽¹⁾ Anti-inversion clip, catalog # H59676, must be supplied by customer



Section 1100

AMEREN APPROVED METER COMBO SOCKETS - Midwest Electric Products

Wires	Phase	Terminals	Volts	Service Type	Max. Cont. Amps	Installation Type	Bypass Type	Manufacturer	Catalog #	Closure Plate Max. Hub Size	Max. # Cdr's Min/Max Cdr. Size
Temporary Power											
3	1	4 or 5*	120/240	Residential Service or Temporary	100	UG	Horn	Midwest	R011C010U	N.A.	Line: One #6-1/0 Load: Prewired
3	1	4 or 5*	120/240	Residential Service or Temporary	100	OH	Horn	Midwest	R011C010	C.P. / 2.5"	Line: One #6-1/0 Load: Prewired
3	1	4 or 5*	120/240	Residential Service or Temporary	100	OH/UG	Horn	Midwest	R101CB2010	C.P. / 2.5"	Line: One #6-1/0 Load: Prewired
Combination Sockets											
3	1	4 or 5*	120/240	Residential w/ Disconnect	200	OH	Horn	Midwest	R281CB1 w/ 4 spaces (Series)	C.P. / 2.5"	Line: #6-4/0 Load: #1-4/0
3	1	4 or 5*	120/240	Residential w/ Disconnect	200	OH	Horn	Midwest	R282CB1 w/ 4 spaces (Parellel)	C.P. / 2.5"	Line: #6-4/0 Load: #1-4/0
3	1	4 or 5**	120/240	Residential w/ Disconnect	200	OH/UG	Horn	Midwest	RS250C (Side by side)	C.P. / 2.5"	Line: 1/0-250 MCM Load: 1/0-250 MCM
3	1	*5th jaw kit	120/208					Midwest	MS5		
3	1	4	120/240	Commercial / Residential	320	UG	Lever	Midwest	RS45500C	N/A	Load: #1-300 MCM
Metered Pedestal Units** (Missouri Territory Only)											
3	1	4 or 5*	120/240	Single w/ Disconnect Residential	100	UG	Horn	Midwest	R101CP6 w/ 3 spaces (series)	N.A.	Line: #2-250 MCM Load: Prewired
3	1	4 or 5*	120/240	Single w/ Disconnect Mobile Home	200	UG	Horn	Midwest	R281C1P6H w/ 4 spaces (Series)	N/A	Line: #6-350 MCM Load: Prewired
3	1	4 or 5*	120/240	Single w/ Disconnect Mobile Home	200	UG	Horn	Midwest	R282C1P6H w/ 4 spaces (Parellel)	N/A	Line: #6-350 MCM Load: Prewired
3	1	4 or 5*	120/240	Double, B/B Mobile Home	200	UG	Horn	Midwest	R281C1B6H w/ 4 spaces (Series)	N/A	Line: #6-350 MCM Load: Prewired
3	1	4 or 5*	120/240	Double, B/B Mobile Home	200	UG	Horn	Midwest	R281C1B6H w/ 4 spaces (Parellel)	N/A	Line: #6-350 MCM Load: Prewired
		* 5th jaw kit	120/208						MS5		
				** All pedestal installations require an in ground depth of 36 inches and a footed base.				Midwest	EK129		9" wide x 18" long
								Midwest	FBEM9		

Section 1100
AMEREN APPROVED METERING DEVICES - Siemens

Wires	Phase	Terminals	Volts	Service Type	Max. Cont. Amps	Installation Type	Bypass Type	Manufacturer	Catalog #	Closure Plate Max. Hub Size	Max. # Cdr's Min/Max Cdr. Size
Meter Mains											
3	1	5	120/240	Residential Service	200	OH/UG	Horn	Siemens	MM0406L1200RHJB	3.0"	Line: One #6 - 350kcmil Load: Factory wired
3	1	4 or 5*	120/240	Residential Service	320	OH/UG	Lever	Siemens	MM0404L1400RLM	4.0"	Line: One #4 - 600kcmil Load: Factory wired
3	1	5	120/240	Residential Service	200	OH/UG	Horn	Siemens	MM0202B1200RJB	3.0"	Line: One #6 - 350kcmil Load: Factory wired
3	1	5	120/240	Residential Service	200	OH/UG	Horn	Siemens	MM0202B1200RJBX	3.0"	Line: One #6 - 350kcmil Load: Factory wired
Meter Combination Devices											
3	1	4 or 5*	120/240	Residential Service	320	OH/UG	Lever	Siemens	MC0408B1400RLTM ⁽¹⁾	4.0"	Line: One #4 - 600kcmil Load: Factory wired
3	1	4 or 5*	120/240	Residential Service	320	OH/UG	Lever	Siemens	MM0816B1400RLTM ⁽¹⁾	4.0"	Line: One #4 - 600kcmil Load: Factory wired
Modular Meterstacks - Residential											
3	1	4 or 5*	120/240	Residential Service 2 Gang	125	OH/UG	Horn	Siemens	WMM21125RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 3 Gang	125	OH/UG	Horn	Siemens	WMM31125RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 4 gang	125	OH/UG	Horn	Siemens	WMM41125RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 5 gang	125	OH/UG	Horn	Siemens	WMM51125RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 6 gang	125	OH/UG	Horn	Siemens	WMM61125RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 2 Gang	225	OH/UG	Horn	Siemens	WMM21225RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 3 Gang	225	OH/UG	Horn	Siemens	WMM31225RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 4 gang	225	OH/UG	Horn	Siemens	WMM41225RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 5 gang	225	OH/UG	Horn	Siemens	WMM51225RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 6 gang	225	OH/UG	Horn	Siemens	WMM61225RB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 2 Gang	125	OH/UG	Horn	Siemens	WMM22125RJB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 3 Gang	125	OH/UG	Horn	Siemens	WMM32125RJB	Bussed	Line: Bussed Load: N/A



**Section 1100
AMEREN APPROVED METERING DEVICES - Siemens**

Wires	Phase	Terminals	Volts	Service Type	Max. Cont. Amps	Installation Type	Bypass Type	Manufacturer	Catalog #	Closure Plate Max. Hub Size	Max. # Cdr's Min/Max Cdr. Size
3	1	4 or 5*	120/240	Residential Service 4 gang	125	OH/UG	Horn	Siemens	WMM42125RJB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 5 gang	125	OH/UG	Horn	Siemens	WMM52125RJB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 6 gang	125	OH/UG	Horn	Siemens	WMM62125RJB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 2 Gang	225	OH/UG	Horn	Siemens	WMM22225RJB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 3 Gang	225	OH/UG	Horn	Siemens	WMM32225RJB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 4 gang	225	OH/UG	Horn	Siemens	WMM42225RJB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 5 gang	225	OH/UG	Horn	Siemens	WMM52225RJB	Bussed	Line: Bussed Load: N/A
3	1	4 or 5*	120/240	Residential Service 6 gang	225	OH/UG	Horn	Siemens	WMM62225RJB	Bussed	Line: Bussed Load: N/A
Modular Meterstacks - Commercial											
3	1	5	120/240	Commercial Service 1 Gang	225	OH/UG	Lever	Siemens	WML11225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 2 Gang	225	OH/UG	Lever	Siemens	WML21225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 3 Gang	225	OH/UG	Lever	Siemens	WML31225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 4 Gang	225	OH/UG	Lever	Siemens	WML41225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 1 Gang	320	OH/UG	Lever	Siemens	WML11400RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 2 Gang	320	OH/UG	Lever	Siemens	WML21400RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 1 Gang	225	OH/UG	Lever	Siemens	WML12225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 2 Gang	225	OH/UG	Lever	Siemens	WML22AB225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 2 Gang	225	OH/UG	Lever	Siemens	WML22BC225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 2 Gang	225	OH/UG	Lever	Siemens	WML22CA225RJ	Bussed	Line: Bussed Load: N/A



**Section 1100
AMEREN APPROVED METERING DEVICES - Siemens**

Wires	Phase	Terminals	Volts	Service Type	Max. Cont. Amps	Installation Type	Bypass Type	Manufacturer	Catalog #	Closure Plate Max. Hub Size	Max. # Cdr's Min/Max Cdr. Size
3	1	5	120/240	Commercial Service 3 Gang	225	OH/UG	Lever	Siemens	WML32225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 4 Gang	225	OH/UG	Lever	Siemens	WML42AB225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 4 Gang	225	OH/UG	Lever	Siemens	WML42AB225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 4 Gang	225	OH/UG	Lever	Siemens	WML42CA225RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 1 Gang	320	OH/UG	Lever	Siemens	WML12400RJ	Bussed	Line: Bussed Load: N/A
3	1	5	120/240	Commercial Service 2 Gang	320	OH/UG	Lever	Siemens	WML22400RJ	Bussed	Line: Bussed Load: N/A
4	3	7	208Y/120V	Commercial Service 1 Gang	100	OH/UG	Lever	Siemens	WML13100RJ	Bussed	Line: Bussed Load: N/A
4	3	7	208Y/120V	Commercial Service 2 Gang	100	OH/UG	Lever	Siemens	WML23100RJ	Bussed	Line: Bussed Load: N/A
4	3	7	208Y/120V	Commercial Service 3 Gang	100	OH/UG	Lever	Siemens	WML33100RJ	Bussed	Line: Bussed Load: N/A
4	3	7	208Y/120V	Commercial Service 4 Gang	100	OH/UG	Lever	Siemens	WML43100RJ	Bussed	Line: Bussed Load: N/A
4	3	7	240V	Commercial Service 1 Gang	225	OH/UG	Lever	Siemens	WML13225RJ	Bussed	Line: Bussed Load: N/A
4	3	7	240V	Commercial Service 2 Gang	225	OH/UG	Lever	Siemens	WML23225RJ	Bussed	Line: Bussed Load: N/A
4	3	7	240V	Commercial Service 3 Gang	225	OH/UG	Lever	Siemens	WML33225RJ	Bussed	Line: Bussed Load: N/A
4	3	7	240V	Commercial Service 4 Gang	225	OH/UG	Lever	Siemens	WML43225RJ	Bussed	Line: Bussed Load: N/A
4	3	7	240V	Commercial Service 1 Gang	320	OH/UG	Lever	Siemens	WML13400RJ	Bussed	Line: Bussed Load: N/A
4	3	7	240V	Commercial Service 2 Gang	320	OH/UG	Lever	Siemens	WML23400RJ	Bussed	Line: Bussed Load: N/A

PAK Metering - Residential

3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Siemens	SP2211RJB	3.0"	Line: #6 - 300 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Siemens	SP3311RJB	3.5"	Line: #6 - 300kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Siemens	SP4411RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential	125	OH/UG	Horn	Siemens	SP4511RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil



Section 1100
AMEREN APPROVED METERING DEVICES - Siemens

Wires	Phase	Terminals	Volts	Service Type	Max. Cont. Amps	Installation Type	Bypass Type	Manufacturer	Catalog #	Closure Plate Max. Hub Size	Max. # Cdr's Min/Max Cdr. Size
				Service							Load: N/A
3	1	4 or 5*	120/240	Residential Service	125	OH/UG	Horn	Siemens	SP4611RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5*	120/240	Residential Service	125	OH/UG	Horn	Siemens	SP6511RJB	(2) - 4.0"	Line: (2) #2 - 600 kcmil Load: N/A
3	1	4 or 5*	120/240	Residential Service	125	OH/UG	Horn	Siemens	SP6611RJB	(2) - 4.0"	Line: (2) #2 - 600 kcmil Load: N/A
3	1	4 or 5*	120/240	Residential Service	200	OH/UG	Horn	Siemens	SP4212RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5*	120/240	Residential Service	200	OH/UG	Horn	Siemens	SP4312RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5*	120/240	Residential Service	200	OH/UG	Horn	Siemens	SP4412RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5*	120/240	Residential Service	200	OH/UG	Horn	Siemens	SP6512RJB	(2) - 4.0"	Line: (2) #2 - 600 kcmil Load: N/A
3	1	4 or 5*	120/240	Residential Service	200	OH/UG	Horn	Siemens	SP6612RJB	(2) - 4.0"	Line: (2) #2 - 600 kcmil Load: N/A

⁽¹⁾ Anti-inversion clip, catalog # H59676, must be supplied by customer

**Section 1100
AMEREN APPROVED METERING DEVICES - Murray**

Wires	Phase	Terminals	Volts	Service Type	Max. Cont. Amps	Installation Type	Bypass Type	Manufacturer	Catalog #	Closure Plate Max. Hub Size	Max. # Cdr's Min/Max Cdr. Size
Meter Mains											
3	1	5	120/240	Residential Service	200	OH/UG	Horn	Murray	JC0406L1200RHJB	3.0"	Line: One #6 - 350kcmil Load: Factory wired
3	1	4 or 5"	120/240	Residential Service	320	OH/UG	Lever	Murray	JC0404L1400RLM ⁽¹⁾	4.0"	Line: One #4 - 600kcmil Load: Factory wired
3	1	5	120/240	Residential Service	200	OH/UG	Horn	Murray	JC0202B1200RJB	3.0"	Line: One #6 - 350kcmil Load: Factory wired
Meter Combination Devices											
3	1	4 or 5"	120/240	Residential Service	320	OH/UG	Lever	Murray	JA0816B1400RLTM ⁽¹⁾	4.0"	Line: One #4 - 600kcmil Load: Factory wired
Modular Meterstacks - Residential											
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	DC331	Bussed	Line: Bussed Load: N/A
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Horn	Murray	DC232W	Bussed	Line: Bussed Load: N/A
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Horn	Murray	DC332W	Bussed	Line: Bussed Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	DC341W	Bussed	Line: Bussed Load: N/A
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Horn	Murray	DC342W	Bussed	Line: Bussed Load: N/A
PAK Metering - Residential											
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	MP2211RJB	3.0"	Line: #6 - 300 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	MP3311RJB	3.5"	Line: #6 - 300kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	MP4411RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	MP4511RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	MP4611RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	MP6511RJB	(2) - 4.0"	Line: (2) #2 - 600 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	125	OH/UG	Horn	Murray	MP6611RJB	(2) - 4.0"	Line: (2) #2 - 600 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Horn	Murray	MP4212RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Horn	Murray	MP4312RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Horn	Murray	MP4412RJB	(2) - 4.0"	Line: 1/0 - 750 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Horn	Murray	MP6512RJB	(2) - 4.0"	Line: (2) #2 - 600 kcmil Load: N/A
3	1	4 or 5"	120/240	Residential Service	200	OH/UG	Horn	Murray	MP6612RJB	(2) - 4.0"	Line: (2) #2 - 600 kcmil Load: N/A
Modular Meterstacks - Commercial											
3	1	4 or 5"	120/240	Commercial Service	100	OH/UG	Horn	Murray	DC331W	Bussed	Line: Bussed Load: N/A
3	1	4 or 5"	120/240	Commercial Service	200	OH/UG	Horn	Murray	DC232W	Bussed	Line: Bussed Load: N/A
3	1	4 or 5"	120/240	Commercial Service	200	OH/UG	Horn	Murray	DC332W	Bussed	Line: Bussed Load: N/A
3	1	4 or 5"	208Y/120	Commercial Service	100	OH/UG	Horn	Murray	DC341W	Bussed	Line: Bussed Load: N/A
3	1	4 or 5"	208Y/120	Commercial Service	200	OH/UG	Horn	Murray	DC342W	Bussed	Line: Bussed Load: N/A
3	1	4	208Y/120	Commercial Service	200	OH/UG	Lever	Murray	DL135W4	Bussed	Line: Bussed Load: N/A



Section 1100
AMEREN APPROVED METERING DEVICES - Murray

Wires	Phase	Terminals	Volts	Service Type	Max. Cont.	Installation	Bypass	Manufacturer	Catalog #	Closure Plate	Max. # Cdr's	
					Amps	Type	Type				Max. Hub	Min/Max Cdr. Size
3	1	4	208Y/120	Commercial	200	OH/UG	Lever	Murray	DL235W4	Bussed	Line: Bussed	
				Service							Load: N/A	
3	1	4	208Y/120	Commercial	200	OH/UG	Lever	Murray	DL335W4	Bussed	Line: Bussed	
				Service							Load: N/A	
3	1	4	208Y/120	Commercial	320	OH/UG	Lever	Murray	DL133W4 ⁽¹⁾	Bussed	Line: Bussed	
				Service							Load: N/A	
3	1	5	208Y/120	Commercial	200	OH/UG	Lever	Murray	DL145W5	Bussed	Line: Bussed	
				Service							Load: N/A	
3	1	5	208Y/120	Commercial	200	OH/UG	Lever	Murray	DL245W5	Bussed	Line: Bussed	
				Service							Load: N/A	
3	1	5	208Y/120	Commercial	200	OH/UG	Lever	Murray	DL345W5	Bussed	Line: Bussed	
				Service							Load: N/A	
3	1	5	208Y/120	Commercial	320	OH/UG	Lever	Murray	DL133W5 ⁽¹⁾	Bussed	Line: Bussed	
				Service							Load: N/A	
3	3	7	240	Commercial	100	OH/UG	Lever	Murray	DL141W7	Bussed	Line: Bussed	
				Service							Load: N/A	
3	3	7	240	Commercial	100	OH/UG	Lever	Murray	DL241W7	Bussed	Line: Bussed	
				Service							Load: N/A	
3	3	7	240	Commercial	100	OH/UG	Lever	Murray	DL341W7	Bussed	Line: Bussed	
				Service							Load: N/A	
3	3	7	240	Commercial	200	OH/UG	Lever	Murray	DL142W7	Bussed	Line: Bussed	
				Service							Load: N/A	
3	3	7	240	Commercial	200	OH/UG	Lever	Murray	DL242W7	Bussed	Line: Bussed	
				Service							Load: N/A	
3	3	7	240	Commercial	200	OH/UG	Lever	Murray	DL342W7	Bussed	Line: Bussed	
				Service							Load: N/A	
3	3	7	240	Commercial	320	OH/UG	Lever	Murray	DL143W7 ⁽¹⁾	Bussed	Line: Bussed	
				Service							Load: N/A	

⁽¹⁾ Anti-inversion clip, catalog # H59676, must be supplied by customer

Section 1100
AMEREN APPROVED METER COMBO SOCKETS -
CUTLER-HAMMER

APPLICATION					AMEREN METER SOCKET APPROVAL LIST				NUMBER OF TERMINALS	MAX HUB SIZE	DRAWING NUMBER
WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURER	CATALOG NUMBER			
3	1	200	120/240	2 Gang Vertical	125	UnderGround Resi	Cutler-Hammer	1MP212RRLB	4	4"	96-2282
3	1	200	120/240	2 Gang Vertical	125	UnderGround Resi	Cutler-Hammer	1MP212RRLBC	4	4"	96-2282
3	1	400	120/240	3 Gang Vertical	125	UnderGround Resi	Cutler-Hammer	1MP3124RRLB	4	4"	96-5367
3	1	400	120/240	4 Gang Vertical	125	UnderGround Resi	Cutler-Hammer	1MP4124RRLB	4	4"	96-5368
3	1	600	120/240	5 Gang Vertical	125	UnderGround Resi	Cutler-Hammer	1MP5126RRLB	4	4"	96-5369
3	1	600	120/240	6 Gang Vertical	125	UnderGround Resi	Cutler-Hammer	1MP6126RRLB	4	4"	96-5370
3	1	400	120/240	2 Gang Vertical	200	UnderGround Resi	Cutler-Hammer	1MP2204RRLB	4	4"	96-5371
3	1	600	120/240	3 Gang Vertical	200	UnderGround Resi	Cutler-Hammer	1MP3206RRLB	4	4"	96-5372
3	1	600	120/240	4Gang Vertical	200	UnderGround Resi	Cutler-Hammer	1MP4206RRLB	4	4"	96-5373
3	1	600	120/240	5 Gang Vertical	200	UnderGround Resi	Cutler-Hammer	1MP5206RRLB	4	4"	96-5374
3	1	600	120/240	6 Gang Vertical	200	UnderGround Resi	Cutler-Hammer	1MP6206RRLB	4	4"	96-5375
3	1	400	120/240	3 Gang Vertical	125	Underground Resi - Copper	Cutler-Hammer		4	4"	
3	1	400	120/240	4Gang Vertical	125	Underground Resi - Copper	Cutler-Hammer	1MP4124RRLBC	4	4"	96-5368
3	1	600	120/240	5 Gang Vertical	125	Underground Resi - Copper	Cutler-Hammer	1MP5126RRLBC	4	4"	96-5369
3	1	600	120/240	6 Gang Vertical	125	Underground Resi - Copper	Cutler-Hammer	1MP6126RRLBC	4	4"	96-5370
3	1	400	120/240	2 Gang Vertical	200	Underground Resi - Copper	Cutler-Hammer	1MP2204RRLBC	4	4"	96-5371
3	1	600	120/240	3 Gang Vertical	200	Underground Resi - Copper	Cutler-Hammer	1MP3206RRLBC	4	4"	96-5372
3	1	600	120/240	4Gang Vertical	200	Underground Resi - Copper	Cutler-Hammer	1MP4206RRLBC	4	4"	96-5373
3	1	600	120/240	5 Gang Vertical	200	Underground Resi - Copper	Cutler-Hammer	1MP5206RRLBC	4	4"	96-5374
3	1	600	120/240	6 Gang Vertical	200	Underground Resi - Copper	Cutler-Hammer	1MP6206RRLBC	4	4"	96-5375
3	1	800	120/240	3 Gang	125	Residential	Cutler-Hammer	1MM312RRLB	4	1.5"	96-4356
3	1	800	120/240	4 Gang	125	Residential	Cutler-Hammer	1MM412RRLB	4	1.5"	96-4356
3	1	800	120/240	5 Gang	125	Residential	Cutler-Hammer	1MM512RRLB	4	1.5"	96-4356

Section 1100
AMEREN APPROVED METER COMBO SOCKETS -
CUTLER-HAMMER

APPLICATION						AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE	DRAWING NUMBER
WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURER	CATALOG NUMBER			
3	1	600	120/240	6 Gang	125	Residential	Cutler-Hammer	1MM612RRLB	4	1.5"	96-4356
3	1	800	120/240	3 Gang	125	Residential	Cutler-Hammer	1MM312RRLB	4	2"	96-4356
3	1	800	120/240	4 Gang	200	Residential	Cutler-Hammer	1MM420RRLB	4	1.5"	96-4357
4	3	800	120/208	2 Gang	125	Residential	Cutler-Hammer	3MM212RRLB	5	1.5"	96-4356
4	3	800	120/208	3 Gang	125	Residential	Cutler-Hammer	3MM312RRLB	5	1.5"	96-4356
4	3	800	120/208	4 Gang	125	Residential	Cutler-Hammer	3MM412RRLB	5	1.5"	96-4356
4	3	600	120/208	5 Gang	125	Residential	Cutler-Hammer	3MM512RRLB	5	1.5"	96-4356
4	3	800	120/208	6 Gang	125	Residential	Cutler-Hammer	3MM612RRLB	5	1.5"	96-4356
4	3	800	120/208	2 Gang	200	Residential	Cutler-Hammer	3MM220RRLB	5	2"	96-4357
4	3	800	120/208	3 Gang	200	Residential	Cutler-Hammer	3MM320RRLB	5	2"	96-4357
4	3	800	120/208	4 Gang	200	Residential	Cutler-Hammer	3MM420RRLB	5	2"	96-4357
3	1	800	120/240	3 Gang	125	Residential	Cutler-Hammer	1MM312RRLBC	4	1.5"	96-4356
3	1	800	120/240	4 Gang	125	Residential	Cutler-Hammer	1MM412RRLBC	4	1.5"	96-4356
3	1	800	120/240	5 Gang	125	Residential	Cutler-Hammer	1MM512RRLBC	4	1.5"	96-4220
3	1	600	120/240	6 Gang	125	Residential	Cutler-Hammer	1MM612RRLBC	4	1.5"	96-4356
3	1	800	120/240	3 Gang	200	Residential	Cutler-Hammer	1MM320RRLBC	4	2"	96-4357
3	1	800	120/240	4 Gang	200	Residential	Cutler-Hammer	1MM420RRLBC	4	1.5"	96-4357
4	3	800	120/208	2 Gang	125	Residential	Cutler-Hammer	3MM212RRLBC	5	1.5"	96-4356
4	3	800	120/208	3 Gang	125	Residential	Cutler-Hammer	3MM312RRLBC	5	1.5"	96-4356
4	3	800	120/208	4 Gang	125	Residential	Cutler-Hammer	3MM412RRLBC	5	1.5"	96-4356
4	3	600	120/208	5 Gang	125	Residential	Cutler-Hammer	3MM512RRLBC	5	1.5"	96-4356
4	3	800	120/208	6 Gang	125	Residential	Cutler-Hammer	3MM612RRLBC	5	1.5"	96-4356
4	3	800	120/208	2 Gang	200	Residential	Cutler-Hammer	3MM220RRLBC	5	2"	96-4357
4	3	800	120/208	3 Gang	200	Residential	Cutler-Hammer	3MM320RRLBC	5	2"	96-4357
4	3	800	120/208	4 Gang	200	Residential	Cutler-Hammer	3MM420RRLBC	5	2"	96-4357
4	3	1200	120/208	2 Gang	125	Residential	Cutler-Hammer	3MM212R12RLB	5	1.5"	N/A
4	3	1200	120/208	3 Gang	125	Residential	Cutler-Hammer	3MM312R12RLB	5	1.5"	N/A

Section 1100
AMEREN APPROVED METER COMBO SOCKETS -
CUTLER-HAMMER

APPLICATION						AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE	DRAWING NUMBER
WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURER	CATALOG NUMBER			
4	3	1200	120/208	4 Gang	125	Residential	Cutler-Hammer	3MM412R12RLB	5	1.5"	N/A
4	3	1200	120/208	5 Gang	125	Residential	Cutler-Hammer	3MM512R12RLB	5	1.5"	N/A
4	3	1200	120/208	6 Gang	125	Residential	Cutler-Hammer	3MM612R12RLB	5	1.5"	N/A
4	3	1200	120/208	2 Gang	200	Residential	Cutler-Hammer	3MM220R12RLB	5	2"	N/A
4	3	1200	120/208	3 Gang	200	Residential	Cutler-Hammer	3MM320R12RLB	5	2"	N/A
4	3	1200	120/208	4 Gang	200	Residential	Cutler-Hammer	3MM420R12RLB	5	2"	N/A
3	1	1200	120/240	1 Gang	225	Commercial	Cutler-Hammer	35MM120R12	4	3"	96-1988
3	1	1200	120/240	2 Gang	225	Commercial	Cutler-Hammer	35MM220R12	4	3"	96-1988
3	1	1200	120/240	3 Gang	225	Commercial	Cutler-Hammer	35MM320R12	4	3"	96-1988
3	1	1200	120/240	4 Gang	225	Commercial	Cutler-Hammer	35MM420R12	4	3"	96-1988
3	1	1200	120/240	4 Gang	400	Commercial	Cutler-Hammer	35MM140R1240	4	3"	96-4754
4	3	1200	120/208	1 Gang	225	Commercial	Cutler-Hammer	37MM120R12	5	3"	96-1988
4	3	1200	120/208	2 Gang	225	Commercial	Cutler-Hammer	37MM220R12	5	3"	96-1988
4	3	1200	120/208	3 Gang	225	Commercial	Cutler-Hammer	37MM320R12	5	3"	96-1988
4	3	1200	120/208	4 Gang	225	Commercial	Cutler-Hammer	37MM420R12	5	3"	96-1988
4	3	1200	120/208	1 Gang W/ Provisions for 2 200A Main Breakers	400	Commercial	Cutler-Hammer	37MM140R12	5	3"	96-1988
4	3	1200	120/208	1 Gang	400	Commercial	Cutler-Hammer	37MM140R1240	5	3"	96-4754
3	1	600	120/240	Temporary Power Pole 100 MB	100		Cutler-Hammer	CHR7N6NSU100M			N/A
400-800A CT Sections (TOP) with Disconnects (Bottom), Wall Mounted Line Entry at Top, Load Exit at Bottom											
4	3	201-400	120/240 OR 120/208	400A CT METERING BAR TYPE BUSSED CT WITH FUSED CLASS T PULLOUT DISCONNECT SWITCH LUGS FOR 500MCM OR 2-4/0	400	COMMERCIAL	ERICKSON MADE FOR CH	CTAP425NCM8CH	N/A	N/A	
4	3	601-800A	120/240 OR 120/208	800A CT METERING BAR TYPE BUSSED CT WITH FUSED CLASS T DISCONNECT SWITCH WITH 3-500MCM LUGS	800	COMMERCIAL	ERICKSON MADE FOR CH	CTAT427NCM8CH	N/A	N/A	
4	3	401-600	120/240 OR 120/208	600A CT METERING BAR TYPE BUSSED CT WITH FUSED CLASS T DISCONNECT SWITCH WITH 2-500MCM LUGS	600	COMMERCIAL	ERICKSON MADE FOR CH	CTAT426NCM8CH	N/A	N/A	

Section 1100
**AMEREN APPROVED METER COMBO SOCKETS -
 CUTLER-HAMMER**

APPLICATION						AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE	DRAWING NUMBER
WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURER	CATALOG NUMBER			
4	3	201-400	120/240 OR 120/208	400A CT METERING BAR TYPE BUSSED CT WITH FUDED CLASS T PULLOUT DISCONNECT SWITCH WITH 600MCM LUGS	400	COMMERCIAL	ERICKSON MADE FOR CH	CTAT425NCM8CH	N/A	N/A	
4	3	201-400	120/240 OR 120/208	400A CT METERING BAR TYPE BUSSED CT WITH FUDED 2-200A CLASS T PULLOUTS DISCONNECT SWITCH	400	COMMERCIAL	ERICKSON MADE FOR CH	CTAP4244NCM8CH	N/A	N/A	

Section 1100

AMEREN APPROVED METER SOCKETS - COOPER B-LINE

APPLICATION						AMEREN METER SOCKETS APPROVAL LIST				NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	BY-PASS	MANUFACTURER	CATALOG NUMBER		
3	1	200A	120/240	APARTMENT 2 GANG	0-200A	SELF-CONTAINED OH/UG	HORN	B-LINE	HEH20432CGRSTG4311	4	4"
3	1	100A	120/240	RESIDENTIAL SERVICE	0-100A	SELF-CONTAINED OH ONLY METER MAIN COMBO W/BREAKER	HORN	B-LINE	EHC10L24A3GRST	4	2 1/2"
3	1	200A	120/240	RESIDENTIAL SERVICE	0-200A	SELF-CONTAINED OH/UG	HORN	B-LINE	EH20L43GRSTG4	4	2 1/2"
3	1	200A	120/240	RESIDENTIAL SERVICE	0-200A	SELF-CONTAINED UG	HORN	B-LINE	EH20L42GRSTG4	4	NONE
3	1	125A/POSITION	120/240	APARTMENT 2 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP12432LGRST	4	4"
3	1	200A/POSITION	120/240	APARTMENT 2 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP20432LGRST		4"
3	1	125A/POSITION	120/240	APARTMENT 3 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP12433LGRST	4	4"
3	1	200A/POSITION	120/240	APARTMENT 3 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP20433LGRST	4	4"
3	1	125A/POSITION	120/240	APARTMENT 4 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP12434CGRST	4	4"
3	1	200A/POSITION	120/240	APARTMENT 4 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP20434CGRST	4	4"
3	1	125A/POSITION	120/240	APARTMENT 5 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP12435CGRST	4	4"
3	1	200A/POSITION	120/240	APARTMENT 5 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP20435CGRST	4	4"
3	1	125A/POSITION	120/240	APARTMENT 6 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VENMP12436CGRST	4	4"
3	1	200A/POSITION	120/240	APARTMENT 6 GANG	0-200A	SELF-CONTAINED OH/UG W/CB PROVISION	HORN	B-LINE	VEHMP20436CGRST	4	4"
RESIDENTIAL OR COMMERCIAL SERVICE											
4	3	320A	120/240	COMMERCIAL SERVICE	320A	SELF-CONTAINED OH/UG	LEVER	B-LINE	EL32T76GRSTG4 & 32AIC	7	4"
3	1	320A	120/240	COMMERCIAL SERVICE	320A	SELF-CONTAINED UG W/2-200A CB	LEVER	B-LINE	ELCB32C24A4GRST & 32AIC	4	NONE
COMMERCIAL SERVICE											
4	3	200A/POSITION	120/240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG	LEVER	B-LINE	EL20L73GRSTG4	7	4"
3	1	200A/POSITION	120/240	COMMERCIAL SERVICE	0-200A	SELF-CONTAINED OH/UG	LEVER	B-LINE	EL20L43GRSTG4	4	4"
4	3	200A/POSITION	240V MAX.	COMMERCIAL SERVICE 2 GANG	0-200A	SELF-CONTAINED OH/UG	LEVER	B-LINE	HEL20732CGR1N	7	2 1/2"
3	1	200A/POSITION	120/240	COMMERCIAL SERVICE 2 GANG	0-200A	SELF-CONTAINED OH/UG	LEVER	B-LINE	HEL20432CGR1N	5	2 1/2"
3	1	200A/POSITION	120/240	COMMERCIAL SERVICE 3 GANG	0-200A	SELF-CONTAINED OH/UG	LEVER	B-LINE	HEL20433CGR1N	5	2 1/2"
3	1	200A/POSITION	120/240	COMMERCIAL SERVICE 4 GANG	0-200A	SELF-CONTAINED OH/UG	LEVER	B-LINE	HEL20434CGR1N	5	2 1/2"
3	1	200A/POSITION	120/240	COMMERCIAL SERVICE 2 GANG	0-200A	SELF-CONTAINED OH/UG w/ CB PROVISION	LEVER	B-LINE	VELMP20432LGRST5K9	5	2 1/2"
3	1	200A/POSITION	120/240	COMMERCIAL SERVICE 3 GANG	0-200A	SELF-CONTAINED OH/UG w/ CB PROVISION	LEVER	B-LINE	VELMP20433LGRST5K9	5	2 1/2"
3	1	200A/POSITION	120/240	COMMERCIAL SERVICE 4 GANG	0-200A	SELF-CONTAINED OH/UG w/ CB PROVISION	LEVER	B-LINE	VELMP20434CGRST5K9	5	2 1/2"
3	1	200A/POSITION	120/240	COMMERCIAL SERVICE 5 GANG	0-200A	SELF-CONTAINED OH/UG w/ CB PROVISION	LEVER	B-LINE	VELMP20435CGRST5K9	5	2 1/2"

**Section 1100
AMEREN APPROVED METER SOCKETS - SQUARE D**

Wires	Phase	Volts	Service	Max Amps	Installation Type	Catalog #	Hub (separate)	Lug Wire Range	Bypass Type	
Individual Meter Sockets										
3	1	120/240	Residential	125A	OH/UG	Square D	UHTRS101B	Series A	L(1)8-2/0 G(1)14-2	Horn
3	1	120/240	Residential	125A	OH	Square D	UGHTRS101L	A125	L(1)8-2/0 G(1)14-2	Horn
3	1	120/240	Residential	125A	OH	Square D	URS101BDQ	Series A	L(1)8-2/0 G(1)14-2	Horn
3	1	120/240	Residential	125A	OH/UG	Square D	UGHTRS111C	Series A	L(1)8-2/0 G(1)14-2	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	UBHMRS212B	Series A	L(1)8-250 G None	Horn
3	1	120/240	Residential	200A	OH	Square D	UHTRSS202B	Series A	L(1)8-250 G14-2	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	UHTRS212B	Series A	L(1)8-250 G14-2	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	UHTRS213B	Series A	L(1)1/0-350 G14-2	Horn
3	1	120/240	Residential	200A	UG	Square D	UHTRS223A	SOLID TOP	L(1)1/0-350 G14-2	Horn
3	1	120/240	Residential	200A	UG	Square D	URS212ADQ	SOLID TOP	L(1)8-250 G None	Horn
3	1	120/240	Commercial	200A	OH	Square D	UTH4203T	Series A-L	L(1)6-350 G14-2	Lever
3	1	120/240	Commercial	200A	OH/UG	Square D	UTH4213T	Series A-L	L(1)6-350 G14-2	Lever
3	1	120/240	Commercial	200A	OH	Square D	UTH5203T	Series A-L	L(1)6-350 G14-2	Lever
3	1	120/240	Commercial	200A	OH/UG	Square D	UTH5213T	Series A-L	L(1)6-350 G14-2	Lever
3	1	120/240	Commercial	320A	OH/UG	Square D	UTH4330T	Series A-L	Studs Only	Lever
4	3	120/240	Commercial	200A	OH/UG	Square D	UTH7213T	Series A-L	L(1)6-350 G14-2	Lever
4	3	120/240	Commercial	320A	OH	Square D	UTH7300T	Series A-L	Studs Only	Lever
Combination Service Entrance Devices										
3	1	120/240	Residential	200A	OH/UG	Square D	RC2M200SH	Series A	L(1)6-350 G(2)8-2/0	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	QC12L200CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	400A	UG	Square D	QU12L400SL	Series A-L	(2) Stubs G(1)4-250	Lever
3	1	120/240	Residential	100A	OH/UG	Square D	QC816F100CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	125A	OH/UG	Square D	QC816F125CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	150A	OH/UG	Square D	QC816F150CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	QC816F200CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	400A	UG	Square D	QU816D400SL	Series A-L	(2) Stubs G(1)4-250	Lever
3	1	120/240	Residential	400A	UG	Square D	QU12L400CL	Series A-L	(2) Stubs G(1)4-250	Lever
3	1	120/240	Residential	400A	UG	Square D	QU816D400CL	Series A-L	(2) Stubs G(1)4-250	Lever
3	1	120/240	Residential	200A	OH/UG	Square D	RC12L200CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	100A	OH/UG	Square D	RC816F100CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	125A	OH/UG	Square D	RC816F125CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	150A	OH/UG	Square D	RC816F150CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	RC816F200CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	RC816D200CH	Series A or B300	L(1)6-300 G(1)6-1/0	Horn
3	1	120/240	Residential	125A	OH/UG	Square D	RC2040M125CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	150A	OH/UG	Square D	RC2040M150CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	RC2040M200CH	Series A	L(1)6-350 G(1)12-2/0	Horn
3	1	120/240	Residential	400A	UG	Square D	RU3040D400CL	Series A-L	(2) Stubs G(1)4-250	Lever
3	1	120/240	Residential	150A	OH/UG	Square D	QC2442M150CH	Series A	L(1)6-350 G(1)12-1/0	Horn
3	1	120/240	Residential	200A	OH/UG	Square D	QC2442M200CH	Series A	L(1)6-350 G(1)12-1/0	Horn
MP Meter-Pak Meter Centers										
3	1	120/240	Residential	200A	OH/UG	Square D	MPH22125	125A	(1) 4-250	Horn
3	1	120/240	Residential	300A	OH/UG	Square D	MPH33125	125A	(1)1/0-600 or (2)1/0-250	Horn
3	1	120/240	Residential	400A	OH/UG	Square D	MPH44125	125A	(1)1/0-600 or (2)1/0-250	Horn
3	1	120/240	Residential	500A	OH/UG	Square D	MPH55125	125A	(1)1/0-600 or (2)1/0-250	Horn
3	1	120/240	Residential	600A	OH/UG	Square D	MPH66125	125A	(1)1/0-600 or (2)1/0-250	Horn
3	1	120/240	Residential	400A	OH/UG	Square D	MPH42200	200A	(1)1/0-600 or (2)1/0-250	Horn
3	1	120/240	Residential	400A	OH/UG	Square D	MPH43200	200A	(1)1/0-600 or (2)1/0-250	Horn
3	1	120/240	Residential	600A	OH/UG	Square D	MPH64200	200A	(1)1/0-600 or (2)1/0-250	Horn
3	1	120/240	Residential	800A	OH/UG	Square D	MPH85200	200A	(2) 3/0-500	Horn
3	1	120/240	Residential	800A	OH/UG	Square D	MPH86200	200A	(2) 3/0-500	Horn
EZ Meter-Pak Meter Centers										
3	1	120/240	Residential	400A	OH/UG	Square D	EZM1400CB	Circuit Breaker	L(1)600 or (2)1-250	
3	1	120/240	Residential	600A	OH/UG	Square D	EZM1600CB	Circuit Breaker	L(3)3/0-500	
3	1	120/240	Residential	800A	OH/UG	Square D	EZM1800CB	Circuit Breaker	L(3)3/0-500	
3	1	120/240	Residential	1000A	OH/UG	Square D	EZM11000CB	Circuit Breaker	L(3)3/0-500	
3	1	120/240	Residential	1200A	OH/UG	Square D	EZM11200CB	Circuit Breaker	L(4)1/0-750	
3	1	120/240	Residential	1600A	OH/UG	Square D	EZM11600CB	Circuit Breaker	L(6)1/0-750	
3	1	120/240	Residential	2000A	OH/UG	Square D	EZM12000CB	Circuit Breaker	L(6)1/0-750 or (12)1/0-250	



**Section 1100
AMEREN APPROVED METER SOCKETS - SQUARE D**

Wires	Phase	Volts	Service	Max Amps	Installation Type		Catalog #	Hub (separate)	Lug Wire Range	Bypass Type
3	1	120/240	Residential	400A	OH/UG	Square D	EZM1400FS	Fusible	L(1)1-600 or (2)1-250	
3	1	120/240	Residential	600A	OH/UG	Square D	EZM1600FS	Fusible	L(3)3/0-500	
3	1	120/240	Residential	800A	OH/UG	Square D	EZM1800FS	Fusible	L(3)3/0-500	
3	1	120/240	Residential	1200A	OH/UG	Square D	EZM11200FS	Fusible	L(4)1/0-750	
3	1	120/240	Residential	225A	OH/UG	Square D	EZM1225TB	Main Lugs	L(1)4-300	
3	1	120/240	Residential	400A	OH/UG	Square D	EZM1400TB	Main Lugs	L(2)3/0-500	
3	1	120/240	Residential	600A	OH/UG	Square D	EZM1600TB	Main Lugs	L(2)1/0-750 or (4)1/0-300	
3	1	120/240	Residential	800A	OH/UG	Square D	EZM1800TB	Main Lugs	L(4)3/0-500	
3	1	120/240	Residential	800A	OH/UG	Square D	EZM1800TBCU	Main Lugs	L(4)3/0-500	
3	1	120/240	Residential	1600A	OH/UG	Square D	EZM11600TB	Main Lugs	L(6)3/0-600	
3	1	120/240	Residential	400A	UG	Square D	EZM1400CUB	Circuit Breaker	Factory Installed Lug Landings	
3	1	120/240	Residential	600A	UG	Square D	EZM1600CUB	Circuit Breaker	Factory Installed Lug Landings	
3	1	120/240	Residential	800A	UG	Square D	EZM1800CUB	Circuit Breaker	Factory Installed Lug Landings	
3	1	120/240	Residential	1000A	UG	Square D	EZM11000CUB	Circuit Breaker	Factory Installed Lug Landings	
3	1	120/240	Residential	1200A	UG	Square D	EZM11200CUB	Circuit Breaker	Factory Installed Lug Landings	
3	1	120/240	Residential	1600A	UG	Square D	EZM11600CUB	Circuit Breaker	Factory Installed Lug Landings	
3	1	120/240	Residential	2000A	UG	Square D	EZM12000CUB	Circuit Breaker	Factory Installed Lug Landings	
3	1	120/240	Residential	400A	UG	Square D	EZM1400FSU	Fusible	Factory Installed Lug Landings	
3	1	120/240	Residential	600A	UG	Square D	EZM1600FSU	Fusible	Factory Installed Lug Landings	
3	1	120/240	Residential	800A	UG	Square D	EZM1800FSU	Fusible	Factory Installed Lug Landings	
3	1	120/240	Residential	1200A	UG	Square D	EZM11200FSU	Fusible	Factory Installed Lug Landings	
3	1	120/240	Residential	400A	UG	Square D	EZM1400TBU	Main Lugs	Factory Installed Lug Landings	
3	1	120/240	Residential	800A	UG	Square D	EZM1800TBU	Main Lugs	Factory Installed Lug Landings	
3	1	120/240	Residential	1200A	UG	Square D	EZM11200TBU	Main Lugs	Factory Installed Lug Landings	
EZ Meter-Pak Meter Centers								Branch Device	Maximum Circuit Breaker	
3	1	120/240	Residential	800A	Branch Units	Square D	EZMH113125	3 Sockets	125A	Horn
3	1	120/240	Residential	1200A	Branch Units	Square D	EZMH113125CUX	3 Sockets	125A	Horn
3	1	120/240	Residential	800A	Branch Units	Square D	EZMH114125	4 Sockets	125A	Horn
3	1	120/240	Residential	1200A	Branch Units	Square D	EZMH114125CUX	4 Sockets	125A	Horn
3	1	120/240	Residential	800A	Branch Units	Square D	EZMH115125	5 Sockets	125A	Horn
3	1	120/240	Residential	1200A	Branch Units	Square D	EZMH115125CUX	5 Sockets	125A	Horn
3	1	120/240	Residential	800A	Branch Units	Square D	EZMH116125	6 Sockets	125A	Horn
3	1	120/240	Residential	1200A	Branch Units	Square D	EZMH116125CUX	6 Sockets	125A	Horn
3	1	120/240	Residential	800A	Branch Units	Square D	EZMH112225	2 Sockets	225A	Horn
3	1	120/240	Residential	1200A	Branch Units	Square D	EZMH112225CUX	2 Sockets	225A	Horn
3	1	120/240	Residential	800A	Branch Units	Square D	EZMH113225	3 Sockets	225A	Horn
3	1	120/240	Residential	1200A	Branch Units	Square D	EZMH113225CUX	3 Sockets	225A	Horn
3	1	120/240	Residential	800A	Branch Units	Square D	EZMH114225	4 Sockets	225A	Horn
3	1	120/240	Residential	1200A	Branch Units	Square D	EZMH114225CUX	4 Sockets	225A	Horn
3	1	120/240	Residential	800A	Branch Units	Square D	EZMH115225	5 Sockets	225A	Horn
3	1	120/240	Residential	1200A	Branch Units	Square D	EZMH115225CUX	5 Sockets	225A	Horn
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML111225	1 Socket	225A	Lever
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML111225CU	1 Socket	225A	Lever
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML111225D	1 Socket	225A	Lever
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML112225	2 Sockets	225A	Lever
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML112225CU	2 Sockets	225A	Lever
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML112225D	2 Sockets	225A	Lever
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML113225	3 Sockets	225A	Lever
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML113225CU	3 Sockets	225A	Lever
3	1	120/240	Commercial	1200A	Branch Units	Square D	EZML113225D	3 Sockets	225A	Lever
EZ Meter-Pak Meter Centers								Main Device		
4	3	208Y/120 or 240/120	Commercial	400A	OH/UG	Square D	EZM3400CB	Circuit Breaker	L(1)1-600 or (2)1-250	
4	3	208Y/120 or 240/120	Commercial	600A	OH/UG	Square D	EZM3600CB	Circuit Breaker	L(3)3/0-500	
4	3	208Y/120 or 240/120	Commercial	800A	OH/UG	Square D	EZM3800CB	Circuit Breaker	L(3)3/0-500	
4	3	208Y/120 or 240/120	Commercial	1000A	OH/UG	Square D	EZM31000CB	Circuit Breaker	L(3)3/0-500	
4	3	208Y/120 or 240/120	Commercial	1200A	OH/UG	Square D	EZM31200CB	Circuit Breaker	L(4)1/0-750	
4	3	208Y/120 or 240/120	Commercial	1600A	OH/UG	Square D	EZM31600CB	Circuit Breaker	L(6)1/0-750	
4	3	208Y/120 or 240/120	Commercial	2000A	OH/UG	Square D	EZM32000CB	Circuit Breaker	L(6)1/0-750 or (12)1/0-250	
4	3	208Y/120 or 240/120	Commercial	400A	OH/UG	Square D	EZM3400FS	Fusible	L(1)1-600 or (2)1-250	
4	3	208Y/120 or 240/120	Commercial	600A	OH/UG	Square D	EZM3600FS	Fusible	L(3)3/0-500	
4	3	208Y/120 or 240/120	Commercial	800A	OH/UG	Square D	EZM3800FS	Fusible	L(3)3/0-500	



**Section 1100
AMEREN APPROVED METER SOCKETS - SQUARE D**

Wires	Phase	Volts	Service	Max Amps	Installation Type	Catalog #	Hub (separate)	Lug Wire Range	Bypass Type	
4	3	208Y/120 or 240/120	Commercial	225A	OH/UG	EZM3225TB	Main Lugs	L(1)4-300		
4	3	208Y/120 or 240/120	Commercial	400A	OH/UG	EZM3400TB	Main Lugs	L(2)3/0-500		
4	3	208Y/120 or 240/120	Commercial	600A	OH/UG	EZM3600TB	Main Lugs	L(2)1/0-750 or (4)1/0-300		
4	3	208Y/120 or 240/120	Commercial	800A	OH/UG	EZM3800TB	Main Lugs	L(4)3/0-500		
4	3	208Y/120 or 240/120	Commercial	800A	OH/UG	EZM3800TBCU	Main Lugs	L(4)3/0-500		
4	3	208Y/120 or 240/120	Commercial	1600A	OH/UG	EZM31600TB	Main Lugs	L(6)3/0-600		
EZ Meter-Pak Meter Centers							Branch Device	Maximum Circuit Breaker		
4	3	208Y/120	Commercial	800A	Branch Units	Square D	EZMH313125	3 Sockets	125A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZMH313125CUX	3 Sockets	125A	Horn
4	3	208Y/120	Commercial	800A	Branch Units	Square D	EZMH314125	4 Sockets	125A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZMH3143125CUX	4 Sockets	125A	Horn
4	3	208Y/120	Commercial	800A	Branch Units	Square D	EZMH315125	5 Sockets	125A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZMH3153125CUX	5 Sockets	125A	Horn
4	3	208Y/120	Commercial	800A	Branch Units	Square D	EZMH316125	6 Sockets	125A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZMH316125CUX	6 Sockets	125A	Horn
4	3	208Y/120	Commercial	800A	Branch Units	Square D	EZMH312225	2 Sockets	225A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZMH312225CUX	2 Sockets	225A	Horn
4	3	208Y/120	Commercial	800A	Branch Units	Square D	EZMH313225	3 Sockets	225A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZMH313225CUX	3 Sockets	225A	Horn
4	3	208Y/120	Commercial	800A	Branch Units	Square D	EZMH314225	4 Sockets	225A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZMH314225CUX	4 Sockets	225A	Horn
4	3	208Y/120	Commercial	800A	Branch Units	Square D	EZMH315225	5 Sockets	225A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZMH315225CUX	5 Sockets	225A	Horn
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZML312225	2 Sockets	225A	Lever
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZML312225CU	2 Sockets	225A	Lever
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZML312225D	2 Sockets	225A	Lever
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZML313225	3 Sockets	225A	Lever
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZML313225CU	3 Sockets	225A	Lever
4	3	208Y/120	Commercial	1200A	Branch Units	Square D	EZML313225D	3 Sockets	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZML331225	1 Socket	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZML331225CU	1 Socket	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZM331225D	1 Socket	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZML332225	2 Sockets	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZML332225CU	2 Sockets	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZML332225D	2 Sockets	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZML333225	3 Sockets	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZML333225CU	3 Sockets	225A	Lever
4	3	208Y/120 or 240/120	Commercial	1200A	Branch Units	Square D	EZML333225D	3 Sockets	225A	Lever

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF	MAX HUB
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER	TERMINALS	SIZE
BUSSED CT CABINETS - WALL MOUNTED									
3	1	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING -BAR TYPE CT'S BUSSED CABINET - FOR USE WITH FUSED SWITCH	ERICKSON	CT-41-AMR	N/A	N/A
3	3 DELTA	240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING -BAR TYPE CT'S BUSSED CABINET - FOR USE WITH FUSED SWITCH	ERICKSON	CT-43-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING -BAR TYPE CT'S BUSSED CABINET - FOR USE WITH FUSED SWITCH	ERICKSON	CT-44-AMR	N/A	N/A
4	3	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING -BAR TYPE CT'S BUSSED CABINET - FOR USE WITH FUSED SWITCH	ERICKSON	CT-44-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	321-800A	600A/800A CT METERING BAR TYPE BUSSED CT CABINET	ERICKSON	CT-81-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	321-800A	600A/800A CT METERING - BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-83-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING -BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-43-PTL-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	401-800A	600A/800A CT METERING -BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-83-PTL-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	321-800A	600A/800A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-84-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	321-800A	600A/800A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-84-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-44-PTL-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	401-800A	600A/800A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-84-PTL-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-123-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-124-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-124-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-123-PTL-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE CT'S BUSSED CABINET	ERICKSON	CT-124-PTL-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	1201-1600A	1600 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-163-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	1201-1600A	1600 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-164-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	1201-1600A	1600 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-164-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	1201-1600A	1600 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-163-PTL-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	1201-1600A	1600 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-164-PTL-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	1601-2000A	2000 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-203-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	1601-2000A	2000 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-204-AMR	N/A	N/A

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST				NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER			
4	3Y	120/208	COMMERCIAL SERVICE	1601-2000A	2000 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-204-AMR	N/A	N/A	
3	3 DELTA	480	COMMERCIAL SERVICE	1601-2000A	2000 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-203-PTL-AMR	N/A	N/A	
4	3Y	277/480	COMMERCIAL SERVICE	1601-2000A	2000 CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-204-PTL-AMR	N/A	N/A	
3	3	<250	COMMERCIAL SERVICE	2001-2500	2500A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-253-AMR	N/A	N/A	
4	3	120/240	COMMERCIAL SERVICE	2001-2500	2500A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-254-AMR	N/A	N/A	
3	3 DELTA	480	COMMERCIAL SERVICE	2001-2500	2500A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-253-PTL-AMR	N/A	N/A	
4	3Y	277/480	COMMERCIAL SERVICE	2001-2500	2500A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-254-PTL-AMR	N/A	N/A	
3	3	<250	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-303-AMR	N/A	N/A	
4	3	120/240	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-304-AMR	N/A	N/A	
4	3Y	120/208	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-304-AMR	N/A	N/A	
3	3 DELTA	480	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-303-PTL-AMR	N/A	N/A	
4	3Y	277/480	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING WINDOW TYPE CT'S BUSSED CABINET	ERICKSON	CT-304-PTL-AMR	N/A	N/A	

400-800A AMEREN APPROVED CT & PT SECTIONS (BOTTOM) WITH DISCONNECTS (TOP), WALL MOUNTED LINE ENTRY AT BOTTOM, LOAD EXIT AT TOP

APPLICATION					AMEREN METER SOCKET APPROVAL LIST				NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER			
COMBINATION BOTTOM FEED BUSSED CT CABINETS WITH DISCONNECT										
3	1	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTBP-325N-AMR	N/A	N/A	
3	3 DELTA	240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTBP-325-AMR	N/A	N/A	
4	3	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTBP-425N-AMR	N/A	N/A	
4	3	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTBP-425N-AMR	N/A	N/A	
3	1	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCHES	ERICKSON	CTBP-3244N-AMR	N/A	N/A	
3	3 DELTA	240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCHES	ERICKSON	CTBP-3244-AMR	N/A	N/A	
4	3	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCHES	ERICKSON	CTBP-4244N-AMR	N/A	N/A	

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF	MAX HUB
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER	TERMINALS	SIZE
4	3	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCHES	ERICKSON	CTBP-4244N-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS-325N-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS-325-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS-425N-AMR	N/A	N/A
4	3	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS-425N-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH CIRCUIT BREAKER DISCONNECT	ERICKSON	CTBKD-365-PT-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTBP-365-PT-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTBP-3644-PT-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS365-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH CIRCUIT BREAKER DISCONNECT	ERICKSON	CTBKD-465N-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTBP-465N-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTBP4644N-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS465N-PT-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS326N-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS326-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS366-PT-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS426N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS426N-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS466N-PT-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS327N-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS367-PT-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS427N-AMR	N/A	N/A

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
4	3Y	120/208	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS427N-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	BFCTMS467N-PT-AMR	N/A	N/A

400-800A AMEREN APPROVED CT & PT SECTIONS (TOP) WITH DISCONNECTS (BOTTOM), WALL MOUNTED LINE ENTRY AT TOP, LOAD EXIT AT BOTTOM

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
COMBINATION BUSSED CT CABINETS WITH DISCONNECT									
3	1	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-325N-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-325-AMR	N/A	N/A
3	4	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-425N-AMR	N/A	N/A
3	4	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-425N-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-3244N-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-3244-AMR	N/A	N/A
3	4	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-4244N-AMR	N/A	N/A
3	4	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-4244N-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS-325N-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS-325-AMR	N/A	N/A
3	4	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS-425N-AMR	N/A	N/A
3	4	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS-425N-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH CIRCUIT BREAKER DISCONNECT	ERICKSON	CTAKD-365-PT-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-365-PT-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-3644-PT-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS365-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH CIRCUIT BREAKER DISCONNECT	ERICKSON	CTAKD-465N-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP-465N-PT-AMR	N/A	N/A

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTAP4644N-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS465N-PT-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS326N-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS326-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS366-PT-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS426N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS426N-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS466N-PT-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS327N-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS327-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS367-PT-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS427N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS427N-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT WITH FUSED DISCONNECT SWITCH	ERICKSON	CTMS467N-PT-AMR	N/A	N/A

NOTE: CATALOG NUMBERS SERIES "CTMS" MAY BE USED WITH AN OPTIONAL SIDE WIRING GUTTER FOR USE WITH UNDERGROUND SERVICE CONDUCTORS

AMEREN APPROVED HOT-SEQUENCE SELF CONTAINED METER SOCKETS - WALL MOUNTED

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	* CATALOG NUMBER		
HOT SEQUENCE - 240 VOLT									
3	1	120/240	COMMERCIAL SERVICE 1 GANG VERTICAL	0-200A	SELF-CONTAINED OH/JG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)4-1	4	N/A
3	1	120/240	COMMERCIAL SERVICE 2 GANG	0-200A	SELF-CONTAINED OH/JG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)4-2	4	N/A
3	1	120/240	COMMERCIAL SERVICE 3 GANG	0-200A	SELF-CONTAINED OH/JG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)4-3	4	N/A
3	1	120/240	COMMERCIAL SERVICE 4 GANG	0-200A	SELF-CONTAINED OH/JG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)4-4	4	N/A

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF	MAX HUB
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER	TERMINALS	SIZE
3	1	120/208	COMMERCIAL SERVICE 1 GANG	0-200A	SELF-CONTAINED OH/UG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)4-1	5	N/A
3	1	120/208	COMMERCIAL SERVICE 2 GANG	0-200A	SELF-CONTAINED OH/UG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)4-2	5	N/A
3	1	120/208	COMMERCIAL SERVICE 3 GANG	0-200A	SELF-CONTAINED OH/UG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)4-3	5	N/A
3	1	120/208	COMMERCIAL SERVICE 4 GANG	0-200A	SELF-CONTAINED OH/UG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)4-4	5	N/A
4	3	120/208	COMMERCIAL SERVICE 1 GANG	0-200A	SELF-CONTAINED OH/UG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)7-1	7	N/A
4	3	120/208	COMMERCIAL SERVICE 2 GANG	0-200A	SELF-CONTAINED OH/UG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)7-2	7	N/A
4	3	120/208	COMMERCIAL SERVICE 3 GANG	0-200A	SELF-CONTAINED OH/UG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)7-3	7	N/A
4	3	120/208	COMMERCIAL SERVICE 4 GANG	0-200A	SELF-CONTAINED OH/UG HOT SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	CM(7/8/9)7-4	7	N/A
C/T SECTION AT TOP, DISCONNECT AT BOTTOM (HOT SEQUENCE)									
3	1	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S - 400A CT CABINET AND 400A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT325NCM(7/8/9) AMRCTAP325NCM(7/8/9)	SWITCH SWITCH	N/A
3	1	120/240	COMMERCIAL SERVICE	401-600A	600A CT METERING - BAR TYPE CT'S - 600A CT CABINET AND 600A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT326NCM(7/8/9) AMRCTALD326NCM(7/8/9)	SWITCH BREAKER	N/A
3	1	120/240	COMMERCIAL SERVICE	601-800A	800A CT METERING - BAR TYPE CT'S - 800A CT CABINET AND 800A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT327NCM(7/8/9) AMRCTAMD327NCM(7/8/9)	SWITCH BREAKER	N/A
4	3	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S - 400A CT CABINET AND 400A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT425NCM(7/8/9) AMRCTAP425NCM(7/8/9)	SWITCH SWITCH	N/A
4	3	120/208	COMMERCIAL SERVICE	401-600A	600A CT METERING - BAR TYPE CT'S - 600A CT CABINET AND 600A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT426NCM(7/8/9) AMRCTALD426NCM(7/8/9)	SWITCH BREAKER	N/A
4	3	120/208	COMMERCIAL SERVICE	601-800A	800A CT METERING - BAR TYPE CT'S - 800A CT CABINET AND 800A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT427NCM(7/8/9) AMRCTAMD427NCM(7/8/9)	SWITCH BREAKER	N/A
C/T SECTION AT BOTTOM, DISCONNECT AT TOP (HOT SEQUENCE)									
3	1	120/240	COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S - 400A CT CABINET AND 400A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBP325NCM(7/8/9)	SWITCH	N/A
3	1	120/240	COMMERCIAL SERVICE	401-600A	600A CT METERING - BAR TYPE CT'S - 600A CT CABINET AND 600A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBLD326NCM(7/8/9)	BREAKER	N/A
3	1	120/240	COMMERCIAL SERVICE	601-800A	800A CT METERING - BAR TYPE CT'S - 800A CT CABINET AND 800A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBMD327NCM(7/8/9)	BREAKER	N/A
4	3	120/208	COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S - 400A CT CABINET AND 400A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBP425NCM(7/8/9)	SWITCH	N/A
4	3	120/208	COMMERCIAL SERVICE	401-600A	600A CT METERING - BAR TYPE CT'S - 600A CT CABINET AND 600A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBLD426NCM(7/8/9)	BREAKER	N/A
4	3	120/208	COMMERCIAL SERVICE	601-800A	800A CT METERING - BAR TYPE CT'S - 800A CT CABINET AND 800A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBMD427NCM(7/8/9)	BREAKER	N/A
* (7/8/9) 7 = 800A MAIN BUS, 8 = 1200A MAIN BUS, 9 = 1600A MAIN BUS									

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST				NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER			
COLD SEQUENCE - 480 VOLT										
3	1	277/480	COMMERCIAL SERVICE 2 GANG	0-200A	SELF-CONTAINED OH/UG COLD SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	6CSCM(7/8/9)5-2	5	N/A	
3	1	277/480	COMMERCIAL SERVICE 3 GANG	0-200A	SELF-CONTAINED OH/UG COLD SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	6CSCM(7/8/9)5-3	5	N/A	
4	3	277/480	COMMERCIAL SERVICE 1 GANG	0-200A	SELF-CONTAINED OH/UG COLD SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	6CSCM(7/8/9)7-1	7	N/A	
4	3	277/480	COMMERCIAL SERVICE 2 GANG	0-200A	SELF-CONTAINED OH/UG COLD SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	6CSCM(7/8/9)7-2	7	N/A	
4	3	277/480	COMMERCIAL SERVICE 3 GANG	0-200A	SELF-CONTAINED OH/UG COLD SEQUENCE MODULAR METERING W/ BRKR OR CLASS "T" FUSE PULL OUT	ERICKSON	6CSCM(7/8/9)7-3	7	N/A	
C/T & P/T SECTION AT TOP, DISCONNECT AT BOTTOM (HOT SEQUENCE)										
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S - 400A CT CABINET W/ PT PROVI. AND 400A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT465N6CM(7/8/9)	SWITCH	N/A	
							AMRCTAKD465N6CM(7/8/9)	BREAKER		
							AMRCTAP465N6CM(7/8/9)	SWITCH		
4	3Y	277/480	COMMERCIAL SERVICE	401-600A	600A CT METERING - BAR TYPE CT'S - 600A CT CABINET W/ PT PROVI. AND 600A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT466N6CM(7/8/9)	SWITCH	N/A	
							AMRCTALD466N6CM(7/8/9)	BREAKER		
4	3Y	277/480	COMMERCIAL SERVICE	601-800A	800A CT METERING - BAR TYPE CT'S - 800A CT CABINET W/ PT PROVI. AND 800A MAIN SWITCH COMBINATION	ERICKSON	AMRCTAT467N6CM(7/8/9)	SWITCH	N/A	
							AMRCTAMD467N6CM(7/8/9)	BREAKER		
C/T & P/T SECTION AT BOTTOM, DISCONNECT AT TOP (HOT SEQUENCE)										
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S - 400A CT CABINET W/ PT PROVI. AND 400A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBKD465N6CM(7/8/9)	BREAKER	N/A	
							AMRCTBP465N6CM(7/8/9)	SWITCH		
4	3Y	277/480	COMMERCIAL SERVICE	401-600A	600A CT METERING - BAR TYPE CT'S - 600A CT CABINET W/ PT PROVI. AND 600A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBLD466N6CM(7/8/9)	BREAKER	N/A	
4	3Y	277/480	COMMERCIAL SERVICE	601-800A	800A CT METERING - BAR TYPE CT'S - 800A CT CABINET W/ PT PROVI. AND 800A MAIN SWITCH COMBINATION	ERICKSON	AMRCTBMD467N6CM(7/8/9)	BREAKER	N/A	
* (7/8/9) 7 = 800A MAIN BUS, 8 = 1200A MAIN BUS, 9 = 1600A MAIN BUS										
AMEREN APPROVED CT & PT ENCLOSURES - PAD MOUNTED, FREE STANDING										
PAD MOUNTED BUSSED CT CABINETS										
3	1	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING - BAR TYPE CT'S BUSSED CABINET - FOR USE WITH FUSED SWITCH	ERICKSON	PMCT-41-AMR	N/A	N/A	
3	3 DELTA	240	RESIDENTIAL OR COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S BUSSED CABINET - FOR USE WITH FUSED SWITCH	ERICKSON	PMCT-43-AMR	N/A	N/A	
4	3	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING - BAR TYPE CT'S BUSSED CABINET - FOR USE WITH FUSED SWITCH	ERICKSON	PMCT-44-AMR	N/A	N/A	
4	3	120/208	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING - BAR TYPE CT'S BUSSED CABINET - FOR USE WITH FUSED SWITCH	ERICKSON	PMCT-44AMR	N/A	N/A	
3	1	120/240	RESIDENTIAL OR COMMERCIAL	321-800A	600A/800A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-81-AMR	N/A	N/A	
3	3 DELTA	240	COMMERCIAL SERVICE	321-800A	600A/800A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-83-AMR	N/A	N/A	

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-43-PTL-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	401-800A	600A/800A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-83-PTL-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	321-800A	600A/800A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-84-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	321-800A	600A/800A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-84-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-44-PTL-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	401-800A	600A/800A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-84-PTL-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	801-1200A	1200A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-123-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	801-1200A	1200A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-124-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	801-1200A	1200A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-124-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	801-1200A	1200A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-123-PTL-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	801-1200A	1200A CT METERING - BAR TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-124-PTL-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-163-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-164-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-164-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-163-PTL-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-164-PTL-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-203-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-204-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-204-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-203-PTL-AMR	N/A	N/A

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
4	3Y	277/480	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-204-PTL-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-253-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-254-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-254-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-253-PTL-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-254-PTL-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-303-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-304-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-304-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-303-PTL-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING - WINDOW TYPE CT'S BUSSED CT CABINET	ERICKSON	PMCT-304-PTL-AMR	N/A	N/A

AMEREN APPROVED CT & PT ENCLOSURES, PAD MOUNTED WITH MAIN SWITCH

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
PAD MOUNTED BUSSED CT CABINET & DISCONNECT									
3	1	120/240	RESIDENTIAL OR COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT SWITCH	ERICKSON	PMCTMS-325N-AMR	N/A	N/A
3	3 DELTA	240	RESIDENTIAL OR COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT SWITCH	ERICKSON	PMCTMS-325-AMR	N/A	N/A
4	3	120/240	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT SWITCH	ERICKSON	PMCTMS-425N-AMR	N/A	N/A
4	3	120/208	RESIDENTIAL OR COMMERCIAL	201-400A	400A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT SWITCH	ERICKSON	PMCTMS-425N-AMR	N/A	N/A
3	1	120/240	RESIDENTIAL OR COMMERCIAL	321-600A	600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-326N-AMR	N/A	N/A

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
3	1	120/240	RESIDENTIAL OR COMMERCIAL	601-800A	800A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-327N-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	321-600A	600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-326-AMR	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-327-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-365-PT-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-366-PT-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-367-PT-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	321-600A	600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-426N-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-427N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	321-600A	600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-426N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-427N-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	201-400A	400A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-465N-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	401-600A	600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-466N-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	601-800A	800A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-467N-PT-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-328-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-428N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-428N-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-368-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-468NG6-PT-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-329-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-429N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-429N-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-369-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-469NG6-PT-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-3210-AMR	N/A	N/A

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
4	3	120/240	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4210N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4210N-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-3610-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4610NG6-PT-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-3211-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4211N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4211N-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-3611-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	2001-2500A	2500A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4611NG6-PT-AMR	N/A	N/A
3	3	<250	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-3212-AMR	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4212N-AMR	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4212N-AMR	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-3612-PT-AMR	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	2501-3000A	3000A CT METERING BAR TYPE BUSSED CT PAD MOUNTED CABINET WITH DISCONNECT	ERICKSON	PMCTMS-4612NG6-PT-AMR	N/A	N/A

1200-2000A AMEREN APPROVED CT & PT ENCLOSURES AND SERVICE SWITCH, WALL MOUNTED - TOP OR BOTTOM FEED

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF TERMINALS	MAX HUB SIZE
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER		
COMBINATION BUSSED CT CABINET AND SERVICE SWITCH									
3	3 DELTA	240	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT123-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT123-PT-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT124-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT124-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	801-1200A	1200A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT124-PT-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A

Section 1100
AMEREN APPROVED CT & PT ENCLOSURES - ERICKSON

APPLICATION					AMEREN METER SOCKET APPROVAL LIST			NUMBER OF	MAX HUB
WIRES	PHASE	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURE	CATALOG NUMBER	TERMINALS	SIZE
3	3 DELTA	240	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT163-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT163-PT-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT164-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT164-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	1201-1600A	1600A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT164-PT-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
3	3 DELTA	240	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT203-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
3	3 DELTA	480	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT203-PT-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3	120/240	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT204-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3Y	120/208	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT204-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
4	3Y	277/480	COMMERCIAL SERVICE	1601-2000A	2000A CT METERING BAR TYPE BUSSED CT AND SERVICE SWITCH	ERICKSON	CT204-PT-AMR-LE WITH SERIES VL OR VLB SWITCH	N/A	N/A
* REFER TO SERIES CTSS-035XX.XX DRAWINGS FOR EQUIPMENT LAYOUT AND SWITCH CATALOG NUMBER									
400A AUXILIARY MANUAL FUSED TRANSFER SWITCH AND CT CABINET COMBINATION									
3	3	<250	COMMERCIAL	400A	Manual Transfer Switch/ 320A 5T SOCKET	ERICKSON	EGT325-5	N/A	N/A
4	3	<250	SERVICE	400A	Manual Transfer Switch/ 320A 7T SOCKET	ERICKSON	EGT425-5N	N/A	N/A
3	3	480	COMMERCIAL	400A	Manual Transfer Switch/ 400A CT/PT CABINET	ERICKSON	AMRCTPT/EGT365-5	N/A	N/A
4	3	277/480	SERVICE	400A	Manual Transfer Switch/ 400A CT/PT CABINET	ERICKSON	AMRCTPT/EGT465-5N	N/A	N/A
600A AUXILIARY MANUAL FUSED TRANSFER SWITCH AND CT CABINET COMBINATION									
3	3	<250	COMMERCIAL	600A	Manual Transfer Switch/ 600A CT CABINET	ERICKSON	AMRCT/EGT366-6	N/A	N/A
4	3	<250	SERVICE	600A	Manual Transfer Switch/ 600A CT CABINET	ERICKSON	AMRCT/EGT466-6N	N/A	N/A
3	3	480	COMMERCIAL	600A	Manual Transfer Switch/ 600A CT/PT CABINET	ERICKSON	AMRCTPT/EGT366-6	N/A	N/A
4	3	277/480	SERVICE	600A	Manual Transfer Switch/ 600A CT/PT CABINET	ERICKSON	AMRCTPTEGT466-6N	N/A	N/A

Section 1100
AMEREN APPROVED INDIVIDUAL 480 V FUSED DISCONNECT OR BREAKER

WIRES	PHASE	SERVICE AMPS	VOLTS	MANUFACTURER		CATALOG NUMBER
4	3	200	277/480	Boltswitch	Fused Disconnect	ENPT364
2 OR 3	1 OR 3	200	480	Boltswitch	Fused Disconnect	ENPT364
4	3	200	277/480	Square D	Circuit Breaker	J250R
3	3	200	480	Square D	Circuit Breaker	J250R

**Section 1100
AMEREN APPROVED METER COMBO SOCKETS - GE**

WIRES	PHASE	SERVICE AMPS	VOLTS	SERVICE TYPE	MAX AMPS	INSTALLATION TYPE	MANUFACTURER	CATALOG NUMBER	No. of Terminals	Max Hub Size	Drawing Number
3	1	200	120/240	2 Gang Vertical	125	UnderGround Resi	General Electric	TMMR2212RHB or TMMR2212R with Horn Bypass kit	4	4 "	96-2282
3	1	400	120/240	3 Gang Vertical	125	UnderGround Resi	General Electric	TMMR4312RHB or TMMR4312R with Horn Bypass kit	4	4 "	96-5367
3	1	400	120/240	4 Gang Vertical	125	UnderGround Resi	General Electric	TMMR4412RHB or TMMR4412R with Horn Bypass kit	4	4 "	96-5368
3	1	600	120/240	5 Gang Vertical	125	UnderGround Resi	General Electric	TMMR6512RHB or TMMR6512R with Horn Bypass kit	4	4 "	96-5369
3	1	600	120/240	6 Gang Vertical	125	UnderGround Resi	General Electric	TMMR6612RHB or TMMR6612R with Horn Bypass kit	4	4 "	96-5370
3	1	400	120/240	2 Gang Vertical	200	UnderGround Resi	General Electric	TMMR4220RHB or TMMR4220R with Horn Bypass kit	4	4 "	96-5371
3	1	600	120/240	3 Gang Vertical	200	UnderGround Resi	General Electric	TMMR6320RHB or TMMR6320R with Horn Bypass kit	4	4 "	96-5372
3	1	600	120/240	4Gang Vertical	200	UnderGround Resi	General Electric	TMMR6420RHB or TMMR6420R with Horn Bypass kit	4	4 "	96-5373
3	1	600	120/240	5 Gang Vertical	200	UnderGround Resi	General Electric	TMMR6520RHB or TMMR6520R with Horn Bypass kit	4	4 "	96-5374
3	1	600	120/240	6 Gang Vertical	200	UnderGround Resi	General Electric	TMMR6620RHB or TMMR6620R with Horn Bypass kit	4	4 "	96-5375
4	3	800	120/208	2 Gang	125	Residential	General Electric	TMPR8212RHB	5	1.5 "	96-4356
4	3	800	120/208	3 Gang	125	Residential	General Electric	TMPR8312RHB	5	1.5 "	96-4356
4	3	800	120/208	4 Gang	125	Residential	General Electric	TMPR8412RHB	5	1.5 "	96-4356
4	3	800	120/208	5 Gang	125	Residential	General Electric	TMPR8512RHB	5	1.5 "	96-4356
4	3	800	120/208	6 Gang	125	Residential	General Electric	TMPR8612RHB	5	1.5 "	96-4356
4	3	800	120/208	2 Gang	200	Residential	General Electric	TMPR8220RHB	5	2 "	96-4357
4	3	800	120/208	3 Gang	200	Residential	General Electric	TMPR8320RHB	5	2 "	96-4357
4	3	800	120/208	4 Gang	200	Residential	General Electric	TMPR8420RHB	5	2 "	96-4357
4	3	1200	120/208	2 Gang	125	Residential	General Electric	TMPR12212RHB	5	1.5 "	96-4356
4	3	1200	120/208	3 Gang	125	Residential	General Electric	TMPR12312RHB	5	1.5 "	96-4356
4	3	1200	120/208	4 Gang	125	Residential	General Electric	TMPR12412RHB	5	1.5 "	96-4356
4	3	1200	120/208	5 Gang	125	Residential	General Electric	TMPR12512RHB	5	1.5 "	96-4356
4	3	1200	120/208	6 Gang	125	Residential	General Electric	TMPR12612RHB	5	1.5 "	96-4356
4	3	1200	120/208	2 Gang	200	Residential	General Electric	TMPR12220RHB	5	2 "	96-4357
4	3	1200	120/208	3 Gang	200	Residential	General Electric	TMPR12320RHB	5	2 "	96-4357
4	3	1200	120/208	4 Gang	200	Residential	General Electric	TMPR12420RHB	5	2 "	96-4357
3	1	1200	120/240	1 Gang	225	Commercial	General Electric	TMPR12122R	4	3 "	96-1988
3	1	1200	120/240	2 Gang	225	Commercial	General Electric	TMPR12222R	4	3 "	96-1988
3	1	1200	120/240	3 Gang	225	Commercial	General Electric	TMPR12322R	4	3 "	96-1988
3	1	1200	120/240	4 Gang	225	Commercial	General Electric	TMPR12422R	4	3 "	96-1988
3	1	1200	120/240	1 Gang	400	Commercial	General Electric	TMPR12140RB	4	3 "	96-4754
3	1	1200	120/240	2 Gang	400	Commercial	General Electric	TMPR12240RB	4	3 "	96-5814
4	3	1200	120/208	1 Gang	225	Commercial	General Electric	TMPR312122R	5	3 "	96-1988
4	3	1200	120/208	2 Gang	225	Commercial	General Electric	TMPR312222R	5	3 "	96-1988
4	3	1200	120/208	3 Gang	225	Commercial	General Electric	TMPR312322R	5	3 "	96-1988
4	3	1200	120/208	4 Gang	225	Commercial	General Electric	TMPR312422R	5	3 "	96-1988
4	3	1200	120/208	1 Gang W/ Provisions for 2 200A Main Breakers	400	Commercial	General Electric	TMPR312140TR	5	3 "	96-1988
4	3	1200	120/208	1 Gang	400	Commercial	General Electric	TMPR312140RB	5	3 "	96-4754
4	3	1200	120/208	2 Gang	400	Commercial	General Electric	TMPR312240RB	5	3 "	96-5814
4	3	up to 5000	480/277	3 gang in switchboard	200	Commercial Switchboard	General Electric	Spectra Switchboard using MILBANK P/N Z911500-AC	7	4"	10094423



Section 1100
AMEREN APPROVED SAFE INTERCONNECT TRANSFER SWITCHES

Bryant - Manual Transfer Interlock Kits
Cutler-Hammer - Manual Double Throw Safety Switches
Cutler-Hammer - Manual Transfer Interlock Kits for CH Loadcenter
Cutler-Hammer - Manual Transfer Interlock Kits for BR Loadcenter
Cutler-Hammer Power Inlet Box
Cutler-Hammer Manual Transfer Switch Panel
Cutler-Hammer Automatic Transfer Switches
Cooper - Manual Transfer Interlock Kits
EmerGen Transfer Switch Model 10-7501
GE - Manual Transfer Interlock Kits
GE Manual Double-Throw Safety Switches
Generac Power Systems - Manual Transfer Switches
Generac Power Systems - RTS - N Auto Transfer Switches
Generac Power Systems - RTS - E Auto Transfer Switches
Generac Power Systems - HTS-N Auto Transfer Switches
Griggs & Stratton - Manual Transfer Switches
Griggs & Stratton - Automatic Transfer Switches
Kohler Power Systems - RDT Automatic Transfer Switches
Kohler Power Systems - RSB Automatic Transfer Switches
Kohler Power Systems - SE-ILC Automatic Transfer Switches
Kohler Power Systems - ASCO 300 Series Automatic Transfer Switch
Milbank Meter Combo Sockets with Manual Transfer Interlock Kits
PowerStay - Manual Transfer Switches
Reliance - Model 20216A & 30216A
Reliance - Model 30310A
Reliance - Model R16114B & R30114B
Reliance - Model R20216B & R30216B
Reliance - Model R30310B
Ronk - Meter-Rite Grade Level Double Throw Switches - Manual, No Fusible
Siemens - Manual Transfer Interlock Kits
Siemens - Automatic Transfer Switches
Square D Safe Connect System - Manual Transfer Interlock Kits