



**CASABLANCA**<sup>®</sup>  
FAN COMPANY

2012 COLLECTION

# TABLE OF CONTENTS

## ICON LEGEND

### SPECIAL FEATURES



INCLUDES XLP MOTOR



INCLUDES XLP MOTOR



ENERGY STAR® QUALIFIED



ETL WET RATED FAN



ETL DAMP RATED FAN

### BLADES



COMPATIBLE WITH  
STANDARD-STYLE BLADES



COMPATIBLE WITH  
BADGE-STYLE BLADES



COMPATIBLE WITH  
EXCLUSIVE BLADES

### LIGHTING



INCLUDES DOWNLIGHT



INCLUDES UPLIGHT  
OR ACCENT LIGHT

INTRODUCTION . . . . . 2

## CEILING FANS

CANDELIER . . . . . 8

ORNATE . . . . . 12

TRADITIONAL . . . . . 20

TRANSITIONAL . . . . . 36

CONTEMPORARY . . . . . 60

LOW PROFILE . . . . . 78

DÉCOR SPECIFIC . . . . . 88

OUTDOOR / INDOOR . . . . . 96

PRESTIGE® EXCLUSIVE . . . . . 112

ACCESSORIES . . . . . 120



HOLLISTON DC

## THE WORLD'S FINEST CEILING FANS™

The Casablanca collection represents the successful synergy of elegance, versatility, efficiency, endurance and comfort. Each ceiling fan is created with an eye for timeless design, assembled with care from high-quality parts and engineered for superior energy efficiency to be a classic fixture in a home that is enjoyed for generations.

## WHAT'S NEW

Casablanca's latest introductions include a variety of new ceiling fan collections in an array of timeless styles that will add a breath of fresh air to every room of your home—indoors and out!



AINSWORTH GALLERY




DURANT



COLORADO



BULLET



## QUALITY IN EVERY DETAIL™

Casablanca stands alone in its approach to the design, engineering and manufacturing of ceiling fans. We have made a long-term commitment to quality and invite you to compare the features of a Casablanca fan with any competitive product. Every detail is given meticulous attention—from design to components and manufacturing to ease of installation. Casablanca's attention to detail adds value to every fan, providing unprecedented performance for the life of your investment.

### MOTOR

Rather than buy "off the shelf" generic motors, Casablanca designs, engineers, and manufactures motors that provide power and quiet operation for a variety of applications.

#### XLP-2000™ and XLP-2100™

The workhorses of the Casablanca product line for more than 10 years and used in a number of top-selling models. These motors deliver exceptional performance and noise-free operation for the life of the fan.

#### XLP PLUS\*

An enhanced version of the XLP motor, it is larger and more powerful than any competing motor in its class and is utilized in bigger fans and those with longer blade spans.

#### XTR200™

Strikes the perfect balance between power and efficiency and is utilized on higher-end, indoor/outdoor models to provide maximum movement.

#### DIRECT DRIVE™

Designed and engineered for specific applications to work flawlessly for the life of the fan. Many Direct Drive™ models are ENERGY STAR® qualified.

#### DC

Don't let the size fool you. This high-efficiency permanent magnet direct current motor is extremely powerful. It's ENERGY STAR® qualified and four to five times more efficient than typical fan motors.

### 1 BOTTOM PLATE

The bottom plate encloses the lower part of the motor housing. Casablanca uses a variety of materials including solid die-cast virgin zinc, heavy-gauge deep-drawn steel, and structurally reinforced resin for enhanced beauty, protection, and quiet operation.

### 2 SWITCH HOUSING

The switch housing encloses primary fan controls. It features heavy-duty, die-cast virgin zinc or steel for exceptional durability. In addition, the exclusive design allows for easy installation of Casablanca light fixtures, providing a finished, integrated look.

### 3 MOTOR HOUSING

Casablanca offers die-cast and steel construction, for unmatched motor durability. The housing's plated or handpainted finish stays bright and beautiful throughout decades of use, with no more care required than dusting with a soft cloth.

### 4 PERMA-LOCK™

The Perma-Lock™ system connects the fan to the downrod. Casablanca's 3/4"-diameter Perma-Lock™ design provides improved appearance and stable connection. This works in perfect combination with the patented Hang-Tru® canopy. (See pages 138-139 for more details.)

### 5 BLADES

Unrivaled in the industry, Casablanca's blades are crafted with six layers of wood in a cross-laminated pattern and finished with two outer layers of real furniture-grade wood veneer for lasting beauty and durability. Some Casablanca fans feature carved wood blades for exceptional design detail.

### 6 BLADE HOLDERS

Casablanca's blade holders provide an essential link between blades and motor. The blade holders are made of heavy-duty, reinforced die-cast virgin zinc and are tested thoroughly for reliable performance.



## EVERY CASABLANCA FAN IS BACKED BY 120-DAY IN-HOME SERVICE

Should your Casablanca fan not meet your satisfaction, we will send a trained representative to your home to service it. Simply call us at 1-800-715-0393 for referral to your local Authorized Service Center. If In-Home Service is not available in your area, Casablanca offers pre-paid freight to make it easy for you to send the fan to the Casablanca Factory Service Center. It will be repaired and returned to you at no charge.

Casablanca's Comprehensive Warranty, the most extensive in the ceiling fan industry, also includes:

### LIFETIME MOTOR WARRANTY

All Casablanca fan motors, even on Damp- and Wet-rated models, are guaranteed for life.

### ONE-YEAR PARTS AND ELECTRONICS WARRANTY

Each fan includes a one-year warranty on finish, component parts, accessories and electronics.

With this extensive coverage, you can enjoy the beauty, quality, and performance of your Casablanca products for decades to come.



## BEAUTY HAS NEVER BEEN SO EFFICIENT

Casablanca is dedicated to creating fans that work smarter, not harder, so that each element is fine-tuned to contribute to overall savings in energy costs. The powerful Casablanca motors move more cubic feet of air per minute (CFM) while using significantly less energy. Fan blades are set at the optimum pitch to provide maximum airflow at each speed setting. Even at the highest setting, each fan consumes about the same amount of power as a 100-watt light bulb.



Many Casablanca fans are ENERGY STAR® qualified and provide even greater energy efficiency (look for the ENERGY STAR logo throughout this catalog). Specific fan models are equipped with highly efficient compact fluorescent bulbs, and are California 24 compliant for maximum energy savings.

For your convenience, we've include this informational energy chart on every ceiling fan page:

Airflow:	Electricity Use:	Airflow Efficiency:
X,XXX cfm	XX w	XX cfm/w

38" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

**MONEY-SAVING TIP:** Operating a fan in an empty room wastes energy, so turn it off when leaving the room.

## CEILING FANS

### CANDELIER

ORNATE

TRADITIONAL

TRANSITIONAL

CONTEMPORARY

LOW PROFILE

DÉCOR SPECIFIC

OUTDOOR / INDOOR

PRESTIGE® EXCLUSIVE



**C16G73L**  
Oil-Rubbed Bronze fixture and motor with  
Candelier Dark Walnut blades



## CANDELIER™ II

Add the warm, intimate ambience of candlelight to a spacious room with the Candelier II ceiling fan. The fixture's ingenious design features 48 candles in varying heights and colors nestled around an Oil-Rubbed Bronze ring that houses a sleek, three-blade ceiling fan. Candles are fitted with LED bulbs that effectively capture the natural flickering motion and incandescent glow of real candles.



### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 48" diameter / 30" blade span / 20° blade pitch
- Set of 3 exclusive Candelier Dark Walnut blades included
- Includes uplight with 48 LED flickering bulbs and 48 candles
- Includes eight 10-watt halogen downlights with bulbs
- Minimum 9" ceiling required
- Includes exclusive hanging system
- Low Ceiling Adapter (LCA) is not compatible
- Sloped Ceiling Adapter (SCA) is not compatible

### CONTROL




**Direct-Touch® (L)  
W-74DL (included)**  
Four-speed wall control with  
full-range light dimming,  
reversing and CFL mode.  
Independent uplight and  
downlight operation.



**Direct-Touch®  
W-75DL (optional)**  
Four-speed remote control  
with full-range light dimming,  
reversing and CFL mode.  
Independent uplight and  
downlight operation.

### DIMENSIONS



- A: 24.37"
- B: 24.37"
- C: 4.82"
- D: 10.93"
- E: 8.00"

### ENERGY INFORMATION AT HIGH SPEED

Air flow: <b>2,004 cfm</b>	Electricity Use: <b>22 w</b>	Air flow Efficiency: <b>90.3 cfm/w</b>
-------------------------------	---------------------------------	---



**NEW:** Long-life LED flickering bulbs

## CEILING FANS

CANDELIER

**ORNATE**

TRADITIONAL

TRANSITIONAL

CONTEMPORARY

LOW PROFILE

DÉCOR SPECIFIC

OUTDOOR / INDOOR

PRESTIGE® EXCLUSIVE





## ORNATE

6344Z

Antique Brass motor shown with  
BB21-WD Dark Walnut blades,  
K164A-4 fitter with G911 Teck Antique side glass



6373Z

Oil-Rubbed Bronze  
motor shown with  
B103 Walnut blades



99U69Z

Burnished Brass motor with  
Mahogany veneer blades and optional  
exclusive KG99A-69 light fixture



KG99A

19th Century Exclusive  
Four-Light CFL Fixture  
with Vianne Glass  
56 watts  
Available finishes:  
Burnished Brass (-69)

Shown without  
light fixture

## VICTORIAN®

This is where it all began...the original Casablanca fan. The Victorian series marries classic turn-of-the-century appeal with contemporary innovation and convenience. The richness of the ornate design is enhanced with badge-style blade holders. Optimum performance is achieved with a 15° blade pitch.



### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 54" or 45" blade span / 15° blade pitch
- 4- or 5-blade configuration
- Multiple blade finish choices available (blades sold separately)

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)  
Group B Light Fixtures (see pages 131-133)

### CONTROLS



Inteli-Touch3°  
W-85 (included)


Six-speed wall control with  
full-range light dimming  
and reversing.



Inteli-Touch3°  
W-65 (optional)

Six-speed remote control with  
LCD display screen, full-range  
light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: 6,250 cfm    Electricity Use: 122 w    Airflow Efficiency: 51 cfm/w

## 19TH CENTURY®

In the electric era of the 1800s, fans were characterized by spiral ceiling rods and centrally placed blade holders. The 19th Century fan pays tribute to these early traditions and adds elements of classic gaslight designs. The intricate, ornate patterns recall decorative influences of cast metal parts and tin-type moldings reminiscent of the period.



### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 4 exclusive blades included
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)
- Minimum 9" ceiling required—uses 12" downrod (included)
- Extra-long downrods require outer sleeve (see pages 138-139)
- Decorative canopy cover may not be used if installed on a sloped ceiling or with a Sloped Ceiling Adapter (SCA)

### CONTROLS



Inteli-Touch3°  
W-85 (included)


Six-speed wall control with  
full-range light dimming  
and reversing.



Inteli-Touch3°  
W-65 (optional)

Six-speed remote control with  
LCD display screen, full-range  
light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: 6,050 cfm    Electricity Use: 108 w    Airflow Efficiency: 56.2 cfm/w

## ORNATE



**C27G546H**  
Brushed Cocoa motor with  
Reclaimed Antique blades

**C27G700H**  
Normandy motor with  
Reclaimed Antique blades

## ALESSANDRIA™


With a rich finish and exquisite detailing that echo the medallions and paneling of neoclassical architecture, the Alessandria ceiling fan is a timeless accent for the home. The fan's carved featherwood blades and fully dimmable lighting with Scavo glass add Old World warmth, elegance and comfort to interior settings.




### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 5 exclusive carved featherwood blades included
- Integrated 75-watt uplight with five 15w bulbs included
- Integrated 100-watt downlight with two 50w T4 halogen bulbs included
- Low Ceiling Adapter (LCA) is not compatible

### CONTROL




### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: <b>6,000</b> cfm	Electricity Use: <b>75</b> w	Airflow Efficiency: <b>80</b> cfm/w
------------------------------	---------------------------------	--



**6992D**  
Burnished Bronze motor shown  
with BIO2 Mahogany blades,  
K4C-92 light fitter and  
G911 Teck Antique side glass

**6944D**  
Antique Brass motor shown with  
B522 Antique Oak blades

## NEW ORLEANS CENTENNIAL®

The New Orleans Centennial is a faithful replica of a 100-year-old ceiling fan discovered in the French Quarter of New Orleans. The elaborate cast motor housing and lacy, scroll brackets re-create the wonderful ambience of a Southern parlor in a time gone by.




### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 54" or 46" blade span / 15° blade pitch
- 4- or 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Low Ceiling Adapter (LCA) is not compatible
- Minimum 10' ceiling required
- Requires additional hanging support (included)

### COMPATIBLE LIGHT FIXTURES


- Group A Light Fixtures (see pages 128-131)
- Group B Light Fixtures (see pages 131-133)

### CONTROLS



Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: <b>6,005</b> cfm	Electricity Use: <b>103</b> w	Airflow Efficiency: <b>58.1</b> cfm/w
------------------------------	----------------------------------	--

## ORNATE



**C32G611L**  
Northern Sienna motor  
with Walnut blades

Shown without decorative  
downrod accent as required  
for mounting on 8' ceilings

## VICENTE

With grandeur reminiscent of a beautiful Spanish fountain, or hermosa fuente, the Vicente makes a dramatic statement in even the largest rooms. When embellished with its decorative 13-inch downrod, its flourishes command your attention. But it's the fan's performance that holds you enthralled.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 56" blade span / 15" blade pitch
- Set of 5 exclusive blades included
- Integrated 75-watt uplight with five 15w bulbs included
- Integrated 100-watt downlight with two 50w T4 halogen bulbs included
- 13" decorative and 5" standard downrods included
- Decorative downrod accent included
- Sloped Ceiling Adapter (SCA) is not compatible without part 192220XX
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS

**Direct-Touch® (L)**  
W-74DL (included)  
Four-speed wall control with  
full-range light dimming,  
reversing and CFL mode.  
Independent uplight and  
downlight operation.

**Direct-Touch®**  
W-75DL (optional)  
Four-speed remote control  
with full-range light dimming,  
reversing and CFL mode.  
Independent uplight and  
downlight operation.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow: **6,537** cfm    Electricity Use: **84** w    Airflow Efficiency: **77.9** cfm/w

## C5563Z

Tuscan Sunset motor shown with  
BIOS Walnut blades and optional  
exclusive KGC5-63 light fixture



**KGC5**  
**Barolo Exclusive**  
Three-Light  
Center-Stem  
Incandescent Fixture  
with Amber Glass  
180 watts three 60w candelabra bulbs  
**Available finishes:**  
Tuscan Sunset - (63) (Amber glass)

Shown without  
light fixture

## BAROLO®

With its artisan-quality craftsmanship, the Barolo ceiling fan is equally suited for an elegant villa or today's Mediterranean-style homes. The ornate hand-carved look and embossed grape motif housing conceal a powerful XLP-2000™ motor that is guaranteed for life.



### FEATURES


- XLP-2000™ motor / lifetime motor warranty
- 52" or 44" blade span / 14° blade pitch
- 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Includes matching no-light cap
- Requires additional hanging support (included)
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS

**Inteli-Touch3® (Z)**  
W-85 (included)  
Six-speed wall control with  
full-range light dimming  
and reversing.

**Inteli-Touch3®**  
W-65 (optional)  
Six-speed remote control with  
LCD display screen, full-range  
light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow: **6,059** cfm    Electricity Use: **104** w    Airflow Efficiency: **58.2** cfm/w

## CEILING FANS

CANDELIER

ORNATE

**TRADITIONAL**

TRANSITIONAL

CONTEMPORARY

LOW PROFILE

DÉCOR SPECIFIC

OUTDOOR / INDOOR

PRESTIGE® EXCLUSIVE



## TRADITIONAL



70322

Provence Crackle motor with reversible Smoked Walnut / Espresso veneer blades



70331

Onyx Bengal motor with reversible Distressed Walnut / Dark Walnut veneer blades and Toffee glass



70332

Basque Black motor with reversible Smoked Walnut / Espresso veneer blades and Champagne Scavo glass

## 60" AINSWORTH NEW

It's all in the details. Painstakingly meticulous columns grace the motor housing to create a sophisticated, timeless look. A quality room fan at an excellent value.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 60" blade span / blade pitch TBD
- Set of 5 blades included
- Includes low-ceiling hanging option
- Low Ceiling Adapter (LCA) is not compatible

### COMPATIBLE LIGHT FIXTURES

Group B Light Fixtures (see pages 131-133)

### CONTROLS



4-Speed Pullchain (G) (included)

### FINISH OPTIONS

- 70320 Cottage White motor with Cottage White blades
- 70321 Brushed Cocoa motor with reversible Dark Walnut / Distressed Walnut veneer blades
- 70322 Provence Crackle motor with reversible Smoked Walnut / Espresso veneer blades

### DIMENSIONS

Not available at time of print.

### ENERGY INFORMATION AT HIGH SPEED

Not available at time of print.

## 60" AINSWORTH GALLERY NEW

The same classic architectural style of the Ainsworth with a simple yet tasteful bowl light fixture. The perfect complement to any room. Comes with remote control.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 60" blade span / blade pitch TBD
- Set of 5 blades included
- Includes three-light fitter with three medium-based CFL bulbs
- Includes low-ceiling hanging option
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS



Flex-Touch® (L) (included)  
Four-speed wall control with full-range light dimming, reversing and CFL mode.

### FINISH OPTIONS

- 70330 Cottage White motor with Cottage White blades and Snowflake Linen glass
- 70331 Onyx Bengal motor with reversible Distressed Walnut / Dark Walnut veneer blades and Toffee glass
- 70332 Basque Black motor with reversible Smoked Walnut / Espresso veneer blades and Champagne Scavo glass

### DIMENSIONS

Not available at time of print.

### ENERGY INFORMATION AT HIGH SPEED

Not available at time of print.

## TRADITIONAL



**70303**  
Basque Black motor with reversible Dark Walnut / Espresso veneer blades



**70311**  
Onyx Bengal motor with reversible Distressed Walnut / Dark Walnut veneer blades and Toffee glass



**70312**  
Basque Black motor with reversible Dark Walnut / Espresso veneer blades

## 54" AINSWORTH NEW

The simple, timeless beauty of the Ainsworth in just the size you're looking for.




### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / blade pitch TBD
- Set of 5 blades included
- Includes low-ceiling hanging option
- Low Ceiling Adapter (LCA) is not compatible

### COMPATIBLE LIGHT FIXTURES

Group B Light Fixtures (see pages 131-133)

### CONTROLS



4-Speed  
Pullchain (G)  
(included)

### FINISH OPTIONS

- 70301 Cottage White motor with Cottage White blades
- 70302 Brushed Cocoa motor with reversible Dark Walnut / Distressed Walnut veneer blades
- 70303 Basque Black motor with reversible Dark Walnut / Espresso veneer blades

### DIMENSIONS

*Not available at time of print.*

### ENERGY INFORMATION AT HIGH SPEED

*Not available at time of print.*

## 54" AINSWORTH GALLERY NEW


A truly distinguished look at just the right size. Complete with our ornate three-light fixture—one of Casablanca's finest.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / blade pitch TBD
- Set of 5 blades included
- Includes three-light fitter with three medium-based CFL bulbs
- Includes low-ceiling hanging option
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS



4-Speed  
Pullchain (G)  
(included)

### FINISH OPTIONS

- 70310 Cottage White motor with Cottage White blades
- 70311 Onyx Bengal motor with reversible Distressed Walnut / Dark Walnut veneer blades and Toffee glass
- 70312 Basque Black motor with reversible Dark Walnut / Espresso veneer blades

### DIMENSIONS

*Not available at time of print.*

### ENERGY INFORMATION AT HIGH SPEED

*Not available at time of print.*



**6645G / 6645Z**  
Brushed Nickel motor shown with  
B20Z Mahogany blades

**PANAMA<sup>®</sup>**

The first five-bladed fan in the industry, the Panama is an American classic. The traditional styling works with virtually any setting. It's also one of the quietest ceiling fans available. Custom design your Panama by adding your choice of blades, light fixtures and glass. Define your personal style with 11 motor finish options.




**FEATURES**

- XLP-2000™ motor / lifetime motor warranty
- 50" or 42" blade span / 15" blade pitch
- 4- or 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Offered with Intelli-Touch3® six-speed control or 4-Speed pullchain

**COMPATIBLE LIGHT FIXTURES**

- Group A Light Fixtures (see pages 128-131)
- Group B Light Fixtures (see pages 131-133)

**CONTROLS**



**4-Speed  
Pullchain (G)**  
(included)



**Intelli-Touch3®  
(Z)  
W-85 (included)**  
Six-speed wall control with  
full-range light dimming  
and reversing.




**Adapt-Touch™  
W-52 (optional)**  
Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.



**Intelli-Touch3®  
W-65 (optional)**  
Six-speed remote control with  
LCD display screen, full-range  
light dimming and reversing.  
Includes wall plate bracket.

**DIMENSIONS**



**ENERGY INFORMATION AT HIGH SPEED**

PANAMA XLP 4-SPEED

Airflow: <b>6,153</b> cfm	Electricity Use: <b>104</b> w	Airflow Efficiency: <b>59</b> cfm/w
------------------------------	----------------------------------	--

PANAMA INTELI-TOUCH3<sup>®</sup>

Airflow: <b>5,226</b> cfm	Electricity Use: <b>106</b> w	Airflow Efficiency: <b>49.3</b> cfm/w
------------------------------	----------------------------------	--

**6611G / 6611Z**  
Snow White motor  
shown with B56I  
Matte Snow White blades



**6622G / 6622Z**  
Bright Brass motor  
shown with B51S  
Walnut blades



**6632G / 6632Z**  
Weathered Copper motor  
shown with B21O  
Relic blades



**6644G / 6644Z**  
Antique Brass motor  
shown with B51S  
Walnut blades



**66668Z**  
Tuscan Bronze motor shown  
with B51S Walnut blades



**6672G / 6672Z**  
Architectural White motor  
shown with B204  
Architectural White blades



**6673G / 6673Z**  
Oil-Rubbed Bronze motor  
shown with B206  
Dark Cherry blades



**6688G / 6688Z**  
Matte Black motor  
shown with B588  
Matte Black blades



**6699G / 6699Z**  
Classic White motor  
shown with B537  
Classic White blades



**66546G / 66546Z**  
Brushed Cocoa motor  
shown with B521-WD  
Dark Walnut blades



## TRADITIONAL



**C66U546B**  
Brushed Cocoa motor with reversible  
Walnut / Burnt Walnut veneer blades



**C661L**  
Snow White motor shown with  
B561 Matte Snow White blades

**C66U11B**  
Snow White motor with  
Matte Snow White blades



**C66U45B**  
Brushed Nickel motor  
with reversible Walnut /  
Burnt Walnut veneer blades



**C6646L**  
Brushed Cocoa motor  
shown with B515  
Walnut blades



**C6645L**  
Brushed Nickel motor  
shown with B521-WD  
Dark Walnut blades



## PANAMA® DC NEW

A new spin on the original five-bladed fan, the Panama DC features a larger, 54-inch span and our extremely powerful DC motor. That means it can accommodate a larger room with higher efficiency—and it's ENERGY STAR-qualified. A new, true classic.



### FEATURES

- DC motor / lifetime motor warranty
- 54" blade span / 15° blade pitch
- Set of 5 exclusive blades included

### COMPATIBLE LIGHT FIXTURES


Group A Light Fixtures (see pages 128-131)  
Group B Light Fixtures (see pages 131-133)

### CONTROL

**DC 6-speed (B) (included)**  
Six-speed control with full-range light dimming and reversing.



### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: <b>6,942 cfm</b>	Electricity Use: <b>30 w</b>	Airflow Efficiency: <b>235.34 cfm/w</b>
------------------------------	---------------------------------	--

## PANAMA® ENERGY STAR NEW

The tried-and-true ceiling fan with a modern-day twist, our standard Panama design with Direct Drive™ motor is ENERGY STAR-qualified. It moves air up to 20 percent more efficiently, which helps you conserve energy, save money and protect the environment. Think that feels good? Wait until you turn it on.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 50" or 42" blade span / 15° blade pitch
- 4- or 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Low ceiling adapter (LCA) is not compatible

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)  
Group B Light Fixtures (see pages 131-133)


### CONTROLS

**Direct-Touch® (L)  
W-745L (included)**  
Four-speed wall control with  
full-range light dimming,  
reversing and CFL mode.



**Direct-Touch®  
W-755L (optional)**  
Four-speed remote control  
with full-range light dimming,  
reversing and CFL mode.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: <b>5,973 cfm</b>	Electricity Use: <b>76 w</b>	Airflow Efficiency: <b>76.8 cfm/w</b>
------------------------------	---------------------------------	--



## TRADITIONAL



**84U45D (52") / 74U45D (42")**  
Brushed Nickel motor with reversible  
Platinum / Cherrywood blades

**84U11D (52") / 74U11D (42")**  
Snow White motor with  
reversible Snow White /  
Bleached Oak blades



**84U73D (52") / 74U73D (42")**  
Oil-Rubbed Bronze motor  
with reversible Walnut /  
Antique Oak blades



**84U4D (52")**  
Antique Brass motor with  
reversible Antique Oak /  
Bleached Oak blades



## FOUR SEASONS® III

Casablanca quality, excellent value, and luxury of finish and control choice make the Four Seasons III the best ceiling fan in its class. Traditional in styling, this versatile fan offers selection and features worthy of the Casablanca name.



Note: Energy Star rating applies to 52" models only.


### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" or 42" blade span / 13° blade pitch
- Set of 5 reversible blades included
- ETL Damp-rated model available (see page 105)

### COMPATIBLE LIGHT FIXTURES

Group B Light Fixtures (see pages 131-133)

### CONTROLS



3-Speed  
Pullchain (D)  
(included)




Adapt-Touch™  
W-52 (optional)  
Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.



WRF3-XX  
(optional)  
Three-speed remote control  
with full-range light dimming  
and reversing.

Note: Must use accessory control to operate accessory light fixtures without a pullchain.

### DIMENSIONS



A: 10.75"  
B: 12.75"  
C: 3.00"  
D: 11.50"  
E: 5.60"

### ENERGY INFORMATION AT HIGH SPEED

#### 52" BLADE

Airflow: **5,114** cfm    Electricity Use: **68** w    Airflow Efficiency: **74.3** cfm/w

#### 42" BLADE

Airflow: **4,134** cfm    Electricity Use: **59.5** w    Airflow Efficiency: **69.5** cfm/w

**84U9D (52")**  
Classic White motor with  
reversible Classic White /  
Bleached Oak blades



**84U72D (52")**  
Architectural White motor  
with reversible Architectural  
White / Bleached Oak blades





**84G73D**  
Oil-Rubbed Bronze motor with reversible  
Dark Walnut / Teak blades



**84G11D**  
Snow White motor with  
reversible Bleached Oak /  
Matte Snow White blades



**84G45D**  
Brushed Nickel motor with  
reversible Dark Walnut /  
Mahogany blades

## FOUR SEASONS® III GALLERY


With its integrated bowl light fixture, the value-added Four Seasons III Gallery fan brings illumination as well as comfort to interior settings. Reversible blades double your decorative options.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 13° blade pitch
- Set of 5 reversible blades included
- Includes 120-watt incandescent downlight with three 40w bulbs

### CONTROLS




3-Speed  
Pulldown (D)  
(included)



Adapt-Touch™  
W-SZ (optional)  
Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
5,100 cfm	80 w	63.8 cfm/w



**49546D**  
Brushed Cocoa motor shown  
with B515 Walnut blades



**4911D**  
Snow White motor shown  
with B561 Matte Snow White blades



**4999D**  
Classic White motor shown  
with B537 Classic White blades



**4973D**  
Oil-Rubbed Bronze motor shown  
with B562 Teak blades

## CONCENTRA™

Casablanca's hallmark of quality and performance continues with this fan. The Concentra features a fresh design well-suited for both traditional and transitional room settings.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 50" or 42" blade span / 16° blade pitch
- 5-blade configuration
- Multiple blade finish choices available (blades sold separately)

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)

Group B Light Fixtures (see pages 131-133)

### CONTROLS




3-Speed  
Pullchain (D)  
(included)



Adapt-Touch™  
W-52 (optional)  
Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: <b>5,969</b> cfm	Electricity Use: <b>83.2</b> w	Airflow Efficiency: <b>71.7</b> cfm/w
------------------------------	-----------------------------------	--

**4944D**  
Antique Brass motor  
shown with B206 Dark  
Cherry blades, K2A  
fitter and G220  
Italian textured glass



**4945D**  
Brushed Nickel motor shown  
with B201 Maple blades



**4972D**  
Architectural White  
motor shown with  
B204 Architectural  
White blades



**4988D**  
Matte Black motor shown  
with B588 Matte Black blades



## CEILING FANS

CANDELIER

ORNATE

TRADITIONAL

**TRANSITIONAL**

CONTEMPORARY

LOW PROFILE

DÉCOR SPECIFIC

OUTDOOR / INDOOR

PRESTIGE® EXCLUSIVE



Holliston™ DC ceiling fan

## TRANSITIONAL



**C42G45L**  
Brushed Nickel motor with reversible  
Walnut / Burnt Walnut blades



**C42G546L**  
Brushed Cocoa motor with reversible  
Walnut / Burnt Walnut blades

## COLORADO NEW

Inspired by the state known for its snow-capped summits and vast blue skies, the natural beauty of Colorado is fittingly at home in large rooms with 9-foot ceilings or higher. Sixty-inch veneer blades and a full-function wall control also put this majestic fan at the peak of value.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 60" blade span / 14° blade pitch
- Set of 5 exclusive veneer blades included
- Includes 26-watt medium-base CFL downlight
- Minimum 9' ceiling required
- Low ceiling adapter (LCA) is not compatible

### CONTROLS




**Direct-Touch® (L)**  
**W-745L (included)**  
Four-speed wall control with full-range light dimming, reversing and CFL mode.



**Direct-Touch®**  
**W-755L (optional)**  
Four-speed remote control with full-range light dimming, reversing and CFL mode.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: <b>6,944</b> cfm	Electricity Use: <b>94</b> w	Airflow Efficiency: <b>74.2</b> cfm/w
------------------------------	---------------------------------	--



**C15G624L**  
Bullion Black motor with Espresso blades  
and Gold Dust glass bowl fixtures

## VENETO®

This elegant fan says "Benvenuto" to every person who encounters its distinctive warmth. With a rich Bullion Black finish and hand-crafted fluted glass, the Veneto gives your great room a touch of Italy, no matter where you live.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 68" blade span / 13° blade pitch
- Set of 5 exclusive blades included
- Integrated 90-watt uplight with six 15w bulbs included
- Integrated 120-watt downlight with three 40w bulbs included
- Minimum 9' ceiling required
- Requires additional hanging support (included)
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS




**Direct-Touch® (L)**  
**W-74DL (included)**  
Four-speed wall control with full-range light dimming, reversing and CFL mode. Independent uplight and downlight operation.



**Direct-Touch®**  
**W-75DL (optional)**  
Four-speed remote control with full-range light dimming, reversing and CFL mode. Independent uplight and downlight operation.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: <b>7,296</b> cfm	Electricity Use: <b>101</b> w	Airflow Efficiency: <b>73</b> cfm/w
------------------------------	----------------------------------	--

## TRANSITIONAL



**C31U624Z**  
Bullion Black motor with  
Reclaimed Antique blades, shown  
with KGCI2A-624 four-light fixture



**C31U11Z**  
Snow White motor with Hi-Gloss  
Snow White blades, shown with  
K45A-11 four-light fitter and  
G917 White Satin side glass

## HOLLISTON™

The Holliston ceiling fan combines classic style with ultimate performance and convenience. The next-generation XLP Plus® motor, accented with a custom-designed canopy and halo uplight, is controlled via radio frequency with Casablanca's new Intelli-Touch3® wall control.



### FEATURES

- XLP Plus® motor / lifetime motor warranty
- 60" blade span / 15° blade pitch
- Set of 5 exclusive blades included
- Integrated 42-watt incandescent uplight with bulbs included
- Sloped Ceiling Adapter (SCA) is not compatible without part 19Z220XX (see pages 138-139); fan works on ceiling slope up to 32° without any adapter
- Low Ceiling Adapter (LCA) is not compatible

### COMPATIBLE LIGHT FIXTURES

- Group A Light Fixtures (see pages 128-131)
- Group B Light Fixtures (see pages 131-133)

### CONTROLS




**Intelli-Touch3® (Z)**  
W-84 (included)  
Six-speed wall control with  
full-range light dimming  
and reversing. Independent  
uplight and downlight  
operation.



**Intelli-Touch3®**  
W-64 (optional)  
Six-speed remote control with  
LCD display screen, full-range  
light dimming and reversing.  
Independent uplight and  
downlight operation. Includes  
wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: **6,494** cfm | Electricity Use: **115** w | Airflow Efficiency: **56** cfm/w

**C31U97Z**  
Antique Pewter motor with  
Dark Walnut blades



**C31U45Z**  
Brushed Nickel motor  
with Clove blades



**C31U19Z**  
Chrome motor with  
Espresso blades



**C31U73Z**  
Oil-Rubbed Bronze motor  
with Walnut blades



# TRANSITIONAL



**C31U45B**  
Brushed Nickel motor with reversible  
Walnut / Burnt Walnut veneer blades



**C31U11B**  
Snow White motor  
shown with  
Matte Snow White blades



**C31U546B**  
Brushed Cocoa motor  
shown with reversible  
Walnut / Burnt Walnut  
veneer blades

## HOLLISTON™ DC NEW

Truly, the Holliston DC is a finely detailed fan with big-picture perspective. Ideal for large rooms, our new DC motor makes it one of the quietest, most energy-efficient fans available. So you conserve energy, save money and help protect the environment—staying comfortable all the while.



### FEATURES

- DC motor / lifetime motor warranty
- 60" blade span / 15° blade pitch
- Set of 5 exclusive blades included
- Sloped Ceiling Adapter (SCA) is not compatible without part 192220XX (see pages 138-139); fan works on ceiling slope up to 32° without any adapter
- Low Ceiling Adapter (LCA) is not compatible

### COMPATIBLE LIGHT FIXTURES


- Group A Light Fixtures (see pages 128-131)
- Group B Light Fixtures (see pages 131-133)

### CONTROL

- DC 6-speed (B) (included)
- Six-speed control with full-range light dimming and reversing.



### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Air flow Efficiency:
7,102 cfm	32 w	221.9 cfm/w

## TRANSITIONAL



**C38U199K**  
Chrome motor with reversible  
Espresso / Walnut blades



**C38U11K**  
Snow White motor with  
Snow White blades



**C38U45K**  
Brushed Nickel motor with  
reversible Clove / Dark Walnut blades

## ACADEMY

The smart-looking Academy teaches an important lesson in design flexibility. Its transitional styling combined with a wide selection of finish options make this ceiling fan a scholarly choice for living rooms, great rooms, bedrooms or almost any other room in the house.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 5 exclusive blades included
- Die-cast metal bottom cap
- Sloped Ceiling Adapter (SCA) is not compatible without part 192220XX (see pages 138-139)
- Low Ceiling Adapter (LCA) is not compatible

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)

### CONTROLS



4-Speed  
Pullchain (K)  
(included)




Adapt-Touch™  
W-S2 (optional)  
Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.



**C38U73K**  
Oil-Rubbed Bronze motor with  
reversible Walnut / Dark Walnut blades

### DIMENSIONS



- A: 12.00"
- B: 14.50"
- C: 3.00"
- D: 13.70"
- E: 6.70"

### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Air flow Efficiency:
5,878 cfm	75 w	79 cfm/w



## TRANSITIONAL



**C38G73K**  
Oil-Rubbed Bronze motor with reversible Walnut / Dark Walnut blades

**C38G199K**  
Chrome motor with reversible Espresso / Walnut blades



**C38G45K**  
Brushed Nickel motor with reversible Clove / Dark Walnut blades



## ACADEMY GALLERY


Talk about your overachievers. The Academy Gallery takes honors for best all-around with transitional styling, a wide selection of finish options and an integrated light bowl fixture.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 5 exclusive blades included
- Integrated 120-watt downlight with three 40w bulbs included
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS



4-Speed Pullchain (K) (included)




Adapt-Touch™ W-52 (optional)  
Three-speed remote control with full-range light dimming. Includes wall plate bracket.

**C38G11K**  
Snow White motor with Snow White blades



### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air Flow:	Electricity Use:	Air flow Efficiency:
5,878 cfm	75 w	79 cfm/w

# TRANSITIONAL



**C21G546H**  
Brushed Cocoa motor with Walnut blades



**C21G45H**  
Brushed Nickel motor with Dark Cherry blades



**C21G97H**  
Antique Pewter motor with Rosewood blades



**C21G667H**  
Cherry Bronze motor with Reclaimed Antique blades

## WHITMAN™

With its versatile design and quality craftsmanship, the Whitman ceiling fan brings year-round comfort and seamless performance to almost any room in the home. The fan incorporates carved featherwood blades reminiscent of the woodwork on fine cabinetry and a fully dimmable uplight and downlight that add gentle ambience.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 5 exclusive carved featherwood blades included
- Integrated 75-watt incandescent uplight with five 15w bulbs included
- Integrated 100-watt downlight with two 50w T4 halogen bulbs included
- Low Ceiling Adapter (LCA) is not compatible

### CONTROL



Prime-Touch® (4)  
W-505 (included)  
Three-speed hand-held remote with full-range light dimming, reversing and wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
5,627 cfm	70 w	80.4 cfm/w



**3845Z**  
Brushed Nickel motor shown with  
B615 Hi-Gloss Cherrywood blades

**3811Z**  
Snow White motor shown with  
B611 Hi-Gloss Snow White blades



**3873Z**  
Oil-Rubbed Bronze motor shown with  
Dark Cherry blades



**38546Z**  
Brushed Cocoa motor shown with  
Walnut blades



## BEL AIR®

The popular Bel Air is the essence of Casablanca beauty. The housing and halogen light form a design continuum, helping to create a compelling and sophisticated presence. Uniquely cast blade holders lend a classic yet transitional look.



### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 55" blade span / 14° blade pitch
- 5-blade configuration (exclusive blades sold separately)
- Integrated 100-watt downlight with one T4 halogen bulb included
- Low Ceiling Adapter (LCA) is not compatible

### EXCLUSIVE BLADE OPTIONS

- |                          |                  |
|--------------------------|------------------|
| B611 Hi-Gloss Snow White | B619 Dark Cherry |
| B615 Hi-Gloss Cherrywood | B621 Dark Walnut |
| B618 Mahogany            | B622 Walnut      |

### CONTROLS




Intelli-Touch<sup>3°</sup> (Z)  
W-85 (included)  
Six-speed wall control with  
full-range light dimming  
and reversing.



Intelli-Touch<sup>3°</sup>  
W-45 (optional)  
Six-speed remote control with  
LCD display screen, full-range  
light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Air flow Efficiency:
<b>7,174</b> cfm	<b>119</b> w	<b>60.5</b> cfm/w

## TRANSITIONAL



**38DH546Z**  
Brushed Cocoa motor shown with  
B621 Dark Walnut blades



**38DH45Z**  
Brushed Nickel motor shown with  
B615 Hi-Gloss Cherrywood blades  
*Will be discontinued in 2012.*



**38DH73Z**  
Oil-Rubbed Bronze motor shown  
with B619 Dark Cherry blades

## BEL AIR® HALO

Inspired by Casablanca's original Bel Air ceiling fan, the Bel Air Halo is one of Casablanca's most elegant offerings. Projecting a warm glow onto the ceiling, it creates a mood of subtle sophistication. Rope detailing adds further refinement to this stunning fan.



### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 55" blade span / 14° blade pitch
- 5-blade configuration (exclusive blades sold separately)
- Integrated 180-watt halo uplight and 100-watt halogen downlight with bulbs included
- Uplight and downlight can be controlled independently
- Low Ceiling Adapter (LCA) is not compatible
- Minimum 9" ceiling required
- Requires additional hanging support (included)

### EXCLUSIVE BLADE OPTIONS

B611 Hi-Gloss Snow White	B619 Dark Cherry
B615 Hi-Gloss Cherrywood	B621 Dark Walnut
B618 Mahogany	B622 Walnut

### CONTROLS

Intel®-Touch3® (Z)  
W-84 (included)


Six-speed wall control with full-range light dimming and reversing. Independent uplight and downlight operation.



Intel®-Touch3®  
W-64 (optional)

Six-speed remote control with LCD display screen, full-range light dimming and reversing. Independent uplight and downlight operation. Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow: <b>7,174</b> cfm	Electricity Use: <b>119</b> w	Air flow Efficiency: <b>60.5</b> cfm/w
-------------------------------	----------------------------------	---



**46U1D/M**  
Snow White motor with reversible Hi-Gloss  
Snow White / Matte Snow White blades

**46U546D/M**  
Brushed Cocoa motor with reversible  
Dark Walnut / Walnut blades



**46U45D/M**  
Brushed Nickel motor with reversible  
Mahogany / Dark Walnut blades



**46U4D/M**  
Antique Brass motor with reversible  
Walnut / Medium Oak blades



## CAPISTRANO®

Subtle sophistication is a dominant theme in today's decor. Nothing complements this attitude like the Capistrano, with a soft, sculpted look and the nautical suggestion of seashells.




### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 16° blade pitch
- Set of 5 reversible blades included

### COMPATIBLE LIGHT FIXTURES

- Group A Light Fixtures (see pages 128-131)
- Group B Light Fixtures (see pages 131-133)

### CONTROLS



3-Speed  
Pullchain (D)  
(included)




Adapt-Touch™  
W-52 (optional)  
Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.



Versa-Touch 2® (M)  
W-73 (included)  
Three-speed wall control with full-range light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Airflow Efficiency:
6,691 cfm	89 w	75.2 cfm/w

**46U26D/M**  
Navajo White motor with reversible  
Teak / Dark Cherry blades



**46U73D/M**  
Oil-Rubbed Bronze  
motor with reversible  
Teak / Dark Cherry blades





**6444Z**  
Antique Brass motor shown with B54I Cherrywood blades

**6411Z**  
Snow White motor shown with B51I Hi-Gloss Snow White blades, K1CA-II halogen light fitter and G1IO Opal glass



**6445Z**  
Brushed Nickel motor shown with B50B Matte Black blades, K134A-45 three-light fitter and G91Z White Satin side glass



## METROPOLITAN™

A deeply sculpted die-cast housing accented by bold, round blade badges gives the Metropolitan its fresh, progressive look.



### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 52" or 44" blade span / 15° blade pitch
- 4- or 5-blade configuration
- Multiple blade finish choices available (blades sold separately)

### CONTROLS




Intel-Touch<sup>3+</sup> (Z)  
W-85 (included)  
Six-speed wall control with full-range light dimming and reversing.



Intel-Touch<sup>3+</sup>  
W-65 (optional)  
Six-speed remote control with LCD display screen, full-range light dimming and reversing. Includes wall plate bracket.

### DIMENSIONS



### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)

Group B Light Fixtures (see pages 131-133)

### ENERGY INFORMATION AT HIGH SPEED

Air flow: <b>6,003</b> cfm	Electricity Use: <b>119</b> w	Air flow Efficiency: <b>50.5</b> cfm/w
-------------------------------	----------------------------------	---

## TRANSITIONAL



9532Z

Weathered Copper motor shown with BB21-WD Dark Walnut blades and optional exclusive-KGIN mica light fixture

### KGIN

Brescia Exclusive  
Incandescent Mica Fixture  
180 watts (three 60w candleabra bulbs)  
**Available finishes:**  
Weathered Copper (32)  
Brushed Nickel (45)  
Brushed Cocoa (54a)

## BRESCIA®

The Brescia fan brings warmth and beauty to any room setting. For an Arts and Crafts-inspired look, select richly toned wood blades and a mica light fixture.




### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 52" or 44" blade span / 15° blade pitch
- 4- or 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Requires additional hanging support (included)

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)  
Group B Light Fixtures (see pages 131-133)

### CONTROLS



3-Speed  
Pullchain (D)  
(included)



Adapt-Touch™  
W-52 (optional)  
Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.



Intel-i-Touch3® (Z)  
W-85 (included)  
Six-speed wall control with  
full-range light dimming and  
reversing.



Intel-i-Touch3®  
W-65 (optional)  
Six-speed remote control with  
LCD display screen, full-range  
light dimming and reversing.  
Includes wall plate bracket.

95546D/Z  
Brushed Cocoa motor shown with  
B111 Relic blades




9545Z  
Brushed Nickel motor shown with  
B507 Teak blades



9573D/Z  
Oil-Rubbed Bronze motor shown with  
Teak blades and Shaker 4-light fixture



### DIMENSIONS



A: 11.30"  
B: 12.60"  
C: 3.00"  
D: 14.00"  
E: 5.60"

### ENERGY INFORMATION AT HIGH SPEED

Airflow: **6,591** cfm    Electricity Use: **116** w    Airflow Efficiency: **56.9** cfm/w

## CEILING FANS

CANDELIER

ORNATE

TRADITIONAL

TRANSITIONAL

**CONTEMPORARY**

LOW PROFILE

DÉCOR SPECIFIC

OUTDOOR / INDOOR

PRESTIGE® EXCLUSIVE







**3245Z**  
Brushed Nickel motor shown with  
B32-DW Dark Walnut blades

**3232Z**  
Weathered Copper motor shown with  
B32-DC Dark Cherry blades



**3211Z**  
Snow White motor shown with  
B32-11 Hi-Gloss Snow White blades



**3268Z**  
Graphite motor shown with  
B32-68 Graphite blades and  
STLHC-68 no-light cap



**3212Z**  
Glossy Black motor shown with  
B32-12 Hi-Gloss Black blades



## STEALTH®

In the spirit of contemporary design, form follows function in fluid contours, swept-wing blades and integrated halogen lighting. This original classic appeals to many tastes because of its timeless beauty and selection of finish options.



### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- 5-blade configuration / exclusive blades sold separately
- Integrated 100-watt downlight with one T4 halogen bulb included
- No-light cap option sold separately (STLHC-xx); not available in -72 finish
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)

### BLADE OPTIONS

B32-11	Snow White	B32-DC	Dark Cherry
B32-12	Glossy Black	B32-DW	Dark Walnut
B32-68	Graphite	B32-MG	Mahogany
B32-72	Architectural White	B32-MP	Maple
B32-79	Platinum	B32-TK	Teak

### CONTROLS




**Intelli-Touch3® (Z)**  
W-85 (included)  
Six-speed wall control with  
full-range light dimming  
and reversing.



**Intelli-Touch3®**  
W-65 (optional)  
Six-speed remote control with  
LCD display screen, full-range  
light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air Flow:	Electricity Use:	Airflow Efficiency:
<b>6,115</b> cfm	<b>110</b> w	<b>55.6</b> cfm/w

**3272Z**  
Architectural White motor  
shown with B32-MP  
Maple blades





**C45G695B**  
Alpha Bronze motor with  
Dark Cherry blades



**C45G11B**  
Snow White motor with  
Hi-Glass Snow White blades



**C45G45B**  
Brushed Nickel motor with  
Dark Walnut blades

## STEALTH® DC NEW

Now more than ever, the Stealth DC lives up to its name, featuring our quietest motor yet. Casablanca's new DC technology is also extremely powerful and highly efficient—four to five times more than other motors. So while the fan may be quiet, the news won't be for long.



### FEATURES


- DC-165 motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 5 exclusive blades included
- Integrated 100-watt downlight with one T4 halogen bulb included
- No-light cap option sold separately (STLHC-xx); not available in -695 finish
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)

### CONTROL



**DC 6-speed (B) (included)**  
Six-speed control with full-range light dimming and reversing.

### DIMENSIONS



- A: 10.75"
- B: 13.25"
- C: 3.00"
- D: 11.50"
- E: 5.60"

### ENERGY INFORMATION AT HIGH SPEED

Air Flow:	Electricity Use:	Air Flow Efficiency:
6,554 cfm	31 w	211 cfm/w



**C43G45L**  
Brushed Nickel motor with reversible  
Walnut / Burnt Walnut blades



**C43G11L**  
Snow White motor  
with Snow White blades



**C43G546L**  
Brushed Cocoa motor  
with reversible Walnut /  
Burnt Walnut blades



Shown without  
downrod cover

**BULLET** NEW

Inspired by the world-famous train, the Bullet is all about speed. This powerful performer moves a lot of air with maximum style. For unmatched performance in spacious loft environments, get on board.



**FEATURES**

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 4 exclusive reversible blades included
- Includes 2.5' and 12" downrods
- Integrated 100-watt downlight with one R7S halogen bulb included
- Minimum 9" ceiling required when using downrod cover
- Requires additional hanging support (included)
- Low Ceiling Adapter (LCA) is not compatible

**CONTROLS**




Direct-Touch®  
W-745L (included)  
Four-speed wall control with  
full-range light dimming,  
reversing and CFL mode.



Direct-Touch®  
W-755L (optional)  
Four-speed remote control  
with full-range light dimming,  
reversing and CFL mode.

**DIMENSIONS** USING 12" DOWNROD



- A: 21.22"
- B: 24.77"
- C: 3.18"
- D: 8.08"
- E: 7.02"

**ENERGY INFORMATION** AT HIGH SPEED

Air Flow:	Electricity Use:	Air Flow Efficiency:
<b>5,983</b> cfm	<b>68</b> w	<b>87</b> cfm/w

## CONTEMPORARY



**C39G199L**  
Chrome motor shown with  
Matte Snow White blades



**C22G11L**  
Snow White motor with  
Glossy Snow White blades

**C22G45L**  
Brushed Nickel motor with reversible  
Espresso / Walnut blades

## ANTION

You may have to look twice to notice the Antion. But you'll be glad you did. With its frosted white glass bowl and artfully curved white blades, the Antion blends into any contemporary environment, beautifully.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 14° blade pitch
- Set of 5 exclusive ABS blades included
- Integrated 100-watt dimmable downlight with two 50w T4 halogen bulbs included
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS




**Direct-Touch® (L)**  
W-745L (included)  
Four-speed wall control with  
full-range light dimming,  
reversing and CFL mode.



**Direct-Touch®**  
W-755L (optional)  
Four-speed remote control  
with full-range light dimming,  
reversing and CFL mode.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
<b>5,551 cfm</b>	<b>68 w</b>	<b>81.4 cfm/w</b>

## TERCERA™

Tercera may mean "third," but it should be first on your list for a small or medium-sized room. With its sleek triple-blade configuration and vintage curves, this contemporary classic combines the best of old and new.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 15° blade pitch
- Set of 3 exclusive blades included
- Integrated 100-watt dimmable downlight with two 50w T4 halogen bulbs included
- Requires additional hanging support (included)
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS




**Direct-Touch® (L)**  
W-745L (included)  
Four-speed wall control with  
full-range light dimming,  
reversing and CFL mode.



**Direct-Touch®**  
W-755L (optional)  
Four-speed remote control  
with full-range light dimming,  
reversing and CFL mode.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
<b>5,476 cfm</b>	<b>63.3 w</b>	<b>86.5 cfm/w</b>

## CONTEMPORARY

**93045M**  
Brushed Nickel motor with reversible  
Platinum / Maple blades



**93011M**  
Snow White motor with reversible  
Snow White / Maple blades



**TRIH-68**  
Graphite motor with reversible  
Dark Cherry / Graphite blades



**TRIH-11**  
Snow White motor with  
reversible Maple /  
Snow White blades



**TRIH-45**  
Brushed Nickel motor  
with reversible Platinum /  
Maple blades, shown with  
optional no-light cap



## S3®

The S3 fan, inspired by a European sports coupe, features a sleek three-blade configuration. The choice of contemporary finishes includes Brushed Nickel, Graphite, and Snow White. Exceptional value is further reinforced with integrated halogen lighting and the Versa-Touch2™ control system.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 15° blade pitch
- Set of 3 exclusive reversible blades included
- Integrated 100-watt downlight with one T4 halogen bulb included
- No-light cap option available (S3C-xx)
- Low Ceiling Adapter (LCA) is not compatible
- Sloped Ceiling Adapter (SCA) is compatible with purchase of part 192220xx (see pages 138-139)

### CONTROL



Versa-Touch 2® (M)  
W-72 (included)  
Three-speed wall control with full-range light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
<b>7,440</b> cfm	<b>86</b> w	<b>89.8</b> cfm/w

## TRIDENT®

Casablanca's Trident ceiling fan epitomizes clean contemporary design and seamless performance. Its streamlined three-blade configuration, integrated halogen light and matching no-light cap have been engineered to echo the agile grace of an airplane propeller.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 3 exclusive reversible blades included
- Integrated 100-watt downlight with one T4 halogen bulb included
- Optional no-light cap included
- Low Ceiling Adapter (LCA) is not compatible

### CONTROL



Prime-Touch® (H)  
W-S05 (included)  
Three-speed hand-held remote with full-range light dimming,  
reversing and wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
<b>6,694</b> cfm	<b>72</b> w	<b>92.7</b> cfm/w

## CONTEMPORARY



**C17G546A**  
Brushed Cocoa motor with  
Mahogany blades



**C10G8M**  
Matte Black motor with  
Mahogany blades

**C17G667A**  
Cherry Bronze motor  
with Mahogany blades



**C17G199A**  
Chrome motor with  
Matte Snow White blades



**C10G11M**  
Snow White motor with  
Snow White blades



## VITA™

With its angled planes and streamlined curves, the distinctive Vita is the first contemporary offering from Casablanca to include an uplight, which casts a soft, incandescent glow on the ceiling. Additional lighting is provided by a halogen-lit center bowl that indirectly illuminates a glass outer ring.



### FEATURES

- XLP Plus® motor / lifetime motor warranty
- 52" blade span / 13° blade pitch
- Set of 5 exclusive blades included
- Integrated 90-watt uplight with six 15w bulbs included
- Integrated 100-watt downlight with two 50w T4 halogen bulbs included
- Uplight and downlight can be controlled independently
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)


### CONTROL



**Advan-Touch® (A)**  
W-63 (included)

Six-speed wall control with LCD display screen, full-range light dimming and reversing. Independent uplight and downlight operation. Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Air flow Efficiency:
6,885 cfm	120 w	57.6 cfm/w

## MODENA® II

The streamlined curves, contemporary styling and quality craftsmanship that are hallmarks of classic Italian design have been incorporated into the Modena II. This graceful fan features an integrated halogen light and Dynamic Blade™ engineering with injection-molded ABS blades.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 47" blade span / patented Dynamic Blade™ engineering
- Set of 5 exclusive injection-molded ABS blades included
- Integrated 100-watt downlight with one T4 halogen bulb included
- Sloped Ceiling Adapter (SCA) is not compatible without part 192220xx (see pages 138-139)
- Low Ceiling Adapter (LCA) is not compatible


### CONTROL



**Versa-Touch 2® (M)**  
W-72 (included)

Three-speed wall control with full-range light dimming and reversing. Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Air flow Efficiency:
5,832 cfm	72 w	81 cfm/w

## CONTEMPORARY



**C28G12M**  
Glossy Black motor and blades



**C28G11M**  
Snow White motor and blades



**C29G11M**  
Snow White motor and blades



**C29G12M**  
Glossy Black motor and blades

## STAR™

Art and engineering converge in the graphic silhouette and aerodynamic performance of the Star ceiling fan. This sleek model features a streamlined three-blade configuration, integrated halogen downlight and sweeping 52-inch blade span, bringing comfort and style to contemporary interiors.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 15° blade pitch
- Set of 3 exclusive injection-molded ABS blades included
- Integrated 75-watt halogen downlight with bulb included


### CONTROL



Versa-Touch 2\* (M)  
W-72 (included)

Three-speed wall control with full-range light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
5,640 cfm	67 w	84 cfm/w

## STARLET™

The Starlet adds an element of sculptural design and efficient performance to smaller-scale contemporary spaces. With its fluid contours, integrated halogen downlight, powerful motor and clean cutaway detailing, this fan is an ideal choice for hallways, dressing areas and other compact quarters.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 36" blade span / 15° blade pitch
- Set of 3 exclusive injection-molded ABS blades included
- Integrated 75-watt halogen downlight with bulb included


### CONTROL



Versa-Touch 2\* (M)  
W-72 (included)

Three-speed wall control with full-range light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
3,074 cfm	50 w	62 cfm/w



**85U32M**  
Weathered Copper motor with Mahogany blades, shown with optional exclusive KGIM-32 halogen bullet light fixture

**KGIM**  
**Le Grande Exclusive**  
Halogen Bullet Light Fixture  
100 watts  
Available finishes:  
Weathered Copper (32)

## LE GRANDE™

Spacious environments with high ceilings present special needs for proper air circulation, regardless of the season. Casablanca answers these requirements with the Le Grande, a fan with exceptional air movement, unique contemporary styling and lasting beauty.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 62" blade span / 14° blade pitch
- Set of 3 exclusive blades included
- Ultra high-performance design
- Low Ceiling Adapter (LCA) is not compatible

### CONTROL



**Versa-Touch 2\* (M)**  
W-72 (included)  
Three-speed wall control with full-range light dimming and reversing.  
Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
<b>6,674</b> cfm	<b>86</b> w	<b>78</b> cfm/w



**23B002**  
Snow White motor with MS2 White blades

## MALIBU STAR®

The refreshing design of the Malibu Star will captivate your imagination. A bicycle sprocket serves as the hub, and the nautical look results from the airy silk fabric blades tensioned by fiberglass fishing rods. This large fan will become the focal point of any room.



### FEATURES

- XLP-2000™ motor / lifetime motor warranty
- 84" blade span / 15° blade pitch
- Set of 5 exclusive silk blades included
- Chrome hardware accents
- Low Ceiling Adapter (LCA) is not compatible
- Minimum 9" ceiling required
- Uses 12" downrod (included)

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)  
Group B Light Fixtures (see pages 131-133)

### CONTROLS




**Adapt-Touch™**  
W-81 (included)  
Four-speed wall control with full-range light dimming.



**Adapt-Touch™**  
W-52 (optional)  
Three-speed remote control with full-range light dimming. Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
<b>5,170</b> cfm	<b>109</b> w	<b>47.4</b> cfm/w



## CEILING FANS

CANDELIER

ORNATE

TRADITIONAL

TRANSITIONAL

CONTEMPORARY

**LOW PROFILE**

DÉCOR SPECIFIC

OUTDOOR / INDOOR

PRESTIGE® EXCLUSIVE



## LOW PROFILE



**70355**  
Alpha Bronze motor with reversible  
Walnut / Smoked Walnut veneer  
blades and Tea Stain glass



**70351**  
Brushed Nickel motor with reversible  
Walnut / Burnt Walnut blades  
and White cased glass

## 54" DURANT NEW


Modern yet versatile, the Durant works well with any décor. Unmatched value that's perfect for rooms with low ceilings.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / blade pitch TBD
- Set of 5 reversible blades included
- Includes bowl light kit with two medium-based CFL bulbs

### CONTROLS



4-Speed  
Pullchain (G)  
(included)

### FINISH OPTIONS

- 70355 Alpha Bronze motor with reversible Walnut / Smoked Walnut veneer blades and Tea Stain glass
- 70356 Brushed Nickel motor with reversible Walnut / Burnt Walnut blades and White cased glass

### DIMENSIONS

*Not available at time of print.*

### ENERGY INFORMATION AT HIGH SPEED

*Not available at time of print.*

## 44" DURANT NEW


The transitional, modest styling of the Durant at a size that keeps your options open. One of our best values.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 44" blade span / blade pitch TBD
- Set of 5 reversible blades included
- Includes bowl light kit with two medium-based CFL bulbs

### CONTROLS



4-Speed  
Pullchain (G)  
(included)

### FINISH OPTIONS

- 70350 Alpha Bronze motor with reversible Walnut / Smoked Walnut veneer blades and Tea Stain glass
- 70351 Brushed Nickel motor with reversible Walnut / Burnt Walnut blades and White cased glass

### DIMENSIONS

*Not available at time of print.*

### ENERGY INFORMATION AT HIGH SPEED

*Not available at time of print.*

## LOW PROFILE



**C30G546H**  
Brushed Cocoa motor with Espresso blades



**C30G11H**  
Snow White motor with Hi-Gloss Snow White blades



**C30G45H**  
Brushed Nickel motor with Espresso blades

## 52" ISOTOPE®

Superior air circulation meets contemporary design in the Isotope ceiling fan. With its low profile and swept-wing blade configuration, this sleek fan is an ideal choice for flush-mount installation in interiors with lower ceilings.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 14° blade pitch
- Set of 5 exclusive blades included
- Integrated 100-watt downlight with one T4 halogen bulb included
- Not suitable for installation on a sloped ceiling
- Low Ceiling Adapter (LCA) is not compatible

### CONTROL



Prime-Touch® (4) W-505 (included)  
Three-speed hand-held remote with full-range light dimming, reversing and wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: <b>4,251 cfm</b>	Electricity Use: <b>74 w</b>	Airflow Efficiency: <b>57.5 cfm/w</b>
------------------------------	---------------------------------	--



**C35G45L**  
Brushed Nickel motor with Walnut blades



**C35G11L**  
Snow White motor with Hi-Gloss Snow White blades



**C35G707L**  
Iron Ore motor with Carbon Fiber blades



**C35G546L**  
Brushed Cocoa motor with Espresso blades

## 44" ISOTOPE®

This smaller blade version allows you to take the sleek, contemporary styling and superior functionality of the Isotope to almost any room in your home. A superior option for flush-mount installation in lower ceilings.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 44" blade span / 14° blade pitch
- Set of 5 exclusive blades included
- Integrated 100-watt downlight with one T4 halogen bulb included
- Not suitable for installation on a sloped ceiling
- Low Ceiling Adapter (LCA) is not compatible

### CONTROLS




Direct-Touch® (L) W-745L (included)  
Four-speed wall control with full-range light dimming, reversing and CFL mode.



Direct-Touch® (R) W-755L (optional)  
Four-speed remote control with full-range light dimming, reversing and CFL mode.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
3,915 cfm	73 w	53.6 cfm/w



**82U45D**  
Brushed Nickel motor with reversible  
Mahogany / Dark Walnut blades

**72U11D (42") / 82U11D (52")**  
Snow White motor with reversible  
Snow White / Bleached Oak blades



**82U4D**  
Antique Brass motor with reversible  
Antique Oak / Bleached Oak blades



## FOUR SEASONS® III HUGGER


With its low-profile, versatile design, the Four Seasons III Hugger is an ideal solution for homes or offices with ceilings less than eight feet high. Add a light fixture for even more functionality.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" or 42" blade span / 12° blade pitch
- Set of 5 reversible blades included
- Low Ceiling Adapter (LCA) is not compatible
- Remote control adaptable (order control WRF3-xx)

### CONTROLS



3-Speed  
Pullchain (D)  
(included)



WRF3-XX  
(optional)  
Three-speed remote control  
with full-range light dimming  
and reversing.

### COMPATIBLE LIGHT FIXTURES


Group B Light Fixtures (see pages 131-133)

Note: Must use accessory control to operate light fixtures without a pullchain.

**82U72D**  
Architectural White motor with  
reversible Architectural White /  
Bleached Oak blades



### DIMENSIONS



- A: 7.00"
- B: 8.00"
- C: N/A
- D: 11.00"
- E: 5.60"

### ENERGY INFORMATION AT HIGH SPEED

#### 52" BLADE SPAN

Airflow:	Electricity Use:	Airflow Efficiency:
2,120 cfm	67 w	31.8 cfm/w

#### 42" BLADE SPAN

Airflow:	Electricity Use:	Airflow Efficiency:
2,400 cfm	62 w	38.7 cfm/w

## CEILING FANS

CANDELIER

ORNATE

TRADITIONAL

TRANSITIONAL

CONTEMPORARY

LOW PROFILE

**DÉCOR SPECIFIC**

OUTDOOR / INDOOR

PRESTIGE® EXCLUSIVE



Mission® ceiling fan

## DÉCOR SPECIFIC



**97032Z**  
Weathered Copper motor with  
Teak blades and Amber shade

**97052Z**  
Bronze Patina motor with  
Teak blades and Amber shade

## MISSION®

Simplicity, Craftsmanship, Elegance. The Mission fan captures the original inspiration of the Arts and Crafts movement. Share in this historic period of home decoration with a Casablanca masterpiece that reveals geometric design elements, genuine art glass and natural metal finishes.



### FEATURES

- XLP-2100™ motor / lifetime motor warranty
- 56" blade span / 13° blade pitch
- Set of 5 exclusive blades included
- Integrated 120-watt incandescent downlight with two 60w bulbs included
- Low Ceiling Adapter (LCA) is not compatible
- Sloped Ceiling Adapter (SCA) is not compatible without part 192220xx (see pages 138-139)
- Requires additional hanging support (included)

### CONTROLS




**Intellic-Touch 3+ (Z)**  
W-85 (included)  
Six-speed wall control with full-range light dimming and reversing.



**Intellic-Touch 3+**  
W-65 (optional)  
Six-speed remote control with LCD display screen, full-range light dimming and reversing. Includes wall plate bracket.

### DIENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
<b>6,162</b> cfm	<b>102</b> w	<b>60.5</b> cfm/w



**P4M55H**  
Amber Bronze motor with  
reversible Mahogany /  
Medium Oak blades  
and Amber shade

## BUNGALOW™

Like the Craftsman-style structures that inspired it, the Bungalow ceiling fan brings simplicity, beauty and efficiency to today's homes. Its geometric detailing, illuminated motor housing with art glass shades, and reversible custom blades combine style and practicality.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 56" blade span / 13° blade pitch
- Set of 4 exclusive blades included
- Integrated 120-watt downlight with two 60w candelabra bulbs included
- Low Ceiling Adapter (LCA) is not compatible
- Sloped Ceiling Adapter (SCA) is not compatible without part 19222055 (see pages 138-139)
- Requires additional hanging support (included)

### CONTROL



**Prime-Touch® (4)**  
W-505 (included)  
Three-speed hand-held remote with full-range light dimming, reversing and wall plate bracket

### DIENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
<b>6,193</b> cfm	<b>73</b> w	<b>84.6</b> cfm/w

**89U546M**

Brushed Cocoa motor with reversible  
Dark Walnut / Walnut blades, shown with  
optional exclusive KG89-546 halogen light fixture

**KG89**

Marrakesh Exclusive  
Halogen Fixture with Scavo Shade  
100 watts

Available finishes:  
Antique Pewter (97)  
Brushed Cocoa (546)

**89U97M**

Antique Pewter motor with  
Mahogany blades

**MARRAKESH®**

For centuries, people have been fascinated by the sumptuous textures and graceful architecture of Moroccan design. With its exotic embellishments, the Marrakesh ceiling fan is an authentic reflection of this rich cultural tradition. Use the included ornamental finial, or add the optional hand-blown glass light fixture.



**FEATURES**


- Direct Drive™ motor / lifetime motor warranty
- 64" blade span / 14° blade pitch
- Set of 3 exclusive blades included
- Matching finial included for no-light option
- Minimum 9" ceiling required
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)
- Uses 6" downrod (included)

**CONTROL**



Versa-Touch 2° (M)  
W-72 (included)  
Three-speed wall control with full-range light dimming and reversing.  
Includes wall plate bracket.

**DIMENSIONS**



**ENERGY INFORMATION AT HIGH SPEED**

Air Flow:	Electricity Use:	Air Flow Efficiency:
<b>7,852 cfm</b>	<b>92 w</b>	<b>85 cfm/w</b>



## DÉCOR SPECIFIC



**P2G61H**  
French Crème motor with reversible Classic White / Maple blades and light fixture with glass bowl

**P2G546H**  
Brushed Cocoa motor with reversible Walnut / Dark Walnut blades, shown with no-light finial



## LA FLEUR®

The design of the La Fleur ceiling fan was inspired by the belief that comfortable, lived-in environments can be elegant, too. Delicate embellishments on the blade irons and optional light fixture add a deliciously feminine touch.




### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 56" blade span / 15° blade pitch
- Set of 5 exclusive reversible blades included
- Integrated 120-watt downlight with two 60w bulbs included
- Optional no-light finial included

### CONTROL

**Prime-Touch® (4)**  
**W-505 (included)**  
Three-speed hand-held remote with full-range light dimming, reversing and wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: **5,909** cfm    Electricity Use: **69** w    Airflow Efficiency: **86** cfm/w



**C23U73K**  
Oil-Rubbed Bronze motor with Natural Split Bamboo ABS blades, shown with optional exclusive KG87 light fixture

**KG87**  
**Key Largo II Exclusive**  
Three-Light Integrated Fixture with Bamboo-Look Accents  
180 watts (three 60w candleabra bulbs)  
Available finishes:  
Oil-Rubbed Bronze (73)

Shown without light fixture



## KEY LARGO® II

Casablanca brings the laid-back pace of the Florida Keys indoors with the Key Largo II fan. Featuring cane-style stitched bamboo detailing on the motor housing and blade holders, and ABS blades that replicate split bamboo, the Key Largo II is a charming example of British West Indies style.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 15° blade pitch
- Set of 5 exclusive ABS blades included
- Requires additional hanging support (included)


### CONTROLS

**4-Speed**  
**Pullchain (K)**  
(included)



**Adapt-Touch™**  
**W-52 (optional)**  
Three-speed remote control with full-range light dimming. Includes wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: **5,510** cfm    Electricity Use: **80** w    Airflow Efficiency: **69** cfm/w

## CEILING FANS

CANDELIER

ORNATE

TRADITIONAL

TRANSITIONAL

CONTEMPORARY

LOW PROFILE

DÉCOR SPECIFIC

**OUTDOOR / INDOOR**

PRESTIGE® EXCLUSIVE






**C19500K**  
Aged Bronze motor shown with BL-ADK-RA Adirondack outdoor carved featherwood blades in Reclaimed Antique and optional exclusive KGCI0A-500 light fixture

**KGCI0A**  
*Heritage Exclusive*  
Outdoor Beveled-Glass  
Hologen Lantern  
100 watts  
ETL Rated for wet locations  
**Available finishes:**  
Aged Bronze (500)  
Brushed Cocoa (-54d)

## HERITAGE™

During the Industrial Revolution, innovations in manufacturing enabled artisans to create furniture from cast iron. The Heritage fan incorporates many of the design details featured in antique castings, including vertical ribbing on its motor housing, raised type on the switch cap and a custom cobblesstone texture on the fan body, cap and inset portions of the blade medallions.

The ETL Wet-rated Heritage is available in two finishes. The optional exclusive Wet-rated light kits include a beveled-glass lantern suitable for illuminating large spaces.




### FEATURES

- XTR200™ 30mm motor / lifetime motor warranty
- 60" blade span / 14° blade pitch
- Modular configuration for maximum versatility
- Set of 5 exclusive outdoor blades sold separately
- Moisture-resistant motor and enclosed housing
- Stainless steel hardware
- ETL rated for wet locations (use only wet-rated light fixtures for use in wet locations)
- Minimum 9" ceiling required
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)  
Heritage Exclusive Light Fixture KGCI0A

### CONTROLS



4-Speed Pullchain (K)  
(included)



Adapt-Touch™  
W-52 (optional—indoor only)  
Three-speed remote control  
with full-range light dimming.  
Includes wall plate bracket.




**C19546K**  
Brushed Cocoa motor shown  
with BL-ADK-RA Adirondack  
outdoor carved featherwood  
blades in Reclaimed Antique and  
optional KGCI2A-546 light fixture



C19500K shown  
without light fixture

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air Flow:	Electricity Use:	Airflow Efficiency:
7,932 cfm	96.4 w	82.3 cfm/w

OUTDOOR / INDOOR

70340

Cottage White motor shown with  
new accessory blades—coming soon



70341

Maiden Bronze motor shown with  
new accessory blades—coming soon



## COMPASS POINT NEW

Amazing how something so simple can add so much to a room. One of our most unique designs. Built to last outside, making it a fine choice for covered porches and sunrooms. Available in two distinct finishes.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 12° blade pitch
- Multiple All-Weather blade finish choices available (blades sold separately)
- ETL rated for damp or humid locations
- Low Ceiling Adapter (LCA) is not compatible

### CONTROL



- 4-Speed
- Pullchain (K) (included)

### BLADE OPTIONS SOLD SEPARATELY

Coming soon.

### DIMENSIONS

Not available at time of print.

### ENERGY INFORMATION AT HIGH SPEED

Not available at time of print.



**7926D**  
Navajo White motor shown with  
B719 Classic White All-Weather ABS blades

**79669D**  
Restoration Bronze motor shown  
with B718 Matte Black  
All-Weather ABS blades



**7946D**  
Rustic Iron motor shown  
with Matte Black blades



**7911D**  
Snow White motor shown  
with B717 Matte Snow White blades



## LANAI®

Casablanca takes originality and elegance outdoors with the ETL Wet-rated Lanai. With blade holders highlighted by a tropical-inspired shell design, the Lanai adds warmth and casual comfort to decks, patios, sunrooms and verandas.



see accessories  
page 123 for  
blade options

### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 52" or 44" blade span / 16° blade pitch
- Multiple All-Weather blade finish choices available (blades sold separately)
- ETL rated for wet locations (use only wet-rated light fixtures for use in wet locations)
- Stainless steel hardware / moisture-resistant motor
- Low Ceiling Adapter (LCA) is not compatible when used in wet locations

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)

Group B Light Fixtures (see pages 131-133)

### CONTROLS




3-Speed  
Pullchain (D)  
(included)



Adapt-Touch™  
W-52 (optional—indoor only)  
Three-speed remote control with  
full-range light dimming. Includes  
wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

#### 52" BLADE

Airflow:	Electricity Use:	Airflow Efficiency:
6,790 cfm	90 w	75 cfm/w

#### 44" BLADE

Airflow:	Electricity Use:	Airflow Efficiency:
5,663 cfm	85 w	67 cfm/w



**C18C500F**  
Aged Bronze motor shown with Reclaimed Antique blades



**83U46D**  
Rustic Iron motor with Rustic Iron All-Weather ABS blades



**83U1D**  
Snow White motor with White All-Weather ABS blades

## ATRIA™

Make a statement of graceful refinement on a grand scale with the Damp-rated Atria ceiling fan. The faux alabaster motor housing includes an uplight and a downlight that illuminate the entire fan body with a warm, ambient glow.




### FEATURES

- XTR200™ 30mm motor / lifetime motor warranty
- ETL rated for damp or humid locations
- 68" blade span / 11° blade pitch
- Set of 5 exclusive outdoor carved featherwood blades included
- Integrated 120-watt uplight with eight 15w bulbs included
- Integrated 100-watt downlight with two 50w T4 halogen bulbs included
- Moisture-resistant motor / stainless steel hardware
- Minimum 9" ceiling required
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)

### CONTROL

**W-81 (included)**  
Four-speed wall control with full-range light dimming. No reversing function.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: **9,042 cfm** | Electricity Use: **93 w** | Airflow Efficiency: **97.4 cfm/w**

## FOUR SEASONS® III OUTSIDER

The Four Seasons III Outsider ceiling fan brings lasting comfort and value to indoor and outdoor home environments all year round. This versatile fan combines traditional styling with an ETL Damp rating.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 13° blade pitch
- Set of 5 exclusive All-Weather ABS blades included
- ETL rated for damp or humid locations
- Use only Damp- or Wet-rated light fixtures in damp locations
- Moisture-resistant motor / stainless steel hardware
- Low Ceiling Adapter (LCA) is not compatible

### COMPATIBLE LIGHT FIXTURES


Group B Light Fixtures (see pages 131-133)

### CONTROLS

**3-Speed Pullchain (D)** (included)

**Adapt-Touch™ W-52 (optional—indoor only)**  
Three-speed remote control with full-range light dimming.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow: **5,439 cfm** | Electricity Use: **60 w** | Airflow Efficiency: **90.7 cfm/w**

Note: Must use accessory control to operate light fixtures without a pullchain.

**41U1D**  
Snow White motor with  
Snow White All-Weather ABS blades



**41U546D**  
Brushed Cocoa motor with  
Brushed Cocoa All-Weather  
ABS blades



**41U45D**  
Brushed Nickel motor with  
Matte Black All-Weather  
ABS blades



**41U46D**  
Rustic Iron motor with  
Rustic Iron All-Weather  
ABS blades



## WAILEA®

The ETL Damp-rated Wailea fan, inspired by Casablanca's popular Capistrano and Lanai fans, is perfectly suited for small spaces. This 31-inch-wide fan is ideal for bathrooms, laundry rooms, walk-in closets and kitchens where ventilation is needed.




### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 31" blade span / 25° blade pitch (optimized for maximum air movement)
- Set of 6 exclusive All-Weather ABS blades included
- ETL rated for damp or humid locations
- Moisture-resistant motor / stainless steel hardware
- Use only Damp- or Wet-rated light fixtures in damp locations
- Low Ceiling Adapter (LCA) is not compatible when used in damp or humid locations

### COMPATIBLE LIGHT FIXTURES

- Group A Light Fixtures (see pages 128-131)
- Group B Light Fixtures (see pages 131-133)

### CONTROLS




3-Speed  
Pullchain (D)  
(included)



Adapt-Touch™  
W-52 (optional—indoor only)  
Three-speed remote control with  
full-range light dimming. Includes  
wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Air flow Efficiency:
3,127 cfm	51 w	61.9 cfm/w

**4726D**  
 Novego White motor shown with  
 B719 Classic White All-Weather ABS blades



**4746D**  
 Rustic Iron motor shown with  
 B722 Rustic Iron All-Weather ABS blades



## ESTRADA®

Casablanca creates fans for every environment and mood. The Estrada is casual and colorful, with wrought iron trim inserts that harmonize with outdoor furniture décor. ETL Damp-rated, the Estrada is specially adapted for humid locations.



### FEATURES


- Direct Drive™ motor / lifetime motor warranty
- 52" or 44" blade span / 15° blade pitch
- 5-blade configuration
- Multiple All-Weather blade finish choices available (blades sold separately)
- ETL rated for damp or humid locations
- Use only Damp- or Wet-rated light fixtures in damp locations
- Stainless steel hardware / moisture-resistant motor
- Low Ceiling Adapter (LCA) is not compatible when used in damp or humid locations

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)

Group B Light Fixtures (see pages 131-133)

### CONTROLS




3-Speed  
 Pullchain (D)  
 (included)



Adapt-Touch™  
 W-52 (optional—indoor only)  
 Three-speed remote control with  
 full-range light dimming. Includes  
 wall plate bracket.

### DIMENSIONS



- A: 13.00"
- B: 13.75"
- C: 3.00"
- D: 12.00"
- E: 5.60"

### ENERGY INFORMATION AT HIGH SPEED

#### 52" BLADE

Airflow:	Electricity Use:	Airflow Efficiency:
6,734 cfm	89 w	75.3 cfm/w

#### 44" BLADE

Airflow:	Electricity Use:	Airflow Efficiency:
5,238 cfm	82 w	63.7 cfm/w



## OUTDOOR / INDOOR



**77546D**  
Brushed Cocoa motor shown  
with B420 Walnut blades

**7711D**  
Snow White motor shown  
with B817 Matte Snow  
White All-Weather  
ABS blades

**7745D**  
Brushed Nickel motor  
shown with  
B818 Matte Black  
All-Weather ABS blades

## UTOPIAN®

The versatile Utopian fan is ideally suited for humid environments. Smooth contours and simple lines provide a clean, progressive look that enhances décor without distraction. For bathrooms, kitchens and verandas, the Utopian is the perfect choice.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 50" or 42" blade span / 16" blade pitch
- Multiple All-Weather blade finish choices available (blades sold separately)
- ETL rated for damp or humid locations
- Use only Damp- or Wet-rated light fixtures in outdoor or damp locations
- Stainless steel hardware / moisture-resistant motor
- Low Ceiling Adapter (LCA) is not compatible when used in damp or humid locations

### COMPATIBLE LIGHT FIXTURES

Group A Light Fixtures (see pages 128-131)


Group B Light Fixtures (see pages 131-133)

### CONTROLS



Adapt-Touch™  
W-52 (optional – indoor only)  
Three-speed remote control with  
full-range light dimming. Includes  
wall plate bracket.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

#### 50" BLADE

Airflow:	Electricity Use:	Airflow Efficiency:
6,611 cfm	86 w	76.7 cfm/w

#### 42" BLADE

Airflow:	Electricity Use:	Airflow Efficiency:
5,357 cfm	77 w	69.3 cfm/w



**C20G624F**  
Bullion Black motor with  
Reclaimed Antique blades

## CONTINENTAL™

Casablanca brings the grand formality of the Beaux Arts period to today's homes with the Continental ceiling fan. This Damp-rated fan's faux alabaster light fixtures and botanical motif beautifully complement cast iron and aluminum outdoor furniture.



### FEATURES


- XTR200™ 30mm motor / lifetime motor warranty
- ETL rated for damp or humid locations
- 60" blade span / 14° blade pitch
- Set of 5 exclusive outdoor carved featherwood blades included
- Moisture-resistant motor / stainless steel hardware
- Integrated 150-watt uplight with six 25w bulbs included
- Integrated 100-watt downlight with two 50w T4 halogen bulbs included
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)

### CONTROL

4-Speed (F)  
W-B1 (included)

Four-speed wall control with dual-rotary system for full-range light dimming and speed control.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Airflow:	Electricity Use:	Airflow Efficiency:
8,021 cfm	100 w	80.4 cfm/w

## CEILING FANS

CANDELIER

ORNATE

TRADITIONAL

TRANSITIONAL

CONTEMPORARY

LOW PROFILE

DÉCOR SPECIFIC

OUTDOOR / INDOOR

**PRESTIGE® EXCLUSIVE**





**28488**  
Cocoa motor with tapered Distressed Cherry /  
Distressed Dark Walnut Veneer blades



**28484**  
Cocoa motor with Walnut Regal-Style  
hand-carved wood blades

## 72" FELLINI®

With a 72-inch blade span, this is the Fellini® ò fantastic! Whether you prefer a model with tapered distressed wood blades or go for the tropical touch of hand-carved palm leaves, you'll enjoy a very grand fan indeed.



### FEATURES

- 188 x 25 mm motor
- 72" blade span / 14" blade pitch
- Set of 5 exclusive blades included
- Flush / standard / angled mounting
- Remote control features speed, reversing and dimming functions


### CONTROL



Three-speed remote control with full-spectrum light dimming and reversing. Includes wall bracket.

Note: Product has Hunter Prestige® packaging.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Airflow Efficiency:
<b>8,500 cfm</b>	<b>88 w</b>	<b>95 cfm/w</b>

## 60" FELLINI®

A 60-inch blade span makes this edition of the Fellini® ideal for a wide variety of rooms. Hand-carved wood blades enrich the fan's character, while subtle finishing touches please the eye without overwhelming the beholder.



### FEATURES

- 188 x 25 mm motor
- 60" blade span / 15" blade pitch
- Set of 5 hand-carved wood blades included
- Flush / standard / angled mounting
- Remote control features speed, reversing and dimming functions

### CONTROL




Three-speed remote control with full-spectrum light dimming and reversing. Includes wall bracket.

Note: Product has Hunter Prestige® packaging.



**21215**  
Provence Crackle motor with  
Aged Oak hand-carved wood blades

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

28484

Air flow:	Electricity Use:	Airflow Efficiency:
<b>6,940 cfm</b>	<b>101 w</b>	<b>68 cfm/w</b>

21215

Air flow:	Electricity Use:	Airflow Efficiency:
<b>5,439 cfm</b>	<b>74 w</b>	<b>73 cfm/w</b>

## PRESTIGE® EXCLUSIVE



**28122**  
Graphite motor with reversible  
Graphite / Light Cherry blades



**28120**  
Satin White motor with  
Satin White blades



**28121**  
Brushed Nickel motor with reversible  
Maple Veneer / Graphite blades

## TRIBECA®

From a loft in Soho to a gallery in Frisco, the Tribeca® is at home wherever the love of industrially influenced urban design flourishes. Sleek and minimalist, its impressive blade span moves air with maximum style.



### FEATURES

- 172 x 18 mm AirMax® Motor
- 60" blade span / 15" blade pitch
- Set of 3 exclusive blades included
- Standard / angled mounting
- For use on nine foot or higher ceilings
- Remote control features speed, reversing and dimming functions

### CONTROL



Three-speed remote control with full-spectrum light dimming and reversing. Includes wall bracket.

Note: Product has Hunter Prestige® packaging.



**Tribeca® Exclusive**  
Bowl CFL Light Fixture  
100 watts  
Available finishes:  
Graphite (26167)  
Satin White (26168)  
Brushed Nickel (26169)

### DIMENSIONS




### ENERGY INFORMATION AT HIGH SPEED

Air flow:	Electricity Use:	Airflow Efficiency:
<b>5,942 cfm</b>	<b>73 w</b>	<b>81 cfm/w</b>



**28537**  
56" Sand motor with Shimmering Sand  
hand-carved wood blades



**28522**  
55" Amber Bronze motor with Cherry  
hand-carved wood Banana Leaf blades

## CORONADO™

The crisp, compact motor housing of the Coronado™ stays simple in order to showcase the fan's stunning selection of tropical, carved wood blades. What better way to bring your fantasy of lush palms and tropical breezes to life?



### FEATURES

- 172 x 20 mm motor
- 55" and 56" blade span / 12" blade pitch
- Set of 5 exclusive hand-carved wood blades included
- Flush / standard / angled mounting
- Extra-slow fourth speed

### CONTROL



4-Speed  
Pullchain (K)  
(included)

Note: Product has Hunter Prestige® packaging.

### DIMENSIONS



### ENERGY INFORMATION AT HIGH SPEED

28537		
Air flow:	Electricity Use:	Airflow Efficiency:
<b>6,607 cfm</b>	<b>84 w</b>	<b>79 cfm/w</b>
28522		
Air flow:	Electricity Use:	Airflow Efficiency:
<b>5,904 cfm</b>	<b>83 w</b>	<b>71 cfm/w</b>

26489

54" New Bronze motor with reversible  
Bamboo / Rattan weatherproof plastic blades



26487

52" White motor with reversible  
White Beadboard / White  
weatherproof plastic blades



26488

52" Weathered Bronze motor  
with Teak blades



## CHARTHOUSE®

With its delightfully simple styling, the Charthouse® brings the airy feel of a secluded beach house to any room. Choose the blade and finish combination that's just your style and let this fan take you away from it all.



### FEATURES


- 188 x 25 mm motor
- 52" and 54" blade span / 16° blade pitch
- Set of 5 exclusive outdoor blades included
- ETL rated for damp or humid locations
- Standard / angled mounting

### CONTROLS



3-Speed  
Pullchain (D)  
(included)

### DIMENSIONS



A: 13.10"  
B: 11.91"  
C: 3.31"  
D: 12.50"  
E: 7.13"

### ENERGY INFORMATION AT HIGH SPEED

26489

Air Flow:	Electricity Use:	Airflow Efficiency:
<b>5,805</b> cfm	<b>76</b> w	<b>76</b> cfm/w

26487

Air Flow:	Electricity Use:	Airflow Efficiency:
<b>6,156</b> cfm	<b>76</b> w	<b>81</b> cfm/w

26488

Air Flow:	Electricity Use:	Airflow Efficiency:
<b>5,974</b> cfm	<b>76</b> w	<b>79</b> cfm/w

Note: Product has Hunter Prestige® packaging.

## ACCESSORIES

### BLADES

STANDARD-STYLE BLADES

BADGE-STYLE BLADES

ALL-WEATHER BLADES

SOUTH SEAS BLADE COLLECTION

AVALON BLADE SYSTEM

BEADBOARD BLADE COLLECTION

### LIGHT FIXTURES

CONCERT BREEZE LIGHT FIXTURE

CONTROL OPTIONS

HANGING SYSTEM



Holliston™ ceiling fan  
with KGC2A light fixture



## STANDARD-STYLE BLADES

Our standard blades are anything but, with specially constructed plywood layers to eliminate warping and a variety of stain and paint options. Blades are not for use in damp or wet locations.

### COMPATIBLE FAN COLLECTIONS

Concentra and Panama

#### 17" BLADE FINISHES

B304	Teak
B306	Mahogany
B307	Architectural White
B514	Walnut
B523	Hi-Gloss Snow White
B543	Matte Snow White
B544	Antique Oak

#### 21" BLADE FINISHES

B201	Maple	B545	Antique Oak
B202	Mahogany	B561	Matte Snow White
B204	Architectural White	B562	Teak
B206	Dark Cherry	B564	Cherrywood
B207	Medium Oak	B567	Hi-Gloss Rosewood
B210	Relic	B583	Hi-Gloss Snow White
B213	Oil-Rubbed Bronze	B588	Matte Black
B515	Walnut	B521-WD	Dark Walnut
B537	Classic White		

## BADGE-STYLE BLADES

All the same exceptional features as our standard fan blades, but compatible with even more fan styles. Blades are not for use in damp or wet locations.

### COMPATIBLE FAN COLLECTIONS

Barolo, Brescia, Capistrano, Metropolitan, New Orleans and Victorian.  
Compatible with Estrada, Lanai and Utopian when used in a dry location.

#### 17" BLADE FINISHES

B416	Cherrywood
B419	Matte Snow White
B420	Walnut

#### 21" BLADE FINISHES

B101	Maple	B507	Teak
B102	Mahogany	B508	Matte Black
B103	Walnut	B509	Matte Snow White
B107	Dark Cherry	B511	Hi-Gloss Snow White
B108	Medium Oak	B522	Antique Oak
B111	Relic	B541	Cherrywood
B500	Navajo White	BB21-WD	Dark Walnut



## ALL-WEATHER BLADES

Built exclusively for outdoor environments, these high-quality blades made with durable ABS plastic will withstand the elements, retaining their beauty for years to come.



### 17" BADGE-STYLE BLADE FINISHES

B817	Matte Snow White
B818	Matte Black
B821	Weathered Pine
B826	Dark Walnut

### COMPATIBLE FANS

Estrada  
Lanai  
Utopian



### 21" BADGE-STYLE BLADE FINISHES

B717	Matte Snow White
B718	Matte Black
B719	Classic White
B721	Weathered Pine
B722	Rustic Iron
B726	Dark Walnut

### COMPATIBLE FANS

Estrada  
Lanai  
Utopian

## SOUTH SEAS BLADE COLLECTION™

South Seas blades bring the option of tropical styling to any room. Blades are constructed with the highest quality materials and not only look great, but also provide optimum air movement at any fan speed.

### DIMENSIONS

20 3/4" length  
9" maximum width



### BADGE-STYLE BLADE FINISHES

B28B-MG	Mahogany
B28B-WH	White



### STANDARD-STYLE BLADE FINISHES

B28S-MG	Mahogany
B28S-TK	Teak

### COMPATIBLE FANS

Badge: Capistrano, Metropolitan  
Standard: Concentra, Four Seasons III, Panama







## AVALON® BLADE SYSTEM

Avalon blades bring the option of nautical styling to a range of fan series. Blades are fabricated with ripstop sailcloth and tensioned by fiberglass fishing rods. Truly a Casablanca classic.

### FEATURES

- 62" blade span / 18" blade pitch
- 29" long, 10" maximum width
- Ripstop nylon sailcloth blades
- Urethane coated with UV inhibitors
- Special hardware included
- Not for use with Low Ceiling Adapter (LCA)

### BLADE FINISHES

BL31W-11 White rod with White fabric

### COMPATIBLE FANS

Panama

### COMPATIBLE LIGHT FIXTURES

K1KA, K164A, K4BA, K164F



White

## BEADBOARD BLADE COLLECTION

Beadboard blades add cottage-style comfort and charm to any compatible fan model. Their signature design draws its inspiration from vintage paneling. Not for use in damp or wet locations.

### BLADE FINISHES

BBB21-72 Architectural White

BBB21-72D Distressed Architectural White

### COMPATIBLE FANS

Capistrano

Metropolitan



Architectural White



Distressed Architectural White

LIGHT FIXTURES – GROUP A

COMPLETE LIGHT FIXTURES – GROUP A

INCLUDE FITTER AND GLASS



**K4BA\***  
Four-Light Integrated CFL Bullet Fixture  
52 watts  
**Available finishes:**  
Snow White (-11)  
Brushed Nickel (-45)  
Oil-Rubbed Bronze (-73)



**KG2WWA**  
Outdoor Incandescent Fixture  
120 watts (two 60w candelabra bulbs)  
ETL Rated for wet locations  
**Available finishes:**  
Classic White (-9)



**KG2LA**  
Outdoor Incandescent Fixture  
120 watts (two 60w candelabra bulbs)  
ETL Rated for wet locations  
**Available finishes:**  
Snow White (-11)  
Navajo White (-26)  
Rustic Iron (-64)  
Brushed Cocoa (-546)  
Restoration Bronze (-669)



**KG12A\***  
Outdoor Four-Light Integrated CFL Fixture  
56 watts  
ETL Rated for wet locations  
**Available finishes:**  
Brushed Cocoa (-546)  
Bullion Black (-624)

LOW-PROFILE FITTERS AND GLASS – GROUP A



**K1CA**  
Integrated Halogen Fitter  
100 watts  
**Available finishes:**  
Classic White (-9)  
Snow White (-11)  
Brushed Nickel (-45)  
Oil-Rubbed Bronze (-73)  
Antique Pewter (-97)  
Chrome (-199)  
Bullion Black (-624)



**K2CA**  
Integrated Incandescent Fitter  
120 watts (two 60w candelabra bulbs)  
**Available finishes:**  
Bright Brass (-2)  
Antique Brass (-4)  
Matte Black (-8)  
Classic White (-9)  
Snow White (-11)  
Navajo White (-26)  
Brushed Nickel (-45)  
Architectural White (-72)  
Oil-Rubbed Bronze (-73)  
Brushed Cocoa (-546)



**G106**  
Seashell Low-Profile Glass  
Use with K1CA or K2CA fitter (sold separately)



**G107**  
White Marble Low-Profile Glass  
Use with K1CA or K2CA fitter (sold separately)



**G108**  
Scavo Low-Profile Glass  
Use with K1CA or K2CA fitter (sold separately)



**G109**  
White Frosted Low-Profile Glass  
Use with K1CA or K2CA fitter (sold separately)



K2CA-45 two-light fixture with G108 Scavo Glass shown on Panama motor in Brushed Nickel (6645G) with B562 Teak blades



**G110**  
Opal Low-Profile Glass with Accent  
Use with K1CA or K2CA fitter (sold separately)

\*Bulbs included with this light kit do not dim. If this light kit is installed on a fan with a light dimming function, then bulbs capable of dimming need to be purchased separately.

SOCKET-RING FITTER AND GLASS – GROUP A



**K44TA\***  
Contemporary Four-Light  
CFL Fitter  
50 watts  
Available finishes:  
Antique Brass (-4)  
Snow White (-11)  
Brushed Nickel (-45)

Architectural White (-72)  
Oil-Rubbed Bronze (-73)  
Chrome (-199)



**CSG2**  
2 1/2" Side Glass with Square Shape  
Amber Speckled



**CSG5**  
2 1/2" Side Glass with Bell Shape  
White Cased



**CSG7**  
2 1/2" Side Glass with Bell Shape  
Amber Linen



**CSG15**  
2 1/2" Side Glass  
Opal



**CSG16**  
2 1/2" Side Glass  
White

Complete light fixtures include White glass unless indicated otherwise.

THUMBSCREW FITTERS – GROUP A



**K4SA\***  
Four-Light CFL Fitter for 2 1/4"  
50 watts  
Available finishes:  
Bright Brass (-2)  
Antique Brass (-4)  
Matte Black (-8)  
Classic White (-9)  
Snow White (-11)  
Weathered Copper (-32)

Brushed Nickel (-45)  
Architectural White (-72)  
Oil-Rubbed Bronze (-73)  
Brushed Cocoa (-544)  
Bullion Black (-624)



K4SA Four-light fitter with G418 glass  
shown on Brescia molar (9745) with  
Hi-Glass Snow White blades

\*Bulbs included with this light kit do not dim. If this light kit is  
installed on a fan with a light dimming function, then bulbs  
capable of dimming need to be purchased separately.

THUMBSCREW GLASS – GROUPS A & B



**G414**  
2 1/2" Side Glass  
Frosted Tulip



**G418**  
2 1/2" Side Glass  
Frosted Deco



**G420**  
2 1/2" Side Glass  
Frosted Drapes



**G606\*\***  
2 1/2" Side Glass  
Diamond- and  
Flower-Cut Crystal



**G911\*\***  
2 1/2" Side Glass  
Teck Antique



**G912\*\***  
2 1/2" Side Glass  
Opal Matte



**G914\*\***  
2 1/2" Side Glass  
Nuage Blanc Satin

\*\*Not compatible with KXXXF CFL fixtures.

## LIGHT FIXTURES – GROUP B

## THUMBSCREW FITTERS – GROUP B



**K4C**  
Ornate Four-Arm Center-Stem  
Incandescent Fitter for 2 1/4" Glass  
240 watts  
*Available finishes:*  
Burnished Bronze (-92)



**K134A°°**  
Four-Arm Center-Stem Swivel  
CFL Fitter for 2 1/4" Glass  
56 watts  
*Available finishes:*  
Bright Brass (-2)  
Antique Brass (-4)  
Snow White (-11)  
Brushed Nickel (-45)  
Oil-Rubbed Bronze (-73)



**K164A°° / K164F\*\*°**  
Four-Light Straight-Arm Center-Stem  
Fitter for 2 1/4" Glass  
**K164A** - CFL / 56 watts  
*Available finishes:*  
Antique Brass (-4)  
Snow White (-11)  
Brushed Nickel (-45)  
Architectural White (-72)  
Oil-Rubbed Bronze (-73)  
**K164F** - CFL / 52 watts  
(200 watt equivalent light output)  
*Available finishes:*  
Antique Brass (-4)  
Classic White (-9)  
Brushed Nickel (-45)

\*Fluorescent can only be used on pullchain fans. Energy Star® rated.  
\*\*Includes pullchain switch (not shown).

## THUMBSCREW FITTERS AND 4" CENTER GLASS – GROUP B



**K1KA°**  
CFL Fitter for 4" Center Glass  
Only for use with G501 and G502 glass  
14 watts  
ETL Rated for damp locations  
*Available finishes:*  
Snow White (-11)  
Brushed Nickel (-45)  
Rustic Iron (-46)  
Architectural White (-72)  
Oil-Rubbed Bronze (-73)



**G501**  
4" White Center Glass  
Opal Schoolhouse  
(OK fixture sold separately)



**G502**  
4" White Center Glass  
Opal Mushroom  
(OK fixture sold separately)

\* Bulbs included with this light kit do not dim. If this light kit is installed on a fan with a light dimming function, then bulbs capable of dimming need to be purchased separately.

## BOWL FITTER AND BOWLS – GROUP B



**K2AA**  
Center-Stem CFL Fitter for Center Bowl  
Glass (medium base sockets)  
28 watts



**G208**  
White Marble Glass Bowl  
Use with K2AA fitter (sold separately)  
Bright Brass, Antique Brass, Snow White,  
Brushed Nickel, Chrome, Antique Pewter and  
Bullion Black finishes included



**G215**  
Italian Leaf Glass Bowl  
Use with K2AA fitter (sold separately)  
Snow White and Brushed Nickel  
finishes included  
Not for use with pullchain models unless equipped with  
optional controls.

## COMPLETE LIGHT FIXTURES – GROUP B

INCLUDE FITTER AND GLASS



**KG1KA°**  
Center-Stem Incandescent Pan Fixture  
White Frosted Glass  
80 watts (two 40w candelabra bulbs)  
*Available finishes:*  
Antique Brass (-4)  
Classic White (-9)  
Snow White (-11)  
Brushed Nickel (-45)  
Architectural White (-72)  
Oil-Rubbed Bronze (-73)



**KG4WA\*\*°**  
Shaker Four-Light CFL Fixture  
56 watts  
*Available finishes:*  
Snow White / Frosted glass (-11)  
Brushed Nickel / Frosted glass (-45)  
Oil-Rubbed Bronze / Frosted glass (-73)  
Brushed Cocoa / Amber glass (-546)

\* Bulbs included with this light kit do not dim. If this light kit is installed on a fan with a light dimming function, then bulbs capable of dimming need to be purchased separately.  
\*\*Includes pullchain switch (not shown).



**CSLK-11**  
Snow White Concert Breeze Light Fixture  
shown mounted to ceiling



**CSLK-73**  
Oil-Rubbed Bronze Concert Breeze  
Light Fixture shown on Panama 6673G

## CONCERT BREEZE LIGHT FIXTURE

A light fixture and sound system all in one, the Concert Breeze mounts to most Casablanca fans, or directly to your ceiling. This groundbreaking Soundolier® technology utilizes an exclusive 2.4 GHz wireless system that's easily adapted to your television, stereo, MP3 player or any other audio source for 360 degrees of high-definition sound.



### FEATURES

- Mounts to most Casablanca ceiling fans or directly to ceiling
- CSLK-11 and CSLK-73 rated for damp locations
- CSLK-45 rated for indoor use only
- Compatible with many audio sources such as MP3 players, televisions and stereos
- Remote control included for separate operation of light and audio functions
- Integrated 120-watt bowl light fixture
- Includes three 40w candelabra bulbs

### FINISHES

- CSLK-11 Snow White (Swirled Marble glass)  
 CSLK-73 Oil-Rubbed Bronze (Italian Amber Scavo glass)  
 CSLK-45 Brushed Nickel (Swirled Marble glass)

### COMPATIBLE FANS

Academy	Concentra	Key Largo II	Utopian
Brescia*	Estrada	Lanai	Wailea
Capistrano*	Heritage**	Panama*	

\*Pulchra models only.

\*\*Compatible when used in indoor or damp locations only.

### CONTROL



**Soundolier® Remote**  
 To ensure things stay on the "cool" side, the system's hand-held credit-card-style wireless remote is a sleek addition to any technology seeker's desire to control the room's mood—both through sound volume and light brightness level.

**SOUNDOLIER®**  
*Integrated Wireless Technologies*

## CONTROL OPTIONS

## INTEGRATED CONTROLS

With simple two-wire installation and intuitive Integrated Controls designed exclusively for—and included with—specific fan models, Casablanca fans are easy to install and even easier to use. The Integrated Controls include such features as adjustable fan speed and direction settings, lighting levels, and even home security, for total environmental enhancement.

**Inteli-Touch3\* (W-84 Dual Light, W-85 Single Light)**

This sophisticated wall-mounted system controls six fan speeds (in either the forward or reverse direction) and full-range light dimming for perfect room comfort and ambiance. Safe-Exit™ provides 20 seconds of gradual light dimming, showing you safely to the door. Home-Safe™ is a home security feature that controls lights in an irregular sequence, making a home appear occupied. The Fan Minder™ feature incrementally reduces fan speed, maintaining comfort at night. The Light Minder™ feature saves energy by turning lights off automatically after two hours.



W-74 SL W-74 DL

**Direct-Touch\* (W-74SL, W-74DL)**

Simple and straightforward, the Direct-Touch wall-mounted control offers four forward and reverse fan speeds, plus full-spectrum light dimming and advanced programmable features including Safe-Exit™, Home-Safe™, Fan Minder™ and Light Minder™. Includes CFL mode.

**Advan-Touch\* (W-63 Dual Light)**

Wall-mounted or hand-held, Advan-Touch combines a user-friendly design with a large LCD display and intuitive controls for fan and lighting with programmable features. Advanced programmable features include Safe-Exit™ and Home-Safe™. Use one Advan-Touch to control several fans, or purchase an extra control to operate one fan from different locations. Includes wall plate bracket.

**DC 6-speed**

Six-speed control with full-range light dimming and reversing.

**Versa-Touch2\* (W-72 Single Light)**

The refined Versa-Touch2 hand-held remote provides three forward and reverse fan speeds, full-spectrum light dimming and memory and has an optional wall plate bracket. Versa-Touch2 may be used alone to control several fans, or purchase extra controls to operate a single fan from different locations. Includes wall plate bracket.

**Prime-Touch\* (W-505)**

This hand-held remote for select fans provides three forward and reverse fan speeds, full-spectrum light dimming and memory. Includes wall plate bracket.

## ACCESSORY CONTROLS

Casablanca also offers a complete line of optional accessory controls, which allow homeowners to optimize the functionality of their fans based upon personal preferences. The Adapt-Touch™ control adds remote control convenience for 3-speed and 4-speed Casablanca fans with a Hang-Tru® canopy. Casablanca also offers wall-mounted accessory controls for both fan and light control with either slide or rotary operation.

**Inteli-Touch3\* (W-64 Dual Light, W-65 Single Light)**

This sophisticated wall-mounted system controls six fan speeds (in either the forward or reverse direction) and full-range light dimming for perfect room comfort and ambiance. Safe-Exit™ provides 20 seconds of gradual light dimming, showing you safely to the door. Home-Safe™ is a home security feature that controls lights in an irregular sequence, making a home appear occupied. Includes wall plate bracket.



W-75SL



W-75DL

**Direct-Touch\* (W-75SL, W-75DL)**

Simple and straightforward, the Direct-Touch remote control offers four forward and reverse fan speeds, plus full-spectrum light dimming and advanced programmable features including Safe-Exit™, Home-Safe™, Fan Minder™ and Light Minder™. Includes a CFL mode.

**Adapt-Touch™ (W-52)**

Add remote control convenience to Casablanca 3-speed and 4-speed models. Adapt-Touch easily converts new or existing Casablanca 3-Speed and 4-Speed pulldown models equipped with a Hang-Tru® canopy to remote control operation. Features include three fan speeds, instant off and full-range light dimming (on models equipped with a light fixture), all from the palm of your hand. The hand-held remote includes a switch plate bracket for wall mounting, and the receiver is quickly installed in the Hang-Tru® canopy. Use one Adapt-Touch to control several fans, or purchase extra controls to operate a fan from different locations. Note: The W-52 is not recommended for use in outdoor locations.

**WRF3-XX**

Three-speed remote control with full-range light dimming and reversing. Compatible with Four Seasons III and Four Seasons III Hugger.



W-41



W-81

**Single and Dual Rotary Controls (W-41, W-81)**

Optional accessory for 3-speed and 4-speed models with XTR200™ and XLP2000™ motors. Provides four separate fan speeds, an industry exclusive. Noise-free circuitry and quiet operation (Almond and White included). Dual rotary control W-81 also provides full-range light dimming and requires third wire for installation.



W-24



W-28

**Single and Dual Slide Controls (W-24W, W-28A, W-28W)**

Optional accessory for 3-speed and 4-speed models. Provides four fan speeds. Noise-free circuitry and quiet operation. Not for use on XTR200™ motors. (Almond or White). Dual slide control W-28A and W-28W also provide full-range light dimming and require third wire for installation.

## HANGING SYSTEM

Casablanca makes installation a do-it-yourself, one-person operation. Casablanca's patented Hang-Tru® hanging system supports the fan from the ceiling, leaving both hands free to make wiring connections. The self-centering ball makes sure the fan hangs straight, even on ceilings with up to 32-degree slope (for greater slopes, use a Sloped Ceiling Adapter).

Casablanca's threaded Perma-Lock™ downrod locks the fan permanently in place and is the sturdiest, easiest to install downrod on the market. Higher ceilings? Casablanca offers optional downrods in lengths up to 96" to satisfy virtually any installation requirement.

### EXTRAS INCLUDED

Everything you need is included with your Casablanca fan, including light bulbs, batteries for remotes, and even a handy screwdriver. Casablanca delivers "Quality In Every Detail.™"

#### LOW CEILING ADAPTER (LCA-\*)

LCA-\* (limited finishes). Reduces fan height by 3 1/2" from standard downrod (3" for Direct Drive models). (Canopy measures 2"H x 6.25" diameter.)

NOT for use with Academy, Academy Gallery, Alessandria, Atria, Barolo, Bel Air, Bel Air Halo, Bungalow, Candelier II, Continental, Four Seasons III Hugger, Holliston, Isotope, La Fleur, Le Grande, Malibu Star, Marrakesh, Mission, Modena II, New Orleans Centennial, 19th Century, Panama Halo, S3, Siena, Silhouette II, Stealth, Trident, Vermont, Verrazano, Vita, Whitman, or Wilderness fans or Avalon blades. Also not for use with Cottage Wet, Estrada, Four Seasons III Outsider, Heritage, Lanai, Panama Damp, Utopian, or Wailea when installed in a damp or wet location.



Low Ceiling Adapter (LCA)

#### SLOPED CEILING ADAPTER (SCA-P)

Use Model SCA-P for slopes from 32 degrees to 56 degrees.

If using the SCA-P with Academy, Academy Gallery, Bungalow, Holliston, Mission, Modena II, S3, Star, Starlet, Verrazano, Vita or Whitman, you must purchase a Hang-Tru® canopy (Part #192220xx); specify finish to match fan. Use hanger pack included with fan.



Sloped Ceiling Adapter (SCA)

## PERMA-LOCK™ DOWNRODS

### FAN MODELS

Academy	Colorado (12" std.)	Le Grande	Stealth
Academy Gallery	Concentra	Malibu Star (12" std.)	Tercera
Alessandria (5" std.)	Continental	Marrakesh (6" std.)	Trident
Antion	Estrada	Metropolitan	Utopian
Atria (4" std.)	Four Seasons III	Mission	Veneto (11" std.)
Barolo	Four Seasons III Gallery	Modena II	Verrazano (6" std.)
Bel Air	Four Seasons III Outsider	New Orleans Centennial	Vicente (11" std.)
Bel Air Halo (7" std.)	Heritage (5" std.)	19th Century (12" std.)	Victorian
Brescia	Holliston (3" std.)	Panama	Vita (5" std.)
Bungalow (3" std.)	Key Largo II (3" std.)	S3	Wailea
Candelier II (9" std.)	La Fleur (5" std.)	Star	Whitman (5" std.)
Capistrano	Lanai	Starlet	

### 19TH CENTURY OUTER SLEEVE (RS69XX)


Sleeve must be ordered with appropriate extension pipe:

8" sleeve for 12" pipe, 14" sleeve for 18" pipe, 20" sleeve for 24" pipe, 26" sleeve for 30" pipe, 32" sleeve for 36" pipe, 44" sleeve for 48" pipe, 56" sleeve for 60" pipe, 68" sleeve for 72" pipe.

### EXTENSION DOWNROD LENGTHS (MODEL PL\*XX)

6", 12", 18", 24", 36", 48", 60", 72" and 96" (\* finish to match fan, xx= downrod length). See ceiling height/downrod length guide below.

### SUGGESTED EXTENSION DOWNRODS



*Note: For best performance and appearance, an extension downrod should be used with your Casablanca fan when installing on a high or sloped ceiling. Casablanca offers extension downrods in lengths up to 8' (96"). The chart lists the most common ceiling heights and suggested downrod lengths. For safety reasons, the fan blades must be a minimum of 7 feet above the floor. For more information, see your Casablanca dealer.*

*Gallery Edition models include coordinating blades, light fixture and glass. Fans with the notation "Requires Additional Hanging Support" are packaged with the necessary hardware.*



## WHERE TO BUY

To experience The Casablanca Difference, visit an authorized Casablanca dealer in your area and discover the abundance of style, finish, function and accessory options that have made the Casablanca name synonymous with the World's Finest Ceiling Fans™.

Our dealers' trained Casablanca specialists work with customers to select or build a product that is a seamless fit with each individual's lifestyle and environment. And Casablanca's customer support team and nationwide network of Authorized Service Centers are just a phone call or a click away.

To find a retailer near you or shop online, call 1-800-715-0393 toll-free, or visit [www.CasablancaFanCo.com](http://www.CasablancaFanCo.com).





7130 GOODLETT FARMS, SUITE 400

MEMPHIS, TN 38016

1.800.715.0393

[WWW.CASABLANCAFANCO.COM](http://WWW.CASABLANCAFANCO.COM)

TWELVE DOLLARS  
PRINTED IN THE U.S.A.

©2012 CASABLANCA FAN COMPANY