# wiSCAPE™ Gateway Cellular Modem

## **WIRELESS OUTDOOR LIGHTING CONTROLS**







WIR-MOD-GPRS

# PROJECT INFORMATION Project Name Catalog No. Date

The wiSCAPE Gateway Cellular Modem is a secure Ethernet modem ideal for customers requiring 24/7 broadband connectivity. With simple installation and configuration requirements, the Gateway Cellular Modem is designed to handle robust, fixed applications requiring broadband communication speeds and bandwidth.

# **PRODUCT FEATURES**

- Persistent 3G Network
- Connectivity
- Low Power Consumption
- Compact Size for Easy Integration
- Rugged Aluminum Case
- Remote Management and Configuration
- Five-year limited





### **General Specifications**

Security IPsec VPN

**GRE Tunneling** 

Events Reporting Engine Routing Protocols Highly Configurable

Technology HSUPA with fallback to:

HSDPA, UMTS, EDGE, GPRS, GSM EV-DO Rev. A with fallback to: CDMA, EV-DO Rev. 0, CDMA 1x, CDMA IS-95

Bands Tri-Band UMTS/HSDPA/HSUPA, 850, 1900, 2100 MHz

Quad-Band GPRS/EDGE, 850, 900, 1800, 1900 MHz

Dual-Band EV-DO Rev. A, 800, 1900 MHz

Quad-Band UMTS/HSDPA/HSUPA, 850, 900, 1900, 2100 MHz

Host interfaces Ethernet: 10/100 BASE-T RJ-45

USB Type B5 Pin Mini

Antenna Connections Cellular - 50 Ohm SMA

Receive Diversity 50 Ohm SMA

I/O Ports 2

LED Indicators Network

Signal Activity Power

Operating Temperature  $-22^{\circ}F$  to  $158^{\circ}F$  ( $-30^{\circ}$  to  $+70^{\circ}C$ ) Storage Temperature  $-40^{\circ}F$  to  $185^{\circ}F$  ( $-40^{\circ}$  to  $+85^{\circ}C$ )

Dimensions 3.0 in x 1.1 in x 3.7 in

Weight 7.1 oz

Certifications FCC
RoHS

PTCRB CE

Warranty Five-year limited

#### **Ordering Information**

WIR-MOD-GPRS

MODEL

WIR-MOD-GPRS GPRS Cell Modem add-on option for

wiSCAPE™ Gateways

