

CONDUIT

Flexible Conduit

Cantex412
Carlson412-413
AFC Cable Systems414-415

Conduit Fittings

Elbows & Connectors416-449
Couplings & Adapters450-460
Locknuts & Bushings461-464
Reducers465-468
Nipples469
Entrance Caps470
Flashings471
Seals472-473
End Caps, Blanks & Plugs474-475

Conduit Bodies & Boxes

Conduit Bodies476-481
Outlet Boxes482-485
Covers486

Conduit Supports

Clamps487-491
Straps492-496
Hangers497-500
Supports501-502
Cement & Fiber Filler503

FLEXIBLE CONDUIT



Cantex

Enviro-Flex Liquidtight Conduit

Enviro-Flex offers advantages compared to metal conduit: Enviro-Flex costs less to install. It is easy to cut with no jagged edges, is less than 1/2 the weight of metal and can utilize all existing liquidtight fittings. Enviro-Flex is more flexible and its smooth inner bore makes pulling wires easier than ever. Enviro-Flex is waterproof, acid, oil, alkaline, and corrosion resistant. It is non-conductive, self-extinguishing, extremely resistant to crush, abrasion, and strain. UL listed for constant use at maximum 60°C (140°F) and for sunlight resistance.

Model No.	Hughes No.	Conduit Size (In.)	Reel Length (ft.)	Unit	List Price
V06ADA1	HBX370	3/8	100	Reel	Call
V06AEA1	HBX601	1/2	100	Reel	Call
V06AGA1	HBX602	3/4	100	Reel	Call
V06BAA1	HEJX260	1	100	Reel	Call
V06BCN1	HBX567	1-1/4	50	Reel	Call
V06BEN1	HBX568	1-1/2	50	Reel	Call
V06CAN1	HBX569	2	50	Reel	Call



EZ Flex Coils and Reels

Model No.	Conduit Size (In.)	Length (ft.)	Unit	List Price
A51AEB1	1/2	200	Coil	Call
A51AGA1	3/4	100	Coil	Call
A51AEQ1	1/2	1500	Reel	Call
A51AGJ1	3/4	1000	Reel	Call
A51BAJ1	1	1000	Reel	Call



Carlon®

Flex-Plus® Blue™ ENT Conduit



Standard Stock – Reels

Flex-Plus Blue ENT is a nonmetallic flexible raceway for use in walls, floors, and non-plenum ceilings. It's light-weight, hand bendable, and free from sharp edges, which reduces installation time and saves money.

Standards: UL listed.

- Yellow color for communication circuits and signaling cable
- Red color for fire alarm circuits
- Blue color for power circuits

Model No.	Hughes No.	Color	Reel Length (ft.)	Unit	List Price
1/2", Inner Diameter: .56", Outer Diameter: .84", Minimum Bend Radius: 6"					
12005AK-001	HDVT836	Blue	1500	EA	Call
1205AKY-001	HECP150	Yellow	1500	EA	Call
1205AKR-001	HECP149	Red	1500	EA	Call
3/4", Inner Diameter: .76", Outer Diameter: 1.05", Minimum Bend Radius: 6"					
12007AA-001	HECJ644	Blue	1000	EA	Call
1207AAY-001	HEDP716	Yellow	1000	EA	Call
1207AAR-001	HEDQ448	Red	1000	EA	Call
1", Inner Diameter: 1.00", Outer Diameter: 1.315", Minimum Bend Radius: 6"					
12008-750	HDUB041	Blue	750	EA	Call
12008Y-750	HECP148	Yellow	750	EA	Call
12008R-750	HEDQ447	Red	750	EA	Call
1-1/4", Inner Diameter: 1.402", Outer Diameter: 1.66", Minimum Bend Radius: 7"					
12009-750	HECO328	Blue	750	EA	Call
1-1/2", Inner Diameter: 1.554", Outer Diameter: 1.90", Minimum Bend Radius: 8-1/4"					
12010-750	HECO330	Blue	750	EA	Call
2", Inner Diameter: 2.030", Outer Diameter: 2.375", Minimum Bend Radius: 9-1/2"					
12011-500	HECO329	Blue	500	EA	Call
12011R-500	HEDP904	Red	500	EA	Call

Carlon®
LAMSON & SESSIONS




Carlon®
Flex-Plus® Blue™ ENT Conduit
Standard Stock – Coils



Flex-Plus Blue ENT is a nonmetallic flexible raceway for use in walls, floors, and non-plenum ceilings. It's light-weight, hand bendable, and free from sharp edges, which reduces installation time and saves money. Standards: UL listed

- Yellow color for communication circuits and signaling cable
- Red color for fire alarm circuits
- Blue color for power circuits

Model No.	Hughes No.	Color	Coil Length (ft.)	Unit	List Price
1/2", Inner Diameter: .56", Outer Diameter: .84", Minimum Bend Radius: 6"					
12005-200	HECP449	Blue	200	EA	Call
12005Y-200	HECJ684	Yellow	200	EA	Call
12005R-200	HECP016	Red	200	EA	Call
3/4", Inner Diameter: .76", Outer Diameter: 1.05", Minimum Bend Radius: 6"					
12007-100	HECP774	Blue	100	EA	Call
12007Y-100	HEFT389	Yellow	100	EA	Call
12007R-100	HECP147	Red	100	EA	Call
1", Inner Diameter: 1.00", Outer Diameter: 1.315", Minimum Bend Radius: 6"					
12008-100	HEFY159	Blue	100	EA	Call
12008Y-100	HECN070	Yellow	100	EA	Call
12008R-100	HECW364	Red	100	EA	Call



Carlon®
Carflex® Liquidtight
Rigid Nonmetallic Conduit



Carflex Liquidtight Flexible Nonmetallic Conduit provides superior wire protection in harsh, damp environments. Carflex Conduit is nonconductive, noncorrosive, and resistant to oil acid, ozone, and alkaline. Carflex Conduit is strong and lightweight, and because it weighs 50% less than metallic systems, it's easy to handle, transport and install. Carflex is ideal for industrial, air conditioning, heating and outdoor lighting applications.

- Sunlight resistant
- UL listed for outdoor use
- Nonconductive and noncorrosive
- Lightweight for easy handling, transportation, and installation
- Crush-, abrasion- and strain- resistant
- Provides superior wire protection
- Smooth interior ideal for pulling cable
- No jagged edges
- Maintains internal I.D. even in tight radius bends
- Type LFNC-B

Model No.	Hughes No.	Conduit Size (In.)	Length (Ft.)	Unit	List Price
Coils					
15005-100*	HDYY706	1/2"	100	EA	Call
15007-100*	HDZA115	3/4"	100	EA	Call
15008-100*	HDXT374	1"	100	EA	Call
15009-100	HECN704	1-1/4"	100	EA	Call
15010-100	HECN594	1-1/2"	100	EA	Call
15011-050	HECJ485	2"	50	EA	Call
Reels					
15005-001	HDYZ278	1/2"	1000	EA	Call
15007-001	HDZA483	3/4"	1000	EA	Call
15008-500	HDZA927	1"	500	EA	Call
15009-200	HECP151	1-1/4"	200	EA	Call
15010-150	HECP152	1-1/2"	150	EA	Call
15011-100	HECN741	2"	100	EA	Call

Available in black and gray. Consult Hughes Supply representative for custom colors.

* Joint listed UL/CSA Approved product available

Conduit

Some products not available at all locations. Check with your local HD Supply representative for product availability.

FLEXIBLE CONDUIT



AFC Cable Systems® Liquid-tight Flexible Metal Conduit UL Liquidtight Liquid-Tuff™ Type LFMC

- UL bonded strip 3/8" – 1-1/4"
- UL Liquidtight all sizes
- Sunlight resistant
- Flame retardant PVC jacket
- Hot dipped zinc galvanized low carbon steel core
- Blue PVC jacket
- Raised computer room floors per NEC® 645.5(D)
- 600 volt and lower circuits
- Direct burial in earth
- Concrete embedment
- Suitable for grounding per NEC® 250.118(7)
- Hazardous location per NEC® 501


Model No.	Hughes No.	Conduit Size (In.)	Length (Ft.)	Bend Radius (in.)	Unit	List Price
6402-30-00	HGJB585	1/2	100'	3.25	Coil	Call
6402-45-00	HGJB586	1/2	500'	3.25	Reel	Call
6402-60-00	HGJB587	1/2	1000'	3.25	Reel	Call



Flexible Metal Conduit Reduced Wall Aluminum

- Premium aluminum alloy
- Interlocking design
- Flexible metal raceway for electrical power, control and communication cables
- Motor leads
- Listed assemblies
- Listed wire fixtures
- Manufactured wiring systems

Model No.	Hughes No.	Conduit Size (In.)	Length (Ft.)	Bend Radius (in.)	Unit	List Price
5601-30-00	HGJB062	3/8	100'	2	coil	Call
5602-22-00	HGJB066	1/2	25'	3	coil	Call
5602-24-00	HGJB067	1/2	50'	3	coil	Call
5602-30-00	HGJB068	1/2	100'	3	coil	Call
5603-24-00	HGJB073	3/4	50'	4	coil	Call
5603-30-00	HGJB074	3/4	100'	4	coil	Call
5604-24-00	HGJB078	1	50'	5	coil	Call
5605-24-00	HGJB080	1-1/4	50'	6.25	coil	Call
5606-22-00	HGJB082	1-1/2	25'	7.50	coil	Call
5607-22-00	HGJB083	2	25'	10	coil	Call
5608-22-00	HGJB084	2-1/2	25'	12.50	coil	Call
5609-22-00	HGJB085	3	25'	15	coil	Call



Liquid-tight Flexible Metal Conduit Non-UL Liquidtight, Liquid-Tuff™ Type LFMC-VF

- General wiring applications
- Mechanical and moisture protection for conductors
- Sunlight resistant
- Flame retardant PVC jacket
- Hot dipped zinc galvanized low carbon steel core
- Very flexible
- 600 volt and lower circuits
- Industrial and machine tool applications
- Vibration and movement absorbing

Model No.	Hughes No.	Conduit Size (In.)	Length (Ft.)	Bend Radius (in.)	Unit	List Price
6101-30-00	HGJB088	3/8	100'	2	coil	Call
6102-30-00	HGJB091	1/2	100'	3.25	coil	Call
6103-30-00	HGJB094	3/4	100'	4.25	coil	Call
6104-30-00	HGJB097	1	100'	6.5	coil	Call
6105-24-00	HGJB098	1-1/4	50'	8	coil	Call
6106-24-00	HGJB100	1-1/2	50'	9	coil	Call
6107-24-00	HGJB101	2	50'	11.12	coil	Call
6108-22-00	HGJB102	2-1/2	25'	14.62	coil	Call
6109-22-00	HGJB103	3	25'	17.5	coil	Call
6120-22-00	HGJB567	3-1/2	25'	20	coil	Call
6110-22-00	HGJB104	4	25'	24	coil	Call



Extra Flexible Conduit

- Non-UL
- High grade galvanized low carbon steel
- Interlocking design
- Corrosion resistant
- Flexible metal raceway for electrical power, control and communication cables
- Motor leads

Model No.	Hughes No.	Conduit Size (In.)	Length (Ft.)	Bend Radius (in.)	Unit	List Price
5201-42-00	HGJB013	3/8	250'	2	coil	Call
5201-45-00	HGJB014	3/8	500'	2	reel	Call
5201-60-00	HGJB015	3/8	1000'	2	reel	Call




AFC Cable Systems®

Reduced Wall Flexible Steel Conduit

- High grade hot dipped zinc galvanized low carbon steel
- Interlocking design
- Corrosion resistant
- Flexible metal raceway for electrical power, control and communication cables
- Motor leads
- Listed assemblies
- Listed wire fixtures
- Manufactured wiring systems

Model No.	Hughes No.	Conduit Size (In.)	Length (Ft.)	Bend Radius (in.)	Unit	List Price
5501-30-00	HGJB036	3/8	100'	2	Coil	Call
5502-22-00	HGJB040	1/2	25'	3	Coil	Call
5502-24-00	HGJB041	1/2	50'	3	Coil	Call
5502-30-00	HGJB042	1/2	100'	3	Coil	Call
5502-45-00	HGJB043	1/2	—	3	Coil	Call
5502-60-00	HGJB044	1/2	—	3	Coil	Call
5503-24-00	HGJB046	3/4	50'	4	Coil	Call
5503-30-00	HGJB047	3/4	100'	4	Coil	Call
5504-24-00	HGJB050	1	50'	5	Coil	Call
5505-24-00	HGJB052	1-1/4	50'	6.25	Coil	Call
5506-22-00	HGJB054	1-1/2	25'	7.50	Coil	Call
5507-22-00	HGJB055	2	25'	10	Coil	Call
5508-22-00	HGJB056	2-1/2	25'	12.50	Coil	Call
5509-22-00	HGJB057	3	25'	15	Coil	Call
5510-22-00	HGJB058	3-1/2	25'	17.50	Coil	Call
5511-22-00	HGJB059	4	25'	20	Coil	Call

Note: All dimensions and weights are subject to normal manufacturing tolerances.



Power and Appliance Whips Metallic



- Conduit: Galvanized type RW steel flexible metal conduit
- Conductors: THHN 14AWG and larger 18 & 16AWG TFN/TFFN
- Maximum temperature rating: 90°C (dry)
- Grounding: NEC 250.118(5) many styles with green grounding conductor
- Maximum voltage rating: 600V
- Connectors: Screw-in, die-cast connector is standard
- Connectors are U.L. listed for grounding - 600V
- Units per package: 30

Model No.	Hughes No.	Description	Wire Size (AWG)	Unit	List Price
4522-21	HGJB506	Solid conductor	18-3	EA	Call
4502-21	HGJB494	Solid conductor	14-3	EA	Call
4503-21	HGJB496	Solid conductor	14-4	EA	Call
4622-21	HGJB529	Stranded conductor	18-3	EA	Call
4602-21	HGJB518	Stranded conductor	14-3	EA	Call
4679-21	HGJB535	Stranded conductor	3-Dec	EA	Call
4603-21	HGJB520	Stranded conductor	14-4	EA	Call



Cantex Enviro-Flex Straight Connectors



Enviro-Flex gives complete environmental protection for exposed cable installations and is ideal for use with control and motor applications, machinery tools, moving machinery, console wire, transformer connections, outdoor lighting, air conditioning and heating. Enviro-Flex is waterproof, acid, oil, alkaline, and corrosion resistant. It is non-conductive, self-extinguishing, extremely resistant to crush, abrasion, and strain. UL listed for constant use at maximum 60°C (140°F) and for sunlight resistance.

Model No.	Hughes No.	Conduit Size (In.)	Package Qty.	Unit	List Price
6441000	HEJW510	3/8	100	Pack	Call
6441001	HEGQ526	1/2	100	Pack	Call
6441002	HEGQ527	3/4	50	Pack	Call
6441003	HEGQ508	1	25	Pack	Call
6441004	HEJV194	1-1/4	25	Pack	Call
6441005	HEJV199	1-1/2	10	Pack	Call
6441006	HEJV203	2	10	Pack	Call



Enviro-Flex 90-Degree Connectors



Enviro-Flex gives complete environmental protection for exposed cable installations and is ideal for use with control and motor applications, machinery tools, moving machinery, console wire, transformer connections, outdoor lighting, air conditioning and heating. Enviro-Flex is waterproof, acid, oil, alkaline, and corrosion resistant. It is non-conductive, self-extinguishing, extremely resistant to crush, abrasion, and strain. UL listed for constant use at maximum 60°C (140°F) and for sunlight resistance.

Model No.	Hughes No.	Conduit Size (In.)	Package Qty.	Unit	List Price
5441000	HEJW504	3/8	50	Pack	Call
5441001	HEGQ524	1/2	50	Pack	Call
5441002	HEGQ525	3/4	50	Pack	Call
5441003	HEGQ506	1	25	Pack	Call
5441004	HEJV182	1-1/4	25	Pack	Call
5441005	HEJV187	1-1/2	10	Pack	Call
5441006	HEJV191	2	10	Pack	Call



90° Elbows - Plain End Schedule 80

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
5121054	HEGQ427	3/4	Pack	Call
5121055	HEGQ428	1	Pack	Call
5121056	HEGQ429	1-1/4	Pack	Call
5121057	HEGQ539	1-1/2	Pack	Call
5121058	HEGQ540	2	Pack	Call
5121059	HEGQ541	2-1/2	Pack	Call
5121060	HEGQ542	3	Pack	Call
5121061	HEGQ437	4	Pack	Call



Special Radius Elbows - Plain End Schedule 80

Model No.	Hughes No.	Conduit Size (In.)	Radius (in.)	Unit	List Price
5121099	HEJV471	2	18	EA	Call
5121079	HEJV395	3	18	EA	Call
5121020	HEJV307	3	24	EA	Call
5121081	HEGQ398	3	36	EA	Call
5121023	HEGQ397	4	36	EA	Call
5121024	HEJV329	4	48	EA	Call
5121083	HEJV430	5	36	EA	Call
5121026	HEJV340	6	48	EA	Call

Larger radii and other degree bends available upon request.



Cantex

**Special Radius Elbows - Plain End
Schedule 40**

Model No.	Hughes No.	Conduit Size (In.)	Angle (Degrees)	Radius (in.)	Unit	List Price
5133846	HEJV785	1	90	18	EA	Call
5133859	HEGQ417	1	90	24	EA	Call
5133866	HEJV858	1-1/2	90	36	EA	Call
5133873	HEGQ418	1-1/2	90	24	EA	Call
5133884	HEJV952	1-1/4	90	36	EA	Call
5133778	HEGQ399	2	45	36	EA	Call
5133815	HEJV709	2	45	24	EA	Call
5133876	HEGQ419	2	90	48	EA	Call
5133848	HEGQ414	2	90	36	EA	Call
5133836	HEGQ408	2	90	24	EA	Call
5134010	HDWF026	2-1/2	45	48	EA	Call
5133935	HEJW093	2-1/2	45	24	EA	Call
5133857	HEGQ416	2-1/2	90	36	EA	Call
5133847	HEGQ413	2-1/2	90	24	EA	Call
5133779	HEGQ400	3	45	36	EA	Call
5133799	HFEF846	3	45	18	EA	Call
5133817	HEGQ403	3	90	48	EA	Call
5133820	HEGQ405	3	90	36	EA	Call
5133837	HEGQ409	3	90	24	EA	Call
5133845	HEJV778	3	22-1/2	18	EA	Call
5133777	HEJV544	4	45	36	EA	Call
5133854	HFEF416	4	90	60	EA	Call
5133843	HEGQ412	4	90	48	EA	Call
5133821	HEGQ406	4	90	36	EA	Call
5133822	HEGQ407	4	90	24	EA	Call
5133841	HEGQ410	5	90	36	EA	Call
5133806	HEJV664	6	45	60	EA	Call
5133813	HEJV697	6	45	48	EA	Call
5133905	HEGQ423	6	22-1/2	36	EA	Call
5133880	HEGQ421	6	45	36	EA	Call
5133877	HEGQ420	6	90	36	EA	Call



**Special Radius Elbows - Bell End
Schedule 40**

Model No.	Hughes No.	Conduit Size (In.)	Angle (Degrees)	Radius (in.)	Unit	List Price
5233848	HEJW246	2	90	36	EA	Call
5233876	HEJW307	2	90	48	EA	Call
5233935	HEJW197	2-1/2	45	24	EA	Call
5233801	HEJW261	2-1/2	45	36	EA	Call
5233847	HEJW189	2-1/2	90	24	EA	Call
5233857	HEJW256	2-1/2	90	36	EA	Call
5233837	HEJW201	3	90	24	EA	Call
5233930	HEJW267	3	90	36	EA	Call
5233812	HEJW243	4	45	24	EA	Call
5233777	HEJW210	4	45	36	EA	Call
5233822	HEJW235	4	90	24	EA	Call
5233842	HEGQ424	4	90	36	EA	Call
5233781	HEJW358	5-1/2	45	48	EA	Call
5233841	HEJW216	5-1/2	90	36	EA	Call
5233877	HEJW304	6	90	36	EA	Call
5233816	HEJW365	6	90	48	EA	Call

Conduit



**Elbows for Type EB & DB Duct
TC6**

Model No.	Hughes No.	Conduit Size (In.)	Angle (Degrees)	Unit	List Price
5123866	HBYW074	2	90	EA	Call
5123867	HBYW075	2	90	EA	Call
5123868	HBYX279	2	90	EA	Call
5123870	HBYX281	3	90	EA	Call
5123872	HBYX283	3	90	EA	Call
5123772	HBYX261	3	45	EA	Call
5123875	HBYX284	4	90	EA	Call
5123876	HBYX285	4	90	EA	Call
5123776	HBYX263	4	45	EA	Call
5123880	HBYX302	5	90	EA	Call
5123794	HBYX272	6	45	EA	Call
5123733	HFEF367	6	11-1/4	EA	Call



**Special Radius Elbows for Type EB & DB Duct
TC8 - Belled End**

Model No.	Hughes No.	Conduit Size (In.)	Angle (Degrees)	Radius (in.)	Unit	List Price
5125881	HFEF404	2	90	24	EA	Call
5125869	HFEF394	2	90	36	EA	Call
5125740	HFEF375	2	90	48	EA	Call
5125872	HFEF396	3	90	36	EA	Call
5125876	HFEF399	4	90	36	EA	Call
5125776	HFEF385	4	45	36	EA	Call
5125884	HFEF405	6	90	36	EA	Call

Larger radii and other degree bends available upon request.



Carlon® Carflex® Omni Connectors Straight L/T Fitting



- Standards: cUL listed
- Available in sizes 3/8" through 1" conduit and tubing.
- All nylon construction resists salt water, weak acids, gasoline, alcohol, oil, grease and common solvents.
- No disassembly required.
- No threading of the conduit or tubing required to install.
- Complete Conduit/connector system is reusable.
- Suitable for indoor/outdoor use.

Model No.	Hughes No.	Conduit Size (In.)	Clearance Size (in.)	Thread Length (In.)	Unit	List Price
Black						
LT38	HCMG168	3/8"	.875 (22.2)	.625 (15.9)	EA	Call
LT50	HCMG170	1/2"	.875 (22.2)	.625 (15.9)	EA	Call
LT75	HCMG172	3/4"	1.109 (28.2)	.625 (15.9)	EA	Call
LT100	HCMG323	1"	1.375 (34.9)	.781 (19.8)	EA	Call
Gray*						
LT38G	HCMG169	3/8"	.875 (22.2)	.625 (15.9)	EA	Call
LT50G	HCMG171	1/2"	.875 (22.2)	.625 (15.9)	EA	Call
LT75G	HCMG173	3/4"	1.109 (28.2)	.625 (15.9)	EA	Call
LT100G	HCMG167	1"	1.375 (34.9)	.781 (19.8)	EA	Call

*Gray connectors provided with assembled o-ring and metal locknuts. Black connectors provided with nylon locknuts only.



Carflex® Omni Connectors 90 degree L/T Fitting



- Standards: cUL listed
- Available in sizes 3/8" through 1" conduit and tubing.
- Smooth internal surfaces for easier wire installation around corner angles.
- All nylon construction resists salt water, weak acids, gasoline, alcohol, oil, grease and common solvents.
- No disassembly required.
- No threading of the conduit or tubing required to install.
- Complete Conduit/connector system is reusable.
- Use of a sealing washer may be required for wet locations.
- Suitable for indoor/outdoor use.

Model No.	Hughes No.	Conduit Size (In.)	Clearance Size (in.)	Thread Length (In.)	Unit	List Price
Black						
LT938	HCMG176	3/8"	.875 (22.2)	.52 (13.2)	EA	Call
LT950	HCMG178	1/2"	.875 (22.2)	.52 (13.2)	EA	Call
LT975	HCMG325	3/4"	1.109 (28.2)	.52 (13.2)	EA	Call
LT9100	HCMG174	1"	1.375 (34.9)	.78 (19.8)	EA	Call
Gray						
LT938G	HCMG177	3/8"	.875 (22.2)	.52 (13.2)	EA	Call
LT950G	HCMG324	1/2"	.875 (22.2)	.52 (13.2)	EA	Call
LT975G	HCMG326	3/4"	1.109 (28.2)	.52 (13.2)	EA	Call
LT9100G	HCMG175	1"	1.375 (34.9)	.78 (19.8)	EA	Call



Carflex® Straight Fittings One-Piece Liquidtight Nonmetallic Fittings



The simple, one piece body design of the Carflex One Piece Liquidtight Nonmetallic Fitting requires no disassembly of components for installation. The system is so strong that there is no need for a compression nut.

PVC construction of the fitting and locknut provides unparalleled protection from water, oil and dust. Totally nonmetallic, the system is nonconductive and will not corrode or rust. Temperatures up to 140°F (60°C)

Standards: cUL listed

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LN43DA	HECN421	1/2 – 14 NPT	EA	Call
LN43EA	HECO498	3/4 – 14 NPT	EA	Call
LN43FA	HEHD855	1 – 11-1/2 NPT	EA	Call



Carflex® 90° Fittings One-Piece Liquidtight Nonmetallic Fittings



The simple, one piece body design of the Carflex One Piece Liquidtight Nonmetallic Fitting requires no disassembly of components for installation. The system is so strong that there is no need for a compression nut.

PVC construction of the fitting and locknut provides unparalleled protection from water, oil and dust. Totally nonmetallic, the system is nonconductive and will not corrode or rust. Temperatures up to 140°F (60°C)

Standards: cUL listed

Model No.	Hughes No.	Conduit Size (In.)	Thread Size	Unit	List Price
LN20DA	HDVU894	1/2 – 14 NPT	1/2 – 14 NPT	EA	Call
LN20EA	HECO500	3/4 – 14 NPT	3/4 – 14 NPT	EA	Call
LN20FA	HEHD854	1 – 11-1/2 NPT	1 – 11-1/2 NPT	EA	Call

"List Price" refers to manufacturer's suggested list price.
Prices subject to change without notice.



LT20E-NEW

LT20F



Liquidtight Nonmetallic Fittings

Carflex® 90° Fittings

Standards: UL listed.

For use with Carflex® conduit and Carflex® X-Flex™ conduit

- Nonconductive and Noncorrosive
- Resistant to oil, acid, ozone, and alkaline
- Easy to install
- Nitrile rubber "O" ring for a liquidtight termination
- Temperatures up to 225°F (107°C)



Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LT20C-CAR	HECN399	3/8	EA	Call
LT20D-NEW	HDZD186	1/2	EA	Call
LT20E-NEW	HDZD199	3/4	EA	Call
LT20F	HDZD211	1	EA	Call
LT20G	HECO178	1-1/4	EA	Call
LT20H	HECO179	1-1/2	EA	Call
LT20J	HECN256	2	EA	Call



Liquidtight Nonmetallic Fittings

Carflex® Straight Fittings


Standards: cUL listed.

For use with Carflex® conduit and Carflex® X-Flex™ conduit

- Nonconductive and Noncorrosive
- Resistant to oil, acid, ozone, and alkaline
- Easy to install
- Nitrile rubber "O" ring for a liquidtight termination
- Temperatures up to 225°F (107°C)




Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LT43C-CAR	HECN398	3/8	EA	Call
LT43D-NEW	HDZC939	1/2	EA	Call
LT43E-NEW	HDZC669	3/4	EA	Call
LT43F	HDZD170	1	EA	Call
LT43G	HDVT291	1-1/4	EA	Call
LT43H	HEHD059	1-1/2	EA	Call
LT43J	HECN121	2	EA	Call



**Rigid Nonmetallic Conduit
Schedule 80 90° Elbow, Standard
Radius Plain End**

Standards: UL listed and ETL listed.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
UB9AD-CAR	HEDM623	1/2"	EA	Call
UB9AE-CAR	HECM919	1/2"	EA	Call
UB9AF-CAR	HEDQ574	1"	EA	Call
UB9AG	HEVJ395	1-1/4"	EA	Call
UB9AH	HEVJ396	1-1/2"	EA	Call
UB9AJ	HEVJ397	2"	EA	Call
UB9AK-CAR	HEDM625	2-1/2"	EA	Call
UB9AL-CAR	HECN124	3"	EA	Call
UB9AN	HECO643	4"	EA	Call
UB9AP	HECD537	5"	EA	Call
UB9AR	HEDP798	6"	EA	Call




**Rigid Nonmetallic Conduit
Schedule 80 90° Elbow, Special
Radius Plain End**

Standards: UL listed and ETL listed.

Model No.	Hughes No.	Nominal Diameter		Unit	List Price
		(in.)	Radius (in.)		
UB9CF	HEDQ268	1"	18"	EA	Call
UB9DF	HEDQ271	1"	24"	EA	Call
UB9FF	HECO800	1"	36"	EA	Call
UB9HF	HEDQ273	1"	48"	EA	Call
UB9CG	HEDQ269	1-1/4"	18"	EA	Call
UB9DG	HECO906	1-1/4"	24"	EA	Call
UB9FG	HECO907	1-1/4"	36"	EA	Call
UB9HG	HEDQ274	1-1/4"	48"	EA	Call
UB9CH	HECO899	1-1/2"	18"	EA	Call
UB9DH-UPC	HECO900	1-1/2"	24"	EA	Call
UB9FH	HECO901	1-1/2"	36"	EA	Call
UB9HH	HEDQ275	1-1/2"	48"	EA	Call
UB9CJ	HECO902	2"	18"	EA	Call
UB9DJ-UPC	HECO903	2"	24"	EA	Call
UB9FJ	HECO904	2"	36"	EA	Call
UB9HJ	HECO905	2"	48"	EA	Call
UB9CK	HEDQ270	2-1/2"	18"	EA	Call
UB9DK-UPC	HECO798	2-1/2"	24"	EA	Call
UB9FK	HECO799	2-1/2"	36"	EA	Call
UB9HK	HECO908	2-1/2"	48"	EA	Call
UB9CL	HECO909	3"	18"	EA	Call
UB9DL	HECO910	3"	24"	EA	Call
UB9FL	HECO911	3"	36"	EA	Call
UB9HL	HECO912	3"	48"	EA	Call
UB9DN	HECO913	4"	24"	EA	Call
UB9FN	HECO914	4"	36"	EA	Call
UB9HN	HECO915	4"	48"	EA	Call
UB9FP	HECO916	5"	36"	EA	Call
UB9HP	HECO917	5"	48"	EA	Call
UB9FR	HEDQ272	6"	36"	EA	Call
UB9HR	HECP146	6"	48"	EA	Call

Conduit



Conduit


Carlon®

**Rigid Nonmetallic Conduit
Schedule 40 90° Elbows, Special Radius Plain End**



Standards: UL listed.

Model No.	Hughes No.	Conduit Size (In.)	Radius (in.)	Unit	List Price
UA9DF	HECO689	1"	24"	EA	Call
UA9DG	HECO724	1-1/4"	24"	EA	Call
UA9DH	HECO675	1-1/2"	24"	EA	Call
UA9FH	HECO725	1-1/2"	36"	EA	Call
UA9DJ	HECP017	2"	24"	EA	Call
UA9FJ-UPC	HECO678	2"	36"	EA	Call
UA9DK	HECO898	2-1/2"	24"	EA	Call
UA9FK-UPC	HECO680	2-1/2"	36"	EA	Call
UA9DL	HECP142	3"	24"	EA	Call
UA9FL	HECO682	3"	36"	EA	Call
UA9DM	HEAZ527	3-1/2"	24"	EA	Call
UA9FM	HECN747	3-1/2"	36"	EA	Call
UA9DN	HECO685	4"	24"	EA	Call
UA9FN	HECO687	4"	36"	EA	Call
UA9HN	HECO688	4"	48"	EA	Call
UA9FP	HECO691	5"	36"	EA	Call
UA9HP	HECN863	5"	48"	EA	Call
UA9FR	HECO692	6"	36"	EA	Call
UA9HR	HECO693	6"	48"	EA	Call




**Rigid Nonmetallic Conduit
Access Pull Elbows**



Standards: UL listed.
Gasket Included.

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Unit	List Price
Dimensions (inches): .852 x .836 x 2.187 x .718					
E990D	HEVJ399	1/2	75	EA	Call
E990DR-CAR	HECJ582	1/2	25	EA	Call
Dimensions (inches): 1.064 x 1.046 x 2.531 x .781					
E990ER-CAR	HEDM621	3/4	20	EA	Call


Steel City®



Steel City® - T&B

Liquidtight Flexible Metal Conduit Connectors Straight Connectors

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LT-100	HBJY540	3/8"	EA	\$3.89
LT-101	HBJY652	1/2"	EA	3.73
LT-102	HBJY653	3/4"	EA	5.15
LT-103	HBJY654	1"	EA	7.90
LT-104	HBJY655	1-1/4"	EA	13.76
LT-105	HBJY711	1-1/2"	EA	19.58
LT-106	HBJY712	2"	EA	35.81



Liquidtight Flexible Metal Conduit Connectors Straight Connectors

Die-Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LT-200	HBJY784	3/8"	EA	\$3.70
LT-201	HBAK345	1/2"	EA	3.53
LT-202	HBJY785	3/4"	EA	5.36
LT-203	HBJY786	1"	EA	8.11
LT-205	HBJY788	1-1/2"	EA	20.60
LT-206	HBJY789	2"	EA	34.26
LT-207	HBJY819	2-1/2"	EA	115.19
LT-208	HBJY820	3"	EA	124.39
LT-209	HBJY821	3-1/2"	EA	154.12
LT-210	HBJY822	4"	EA	170.91


Some products not available at all locations. Check with your local HD Supply representative for product availability.



Liquidtight Flexible Metal Conduit Connectors 90° Connectors

Die-Cast Zinc


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LT-290	HBJY794	3/8"	EA	\$5.84
LT-291	HBAJ355	1/2"	EA	5.57
LT-292	HBJY795	3/4"	EA	8.63
LT-293	HBJY796	1"	EA	14.25
LT-294	HBJY797	1-1/4"	EA	23.65
LT-295	HBJY798	1-1/2"	EA	35.23
LT-296	HBJY799	2"	EA	48.22



Liquidtight Flexible Metal Conduit Connectors 90° Connectors

Malleable Iron/Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LT-490	HBJY830	3/8"	EA	\$5.81
LT-491	HBJY831	1/2"	EA	5.57
LT-492	HBJY833	3/4"	EA	8.66
LT-493	HBJY834	1"	EA	17.98




Armored Cable/Flexible Metallic Conduit Fittings Straight Set Screw Connectors

Die Cast Zinc – Noninsulated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
XC-220	HGZ0803	3/8" (1/2" KO)	EA	Call
XC-221	HBZ038	1/2"	EA	0.92


XC-220 and XC-221: U.L. File No. E-17909 3/8"
U.L. File No. E-1275 1/2"

Steel City®




Steel City® - T&B
Armored Cable/Flexible Metallic Conduit Fittings
Straight Squeeze Type Connectors
 Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
XC-269	HBJZ054	3/8" (1/2" KO)	EA	\$1.53
XC-270	HBJZ055	1/2"	EA	1.55
XC-272	HBJZ056	3/4"	EA	2.02
XC-273	HBJZ057	1"	EA	5.89
XC-274	HBJZ059	1-1/4"	EA	5.87
XC-275	HBJZ060	1-1/2"	EA	6.96
XC-276	HBJZ061	2"	EA	8.57
XC-277	HBJZ780	2-1/2"	EA	23.84
XC-278	HBKA061	3"	EA	33.60
XC-278A	HBKA062	3-1/2"	EA	120.24
XC-2710	HBJZ779	4"	EA	164.35




Armored Cable/Flexible Metallic Conduit Fittings
Straight Squeeze Type Connectors
 Malleable Iron or Stamped Steel / Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
XC-400	HBJZ073	3/8" (1/2" KO)	EA	\$2.28
XC-401	HBJZ074	1/2"	EA	2.22
XC-402	HBJZ075	3/4"	EA	2.57
XC-403	HBJZ076	1"	EA	5.53
XC-404	HBJZ077	1-1/4"	EA	8.97
XC-405	HBJZ078	1-1/2"	EA	12.44
XC-406	HBJZ079	2"	EA	17.18
XC-407	HBJZ080	2-1/2"	EA	32.99
XC-408	HBJZ081	3"	EA	45.37



Armored Cable/Flexible Metallic Conduit Fittings
90° Angle Squeeze Type Connectors
 Steel or Malleable Iron / Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
XC-490	HBJZ082	3/8" (1/2" KO)	EA	\$2.47
XC-491	HBJZ083	1/2"	EA	3.50
XC-492	HBJZ084	3/4"	EA	6.04
XC-493	HBJZ085	1"	EA	10.09
XC-494	HBJZ086	1-1/4"	EA	18.73
XC-495	HBJZ087	1-1/2"	EA	32.48
XC-496	HBJZ088	2"	EA	39.28
XC-497	HBJZ089	2-1/2"	EA	107.89
XC-498	HBJZ090	3"	EA	141.82



Armored Cable/Flexible Metallic Conduit Fittings
Die Cast Zinc


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
XC-280	HBJZ058	3/8" (1/2" KO)	EA	\$0.82
XC-210	HBJZ036	3/8" (1/2" KO)	EA	1.91



Armored Cable/Flexible Metallic Conduit Fittings
90° Clamp Type Connectors
 Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
XC-290	HBJZ062	3/8" (1/2" KO)	EA	\$1.48
XC-291	HBJZ063	1/2"	EA	3.04
XC-292	HBJZ064	3/4"	EA	4.71
XC-293	HBJZ015	1"	EA	5.99
XC-294	HBKA064	1-1/4"	EA	10.30
XC-295	HBKA065	1-1/2"	EA	19.57
XC-296	HBKA066	2"	EA	20.63
XC-297	HBKA067	2-1/2"	EA	97.95
XC-298	HBKA068	3"	EA	130.35
XC-299	HBKA069	3-1/2"	EA	215.08
XC-2910	HBKA063	4"	EA	347.54

Steel City®




Steel City® - T&B

Armored Cable/Flexible Metallic Conduit Fittings

Cable Lok

Simple, one-piece installation with no locknuts.
Screw designed for exceptional pullout resistance.
Captive screw ensures that the screw is intact for installation and resists backing out after installation.
Corrosion-resistant, zinc-chromatic plating.

Model No.	Hughes No.	Size Range (In.)	Unit	List Price
XC-730	HBYZ406	.450"/.610"	EA	\$1.36



Rigid/Intermediate Grade Conduit Fittings


Threadless Compression Connectors

Suggested use – rigid conduit only.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HC-401	HBZY646	1/2"	EA	\$3.41
HC-402	HBZY248	3/4"	EA	5.12
HC-403	HBZY249	1"	EA	8.02
HC-404	HBZY647	1-1/4"	EA	14.44
HC-405	HBZY648	1-1/2"	EA	19.91
HC-406	HBZY662	2"	EA	39.02
HC-407	HBZY663	2-1/2"	EA	122.90
HC-408	HBZY664	3"	EA	161.22
HC-409	HBZY665	3-1/2"	EA	247.16
HC-410	HBZY666	4"	EA	265.20



See page 618 for Electric Conduit Benders




Rigid/Intermediate Grade Conduit Fittings

Set Screw Connectors

One Set Screw or Two
Two set screws starting at 2" Trade Size
Suggested use – rigid conduit only

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HC-101	HBZY636	1/2"	EA	\$2.61
HC-102	HBZY637	3/4"	EA	3.61
HC-103	HBZY638	1"	EA	6.30
HC-104	HBZY639	1-1/4"	EA	10.26
HC-105	HBZY640	1-1/2"	EA	12.97
HC-106	HBZY641	2"	EA	25.24
HC-107	HBZY642	2-1/2"	EA	79.80
HC-108	HBZY643	3"	EA	92.38
HC-109	HBZY644	3-1/2"	EA	150.75
HC-110	HBZY645	4"	EA	183.45




Rigid/Intermediate Grade Conduit Fittings

Pull Corner Elbows

Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HL-601	HBZY695	1/2"	EA	\$5.05
HL-602	HBZY696	3/4"	EA	7.80
HL-603	HBZY697	1"	EA	14.08
HL-604	HBZY878	1-1/4"	EA	16.50



Thinwall Conduit Fittings (EMT)


EMT to EMT Set Screw Type

Die-Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TL-201	HBZY007	1/2"	EA	\$3.17
TL-202-SC	HCAD726	3/4"	EA	4.41
TL-203	HBKA030	1"	EA	13.57
TL-204	HBKA031	1-1/4"	EA	18.57

Conduit

Steel City®



Steel City® - T&B

Thinwall Conduit Fittings (EMT)

Set Screw Connectors

Die Cast Zinc, Noninsulated


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TC-221-SC	HBAG542	1/2"	EA	\$0.53
TC-222-SC	HBAG605	3/4"	EA	0.89
TC-223-SC	HBJY935	1"	EA	1.42
TC-224-SC	HBJY936	1-1/4"	EA	2.47
TC-225-SC	HBJY937	1-1/2"	EA	3.73
TC-226-SC	HBJY938	2"	EA	4.95
TC-227-SC	HBAG795	2-1/2"	EA	17.48
TC-228-SC	HBAG837	3"	EA	19.28
TC-229-SC	HBAG873	3-1/2"	EA	30.28
TC-2210-SC	HBAG916	4"	EA	30.99



Thinwall Conduit Fittings (EMT)

Compression Connectors, Steel

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Non-Insulated				
TC111A	HERL931	1/2"	EA	\$2.55
TC112A	HERL932	3/4"	EA	3.70
TC113A	HERL933	1"	EA	6.33
TC114A	HERL934	1-1/4"	EA	12.60
TC115A	HERL935	1-1/2"	EA	18.40
TC116A	HERL936	2"	EA	26.06
TC117A	HERL937	2-1/2"	EA	82.17
TC118A	HERL938	3"	EA	113.06
TC119A	HERL939	3-1/2"	EA	170.75
TC1110A	HERL940	4"	EA	173.07
Insulated				
TC711A	HERL945	1/2"	EA	3.28
TC712A	HERL946	3/4"	EA	4.48
TC713A	HERL947	1"	EA	7.86
TC714A	HERL948	1-1/4"	EA	16.29
TC715A	HERL949	1-1/2"	EA	24.66
TC716A	HERL950	2"	EA	34.13
TC717A	HERL951	2-1/2"	EA	130.83
TC718A	HERL952	3"	EA	178.36
TC719A	HERL953	3-1/2"	EA	273.78
TC7110A	HERL954	4"	EA	264.35



Thinwall Conduit Fittings (EMT)

Compression Connectors

Die Cast Zinc, Noninsulated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TC-211-SC	HBAG027	1/2"	EA	\$0.84
TC-212-SC	HGZ0791	3/4"	EA	Call
TC-213-SC	HBJY931	1"	EA	1.98
TC-214-SC	HBJY932	1-1/4"	EA	3.72
TC-215-SC	HBJY933	1-1/2"	EA	5.47
TC-216-SC	HBJY934	2"	EA	7.72
TC-217-SC	HBAG324	2-1/2"	EA	27.80
TC-218-SC	HBAG385	3"	EA	38.87
TC-219-SC	HBAG438	3-1/2"	EA	61.80
TC-2110-SC	HGZ0790	4"	EA	Call



Thinwall Conduit Fittings (EMT)

Set Screw Connectors, Steel

- Concrete Tight
- Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Non-Insulated				
TC121A	HBCS271	1/2"	EA	\$1.45
TC122A	HBCS277	3/4"	EA	2.33
TC123A	HERL913	1"	EA	4.32
TC124A	HERL914	1-1/4"	EA	8.04
TC125A	HERL916	1-1/2"	EA	13.00
TC126A	HERL915	2"	EA	17.60
TC127A	HERL941	2-1/2"	EA	52.91
TC128A	HERL942	3"	EA	63.04
TC129A	HERL943	3-1/2"	EA	83.43
TC1210A	HERL944	4"	EA	93.76
Insulated				
TC721A	HBCS284	1/2"	EA	1.97
TC722A	HBCS291	3/4"	EA	3.13
TC723A	HERL917	1"	EA	5.69
TC724A	HERL918	1-1/4"	EA	10.51
TC725A	HERL919	1-1/2"	EA	17.08
TC726A	HERL920	2"	EA	21.83
TC727A	HERL955	2-1/2"	EA	86.06
TC728A	HERL956	3"	EA	113.13
TC729A	HERL957	3-1/2"	EA	154.73
TC7210A	HERL958	4"	EA	165.70


Steel City®



Steel City® - T&B

Nonmetallic Sheathed Cable Fittings Hit Lock Connectors


Model No.	Hughes No.	Description	Unit	List Price
NC501-SC	HCHP230	1/2" Hit Lock Connector	EA	\$0.14
NC501DBL-SC	HCHP211	1/2" Double Hit Lock Connector	EA	0.29
NC502-SC	HCHP231	3/4" Hit Lock Connector	EA	0.34



Nonmetallic Sheathed Cable Fittings NM Clamp Type Connector

Die Cast Zinc


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
NC-201	HBZ995	3/8"	EA	\$1.01
NC-202	HBKA016	3/4"	EA	1.23
NC-203	HBKA017	1"	EA	2.05
NC-204	HBKA018	1-1/4"	EA	3.49
NC-205	HBKA019	1-3/8"	EA	4.11
NC-206	HBKA020	2"	EA	5.37



Nonmetallic Sheathed Cable Fittings Clamp Type Connector

Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
NC-301	HBZY872	3/8" (1/2" KO)	EA	\$0.54
NC-302	HBZY873	3/4"	EA	2.11
NC-303	HBZY874	1"	EA	3.90



Nonmetallic Sheathed Cable Fittings Tilt In Connector Metallic Steel – Electro-Galvanized


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
NC-850	HBKA021	1/2"	EA	\$0.51
NC-851	HBKA022	3/4"-1"	EA	0.77
NC-852	HBKA023	1-1/4"	EA	1.78
NC-853	HBKA024	1-1/2"	EA	2.39



for Retrofit



for Stucco & Textured Surfaces



for Rigid Siding

Save Time Look Great!

with Arlington's
Low Profile, Recessed
IN BOX™

You'll save time and money because Arlington's easy to install one-piece IN BOX™ eliminates the need to install an electrical box and a bubble cover assembly (or a siding block on siding).

Homeowners get a great-looking job because IN BOX installs in the wall – so less of it shows outside. **It won't protrude like this!...**




IN BOX, the non-metallic electrical box with a weatherproof-in-use clear or white cover, comes in a variety of styles.

There's an IN BOX for nearly any vertical or horizontal installation – retrofit, vinyl and rigid siding, stucco or textured surfaces, foam wall systems, brick, and concrete block and stucco.




Arlington

Scranton, PA 18517
800.233.4717 • Fax 570.562.0646
www.aifittings.com



for Vinyl Siding



for Stucco & Textured Surfaces



for Brick

IN BOX meets 2005 NEC, Section 406-8 Where a weatherproof-in-use cover is required for 15 or 20 amp receptacles installed outdoors.

Patents pending

©2005 Arlington Industries, Inc.



Arlington Industries

Connectors with Insulated Throat

Snap2It® All-Steel

For MC/HCF steel and aluminum cable

- AC/HCF steel and aluminum cable
- Flexible metal conduit steel and aluminum (regular and reduced wall)
- MC cable continuous corrugated aluminum.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
138AST	HATJ666	01380	3/8	1/2	.405-.612	EA	\$0.76
140AST*	HDWF064	00152	3/8	1/2	.485-.612	EA	0.64

*Provided with red tinted inside clip.

Snap2It® Connectors

With Insulated Throat and Red Tinted Inside Clip

Zinc die-cast. For MC/HCF steel and aluminum cable

- AC/HCF steel and aluminum cable
- Flexible metal conduit steel and aluminum (regular and reduced wall)
- MC cable continuous corrugated aluminum.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
38AST*	HEFR142	00070	3/8	1/2	.405-.612	EA	\$0.48
380AST*	HATJ662	00382	3/8	1/2	.405-.612	EA	0.48
45AST*	HATJ867	00045	1/2	1/2	.590-.840	EA	0.56
40AST	HATJ749	00041	3/8	1/2	.485-.612	EA	0.48
400AST	HATJ750	40347	3/8	1/2	.485-.612	EA	0.48
50AST	HATJ856	72300	1/2	1/2	.860-.920	EA	0.56

*Provided with insulated throat.

Duplex Connectors

Snap2It®

Zinc die-cast. For MC/HCF steel and aluminum cable

- AC/HCF steel and aluminum cable
- Flexible metal conduit steel and aluminum (regular and reduced wall)
- MC cable continuous corrugated aluminum.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
3838ST	HATJ657	10935	3/8	1/2	(2).405-.612	EA	\$1.13
3838AST*	HEFQ612	36230	3/8	1/2	(2).405-.612	EA	1.30
4040AST†	HATJ751	40351	3/8	1/2	(2).485-.612	EA	1.30

*Provided with insulated throat.

†Provided with insulated throat and red tinted inside clip.



Arlington Industries

Connectors

Nonmetallic

For use with nonmetallic liquid-tight conduit, type B only and flexible non-metallic tubing. Push on installation. Produced from UV rated plastic for long out door life.

- Provides a super-secure, liquid-tight seal
- Removable and reusable!



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
Snap2It®						
NMLT5	HATJ716	54576	1/2	1/2	EA	\$2.28
NMLT7	HATJ717	54577	3/4	3/4	EA	3.28
NMLT10	HATJ861	54102	1	1	EA	4.69
NMLT12	HGZN762	21150	1-1/4	1-1/4	EA	Call
NMLT15	HGZN764	21152	1-1/2	1-1/2	EA	Call
NMLT20	HGZN766	21154	2	2	EA	Call
90° Snap2It®						
NMLT905	HATJ718	54578	1/2	1/2	EA	3.61
NMLT907	HATJ719	54579	3/4	3/4	EA	5.50
NMLT9010	HEQM055	54104	1	1	EA	10.83
NMLT1290*	HGZN763	03906	1-1/4	1-1/4	EA	Call
NMLT1590*	HGZN765	03908	1-1/2	1-1/2	EA	Call
NMLT2090*	HGZN767	03910	2	2	EA	Call

Add suffix "BL" to Catalog # when ordering in black

*SNAP2IT Zero to 90°.

Conduit

Snap-Tite® Connectors

For steel and aluminum jacketed cables

With spring steel clip
Zinc die-cast



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
840ST	HCAA850	80070	3/8	1/2	.225-.612	EA	\$0.46
8400ST	HCAA852	80074	3/8	1/2	.225-.612	EA	0.58

Snap-Tite® Connector

For NM cable

With spring steel clip
Zinc die cast



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
841ST	HCAA849	80068	3/8	1/2	.225-.612	EA	\$0.47



Arlington Industries
EMT Snap-Tite® Connectors
 With spring steel clip

- Concrete tight
- Zinc die-cast



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
800ST	HCAA837	80025	1/2	1/2	EA	\$0.48
801ST	HCAA838	80027	3/4	3/4	EA	0.87

Add suffix "RH" for Robertson Head Screws.

Set-Screw Snap-Tite® Connectors
 With spring steel clip

For steel only Flex - AC - MC cable. Zinc die-cast.
 Not suitable for aluminum jacketed cables or aluminum flexible metal conduit.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
845AST*	HCAA915	80122	3/8	1/2	.445–.630	EA	Call

*Provided with insulated throat.

Connectors

For aluminum and steel Flex - AC - MC cable. Zinc die-cast



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
Saddlegrip® Snap-Tite®							
SG38AST*	HAHL890	80144	3/8	1/2	.405–.612	EA	\$0.47
SG50AST*	HCAA046	17501	1/2	1/2	.710–.910	EA	1.35
SG75AST*	HCAA050	17755	3/4	3/4	.840–1.110	EA	3.08
Duplex Saddlegrip® Snap-Tite®							
SG3838AST*	HALB286	36210	3/8	1/2	(2) .445–.612	EA	1.31

*Provided with insulated throat.



Arlington Industries EMT Compression Connectors

Zinc die-cast
UL listed concrete tight



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
Uninsulated						
820	HACY517	00820	1/2	1/2	EA	\$0.78
821	HACY520	00821	3/4	3/4	EA	0.86
822	HACY523	00822	1	1	EA	1.54
823	HACY526	00823	1-1/4	1-1/4	EA	3.19
824	HACY529	00824	1-1/2	1-1/2	EA	4.94
825	HACY530	00825	2	2	EA	7.11
826*	HAKB890	00826	2-1/2	2-1/2	EA	22.47
827*	HAKC112	00827	3	3	EA	29.66
828*	HBCB506	00828	3-1/2	3-1/2	EA	42.17
829*	HBCB557	00829	4	4	EA	46.02
With Insulated Throat						
820A	HAKB993	82010	1/2	1/2	EA	1.03
821A	HAKC410	82110	3/4	3/4	EA	1.27
822A	HAXI692	82210	1	1	EA	1.84
823A	HBBF705	82310	1-1/4	1-1/4	EA	4.69
824A	HAJF704	82410	1-1/2	1-1/2	EA	7.10
825A	HBCA803	82510	2	2	EA	10.18
826A*	HCAA542	82610	2-1/2	2-1/2	EA	44.52
827A*	HAJE748	82710	3	3	EA	53.56
828A*	HAJQ702	82810	3-1/2	3-1/2	EA	73.09
829A*	HCAA543	82910	4	4	EA	81.65

*Listed for use with steel and aluminum EMT, IMC and rigid conduit.



EMT Set-Screw Connectors

Zinc die-cast
Concrete tight

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
Uninsulated						
800	HACY739	00800	1/2	1/2	EA	\$0.50
801	HACY743	00801	3/4	3/4	EA	0.80
802	HACY745	00802	1	1	EA	1.29
803	HACY750	00803	1-1/4	1-1/4	EA	2.25
804*	HACY752	00804	1-1/2	1-1/2	EA	3.35
805*	HACY754	00805	2	2	EA	4.58
806**†	HBCB561	00806	2-1/2	2-1/2	EA	14.08
807**†	HBCB563	00807	3	3	EA	18.68
8075**†	HAYN994	08075	3-1/2	3-1/2	EA	24.27
808**†	HBCB566	00808	4	4	EA	25.66
With Insulated Throat						
800A	HAHN737	80010	1/2	1/2	EA	0.77
801A	HAGU643	80110	3/4	3/4	EA	1.18
802A	HAGU554	80210	1	1	EA	1.87
803A	HCAA943	80310	1-1/4	1-1/4	EA	4.27
804A*	HCAA946	80410	1-1/2	1-1/2	EA	5.30
805A*	HCAA954	80510	2	2	EA	7.70
806A**†	HCAA956	80610	2-1/2	2-1/2	EA	27.88
807A**†	HCAA957	80710	3	3	EA	36.35
8075A**†	HCAA958	80711	3-1/2	3-1/2	EA	46.37
808A**†	HAYS919	80810	4	4	EA	52.64

Add suffix "RH" for Robertson Head Screws.

*Concrete tight when taped.

†Listed for use with steel and aluminum EMT, IMC and rigid conduit.



Pull Elbows

Combination Threaded Rigid and Set-Screw EMT

90° pulling elbows with cover and gasket. Zinc die-cast. Arlington's combination hubs are threaded for rigid and include setscrews for EMT. The set-screws may be used for rigid, but are not necessary. They are listed raintight with rigid and concrete-tight when taped for EMT. These products can also be used for EMT to rigid.

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
HL5000	HAKR353	83105	1/2	EA	\$3.08
HL7500	HAKR385	83175	3/4	EA	3.49
HL100	HEGY172	50171	1	EA	9.44
HL125	HATJ630	50173	1-1/4	EA	12.46



Arlington Industries

NM Cable Connector

For NM cable

Zinc die-cast

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
841	HACY609	00841	3/8	1/2	.225-.612	EA	\$0.45



Nonmetallic Connectors

For use with nonmetallic liquid-tight conduit, type B only and flexible nonmetallic tubing. Produced from UV rated plastic for long outdoor life.

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
Screw-On Straight						
NMSC50	HBZZ910	21000	1/2	1/2	EA	\$1.81
NMSC75	HCAA115	21010	3/4	3/4	EA	2.79
Screw-On 90°						
NMSC9050	HCAA113	21007	1/2	1/2	EA	3.08
NMSC9075	HCAA114	21009	3/4	3/4	EA	4.79
Straight						
NMLT50	HBDB690	54500	1/2	1/2	EA	2.28
NMLT75	HBDB766	54750	3/4	3/4	EA	3.28
NMLT100	HBDB800	54100	1	1	EA	4.69
NMLT125	HBCA493	04223	1-1/4	1-1/4	EA	8.66
NMLT150	HAIQ993	04222	1-1/2	1-1/2	EA	11.91
NMLT200	HAIR176	04221	2	2	EA	20.75

Add suffix "BL" to Catalog # when ordering in black



Connectors 90° Nonmetallic

For use with nonmetallic liquid-tight conduit, type B only and flexible non-metallic tubing. 90° connector provides a smooth, gradual radius bend. Wiring is easily pulled or pushed through fitting and there are no sharp edges to strip wire. Produced from UV rated plastic for long outdoor life.

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
NMLT9050	HBDB873	54905	1/2	1/2	EA	\$3.61
NMLT9075	HBDB961	54907	3/4	3/4	EA	5.50
NMLT90100	HBDC035	54901	1	1	EA	10.83
NMLT90125	HBCA495	54912	1-1/4	1-1/4	EA	16.96
NMLT90150	HAIR200	54915	1-1/2	1-1/2	EA	20.75
NMLT90200	HBCB382	54920	2	2	EA	30.32

Add suffix "BL" to Catalog # when ordering in black.



Plastic Push-In Connectors For NM and flexible cord

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
NM841	HACT433	54841	1/2	1/2	EA	\$0.48
NM842	HAHG326	54842	3/4	3/4	EA	0.70
NM843	HAHG338	54843	1	1	EA	0.89
NM844	HATJ631	50175	1-1/4	1-1/4	EA	1.38

Conduit



Arlington Industries

Black Button™ Plastic Push-In Connectors For NM Cable



The Black Button is not only the lowest cost NM connector on the market, but offers the fastest method of installing single or multiple cables. Plus, the NM94 meets UL and CSA requirements for single or multiple cables.

- Two cables may be inserted together or individually.
- A second cable may be added without removing the first.

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
NM94	HAHG242	05488	3/8	1/2	EA	\$0.11
NM95	HEFX348	10956	3/4	3/4	EA	0.24
NM96	HGOQ028	72158	1	1	EA	0.21

Conduit



Gland-Type Service Entrance Cable Connectors Zinc die-cast

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Insulated Conductor Size (AWG)	Uninsulated Conductor Size (AWG)	Unit	List Price
WC1008	HCAA620	53108	1	8-1	8	EA	\$4.26
WC1253	HAWS477	53123	1-1/4	2-7	3	EA	8.80
WC1502	HALF248	53152	1-1/2	2/0-19	2/0	EA	11.31
WC2002	HCAA220	53202	2	2/0-19	2/0	EA	24.40
WC2004	HAWS349	53204	2	4/0-19	4/0	EA	24.38

Connectors

Low-Profile Strain Relief Cord

Arlington's Low Profile Cord Connector has a unique grommet with gripping fingers. These connectors have the largest cord range in the industry — so there are fewer items to stock. A liquid-tight seal and superior pullout resistance is accomplished by just tightening the nut. A sealing ring is furnished to assure a liquid-tight seal when installing in non-threaded openings.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Cord Diameter Range (in.)	Unit	List Price
LPCG50	HAHN876	80086	1/2	.200/.472	EA	\$1.44
LPCG507	HAHN956	50354	1/2	.385/.750	EA	1.73
LPCG757	HCAA353	36100	3/4	.385/.750	EA	2.17

When ordering in black, add suffix "BL" to catalog #.



Arlington Industries

Connectors

Straight Zinc Die-Cast

For use with metallic and nonmetallic liquid-tight conduit, type B.

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
Uninsulated						
LT50	HBBN273	32500	1/2	1/2	EA	\$2.27
LT75	HAFR427	32750	3/4	3/4	EA	3.89
LT100	HAFR528	32100	1	1	EA	7.20
LT125	HAFR743	32125	1-1/4	1-1/4	EA	11.74
LT150	HAFR137	32150	1-1/2	1-1/2	EA	16.83
LT200	HAXR821	32200	2	2	EA	25.26
With Insulated Throat						
LT38A	HCAA156	32381	3/8	1/2	EA	3.31
LT50A	HCAA158	32501	1/2	1/2	EA	3.31
LT75A	HCAA016	32751	3/4	3/4	EA	4.81
LT100A	HCAA151	32101	1	1	EA	7.44
LT125A	HCAA152	32121	1-1/4	1-1/4	EA	12.69
LT150A	HCAA153	32151	1-1/2	1-1/2	EA	17.55
LT200A	HCAA154	32201	2	2	EA	33.93
LT250	HBCA673	32250	2-1/2	2-1/2	EA	114.51
LT300	HAYK261	32300	3	3	EA	141.70
LT350	HBCA474	32350	3-1/2	3-1/2	EA	152.97
LT400	HBCA795	32400	4	4	EA	177.33



Connectors

90° Zinc Die-Cast

For use with metallic and nonmetallic liquid-tight conduit, type B.

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
LT9050	HAFQ641	32950	1/2	1/2	EA	\$4.39
LT9075	HAFQ733	32970	3/4	3/4	EA	5.68
LT90100	HAFQ248	32910	1	1	EA	14.10
LT90125	HAFQ845	32913	1-1/4	1-1/4	EA	24.29
LT90150	HAFQ948	32915	1-1/2	1-1/2	EA	28.21
LT90200	HAXR853	32920	2	2	EA	41.18
LT90250*	HBCA797	32925	2-1/2	2-1/2	EA	146.64
LT90300*	HBCA865	32930	3	3	EA	177.18
LT90350*	HBCA866	32935	3-1/2	3-1/2	EA	210.70
LT90400*	HBCA867	32940	4	4	EA	230.46

*Provided with insulated throat.



Cable Connectors

Zinc die-cast

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
For NM • SEU cable						
842	HACY639	00842	3/4	3/4	EA	\$1.34
843	HAGY777	00843	1	1	EA	2.03
844	HAGZ008	00844	1-1/4	1-1/4	EA	3.15
For NM • SEU cable						
843S	HACY665	84310	1	1	EA	2.03
844S	HACY693	84410	1-1/4	1-1/4	EA	3.15
848S	HACY575	84810	1-1/2	1-1/2	EA	4.90
849S	HACY723	84910	2	2	EA	6.10




Set-Screw Connectors

For steel only - Flex - AC -MC cable; zinc die-cast.

Not suitable for aluminum jacketed cables or aluminum flexible metal conduit.

Model No.	Hughes No.	UPC Code	Cable Dimensions (in.)	Unit	List Price
845	HAGV834	00845	.445-.630	EA	\$0.47



See page 415 for
Power and Appliance Whips

CONDUIT FITTINGS Elbows & Connectors



Arlington Industries

Squeeze Connectors

For Flex - AC - MC cable. Zinc die-cast.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
Uninsulated							
L42	HAIN391	34200	3/8	1/2	.530-.620	EA	\$0.86
L421	HAIN502	34210	1/2	1/2	.850-.910	EA	0.84
L422	HAIN671	34220	3/4	3/4	1.100-1.135	EA	1.36
L423	HAIN782	34230	1	1	1.255-1.375	EA	3.03
L424	HAIF212	34240	1-1/4	1-1/4	1.550-1.610	EA	6.55
L425	HAIF214	34250	1-1/2	1-1/2	1.810-1.895	EA	9.50
L426	HAIF251	34260	2	2	2.260-2.485	EA	13.46
L427	HAIF309	34270	2-1/2	2-1/2	2.770-2.950	EA	25.58
L428	HAIF311	34280	3	3	3.170-3.560	EA	35.68
L429	HBCB584	34290	3-1/2	3-1/2	3.630-4.155	EA	120.81
L4210	HBCB660	34211	4	4	4.030-4.635	EA	149.61
With Insulated Throat							
L421A	HBCB301	34212	1/2	1/2	.850-.910	EA	1.12
L422A	HCAA310	34213	3/4	3/4	1.100-1.135	EA	1.55
L423A	HCAA311	34214	1	1	1.255-1.375	EA	4.19
L424A	HCAA312	34215	1-1/4	1-1/4	1.550-1.610	EA	8.65
L425A	HCAA323	34216	1-1/2	1-1/2	1.810-1.895	EA	11.56
L426A	HCAA324	34217	2	2	2.260-2.485	EA	15.78
L427A	HCAA211	42700	2-1/2	2-1/2	2.770-2.950	EA	28.80
L428A	HCAA212	42800	3	3	3.170-3.560	EA	39.12
L429A	HCAA213	42900	3-1/2	3-1/2	3.630-4.155	EA	124.55
L4210A	HCAA418	42100	4	4	4.030-4.635	EA	160.83

Conduit

Connectors

For aluminum and steel Flex - AC - MC cable. Zinc die-cast.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
SG38*	HALB339	18065	3/8	1/2	.405-.612	EA	\$0.62
SG38A*†	HCAA923	80138	3/8	1/2	.405-.612	EA	0.78
SG50	HALB341	07500	1/2	1/2	.710-.910	EA	0.80
SG75A*	HCAA049	17751	3/4	3/4	.840-1.110	EA	2.40
SG3838A*	HCAA355	36205	3/8	1/2	(2) .445-.612	EA	1.98

*Provided with insulated throat.

†SG38 and SG38A are UL listed concrete tight when taped.

Connectors

Single Screw

For Flex - AC - MC - NM cable. Zinc die-cast.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
Duplex Connector							
846	HACY462	00846	3/8	1/2	.150-.612	EA	\$1.25
Duplex Snap-Tite®							
846AST*	HCAA842	80052	3/8	1/2	.150-.612	EA	1.47

*Provided with insulated throat.



Arlington Industries

90° Connectors

For aluminum and steel Flex - AC - MC cable. Zinc die-cast.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Cable Dimensions (in.)	Unit	List Price
Uninsulated							
850	HAIN866	00850	3/8	1/2	.440-.750	EA	\$0.98
851	HAIN969	00851	1/2	1/2	.635-1.085	EA	1.59
852	HBCB163	00852	3/4	3/4	.830-1.380	EA	2.81
853	HAIF436	00853	1	1	1.330-1.570	EA	7.67
854	HAIF438	00854	1-1/4	1-1/4	1.625-1.940	EA	10.85
855	HAIF442	00855	1-1/2	1-1/2	1.400-2.400	EA	30.86
856	HAIF444	00856	2	2	1.400-2.400	EA	31.42
857†	HAIF445	00857	2-1/2	2-1/2	2.600-3.100	EA	99.12
858†	HBAS731	00858	3	3	3.100-3.640	EA	130.91
858†	HAG0654	00859	3-1/2	3-1/2	3.380-4.220	EA	258.08
8510†	HBAT185	08510	4	4	3.730-4.550	EA	400.21
With Insulated Throat							
850A	HBBX475	85010	3/8	1/2	.440-.750	EA	1.35
851A	HCAB131	85110	1/2	1/2	.635-1.085	EA	1.85
852A	HCAB136	85210	3/4	3/4	.830-1.380	EA	3.18
853A	HCAB137	85310	1	1	1.330-1.570	EA	8.64
854A	HCAB138	85410	1-1/4	1-1/4	1.625-1.940	EA	13.39
855A	HCAB139	85510	1-1/2	1-1/2	1.400-2.400	EA	32.73
856A	HCAB140	85610	2	2	1.400-2.400	EA	44.84
857A†	HBZZ648	08571	2-1/2	2-1/2	2.600-3.100	EA	115.47
858A†	HBZZ649	08581	3	3	3.100-3.640	EA	138.39
859A†	HBZZ650	08591	3-1/2	3-1/2	3.380-4.220	EA	265.56
8510A†	HCAB130	85101	4	4	3.730-4.550	EA	407.69

†Malleable.

Q: Just how many kinds of Appleton conduit body styles are out there?



A: One for every job. And counting.

LB's, LR's, T's, C's, malleable, gray iron, aluminum...name your conduit job. There's a rugged, high-performance Appleton conduit body to match. And you'll find precision-machined threads, smooth hub bushings and openings, and epoxy powder-coated corrosion-resistant construction in every one of them:

- **Form 35 Unilet®** — Malleable iron construction resists impact and stress, temperature extremes, and corrosive atmospheres. Freeze-resistant captive stainless steel cover screws. Rollers for easy-pulling in types LB and C in sizes over 1".
- **FM7 Unilet®** — Grayloy™ iron or aluminum. Interchangeable with Crouse-Hinds® Form 7.* Most sizes in flat-back design for flat surface mounting and more wiring room.
- **FM8 Unilet®** — Grayloy™ iron. Ideal for wet locations. Plenty of room for wire pulling and splicing. Interchangeable with Crouse-Hinds Form 8.*
- **Form 85 Unilet®** — Copper-free aluminum construction offers the highest corrosion resistance.
- **Mogul NEC 6x8x Unilets®** — All types meet NEC 6x8x length and bending-space requirements for large, heavy conductors. All include covers and gaskets. Rollers for easy-pulling in types C, LB and UB in sizes over 1".

Get the complete story about Appleton's complete line of conduit bodies. Call 800-621-1506 or visit Appleton online at www.appletonelec.com. E-mail: literature@egseg.com

*Form 7 and Form 8 are products of Crouse-Hinds, a member company of Cooper Industries. Crouse-Hinds is a registered trademark of Cooper Industries.





Appleton®

Unions, Sealing Fittings, Flexible Couplings, Elbows, Drain/Breather, Close-Up Plugs

Explosionproof

UNILETS® for Use with Threaded Metal Conduit

Features: All Fittings

- Explosionproof, dust-ignitionproof.
- Smooth, rounded integral bushing in each hub protects conductor insulation.
- Accurately tapped, tapered threads for tight, rigid joints and ground continuity.

Features: Non-Expansion Unions

- Concentric ring interlocked design of 1/2", 3/4" and 1" sizes makes possible smaller diameter, allowing use in tighter spaces. 1-1/4" and larger UNY sizes have removable male nipple.
- Choice of malleable iron or aluminum.

Features: Expansion Unions

- One-piece design eliminates need for disassembly during installation.
- Telescoping cylinder within cylinder design permits expansion or contraction.
- Standard or long types available.
- Small external diameters—excellent in restricted areas in wiring of pumps, motors, and other equipment.
- Internal phosphor bronze "bonding jumper" ring assures positive ground between telescoping cylinders.

Unions: Explosionproof, Dust-Ignitionproof UNL 90° Elbow Unions

For Connecting Conduit to Enclosure

- Class I, Div. 1 and 2
- Groups A, B^{††}, C, D
- Class II, Div. 1 and 2
- Groups E, F, G
- Class III
- UNILETS® for Use with Threaded Metal Conduit



Standard Materials

- UNY and UNF (Non-Expansion) Unions, 1/2" thru 1": steel or aluminum. 1-1/4" thru 6": malleable iron or aluminum.
- UNY and UNF Expansion Unions: steel.
- UNL Unions: malleable iron and steel.
- EYSF/EYSM, EYF/EYM and EYDM Seals: malleable iron or Almag 35 aluminum.
- EYS, EYSEF/EYDEF, and ESUF/ESUM: malleable iron.
- EYD and EYS Seals: Grayloy™-iron.
- EXGJH and EXLK Couplings, 1/2" thru 2": outer bronze braid, inner brass core with insulating liner; 2-1/2" thru 4": outer stainless steel braid, inner stainless steel core with insulating liner. End Fittings: 1/2" thru 2"—brass; 2-1/2" thru 4"—stainless steel.
- PLG Close-Up Plugs: malleable iron, steel, or aluminum.
- BR Reducers: malleable iron or aluminum.
- EL and UNA Elbows: malleable or cast iron.

Compliances

- UL Standard 886
- Appleton malleable iron products conform to ASTM A47-77, Grade 32510, which has the following properties: tensile strength, 50,000 psi; yield, 32,000 psi; and elongation, 10%.
- Appleton aluminum products are produced from a high strength copper-free (1/100 or 1% max.) alloy.
- Class I, Div. 1 & 2 and Class II, Div. 1 & 2, if installed as follows: Unions, Elbows, Plugs, Flex. Couplings—NEC 501-4 (a)(b); Seals—NEC 501-5 (a)(b)(c)(d)(e) and NEC 502-5; Drains—NEC 501-5(f).

Model No.	Hughes No.	Size (In.)	Dimension A (in.)	Dimension B (in.)	Type	Unit	List Price
UNL50N ^o	HEGI296	1/2–1/2	2.47	1.47	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNL50-75N ^o	HEGI295	1/2–3/4 [†]	2.47	1.75	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNL75-50N ^o	HEOL438	3/4–1/2 [†]	2.00	1.75	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNL75N ^o	HEGI297	3/4–3/4	2.00	1.47	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call

^oIndicates items which are U.L. Listed for Class I, Groups A, B, C & D; Class II, Groups E, F and G; and Class III.

^{††}Indicated items which are U.L. Listed for Class I, Groups B, C and D; Class II, Groups E, F and G; and Class III

[†]Male end given first.



Appleton®

**Unions: Explosionproof, Dust-Ignitionproof
UNF Female Unions**



For Connecting Conduit To Conduit

- Class I, Div. 1 and 2
- Groups A^o, B⁺⁺, C, D
- Class II, Div. 1 and 2
- Groups E, F, G
- Class III
- Unilets[®] for Use with Threaded Metal Conduit



Conduit

Model No.	Hughes No.	Size (In.)	Dimension A (in.)	Dimension B (in.)	Type	Unit	List Price
UNF50NR ^o	HEGB389	1/2	1.47	1.47	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF75-50NR ^o	HEGI300	3/4-1/2 [†]	1.47	1.47	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF75NR ^o	HEGB394	3/4	1.47	1.75	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF100NR ^o	HEPQ938	1	1.72	2.00	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF125NR ⁺⁺	HEGI321	1-1/4	2.19	2.81	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF150NR ⁺⁺	HEGI322	1-1/2	2.19	3.06	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF200NR ⁺⁺	HEGI323	2	2.31	3.72	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF250R ⁺⁺	HEGJ097	2-1/2	3.38	4.88	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF300R ⁺⁺	HEGJ098	3	3.38	5.38	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF350R ⁺⁺	HEGJ099	3-1/2	3.38	5.88	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF400R ⁺⁺	HEOU970	4	3.50	6.44	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF500R	HEOM710	5	3.88	8.38	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF600R	HEOM525	6	4.00	9.63	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNF50NR-A ^o	HEGI293	1/2	1.47	1.47	Aluminum (1/2" to 4")	EA	Call
UNF75-50NR-A ^o	HEOL615	3/4-1/2 [†]	1.47	1.47	Aluminum (1/2" to 4")	EA	Call
UNF75NR-A ^o	HEGC748	3/4	1.47	1.75	Aluminum (1/2" to 4")	EA	Call
UNF100NR-A ^o	HEGI294	1	1.72	2.00	Aluminum (1/2" to 4")	EA	Call
UNF125NR-A ⁺⁺	HEOL869	1-1/4	2.19	2.81	Aluminum (1/2" to 4")	EA	Call
UNF150NR-A ⁺⁺	HEOL877	1-1/2	2.19	3.06	Aluminum (1/2" to 4")	EA	Call
UNF200NR-A ⁺⁺	HEOL887	2	2.31	3.72	Aluminum (1/2" to 4")	EA	Call
UNF250R-A ⁺⁺	HEOU889	2-1/2	3.38	4.88	Aluminum (1/2" to 4")	EA	Call
UNF300R-A ⁺⁺	HEOU919	3	3.38	5.38	Aluminum (1/2" to 4")	EA	Call
UNF350R-A ⁺⁺	HEOU953	3-1/2	3.38	5.88	Aluminum (1/2" to 4")	EA	Call
UNF400R-A ⁺⁺	HEGJ100	4	3.50	6.44	Aluminum (1/2" to 4")	EA	Call

^oIndicates items which are U.L. Listed for Class I, Groups A, B, C & D; Class II, Groups E, F and G; and Class III.

⁺⁺Indicated items which are U.L. Listed for Class I, Groups B, C and D; Class II, Groups E, F and G; and Class III.

[†]Size of right end is given first.



**See page 654 for Kevlar®
High Strength Conduit
Measuring Tape**



Appleton®

**Unions: Explosionproof, Dust-Ignitionproof
UNY Unions**

For Connecting Conduit To Enclosure

- Class I, Div. 1 and 2
- Groups A^o, B⁺⁺, C, D
- Class II, Div. 1 and 2
- Groups E, F, G
- Class III
- Unilets® for Use with Threaded Metal Conduit



Model No.	Hughes No.	Size (In.)	Dimension A (in.)	Dimension B (in.)	Type	Unit	List Price
UNY50NR ^o	HEGC501	1/2	1.94	1.47	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY75-50NR ^o	HEOL620	3/4-1/2 ⁺	1.94	1.47	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY75NR ^o	HEGC504	3/4	1.94	1.75	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY100NR ^o	HEPQ934	1	2.34	2.00	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY125NR ⁺⁺	HEGI324	1-1/4	3.13	2.81	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY150NR ⁺⁺	HEFP057	1-1/2	3.25	3.06	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY200NR ⁺⁺	HEGI327	2	3.63	3.72	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY250R ⁺⁺	HEGJ105	2-1/2	4.81	4.88	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY300R ⁺⁺	HEGJ107	3	4.81	5.38	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY350R ⁺⁺	HEOV152	3-1/2	4.94	5.88	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY400R ⁺⁺	HEGJ110	4	5.13	6.44	Steel (1/2" to 1") and Malleable Iron (1-1/4" to 6")	EA	Call
UNY50NR-A ^o	HEGX964	1/2	1.94	1.47	Aluminum (1/2" to 4")	EA	Call
UNY75-50NR-A ^o	HEGI301	3/4-1/2 ⁺	1.94	1.47	Aluminum (1/2" to 4")	EA	Call
UNY75NR-A ^o	HEGY044	3/4	1.94	1.75	Aluminum (1/2" to 4")	EA	Call
UNY100NR-A ^o	HEGI298	1	2.34	2.00	Aluminum (1/2" to 4")	EA	Call
UNY125NR-A ⁺⁺	HEGI325	1-1/4	3.13	2.81	Aluminum (1/2" to 4")	EA	Call
UNY150NR-A ⁺⁺	HEGI326	1-1/2	3.25	3.06	Aluminum (1/2" to 4")	EA	Call
UNY200NR-A ⁺⁺	HEGI328	2	3.63	3.72	Aluminum (1/2" to 4")	EA	Call
UNY250R-A ⁺⁺	HEGJ106	2-1/2	4.81	4.88	Aluminum (1/2" to 4")	EA	Call
UNY300R-A ⁺⁺	HEGJ108	3	4.81	5.38	Aluminum (1/2" to 4")	EA	Call
UNY350R-A ⁺⁺	HEGJ109	3-1/2	4.94	5.88	Aluminum (1/2" to 4")	EA	Call
UNY400R-A ⁺⁺	HEGJ111	4	5.13	6.44	Aluminum (1/2" to 4")	EA	Call

^o Indicates items which are U.L. Listed for Class I, Groups A, B, C & D; Class II, Groups E, F and G; and Class III.

⁺⁺Indicated items which are U.L. Listed for Class I, Groups B, C and D; Class II, Groups E, F and G; and Class III.

⁺Size of right end is given first.

Conduit



Appleton®

ELBD Pulling Elbow

Explosionproof, Dust-Ignitionproof

Unilets® for use with Threaded Metal Conduit

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Malleable Iron				
ELBD-50	HEGI353	1/2	EA	Call
ELBD-75	HEGF106	3/4	EA	Call
ELBD-100	HEGF110	1	EA	Call
ELBD-125	HEGI354	1-1/4	EA	Call
ELBD-150	HEGI355	1-1/2	EA	Call
ELBD-200	HEOM367	2	EA	Call
ELBD-250	HEOM369	2-1/2	EA	Call
ELBD-300	HEOM458	3	EA	Call
ELBD-350	HEOM463	3-1/2	EA	Call
ELBD-400	HEOM468	4	EA	Call
Aluminum				
ELBD-50-A	HENI832	1/2	EA	Call
ELBD-75-A	HENI835	3/4	EA	Call
ELBD-100-A	HENI840	1	EA	Call
ELBD-125-A	HENI845	1-1/4	EA	Call
ELBD-150-A	HEGS480	1-1/2	EA	Call
ELBD-200-A	HEOY002	2	EA	Call
ELBD-250-A	HENI853	2-1/2	EA	Call
ELBD-300-A	HENI857	3	EA	Call
ELBD-350-A	HENI862	3-1/2	EA	Call
ELBD-400-A	HEOY005	4	EA	Call




ELBY Capped Elbow

Explosionproof, Dust-Ignitionproof

Unilets® for use with Threaded Metal Conduit

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Malleable Iron				
ELBY-50	HEIR560	1/2	EA	Call
ELBY-75	HEIR592	3/4	EA	Call
ELBY-100	HEGI356	1	EA	Call
ELBY-125	HEGI357	1-1/4	EA	Call
Aluminum				
ELBY-50-A	HEGI901	1/2	EA	Call
ELBY-75-A	HEGI902	3/4	EA	Call
ELBY-100-A	HEOT343	1	EA	Call
ELBY-125-A	HEOT347	1-1/4	EA	Call



Straight Liquidtight Strain Relief Cord and Cable Connectors Aluminum




Model No.	Hughes No.	Cable Diameter Range (in)	Unit	List Price
1/4 Inch Hubs				
CG-0625	HBLI337	.060—.156	EA	Call
CG-1525	HBLI338	.156—.250	EA	Call
3/8 Inch Hubs				
CG-1238	HEOK778	.125—.187	EA	Call
CG-1838	HEGI227	.187—.312	EA	Call
CG-3138	HEFN887	.312—.437	EA	Call
1/2 Inch Hubs				
CG-1250	HEFQ112	.125—.187	EA	Call
CG-1850	HEFQ114	.187—.312	EA	Call
CG-3150	HEFQ122	.312—.437	EA	Call
CG-3750	HEFQ124	.375—.500	EA	Call
CG-5050	HEFQ376	.500—.625	EA	Call
CG6250*	HGZN713	.625—.750	EA	Call
3/4 Inch Hubs				
CG-1275	HEGI226	.125—.250	EA	Call
CG-2575	HEFQ119	.250—.375	EA	Call
CG-3775	HEFQ371	.375—.500	EA	Call
CG-5075	HEFQ380	.500—.625	EA	Call
CG-6275	HEFQ384	.625—.750	EA	Call
CG-7575*	HEGI228	.750—.875	EA	Call
1 Inch Hubs				
CG-37100	HEGI229	.375—.500	EA	Call
CG-50100	HEGI230	.500—.625	EA	Call
CG-62100	HEFQ387	.625—.750	EA	Call
CG-75100	HEFQ392	.750—.875	EA	Call
CG-87100	HEFQ395	.875—1.000	EA	Call
CG-100100*	HEGI233	1.000—1.125	EA	Call
1-1/4 Inch Hubs				
CG-75125	HEGI231	.750—.875	EA	Call
CG-87125	HEGI232	.875—1.000	EA	Call
CG-100125	HEGY307	1.000—1.125	EA	Call
CG-112125	HBLG240	1.125—1.250	EA	Call
CG-125125*	HBLG241	1.250—1.375	EA	Call
CG-137125*	HBLG242	1.375—1.500	EA	Call
1-1/2 Inch Hubs				
CG-115150	HBLH279	1.156—1.312	EA	Call
CG-128150**	HAGW283	1.281—1.531	EA	Call
2 Inch Hubs				
CG-153200†	HBAE179	1.531—1.780	EA	Call
CG-165200**	HBLH280	1.650—2.000	EA	Call
2-1/2 Inch Hubs				
CG-200250**	HADF979	2.000—2.343	EA	Call
CG-225250**	HBLH300	2.250—2.500	EA	Call
3 Inch Hubs				
CG-250300**	HAKY668	2.500—2.843	EA	Call
CG-268300**	HBLH302	2.687—3.062	EA	Call
3-1/2 Inch Hubs				
CG-300350	HBLH303	3.000—3.390	EA	Call
CG-328350	HBLH304	3.281—3.515	EA	Call
4 Inch Hubs				
CG-350400	HBLH305	3.500—3.843	EA	Call
CG-375400	HBLH306	3.750—4.000	EA	Call

*Remove sufficient outer covering of cord or cable to pass conductors through connector body.

†Not UL Listed


**Not CSA Certified



Appleton®
Straight Liquidtight Strain Relief Cord and Cable Connectors
Steel


Model No.	Hughes No.	Cable Diameter Range (in)	Unit	List Price
1/4 Inch Hubs				
CG-0625S	HCDQ400	.060–.156	EA	Call
CG-1525S	HCDQ401	.156–.250	EA	Call
3/8 Inch Hubs				
CG-1238S	HBLH436	.125–.187	EA	Call
CG-1838S	HBLH438	.187–.312	EA	Call
CG-3138S	HBLH439	.312–.437	EA	Call
1/2 Inch Hubs				
CG-1250S	HAZT982	.125–.187	EA	Call
CG-1850S	HEGA960	.187–.312	EA	Call
CG-3150S	HEFN865	.312–.437	EA	Call
CG-3750S	HEGI728	.375–.500	EA	Call
CG-5050S	HEGI502	.500–.625	EA	Call
CG-6250S*	HEGI699	.625–.750	EA	Call
3/4 Inch Hubs				
CG-1275S	HBLH437	.125–.250	EA	Call
CG-2575S	HEGI501	.250–.375	EA	Call
CG-3775S	HEFT883	.375–.500	EA	Call
CG-5075S	HEGI698	.500–.625	EA	Call
CG-6275S	HEGI700	.625–.750	EA	Call
CG-7575S*	HEGI701	.750–.875	EA	Call
1 Inch Hubs				
CG-37100S	HBLH440	.375–.500	EA	Call
CG-50100S	HEGI702	.500–.625	EA	Call
CG-62100S	HBLH441	.625–.750	EA	Call
CG-75100S	HEGI703	.750–.875	EA	Call
CG-87100S	HEGI719	.875–1.000	EA	Call
CG-100100S*	HEGI720	1.000–1.125	EA	Call
1-1/4 Inch Hubs				
CG-75125S	HBLH442	.750–.875	EA	Call
CG-87125S	HBLH443	.875–1.000	EA	Call
CG-100125S	HEGI721	1.000–1.125	EA	Call
CG-112125S	HEGI722	1.125–1.250	EA	Call
CG-125125S*	HBLH444	1.250–1.375	EA	Call
CG-137125S*	HBLH445	1.375–1.500	EA	Call
1-1/2 Inch Hubs				
CG-115150S	HBLI059	1.156–1.312	EA	Call
CG-128150S	HBLI060	1.281–1.531	EA	Call
2 Inch Hubs				
CG-153200S	HALB693	1.531–1.780	EA	Call

*Remove sufficient outer covering of cord or cable to pass conductors through connector body.



Threadless Rigid Conduit Connectors and Couplings
Compression Connectors – Concrete Tight

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
NTC-50	HEGI956	1/2	EA	Call
NTC-75	HEGI957	3/4	EA	Call
NTC-100	HEGI958	1	EA	Call
NTC-125	HEGI959	1-1/4	EA	Call
NTC-150	HEGI960	1-1/2	EA	Call
NTC-200	HEGI961	2	EA	Call
NTC-250	HEGI962	2-1/2	EA	Call
NTC-300	HEGI963	3	EA	Call
NTC-350	HEGI964	3-1/2	EA	Call
NTC-400	HEGI965	4	EA	Call






Threadless Rigid Conduit Connectors and Couplings
Compression Connectors— Insulated— Concrete Tight

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
RNTC-50	HEOU002	1/2	EA	Call
RNTC-75	HEOU004	3/4	EA	Call
RNTC-100	HEOU008	1	EA	Call
RNTC-125	HEOU012	1-1/4	EA	Call
RNTC-150	HEOU013	1-1/2	EA	Call
RNTC-200	HEOU017	2	EA	Call

Conduit

CONDUIT FITTINGS Elbows & Connectors



ST-38 ST-75
ST-50 ST-100

ST-125 ST-250 ST-400
ST-150 ST-300 ST-500+
ST-200 ST-350

ST-9038 ST-90100 ST-90200
ST-9050 ST-90125 ST-90250
ST-9075 ST-90150 ST-90300
ST-90400

Appleton® Flexible Metal Conduit Connectors Liquidtight "ST"®



For use with liquidtight flexible metal conduit where an external visible equipment bonding jumper is desired and permitted by the 1999 National Electrical Code Sections 250-96(b), 501-16(b) and 502-16(b) (where external equipment bonding jumpers are permitted, they will be limited to lengths not exceeding 6 feet and will be routed parallel to the conduit enclosure). Bonded steel zinc electroplated lugs are adequately sized to provide excellent grounding continuity and allow for visible ground path inspection. The ground wire is easily installed using only an Allen head wrench.


Liquidtight connectors with grounding lugs can also be provided with Appleton's "STN", "STL" and "Female ST" Connectors (consult factory).

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Straight				
ST-38	HEGJ036	3/8 flex, 1/2 hub	EA	Call
ST-50	HEGJ037	1/2	EA	Call
ST-75	HEGJ039	3/4	EA	Call
ST-100	HEGJ041	1	EA	Call
ST-125	HEGJ042	1-1/4	EA	Call
ST-150	HEGJ043	1-1/2	EA	Call
ST-200	HEGJ044	2	EA	Call
ST-250	HEGJ045	2-1/2	EA	Call
ST-300	HEGJ046	3	EA	Call
ST-350	HEGI339	3-1/2	EA	Call
ST-400	HEGJ047	4	EA	Call
ST-500†	HEGJ048	5	EA	Call
90°				
ST-9038	HEGJ052	3/8 flex, 1/2 hub	EA	Call
ST-9050	HEGJ053	1/2	EA	Call
ST-9075	HEGJ054	3/4	EA	Call
ST-90100	HEGI718	1	EA	Call
ST-90125	HEGJ058	1-1/4	EA	Call
ST-90150	HEGJ059	1-1/2	EA	Call
ST-90200	HEGJ060	2	EA	Call
ST-90250	HEGJ061	2-1/2	EA	Call
ST-90300	HEGJ062	3	EA	Call
ST-90400	HEGJ063	4	EA	Call

†UL Listing Not Applicable



Appleton®
Straight Armored Cable and Flexible
Metal Conduit Connectors
Insulated Malleable




Model No.	Hughes No.	Conduit Size (In.)	Cable Size	Hole Size (decimal inches)	Weight per 100 (lbs.)	Unit	List Price
Armored Cable* and Flexible Metal Conduit†							
7481VI	HEGI586	1/2	.937	5/8	12.0	EA	Call
7482VI	HEGI587	3/4	1.125	13/16	17.5	EA	Call
One Screw - Flexible Metal Conduit†							
7483I	HEGI588	1	1.380	1	32.0	EA	Call
7484I	HEGI589	1-1/4	1.630	1-3/8	43.0	EA	Call
One Screw - Flexible Metal Conduit†							
7485I	HEGI590	1-1/2	1.950	1-19/32	67.0	EA	Call
7486I	HEGI591	2	2.450	2	138.0	EA	Call
7487I	HEOP098	2-1/2	3.062	2-7/16	169.0	EA	Call
7488I	HEGI592	3	3.563	3-1/16	230.0	EA	Call
7489I	HEOP105	3-1/2	4.125	3-1/2	300.0	EA	Call
7490I	HEGI593	4	4.665	4	400.0	EA	Call

†Not CSA Certified

*Select Connectors by Physical Dimensions of cable as Dimensions May Vary Between Manufacturers.

Straight Armored Cable and Flexible
Metal Conduit Connectors
Malleable




Model No.	Hughes No.	Conduit Size (In.)	Cable Size	Hole Size (decimal inches)	Weight per 100 (lbs.)	Unit	List Price
Armored Cable* and Flexible Metal Conduit							
7480V	HEGJ192	3/8†	.687	5/8	11.4	EA	Call
7481V	HEGJ193	1/2	.937	5/8	12.0	EA	Call
7482V	HEGJ194	3/4	1.125	13/16	17.5	EA	Call
One Screw - Flexible Metal Conduit							
7483	HEGJ195	1	1.380	1	32.0	EA	Call
Two Screw - Flexible Metal conduit							
7485	HEGJ119	1-1/2	1.950	1-19/32	67.0	EA	Call
7486	HEGJ196	2	2.450	2	138.0	EA	Call
7487	HEGJ197	2-1/2	3.062	2-7/16	169.0	EA	Call
7488	HEGJ198	3	3.563	3-1/16	230.0	EA	Call
7489	HEGI329	3-1/2	4.125	3-1/2	300.0	EA	Call
7490	HEGI330	4	4.665	4	400.0	EA	Call

†1/2" KO

*Select Connectors by Physical Dimensions of cable as Dimensions May Vary Between Manufacturers.

Conduit

CONDUIT FITTINGS Elbows & Connectors



Appleton® Couplings and Connectors Threaded Rigid Conduit and IMC



Conduit


Model No.	Hughes No.	Conduit Size (In.)	Weight per 100 (lbs.)	Unit	List Price
Three Piece Union– Concrete Tight					
EC-50	HEG1306	1/2	16.5	EA	Call
EC-75	HEG1307	3/4	24.0	EA	Call
EC-100	HEG1308	1	58.0	EA	Call
EC-125	HEG1309	1-1/4	98.0	EA	Call
EC-150	HEG1310	1-1/2	134.0	EA	Call
EC-200	HEG1311	2	198.0	EA	Call
EC-250	HEG1312	2-1/2	255.0	EA	Call
EC-300	HEG1313	3	394.0	EA	Call
EC-350	HEG1314	3-1/2	380.0	EA	Call
EC-400	HEG1315	4	700.0	EA	Call
EC-500	HEG1316	5	788.0	EA	Call
EC-600	HEOM611	6	825.0	EA	Call
90° Female Gasketed Pulling Elbows– Watertight – Malleable Iron					
FFL-50	HEG1479	1/2	31.0	EA	Call
FFL-75	HEG1480	3/4	46.0	EA	Call
FFL-100	HEG1481	1	76.0	EA	Call
FFL-125	HEGX488	1-1/4	120.0	EA	Call
FFL-150	HEG1482	1-1/2	160.0	EA	Call
FFL-200	HEG1483	2	293.0	EA	Call
90° Male to Female Gasketed Pulling Elbows – Watertight – Malleable Iron					
MFL-50	HEG1947	1/2	36.0	EA	Call
MFL-75	HEG1948	3/4	55.0	EA	Call
MFL-100	HEG1949	1	90.0	EA	Call
MFL-125*	HEG1950	1-1/4	141.0	EA	Call
MFL-150*	HEOT609	1-1/2	192.0	EA	Call
MFL-200*	HEG1951	2	335.0	EA	Call
90° Female Pulling Elbows† – Malleable Iron					
PFFL-50	HEOT829	1/2	49.0	EA	Call
PFFL-75	HEOT831	3/4	76.0	EA	Call
PFFL-100	HEOT833	1	121.0	EA	Call
90° Female Elbows†					
LF90-50	HEOR673	1/2	39.0	EA	Call
LF90-75	HEOR678	3/4	53.0	EA	Call
90° Male to Female Long Bushed Elbows† – Malleable Iron					
LMFL90-50	HEFQ507	1/2	32.5	EA	Call
LMFL90-75	HEFQ125	3/4	50.0	EA	Call
LMFL90-100	HEG1799	1	87.0	EA	Call
LMFL90-125	HEOR796	1-1/4	126.0	EA	Call
LMFL90-150	HEOR801	1-1/2	170.0	EA	Call
LMFL90-200	HEOR808	2	410.0	EA	Call
90° Male to Female Short Bushed Elbows† – Malleable Iron					
LMF90-50	HEG1797	1/2	23.0	EA	Call
LMF90-75	HEOR775	3/4	36.0	EA	Call
LMF90-100	HEG1798	1	58.0	EA	Call
90° Male to Female Short Box Connectors† – Malleable Iron					
LMF90-50L	HEOR770	1/2	26.0	EA	Call
LMF90-75L	HEOR776	3/4	34.0	EA	Call

*Furnished with Removable Nipple

†Not CSA Certified.



Appleton®
Gland Compression Connectors Type
7000 Series



- Male hub threads NPS
- Concretetight
- Steel Body and Nut
- Zinc Plated
- UL Listed E14815
- Listed Concretetight ½" through 4"

Model No.	Hughes No.	Conduit Size (In.)	Body Length (in.)	Maximum Diameter (in.)	Thread Length (In.)	Unit	List Price
Uninsulated							
7050S	HAKN952	1/2	1-1/8	1-1/16	3/8	EA	Call
7075S	HAKO004	3/4	1-1/32	1-1/4	7/16	EA	Call
7100S	HAKO045	1	1-1/4	1-9/16	7/16	EA	Call
7125S	HAKN926	1-1/4	1-13/16	2	9/16	EA	Call
7150S	HAKO111	1-1/2	2	2-3/16	9/16	EA	Call
7200S	HAKO154	2	2-1/4	2-11/16	11/16	EA	Call
7250S	HAKO209	2-1/2	2-3/8	3-11/32	7/8	EA	Call
7300S	HAKO284	3	2-7/8	4	7/8	EA	Call
7350S	HAKN927	3-1/2	3	4-1/2	1	EA	Call
7400S	HAKO400	4	3-3/16	5-1/16	1	EA	Call
Insulated Throat							
7050ST	HAKO836	1/2	1-1/8	1-1/16	3/8	EA	Call
7075ST	HAKO878	3/4	1-1/32	1-1/4	7/16	EA	Call
7100ST	HAKO920	1	1-1/4	1-9/16	7/16	EA	Call
7125ST	HAKO972	1-1/4	1-13/16	2	9/16	EA	Call
7150ST	HAKP013	1-1/2	2	2-3/16	9/16	EA	Call
7200ST	HAKP098	2	2-1/4	2-11/16	11/16	EA	Call
7250ST	HAKP119	2-1/2	2-3/8	3-11/32	7/8	EA	Call
7300ST	HAKP172	3	2-7/8	4	7/8	EA	Call
7350ST	HAKP226	3-1/2	3	4-1/2	1	EA	Call
7400ST	HAKP291	4	3-3/16	5-1/16	1	EA	Call

Conduit



See page 619 for Hand Benders



Appleton® Set Screw Connectors Type 4000 Series

- Heavy steel walls
- Concretetight when taped
- Pre-set/Pre-staked set screws
- Male hub threads NPS
- Available with insulated throat
- Three-way combination screws




Conduit

Model No.	Hughes No.	Conduit Size (In.)	Body Length (in.)	Maximum Diameter (in.)	Thread Length (In.)	Unit	List Price
Uninsulated							
4050S	HBMT104	1/2	1-1/32	27/32	7/16	EA	Call
4075S	HBMT105	3/4	1-3/32	1-5/64	7/16	EA	Call
4100S	HBMT106	1	1-3/16	1-5/16	7/16	EA	Call
4125S	HBMT107	1-1/4	1-3/4	1-11/16	9/16	EA	Call
4150S	HBMT108	1-1/2	1-15/16	1-15/16	9/16	EA	Call
4200S	HBMT109	2	2-3/16	2-3/8	5/8	EA	Call
4250S	HADE383	2-1/2	2-3/8	3-1/8	7/8	EA	Call
4300S	HADE519	3	2-7/8	3-3/4	7/8	EA	Call
4350S	HADE552	3-1/2	3	4-1/4	1	EA	Call
4400S	HADE617	4	3-3/16	4-3/4	1	EA	Call
Insulated Throat							
4050ST	HADE659	1/2	1-1/32	27/32	7/16	EA	Call
4075ST	HADE453	3/4	1-3/32	1-5/64	7/16	EA	Call
4100ST	HADE197	1	1-3/16	1-5/16	7/16	EA	Call
4125ST	HADE719	1-1/4	1-3/4	1-11/16	9/16	EA	Call
4150ST	HADE781	1-1/2	1-15/16	1-15/16	9/16	EA	Call
4200ST	HADE822	2	2-3/16	2-3/8	5/8	EA	Call
4250ST	HAYL106	2-1/2	2-3/8	3-1/8	7/8	EA	Call
4300ST	HADR795	3	2-7/8	3-3/4	7/8	EA	Call
4350ST	HACY727	3-1/2	3	4-1/4	1	EA	Call
4400ST	HADR791	4	3-3/16	4-3/4	1	EA	Call



Speedlock™ Steel Box Connectors Type AMC

For connecting MC, AC, and Flex Cable

- No locknut required
- Single-unit or duplex construction with captive clamp
- Connects various sizes of MC, AC and Flex RW cables with just four fittings.
- Easy to install. Just tilt, insert and snap down.
- Integral red plastic insulated throat bushing provides maximum protection for wire installation.



Model No.	Hughes No.	Conduit Size (In.)	Length (In.)	Height (In.)	Unit	List Price
AMC-50	HAGS596	1/2 Single	1-3/8	13/32	EA	Call
AMC-75	HAZT586	3/4 Single	1-5/8	9/16	EA	Call
AMC-5075	HAWX726	1/2 KO; 3/4 capacity	1-5/8	9/16	EA	Call
AMC-52	HAIB558	1/2 Duplex	1-9/16	9/16	EA	Call



O-Z/Gedney
Gland Compression Connectors
Type 31



To connect threadless rigid conduit to boxes and enclosures.

- Malleable Iron/Zinc Electroplated
- Concretetight
- Male hub threads (NPS 1/2" through 2"; NPT above 2")



Model No.	Hughes No.	Conduit Size (In.)	Overall Length (In.)	Maximum Diameter (in.)	Thread Length (In.)	Unit	List Price
Uninsulated							
31-050	HALA560	1/2	3/4	1-3/8	7/16	EA	Call
31-075	HALA374	3/4	7/8	1-9/16	7/16	EA	Call
31-100	HALA663	1	1-3/16	1-15/16	9/16	EA	Call
31-125	HALA705	1-1/4	1-3/8	2-5/16	5/8	EA	Call
31-150	HALA737	1-1/2	1-3/8	2-5/8	5/8	EA	Call
31-200	HALA780	2	1-1/2	3-5/16	11/16	EA	Call
31-250	HALA834	2-1/2	2-1/8	4-1/32	1	EA	Call
31-300	HALA864	3	2-7/16	4-13/16	1	EA	Call
31-350	HALA906	3-1/2	2-5/8	5-1/2	1-3/16	EA	Call
31-400	HALA607	4	2-9/16	6-1/8	1-1/4	EA	Call
31-500	HBMS942	5	2-3/16	7-3/8	1-1/8	EA	Call
31-600	HBMS943	6	2-3/8	8-9/16	1-3/8	EA	Call
Insulated Throat							
31-050T	HAFY101	1/2	3/4	1-3/8	7/16	EA	Call
31-075T	HAFY102	3/4	7/8	1-9/16	7/16	EA	Call
31-100T	HAFY103	1	1-3/16	1-15/16	9/16	EA	Call
31-125T	HAFY104	1-1/4	1-3/8	2-5/16	5/8	EA	Call
31-150T	HAFY105	1-1/2	1-3/8	2-5/8	5/8	EA	Call
31-200T	HAFY106	2	1-1/2	3-5/16	11/16	EA	Call
31-250T	HAFY107	2-1/2	2-1/8	4-1/32	1	EA	Call
31-300T	HAFY108	3	2-7/16	4-13/16	1	EA	Call
31-350T	HAFY109	3-1/2	2-5/8	5-1/2	1-3/16	EA	Call
31-400T	HAFY110	4	2-9/16	6-1/8	1-1/4	EA	Call
31-500T	HAFY111	5	2-3/16	7-3/8	1-1/8	EA	Call
31-600T	HAFY162	6	2-3/8	8-9/16	1-3/8	EA	Call

•Not UL Listed



See page 647 for Slug-Splitter®
Hydraulic Driver Punch Kit

EGS
Electrical Group
O-Z/GEDNEY



O-Z/Gedney Liquidtight Fittings Type 4Q - Straight

To secure, ground and seal Liquidtight Flexible Metal conduit, Type LFMC, to boxes and enclosures.

Malleable Iron Body and Nut, Zinc Electroplated, Steel Ferrule, Zinc Electroplated.


- Tapered threaded male hub NPT
- Compact, slim diameter with small turning radius
- Furnished with locknut and sealing ring.
- Liquidtight/Raintight/Oiltight
- Suitable for grounding through 1-1/4" Trade Size per NEC Section 250.118(7)
- For Trade Sizes 1-1/2" and larger, an internal or external equipment bonding conductor is required. See 4Q-L Series with external ground lug in Catalog Section GB.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Uninsulated				
4Q-38	HAHF269	3/8 (1/2 KO)	EA	Call
4Q-50	HAHF171	1/2	EA	Call
4Q-75	HAHF697	3/4	EA	Call
4Q-100	HAHF909	1	EA	Call
4Q-125	HAHG288	1-1/4	EA	Call
4Q-150	HAHG195	1-1/2	EA	Call
4Q-200	HAHG578	2	EA	Call
4Q-250	HAHG775	2-1/2	EA	Call
4Q-300	HAHG506	3	EA	Call
4Q-350	HAHH116	3-1/2	EA	Call
4Q-400	HAXM545	4	EA	Call
4Q-500•	HBMS469	5	EA	Call
4Q-600• *	HBMS470	6	EA	Call

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Insulated Throat				
4Q-38T	HAHF382	3/8 (1/2 KO)	EA	Call
4Q-50T	HAHF580	1/2	EA	Call
4Q-75T	HAHF796	3/4	EA	Call
4Q-100T	HAHG073	1	EA	Call
4Q-125T	HAHG391	1-1/4	EA	Call
4Q-150T	HAHR703	1-1/2	EA	Call
4Q-200T	HAHR879	2	EA	Call
4Q-250T	HAHS184	2-1/2	EA	Call
4Q-300T	HAHS375	3	EA	Call
4Q-350T	HAHS558	3-1/2	EA	Call
4Q-400T	HAHS661	4	EA	Call
4Q-500T•	HBMS468	5	EA	Call
4Q-600T• *	HBMS471	6	EA	Call

•UL Listing not applicable

*CSA Certification not applicable



Liquidtight Fittings Type 4Q - 90°


To secure, ground and seal Liquidtight Flexible Metal conduit, Type LFMC, to boxes and enclosures. Malleable Iron Body and Nut, Zinc Electroplated. Steel Ferrule, Zinc Electroplated.

- Tapered threaded male hub NPT
- Furnished with locknut and sealing ring.
- Liquidtight/Raintight/Oiltight
- Suitable for grounding through 1-1/4" Trade Size per NEC Section 250.118(7)
- For Trade Sizes 1-1/2" and larger, an internal or external equipment bonding conductor is required.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Uninsulated				
4Q-938	HAHI072	3/8 (1/2 KO)	EA	Call
4Q-950	HAHG891	1/2	EA	Call
4Q-975	HAHI304	3/4	EA	Call
4Q-9100	HAHI698	1	EA	Call
4Q-9125	HAHI895	1-1/4	EA	Call
4Q-9150	HAHJ099	1-1/2	EA	Call
4Q-9200	HAHJ258	2	EA	Call
4Q-9250	HAHJ163	2-1/2	EA	Call
4Q-9300	HAHJ482	3	EA	Call
4Q-9400	HAZM420	4	EA	Call
4Q-9500•	HBMS476	5	EA	Call

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Insulated Throat				
4Q-938T	HAHI187	3/8 (1/2 KO)	EA	Call
4Q-950T	HAHI400	1/2	EA	Call
4Q-975T	HAHI572	3/4	EA	Call
4Q-9100T	HAHI790	1	EA	Call
4Q-9125T	HAHR587	1-1/4	EA	Call
4Q-9150T	HAHR775	1-1/2	EA	Call
4Q-9200T	HAHS070	2	EA	Call
4Q-9250T	HAHS285	2-1/2	EA	Call
4Q-9300T	HAHS466	3	EA	Call
4Q-9400T	HBMS477	4	EA	Call
4Q-9500T•	HBMS478	5	EA	Call

•UL Listing not applicable




90° Raintight Corner Pulling Ells

Provides a compact wire-pulling point and a 90° change of direction in a conduit run. Malleable Iron/Zinc Plated

- Threaded for rigid conduit and IMC (NPT)
- Furnished with Neoprene gasketed steel cover, zinc electroplated.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
FF-050	HAKW090	1/2	EA	Call
FF-075	HAKW133	3/4	EA	Call
FF-100	HAKW175	1	EA	Call
FF-125	HAZO196	1-1/4	EA	Call
FF-150	HBMP663	1-1/2	EA	Call
FF-200	HBMP664	2	EA	Call
FF-250	HBMP765	2-1/2	EA	Call
FF-300	HBMP766	3	EA	Call

Shamrock™



Shamrock™ - T&B

Rigid Steel Conduit Elbows

Standard Radius Hot Dip Galvanized 45° and 90°

Model No.	Hughes No.	Size (In.)	Minimum Radius (in.)	Weight (lbs. per 100)	Case Quantity	Unit	List Price
7751	HFFQ100	4"	16"	2,067, 3,160	25	EA	Call

CANTEX®



Cantex

EZ Flex Couplings

Model No.	Hughes No.	Conduit Size (In.)	Package Qty.	Unit	List Price
5163380	HEJX349	1/2	200	Pack	Call
5163381	HEJX353	3/4	200	Pack	Call
5163382	HEJW499	1	100	Pack	Call



EZ Flex Terminal Adapters

Model No.	Hughes No.	Conduit Size (In.)	Package Qty.	Unit	List Price
5163415	HBXX176	1/2	200	Pack	Call
5163416	HBXX177	3/4	200	Pack	Call
5163417	HBXX178	1	100	Pack	Call



EZ Flex Snap-In Terminal Adapters

Model No.	Hughes No.	Conduit Size (In.)	Package Qty.	Unit	List Price
5163405	HBXX584	1/2	200	Pack	Call
5163406	HBXX585	3/4	200	Pack	Call
5163407	HBXX368	1	100	Pack	Call



**Couplings
Schedule 40**

PVC fittings for electrical applications conform to NEMA TC-3 and UL514.

Model No.	Hughes No.	Conduit Size (In.)	Carton Quantity	Unit	List Price
6141623	HEGQ518	1/2	200	EA	Call
6141624	HEGQ519	3/4	125	EA	Call
6141625	HEGQ449	1	70	EA	Call
6141626	HEGQ450	1-1/4	40	EA	Call
6141627	HEGQ451	1-1/2	30	EA	Call
6141628	HEGQ529	2	40	EA	Call
6141629	HEGQ530	2-1/2	20	EA	Call
6141630	HEGQ580	3	40	EA	Call
6141631	HEGQ425	3-1/2	30	EA	Call
6141632	HEGQ509	4	20	EA	Call
6141633	HEGQ510	5	10	EA	Call
6141634	HBXX565	6	8	EA	Call

Some products not available at all locations. Check with your local HD Supply representative for product availability.

Conduit



Cantex
Terminal Adapters
Schedule 40

PVC fittings for electrical applications conform to NEMA TC-3 and UL514.

Model No.	Hughes No.	Conduit Size (In.)	Carton Quantity	Unit	List Price
5140103	HEGQ520	1/2	200	EA	Call
5140104	HEGQ521	3/4	125	EA	Call
5140105	HEGQ531	1	70	EA	Call
5140106	HEGQ532	1-1/4	40	EA	Call
5140107	HBYX587	1-1/2	30	EA	Call
5140108	HBYX588	2	40	EA	Call
5140109	HEGQ533	2-1/2	20	EA	Call
5140110	HBYX375	3	40	EA	Call
5140111	HEGQ489	3-1/2	30	EA	Call
5140112	HBYX473	4	20	EA	Call
5140013	HHBR746	5	10	EA	Call
5140114	HBYX475	6	8	EA	Call



Female Adapters
Schedule 40

PVC fittings for electrical applications conform to NEMA TC-3 and UL514.

Model No.	Hughes No.	Conduit Size (In.)	Carton Quantity	Unit	List Price
5140043	HEGQ522	1/2	200	EA	Call
5140044	HEGQ523	3/4	125	EA	Call
5140045	HEGQ534	1	70	EA	Call
5140046	HEGQ535	1-1/4	40	EA	Call
5140047	HEGQ536	1-1/2	30	EA	Call
5140048	HEGQ537	2	40	EA	Call
5140049	HEGQ538	2-1/2	20	EA	Call
5140050	HEGQ484	3	40	EA	Call
5140051	HEGQ485	3-1/2	30	EA	Call
5140052	HEGQ486	4	20	EA	Call
5140053	HEGQ487	5	10	EA	Call
5140054	HEGQ488	6	8	EA	Call



Carlon
Quick Connect Adapters & Couplings

- Standards: UL Listed
- For use with Flex-Plus® Blue™ ENT
- Carlon one piece ENT Quick Connect Couplings, Threaded Adapters and Snap-In Terminator Adapters are suitable for damp locations. Quick Connect Couplings and Threaded Adapters are concrete-tight when used with Carlon ENT.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Couplings				
A240D	HECO229	1/2"	EA	Call
A240E	HECO230	3/4"	EA	Call
A240F	HECO231	1"	EA	Call
Threaded Adapters				
A243D	HDVU038	1/2"	EA	Call
A243E	HECN656	3/4"	EA	Call
A243F	HECN658	1"	EA	Call
Snap-In Adapters				
A253D	HECO232	1/2"	EA	Call
A253E	HECO233	3/4"	EA	Call
A253F	HECO234	1"	EA	Call



Carlon®
Standard Couplings
Rigid Nonmetallic Conduit
Standards: UL listed.



Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Dimension A (in.)	Dimension B (in.)	Inner Diameter (In.)	Outer Diameter (In.)	Dimension C (in.)	Dimension L (in.)	Unit	List Price
E940D	HEHC879	1/2	150	.852	.836	.728	1-7/64	11/16	1-1/2	EA	Call
E940E	HEHD010	3/4	100	1.064	1.046	.840	1-5/16	3/4	1-5/8	EA	Call
E940F	HEHD060	1	50	1.330	1.310	1.210	1-5/8	15/16	2	EA	Call
E940G	HEHE317	1-1/4	30	1.677	1.655	1.535	1-63/64	1	2-1/8	EA	Call
E940H	HEGW402	1-1/2	25	1.918	1.894	1.755	2-15/64	1-1/8	2-3/8	EA	Call
E940J	HEHH921	2	30	2.393	2.369	2.190	2-47/64	1-3/15	2-1/2	EA	Call
E940K	HEHD747	2-1/2	20	2.890	2.868	2.688	3-5/16	1-33/64	3-3/16	EA	Call
E940L	HEHD748	3	25	3.515	3.492	3.375	3-31/32	1-3/4	3-13/32	EA	Call
E940M	HEHH930	3-1/2	20	4.015	3.992	3.780	4-9/16	1-3/4	3-5/8	EA	Call
E940N	HEHD749	4	15	4.515	4.491	4.265	5-3/32	1-25/32	3-3/4	EA	Call
E940P	HEAC511	5	8	5.593	5.553	5.097	6-1/4	1-5/16	4-1/16	EA	Call
E940R	HECN570	6	5	6.658	6.614	6.115	7-1/2	2-3/16	4-5/8	EA	Call

Conduit

Standard Expansion Fittings
Rigid Nonmetallic Conduit



Standards: UL listed.

- Molded two-piece design.
- For Use with Schedule 40 and Schedule 80
- Designed to compensate for length changes due to temperature variations in exposed conduit runs.



Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Travel Length (In.)	Unit	List Price
Coupling Ends						
E945D	HDVA696	1/2	20	4	EA	Call
E945E	HECN762	3/4	15	4	EA	Call
E945F	HECJ663	1	10	4	EA	Call
E945G	HEAZ550	1-1/4	5	4	EA	Call
E945H	HECO610	1-1/2	5	4	EA	Call
E945J	HECN896	2	15	8	EA	Call
E945K	HDVT656	2-1/2	10	8	EA	Call
E945L	HDVT090	3	10	8	EA	Call
E945M	HEFM921	3-1/2	5	8	EA	Call
E945N	HECO611	4	5	8	EA	Call
E945P	HECP095	5	1	8	EA	Call
E945R	HECO612	6	1	8	EA	Call
Male Terminal Adapter Ends						
E945DX	HHBS109	1/2	20	4	EA	Call
E945EX	HHBS110	3/4	15	4	EA	Call
E945FX	HHBS111	1	10	4	EA	Call
E945GX	HHBS112	1-1/4	5	4	EA	Call
E945HX	HHBS113	1-1/2	5	4	EA	Call
E945JX	HHBS114	2	15	8	EA	Call
E945KX	HEDQ284	2-1/2	10	8	EA	Call
E945KXL*	HECP094	2-1/2	10	12	EA	Call
E945LX	HEDQ285	3	10	8	EA	Call
E945MX	HHBS115	3-1/2	5	8	EA	Call
E945NX	HHBS116	4	5	8	EA	Call
E945PX	HFUT749	5	3	8	EA	Call
E945RX	HHBS117	6	2	8	EA	Call

Carlton® **NEW** ENT Solutions: Ready to Use "Out-of-the-Box"



Eliminate off-site modifications by using Carlton "Out-of-the-Box" ENT Accessories – *Transition Adapters, Stub Downs, Mud Box Assemblies, and Switch and Outlet Boxes with Eccentric Knockouts*. Each product is designed to provide Ready to Use, Out-of-the-Box solutions for all ENT installations –

- **Four new stub downs** to fit any transition right out of the box
- **Five new mud box assemblies** for literally any device from fire alarms to data jacks
- **Transition Adapters** designed to make transitions from one conduit type to another a snap. Ideal for when the specification says PVC Schedule 40
- **Reducers** for jobsite flexibility in converting Carlton fittings into another size
- **New ENT switch and outlet boxes** with the largest capacity available in the market today and eccentric knockouts to minimize the number SKU's needed on the jobsite


No matter what the application, Carlton has the solution – **Carlton ENT Solutions: Ready to use Out-of-the-box.**

Carlton®
LAMSON & SESSIONS

For more information call
1-800-3-CARLON (1-800-322-7566)
or visit our website at www.carlon.com
TDD/Hearing Impaired Access (216) 831-5918
25701 Science Park Drive • Cleveland, Ohio 44122



Vertical Stub Down



Mud Box Base with Blank Cover



45° Stub Down



Mud Box with Ceiling Ring



90° Stub Down Transition Adapter



Mud Box with One-Gang Ring



Transition Adapter Male ENT to Schedule 40



Vertical Stub Down Transition Adapter



Mud Box with Two-Gang Ring



Transition Adapter ENT to EMT



Mud Box with 4 Square Ring



Transition Adapter Reducers



ENT Bridge



Mounting Brackets



Outlet and Switch Boxes - Eccentric Knockouts



Carlon
Transition Adapters
 For use with Flex-Plus Blue ENT

- Case Quantity: 100
- Standards: UL Listed

Model No.	Hughes No.	Description	Size	Unit	List Price
A263D	HFUT969	Male ENT to Schedule 40, 80	1/2" ENT to 1/2" Sch. 40 or 80	EA	Call
A263E	HFUT970	Male ENT to Schedule 40, 80	3/4" ENT to 3/4" Sch. 40 or 80	EA	Call
A263F	HFUT971	Male ENT to Schedule 40, 80	1" ENT to 1" Sch. 40 or 80	EA	Call
A245D	HFUT974	ENT to EMT	1/2" ENT to 1/2" EMT	EA	Call
A245E	HFUT975	ENT to EMT	3/4" ENT to 3/4" EMT	EA	Call
A245F	HFUU122	ENT to EMT	1" ENT to 1" EMT	EA	Call
A273DF	HGZO884	Reducers	3/4" to 1/2"	EA	Call
A273EF	HGDY417	Reducers	1" to 3/4"	EA	Call



Special Long Line Couplings
Rigid Nonmetallic Conduit

- Standards: UL Listed, except E941RF

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Standard Carton Weight (lbs.)	Unit	List Price
E941H	HEDQ283	1-1/2	40	9	EA	Call
E941J	HECO617	2	25	8	EA	Call
E941K	HEDP794	2-1/2	15	8	EA	Call
E941L	HEDP795	3	15	14	EA	Call
E941N	HECO618	4	10	15	EA	Call
E941PF	HCIZ698	5	4	12	EA	Call
E941RF	HEDN832	6	5	21	EA	Call



Special Long Line Sleeve Couplings
Rigid Nonmetallic Conduit

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Standard Carton Weight (lbs.)	Unit	List Price
E948H	HEIN607	1-1/2	25	6	EA	Call
E948J	HECO708	2	25	5	EA	Call
E948K	HEDQ045	2-1/2	25	16	EA	Call
E948L	HEDQ046	3	25	13	EA	Call
E948N	HEDQ047	4	10	8	EA	Call



Box Adapters for Enclosures
Rigid Nonmetallic Conduit

Standards: UL Listed

Adapts nonmetallic conduit to all electrical enclosures by inserting adapter through knockout and cementing into Carlon couplings.

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Outside Diameter (In.)	Unit	List Price
E996D	HECO627	1/2	100	.840	EA	Call
E996E	HECO628	3/4	100	1.050	EA	Call
E996F	HDVV055	1	100	1.315	EA	Call
E996G	HEIN681	1-1/4	50	1.660	EA	Call
E996H	HEIN683	1-1/2	50	1.900	EA	Call
E996J	HEIN623	2	25	2.375	EA	Call
E996K-CAR	HECN382	2-1/2	10	2.875	EA	Call
E996L-CAR	HECN755	3	5	3.500	EA	Call
E996N	HDVT819	4	10	4.500	EA	Call

Some products not available at all locations. Check with your local HD Supply representative for product availability.

Conduit

Carlon® Male Terminal Adapters Rigid Nonmetallic Conduit



For adapting nonmetallic conduits to boxes, threaded fittings, metallic systems. Male threads on one end, socket end on other. UL listed.

Conduit


Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Dimension A (in.)	Dimension B (in.)	Dimension C (in.)	Dimension S (in.)	Dimension L (in.)	Unit	List Price
E943D	HEHH933	1/2	150	.852	.836	5/8	9/16	1-5/16	EA	Call
E943E	HEHH935	3/4	125	1.064	1.046	3/4	9/16	1-3/8	EA	Call
E943F	HEHH938	1	50	1.330	1.310	1	11/16	1-25/32	EA	Call
E943G	HEHP253	1-1/4	50	1.677	1.655	1	3/4	1-15/16	EA	Call
E943H	HEIN605	1-1/2	25	1.918	1.894	1-3/16	3/4	2-1/16	EA	Call
E943J	HEIN641	2	50	2.393	2.369	1-3/16	3/4	2-1/8	EA	Call
E943K-CAR	HEIN643	2-1/2	5	2.890	2.868	1-3/4	7/8	2-7/8	EA	Call
E943L-CAR	HEIN646	3	5	3.515	3.492	1-15/16	7/8	3-1/16	EA	Call
E943M	HEIN649	3-1/2	30	4.015	3.992	2-7/16	1-7/8	3-7/16	EA	Call
E943N-CAR	HEIN651	4	20	4.515	4.491	2-3/8	7/8	3-1/2	EA	Call
E943P	HFAP010	5	5	5.593	5.553	2-1/3	1	3-15/16	EA	Call
E943R	HECY049	6	10	6.658	6.614	2-3/8	1	3-3/8	EA	Call

Female Adapters Rigid Nonmetallic Conduit




For adapting nonmetallic conduits to threaded fittings, metallic systems. Female threads on one end, socket end on other. UL listed.

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Dimension A (in.)	Dimension B (in.)	Dimension C (in.)	Dimension T (in.)	Dimension L (in.)	Unit	List Price
E942D	HEIN656	1/2	150	.852	.836	11/16	3/4	1-9/16	EA	Call
E942E	HEIN657	3/4	100	1.064	1.046	13/16	3/4	1-5/8	EA	Call
E942F	HEIN665	1	50	1.330	1.310	15/16	7/8	1-15/16	EA	Call
E942G	HEIN668	1-1/4	30	1.677	1.655	1	7/8	2	EA	Call
E942H	HEIN671	1-1/2	25	1.918	1.894	1-1/8	7/8	2-7/32	EA	Call
E942J	HEIN672	2	30	2.393	2.369	1-3/16	1	2-5/16	EA	Call
E942K-CAR	HEIN674	2-1/2	4	2.890	2.868	1-5/8	1-1/8	2-15/16	EA	Call
E942L-CAR	HEIN675	3	3	3.515	3.492	1-3/4	1-1/8	3-1/16	EA	Call
E942M	HEIN677	3-1/2	20	4.015	3.992	1-7/8	1-1/8	3-1/4	EA	Call
E942N-CAR	HEIN680	4	7	4.515	4.491	2	1-1/8	3-13/64	EA	Call
E942P	HEFY227	5	8	5.593	5.553	1-15/16	1-1/16	3-3/16	EA	Call

Steel City®**Steel City® - T&B****Rigid/Intermediate Grade Conduit Fittings****Set Screw Couplings**

Two set screws starting at 2".


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HK-101	HBJY685	1/2"	EA	Call
HK-102	HBJY686	3/4"	EA	Call
HK-103	HBJY687	1"	EA	Call
HK-104	HBJY688	1-1/4"	EA	Call
HK-105	HBJY689	1-1/2"	EA	Call
HK-106	HBJY690	2"	EA	Call
HK-107	HBJY691	2-1/2"	EA	Call
HK-108	HBJY692	3"	EA	Call
HK-109	HBJY693	3-1/2"	EA	Call
HK-110	HBJY694	4"	EA	Call

**Rigid/Intermediate Grade Conduit Fittings****Threadless Compression Couplings**

Suggested use – rigid conduit only.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HK-401	HBJY675	1/2"	EA	Call
HK-402	HBJY676	3/4"	EA	Call
HK-403	HBJY677	1"	EA	Call
HK-404	HBJY678	1-1/4"	EA	Call
HK-405	HBJY679	1-1/2"	EA	Call
HK-406	HBJY680	2"	EA	Call
HK-407	HBJY681	2-1/2"	EA	Call
HK-408	HBJY682	3"	EA	Call
HK-409	HBJY683	3-1/2"	EA	Call
HK-410	HBJY684	4"	EA	Call

Some products not available at all locations. Check with your local HD Supply representative for product availability.

**Rigid/Intermediate Grade Conduit Fittings****Rigid Couplings – Three Piece Type**

Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
EK-201	HBJZ961	1/2"	EA	Call
EK-202	HBJZ962	3/4"	EA	Call


**Rigid/Intermediate Grade Conduit Fittings****Three Piece Couplings**

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
EK-401	HBJY595	1/2"	EA	Call
EK-402	HBJY596	3/4"	EA	Call
EK-403	HBJY246	1"	EA	Call
EK-404	HBJY247	1-1/4"	EA	Call
EK-405	HBJY597	1-1/2"	EA	Call
EK-406	HBJY598	2"	EA	Call
EK-407	HBJY537	2-1/2"	EA	Call
EK-408	HBJY538	3"	EA	Call
EK-409	HBJY599	3-1/2"	EA	Call
EK-410	HBJY600	4"	EA	Call

**Thinwall Conduit Fittings (EMT)****Compression Couplings – Steel**

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TK111A	HERL959	1/2"	EA	Call
TK112A	HERL960	3/4"	EA	Call
TK113A	HERL961	1"	EA	Call
TK114A	HERL962	1-1/4"	EA	Call
TK115A	HERL963	1-1/2"	EA	Call
TK116A	HERL964	2"	EA	Call
TK117A	HERL965	2-1/2"	EA	Call
TK118A	HERL966	3"	EA	Call
TK119A	HERL967	3-1/2"	EA	Call
TK1110A	HERL968	4"	EA	Call

Steel City®



Steel City® - T&B

Thinwall Conduit Fittings (EMT)

Compression Couplings

Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TK-211-SC	HBAG980	1/2"	EA	Call
TK-212-SC	HBAH033	3/4"	EA	Call
TK-213-SC	HBJY999	1"	EA	Call
TK-214-SC	HBJZ000	1-1/4"	EA	Call
TK-215-SC	HBJZ001	1-1/2"	EA	Call
TK-216-SC	HBJZ002	2"	EA	Call
TK-217-SC	HBAH235	2-1/2"	EA	Call
TK-218-SC	HBAH266	3"	EA	Call
TK-219-SC	HBAH068	3-1/2"	EA	Call
TK-2110-SC	HBAH371	4"	EA	Call




Thinwall Conduit Fittings (EMT)

Set Screw Couplings – Steel

- Concrete Tight, when taped
- Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TK121A	HERL896	1/2"	EA	Call
TK122A	HERL897	3/4"	EA	Call
TK123A	HERL921	1"	EA	Call
TK124A	HERL922	1-1/4"	EA	Call
TK125A	HERL923	1-1/2"	EA	Call
TK126A	HERL924	2"	EA	Call
TK127A	HERL969	2-1/2"	EA	Call
TK128A	HERL970	3"	EA	Call
TK129A	HERL971	3-1/2"	EA	Call
TK1210A	HERL972	4"	EA	Call

*"List Price" refers to manufacturer's suggested list price.
Prices subject to change without notice.*




Thinwall Conduit Fittings (EMT)

Set Screw Couplings

Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TK-221	HGZ0792	1/2"	EA	Call
TK-222	HGZ0794	3/4"	EA	Call
TK-223	HGZ0795	1"	EA	Call
TK-224	HGZ0796	1-1/4"	EA	Call
TK-225	HGZ0797	1-1/2"	EA	Call
TK-226	HGZ0798	2"	EA	Call
TK-227	HGZ0799	2-1/2"	EA	Call
TK-228	HGZ0800	3"	EA	Call
TK-229	HGZ0801	3-1/2"	EA	Call
TK-2210	HGZ0793	4"	EA	Call




Thinwall Conduit Fittings (EMT)

Combination Couplings – EMT to Flex

Set Screw Type – Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TX-210	HBKA033	1/2" – 3/8"	EA	Call
TX-211	HBKA034	1/2" – 1/2"	EA	Call
TX-212	HBKA035	3/4" – 3/4"	EA	Call



Thinwall Conduit Fittings (EMT)

Combination Set Screw Couplings

Die-Cast Zinc Flexible Metal Conduit to EMT

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TX-220	HBJY847	3/8" flex to 1/2" EMT	EA	Call
TX-221	HBJZ024	1/2" flex to 1/2" EMT	EA	Call
TX-222	HBJZ025	3/4" flex to 3/4" EMT	EA	Call
TX-223	HBJZ026	1" flex to 1" EMT	EA	Call



Arlington Industries
EMT Compression Couplings
 Zinc die-cast

UL listed concrete tight

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
830	HACY533	00830	1/2	EA	Call
831	HACY559	00831	3/4	EA	Call
832	HACY571	00832	1	EA	Call
833	HACY573	00833	1-1/4	EA	Call
834	HACY456	00834	1-1/2	EA	Call
835	HACY458	00835	2	EA	Call
836*	HAKC215	00836	2-1/2	EA	Call
837*	HAKC308	00837	3	EA	Call
838*	HBCB559	00838	3-1/2	EA	Call
839*	HAJK204	00839	4	EA	Call

*Listed for use with steel and aluminum EMT, IMC and rigid conduit.



Combination Coupling
Nonmetallic

For use with nonmetallic liquid-tight conduit, type B, to glue onto PVC pipe. Produced from UV rated plastic for long outdoor life.

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Diameter (In.)	Unit	List Price
NMLTFM38	HGZN768	54338	3/8	1/2	EA	Call
NMLTFM50	HCAA634	54350	1/2	1/2	EA	Call
NMLTFM75	HCAA637	54375	3/4	3/4	EA	Call

Conduit



EMT Set-Screw Couplings

Concrete tight. Zinc die-cast

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Diameter (In.)	Length (In.)	Unit	List Price
810	HACY757	00810	1/2	.950	1.560	EA	Call
811	HACY762	00811	3/4	1.145	1.869	EA	Call
812	HACY781	00812	1	1.435	2.000	EA	Call
813	HACY806	00813	1-1/4	1.828	2.500	EA	Call
814*	HACY589	00814	1-1/2	2.075	2.890	EA	Call
815*	HACY869	00815	2	2.535	2.567	EA	Call
816**	HBCB580	0816	2-1/2	3.280	4.000	EA	Call
817**	HBCB581	00817	3	3.910	4.500	EA	Call
8175**	HBCB273	08175	3-1/2	4.460	4.814	EA	Call
818**	HAZJ361	00818	4	4.984	5.269	EA	Call

Add suffix "RH" for Robertson Head Screws.

*Concrete tight when taped.

**Listed for use with steel and aluminum EMT, IMC and rigid conduit.



Arlington Industries Combination Coupling EMT Set-Screw To Flex

Zinc die-cast



Model No.	Hughes No.	UPC Code	EMT Size	Flex Size	Cable Dimensions (in.)	Unit	List Price
860*	HEPP202	00860	1/2	3/8	.530-.620	EA	Call
861	HAHJ435	00861	1/2	1/2	.850-.910	EA	Call
862	HAZR953	00862	3/4	3/4	1.100-1.130	EA	Call
8610	HAEB121	08610	1/2	1/2	.850-.910	EA	Call
8620	HBCB180	08620	3/4	3/4	1.100-1.135	EA	Call
8630	HAFZ044	08630	1	1	1.255-1.375	EA	Call

*CSA Only.

Conduit

Combination Coupling EMT Compression To Flexible Metal Conduit

Zinc die-cast



Model No.	Hughes No.	UPC Code	EMT Size	Flex Size	Unit	List Price
GF860	HCAA824	76860	1/2	3/8	EA	Call
GF861	HBAB431	76861	1/2	1/2	EA	Call
GF862	HAGJ163	76862	3/4	3/4	EA	Call
GF863	HAID843	80173	1	1	EA	Call



Appleton®
PLG Close-Up Plugs and BR Reducers:
Explosionproof, Dust-Ignitionproof
Threaded Bell Reducing Couplings




- Class I, Div. 1 and 2
- Groups A[†], B[‡], C, D
- Class II, Div. 1 and 2 Groups E, F, G
- Class III
- Unilets® for Use with Threaded Metal Conduit

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Malleable				
BR75-50 [†]	HEGS105	3/4	EA	Call
BR100-50 [†]	HEOM979	1	EA	Call
BR100-75 [†]	HELM952	1	EA	Call
BR125-100 [‡]	HELM960	1	EA	Call
BR125-75 [‡]	HEGI402	1-1/4	EA	Call
BR150-100 [‡]	HEGI403	1-1/2	EA	Call
BR150-75 [‡]	HELM969	1-1/2	EA	Call
BR150-125 [‡]	HEGS103	1-1/2	EA	Call
BR200-75 [‡]	HELM980	2	EA	Call
BR200-100 [‡]	HEGS420	2	EA	Call
BR200-125 [‡]	HEON099	2	EA	Call
BR200-150 [‡]	HEGS104	2	EA	Call
BR250-150 [‡]	HEGI406	2-1/2	EA	Call
BR300-200 [‡]	HEON124	3	EA	Call
BR350-250 [‡]	HEOM984	3-1/2	EA	Call
BR400-300 [‡]	HEON149	4	EA	Call
BR500-400	HEND621	5	EA	Call
Aluminum				
BR75-50A [†]	HEND594	3/4	EA	Call
BR100-50A [†]	HEOM983	1	EA	Call
BR100-75A [†]	HELM955	1	EA	Call
BR125-100A	HEND604	1	EA	Call
BR125-75A	HEON089	1-1/4	EA	Call
BR150-100A	HEON095	1-1/2	EA	Call
BR150-75A	HEND597	1-1/2	EA	Call
BR150-125A	HEND607	1-1/2	EA	Call
BR200-75A	HEGS419	2	EA	Call
BR200-100A	HEND613	2	EA	Call
BR200-125A	HEGI405	2	EA	Call
BR200-150A	HEND617	2	EA	Call
BR250-150A	HEON118	2-1/2	EA	Call
BR300-200A	HEON136	3	EA	Call
BR350-250A	HEON144	3-1/2	EA	Call
BR400-300A	HEON160	4	EA	Call
BR500-400A	HEND624	5	EA	Call


[†]Indicates items in the shaded area which are UL Listed for Class I, Groups A, B, C and D; Class II, Groups E, F and G; and Class III.

[‡]Indicates items in the shaded area which are UL Listed for Class I, Groups B, C and D; Class II, Groups E, F and G; and Class III.



Threadless Rigid Conduit Connectors and Couplings
Compression Couplings— Concrete Tight

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
NTCC-50	HEGI966	1/2	EA	Call
NTCC-75	HEGI967	3/4	EA	Call
NTCC-100	HEGI968	1	EA	Call
NTCC-125	HEGI969	1-1/4	EA	Call
NTCC-150	HEGI970	1-1/2	EA	Call
NTCC-200	HEGI971	2	EA	Call
NTCC-250	HEGI972	2-1/2	EA	Call
NTCC-300	HEGI973	3	EA	Call
NTCC-350	HEGI974	3-1/2	EA	Call
NTCC-400	HEGI975	4	EA	Call



Gland Compression Couplings Type
6000 Series

- Concretetight.
- Steel Body and Nut
- Zinc Plated
- UL Listed E14815
- Listed Concretetight 1/2" through 4"

Model No.	Hughes No.	Conduit Size (In.)	Body Length (in.)	Maximum Diameter (in.)	Unit	List Price
6050S	HAKO432	1/2	1-3/8	27/32	EA	Call
6075S	HAKO474	3/4	1-1/2	1-3/8	EA	Call
6100S	HAKO361	1	1-21/32	1-5/16	EA	Call
6125S	HAKO588	1-1/4	2-1/2	1-11/16	EA	Call
6150S	HAKO640	1-1/2	2-1/2	1-15/16	EA	Call
6200S	HAKO527	2	2-1/2	2-3/8	EA	Call
6250S	HAKO566	2-1/2	4-1/4	3-1/8	EA	Call
6300S	HAKO718	3	4-1/2	3-3/4	EA	Call
6350S	HAKO761	3-1/2	4-3/4	4-1/4	EA	Call
6400S	HAKO804	4	5	4-3/4	EA	Call

Some products not available at all locations. Check with your local HD Supply representative for product availability.


Conduit



Appleton® Set Screw Couplings Type 5000 Series

- Heavy steel walls
- Concretetight when taped
- Pre-set/Pre-staked set screws
- Three-way combination screws



Model No.	Hughes No.	Conduit Size (in.)	Body Length (in.)	Maximum Diameter (in.)	Unit	List Price
5050S	HADE863	1/2	1-3/4	27/32	EA	Call
5075S	HADE931	3/4	2-1/8	1-5/64	EA	Call
5100S	HADE973	1	2-1/2	1-5/16	EA	Call
5125S	HADF081	1-1/4	3-1/4	1-11/16	EA	Call
5150S	HADF133	1-1/2	3-3/4	1-15/16	EA	Call
5200S	HADF184	2	4	2-3/8	EA	Call
5250S	HADF043	2-1/2	4-1/4	3-1/8	EA	Call
5300S	HADF225	3	4-1/2	3-3/4	EA	Call
5350S	HADF289	3-1/2	4-3/4	4-1/4	EA	Call
5400S	HADF320	4	5	4-3/4	EA	Call



O-Z/Gedney 3-Piece Couplings Type 4

- Malleable Iron/Zinc Electroplated
- Threaded (NPS) for rigid conduit and IMC
- Couples conduits when conduits can not be turned
- Concrete tight

Model No.	Hughes No.	Conduit Size (in.)	Overall Length (in.)	Maximum Diameter (in.)	Unit	List Price
4-50	HAKY922	1/2	1-3/8	1-7/16	EA	Call
4-75	HAKY999	3/4	1-5/8	1-3/4	EA	Call
4-100	HAKZ031	1	1-13/16	1-15/16	EA	Call
4-125	HAKZ074	1-1/4	2-3/16	2-3/8	EA	Call
4-150	HAKZ116	1-1/2	2-5/16	2-5/8	EA	Call
4-200	HAKZ158	2	2-7/16	3-3/8	EA	Call
4-250	HAKY931	2-1/2	3-3/16	4	EA	Call
4-300	HAKZ221	3	3-5/16	4-3/16	EA	Call
4-350	HAKZ254	3-1/2	3-1/2	5-1/8	EA	Call
4-400	HAKZ291	4	3-3/4	5-1/2	EA	Call
4-500	HBMS360	5	3-11/16	6-7/8	EA	Call
4-600	HBMS361	6	4-5/16	8-1/4	EA	Call



Gland Compression Couplings Type 30

To couple sections of threadless rigid conduit together.
Malleable Iron/Zinc Electroplated

- Concretetight

Model No.	Hughes No.	Conduit Size (in.)	Length (in.)	Maximum Diameter (in.)	Unit	List Price
30-050	HALA063	1/2	1-11/16	1-3/6	EA	Call
30-075	HALA112	3/4	1-3/4	1-9/16	EA	Call
30-100	HALA174	1	1-15/16	1-15/16	EA	Call
30-125	HALA216	1-1/4	2-1/2	2-5/16	EA	Call
30-150	HALA033	1-1/2	2-9/16	2-5/8	EA	Call
30-200	HAKZ956	2	2-7/8	3-5/16	EA	Call
30-250*	HALA383	2-1/2	3-15/16	4-1/32	EA	Call
30-300*	HALA425	3	4-5/16	4-13/16	EA	Call
30-350*	HALA474	3-1/2	4-1/2	5-1/2	EA	Call
30-400*	HALA517	4	4-9/16	6-1/8	EA	Call
30-500*	HBMS940	5	3-7/8	7-3/8	EA	Call
30-600*	HBMS941	6	4-1/4	8-9/16	EA	Call

*Not UL Listed



Arlington Industries

Die-Cast Locknuts

Cast thread, Zinc die-cast

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
DLN1	HAFS807	43510	1/2	EA	Call
DLN2	HEHM051	43520	3/4	EA	Call
DLN3	HCAA215	43530	1	EA	Call
DLN4	HCAA216	43540	1-1/4	EA	Call
DLN5	HCAA217	43550	1-1/2	EA	Call
DLN6	HCAA218	43560	2	EA	Call
DLN7	HCAA428	43570	2-1/2	EA	Call
DLN8	HCAA429	43580	3	EA	Call
DLN9	HCAA430	43590	3-1/2	EA	Call
DLN10	HCAA214	43511	4	EA	Call



Conduit Locknuts

Plated steel

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
401	HBBH214	00401	1/2	EA	Call
402	HAKL765	00402	3/4	EA	Call
403	HAKL804	00403	1	EA	Call
404	HAKL826	00404	1-1/4	EA	Call
405	HAKL906	00405	1-1/2	EA	Call
406	HAKL988	00406	2	EA	Call
407	HAKM041	00407	2-1/2	EA	Call
408	HAKM071	00408	3	EA	Call
409	HAKM123	00409	3-1/2	EA	Call
410	HAKL945	00410	4	EA	Call
411	HBBP174	00411	5	EA	Call
412	HBZZ442	00412	6	EA	Call



Snap-In Bushings

All plastic

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
4400	HAHU816	04400	1/2	EA	Call
4401	HBBN374	04401	3/4	EA	Call
4402	HACU801	04402	1	EA	Call
4403	HALB962	04403	1-1/4	EA	Call
4404	HAKS063	04404	1-1/2	EA	Call
4405	HAHH997	04405	2	EA	Call
4406	HATJ663	04409	2-1/2	EA	Call



Plastic Insulating Bushings

105° C rated

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
440	HAXI701	00440	1/2	EA	Call
441	HAXI703	00441	3/4	EA	Call
442	HAXI706	00442	1	EA	Call
443	HAXI710	00443	1-1/4	EA	Call
444	HAXI713	00444	1-1/2	EA	Call
445	HAXI715	00445	2	EA	Call
446	HAXI718	00446	2-1/2	EA	Call
447	HAXI719	00447	3	EA	Call
448	HAXI723	00448	3-1/2	EA	Call
449	HAXI725	00449	4	EA	Call
4491	HADW374	04491	5	EA	Call
4492	HBZZ725	04492	6	EA	Call

Conduit



Arlington Industries

Insulating Bushings

Press fit

Holds firmly in place while pulling cables.


Arlington's EMT Insulating Bushings protect cables from abrasion by EMT. Examples: Power, Cable TV, computer datalines, telephone/modem, audio/video cables, alarm systems, security systems. EMT is often used to protect cables where damage could occur in a house or building.



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Width (In.)	Diameter (In.)	Unit	List Price
EMT50	HAHM256	12200	1/2	.531	.840	EA	Call
EMT75	HAHM270	12205	3/4	.531	1.056	EA	Call
EMT100	HAJM419	12220	1	.625	1.280	EA	Call
EMT125	HAJM512	12225	1-1/4	.625	1.660	EA	Call
EMT150	HAJM611	12230	1-1/2	.625	1.915	EA	Call
EMT200	HAYD432	12235	2	.625	2.377	EA	Call
EMT250*	HAZS445	12240	2-1/2	1.225	3.062	EA	Call
EMT300*	HAJM795	12245	3	1.225	3.690	EA	Call
EMT350*	HAJV226	12250	3-1/2	1.231	4.187	EA	Call
EMT400*	HACZ080	12255	4	1.233	4.815	EA	Call

*Can also be used for rigid, IMC, and PVC rigid conduit.

Conduit




Anti-Short Bushings

Plastic

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Cable Size	Depth (In.)	Diameter (In.)	Unit	List Price
AS0	HAKA115	10500	5/16"	14/2, 14/3, 12/2	.590	.680	EA	Call
AS1	HAKA391	10510	3/8"	14/4, 12/3, 6/1, 4/1	.630	.758	EA	Call
AS2	HBZZ933	10520	7/16"	12/4, 10/2, 10/3, 2/1	.680	.920	EA	Call
AS3	HAIN031	10530	1/2"	10/4, 8/2, 8/3, 1/1	.770	1.130	EA	Call
AS4	HAWP099	10540	3/4"	8/4, 6/2, 6/3, 6/4, 4/2, 4/3	.880	1.340	EA	Call
AS5	HBZZ744	06052	1"	3-1, 2-1, 2-1/10, 1-300MCM, 1-350MCM, 1-400MCM, 1-450MCM, 1-500MCM	1.038	1.460	EA	Call
AS6	HAKW854	06054	1-1/4"	4-1, 4-1/10, 4-2/0, 3-1/0, 3-2/0, 3-3/0, 2-2/0, 2-3/0, 2-4/0, 1-600MCM, 1-650MCM, 1-700MCM, 1-750MCM, 1-800MCM, 1-900MCM	1.100	1.720	EA	Call
AS7	HAHO176	06056	1-1/2"	4-3/0, 4-4/0, 3-4/0, 3-250MCM, 3-300MCM, 2-250MCM, 2-300MCM, 2-350MCM, 1-1000MCM	1.162	2.175	EA	Call
AS8	HBZZ745	06058	2 to 2-1/2"	4-250MCM, 4-300MCM, 4-350MCM, 4-400MCM, 4-450MCM, 4-500MCM, 3-350MCM, 3-400MCM, 3-450MCM, 3-500MCM, 2-400MCM, 2-450MCM, 2-500MCM	1.330	2.625	EA	Call

Steel City®




Steel City® - T&B

Rigid/Intermediate Grade Conduit Fittings

Locknuts

Steel/Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LN-101-SC	HBJY774	1/2"	EA	Call
LN-102	HALB952	3/4"	EA	Call
LN-103	HBJY775	1"	EA	Call
LN-104	HBJY776	1-1/4"	EA	Call
LN-105	HBJY777	1-1/2"	EA	Call
LN-106	HBJY778	2"	EA	Call
LN-107	HBJY707	2-1/2"	EA	Call
LN-108	HEHX996	3"	EA	Call
LN-109	HBJY708	3-1/2"	EA	Call
LN-110	HBJY709	4"	EA	Call




Rigid/Intermediate Grade Conduit Fittings

Locknuts

Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LN-201	HBJY763	1/2"	EA	Call
LN-202	HBJY764	3/4"	EA	Call
LN-203	HBJY765	1"	EA	Call
LN-204	HBJY766	1-1/4"	EA	Call
LN-205	HBJY767	1-1/2"	EA	Call
LN-206	HBJY768	2"	EA	Call
LN-207	HBJY769	2-1/2"	EA	Call
LN-208	HBJY770	3"	EA	Call
LN-209	HBJY771	3-1/2"	EA	Call
LN-210	HBJY772	4"	EA	Call




Rigid/Intermediate Grade Conduit Fittings

Sealing Locknuts

Steel/Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
LS-101	HBJY757	1/2"	EA	Call
LS-102	HBJY758	3/4"	EA	Call
LS-103	HBJY759	1"	EA	Call
LS-104	HBJY760	1-1/4"	EA	Call
LS-105	HBJY761	1-1/2"	EA	Call
LS-106	HBJY762	2"	EA	Call
LS-107	HBJZ981	2-1/2"	EA	Call
LS-108	HBJZ982	3"	EA	Call
LS-109	HBJZ983	3-1/2"	EA	Call
LS-110	HBJZ984	4"	EA	Call




Rigid/Intermediate Grade Conduit Fittings

Thin Construction Locknuts

Steel/Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
SPLN-107	HBJY289	2-1/2"	EA	Call
SPLN-108	HBJY292	3"	EA	Call
SPLN-109	HBJY294	3-1/2"	EA	Call
SPLN-110	HBJY290	4"	EA	Call




Rigid/Intermediate Grade Conduit Fittings

Insulated Grounding Bushings

Malleable Iron/Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
BG-801	HBJY245	1/2"	EA	Call
BG-802	HBJY535	3/4"	EA	Call
BG-803	HBJY536	1"	EA	Call
BG-804	HBJY546	1-1/4"	EA	Call
BG-805	HBJY547	1-1/2"	EA	Call
BG-806	HBJY548	2"	EA	Call
BG-807	HBJY549	2-1/2"	EA	Call
BG-808	HBJY550	3"	EA	Call
BG-809	HBJY551	3-1/2"	EA	Call
BG-810	HBJY552	4"	EA	Call



Rigid/Intermediate Grade Conduit Fittings

Grounding Bushings Die Cast Zinc


Insulated Metallic With Aluminum Lay in Type Lug

- 105°C Thermoplastic liners.
- Heavy reinforced ribs.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
BG-201	HBJZ913	1/2"	EA	Call
BG-202	HBJZ914	3/4"	EA	Call
BG-203	HBJZ915	1"	EA	Call
BG-204	HBJZ916	1-1/4"	EA	Call
BG-205	HBJZ918	1-1/2"	EA	Call
BG-206	HBJZ920	2"	EA	Call
BG-207	HBJZ922	2-1/2"	EA	Call
BG-208	HBJZ924	3"	EA	Call
BG-209	HBJZ926	3-1/2"	EA	Call
BG-210	HBJZ928	4"	EA	Call

Conduit

Steel City®



Steel City® - T&B
Rigid/Intermediate Grade Conduit Fittings
Grounding Bushings, Die-Cast Zinc

Insulated metallic with aluminium lug


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
BG-801A	HBJZ930	1/2"	EA	Call
BG-802A	HBJZ931	3/4"	EA	Call
BG-803A	HBJZ932	1"	EA	Call
BG-804A	HBJZ933	1-1/4"	EA	Call
BG-805A	HBJZ934	1-1/2"	EA	Call
BG-806A	HBJZ935	2"	EA	Call
BG-807A	HBJZ936	2-1/2"	EA	Call
BG-808A	HBJZ937	3"	EA	Call
BG-809A	HBJZ938	3-1/2"	EA	Call
BG-810A	HBJZ939	4"	EA	Call



Rigid/Intermediate Grade Conduit Fittings
Insulated Bushings

- Thermoplastic
- Rated 105°C

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
BU-501	HAKM265	1/2"	EA	Call
BU-502	HAKM329	3/4"	EA	Call
BU-503	HAKM359	1"	EA	Call
BU-504	HAKM422	1-1/4"	EA	Call
BU-505	HAKM466	1-1/2"	EA	Call
BU-506	HAKM550	2"	EA	Call
BU-507	HAKM603	2-1/2"	EA	Call
BU-508	HAKM634	3"	EA	Call
BU-509	HAKM538	3-1/2"	EA	Call
BU-510	HAKM753	4"	EA	Call
BU-511	HBJY588	5"	EA	Call
BU-512	HAFZ360	6"	EA	Call



Appleton®
Grounding Bushings
Threaded Rigid Conduit and IMC

- Insulated
- 150°C Temperature Rating with Solderless Lugs
- Malleable Iron
- Wire Range: 14 sol - 2/0 str.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
GIB-50L-10	HEGI940	1/2"	EA	Call
GIB-75L-10	HEGI941	3/4"	EA	Call
GIB-100L-10	HEGI942	1"	EA	Call
GIB-125L-10	HEGI912	1-1/4"	EA	Call
GIB-150L-10	HEGI914	1-1/2"	EA	Call
GIB-200L-10	HEGI916	2"	EA	Call
GIB-250L-10	HEGI917	2-1/2"	EA	Call
GIB-300L-10	HEGI919	3"	EA	Call
GIB-350L-10	HEGI921	3-1/2"	EA	Call
GIB-400L-10	HEGI923	4"	EA	Call
GIB-500L-10	HEOT423	5"	EA	Call
GIB-600L-10	HEOT436	6"	EA	Call



See page 613 for Flex Splitter®
Flexible Metal Conduit Cutter



Cantex Reducers

Model No.	Hughes No.	Conduit Size (In.)	Package Qty.	Unit	List Price
5142220	HBX578	3/4" x 1/2"	100	Pack	Call
5142221	HBX579	1" x 3/4"	100	Pack	Call
5142222	HBX589	1-1/4" x 1"	50	Pack	Call
5142223	HBX590	1-1/2" x 1-1/4"	50	Pack	Call
5142224	HBX591	2" x 1-1/2"	25	Pack	Call
5142225	HBX592	2-1/2" x 2"	25	Pack	Call
5142226	HBX476	3" x 2-1/2"	25	Pack	Call
5142227	HBX288	4" x 3"	20	Pack	Call
5142229	HBX289	4" x 3-1/2"	20	Pack	Call



Carlton® Fabricated Reducers Rigid Nonmetallic Conduit

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Standard Carton Weight (lbs.)	Unit	List Price
E952KJ	HDUY752	2-1/2" x 2"	48	28	EA	Call
E952LJ	HEC0639	3" x 2"	36	21	EA	Call
E952LK	HEC0640	3" x 2-1/2"	36	31	EA	Call
E952NL	HEC0641	4" x 3"	15	23	EA	Call
E952NM	HFPE086	4" x 3-1/2"	15	25	EA	Call
E952PN	HEC0642	5" x 4"	12	26	EA	Call
E952RP	HEDM892	6" x 5"	10	31	EA	Call

Conduit



Carlton® Reducer Bushings Rigid Nonmetallic Conduit



For connecting different sizes of conduit, Bell x Spigot. UL Listed



Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Dimension L (In.)	Dimension A (In.)	Dimension C (In.)	Unit	List Price
E950ED	HECN678	3/4" x 1/2"	100	1-5/32	13/64	1-1/32	EA	Call
E950FD-CAR	HEC0621	1" x 1/2"	25	1-11/32	3/16	57/64	EA	Call
E950FE	HECN749	1" x 3/4"	100	1-11/32	3/16	1-1/64	EA	Call
E950GE-CAR	HEC0622	1-1/4" x 3/4"	10	1-15/32	3/16	1-1/64	EA	Call
E950GF	HECN751	1-1/4" x 1"	50	1-15/32	3/16	1-9/64	EA	Call
E950HF-CAR	HCI2697	1-1/2" x 1"	10	1-19/32	3/16	1-9/64	EA	Call
E950HG-CAR	HECN752	1-1/2" x 1-1/4"	10	1-19/32	3/16	1-17/64	EA	Call
E950JG-CAR	HUA974	2" x 1-1/4"	10	1-3/4	7/32	1-17/64	EA	Call
E950JH-CAR	HDVV087	2" x 1-1/2"	10	1-3/4	7/32	1-25/64	EA	Call
E950KJ-CAR	HEC0624	2-1/2" x 2"	10	2-5/32	3/8	1-27/64	EA	Call
E950LJ-CAR	HDVU869	3" x 2"	10	2-1/8	1/4	1-7/8	EA	Call
E950LK*	HECJ467	3" x 2-1/2"	25	1-15/16	1/4	1-11/16	EA	Call
E950NL	HDVT649	4" x 3"	25	2-3/4	5/16	1-15/16	EA	Call

*Not UL listed.




**Carlon®
Reducer Plugs
Rigid Nonmetallic Conduit**

Standards: cUL listed.




Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Standard Carton Weight (lbs.)	Unit	List Price
E971C	HHBS340	3/4" x 1/2"	100	2	EA	Call
E971D	HECO626	1" x 3/4"	100	3	EA	Call

Steel City®



**Steel City® - T&B
Rigid/Intermediate Grade Conduit Fittings
Reducing Bushings**

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
RB-121	HBJY879	3/4"-1/2"	EA	Call
RB-131	HBJY880	1"-1/2"	EA	Call
RB-132	HBJY881	1"-3/4"	EA	Call
RB-141	HBJY882	1-1/4"-1/2"	EA	Call
RB-142	HBJY883	1-1/4"-3/4"	EA	Call
RB-143	HBJY884	1-1/4"-1"	EA	Call
RB-151	HBJY885	1-1/2"-1/2"	EA	Call
RB-152	HBJY886	1-1/2"-3/4"	EA	Call
RB-153	HBJY887	1-1/2"-1"	EA	Call
RB-154	HBJY888	1-1/2"-1-1/4"	EA	Call
RB-161	HBJY889	2"-1/2"	EA	Call
RB-162	HBJY890	2"-3/4"	EA	Call
RB-163	HBJY891	2"-1"	EA	Call
RB-164	HBJY892	2"-1-1/4"	EA	Call
RB-165	HBJY893	2"-1-1/2"	EA	Call
RB-175	HBJY894	2-1/2"-1-1/2"	EA	Call
RB-176	HBJY895	2-1/2"-2"	EA	Call
RB-186	HBJY896	3"-2"	EA	Call
RB-187	HBJY897	3"-2-1/2"	EA	Call



**Rigid/Intermediate Grade Conduit Fittings
Reducing Washers**

Steel/Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
WA-110	HBJY920	1/2"-3/8"	EA	Call
WA-121	HAKQ941	3/4"-1/2"	EA	Call
WA-131	HAKR123	1"-1/2"	EA	Call
WA-132	HAKR136	1"-3/4"	EA	Call
WA-141	HAKR241	1-1/4"-1/2"	EA	Call
WA-142	HAKR295	1-1/4"-3/4"	EA	Call
WA-143	HAKR320	1-1/4"-1"	EA	Call
WA-151	HAKR396	1-1/2"-1/2"	EA	Call
WA-152	HAIL462	1-1/2"-3/4"	EA	Call
WA-153	HAKR170	1-1/2"-1"	EA	Call
WA-154	HAKR519	1-1/2"-1-1/4"	EA	Call
WA-161	HAXN680	2"-1/2"	EA	Call
WA-162	HAWN700	2"-3/4"	EA	Call
WA-163	HAIL491	2"-1"	EA	Call
WA-164	HAKR620	2"-1-1/4"	EA	Call
WA-165	HAKR661	2"-1-1/2"	EA	Call
WA-171	HBJY921	2-1/2"-1/2"	EA	Call
WA-172	HEHM145	2-1/2"-3/4"	EA	Call
WA-173	HBJZ028	2-1/2"-1"	EA	Call
WA-174	HBJZ029	2-1/2"-1-1/4"	EA	Call
WA-175	HBJZ030	2-1/2"-1-1/2"	EA	Call
WA-176	HAKR988	2-1/2"-2"	EA	Call
WA-181	HBJZ031	3"-1/2"	EA	Call
WA-182	HBJZ032	3"-3/4"	EA	Call
WA-183	HBJZ033	3"-1"	EA	Call
WA-184	HBJZ034	3"-1-1/4"	EA	Call
WA-185	HBJZ035	3"-1-1/2"	EA	Call
WA-186	HAKS201	3"-2"	EA	Call
WA-187	HAXN913	3"-2-1/2"	EA	Call

Conduit




Arlington Industries

Reducing Washers

Plated steel

A bonding jumper is recommended when using reducing washers to provide a reliable grounding/bonding path.

Model No.	Hughes No.	UPC Code	Size (In.)	Unit	List Price
RW1	HAI1321	95100	3/4 x 1/2	EA	Call
RW2	HAI1428	95200	1 x 1/2	EA	Call
RW3	HAI1621	95300	1 x 3/4	EA	Call
RW4	HAI1714	95400	1-1/4 x 1/2	EA	Call
RW5	HAI1554	95500	1-1/4 x 3/4	EA	Call
RW6	HAI1510	95600	1-1/4 x 1	EA	Call
RW7	HAI1512	95700	1-1/2 x 1/2	EA	Call
RW8	HAI1829	95800	1-1/2 x 3/4	EA	Call
RW9	HAI1924	95900	1-1/2 x 1	EA	Call
RW10	HAIJ015	95101	1-1/2 x 1-1/4	EA	Call
RW11	HAI1613	95110	2 x 1/2	EA	Call
RW12	HAIJ132	95120	2 x 3/4	EA	Call
RW13	HAIJ235	95130	2 x 1	EA	Call
RW14	HAIJ349	95140	2 x 1-1/4	EA	Call
RW15	HAIJ453	95150	2 x 1-1/2	EA	Call
RW16	HCAB331	95160	2-1/2 x 1/2	EA	Call
RW17	HCAB332	95170	2-1/2 x 3/4	EA	Call
RW18	HCAB333	95180	2-1/2 x 1	EA	Call
RW19	HAKR902	95190	2-1/2 x 1-1/4	EA	Call
RW20	HAKR945	95201	2-1/2 x 1-1/2	EA	Call
RW21	HAIJ607	95210	2-1/2 x 2	EA	Call
RW22	HCAB334	95220	3 x 1/2	EA	Call
RW23	HCAB335	95230	3 x 3/4	EA	Call
RW24	HCAB336	95240	3 x 1	EA	Call
RW25	HAIJ720	95250	3 x 1-1/4	EA	Call
RW26	HAI1672	95260	3 x 1-1/2	EA	Call
RW27	HAIJ823	95270	3 x 2	EA	Call
RW28	HAKS233	95280	3 x 2-1/2	EA	Call
RW29	HCAB337	95290	3-1/2 x 1/2	EA	Call
RW30	HCAB338	95301	3-1/2 x 3/4	EA	Call
RW31	HCAB339	95310	3-1/2 x 1	EA	Call
RW32	HCAB340	95320	3-1/2 x 1-1/4	EA	Call
RW33	HCAB341	95330	3-1/2 x 1-1/2	EA	Call
RW34	HCAB342	95340	3-1/2 x 2	EA	Call
RW35	HCAB343	95350	3-1/2 x 2-1/2	EA	Call
RW36	HAGG571	95360	3-1/2 x 3	EA	Call
RW37	HCAB344	95370	4 x 1/2	EA	Call
RW38	HCAB345	95380	4 x 3/4	EA	Call
RW39	HCAB346	95390	4 x 1	EA	Call
RW40	HCAB347	95401	4 x 1-1/4	EA	Call
RW41	HCAB348	95410	4 x 1-1/2	EA	Call
RW42	HAGH590	95420	4 x 2	EA	Call
RW43	HAIO968	95430	4 x 2-1/2	EA	Call
RW44	HAHL796	95440	4 x 3	EA	Call
RW45	HCAB349	95450	4 x 3-1/2	EA	Call



Appleton®

Reducers


Threaded Rigid Conduit and IMC

Model No.	Hughes No.	Conduit Size (In.)	Weight per 100 (lbs.)	Unit	List Price
Steel					
RB50-13* ^o	HEOL100	1/2 - 1/8	1.5	EA	Call
RB50-25* ^o	HEGS546	1/2 - 1/4	2.0	EA	Call
RB50-38* ^o	HEGI706	1/2 - 3/8	2.7	EA	Call
RB75-50 ^o	HEIS766	3/4 - 1/2	6.0	EA	Call
RB100-50 ^o	HEGI707	1 - 1/2	13.8	EA	Call
RB100-75 ^o	HEFO190	1 - 3/4	8.0	EA	Call
RB125-50	HEGI708	1-1/4 - 1/2	29.0	EA	Call
RB125-75	HEGI709	1-1/4 - 3/4	23.0	EA	Call
RB125-100	HEFO188	1-1/4 - 1	17.0	EA	Call
RB150-50	HEGI711	1-1/2 - 1/2	39.0	EA	Call
RB150-75	HEFW972	1-1/2 - 3/4	35.0	EA	Call
RB150-100	HEGI712	1-1/2 - 1	31.0	EA	Call
RB150-125	HEGI713	1-1/2 - 1-1/4	16.5	EA	Call
RB200-50	HEGI997	2 - 1/2	68.0	EA	Call
RB200-75	HEGI998	2 - 3/4	64.0	EA	Call
RB200-100	HEGI999	2 - 1	57.0	EA	Call
RB200-125	HEGJ000	2 - 1-1/4	45.0	EA	Call
RB200-150	HEGJ001	2 - 1-1/2	38.0	EA	Call
Malleable Iron					
RB250-100	HEGS113	2-1/2 - 1	75.0	EA	Call
RB250-125	HEGS114	2-1/2 - 1-1/2	78.0	EA	Call
RB250-150	HEGJ002	2-1/2 - 1-1/2	82.0	EA	Call
RB250-200	HEGJ003	2-1/2 - 2	56.0	EA	Call
RB300-100	HEGS115	3 - 1	130.0	EA	Call
RB300-125	HELN194	3 - 1-1/2	135.0	EA	Call
RB300-150	HEGJ004	3 - 1-1/2	142.0	EA	Call
RB300-200	HEGJ005	3 - 2	126.0	EA	Call
RB300-250	HEGJ006	3 - 2-1/2	83.0	EA	Call
RB350-200	HEGS548	3-1/2 - 2	155.0	EA	Call
RB350-250	HEGJ007	3-1/2 - 2-1/2	164.0	EA	Call
RB350-300	HEGJ008	3-1/2 - 3	92.0	EA	Call
RB400-200	HEGS550	4 - 2	165.0	EA	Call
RB400-250	HEGJ009	4 - 2-1/2	245.0	EA	Call
RB400-300	HEGZ420	4 - 3	174.0	EA	Call
RB400-350	HEGJ010	4 - 3-1/2	106.0	EA	Call
RB500-350 [†]	HEOL146	5 - 3-1/2	180.0	EA	Call
RB500-400 [†]	HEFX664	5 - 4	190.0	EA	Call
RB600-400 [†]	HEGS551	6 - 4	192.0	EA	Call
RB600-500 [†]	HEGS552	6 - 5	195.0	EA	Call

*UL Recognized.

^oSuitable for Class I, Group A in addition to Class I Groups B, C, D; Class II, Groups E, F, G; and Class III.

[†]Class I, Groups C, D; Class II, Groups E, F, G; Class III.



Appleton®

Reducers

Threaded Rigid Conduit and IMC

Class I, Groups A[‡],B,C,D

Class II, Groups E,F,G

Class III


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
RB50-13A* [‡]	HEOL104	1/2 — 1/8	EA	Call
RB50-25A* [‡]	HEOL114	1/2 — 1/4	EA	Call
RB75-50A [‡]	HEFY996	3/4 — 1/2	EA	Call
RB100-50A [‡]	HEGI409	1 — 1/2	EA	Call
RB100-75A [‡]	HEFT094	1 — 3/4	EA	Call
RB125-50A	HEGI410	1-1/4 — 1/2	EA	Call
RB125-75A	HEGI411	1-1/4 — 3/4	EA	Call
RB125-100A	HEGI710	1-1/4 — 1	EA	Call
RB150-50A	HEGI412	1-1/2 — 1/2	EA	Call
RB150-75A	HEGI413	1-1/2 — 3/4	EA	Call
RB150-100A	HEFT080	1-1/2 — 1	EA	Call
RB150-125A	HEGI996	1-1/2 — 1-1/4	EA	Call
RB200-50A	HEGI427	2 — 1/2	EA	Call
RB200-75A	HEGI428	2 — 3/4	EA	Call
RB200-100A	HEFS918	2 — 1	EA	Call
RB200-125A	HEGI429	2 — 1/4	EA	Call
RB200-150A	HEFT086	2 — 1-1/2	EA	Call
RB250-100A	HELN173	2-1/2 — 1	EA	Call
RB250-125A	HEOL126	2-1/2 — 1-1/4	EA	Call
RB250-150A	HEFT076	2-1/2 — 1-1/2	EA	Call
RB250-200A	HEFT075	2-1/2 — 2	EA	Call
RB300-100A	HEOY008	3 — 1	EA	Call
RB300-125A	HEOK908	3 — 1-1/4	EA	Call
RB300-150A	HEGS547	3 — 1-1/2	EA	Call
RB300-200A	HEGI319	3 — 2	EA	Call
RB300-250A	HEOL831	3 — 2-1/2	EA	Call
RB350-200A	HEGS549	3 — 2	EA	Call
RB350-250A	HEFT079	3-1/2 — 2-1/2	EA	Call
RB350-300A	HEGI320	3-1/2 — 3	EA	Call
RB400-200A	HEOY011	4 — 2	EA	Call
RB400-250A	HEOL142	4 — 2-1/2	EA	Call
RB400-300A	HEOL747	4 — 3	EA	Call
RB400-350A	HEOL835	4 — 3-1/2	EA	Call
RB500-350A [†]	HEOL150	5 — 3-1/2	EA	Call
RB500-400A [†]	HEOL163	5 — 4	EA	Call
RB600-400A [†]	HEOL174	6 — 4	EA	Call
RB600-500A [†]	HEGS553	6 — 5	EA	Call

*UL Recognized.

[‡]Suitable for Class I, Group A in addition to Class I Groups B, C, D; Class II, Groups E, F, G; and Class III.

[†]Class I, Groups C,D; Class II, Groups E,F,G; Class III.

Steel City®



Steel City® - T&B Rigid/Intermediate Grade Conduit Fittings Conduit Nipples

Die Cast Zinc – Noninsulated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HA-201	HBXY606	1/2"	EA	Call
HA-202	HBXY607	3/4"	EA	Call
HA-203	HBXY608	1"	EA	Call
HA-204	HBXY609	1-1/4"	EA	Call
HA-205	HBXY610	1/2"	EA	Call
HA-206	HBXY611	2"	EA	Call
HA-207	HBXY284	2-1/2"	EA	Call
HA-208	HEHL669	3"	EA	Call
HA-209	HBXY615	3-1/2"	EA	Call
HA-210	HBXY616	4"	EA	Call



Arlington Industries Conduit Nipples

Zinc die-cast

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
501	HAXI693	00501	1/2	EA	Call
502	HAXI695	00502	3/4	EA	Call
503	HAXI698	00503	1	EA	Call
504	HAGY313	00504	1-1/4	EA	Call
505	HAGY761	00505	1-1/2	EA	Call
506	HAXI700	00506	2	EA	Call
507	HAHA081	00507	2-1/2	EA	Call
508	HAGZ678	00508	3	EA	Call
509	HAHA182	00509	3-1/2	EA	Call
510	HAWH004	00510	4	EA	Call

Steel City®



Steel City® - T&B Rigid/Intermediate Grade Conduit Fittings Offset Nipples

Die Cast Zinc

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HO-221	HBXY699	1/2"	EA	Call
HO-222	HBXY700	3/4"	EA	Call
HO-223	HBXY701	1"	EA	Call
HO-224	HBXY702	1-1/4"	EA	Call
HO-225	HBXY703	1-1/2"	EA	Call
HO-226	HBXY541	2"	EA	Call



O-Z/Gedney Bushed Conduit Nipples Type 7



Use through knockout to connect box to conduit coupling, with a locknut to connect two boxes side by side or back to back or with a locknut to connect fixture housings in continuous runs.

Malleable Iron/Zinc Electroplated

- With rigid conduit threads (NPS)

Model No.	Hughes No.	Conduit Size (In.)	Maximum Diameter (in.)	Thread Length (In.)	Unit	List Price
Uninsulated						
7-38	HEPN493	3/8	7/8	1/2	EA	Call
7-50	HEGW450	1/2	1-1/8	1/2	EA	Call
7-75	HEGW452	3/4	1-1/4	5/8	EA	Call
7-100	HEGW454	1	1-3/4	5/8	EA	Call
7-125	HEGW459	1-1/4	2-1/8	7/8	EA	Call
7-150	HEGW462	1-1/2	2-1/2	1	EA	Call
7-200	HEGW465	2	3	1-1/8	EA	Call
7-250	HEGW468	2-1/2	3-5/8	1-1/4	EA	Call
7-300	HEGW471	3	4-1/2	1-1/4	EA	Call
7-350	HEGW472	3-1/2	5-1/8	1-3/8	EA	Call
7-400*	HEGW473	4	5-1/4	1-1/4	EA	Call
7-500*	HEGY467	5	6-3/8	1-1/4	EA	Call
Insulated Throat						
7-50T	HAFY091	1/2	1-1/8	1/2	EA	Call
7-75T	HAFY092	3/4	1-1/4	5/8	EA	Call
7-100T	HAFY093	1	1-3/4	5/8	EA	Call
7-125T	HAFY094	1-1/4	2-1/8	7/8	EA	Call
7-150T	HAFX805	1-1/2	2-1/2	1	EA	Call
7-200T	HAFX806	2	3	1-1/8	EA	Call
7-250T	HAFX807	2-1/2	3-5/8	1-1/4	EA	Call
7-300T	HAFY095	3	4-1/2	1-1/4	EA	Call
7-350T	HAFY096	3-1/2	5-1/8	1-3/8	EA	Call
7-400T*	HAFY097	4	5-1/4	1-1/4	EA	Call
7-500T*	HAFY098	5	6-3/8	1-1/4	EA	Call

*Not CSA Certified

Conduit




Carlon® Service Entrance Caps Rigid Nonmetallic Conduit



Standards: UL listed.

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Unit	List Price
E998D	HHBS119	1/2	5	EA	Call
E998E	HEHD816	3/4	20	EA	Call
E998F-CAR	HEIN730	1	5	EA	Call
E998G-CAR	HEIN740	1-1/4	5	EA	Call
E998H-CAR	HEIN744	1-1/2	5	EA	Call
E998J	HEIN745	2	5	EA	Call
E998K-UPC	HEIN696	2-1/2	2	EA	Call
E998L	HEIN752	3	2	EA	Call



Arlington Industries Service Entrance Cable Caps

Zinc die-cast

Model No.	Hughes No.	UPC Code	Wire Size	Hole Size (In.)	Unit	List Price
660	HAFW330	00660	3/8 to 3/1	(2).58	EA	Call
662	HAFW439	00662	1/0 to 4/0	(2).80	EA	Call

"List Price" refers to manufacturer's suggested list price.
Prices subject to change without notice.



PVC Entrance Caps

With galvanized steel strap

Model No.	Hughes No.	UPC Code	Wire Size	Hole Size (In.)	Unit	List Price
PVC660	HAWR662	73660	(3) 3, 6, 4, 2	(2).53	EA	Call
PVC662	HAHI809	73662	(3) 1/0 to (3) 4/0	(2).69	EA	Call



Entrance Caps PVC

- For rigid, IMC, PVC, EMT.
- EMT adapter sleeve included.

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
PVC102	HCAA752	73102	1	EA	Call
PVC103	HCAA753	73103	1-1/4	EA	Call
PVC104	HCAA754	73104	1-1/2	EA	Call
PVC105	HAHN402	73105	2	EA	Call



Entrance Caps Clamp-On Type


For rigid, IMC, EMT

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Hole Size (In.)	Unit	List Price
142	HADE036	00142	1	(2).44 (3).50	EA	Call
143	HADE132	00143	1-1/4	(2).42 (3).63	EA	Call
144	HADE137	00144	1-1/2	(2).60 (3).75	EA	Call
145	HADE204	00145	2	(2).75 (3)1.00 (1).53	EA	Call
146	HADE245	00146	2-1/2	(3)1.31 (3).87 (1).99	EA	Call
147	HADE288	00147	3	(3)1.31 (3).87 (1).99	EA	Call
148	HADE341	00148	3-1/2	(3)1.73 (4)1.10	EA	Call



Arlington Industries Roof Flashing

Model No.	Hughes No.	UPC Code	Copper and Aluminum Cable All Types (In.)	Width (In.)	Length (In.)	Unit	List Price
Galvanized steel with neoprene seal							
625	HBZZ519	00625	2	10.750	14.500	EA	Call
626	HBZZ520	00626	2-1/2	10.750	14.500	EA	Call
All neoprene							
635	HAFW743	00635	2	9.000	11.500	EA	Call
636	HBZZ522	00636	2-1/2	9.000	11.500	EA	Call
637	HAFX817	00637	3	10.000	13.500	EA	Call
639	HBZZ523	00639	4	11.500	14.000	EA	Call



Appleton® Flashings Type NC

No Caulk Galvanized

These are used to provide a watertight connection between the roof line and ventilation pipes.

Model No.	Hughes No.	Conduit Size (In.)	Width (In.)	Length (In.)	Unit	List Price
NC-1069	HENC667	1-1/4 – 1-1/2	8.75	12.50	EA	Call
NC-1070	HENC675	2	8.88	12.50	EA	Call
NC-1071	HENC679	2-1/2 – 3-1/2	10.75	14.50	EA	Call



**See pages 346-347
for Armored Cable**



Appleton® EYS Vertical Conduit Seals Malleable Iron*



Model No.	Hughes No.	Conduit Size (In.)	Turning Radius (in) [†]	Unit	List Price
Female					
EYSF-50°	HEGA999	1/2	1.81	EA	Call
EYSF-75°	HEGB005	3/4	2.25	EA	Call
EYSF-100°	HEGB010	1	2.38	EA	Call
EYSF-125	HAHP244	1-1/4	2.94	EA	Call
EYSF-150	HAHQ240	1-1/2	3.50	EA	Call
EYSF-200	HGLI681	2	4.13	EA	Call
EYSF-250	HBLG974	2-1/2	4.75	EA	Call
EYSF-300	HBLG975	3	5.63	EA	Call
EYSF-400	HBLG976	4	6.50	EA	Call

Male/Female (Removable Male Nipple)

EYSM-50°	HEGI454	1/2	1.81	EA	Call
EYSM-75°	HEGI455	3/4	2.25	EA	Call
EYSM-100°	HEGI456	1	2.38	EA	Call

*U.L. Listed for use with Appleton "Kwiko® A" and Crouse-Hinds "Chico® A" cement.

†Indicated items in the shaded area which are suitable for Class I, Groups A, B, C, and D; Class II, Groups E, F, G; and Class III.

†Turning radius with cover or plug removed.



Appleton® EYS Vertical Conduit Seals Almag 35* Aluminum

Model No.	Hughes No.	Conduit Size (In.)	Turning Radius (in) [†]	Unit	List Price
Female					
EYSF-50AL	HGZN735	1/2	1.81	EA	Call
EYSF-75AL	HGZN736	3/4	2.25	EA	Call
EYSF-100AL	HGZN734	1	2.38	EA	Call
Male/Female (Removable Male Nipple)					
EYSM-50AL	HGZN738	1/2	1.81	EA	Call
EYSM-75AL	HGZN739	3/4	2.25	EA	Call
EYSM-100AL	HGZN737	1	2.38	EA	Call

*U.L. Listed for use with Appleton "Kwiko® A" and Crouse-Hinds "Chico® A" Cement.

†Turning radius with cover or plug removed.



ESU Vertical and Horizontal Conduit Seals Malleable Iron*

Model No.	Hughes No.	Conduit Size (In.)	Turning Radius (in) [†]	Unit	List Price
Female					
ESUF-50	HEGI386	1/2	1.25	EA	Call
ESUF-75	HEFM272	3/4	1.25	EA	Call
ESUF-100	HEGI387	1	1.38	EA	Call
Male/Female (Removable Male Nipple)					
ESUM-50	HEOM736	1/2	1.25	EA	Call
ESUM-75	HEOM739	3/4	1.25	EA	Call
ESUM-100	HEOM764	1	1.38	EA	Call

*U.L. Listed for use with Appleton "Kwiko® A" and Crouse-Hinds "Chico® A" cement.

†Turning radius with cover or plug removed.

ProValue®



1900 Piece Nut and Washer Assortment, PV35549

- Contains 25 screws each of: 1/4-20 x 5/8", 1/4-20 x 1"
- Contains 50 screws each of: 10-32 x 1", 1/4-20 x 1/2", 1/4-20 x 1-1/2"
- Contains 100 screws each of: 6-32 x 5/8", 8-32 x 3/8", x 5/8", x 1", x 1-1/2", x 2", 10-24 x 1-1/2", 10-32 x 3/8", x 1/2"
- 100 each machine screw nuts: 6-32 square, 8-32 hex, 10-24 square, 10-32 square, 1/4-20 hex
- 100 each split washers: # 8, #10, 1/4"



Appleton®
EY Vertical and Horizontal Conduit Seals
for Close Turning Radius
Malleable Iron*

Model No.	Hughes No.	Conduit Size (In.)	Turning Radius (in)	Unit	List Price
Female					
EYF-50 ^o	HEFQ304	1/2	1.06	EA	Call
EYF-75 ^o	HEFQ308	3/4	1.19	EA	Call
EYF-100 ^o	HEFQ311	1	1.38	EA	Call
EYF-125	HEFQ314	1-1/4	1.75	EA	Call
EYF-150	HEFQ317	1-1/2	2.06	EA	Call
EYF-200	HEGE487	2	2.31	EA	Call
EYF-250	HEGI106	2-1/2	2.69	EA	Call
EYF-300	HEIP581	3	3.13	EA	Call
EYF-350	HEOI578	3-1/2	3.44	EA	Call
EYF-400	HEGI107	4	3.69	EA	Call
EYF-500 ⁺	HENL042	5	4.69	EA	Call
EYF-600 ⁺	HEGS499	6	5.38	EA	Call
Male/Female (Removable Male Nipple)					
EYM-50 ^o	HEGI108	1/2	1.06	EA	Call
EYM-75 ^o	HEGI109	3/4	1.19	EA	Call
EYM-100 ^o	HEGI110	1	1.38	EA	Call
EYM-125	HEGI111	1-1/4	1.75	EA	Call
EYM-150	HEGI112	1-1/2	2.06	EA	Call
EYM-200	HEGI113	2	2.31	EA	Call
EYM-250	HEGI114	2-1/2	2.69	EA	Call
EYM-300	HEGI115	3	3.13	EA	Call
EYM-350	HEGI116	3-1/2	3.44	EA	Call
EYM-400	HEGI117	4	3.69	EA	Call
EYM-500 ⁺	HEGS500	5	4.69	EA	Call
EYM-600 ⁺	HENL053	6	5.38	EA	Call

*U.L. Listed for use with Appleton "Kwiko® A" and Crouse-Hinds "Chico® A" cement.
^oIndicates items which are U.L. Listed for Class I, Groups A, B, C, and D; Class II Groups E, F and G; and Class III.
[†]Turning radius with cover or plug removed.
⁺Not U.L. Listed CSA Certified only.



EY Vertical and Horizontal Conduit Seals
for Close Turning Radius
Almag 35 Aluminum*

Model No.	Hughes No.	Conduit Size (In.)	Turning Radius (in) [†]	Unit	List Price
Female					
EYF-50AL ^o	HGZN722	1/2	1.06	EA	Call
EYF-75AL ^o	HGZN723	3/4	1.19	EA	Call
EYF-100AL ^o	HGZN714	1	1.38	EA	Call
EYF-125AL	HGZN715	1-1/4	1.75	EA	Call
EYF-150AL	HGZN716	1-1/2	2.06	EA	Call
EYF-200AL	HGZN717	2	2.31	EA	Call
EYF-250AL	HGZN718	2-1/2	2.69	EA	Call
EYF-300AL	HGZN719	3	3.13	EA	Call
EYF-350AL	HGZN720	3-1/2	3.44	EA	Call
EYF-400AL	HGZN721	4	3.69	EA	Call
Male/Female (Removable Male Nipple)					
EYM-50AL ^o	HGZN732	1/2	1.06	EA	Call
EYM-75AL ^o	HGZN733	3/4	1.19	EA	Call
EYM-100AL ^o	HGZN724	1	1.38	EA	Call
EYM-125AL	HGZN725	1-1/4	1.75	EA	Call
EYM-150AL	HGZN726	1-1/2	2.06	EA	Call
EYM-200AL	HGZN727	2	2.31	EA	Call
EYM-250AL	HGZN728	2-1/2	2.69	EA	Call
EYM-300AL	HGZN729	3	3.13	EA	Call
EYM-350AL	HGZN730	3-1/2	3.44	EA	Call
EYM-400AL	HGZN731	4	3.69	EA	Call

*U.L. Listed for use with Appleton "Kwiko® A" and Crouse-Hinds "Chico® A" cement.
^oIndicates items which are U.L. Listed for Class I, Groups A, B, C, and D; Class II, Groups E, F and G; and Class III.
[†]Turning radius with cover or plug removed.

Conduit



Cantex Caps

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
5140031	HBX461	1/2	Pack	Call
5140032	HBX462	3/4	Pack	Call
5140033	HBX463	1	Pack	Call
5140034	HBX464	1-1/4	Pack	Call
5140035	HBX465	1-1/2	Pack	Call
5140037	HBX467	2	Pack	Call
5140038	HBX468	2-1/2	Pack	Call
5140039	HBX469	3	Pack	Call
5140036	HBX466	3-1/2	Pack	Call
5140040	HBX470	4	Pack	Call
5140041	HBX471	5	Pack	Call
5140042	HBX472	6	Pack	Call



Carlton® End Caps Rigid Nonmetallic Conduit

Model No.	Hughes No.	Size (In.)	Color	Standard Carton Quantity	Standard Carton Weight (lbs.)	Unit	List Price
E958D	HECN079	1/2	Gray	100	3	EA	Call
E958E	HDXT203	3/4	Gray	100	4	EA	Call
E958G	HVU082	1-1/4	Gray	40	4	EA	Call
E958H	HECO198	1-1/2	Gray	30	4	EA	Call
E958J	HECJ510	2	Gray	25	5	EA	Call
E958N	HECJ525	4	Gray	5	17	EA	Call



Rigid Nonmetallic Conduit Meter Offset

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Offset	Dimension A (in.)	Unit	List Price
E995J	HDXT178	2	8	0.684	4.270	EA	Call



End Bells Rigid Nonmetallic Conduit


Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Standard Carton Weight (lbs.)	Unit	List Price
E997F-CAR	HECN590	1	15	1	EA	Call
E997H	HECN592	1-1/2	30	2.4	EA	Call
E997J-CAR	HECN162	2	10	1	EA	Call
E997K-CAR	HECO613	2-1/2	10	2	EA	Call
E997L-CAR	HEDM622	3	10	2	EA	Call
E997M	HEAY654	3-1/2	40	10	EA	Call
E997N	HECO614	4	30	11	EA	Call
E997P	HECO615	5	15	10	EA	Call
E997R	HECO616	6	10	7.4	EA	Call



Plugs with Pull Tabs Rigid Nonmetallic Conduit

Model No.	Hughes No.	Size (In.)	Standard Carton Quantity	Standard Carton Weight (lbs.)	Unit	List Price
P258JT	HEIN758	2	60	3	EA	Call
P258LT	HECO619	3	30	3	EA	Call
P258NT	HDUB035	4	48	8	EA	Call
P258PT	HEIN690	5	30	6	EA	Call
P258RT	HECO620	6	30	9	EA	Call

Steel City®



Steel City® - T&B
Rigid/Intermediate Grade Conduit Fittings
Snap in Blanks

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
BL-111	HAXI607	1/2"	EA	Call
BL-112	HBJY563	3/4"	EA	Call
BL-113	HBJY564	1-1/4"	EA	Call
BL-114	HBJY565	1"	EA	Call
BL-115	HEHY025	1-1/2"	EA	Call
BL-116	HBJY566	2"	EA	Call



Appleton®
PLG Close-Up Plugs and BR Reducers:
Explosionproof, Dust-Ignitionproof
Close-Up Plugs



- Class I, Div. 1 and 2
- Groups A⁺, B⁺, C, D
- Class II, Div. 1 and 2
- Groups E, F, G
- Class III
- UNILETS® for Use with Threaded Metal Conduit.

Model No.	Hughes No.	Conduit Size (In.)	Type	Unit	List Price
Steel (1/2" to 1") and Malleable (1-1/4" to 6")					
PLG50R [†]	HEPQ877	1/2	Recessed Head	EA	Call
PLG75R [†]	HEGR891	3/4	Recessed Head	EA	Call
PLG100R [†]	HEIR131	1	Recessed Head	EA	Call

Model No.	Hughes No.	Conduit Size (In.)	Type	Unit	List Price
Steel (1/2" to 1") and Malleable (1-1/4" to 6")					
PLG125 [°]	HGZN748	1-1/4	Recessed Head	EA	Call
PLG150 [°]	HGZN750	1-1/2	Recessed Head	EA	Call
PLG200 [°]	HGZN752	2	Recessed Head	EA	Call
PLG250 [°]	HGZN754	2-1/2	Recessed Head	EA	Call
PLG300 [°]	HGZN756	3	Recessed Head	EA	Call
PLG400 [°]	HEIQ029	4	Recessed Head	EA	Call
PLG50-S [†]	HGZN760	1/2	Square Head	EA	Call
PLG75-S [†]	HGZN761	3/4	Square Head	EA	Call
PLG100-S [†]	HGZN747	1	Square Head	EA	Call
PLG125-S [°]	HGZN749	1-1/4	Square Head	EA	Call
PLG150-S [°]	HGZN751	1-1/2	Square Head	EA	Call
PLG200-S [°]	HGZN753	2	Square Head	EA	Call
PLG250-S [°]	HGZN755	2-1/2	Square Head	EA	Call
PLG300-S [°]	HGZN757	3	Square Head	EA	Call
PLG350-S [°]	HGZN758	3-1/2	Square Head	EA	Call
PLG400-S [°]	HGZN759	4	Square Head	EA	Call
PLG500-B	HEGI426	5	Bar Head (Cast Iron)	EA	Call
PLG600-B	HEIQ031	6	Bar Head (Cast Iron)	EA	Call

Aluminum (1/2" to 4")					
PLG-50RA [†]	HEGI725	1/2	Recessed Head	EA	Call
PLG-75RA [†]	HEGI726	3/4	Recessed Head	EA	Call
PLG-100RA [†]	HEGI727	1	Recessed Head	EA	Call
PLG-125A [°]	HEGI555	1-1/4	Recessed Head	EA	Call
PLG-150A [°]	HEGI556	1-1/2	Recessed Head	EA	Call
PLG-200A [°]	HEGI557	2	Recessed Head	EA	Call
PLG-250A [°]	HEO0809	2-1/2	Recessed Head	EA	Call
PLG-300A [°]	HEO0812	3	Recessed Head	EA	Call
PLG-400A [°]	HEIU221	4	Recessed Head	EA	Call

[†]Indicates items in the shaded area which are UL Listed for Class I, Groups A, B, C and D; Class II, Groups E, F and G; and Class III.

[°]Indicates items in the shaded area which are UL Listed for Class I, Groups B, C and D; Class II, Groups E, F and G; and Class III.



Duct Sealing Compound
Type DC

This asbestos-free sealer is a gray, permanently soft, non-toxic, non-volatile compound which will adhere to most clean, dry surfaces. It will not adversely affect other plastic materials or corrode metals and has no adverse effect on human skin.

- Asbestos Free
- FDA Approved as listed in CFR, Title 21 being composed of ingredients acceptable for packaging and transporting food.
- Chemically acceptable to the U.S.D.A. for use in meat and poultry processing areas under Federal Inspection.
- Dielectric Strength: Approximate 100 volts per mil (ASTM D149-64). Resistivity: 1.51 @ 100°C, 4.8 x 10⁹ ohm-cm. 1.52 after 96 hours @ 115°C, 4.8 x 10¹⁰ ohm-cm (ASME power test code of 1965, Section 40.5).
- No vehicle bleedout
- Non-Corrosive: , Non-Irritant, Non-Toxic

Model No.	Hughes No.	Description	Unit	List Price
DC-10	HEFV615	1 lb. bag	EA	Call
DC-50	HEFV617	5 lb. bag	EA	Call

Conduit



Cantex
Conduit Bodies
Type C

Model No.	Hughes No.	Conduit Size (In.)	UPC Code	Unit	List Price
5133103	HBX293	1	56760 4	EA	Call
5133104	HEJX501	1-1/4	56761 1	EA	Call
5133105	HBX294	1-1/2	56762 8	EA	Call
5133106	HBX295	2	56763 5	EA	Call
5133108	HBX393	2-1/2	51713 5	EA	Call
5133107	HBX394	3	51712 8	EA	Call
5133109	HBX395	4	51714 2	EA	Call



Conduit Bodies
Type LB

Model No.	Hughes No.	Conduit Size (In.)	UPC Code	Unit	List Price
5133665	HEGQ546	1	56766 6	EA	Call
5133666	HEGQ547	1-1/4	56767 3	EA	Call
5133667	HEGQ517	1-1/2	56701 7	EA	Call
5133668	HEGQ548	2	56768 0	EA	Call
5133669	HEGQ432	2-1/2	06547 6	EA	Call
5133670	HEGQ433	3	06548 3	EA	Call
5133672	HEGQ435	4	06550 6	EA	Call



Conduit Bodies
Type LL

Model No.	Hughes No.	Conduit Size (In.)	UPC Code	Unit	List Price
5133662	HEGQ549	1	56771 0	EA	Call
5133649	HEJW474	1-1/4	06564 3	EA	Call
5133648	HEJW478	1-1/2	06565 0	EA	Call
5133647	HEGQ550	2	56772 7	EA	Call
5133644	HEJW679	2-1/2	51756 2	EA	Call
5133646	HEJW525	3	51758 6	EA	Call
5133645	HEJW683	4	51757 9	EA	Call



Conduit Bodies
Type LR

Model No.	Hughes No.	Conduit Size (In.)	UPC Code	Unit	List Price
5133652	HEGQ551	1	56775 8	EA	Call
5133653	HEJW485	1-1/4	06584 1	EA	Call
5133654	HEJW488	1-1/2	06585 8	EA	Call
5133655	HEJX570	2	56776 5	EA	Call
5133658	HEJW691	2-1/2	51761 6	EA	Call
5133656	HEJW528	3	51759 3	EA	Call
5133657	HEJW686	4	51760 9	EA	Call



Conduit Bodies
Type T

Model No.	Hughes No.	Conduit Size (In.)	UPC Code	Unit	List Price
5133565	HEGQ554	1	56785 7	EA	Call
5133566	HEGQ555	1-1/4	56786 4	EA	Call
5133567	HEGQ556	1-1/2	56787 1	EA	Call
5133568	HEGQ557	2	56788 8	EA	Call
5133569	HEGC642	2-1/2	06607 7	EA	Call
5133570	HEJW646	3	51740 1	EA	Call
5133571	HEJW650	4	51741 8	EA	Call



Conduit Bodies
Type E

Model No.	Hughes No.	Conduit Size (In.)	UPC Code	Unit	List Price
5133153	HBVW988	1	06523 0	EA	Call
5133154	HBVW989	1-1/4	06524 7	EA	Call
5133155	HBX362	1-1/2	06525 4	EA	Call
5133156	HBX363	2	06526 1	EA	Call
5133157	HBX364	2-1/2	06527 8	EA	Call
5133158	HBX365	3	06528 5	EA	Call
5133159	HBX367	4	06530 8	EA	Call



Carlon®
Conduit Bodies
Type X with Cover



Four knock-out type socket openings, 90° spacing. Available with 1/2" or 3/4" socket outlets. Includes cover and gasket. Supplied with separate mounting feet for easy mounting. E970CE is UL listed.

Model No.	Hughes No.	Size (In.)	Volume	Standard Carton Quantity	Unit	List Price
E970CD	HECO663	1/2	15.16	15	EA	Call
E970CE	HECO664	3/4	15.16	15	EA	Call

Supplied with 4 stainless steel cover screws. Diameter 4 1/8", Thickness 1/4".
Not designed for use with wiring devices or light fixtures.



Conduit Bodies
Type C

Standards: UL listed.



Model No.	Hughes No.	Conduit Size (In.)	Capacity (cu. in.)	Unit	List Price
E987D-CAR	HEDM890	1/2	4.0	EA	Call
E987E-CAR	HEDQ588	3/4	12.0	EA	Call
E987F-CAR	HDZO106	1	12.0	EA	Call
E987G-CAR	HEDM616	1-1/4	32.0	EA	Call
E987H-CAR	HDDUA786	1-1/2	32.0	EA	Call
E987J	HECN123	2	63.0	EA	Call



Conduit Bodies
Type LB

Standards: UL listed.



Model No.	Hughes No.	Conduit Size (In.)	Capacity (cu. in.)	Unit	List Price
E986D-CAR	HEIN624	1/2	4.0	EA	Call
E986E-CAR	HEIN688	3/4	12.0	EA	Call
E986F-CAR	HEIN691	1	12.0	EA	Call
E986G-CAR	HEIN699	1-1/4	32.0	EA	Call
E986H-CAR	HEIN700	1-1/2	32.0	EA	Call
E986J	HEIN702	2	63.0	EA	Call
E986K*	HEIN705	2-1/2	210.	EA	Call
E986L*	HEIN714	3	210.	EA	Call
E986M*	HEIN720	3-1/2	390.	EA	Call
E986N*	HEIN721	4	390.	EA	Call

*Not UL listed



Conduit Bodies
Type LL

Standards: UL listed.



Model No.	Hughes No.	Conduit Size (In.)	Capacity (cu. in.)	Unit	List Price
E984D-CAR	HECN160	1/2	4.0	EA	Call
E984E-CAR	HECN091	3/4	12.0	EA	Call
E984F-CAR	HDXR310	1	12.0	EA	Call
E984G-CAR	HEDM888	1-1/4	32.0	EA	Call
E984H-CAR	HDXR915	1-1/2	32.0	EA	Call
E984J	HECJ654	2	63.0	EA	Call



Conduit Bodies
Type LR

Standards: UL listed.



Model No.	Hughes No.	Conduit Size (In.)	Capacity (cu. in.)	Unit	List Price
E985D-CAR	HDTV941	1/2	4.0	EA	Call
E985E-CAR	HECN092	3/4	12.0	EA	Call
E985F-CAR	HDXS616	1	12.0	EA	Call
E985G-CAR	HEDM889	1-1/4	32.0	EA	Call
E985H-CAR	HDTV301	1-1/2	32.0	EA	Call
E985J	HDDV091	2	63.0	EA	Call



Conduit Bodies
Type T

Standards: UL listed.



Model No.	Hughes No.	Conduit Size (In.)	Capacity (cu. in.)	Unit	List Price
E983D-CAR	HEIN723	1/2	4.0	EA	Call
E983E-CAR	HEIN724	3/4	12.0	EA	Call
E983F	HDXT057	1	12.0	EA	Call
E983G	HECN683	1-1/4	32.0	EA	Call
E983H-CAR	HECN684	1-1/2	32.0	EA	Call
E983J	HEAC926	2	63.0	EA	Call

Conduit

CONDUIT BODIES & BOXES Conduit Bodies



Carlon® Conduit Bodies Type E

- Standards: UL Listed



Model No.	Hughes No.	Conduit Size (In.)	Capacity (cu. in.)	Unit	List Price
E988D-CAR	HEDM617	1/2	4.0	EA	Call
E988E	HECO487	3/4	12.0	EA	Call
E988F-CAR	HEDM618	1	12.0	EA	Call
E988G-CAR	HEDM619	1-1/4	32.0	EA	Call
E988H-CAR	HEDM620	1-1/2	32.0	EA	Call
E988J	HECO659	2	63.0	EA	Call



Appleton® Conduit Outlet Bodies Form 85™ Aluminum Unilet®




- Threaded Type for use with Rigid Metal Conduit and IMC.
- Setscrew Type for use with Electrical Metal Tubing (EMT).

Model No.	Hughes No.	Hub Size (in)	Body Type	Type	Unit	List Price
C50-A	HEGA977	1/2	C	Threaded Type	EA	Call
C75-A	HEGA987	3/4	C	Threaded Type	EA	Call
C100-A	HEGF051	1	C	Threaded Type	EA	Call
C125-A	HEGW629	1-1/4	C	Threaded Type	EA	Call
C150-A	HEGF052	1-1/2	C	Threaded Type	EA	Call
C200-A	HEGW633	2	C	Threaded Type	EA	Call
C250-A	HEGI032	2-1/2	C	Threaded Type	EA	Call
C300-A	HEGI033	3	C	Threaded Type	EA	Call
C350-A	HEGI034	3-1/2	C	Threaded Type	EA	Call
C400-A	HEGI035	4	C	Threaded Type	EA	Call
C50T-A	HEOJ954	1/2	C	Setscrew Type	EA	Call
C75T-A	HEGI186	3/4	C	Setscrew Type	EA	Call
C100T-A	HEOK009	1	C	Setscrew Type	EA	Call
C125T-A	HEOK024	1-1/4	C	Setscrew Type	EA	Call
C150T-A	HEOJ876	1-1/2	C	Setscrew Type	EA	Call
E50-A	HEGI304	1/2	E	Threaded Type	EA	Call
E75-A	HEGI305	3/4	E	Threaded Type	EA	Call
E100-A	HEOL689	1	E	Threaded Type	EA	Call
E50T-A	HEOL675	1/2	E	Setscrew Type	EA	Call
LB50-A	HEGB245	1/2	LB	Threaded Type	EA	Call
LB75-A	HEGB253	3/4	LB	Threaded Type	EA	Call
LB100-A	HEGB087	1	LB	Threaded Type	EA	Call
LB125-A	HEGB091	1-1/4	LB	Threaded Type	EA	Call
LB150-A	HEGB093	1-1/2	LB	Threaded Type	EA	Call
LB200-A	HEGB256	2	LB	Threaded Type	EA	Call
LB250-A	HEGB258	2-1/2	LB	Threaded Type	EA	Call
LB300-A	HEGB261	3	LB	Threaded Type	EA	Call
LB350-A	HEGB263	3-1/2	LB	Threaded Type	EA	Call

Model No.	Hughes No.	Hub Size (in)	Body Type	Type	Unit	List Price
LB400-A	HEGB269	4	LB	Threaded Type	EA	Call
LB50T-A	HEOR496	1/2	LB	Setscrew Type	EA	Call
LB75T-A	HEOR417	3/4	LB	Setscrew Type	EA	Call
LB100T-A	HEOR541	1	LB	Setscrew Type	EA	Call
LB125T-A	HEOR556	1-1/4	LB	Setscrew Type	EA	Call
LB150T-A	HEOR569	1-1/2	LB	Setscrew Type	EA	Call
LB200T-A	HEOR584	2	LB	Setscrew Type	EA	Call
LL50-A	HEGB282	1/2	LL	Threaded Type	EA	Call
LL75-A	HEGB288	3/4	LL	Threaded Type	EA	Call
LL100-A	HEGB292	1	LL	Threaded Type	EA	Call
LL125-A	HEGB295	1-1/4	LL	Threaded Type	EA	Call
LL150-A	HEGB297	1-1/2	LL	Threaded Type	EA	Call
LL200-A	HEGB301	2	LL	Threaded Type	EA	Call
LL250-A	HEGI055	2-1/2	LL	Threaded Type	EA	Call
LL300-A	HEGI056	3	LL	Threaded Type	EA	Call
LL350-A	HEOA000	3-1/2	LL	Threaded Type	EA	Call
LL400-A	HEGI057	4	LL	Threaded Type	EA	Call
LL50T-A	HEOR688	1/2	LL	Setscrew Type	EA	Call
LL75T-A	HEOR705	3/4	LL	Setscrew Type	EA	Call
LL100T-A	HEOR719	1	LL	Setscrew Type	EA	Call
LL125T-A	HEOR731	1-1/4	LL	Setscrew Type	EA	Call
LL150T-A	HEOR741	1-1/2	LL	Setscrew Type	EA	Call
LL200T-A	HEOR750	2	LL	Setscrew Type	EA	Call
LR50-A	HEGB317	1/2	LR	Threaded Type	EA	Call
LR75-A	HEGB321	3/4	LR	Threaded Type	EA	Call
LR100-A	HEGB324	1	LR	Threaded Type	EA	Call
LR125-A	HEGB326	1-1/4	LR	Threaded Type	EA	Call
LR150-A	HEGY114	1-1/2	LR	Threaded Type	EA	Call
LR200-A	HEGB100	2	LR	Threaded Type	EA	Call
LR250-A	HEOA010	2-1/2	LR	Threaded Type	EA	Call
LR300-A	HEGI058	3	LR	Threaded Type	EA	Call
LR350-A	HEOA026	3-1/2	LR	Threaded Type	EA	Call
LR400-A	HEOA030	4	LR	Threaded Type	EA	Call
LR50T-A	HEOR815	1/2	LR	Setscrew Type	EA	Call
LR75T-A	HEOR823	3/4	LR	Setscrew Type	EA	Call
LR100T-A	HEOR838	1	LR	Setscrew Type	EA	Call
LR125T-A	HEOR861	1-1/4	LR	Setscrew Type	EA	Call
LR150T-A	HEOR873	1-1/2	LR	Setscrew Type	EA	Call
LR200T-A	HEOR884	2	LR	Setscrew Type	EA	Call
T50-A	HEGB369	1/2	T	Threaded Type	EA	Call
T75-A	HEGB378	3/4	T	Threaded Type	EA	Call
T100-A	HEGB381	1	T	Threaded Type	EA	Call
T125-A	HEGB382	1-1/4	T	Threaded Type	EA	Call
T150-A	HEGB385	1-1/2	T	Threaded Type	EA	Call
T200-A	HEGB387	2	T	Threaded Type	EA	Call
T250-A	HAFX392	2-1/2	T	Threaded Type	EA	Call
T300-A	HAFX393	3	T	Threaded Type	EA	Call
T350-A	HAFW579	3-1/2	T	Threaded Type	EA	Call
T400-A	HAFW580	4	T	Threaded Type	EA	Call
T50T-A	HAFX387	1/2	T	Setscrew Type	EA	Call
T75T-A	HEGY572	3/4	T	Setscrew Type	EA	Call
T100T-A	HAFX391	1	T	Setscrew Type	EA	Call
TB50-A	HAFW768	1/2	TB	Threaded Type	EA	Call
TB75-A	HAFW769	3/4	TB	Threaded Type	EA	Call
TB100-A	HEFX809	1	TB	Threaded Type	EA	Call
TB125-A	HAFW770	1-1/4	TB	Threaded Type	EA	Call
TB150-A	HAFW771	1-1/2	TB	Threaded Type	EA	Call
TB200-A	HAFW772	2	TB	Threaded Type	EA	Call
X50-A	HEGJ151	1/2	X	Threaded Type	EA	Call
X75-A	HEFX810	3/4	X	Threaded Type	EA	Call
X100-A	HEOW078	1	X	Threaded Type	EA	Call

Unilet Body	Flat Back	Round Back
C, LB, LL, LR, T	1/2" - 2"	2-1/2" - 4"
TB	1-1/4", 1-1/2"	1/2", 3/4", 1", 2"
E, X	1/2" - 1"	

Conduit



Appleton®
Unilet® Conduit Outlet Bodies
Malleable Iron Form 35® Threaded Type Conduit Bodies
 Threaded Type for use with Rigid Metal Conduit and IMC;
 All TA Unilets are round back design.

Model No.	Hughes No.	Hub Size (in)	Body Type	Unit	List Price
C50-M	HEFX737	1/2	C	EA	Call
C75-M	HEGV087	3/4	C	EA	Call
C100-M	HEG1187	1	C	EA	Call
C125-M ^o	HEFQ364	1-1/4	C	EA	Call
C150-M ^o	HEG1188	1-1/2	C	EA	Call
C200-M ^o	HEG1189	2	C	EA	Call
C250-M ^o	HEG1190	2-1/2	C	EA	Call
C300-M ^o	HEG1191	3	C	EA	Call
C350-M ^o	HEOK093	3-1/2	C	EA	Call
C400-M ^o	HEIQ032	4	C	EA	Call
E50-M	HEOL670	1/2	E	EA	Call
E75-M	HEOL684	3/4	E	EA	Call
E100-M	HEOL693	1	E	EA	Call
LB50-M	HEFQ467	1/2	LB	EA	Call
LB75-M	HENT705	3/4	LB	EA	Call
LB100-M	HENU253	1	LB	EA	Call
LB125-M ^o	HEFQ471	1-1/4	LB	EA	Call
LB150-M ^o	HEFQ475	1-1/2	LB	EA	Call
LB200-M ^o	HEFQ477	2	LB	EA	Call
LB250-M ^o	HEFQ481	2-1/2	LB	EA	Call
LB300-M ^o	HEFQ485	3	LB	EA	Call
LB350-M ^o	HEFQ490	3-1/2	LB	EA	Call
LB400-M ^o	HENV654	4	LB	EA	Call
LB500-M	HEG1783	5	LB	EA	Call
LB600-M	HEOR635	6	LB	EA	Call
LL50-M	HEG1788	1/2	LL	EA	Call
LL75-M	HEG1789	3/4	LL	EA	Call
LL100-M	HEG1790	1	LL	EA	Call
LL125-M	HEG1791	1-1/4	LL	EA	Call
LL150-M	HEG1792	1-1/2	LL	EA	Call
LL200-M	HEG1793	2	LL	EA	Call
LL250-M	HEG1794	2-1/2	LL	EA	Call
LL300-M	HEFX653	3	LL	EA	Call

Model No.	Hughes No.	Hub Size (in)	Body Type	Unit	List Price
LL350-M	HEG1795	3-1/2	LL	EA	Call
LL400-M	HEG1796	4	LL	EA	Call
LR50-M	HEGW996	1/2	LR	EA	Call
LR75-M	HEFQ133	3/4	LR	EA	Call
LR100-M	HEG1800	1	LR	EA	Call
LR125-M	HEG1801	1-1/4	LR	EA	Call
LR150-M	HEG1802	1-1/2	LR	EA	Call
LR200-M	HEG1803	2	LR	EA	Call
LR250-M	HEG1804	2-1/2	LR	EA	Call
LR300-M	HEFV473	3	LR	EA	Call
LR350-M	HEG1805	3-1/2	LR	EA	Call
LR400-M	HEG1806	4	LR	EA	Call
LRL50-M	HEOR904	1/2	LRL*	EA	Call
LRL75-M	HEG1807	3/4	LRL*	EA	Call
LRL100-M	HEG1808	1	LRL*	EA	Call
LRL125-M	HEOR928	1-1/4	LRL*	EA	Call
LRL150-M	HEG1809	1-1/2	LRL*	EA	Call
LRL200-M	HEG1810	2	LRL*	EA	Call
T50-M	HAFX385	1/2	T	EA	Call
T75-M	HENV258	3/4	T	EA	Call
T100-M	HEFQ666	1	T	EA	Call
T125-M	HEFQ667	1-1/4	T	EA	Call
T150-M	HEFQ671	1-1/2	T	EA	Call
T200-M	HEFQ674	2	T	EA	Call
T250-M	HEIN849	2-1/2	T	EA	Call
T300-M	HAFX395	3	T	EA	Call
T350-M	HAFX396	3-1/2	T	EA	Call
T400-M	HAFX397	4	T	EA	Call
TA50-M	HAFX398	1/2	TA	EA	Call
TA75-M	HAFX399	3/4	TA	EA	Call
TA100-M	HAFX400	1	TA	EA	Call
TB50-M	HAFX401	1/2	TB	EA	Call
TB75-M	HAFX402	3/4	TB	EA	Call
TB100-M	HAFX403	1	TB	EA	Call
TB125-M	HAFX404	1-1/4	TB	EA	Call
TB150-M	HAFX405	1-1/2	TB	EA	Call
TB200-M	HAFX406	2	TB	EA	Call
X50-M	HEGJ152	1/2	X	EA	Call
X75-M	HEGJ153	3/4	X	EA	Call
X100-M	HEFS236	1	X	EA	Call
X125-M	HEGJ154	1-1/4	X	EA	Call
X150-M	HEGJ155	1-1/2	X	EA	Call
X200-M	HEKX643	2	X	EA	Call

*LRL Unilets have double opening and are furnished with one steel cover, assembled.


^oCatalog numbers having patented roller feature, all others do not.

Back Style for Form 35 Unilet conduit body sizes (inches)

Unilet Body	Flat Back	Round Back
C, LB	1/2 - 2	2-1/2 and up
E	1/2 - 1	
LL, LR, T	1/2 - 2	2-1/2 and up
TB	1-1/4, 1-1/2	1/2, 3/4, 1, 2
X	1/2 - 1	1-1/4 and up

Some products not available at all locations. Check with your local Hughes representative for product availability.





Appleton® Unilet® Conduit Bodies FM7 Conduit Bodies

- Approved for wet locations. FM7 and FM8 Grayloy-iron bodies with the "FG" series cast covers and gasket are approved for use in wet locations. (NEMA 3R)
- Maximum corrosion protection. Appleton FM7 and FM8 Grayloy-iron conduit bodies and cast covers have a triple-coat finish— (1) zinc electroplate, (2) dichromate, and (3) epoxy powder coating. FM7 aluminum bodies and cast covers are coated with epoxy powder coating. FM7 and FM8 blank steel covers have a zinc electroplate finish. Superior FM7 and FM8 finish gives greater corrosion protection in wet or harsh environments, assuring long, trouble-free service.
- Grayloy-iron properties. Grayloy™ is an Appleton proprietary cast graphite flake gray iron alloy with superior physical and mechanical properties offering strength, hardness, fracture toughness, high vibration absorption and dimensional stability. Tensile strength is similar to ASTM-A48 Class 30A (30,000 tensile), with Brinell hardness of approximately 180BH.
- Aluminum properties. Aluminum products are produced from a high strength copper-free (1/10 of 1% max.) alloy.
- More wiring space. Appleton's FM7 and FM8 flat-back design provides greater cubic content for easier wire pulling, and more room for splicing. FM7 and FM8 flat back fits flush and snug against flat surfaces for more stable installation.
- Form 7 and Form 8 are products of Crouse-Hinds, a member company of Cooper Industries.
- FM7™ Grayloy™-Iron and Aluminum Unilet® Conduit Bodies with Wedge-Lok™ Clip Covers and Gaskets For use with Rigid Steel, Rigid Aluminum and IMC Conduit.
- These Appleton FM7 conduit bodies, covers and gaskets have the same applications and installation dimensions as Crouse-Hinds Form 7 conduit bodies. Equivalent FM7 and Form 7 items are completely interchangeable.

Model No.	Hughes No.	Hub Size (in)	Body Type	Type	Unit	List Price
C17	HEGA820	1/2	C	Grayloy-Iron	EA	Call
C27	HEGA968	3/4	C	Grayloy-Iron	EA	Call
C37	HEGA969	1	C	Grayloy-Iron	EA	Call
C47	HEGA971	1-1/4	C	Grayloy-Iron	EA	Call
C57	HEGA975	1-1/2	C	Grayloy-Iron	EA	Call
C67	HEGA983	2	C	Grayloy-Iron	EA	Call
C77	HEIP444	2-1/2	C	Grayloy-Iron	EA	Call
C87	HEOS548	3	C	Grayloy-Iron	EA	Call
C17-SA	HEG1869	1/2	C	Aluminum	EA	Call
C27-SA	HEGD244	3/4	C	Aluminum	EA	Call
C37-SA	HEGD246	1	C	Aluminum	EA	Call

Model No.	Hughes No.	Hub Size (in)	Body Type	Type	Unit	List Price
C47-SA	HEGD247	1-1/4	C	Aluminum	EA	Call
C57-SA	HEGD249	1-1/2	C	Aluminum	EA	Call
C67-SA	HEGD254	2	C	Aluminum	EA	Call
C77-SA	HEND650	2-1/2	C	Aluminum	EA	Call
C87-SA	HEOS974	3	C	Aluminum	EA	Call
LB17	HEGB232	1/2	LB	Grayloy-Iron	EA	Call
LB27	HEGB236	3/4	LB	Grayloy-Iron	EA	Call
LB37	HEGB239	1	LB	Grayloy-Iron	EA	Call
LB47	HEGB242	1-1/4	LB	Grayloy-Iron	EA	Call
LB57	HEGB248	1-1/2	LB	Grayloy-Iron	EA	Call
LB67	HEGB250	2	LB	Grayloy-Iron	EA	Call
LB77	HEGB255	2-1/2	LB	Grayloy-Iron	EA	Call
LB87	HEGB082	3	LB	Grayloy-Iron	EA	Call
LB97	HEGB084	3-1/2	LB	Grayloy-Iron	EA	Call
LB107	HBLI316	4	LB	Grayloy-Iron	EA	Call
LB17-SA	HEGD199	1/2	LB	Aluminum	EA	Call
LB27-SA	HEGD206	3/4	LB	Aluminum	EA	Call
LB37-SA	HEGD208	1	LB	Aluminum	EA	Call
LB47-SA	HEGD209	1-1/4	LB	Aluminum	EA	Call
LB57-SA	HEGD213	1-1/2	LB	Aluminum	EA	Call
LB67-SA	HEGD215	2	LB	Aluminum	EA	Call
LB77-SA	HEOS986	2-1/2	LB	Aluminum	EA	Call
LB87-SA	HEOS990	3	LB	Aluminum	EA	Call
LB97-SA	HEGS526	3-1/2	LB	Aluminum	EA	Call
LB107-SA	HENO984	4	LB	Aluminum	EA	Call
LL17	HEGB271	1/2	LL	Grayloy-Iron	EA	Call
LL27	HEGB275	3/4	LL	Grayloy-Iron	EA	Call
LL37	HEGB278	1	LL	Grayloy-Iron	EA	Call
LL47	HEGB280	1-1/4	LL	Grayloy-Iron	EA	Call
LL57	HEGB285	1-1/2	LL	Grayloy-Iron	EA	Call
LL67	HEGB287	2	LL	Grayloy-Iron	EA	Call
LL77	HEOS191	2-1/2	LL	Grayloy-Iron	EA	Call
LL87	HEG1819	3	LL	Grayloy-Iron	EA	Call
LL97	HEOS200	3-1/2	LL	Grayloy-Iron	EA	Call
LL107	HEOS204	4	LL	Grayloy-Iron	EA	Call
LL17-SA	HEGD225	1/2	LL	Aluminum	EA	Call
LL27-SA	HEFT938	3/4	LL	Aluminum	EA	Call
LL37-SA	HEO0373	1	LL	Aluminum	EA	Call
LL47-SA	HEG1870	1-1/4	LL	Aluminum	EA	Call
LL57-SA	HEG1871	1-1/2	LL	Aluminum	EA	Call
LL67-SA	HEOT026	2	LL	Aluminum	EA	Call
LL77-SA	HENO991	2-1/2	LL	Aluminum	EA	Call
LL87-SA	HENO997	3	LL	Aluminum	EA	Call
LL97-SA	HENO999	3-1/2	LL	Aluminum	EA	Call
LL107-SA	HENP007	4	LL	Aluminum	EA	Call
LR17	HEGB304	1/2	LR	Grayloy-Iron	EA	Call
LR27	HEGB308	3/4	LR	Grayloy-Iron	EA	Call
LR37	HEGB311	1	LR	Grayloy-Iron	EA	Call
LR47	HEGB312	1-1/4	LR	Grayloy-Iron	EA	Call
LR57	HEGB318	1-1/2	LR	Grayloy-Iron	EA	Call
LR67	HEGB320	2	LR	Grayloy-Iron	EA	Call
LR77	HEG1820	2-1/2	LR	Grayloy-Iron	EA	Call
LR87	HEFV620	3	LR	Grayloy-Iron	EA	Call
LR97	HEOS231	3-1/2	LR	Grayloy-Iron	EA	Call
LR107	HEG1821	4	LR	Grayloy-Iron	EA	Call
LR17-SA	HEOT028	1/2	LR	Aluminum	EA	Call
LR27-SA	HEGD231	3/4	LR	Aluminum	EA	Call
LR37-SA	HEIP951	1	LR	Aluminum	EA	Call
LR47-SA	HEG1872	1-1/4	LR	Aluminum	EA	Call
LR57-SA	HEG1873	1-1/2	LR	Aluminum	EA	Call
LR67-SA	HEOT041	2	LR	Aluminum	EA	Call
LR77-SA	HENQ054	2-1/2	LR	Aluminum	EA	Call
LR87-SA	HENQ059	3	LR	Aluminum	EA	Call
LR97-SA	HENQ065	3-1/2	LR	Aluminum	EA	Call
LR107-SA	HENQ071	4	LR	Aluminum	EA	Call

Model No.	Hughes No.	Hub Size (in)	Body Type	Type	Unit	List Price
T17	HEGB102	1/2	T	Grayloy-Iron	EA	Call
T27	HEGB328	3/4	T	Grayloy-Iron	EA	Call
T37	HEGB330	1	T	Grayloy-Iron	EA	Call
T47	HEGB366	1-1/4	T	Grayloy-Iron	EA	Call
T57	HEGB371	1-1/2	T	Grayloy-Iron	EA	Call
T67	HEGB375	2	T	Grayloy-Iron	EA	Call
T77	HAFX267	2-1/2	T	Grayloy-Iron	EA	Call
T87	HEFW392	3	T	Grayloy-Iron	EA	Call
T97	HAFX268	3-1/2	T	Grayloy-Iron	EA	Call
T107	HAFX269	4	T	Grayloy-Iron	EA	Call
T17-SA	HEGD257	1/2	T	Aluminum	EA	Call
T27-SA	HEGD260	3/4	T	Aluminum	EA	Call
T37-SA	HEGD263	1	T	Aluminum	EA	Call
T47-SA	HEGD268	1-1/4	T	Aluminum	EA	Call
T57-SA	HEGD272	1-1/2	T	Aluminum	EA	Call
T67-SA	HEGD276	2	T	Aluminum	EA	Call
T77-SA	HEOL809	2-1/2	T	Aluminum	EA	Call
T87-SA	HEOL814	3	T	Aluminum	EA	Call
T97-SA	HEOL818	3-1/2	T	Aluminum	EA	Call
T107-SA	HEOL823	4	T	Aluminum	EA	Call
E17	HEG1818	1/2	E	Grayloy-Iron	EA	Call
E27	HEOS553	3/4	E	Grayloy-Iron	EA	Call
E37	HEG1842	1	E	Grayloy-Iron	EA	Call
E17-SA	HENG766	1/2	E	Aluminum	EA	Call
E27-SA	HENG772	3/4	E	Aluminum	EA	Call
E37-SA	HENG529	1	E	Aluminum	EA	Call
L17	HEOS561	1/2	L	Grayloy-Iron	EA	Call
L27	HEOS566	3/4	L	Grayloy-Iron	EA	Call
L37	HEOS574	1	L	Grayloy-Iron	EA	Call
L47	HEOS125	1-1/4	L	Grayloy-Iron	EA	Call
L57	HEOS486	1-1/2	L	Grayloy-Iron	EA	Call
L67	HEOS130	2	L	Grayloy-Iron	EA	Call
TA17	HAFX270	1/2	TA	Grayloy-Iron	EA	Call
TA27	HEFW320	3/4	TA	Grayloy-Iron	EA	Call
TA37	HAFX271	1	TA	Grayloy-Iron	EA	Call
TA47	HAFX272	1-1/4	TA	Grayloy-Iron	EA	Call
TA57	HAFX273	1-1/2	TA	Grayloy-Iron	EA	Call
TA67	HAFX274	2	TA	Grayloy-Iron	EA	Call
TB17	HAFX275	1/2	TB	Grayloy-Iron	EA	Call
TB27	HEGR576	3/4	TB	Grayloy-Iron	EA	Call
TB37	HAFX276	1	TB	Grayloy-Iron	EA	Call
TB47	HAFX278	1-1/4	TB	Grayloy-Iron	EA	Call
TB57	HAFX279	1-1/2	TB	Grayloy-Iron	EA	Call
TB67	HAFX280	2	TB	Grayloy-Iron	EA	Call
TB17-SA	HAFW877	1/2	TB	Aluminum	EA	Call
TB27-SA	HEEY330	3/4	TB	Aluminum	EA	Call
TB37-SA	HEEY895	1	TB	Aluminum	EA	Call
TB47-SA	HAFW878	1-1/4	TB	Aluminum	EA	Call
TB57-SA	HAFW879	1-1/2	TB	Aluminum	EA	Call
TB67-SA	HAFX377	2	TB	Aluminum	EA	Call
X17	HEG1822	1/2	X	Grayloy-Iron	EA	Call
X27	HEGB404	3/4	X	Grayloy-Iron	EA	Call
X37	HEFV529	1	X	Grayloy-Iron	EA	Call
X47	HEG1823	1-1/4	X	Grayloy-Iron	EA	Call
X57	HEG1824	1-1/2	X	Grayloy-Iron	EA	Call
X67	HEG1825	2	X	Grayloy-Iron	EA	Call
X17-SA	HEOT066	1/2	X	Aluminum	EA	Call
X27-SA	HEG1874	3/4	X	Aluminum	EA	Call
X37-SA	HEG1875	1	X	Aluminum	EA	Call
X47-SA	HEOM848	1-1/4	X	Aluminum	EA	Call
X57-SA	HEOM852	1-1/2	X	Aluminum	EA	Call
X67-SA	HEOM857	2	X	Aluminum	EA	Call



Appleton® GR Conduit Outlet Boxes



Aluminum

Unilets® for use with Threaded Metal Conduit.

Furnished with Internal Ground Screw and O-Ring.

- Malleable iron bodies and covers (except ELBY) triple-coat— (1) zinc electroplate, (2) dichromate, and (3) epoxy powder coat.
- Aluminum bodies and covers: epoxy powder coat.
- ELBY malleable iron body and cover: zinc electroplate and clear chromate.

Options

- PVC available—consult Hughes Supply representative.

Compliances

- UL Standard 886.
- Federal Spec. W-C-586B.
- Appleton malleable iron products conform to ASTM A47-77, Grade 32510, which has the following properties: tensile strength, 50,000 psi; yield, 32,000 psi; and elongation, 10%.
- Appleton aluminum products are produced from a high strength copper-free (4/10 of 1% max.) alloy.
- Suitable for Class I, Div. 1 & 2, if installed in compliance with NEC 501-4(a)(b) and for Class II, Div. 1 & 2, if in compliance with NEC 502-4(a)(b).



GRC



GRN



GRL



GRT



GRLB



GRX

Model No.	Hughes No.	Body Size (in.)	Cover Size (in.)	Unit	List Price
GRE					
GRE50-A	HEOP216	1/2	3.38	EA	\$37.27
GRE75-A	HEOP222	3/4	3.38	EA	37.07
GRE100-A	HEOP231	1	3.38	EA	38.31
GRE125-A	HENM301	1-1/4	3.94	EA	75.29
GRE150-A	HEGS440	1-1/2	4.88	EA	166.35
GRC					
GRC50-A	HEGI597	1/2	3.38	EA	46.94
GRC75-A	HEFV780	3/4	3.38	EA	46.04
GRC100-A	HEOP193	1	3.38	EA	52.05
GRC125-A	HEOP201	1-1/4	3.94	EA	87.70
GRC150-A	HENZ902	1-1/2	4.88	EA	174.54
GRC200-A	HENZ909	2	4.88	EA	150.89
GRL					
GRL50-A	HEGI652	1/2	3.38	EA	34.57
GRL75-A	HEGI654	3/4	3.38	EA	46.04
GRL100-A	HEGI656	1	3.38	EA	48.17
GRL125-A	HEGI658	1-1/4	3.94	EA	87.70
GRL150-A	HENZ915	1-1/2	4.88	EA	161.51
GRL200-A	HEGI048	2	4.88	EA	178.83
GRLB					
GRLB50-A	HEGI662	1/2	3.38	EA	46.27
GRLB75-A	HEGI663	3/4	3.38	EA	46.04
GRLB100-A	HEGI664	1	3.38	EA	48.17

Model No.	Hughes No.	Body Size (in.)	Cover Size (in.)	Unit	List Price
GRLB					
GRLB125-A	HEGI666	1-1/4	3.94	EA	87.70
GRLB150-A	HENZ928	1-1/2	4.88	EA	174.54
GRLB200-A	HEGI051	2	4.88	EA	185.81
GRN					
GRN50-A	HENM359	1/2	3.38	EA	41.73
GRN75-A	HENM364	3/4	3.38	EA	41.73
GRN100-A	HENM369	1	3.38	EA	49.46
GRN125-A	HENM373	1-1/4	3.94	EA	80.70
GRN150-A	HENM378	1-1/2	4.88	EA	160.73
GRT					
GRT50-A	HEGI668	1/2	3.38	EA	46.04
GRT75-A	HEGI669	3/4	3.38	EA	49.07
GRT100-A	HEGI670	1	3.38	EA	50.76
GRT125-A	HEGI671	1-1/4	3.94	EA	86.35
GRT150-A	HEGI052	1-1/2	4.88	EA	176.66
GRT200-A	HEGI054	2	4.88	EA	182.68
GRX					
GRX50-A	HEGI680	1/2	3.38	EA	52.05
GRX75-A	HEGI682	3/4	3.38	EA	51.41
GRX100-A	HEGI684	1	3.38	EA	56.46
GRX125-A	HEOP806	1-1/4	3.94	EA	99.38
GRX150-A	HENZ984	1-1/2	4.88	EA	197.45
GRX200-A	HENZ989	2	4.88	EA	183.14



Appleton® GR Conduit Outlet Boxes




Unilets® for use with Threaded Metal Conduit. Furnished with Internal Ground Screw and O-Ring.

- Malleable iron bodies and covers (except ELBY) triple-coat— (1) zinc electroplate, (2) dichromat, and (3) epoxy powder coat.
- ELBY malleable iron body and cover
- PVC available—consult your Hughes Supply representative

Compliances

- UL Standard 88, Federal Spec. W-C-586, ASTM A47-77, Grade 32510
- Appleton aluminum products are produced from a high strength copper-free (4/10 of 1% max.) alloy.
- Suitable for Class I, Div. 1 & 2, if installed in compliance with NEC 501-4(a)(b) and for Class II, Div. 1 & 2, if in compliance with NEC 502-4(a)(b).



Model No.	Hughes No.	Body Size (In.)	Cover Size (in.)	Unit	List Price
GRE					
GRE50	HEOP214	1/2	3.38	EA	\$36.29
GRE75	HEGI601	3/4	3.38	EA	37.15
GRE100	HEOP228	1	3.38	EA	42.75
GRE125	HEOP235	1-1/4	3.94	EA	75.29
GRE150	HEOP238	1-1/2	4.88	EA	161.65
GRC					
GRC50	HEGC803	1/2	3.38	EA	34.57
GRC75	HEGA139	3/4	3.38	EA	36.70
GRC100	HEFP930	1	3.38	EA	48.17
GRC125	HEGI598	1-1/4	3.94	EA	86.89
GRC150	HEGI599	1-1/2	4.88	EA	161.51
GRC200	HEGI046	2	4.88	EA	171.86
GRL					
GRL50	HEGI651	1/2	3.38	EA	34.57
GRL75	HEGI653	3/4	3.38	EA	36.70
GRL100	HEGI655	1	3.38	EA	48.17
GRL125	HEGI657	1-1/4	3.94	EA	81.13
GRL150	HEGI659	1-1/2	4.88	EA	161.51
GRL200	HEGI047	2	4.88	EA	165.48
GRLB					
GRLB50	HEGC806	1/2	3.38	EA	34.11
GRLB75	HEFU990	3/4	3.38	EA	36.70
GRLB100	HEIS881	1	3.38	EA	48.17

Model No.	Hughes No.	Body Size (In.)	Cover Size (in.)	Unit	List Price
GRLB					
GRLB125	HEGI665	1-1/4	3.94	EA	81.13
GRLB150	HEFW969	1-1/2	4.88	EA	161.51
GRLB200	HEGI049	2	4.88	EA	171.96
GRN					
GRN50	HEOP686	1/2	3.38	EA	41.73
GRN75	HEGI667	3/4	3.38	EA	41.73
GRN100	HEOP694	1	3.38	EA	48.06
GRN125	HEOP698	1-1/4	3.94	EA	83.05
GRN150	HEOP704	1-1/2	4.88	EA	160.73
GRT					
GRT50	HEFT390	1/2	3.38	EA	36.70
GRT75	HEEB116	3/4	3.38	EA	39.07
GRT100	HEIS878	1	3.38	EA	50.76
GRT125	HEIU421	1-1/4	3.94	EA	86.35
GRT150	HEGI672	1-1/2	4.88	EA	176.66
GRT200	HEGI053	2	4.88	EA	182.68
GRX					
GRX50	HEGC573	1/2	3.38	EA	38.33
GRX75	HEGI681	3/4	3.38	EA	45.40
GRX100	HEGI683	1	3.38	EA	56.39
GRX125	HEGI685	1-1/4	3.94	EA	91.96
GRX150	HEGI686	1-1/2	4.88	EA	182.68
GRX200	HEGI687	2	4.88	EA	193.35

Conduit

GRSS Conduit Outlet Boxes with Multiple Hubs. Aluminum

Internally threaded aluminum bodies with externally threaded aluminum form 1 covers.



Model No.	Hughes No.	Conduit Size (In.)	Cover Size (in.)	No. of Hubs	No. of Plugs	Unit	List Price
GRSS Outlet Box with Cover							
GRSS50	HEGI905	1/2	3.38	7	4	EA	\$60.86
GRSS75	HEGI906	3/4	3.38	7	4	EA	60.86
GRSS100	HEFO243	1	3.38	7	4	EA	62.41
GRSSA Outlet Box with Cover							
GRSSA50	HEGR766	1/2	3.38	13	5	EA	65.74
GRSSA75	HEGI907	3/4	3.38	13	5	EA	70.55

new

Total lighting control for existing homes.



A HomeWorks® lighting control system puts every light at your client's command. New Lutron patented wireless technology can be installed at any stage of construction, in as little as one day - without changes to walls or new wiring.

 **LUTRON**
Lutron controls your light.™



Appleton® Form 35® Covers and Gaskets Unilet® Conduit Outlet Bodies

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
-----------	------------	--------------------	------	------------

Blank Stamped Steel Covers

K50-A	HEFQ459	1/2	EA	\$2.10
K75-A	HENW401	3/4	EA	2.96
K100-A	HENW666	1	EA	3.79
K200-A	HEFQ463	2	EA	7.63

Blank Cast Malleable Covers

K50-CA	HEGI756	1/2	EA	3.80
K75-CA	HEGI758	3/4	EA	4.77
K100-CA	HEGI759	1	EA	7.62
K200-CA	HEGI762	2	EA	14.72

Neoprene Gaskets

GK50-N	HBAM829	1/2	EA	2.34
GK75-N	HBAL887	3/4	EA	2.34
GK100-N	HBAM874	1	EA	3.10
GK200-N	HBAM958	2	EA	4.70

Composition Fiber Gaskets

GK50-V	HHBS343	1/2	EA	2.53
GK75-V	HHBS344	3/4	EA	2.52
GK100-V	HHBS341	1	EA	2.85
GK200-V	HHBS342	2	EA	5.12



Unilet® Conduit Bodies FM7 Blank Covers and Gaskets

- FM7™ Grayloy™-Iron and Aluminum Unilet® Conduit Bodies with Wedge-Lok™ Clip Covers and Gaskets For use with Rigid Steel, Rigid Aluminum and IMC Conduit.

Model No.	Hughes No.	Body Size (In.)	Type	Unit	List Price
-----------	------------	-----------------	------	------	------------

Cast Cover


170F	HEG1826	1/2	Grayloy-Iron	EA	\$3.56
270F	HEG1827	3/4	Grayloy-Iron	EA	4.32
370F	HEG1828	1	Grayloy-Iron	EA	6.83
470F	HEG1829	1-1/4	Grayloy-Iron	EA	9.11
570F	HEG1830	1-1/2	Grayloy-Iron	EA	9.11
670F	HEG1831	2	Grayloy-Iron	EA	13.43

Model No.	Hughes No.	Body Size (In.)	Type	Unit	List Price
Cast Cover					
870F	HEG1832	2-1/2 3	Grayloy-Iron	EA	15.71
970F	HEG1833	3-1/2 4	Grayloy-Iron	EA	21.31
170F-SA	HEOT095	1/2	Aluminum	EA	3.90
270F-SA	HEG1877	3/4	Aluminum	EA	5.33
370F-SA	HEG1878	1	Aluminum	EA	8.10
470F-SA	HEOT105	1-1/4	Aluminum	EA	9.69
570F-SA	HEG1879	1-1/2	Aluminum	EA	11.42
670F-SA	HEG1880	2	Aluminum	EA	13.75
870F-SA	HEOM929	2-1/2 3	Aluminum	EA	15.94
970F-SA	HEOM936	3-1/2 4	Aluminum	EA	33.27
170FG	HEG1846	1/2	Grayloy-Iron	EA	6.86
270FG	HEG1847	3/4	Grayloy-Iron	EA	7.86
370FG	HEG1848	1	Grayloy-Iron	EA	11.73
470FG	HEG1849	1-1/4	Grayloy-Iron	EA	15.38
570FG	HEG1850	1-1/2	Grayloy-Iron	EA	15.38
670FG	HEG1851	2	Grayloy-Iron	EA	21.41
870FG	HEG1852	2-1/2 3	Grayloy-Iron	EA	27.71
970FG	HEG1853	3-1/2 4	Grayloy-Iron	EA	39.52
170FG-SA	HEOT118	1/2	Aluminum	EA	7.86
270FG-SA	HEG1881	3/4	Aluminum	EA	9.06
370FG-SA	HEOT129	1	Aluminum	EA	13.27
470FG-SA	HEG1882	1-1/4	Aluminum	EA	17.23
570FG-SA	HEOT135	1-1/2	Aluminum	EA	18.13
670FG-SA	HEG1883	2	Aluminum	EA	23.58
870FG-SA	HEOT144	2-1/2 3	Aluminum	EA	32.73
970FG-SA	HEOT146	3-1/3 4	Aluminum	EA	46.01
170	HAZY947	1/2	Steel	EA	2.60
270	HEGB415	3/4 1	Steel	EA	3.18
470	HAZZ969	1-1/4	Steel	EA	5.22
570	HBAA012	1-1/2	Steel	EA	5.22
670	HBAA033	2	Steel	EA	9.15
870	HBAA077	2-1/2 3	Steel	EA	14.37
970	HEGB430	3-1/2 4	Steel	EA	16.94
170-SA	HEGD278	1/2	Aluminum	EA	2.80
270-SA	HEGD281	3/4 1	Aluminum	EA	3.02
470-SA	HEGD287	1-1/4	Aluminum	EA	6.07
570-SA	HEGD289	1-1/2	Aluminum	EA	6.07
670-SA	HEGD292	2	Aluminum	EA	9.91
870-SA	HEGD293	2-1/2 3	Aluminum	EA	12.08
970-SA	HEG1876	3-1/2 4	Aluminum	EA	21.51
GASK571	HAZW877	1/2	-	EA	2.28
GASK572	HAZW929	3/4	-	EA	2.28
GASK573	HAZW982	1	-	EA	3.02
GASK574	HAZX023	1-1/4	-	EA	3.83
GASK575	HAZX143	1-1/2	-	EA	3.83
GASK576	HAZX184	2	-	EA	4.60
GASK578	HAZX207	2-1/2 3	-	EA	7.61
GASK579	HAZX209	3-1/2 4	-	EA	9.61



Appleton® Form 85™ Covers and Gaskets For Form 85™ Unilet® Conduit Outlet Bodies

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Blank Stamped Aluminum Covers				
K50-A	HEGB206	1/2	EA	\$2.10
K75-A	HEGB209	3/4	EA	2.96
K100-A	HEGB212	1	EA	3.79
K200-A	HEGB219	2	EA	7.63
Blank Cast Aluminum Covers				
K50-CA	HEOR140	1/2	EA	3.80
K75-CA	HEGI757	3/4	EA	4.77
K100-CA	HEOR165	1	EA	7.62
K200-CA	HEGI761	2	EA	14.72
Neoprene Gaskets				
GK50-N	HBAM829	1/2	EA	2.34
GK75-N	HBAL887	3/4	EA	2.34
GK100-N	HBAM874	1	EA	3.10
GK200-N	HBAM958	2	EA	4.70
Composition Fiber Gaskets				
GK50-V	HHBS343	1/2	EA	2.53
GK75-V	HHBS344	3/4	EA	2.52
GK100-V	HHBS341	1	EA	2.85
GK200-V	HHBS342	2	EA	5.12



Aluminum Conduit Body Cover and Gasket Assemblies For Rigid Conduit and IMC

Conduit bodies provide access to conductors for pulling, splicing, and maintenance.

- Hubs have tapered pipe threads.
- Bodies assembled with covers, gaskets and screws. Packaged complete under one Catalog Number.
- Ready to use.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
Type LB				
LB-50ACGA	HCHJ318	1/2	EA	\$10.37
LB-75ACGA	HCHJ319	3/4	EA	13.85
LB-100ACGA	HCHJ320	1	EA	20.07
LB-125ACGA	HCHJ321	1-1/4	EA	28.03
LB-150ACGA	HCHJ322	1-1/2	EA	33.72
LB-200ACGA	HCHJ323	2	EA	53.70
Type LL				
LL-50ACGA	HCHJ150	1/2	EA	11.76
LL-75ACGA	HCHJ151	3/4	EA	13.91
LL-100ACGA	HCHJ152	1	EA	20.07
LL-125ACGA	HCHJ153	1-1/4	EA	28.03
LL-150ACGA	HCHJ154	1-1/2	EA	33.72
LL-200ACGA	HCHJ155	2	EA	53.70
Type LR				
LR-50ACGA	HCHJ156	1/2	EA	11.76
LR-75ACGA	HCHJ157	3/4	EA	13.91
LR-100ACGA	HCHJ158	1	EA	20.07
LR-125ACGA	HCHJ159	1-1/4	EA	28.03
LR-150ACGA	HCHJ160	1-1/2	EA	33.72
LR-200ACGA	HCHJ161	2	EA	53.70
Type T				
T-50ACGA	HCHJ324	1/2	EA	12.55
T-75ACGA	HCHJ325	3/4	EA	16.14
T-100ACGA	HCHJ326	1	EA	22.32
T-125ACGA	HCHJ327	1-1/4	EA	32.07
T-150ACGA	HCHJ328	1-1/2	EA	39.88
T-200ACGA	HCHJ329	2	EA	61.19
Type C				
C-50ACGA	HCHJ162	1/2	EA	12.23
C-75ACGA	HCHJ313	3/4	EA	13.91
C-100ACGA	HCHJ314	1	EA	20.07
C-125ACGA	HCHJ315	1-1/4	EA	28.03
C-150ACGA	HCHJ316	1-1/2	EA	38.85
C-200ACGA	HCHJ317	2	EA	53.70



Carlton®

Clamps

Rigid Nonmetallic

Nonmetallic clamps offer the same chemical resistance as Carlton non-metallic conduits for a complete, corrosion resistant system.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
E977DC	HDWD104	1/2" (16)	EA	Call
E977EC	HDXS617	3/4" (21)	EA	Call
E977FC	HECN066	1" (27)	EA	Call
E977GC	HECM381	1-1/4" (35)	EA	Call
E977HC	HECN159	1-1/2" (41)	EA	Call
E977JC	HECO738	2" (53)	EA	Call
E977KC-CAR	HEVJ445	2-1/2" (63)	EA	Call
E977LC-CAR	HEVJ446	3" (78)	EA	Call
E977NC-CAR	HEVJ447	4" (103)	EA	Call

*Note: Some clamp applications require 2 screws, 2 nuts and 2 washers.




Cantex

Conduit Clamps

Two holds in the feet of the clamp allow mounting with screws or nails.

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
5133736	HEGQ558	1/2	EA	Call
5133737	HEGQ559	3/4	EA	Call
5133738	HEGQ560	1	EA	Call
5133733	HEGQ561	1-1/4	EA	Call
5133734	HEGQ562	1-1/2	EA	Call
5133735	HEGQ563	2	EA	Call


Steel City®



Steel City® - T&B

**Beam Clamps for Mounting Pipe or Conduit
RC Clamp-Malleable Iron**

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
RC-3/8	HBZJ133	3/8	EA	\$3.48
RC-1/2	HEHL686	1/2	EA	2.66
RC-3/4	HAFS173	3/4	EA	2.74
RC-1	HBZJ136	1	EA	3.07
RC-1-1/4	HBZJ138	1-1/4	EA	3.91
RC-1-1/2	HBZJ140	1-1/2	EA	3.87
RC-2-SC	HAFS102	2	EA	5.64
RC-2-1/2	HBZJ143	2-1/2	EA	8.09
RC-3	HBFX909	3	EA	8.49
RC-3-1/2	HBZJ144	3-1/2	EA	13.48
RC-4-SC	HAWZ279	4	EA	12.74



**Beam Clamps for Mounting Pipe or Conduit
PC Clamp-Malleable Iron**

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
PC-3/8	HBFX904	3/8	EA	\$4.46
PC-1/2	HBZJ127	1/2	EA	3.93
PC-3/4	HBZJ128	3/4	EA	4.37
PC-1	HBZJ129	1	EA	4.67
PC-1-1/4	HBZJ130	1-1/4	EA	7.59
PC-1-1/2	HBZJ131	1-1/2	EA	9.58
PC-2	HGZ0788	2	EA	Call
PC-2-1/2	HBFX905	2-1/2	EA	16.53
PC-3	HBFX906	3	EA	17.43
PC-3-1/2	HBFX907	3-1/2	EA	20.64
PC-4	HBFX908	4	EA	22.09

Conduit




Arlington Industries Beam Clamps

Model No.	Hughes No.	UPC Code	Load Rating (lbs.)	Conduit Size (In.)	Threaded Rod Size (inches)	Unit	List Price
Plated Steel							
BC25	HCAA125	23250	75 LBS.	1	1/4-20	EA	Call
BC38	HCAA126	23380	200 LBS.	2	3/8-16	EA	Call
Malleable Iron—Plated							
MBC25	HCAA333	34810	125 LBS.	1	1/4-20	EA	Call
MBC25A	HCAA424	42321	125 LBS.	1	10-24	EA	Call
MBC26	HCAA425	42326	300 LBS.	1-1/2	5/16-18	EA	Call
MBC27	HCAA426	42327	300 LBS.	2	3/8-16	EA	Call
MBC28	HCAA427	42328	600 LBS.	2-1/2	1/2-13	EA	Call

Conduit

Steel City®



Steel City® - T&B Beam Clamps for Mounting Pipe or Conduit EC Clamp-Malleable Iron


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
EC-1/2	HBFX900	1/2	EA	Call
EC-3/4	HBZJ123	3/4	EA	Call
EC-1	HBFX901	1	EA	Call
EC-1-1/4	HBZJ124	1-1/4	EA	Call
EC-1-1/2	HBFX902	1-1/2	EA	Call
EC-2	HBZJ125	2	EA	Call
EC-2-1/2	HBFX903	2-1/2	EA	Call



Beam Clamps – Malleable Iron Electroplated Finish

Model No.	Hughes No.	Jaw Opening (in.)	Base & Back Hole Tapping	Load Rating (lbs.)	Unit	List Price
510	HBZJ172	5/8	1/4-20	400	EA	Call
511-SC	HBZJ173	5/8	10-24	400	EA	Call
500-SC	HBQX579	15/16	1/4-20	450	EA	Call
509	HBZJ171	15/16	10-24	375	EA	Call
501	HBZJ167	7/8	5/16-18	800	EA	Call
502	HAWF572	1	3/8-16	1300	EA	Call
503-SC	HBZJ168	1	1/2-13	1300	EA	Call
507	HBZJ169	1-3/8	1/2-13	1700	EA	Call
508	HBZJ170	2-1/8	1/2-13	1700	EA	Call

Superstrut®



Superstrut® - T&B Pipe Supports Universal Clamp

Model No.	Hughes No.	Diameter Range (in.)	Gauge of Steel	Max Load (lbs)	Unit	List Price
703-1/2	HBZJ215	.706 – .840	16 ga.	400	EA	Call
703-3/4	HAIC433	.932 – 1.050	14 ga.	550	EA	Call
703-1	HAIC513	1.163 – 1.315	14 ga.	550	EA	Call
703-1-1/4	HBZJ216	1.508 – 1.660	14 ga.	800	EA	Call
703-1-1/2	HBZJ217	1.738 – 1.900	14 ga.	800	EA	Call
703-2	HBZJ218	2.195 – 2.375	14 ga.	800	EA	Call

*"List Price" refers to manufacturer's suggested list price.
Prices subject to change without notice.*



Appleton® Clamps and Clamp Backs

For Rigid Metal Conduit, IMC and EMT

- Used to secure long runs of rigid metal conduit, IMC and EMT.
- Malleable iron clamps and clamp backs are exceptionally rugged and strong.
- Steel clamps offer economy and have integrally formed gussets for excellent strength.

Standard Finish

- Malleable iron clamps and clamp backs— hot dipped galvanized.
- Steel One-hole clamps—zinc electroplate.


Model No.	Hughes No.	Conduit Size (In.)	Bolt Diameter (In.)	Unit	List Price
One-Hole Clamps—Malleable Iron					
CL-50MN	HFAH802	1/2	1/4	EA	Call
CL-75MN	HFAH803	3/4	1/4	EA	Call
CL-100MN	HFAH804	1	1/4	EA	Call
CL-125MN	HFAH805	1-1/4	3/8	EA	Call
CL-150MN	HFAH806	1-1/2	3/8	EA	Call
CL-200MN	HFAH807	2	1/2	EA	Call
CL-250MN	HFAH808	2-1/2	1/2	EA	Call
CL-300MN	HFAH809	3	1/2	EA	Call
CL-350MN	HFAH810	3-1/2	5/8	EA	Call
CL-400MN	HFAH811	4	5/8	EA	Call
CL-500MN	HFAH812	5	5/8	EA	Call
CL-600MN	HFAH813	6	1	EA	Call

Model No.	Hughes No.	Conduit Size (In.)	Bolt Diameter (In.)	Unit	List Price
Clamp Backs—Malleable Iron					
CLB-50MN	HFAH814	1/2	—	EA	Call
CLB-75MN	HFAH815	3/4	—	EA	Call
CLB-100MN	HFAH816	1	—	EA	Call
CLB-125MN	HFAH817	1-1/4	—	EA	Call
CLB-150MN	HFAH818	1-1/2	—	EA	Call
CLB-200MN	HFAH819	2	—	EA	Call
CLB-250MN	HFAH820	2-1/2	—	EA	Call
CLB-300MN	HFAH821	3	—	EA	Call
CLB-350MN	HFAH822	3-1/2	—	EA	Call
CLB-400MN	HFAH823	4	—	EA	Call
CLB-500MN	HFAH824	5	—	EA	Call
CLB-600MN	HFAH825	6	—	EA	Call

Model No.	Hughes No.	Conduit Size (In.)	Bolt Diameter (In.)	Unit	List Price
One-Hole Clamps—Steel					
CL-25	HEGI234	1/4	1/4	EA	Call
CL-38	HEGI235	3/8	9/32	EA	Call
CL-50	HEGI236	1/2	9/32	EA	Call
CL-75	HEGI237	3/4	9/32	EA	Call
CL-100	HEGI238	1	11/32	EA	Call
CL-125	HEGI240	1-1/4	13/32	EA	Call
CL-150	HEGI242	1-1/2	13/32	EA	Call
CL-200	HEGI244	2	15/32	EA	Call
CL-250	HEGI246	2-1/2	9/16	EA	Call
CL-300	HEGI247	3	9/16	EA	Call
CL-350	HEGI248	3-1/2	11/16	EA	Call
CL-400	HEGI249	4	11/16	EA	Call

NOTE: 2-1/2" thru 4" sizes also suitable for EMT.

COOPER B-Line



Cooper B-Line® Pipe Clamps

Multi-Grip for Thinwall (EMT), IMC, Rigid Conduit or Pipe

- Safety Factor of 5
- Add PA to suffix for pre-assembled pipe clamps
- Includes Slotted Hex Head Machine Screw and Square Nut
- Material: ASTM A570 Gr. 33
- Standard finish: ZN

Model No.	Hughes No.	Size (In.)	Thickness	Outer Diameter (In.)	Unit	List Price
Design Load 1 - 400, Design Load 2 - 50						
B2208	HGZN801	1/2"	16 Ga.	.701–.875	EA	Call
B2209	HGZN802	3/4"	14 Ga.	.917–1.081	EA	Call
B2210	HGZN803	1"	14 Ga.	1.125–1.375	EA	Call
B2211	HGZN804	1-1/4"	14 Ga.	1.500–1.691	EA	Call
Design Load 1 - 600, Design Load 2 - 75						
B2212	HGZN805	1-1/2"	12 Ga.	1.735–1.931	EA	Call
B2213	HGZN806	2"	12 Ga.	2.192–2.400	EA	Call

ProValue®




1600 Piece Phillips Pan Head Screw Assortment, PV35547

- 100 of each of the following: 4 x 1/2", 4 x 1", 6 x 5/8", 6 x 3/4", 6 x 1", 6 x 1-1/4", 8 x 1/2", 8 x 5/8", 8 x 3/4", 8 x 1", 8 x 1-1/4", 10 x 5/8", 10 x 3/4", 10 x 1", 10 x 1-1/4", 10 x 1-1/2"

Conduit

CADWELD® PLUS

The Standard by which all others are measured



Reliable – CADWELD® connections consistently perform the best in independent IEEE® 837 tests.

Innovative – CADWELD PLUS offers easy ignition and increases flexibility in hard-to-reach areas.

Easy to Use – CADWELD PLUS connections require fewer parts, no starting material and no cumbersome tools.

Most Experienced – ERICO®, the recognized leader in grounding and bonding.

CADWELD PLUS is the ultimate exothermic welded connection



Space-saving packaging ships and stores easily

IEEE is a registered trademark of The Institute of Electrical and Electronics Engineers, Incorporated



For more information
call 800-677-9089
or visit our website
at www.erico.com

ERICO®

No Time to Burn on Your Next Installation?

Use CADDY® SPEED LINK.



- **Time Saving** – Hook, wrap, lock and you're done!
- **Cost Effective** – Just one product replaces threaded rod and associated hardware.
- **Fire Rated** – Carries a DIN 4102-2 F30-A fire rating of 30 minutes for 2 mm wire rope and an F60-A of 60 minutes for 3 mm wire rope at maximum working load.
- **Convenient** – Single packs have everything necessary for one installation: wire rope, lock and key.
- **Versatile** – Objects can be hung from a variety of angles and adjusted after installation.



For a catalog, call
800-853-0878 or
visit www.erico.com

ERICO®



Caddy®

Beam Clamps

- Easy installation to beam flanges up to 1/2 inches
- Built-in Smart Nut snaps directly onto 3/8-16 threaded rod and is adjustable and removable
- Nut eliminates extensive threading into place



Model No.	Hughes No.	Description	Max Load (lbs)	Case Quantity	Unit	List Price
BC	HBCZ075	Beam clamp thru 1/2" flange	100	100	EA	\$0.67
BC1SN375	HFFS418	Beam clamp thru 1/2" flange 3/8" smart nut	100	100	EA	0.88
BC812M	HAXA542	1/2" to 3/4" conduit to beam thru 1/2" flange	100	100	EA	1.21
BC16M	HAXA520	1" conduit to beam thru 1/2" flange	100	100	EA	1.32
BC20M	HBMJ184	1-1/4" conduit to beam thru 1/2" flange	100	100	EA	1.49
BC24M	HBMJ185	1-1/2" conduit to beam thru 1/2" flange	100	50	EA	1.52
BC32M	HBMJ186	2" conduit to beam thru 1/2" flange	100	50	EA	1.57
BC812MSM	HBMJ199	1/2" to 3/4" conduit to beam thru 1/2" flange	25	100	EA	1.21
BC16MSM	HBMJ200	1" conduit to beam thru 1/2" flange	25	100	EA	1.32
BC20MSM	HBMJ201	1-1/4" conduit to beam thru 1/2" flange	25	100	EA	1.49
BC24MSM	HBMJ202	1-1/4" conduit to beam thru 1/2" flange	25	50	EA	1.52
BC32MSM	HBMJ203	2" conduit to beam thru 1/2" flange	25	50	EA	1.57
BC8P	HBMJ187	1/2" conduit to beam thru 1/2" flange	25	100	EA	1.19
BC16P	HBMJ189	1" conduit to beam thru 1/2" flange	25	100	EA	1.27
BC12P	HBMJ188	3/4" conduit to beam thru 1/2" flange	25	100	EA	1.22
BC8PSM	HBMJ204	1/2" conduit to beam thru 1/2" flange	15	100	EA	1.19
BC12PSM	HBMJ205	3/4" conduit to beam thru 1/2" flange	15	100	EA	1.22
BC16PSM	HBMJ206	1" conduit to beam thru 1/2" flange	15	100	EA	1.27

Purlin Clips


- Supports wire or rod from bar joist, C Purlin (VF14) or Z Purlin (AF14)
- Installs from floor with VAFT tool and conduit
- Static Load Limit: VF14 160 lbs., AF14 100 lbs.



Model No.	Hughes No.	Description	Case Quantity	Unit	List Price
VF14	HBMJ342	1/16" to 1/4" vertical flange for wrap wire, S hooks, bolting straps, WMX6	100	EA	\$0.33
VF14708	HBMJ343	1/16" to 1/4" to #8 wire or 1/4" plain rod	100	EA	0.75
VF146A	HBMJ344	1/16" to 1/4" to 3/8" plain rod	100	EA	0.75
VF144TI	HBMJ345	1/16" to 1/4" to 1/4" threaded rod	100	EA	75.45
VF146TI	HBMJ346	1/16" to 1/4" to 3/8" threaded rod	100	EA	75.45
VF146T	HBMJ347	1/16" to 1/4" to 3/8" threaded rod (nuts required)	100	EA	0.73
AF14	HBMJ349	1/16" to 1/4" Z Purlin for wrap wire, S hooks, bolting straps, WMX6	100	EA	0.33
AF14708	HBMJ350	1/16" to 1/4" to #8 wire or 1/4" plain rod	100	EA	0.75
AF146A	HBMJ351	1/16" to 1/4" to 3/8" plain rod	100	EA	0.75
AF144TI	HBMJ352	1/16" to 1/4" to 1/4" threaded rod	100	EA	75.45
AF146TI	HBMJ353	1/16" to 1/4" to 3/8" threaded rod	100	EA	75.45
AF146T	HBMJ354	1/16" to 1/4" to 3/8" threaded rod (nuts required)	100	EA	0.73
AF146T	HHBS337	Installation tool for VF & AF assemblies	1	EA	Call

VF for vertical flange only; AF for angle flange only.

Carlton
LAMSON & SESSIONS



**Carlton
ENT Bridge**

The Carlton ENT bridge is designed to support long ENT runs in concrete pour applications. This makes pulling wire/cable a snap. Installation is easy. Simply mount the ENT bridge, using nails or screws, to the wood deck mounting and snap the ENT into place. The bridge is designed to hold the conduit in place while minimizing dips in the conduit over long runs. It is manufactured out of a highly engineered thermoplastic material to provide extra strength and durability, and can accommodate ENT sizes 1/2", 3/4" and 1".

Model No.	Hughes No.	Case Quantity	Unit	List Price
A293DEF	HFUT991	50	EA	Call

Steel City



**Steel City® - T&B
Rigid/Intermediate Grade Conduit Fittings
One Hole Straps**

Steel/Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HS-101	HBJY543	1/2"	EA	\$0.33
HS-102	HBJY544	3/4"	EA	0.40
HS-103	HBJY545	1"	EA	0.82
HS-104	HBJY704	1-1/4"	EA	1.28
HS-105	HBJY705	1-1/2"	EA	1.51
HS-106	HBJY706	2"	EA	2.57
HS-107	HBJY721	2-1/2"	EA	4.06
HS-108	HBJY722	3"	EA	4.52
HS-109	HBJY723	3-1/2"	EA	6.84
HS-110	HBJY724	4"	EA	8.55


Steel City



**Rigid/Intermediate Grade Conduit Fittings
Two Hole Strap**

Steel/Zinc Plated

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
HS-901	HBJY734	1/2"	EA	\$0.20
HS-902	HBJY735	3/4"	EA	0.24
HS-903	HBJY736	1"	EA	0.39
HS-904	HBJY737	1-1/4"	EA	0.62
HS-905	HBJY738	1-1/2"	EA	0.73
HS-906	HBJY739	2"	EA	0.85
HS-907	HBJY740	2-1/2"	EA	1.75
HS-908	HBJY741	3"	EA	2.17
HS-909	HBJY742	3-1/2"	EA	2.84
HS-910	HBJY743	4"	EA	3.07




**Thinwall Conduit Fittings (EMT)
One Hole Snap-Straps**

Steel

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TS-101	HAZS475	1/2"	EA	\$0.29
TS-102	HAZT915	3/4"	EA	0.43
TS-103	HBAI691	1"	EA	0.72
TS-104	HBJZ016	1-1/4"	EA	0.96
TS-105	HBJZ017	1-1/2"	EA	1.64
TS-106	HBJZ018	2"	EA	2.57
HS-107	HBJY721	2-1/2"	EA	4.06
HS-108	HBJY722	3"	EA	4.52
HS-109	HBJY723	3-1/2"	EA	6.84
HS-110	HBJY724	4"	EA	8.55

*"List Price" refers to manufacturer's suggested list price.
Prices subject to change without notice.*

Steel City®



Steel City® - T&B Thinwall Conduit Fittings (EMT) Two Hole EMT Straps Steel


Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
TS-901	HBJZ019	1/2"	EA	\$0.16
TS-902	HBJZ020	3/4"	EA	0.19
TS-903	HBJZ021	1"	EA	0.31
TS-904	HBJZ022	1-1/4"	EA	0.46
TS-905	HBJZ023	1-1/2"	EA	0.58
TS-906	HBJY846	2"	EA	0.69



Thinwall Conduit Fittings (EMT) Nail Strap – Steel

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
N-101-SC	HBJY876	1/2"	EA	\$0.26
N-102-SC	HBJY877	3/4"	EA	0.29
N-103-SC	HBJY878	1"	EA	0.57


Kindorf®



Kindorf® - T&B Pipe Supports For Rigid Conduit, IMC and Pipe

Kindorf Pipe Straps are designed to be twist inserted anywhere along the slot side of the channel. Pipes can be placed as closely as pipe couplings permit.
Steel Straps – Galv-Krom Finish

Model No.	Hughes No.	Conduit Size (In.)	Outside Diameter (In.)	Gauge of Steel	Unit	List Price
C-105-3/8	HAFP311	3/8"	0.675	14 ga.	EA	\$2.10
C-105-1/2	HAF0768	1/2"	0.840	14 ga.	EA	1.55
C-105-3/4	HAFP278	3/4"	1.050	14 ga.	EA	1.72
C-105-1	HAF0486	1"	1.315	14 ga.	EA	1.88
C-105-1-1/4	HAF0608	1-1/4"	1.660	14 ga.	EA	2.16
C-105-1-1/2	HAF0568	1-1/2"	1.900	12 ga.	EA	2.39
C-105-2	HAF0885	2"	2.375	12 ga.	EA	2.59
C-105-2-1/2	HAF0981	2-1/2"	2.875	12 ga.	EA	3.16
C-105-3	HAFP094	3"	3.500	12 ga.	EA	3.39
C-105-3-1/2	HAF0591	3-1/2"	4.000	11 ga.	EA	4.28
C-105-4	HAFP467	4"	4.500	11 ga.	EA	4.66
C-105-4-1/2	HCEN360	4-1/2"	5.000	11 ga.	EA	6.95
C-105-5	HBJZ241	5"	5.563	11 ga.	EA	8.35
C-105-6	HBCA277	6"	6.625	11 ga.	EA	9.46
C-105-8	HAWM830	8"	8.625	11 ga.	EA	13.53
C-105-10	HGZ0772	10"	10.750	10 ga.	EA	Call
C-105-12	HGZ0773	12"	12.750	10 ga.	EA	Call



Pipe Supports For EMT Steel – Galv-Krom Finish


Model No.	Hughes No.	Conduit Size (In.)	Outside Diameter (In.)	Gauge of Steel	Unit	List Price
C-106-3/8	HBJZ242	3/8"	0.577	14 ga.	EA	\$2.13
C-106-1/2	HAFP907	1/2"	0.706	14 ga.	EA	1.55
C-106-3/4	HAFQ199	3/4"	0.922	14 ga.	EA	1.72
C-106-1	HAFP606	1"	1.163	14 ga.	EA	1.88
C-106-1-1/4	HAFP804	1-1/4"	1.510	14 ga.	EA	2.16
C-106-1-1/2	HAFP698	1-1/2"	1.740	12 ga.	EA	2.39
C-106-2	HAFQ065	2"	2.197	12 ga.	EA	2.59

Kindorf®

Kindorf® - T&B

Universal Pipe Straps

- Fits E.M.T., I.M.C., rigid conduit
- Size range 1/2" thru 2"
- Can be used on 1 1/2" or 1 5/8" channel
- Saves inventory dollars
- Corrosion resistant Galv-Krom finish
- One piece construction means no assembly required



Model No.	Hughes No.	Conduit Size (In.)	Diameter Range (in.)	Gauge of Steel	Unit	List Price
C-200-1/2	HAXI721	1/2"	.706 – .804	14 ga.	EA	\$1.55
C-200-3/4	HAXI724	3/4"	.922 – 1.060	14 ga.	EA	1.72
C-200-1	HAXI726	1"	1.163 – 1.315	14 ga.	EA	1.88
C-200-1-1/4	HAXI727	1-1/4"	1.508 – 1.660	14 ga.	EA	2.16
C-200-1-1/2	HAWA194	1-1/2"	1.738 – 1.900	12 ga.	EA	2.39
C-200-2	HAXI728	2"	2.196 – 2.375	12 ga.	EA	2.59

Superstrut®

Superstrut® - T&B

Pipe Straps

For Rigid Conduit, IMC and Pipe

Superstrut Pipe Straps are designed to be twist inserted anywhere along the slot side of the channel. Pipes can be placed as closely as pipe couplings permit.

- Bolt head is combination slot and hex head for flexibility of attachment.
- Square nut is captivated on the shoulder for easy one-handed tightening.
- Straps are interchangeable with 1 1/2" strut, for broader application.
- Straps are shipped assembled so counting and sorting are easier.
- Pipe or conduit sizes are sown on the strap for easy identification.



Model No.	Hughes No.	Conduit Size (In.)	Gauge of Steel	Max Load (lbs)	Unit	List Price
702-1/2	HADI918	1/2"	14 ga.	750	EA	\$1.99
702-3/4	HADI939	3/4"	14 ga.	750	EA	2.25
702-1	HADJ001	1"	14 ga.	750	EA	2.42
702-1-1/4	HADJ044	1-1/4"	14 ga.	800	EA	2.88
702-1-1/2	HADJ076	1-1/2"	12 ga.	800	EA	3.15
702-2-STR	HADJ118	2"	12 ga.	800	EA	3.38
702-2-1/2	HADJ259	2-1/2"	12 ga.	1000	EA	3.64
702-3	HADJ301	3"	12 ga.	1650	EA	4.07
702-3-1/2	HADJ343	3-1/2"	11 ga.	1650	EA	4.74
702-4	HADJ385	4"	11 ga.	1650	EA	5.40
702-4-1/2	HGZ0804	4-1/2"	11 ga.	1650	EA	Call



Arlington Industries

1-Hole AC/MC Strap

Plated Steel



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Cable Size	Width (In.)	Unit	List Price
310	HAFU200	00310	.503-.580	14/4, 14/3, 12/4, 12/3, 10/3, 10/2, 12/2	.750	EA	\$0.39
311	HCAA937	84174	.200-.320	#4 and #2 bare copper	.500	EA	6.64



Arlington Industries

1-Hole EMT Straps

Plated steel, Click-on

Snap-on type. Plated steel



Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Width (In.)	Hole Size (In.)	Unit	List Price
Standard Duty							
304	HBZZ440	00304	1/2	.745	.265	EA	\$9.17
305	HBZZ441	00305	3/4	.750	.265	EA	0.15
Heavy-Duty							
370	HAIM133	00370	1/2	.562	.250	EA	0.27
371	HAIM236	00371	3/4	.625	.250	EA	0.36
372	HAIM345	00372	1	.750	.312	EA	0.58
373	HAIM439	00373	1-1/4	.875	.375	EA	0.75
374	HAIM542	00374	1-1/2	1.000	.375	EA	1.23
375	HAIM607	00375	2	1.125	.437	EA	1.95
346	HAIN236	00346	2-1/2	1.245	.550	EA	3.57
347	HAIM850	00347	3	1.250	.550	EA	3.87
348	HAIN616	00348	3-1/2	1.250	.575	EA	6.04
349	HAIN739	00349	4	1.240	.575	EA	7.64



2-Hole EMT Straps

Plated steel, Click-on

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Width (In.)	Hole Size (In.)	Unit	List Price
360	HALB764	00360	1/2	.562	.187	EA	\$0.16
361	HALB768	00361	3/4	.625	.187	EA	0.23
362	HALB774	00362	1	.688	.187	EA	0.34
363	HALB796	00363	1-1/4	.750	.258	EA	0.50
364	HALB798	00364	1-1/2	.875	.258	EA	0.57
365	HALB800	00365	2	1.000	.375	EA	0.91
356	HAID634	00356	2-1/2	.985	.345	EA	1.29
357	HAID736	00357	3	.995	.345	EA	1.49
358	HAID827	00358	3-1/2	.990	.345	EA	1.81
359	HAID940	00359	4	.995	.345	EA	2.18

Conduit

ProValue®



1950 Piece Nut, Screw and Washer Assortment, PV35550

- 100 each machine screw nuts: 6-32 square, 8-32 Hex, 1/4-20 Hex
- 100 each split washers: # 8, #10, 1/4"
- 100 each machine screw Phillips pan head: 6-32 x 3/8", x 1", 8-32 x 1-1/4", 1/4-20 x 3/4", 50 of 1/4-20 x 1-1/4"
- 100 each SMS- Phillips pan head: 6 x 3/4", 8 x 1/2", 8 x 3/4", 10 x 3/4"
- 100 each Phillips drywall screw: 6 x 1-1/4"
- 100 each slotted Hex washer head: 10 x 1/2", 10 x 1-1/4"
- 100 each SMS-Phillips flat head: 8 x 1"
- 100 each self-tapping SMS Hex washer head: 10 x 3/4"



Arlington Industries

Rigid Straps

Plated Steel, Click-on

Snap-on type. Plated steel


Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Width (In.)	Hole Size (In.)	Unit	List Price
1-Hole							
340	HAIM719	00340	1/2	.625	.250	EA	\$0.27
341	HAIM820	00341	3/4	.750	.250	EA	0.40
342	HAIN042	00342	1	.875	.312	EA	0.65
343	HAIN145	00343	1-1/4	.875	.375	EA	0.90
344	HAIN210	00344	1-1/2	1.000	.437	EA	1.08
345	HAIN413	00345	2	1.125	.562	EA	2.11
346	HAIN236	00346	2-1/2	1.245	.550	EA	3.57
347	HAIM850	00347	3	1.250	.550	EA	3.87
348	HAIN616	00348	3-1/2	1.250	.575	EA	6.04
349	HAIN739	00349	4	1.240	.575	EA	7.64
2-Hole							
350	HAID141	00350	1/2	.620	.200	EA	0.17
351	HAID223	00351	3/4	.690	.200	EA	0.17
352	HAID315	00352	1	.750	.275	EA	0.27
353	HAID439	00353	1-1/4	.865	.275	EA	0.47
354	HAID123	00354	1-1/2	.940	.275	EA	0.51
355	HAID532	00355	2	.995	.325	EA	0.70
356	HAID634	00356	2-1/2	.985	.345	EA	1.29
357	HAID736	00357	3	.995	.345	EA	1.49
358	HAID827	00358	3-1/2	.990	.345	EA	1.81
359	HAID940	00359	4	.995	.345	EA	2.18



EMT Nail Straps

Plated Steel, Click-on

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
NS1	HCAA550	51100	1/2	EA	\$0.22
NS2	HCAA554	51200	3/4	EA	0.29
NS3	HCAA556	51300	1	EA	0.42



Caddy®

Colorado Jim Cable Support

- New easy-to-use locking tab
- Cable locating ribs to maintain cable separation
- Flared edges for cable protection


Model No.	Hughes No.	Unit	List Price
CJ6	HADZ998	EA	\$0.44

Steel City®



Steel City® - T&B Conduit and Pipe Hangers 6H Series – With Bolt

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
6H0-B	HAEB953	3/8-1/2	EA	\$0.50
6H0-TB	HBZJ147	3/8-1/2	EA	0.63
6H1-B	HAEC007	3/4	EA	0.51
6H1-TB	HBZJ149	3/4	EA	0.71
6H2-B	HAEC108	1	EA	0.84
6H2-1/2-B	HAEC049	-	EA	1.13
6H3-SC-B	HGZO786	1-1/4	EA	Call
6H4-B	HAEC160	1-1/2	EA	1.47
6H5-B	HAEC166	2	EA	1.58
6H6-B	HAEC170	2-1/2	EA	2.06
6H7-B	HAEC173	3	EA	2.42
6H8-B	HAFN669	3-1/2	EA	3.56
6H9-B	HAFN715	4	EA	8.13



Arlington Industries

Pipe Hangers

One Piece, Nonmetallic

- Saves 25 seconds per installation...about 15.5 cents at \$22.50 per hour labor rate
- Costs the same as a steel pipe hanger with bolt and nut
- Conduit snaps into place, locking automatically
- Accommodates thinwall, rigid conduit, PVC conduit, or copper
- Mounts horizontally or vertically
- UV rated for outdoor application
- Corrosion resistant
- Listed for use in environmental air handling spaces per 2005 NEC code requirement 300-22(c)
- 2-1/2" to 4" hangers feature an additional opening for securing purposes, such as a wire tie

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
NM2005	HATJ566	54525	1/2	EA	\$0.52
NM2015	HATJ567	54526	3/4	EA	0.57
NM2025	HATJ560	54518	1	EA	0.78
NM2040	HATJ561	54519	1-1/2	EA	0.92
NM2045	HATJ694	54544	1-1/2	EA	1.11
NM2050	HATJ562	54520	2	EA	1.31
NM2060	HGOQ021	54521	2-1/2	EA	4.39
NM2070	HGOQ022	54522	3	EA	5.37
NM2080	HGOQ023	54523	3-1/2	EA	6.83
NM2090	HGOQ024	54524	4	EA	7.61



Pipe Hangers Plated Steel

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
With bolt and nut					
2000	HBZZ636	02000	3/8 x 1/2	EA	\$0.52
2010	HBZZ637	02010	3/4	EA	0.57
2020	HBZZ638	02020	1	EA	0.78
2040	HBZZ641	02040	1-1/2	EA	1.11
2050	HBZZ642	02050	2	EA	1.31
2060	HBZZ643	02060	2-1/2	EA	1.71
2070	HBZZ644	02070	3	EA	1.96
2080	HBZZ645	02080	3-1/2	EA	2.10
2090	HBZZ646	02090	4	EA	5.28
With formed thread in one end of the hanger					
2200	HCAA118	22000	3/8 x 1/2	EA	0.41
2210	HCAA119	22100	3/4	EA	0.46
2220	HCAA120	22200	1	EA	0.60
2230	HCAA122	22300	1-1/4	EA	0.73
2240	HCAA123	22400	1-1/2	EA	0.99
2250	HCAA124	22500	2	EA	1.19



Porcelain Wire Holder

With solid rivet through head. Porcelain and galvanized steel.

Model No.	Hughes No.	UPC Code	Screw Size	Unit	List Price
612	HALC570	00612	2-1/4 Lag	EA	\$12.89
613	HBZZ514	00613	3/8 x 1/2 Match Screw	EA	9.63
616	HAYI607	00616	2-1/4 Lag	EA	12.13
617	HBZZ516	00617	3/8 x 1/2 Match Screw	EA	7.01

Some products not available at all locations. Check with your local HD Supply representative for product availability.



Arlington Industries Porcelain Wire Holder

With steel clip. Fits 1-1/4" to 3" pipe

Model No.	Hughes No.	UPC Code	Conduit Size (In.)	Unit	List Price
610	HAHC045	00610	1-1/4 to 3	EA	\$20.32



S-Hooks Plated Steel

Maximum load limit 25 lbs


Model No.	Hughes No.	UPC Code	Size	Unit	List Price
SH1	HAGU441	18100	1-1/4-.106	EA	\$0.16
SH2	HBZZ844	18200	1-1/2-.135	EA	0.30



Jack Chain

Zinc-plated steel. 100 feet per steel reel. Maximum load limit 25 lbs.

Model No.	Hughes No.	UPC Code	Size	Unit	List Price
JC12	HAF0657	13120	1/2	EA	\$0.46



Caddy® Conduit Hangers

- Supports conduit (EMT, Rigid, ENT, MC/AC and Aluminum) to rods or flanges
- Can also be used for flexible metallic tubing, armored cable, portable cables, control tubes, communications cables, etc.
- No installation tools required

Model No.	Hughes No.	Conduit Size (In.)	Unit	List Price
KX	HEGZ294	No load rating - positioning only.	BX	\$0.29
K8	HEGZ292	1/2" EMT or rigid	BX	Call
K12	HEGZ290	1/2" or 3/4" EMT, 3/4" Rigid	BX	0.28
K16	HBGB665	1/2" or 3/4" Rigid, 3/4" or 1" EMT	BX	0.33
K20	HBGB666	3/4" or 1" Rigid, 1" or 1-1/4" EMT	BX	0.49



Caddy


Caddy Mounting Plate Brackets (Nonmetallic)

Standards: UL and cUL listed

- No sharp metal edges with new plastic design
- No installation tools required to secure bracket in the drywall opening
- Serrated interlocking system secures tightly
- Template points on brackets eliminate multiple measurement markings during installation
- Eliminates the need for electrical boxes on low voltage Class 2 applications


Model No.	Hughes Part No.	Description	Standard Box Quantity	Unit	List Price
MP1P	HBZF067	Single gang	100	EA	\$0.88
MPAL2	HBZF066	Double gang	100	EA	2.57
MP34P	HBZF065	3 or 4 gang	20	EA	8.00

Caddy Cablecat Wide Base Cable Support



- Single protection
- Standards: UL listed
- Wire Size (AWG): 24
- Cable Type: UTP
- Number of Pairs: 4
- Diameter (mm): 5
- Load Rating (Kg): 22
- Cost-effective alternative to expensive cable tray
- Multiple tree configurations possible
- Galvanized finish on J-hook provides smoother cable pull and greater corrosion resistance
- Provides proper support of high-speed copper or fiber optic cable and innerduct
- Variety of sizes and designs available to attach to virtually any structure or sub-structure

Model No.	Loop Diameter (in.)	Quantity	Unit	List Price
CAT12	3/4	50	EA	\$1.01
CAT21	1-5/16	33	EA	Call
CAT21SS	1-5/16	80	Box	2.82
CAT32	2	50	EA	2.02
CAT32SS	2	60	Box	3.21
CAT64	4	25	Box	3.83
CAT64SS	4	25	Box	5.02



Cablecat Pulley Kits

- CAT32PLR accepts up to 20 4-pair cables; CAT64PLR accepts up to 40 4-pair cables
- Complies with the TIA standard requirement by minimizing the pull force on the cable
- Maintains proper bend radius and protects cable during the installation
- Kits include spring-loaded J hook, pin, wheel and retainer, link and beam clamp
- The pulley and pin assembly can be removed after the job is completed, leaving the J-hook as a cable support


Model No.	Hughes No.	Description	Case Quantity	Unit	List Price
CAT32PLR	HCMY582	CAT32 2" spring-loaded J-hook, pin, wheel and retainer, link and beam clamp	10	EA	\$33.38
CAT64PLR	HCMX971	CAT 64 4" spring-loaded J-hook, pin, wheel and retainer, link and beam clamp	2	EA	40.43



CAT-CM Cable Support System

- Specially designed U-hooks and double J-hooks have large diameter rounded support surfaces
- Compliant with NEC® and ANSI®/EIA/TIA® structured cabling systems standards
- Hooks are UL listed

Model No.	Hughes No.	Description	Case Quantity	Unit	List Price
CAT100CM	HFFS416	Double J-hook	20	EA	\$2.62
CAT200CM	HFFS404	U-Hook 200mm/8" with T-nut	10	EA	2.95
CAT200CMLN	HFFS408	U-Hook 200mm/8" less nut	10	EA	3.13
CAT300CM	HFFS405	U-Hook 300mm/12" T-nut	10	EA	3.57
CAT300CMLN	HFFS409	U-Hook 300mm/12" less nut	10	EA	3.40
CATRL200CM	HFFS411	Roller 200mm /8" (includes rod and nuts)	10	EA	2.87
CATRL300CM	HFFS412	Roller 300mm /12" (includes rod and nuts)	10	EA	3.19
CATRT200CM	HFFS414	Wire retainer 200mm /8"	50	EA	0.59
CATRT300CM	HFFS413	Wire retainer 300mm /12"	50	EA	0.64
CATTBCM	HFFS415	Protection Tube	30	EA	1.13
CATWCM	HFFS478	Wall Bracket	10	EA	11.37



Caddy

Caddy Bridle Ring

Bridle rings can be located on beam flanges up to 3/4-inch, drop-wire, concrete, C-purlins, Z-purlins, acoustical T-grid. Ultimate Static Load Limit (Pounds): 50.

Model No.	Hughes No.	Dimension A (in.)	Wire Size	Standard Box Quantity	Unit	List Price
2BR12	HBMJ803	3/4	#8 (.162)	100	EA	Call
2BR20	HBMJ805	1-1/4	#8 (.162)	100	EA	Call
2BR32	HBMJ809	2	#8 (.162)	100	EA	Call
2BRT12	HBMJ804	3/4	10-24 threaded	100	EA	Call
2BRT20	HBMJ806	1-1/4	10-24 threaded	100	EA	Call
2BRT32	HBMJ810	2	10-24 threaded	100	EA	Call
2BRT8	HAEA043	1/2	10-24 threaded	100	EA	Call



Speed Link

- Quickly installs as a stand-alone hanging system without drilling into the building structure - reducing installation time
- Works with a variety of Caddy® Fasteners
- Carries a DIN 4102-2 F30-A/F60-A fire rating of 30 minutes (2 mm wire rope) or 60 minutes (3mm wire rope) at maximum rated load
- Reduces inventory, storage space and shipping costs
- Increases installation versatility

Model No.	Hughes No.	Diameter (in.)	Length (Ft.)	Load Rating (lbs.)	Case Quantity	Unit	List Price
SLD2L1	HFPD935	.079	3.3	100	100	EA	Call
SLD2L2	HFPD936	.079	6.6	100	100	EA	Call
SLD2L3	HFPD937	.079	9.9	100	100	EA	Call
SLD2L5	HFPD938	.079	16.4	100	50	EA	Call
SLD2L10	HFPD939	.079	32.8	100	25	EA	Call
SLD3L1	HFPD940	.118	3.3	200	100	EA	Call
SLD3L2	HFPD941	.118	6.6	200	100	EA	Call
SLD3L3	HFPD942	.118	9.9	200	50	EA	Call
SLD3L5	HFPD943	.118	16.4	200	50	EA	Call
SLD3L10	HFPD944	.118	32.8	200	25	EA	Call
SLD2L1BP	HGPY994	.079	3.3	100	100	EA	Call
SLD2L1BP	HGPY995	.079	6.6	100	100	EA	Call
SLD2L1BP	HGPY996	.079	9.9	100	100	EA	Call
SLD2L1BP	HGPY997	.118	6.6	200	100	EA	Call
SLD2L1BP	HGPY999	.118	9.9	200	50	EA	Call

Stainless Steel

SLD3L2SS	HGPY998	.118	6.6	200	100	EA	Call
SLD3L2SS	HGPZ000	.118	9.9	200	50	EA	Call

Bridle rings not recommended for high performance cables



Speed Link LD

- Ideal in lighting and other installation projects
- Cost-effective alternative to jack chain, threaded rod and associated hardware
- Safe working load of 44 pounds
- 5:1 safety factor
- Sleek low-profile locking device reduces visual impact

Model No.	Hughes No.	Length (Ft.)	Materials	Unit	List Price
Galvanized Steel					
SLD15L2	HHBS272	6.6	Galvanized Steel	EA	Call
SLD15L5	HHBS273	16.4	Galvanized Steel	EA	Call
SLD15L10	HHBS269	32.8	Galvanized Steel	EA	Call
Stainless Steel					
SLD15L10	HHBS270	6.6	Stainless Steel	EA	Call
SLD15L5S	HHBS274	16.4	Stainless Steel	EA	Call
SLD15L10S	HHBS271	32.8	Stainless Steel	EA	Call




Arlington Industries

Safety Plate

Flat 16 gauge steel.

- Conduit Size(In.): 1-1/2 x 2-3/4
- Length(In.): 2.750
- Width(In.): 1.500
- Hole Size(In.): .155

Model No.	Hughes No.	UPC Code	Unit	List Price
SP100	HAKW332	17100	EA	Call




Caddy

Pipe Pier™ Supports

- Replaces time-consuming fabrication of rooftop pipe support systems
- Reduces rooftop wear and tear
- Supports steel pipe, copper pipe and electrical conduit to roof or floor surfaces
- Reduces installation time by eliminating on-site cutting, drilling and measuring

Model No.	Hughes No.	Description	Dimensions (In.)	Case Quantity	Unit	List Price
PP50H4	HCMX982	50 lb. load capacity per block, pre galvanized	10-1/2" L x 4" W x 4" H	10	EA	Call
PP50H6	HCMX983	50 lb. load capacity per block, pre galvanized	10-1/2" L x 4" W x 6" H	10	EA	Call
PP150H4	HEQV175	150 lb. load capacity per block, pre galvanized	12" L x 12" W x 4" H	3	EA	Call
PP300H4	HEQV176	300 lb. load capacity per block, pre galvanized	21-1/2" L x 12" W x 4" H	3	EA	Call
PP50H2AH	HEQV182	50 lb. load capacity per block, yellow chromate	10-1/2" L x 4" W x 2" H	10	EA	Call

COOPER B-Line




Cooper B-Line®

Concrete Inserts

Angle Fittings

Model No.	Hughes No.	Unit	List Price
B104	HGZN800	EA	Call

COOPER B-Line




Cooper B-Line®

Support Channels

- Materials: Steel
- Thickness: 14 Ga.

Model No.	Hughes No.	Dimensions Height x Width (in.)	Offset	Unit	List Price
B54	HGZN807	13/16" H x 1-5/8" W	(SH) 1, 2, 3, 4; (S) 1; (H17/8) 1, 2, 3, 4	EA	Call

Available Finishes on Steel: Plain (Oil Coated), Dura-Green Epoxy, Pre-Galvanized, and Hot Dip Galvanized are standard.



Cooper B-Line® Support Channels Channel Nuts

Model No.	Hughes No.	For Use With	Thread Size	Thickness	Unit	List Price
N228	HGZN809	B22 B24 B32	3/8"-16	3/8" for all nuts	EA	Call
N225	HGZN808	B22 B24 B32	1/2"-13	1/2" for N725,N225,N225WO,TN225 3/8" for N525,N525WO,TN525	EA	Call
N255	HGZN810	B22 B24 B32	5/8"-11	1/2" for N7555,N255,N255WO 3/8" for N555,N555WO	EA	Call

For other channels, channel nuts, and fittings see B-Line Strut Systems Catalog.



Carlon®

Carlon® Cement

All-Weather ENT Blue "Quick-Set" Solvent Cement

Recommended for use with Flex-Plus® Blue™ ENT (Electrical Nonmetallic Tubing), Riser-Gard®, P&C Flex® and Carlon PVC fittings. Up through 4" diameter.

Model No.	Hughes No.	Container Size	Unit	List Price
VC9992	HECO480	Quart	EA	Call



Cementing

All Weather Quick-Set Clear Cement

Model No.	Hughes No.	Container Size	Unit	List Price
VC9983	HEIN780	Pint Dauber Top	EA	Call
VC9982	HEIN782	Quart Dauber Top	EA	Call



Appleton®

Kwiko® A Sealing Cement

For use in Sealing Fittings

Mixing Ratio: 2 parts cement to 1 part water.

Model No.	Hughes No.	Net Weight (oz.)	Shaft Seal	Unit	List Price
AC1-A	HAGV119	16.00	23.00	EA	\$9.67
AC5-A	HCC0147	80.00	115.00	EA	32.09



Kwiko® A TwinPak® Sealing Cements

For use in Sealing Fittings

Each plastic pouch contains: Pre-measured Kwiko® A cement and Pre-measured water (in an inner bag).

Kwiko® A TwinPak® also includes adequate amount of fiber filler packed separately.

Product No. ACK6F-A includes 5– six-ounce cement pouches. Larger quantities available, consult factory.

Product No. ACK12F-A includes 5– twelve-ounce cement pouches. Larger quantities available, consult factory.

Model No.	Hughes No.	Net Weight (oz.)	Volume (cu. ft.)	Unit	List Price
ACK6F-A	HCC0149	30.00 (Cement) 5.00 (Fiber)	25.00	EA	\$35.23
ACK12F-A	HCC0148	60.00 (Cement) 10.00 (Fiber)	50.00	EA	65.33



Kwiko® A Sealing Cement and Fiber Filler Kits

For use in Sealing Fittings

Model No.	Hughes No.	Net Weight (oz.)	Volume (cu. ft.)	Unit	List Price
AC1F01-A	HBDB009	16.00 (Cement) 1.00 (Fiber)	23.00	EA	\$16.93



Fiber Filler

For use in Sealing Fittings

Filler is used to make dams to prevent cement from leaking while in fluid state.

Model No.	Hughes No.	Net Weight (oz.)	Unit	List Price
F038	HBLG989	0.38	EA	\$4.76
F075	HBLG990	0.75	EA	7.54
F01	HBLG984	1.00	EA	10.20
F02	HBLG985	2.00	EA	16.36
F04	HBLG986	4.00	EA	34.11
F08	HBLG987	8.00	EA	59.43
F1	HBLG983	16.00	EA	89.66

Conduit

Steel City®

*Built on a century of trust,
and growing every day.*



NEW!
Steel City® Ultra-shallow
Floor Box



NEW!
Steel City® Residential
Floor Box Kit



NEW!
Steel City® Snap-in
Fitting for MC Cable



NEW!
Steel City® Hands-Free
Swivel Hanger

For more on the full line of Steel City products, contact your local Hughes electrical branch, call **888-862-3289** or visit **www.tnb.com**.

Steel City® • Red•Dot® • Superstrut® • Kindorf®

Thomas & Betts®

© 2005 Thomas & Betts Corporation.