

3M Occupational Health and Environmental Safety Division  
Signature Products Catalog



# Safety Solutions Simplified

3M Signature Products represent 3M's most requested products, making it easy for you to choose the right solutions for your workforce.

*Distributed by:*





# Better.

Products that help you become more efficient.

# Faster.

Solutions that are easy to choose.

Now that's

# Simple.

# 40

Years of  
Safety Leadership

## Safety Selection Made Easy

At 3M, we know that the health and welfare of your workforce depends on safety, and we are committed to helping you create an environment that protects your workforce—effectively, efficiently and economically. 3M's Signature Products represent our most popular products developed over 40 years of safety leadership, making it easy to select proven solutions for your workforce.

**Trusted Protection:** Every product delivers the professional protection and durability you expect from 3M.

**Exceptional Comfort:** 3M products are designed for advanced comfort, because solutions that are easy to use and comfortable to wear can help increase compliance with safety regulations.

**Innovative Solutions:** Our products are designed with innovative features for adaptability, making it easy to select solutions for your application.

### 3M Signature Products: Safety Solutions Simplified



3M™  
Disposable  
Respirators



3M™  
Protective  
Eyewear



3M™  
Reusable  
Respirators



3M™  
Head and Face  
Protection



3M™  
Passive Hearing  
Protection



3M™  
Welding  
Protection



## Table of Contents

Disposable Respirators .....	1
Reusable Respirators .....	2-3
Eyewear .....	4-5
Head & Face .....	6
Hearing .....	7-9
Welding .....	10
UPC Number Index .....	11
3M Support & Services .....	12

## Disposable Respirators

### 3M™ Particulate Respirator 8210, N95

Is designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction helps promote greater worker acceptance and comfort and increased wear time.

UPC Number	Extra Desc	Case Qty	Units	Motion Item Number
50-051138-46457-3	20/Inr	160	CA	02637278



### 3M™ Particulate Welding Respirator 8212, N95, with Face Seal

Is designed for applications such as welding, soldering and other operations where metal fumes may be present.

UPC Number	Extra Desc	Case Qty	Units	Motion Item Number
50-051138-54141-0	10/Inr	80	CA	02637290



### 3M™ Particulate Respirator 8233, N100

Is well suited for those who want NIOSH's highest rated filtration efficiency in a disposable respirator. It provides a minimum filter efficiency of 99.97% against non-oil based particles.

UPC Number	Case Qty	Units	Motion Item Number
50-051138-54143-4	20	CA	02637291



### 3M™ Particulate Respirator 8271, P95

Combines P-series versatility with exceptional comfort and fit. It is an excellent choice for those who have work environments that may contain oil aerosols.

UPC Number	Extra Desc	Case Qty	Units	Motion Item Number
50-051138-54285-1	10/Inr	80	CA	02637303



### 3M™ Particulate Respirator 8511, N95

Is uniquely designed to help provide protection against certain non-oil based particles. It is ideally suited for work settings that involve heat, humidity, or long periods of wear.

UPC Number	Extra Desc	Case Qty	Units	Motion Item Number
50-051138-54343-8	10/Inr	80	CA	01697062



## Reusable Respirators

### 3M™ Half Facepiece 6000 Series

For use with 3M™ Cartridges 6000 Series; 3M™ Filters 2000, 2200, 7000 or 5000 Series; or 3M™ Dual Airline Systems for protection against a variety of gases, vapors and particulate hazards according to NIOSH approvals.

UPC Number	Product ID	Size	Case Qty	Units	Motion Item Number
50-051131-07024-5	6100	Small	24	CA	02637055
50-051131-07025-2	6200	Medium	24	CA	02637056
50-051131-07026-9	6300	Large	24	CA	02637057



6100

6200



6300

### 3M™ Full Facepiece 6000 Series

For use with 3M™ Cartridges 6000 Series; 3M™ Filters 2000, 2200, 7000 or 5000 Series; or 3M™ Dual Airline Systems for protection against a variety of gases, vapors and particulate hazards according to NIOSH approvals.

UPC Number	Product ID	Size	Case Qty	Units	Motion Item Number
50-051138-54146-5	6800	Medium	4	CA	02637293
50-051138-54159-5	6900	Large	4	CA	02637296



### 3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series

Engineered to deliver maximum comfort with a wide field of view. Features a soft, silicone nose cup and a large lens that allows for superior peripheral vision. The only respirator with 3M's unique Scotchgard™ Protector, which helps the lens resist dirt, and some paint and stains, and makes it easier to clean. The 3M™ Cool Flow™ Valve helps reduce heat and moisture buildup inside the facepiece.

UPC Number	Product ID	Size	Case Qty	Units	Motion Item Number
50-051135-89421-2	FF-402	Medium	4	EA	04779081
50-051135-89424-3	FF-403	Large	4	EA	05684032

### 3M™ Particulate Filter 2091, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridge 6000 Series with 3M™ Adapter 502, or 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC Number	Case Qty	Units	Motion Item Number
50-051131-07000-9	100	CA	02588649



### 3M™ Particulate Filter with Nuisance Level Organic Vapor Relief 2097, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridge 6000 Series with 3M™ Adapter 502, or 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

- Not NIOSH certified for use against ozone.

UPC Number	Case Qty	Units	Motion Item Number
50-051131-07184-6	100	CA	02637068



### 3M™ Organic Vapor Cartridge 6001

NIOSH approved against certain organic vapors. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC Number	Case Qty	Units	Motion Item Number
50-051138-21674-5	60	CA	02637218



### 3M™ Organic Vapor/Acid Gas Cartridge 6003

The 3M™ Organic Vapor/Acid Gas Cartridge 6003 helps provide respiratory protection against certain organic vapors or acid gases. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC Number	Case Qty	Units	Motion Item Number
50-051131-07047-4	60	CA	03086974



### 3M™ Multi Gas/Vapor Cartridge 6006

NIOSH approved against certain organic vapors, acid gases, ammonia, methylamine or formaldehyde. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

- OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

UPC Number	Case Qty	Units	Motion Item Number
50-051138-54186-1	60	CA	02472026



### 3M™ Cartridge/Filter Organic Vapor/P100, 60921

NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC Number	Case Qty	Units	Motion Item Number
50-051138-46465-8	60	CA	02637280



### 3M™ Cartridge/Filter Organic Vapor/Acid Gas/P100, 60923

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC Number	Case Qty	Units	Motion Item Number
50-051138-46467-2	60	CA	02637282



### 3M™ Cartridge/Filter Multi Gas/Vapor/P100, 60926

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

- OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

UPC Number	Case Qty	Units	Motion Item Number
50-051138-54187-8	60	CA	02637298



## 3M™ BX™ Protective Eyewear

Safety eyewear with adjustable temple, lens angle and nose bridge. Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62052-0	11380-00000-20	20	EA	03970423



## 3M™ BX™ Reader

All the comfort for a very comfortable price. Adjustable temple length, lens angle and nose bridge. Available in three bi-focal magnification strengths. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62046-9	11374-00000-20	20	EA	04140413



## 3M™ Fuel™ Protective Eyewear

Sleek, universal-fit. Flared accents. Soft temple tips and nose bridge. Meets ANSI Z87.1-2010 standards.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62147-3	11640-00000-10	10	EA	03970421



## 3M™ Lexa™ Dust GoggleGear™ Protective Goggle

Impact protection that helps seal out particulates. Available with adjustable temples or strap. Soft foam lens backing helps keep out particles. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

UPC Number	Product ID	Size	Case Qty	Units	Motion Item Number
10-078371-62330-9	16617-00000-10	Medium	10	EA	03970439
10-078371-62331-6	16618-00000-10	Large	10	EA	03970427



## 3M™ Lexa™ Splash GoggleGear™ Protective Goggle

Lightweight, low-profile splash goggles. Adjustable elastic strap. Vent channels at the top and bottom help minimize fogging. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2010.

UPC Number	Product ID	Size	Case Qty	Units	Motion Item Number
10-078371-62337-8	16645-00000-10	Large	10	EA	03960889



## 3M™ Light Vision™ 2 Protective Eyewear

Hands-free direct lighting. Two ultra-bright, adjustable LED lights. Long-life, replaceable CR2032 3V battery. Flexible nose bridge fits virtually all faces. Available with diopter. Absorbs 99.9% UV. Includes Micro-fiber storage bag and lanyard. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62111-4	11476-00000-10	10	EA	04031924



## 3M™ Maxim™ 2x2 Goggle

Advanced, dual lens design for improved sight and comfort. Interchangeable temples and a broad elastic strap. Venting for heat and fog release. Meets ANSI Z87.1-2010 standards.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62169-5	40696-00000-10	10	EA	05684029



## 3M™ Maxim™ Protective Eyewear

Features adjustable temples and nose bridge, a cushioned browguard, and a ventilation channel to help prevent fogging and vent heat away from the face. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62235-7	13250-00000-20	20	EA	03970435



### 3M™ Maxim™ GT Protective Eyewear

Lightweight Maxim GT protective eyewear is both stylish and durable, featuring an elastomeric browguard for added comfort, and a high-wrap lens for better coverage and good optical clarity. The dual-injected adjustable temples with 3-position lens adjustment helps wearers get the best possible fit for extended wear comfort plus anti-fog coating for indoor or outdoor use. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2010.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62612-6	14246-00000-20	20	EA	05684030

### 3M™ Maxim™ Rugged Anti-Scratch (RAS) Coating

Rugged Anti-Scratch (RAS) coating helps extend the life of the lens and provides up to four times more scratch resistance than any other current hard coat on 3M non-prescription safety eyewear. RAS super hard coat leverages over 30 years of 3M coating chemistry expertise to offer long-lasting lens protection that's clearly different. Adjustable temples and nose bridge. Meets the requirements of ANSI Z87.1-2010.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-11860-7	11860-00000-20	20	EA	05684024

### 3M™ Moon Dawg™ Protective Eyewear

Surf-inspired styling for the worker who wants to look good while wearing protective eyewear. Wide temples for a high fashion look. Meets ANSI Z87.1-2010 standard.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62178-7	11215-00000-20	20	EA	05684023

### 3M™ Nuvo™ Protective Eyewear

True "retro" styling reminiscent of the 1960s. Select models available with diopters. Soft universal fit. Adjustable temples and nose bridge. Integral side shields and brow bar. Meets ANSI Z87.1-2010 and CSAZ94.3 standards.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62062-9	11434-00000-20	20	EA	03970430

### 3M™ Privo™ Protective Eyewear

Universal fit design. Tough durable polycarbonate lens absorbs 99.9% UV. Soft DuoForm molded nose bridge and temple tips for lasting comfort. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62087-2	12261-00000-20	20	EA	04780386

### 3M™ Smart Lens™ Photochromic Eyewear

Changing outdoor light conditions doesn't require a change of eyewear anymore. Lightens and darkens with changing outdoor light conditions. Light to dark in less than 20 seconds. Dark to light in less than 3 seconds. Soft, adjustable nose bridge. Durable frame with nylon brow and magnesium alloy temples. Spring-hinged temples for narrow or wide fit. Polycarbonate lenses absorb 99.9% UV. Includes microfiber storage bag and lanyard. Meets the High Impact Requirements of ANSI Z87.1-2010.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-62033-9	13407-00000-5	5	EA	03970433

### 3M™ Virtua™ AP Protective Eyewear

Offers sleek, unisex styling, lightweight comfort and exceptional value. It is designed with high-wrap polycarbonate lenses and integral sideshields to help provide comfortable fit and eyewear protection.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-11818-8	11818-00000-20	20	EA	05684028



## Head & Face

### 3M™ TuffMaster™ Deluxe Headgear 82501-00000

Headgear offers precision adjustment for a comfortable, snug fit.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-82501-7	82501-00000	10	EA	03960927



### 3M™ TuffMaster™ Cap Mounting Headgear 82502-00000

Cap mounting headgear helps provide quick-change protection in a variety of heat environments.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-82502-4	82502-00000	10	EA	03960926



### 3M™ TuffMaster™ WP96 Polycarbonate Window 82701-00000

Molded window helps provide protection from moderate heat and heavy-duty impact.

UPC Number	Product ID	Color	Case Qty	Units	Motion Item Number
10-078371-82701-1	82701-00000	Clear	10	EA	03970462



### 3M™ H8A Headgear/WP96 Faceshield 82783-00000

H8A Headgear/WP96 Faceshield 82783-00000.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-078371-82783-7	82783-00000	5	EA	05635336



### 3M™ Hard Hat, H-700 Series, 4-Point Ratchet Suspension

Protective hard hat with comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.

UPC Number	Case Qty	Units	Motion Item Number
10-078371-64197-6	20	EA	05684031



### 3M™ Hard Hat, H-700 Series, with UVicator™ Sensor

This award-winning, lightweight hard hat offers extended comfort and protection, and also features a sensor that changes color as the hard hat is exposed to UV light.

UPC Number	Case Qty	Units	Motion Item Number
10-078371-65550-8	20	CA	05684025
10-078371-65551-5	20	CA	05684026



65550



65551

### 3M™ Peltor™ Visors and Components for Hard Hat Assembly

Snaps easily into any hard hat with universal slots when using 3M™ Peltor™ Earmuff or P3EV/2 hard hat attachment. Brimless lightweight protection against particles and liquids. Unique linkage systems for working and standby positions.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-093045-93620-2	V2C-10P	10	CA	05583415



**3M™ E-A-R™ Classic™ Foam Earplugs, Uncorded**

Proven size, shape and foam. World's most popular earplug available in a variety of packaging to meet your needs.

UPC Number	Product ID	Color	Case Qty	Units	Motion Item Number
10-080529-10000-6	310-1001	Yellow	2000	PR	03960896



**3M™ E-A-R™ Classic™ Foam Earplugs, Corded**

Proven size, shape and foam. World's most popular earplug available in a variety of packaging to meet your needs.

UPC Number	Product ID	Color	Case Qty	Units	Motion Item Number
10-080529-11001-2	311-1101	Yellow	2000	PR	03960968



**3M™ E-A-R™ Classic™ Foam Earplugs, Uncorded, Bagged**

Proven size, shape and foam. World's most popular earplug available in a variety of packaging to meet your needs.

UPC Number	Product ID	Color	Case Qty	Units	Motion Item Number
10-080529-12002-8	312-1201	Yellow	2000	PR	03960972



**3M™ E-A-Rsoft™ Yellow Neons™ Foam Earplugs 312-1250, Regular, Uncorded, Package of 200**

3M's softest earplugs and the highest NRR available in the industry. Regular size fits most ear canals. Shaped, self-adjusting foam provides a comfortable, low-pressure seal. Non-irritating, dermatologically safe foam. Soft foam earplugs are easy to roll down and insert, then expand within the ear canal for maximum comfort.


UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-080529-12063-9	312-1250	2000	PR	04285507



**3M™ E-A-Rsoft™ Yellow Neons™ Foam Earplugs 311-1250, Regular, Corded, Package of 200**

3M's softest earplugs and the highest NRR available in the industry.

UPC Number	Product ID	Color	Case Qty	Units	Motion Item Number
10-080529-11033-3	311-1250	Yellow	2000	PR	03960971



**3M™ E-A-Rsoft™ FX™ Earplugs 312-1260, Corded, Package of 200**

Patented bell shape and super-soft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-080529-12085-1	312-1260	2000	PR	04285420



**3M™ TaperFit™ 2 Earplugs 312-1219, Regular, Uncorded, in Poly Bag**

Smooth, self-adjusting foam provides an individualized fit for improved seal and good attenuation. The trademarked yellow color assures you of E-A-R's proven protection.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-080529-12013-4	312-1219	2000	PR	03960893



**3M™ Foam Earplugs 1100, Uncorded, Package of 200**

Soft, comfortable and nonobtrusive hearing protection. Recommended for moderate to high noise (up to 100 dBA TWA). NRR 29 dB.\*

\*The NRR may overestimate the protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.

UPC Number	Product ID	Extra Desc	Case Qty	Units	Motion Item Number
50-051138-29008-0	1100	200/ltr	1000	CA	01697035



### 3M™ Corded Foam Earplugs 1110, Package of 100

The comfortable fit of soft foam earplugs with the convenience of a cord. Recommended for moderate to high noise (up to 100 dBA TWA). NRR 29 dB.\*

\*The NRR may overestimate the protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.

UPC Number	Product ID	Extra Desc	Case Qty	Units	Motion Item Number
50-051138-29009-7	1110	100/lnr	5000	CA	01697036



### 3M™ E-A-Rsoft™ Metal Detectable Yellow Neons™ 311-4106 Corded Earplugs, Package of 200

Highest NRR available in a metal-detectable earplug. Both the cord and the earplugs are metal detectable.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-080529-11042-5	311-4106	2000	PR	04504374



### 3M™ E-A-R™ UltraFit™ Earplugs 340-4004, Corded

Patented curved flange design gently hugs the ear canal to provide an effective seal protecting against noise.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-080529-40003-8	340-4004	400	PR	03960890



### 3M™ Peltor™ Next™ Tri-Flange™ Earplugs P3000, Corded, Package of 100

Earplugs with triple flanges provide multiple seals against noise.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-093045-98016-8	P3000	400	PR	03960963



### 3M™ Peltor™ Next™ Skull Screws™ Earplugs P1301, Corded, Package of 120

No-roll convenience. Look of metal, soft feel of foam. Twist-to-seal design. NRR of 30db.

Corded P1301.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-093045-92952-5	P1301	480	PR	04285534



### 3M™ Pistonz™ Earplugs P1401, Corded, NRR 29 dB

Instant use. No need to roll down. Stem is stiff enough for insertion, yet designed to flex sideways if impacted.

Tips look like metal, yet provides ultra-soft feel for extended wear. Officially licensed hearing protection of NASCAR®. NRR 29 dB, 100 pr/box, 4 boxes/case, 400 pr/case.

UPC Number	Case Qty	Units	Motion Item Number
10-093045-93402-4	400	PR	04486721



### 3M™ E-A-R™ Express™ Pod Plugs™ 321-2200 w/Asst Grips, Uncorded, Package of 100

Advanced “no-roll” foam and paddle-style grips make getting a good fit easier than ever.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-080529-21011-8	321-2200	400	PR	03960965

### 3M™ E-A-R™ Express™ Pod Plugs™ 311-1115 w/Asst Grips, Corded, Package of 100

Advanced “no-roll” foam and paddle-style grips make getting a good fit easier than ever.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-080529-11011-1	311-1115	400	PR	03970473

### 3M™ E-A-R™ Push-Ins™ Uncorded Earplugs 318-1002, in Poly Bag

Patented E-A-Rform™ foam tip provides protection with the ultimate comfort throughout the day.

- Patented no roll-down E-A-Rform foam tips respond to the body’s natural heat to get more comfortable the longer they are worn.
- A gentle push is all it takes to insert.
- Flexible stem makes insertion and removal cleaner and easier.
- NRR 28 dB.
- ANSI S3.19; CSA Class AL.



UPC Number	Case Qty	Units	Motion Item Number
10-080529-18002-2	2000	PR	05256780

### 3M™ Push-Ins™ Corded Earplugs 318-1003

Patented E-A-Rform™ foam tip provides protection with the ultimate comfort throughout the day.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-080529-18003-9	318-1003	2000	PR	03970476



### 3M™ Peltor™ Optime™ 101 Earmuff w/Headband H7A

For noise levels up to 101dBA, the Optime 101 combines excellent hearing protection and comfort for louder environments.

UPC Number	Product ID	Case Qty	Units	Motion Item Number
10-093045-08071-4	H7A	10	EA	03960973



**3M™ Speedglas™ Welding Helmet 9100 FX 06-0600-30SW, Side Windows  
Auto-Darkening Filter 9100XX Shade 5, 8-13, Welding Safety**

Features a flip-up 9100XX dark shade 5, 8-13 auto-darkening filter assembly, shade 5 Side Windows and a clear 8 in x 4.25 in (200 mm x 110 mm) faceshield. For Stick, MIG and TIG processes, grinding and torch cutting.



UPC Number	Case Qty	Units	Motion Item Number
00-051131-49675-0	1	EA	05697187

**3M™ Speedglas™ Outside Protection Plate 9100**

The Speedglas 9100 outside protection plates are available with three different coatings: standard, high temperature and scratch resistant.



UPC Number	Product ID	Case Qty	Units	Motion Item Number
50-051135-89360-4	06-0200-52	10	EA	05684035
50-051135-89361-1	06-0200-53	10	EA	05684027
50-051131-37174-8	06-0200-51	10	EA	05684034

## UPC Number Index

UPC Number	Page	UPC Number	Page
00-051131-49675-0	10	10-080529-18003-9	9
10-078371-11818-8	5	10-080529-21011-8	9
10-078371-11860-7	5	10-080529-40003-8	8
10-078371-62033-9	5	10-093045-08071-4	9
10-078371-62046-9	4	10-093045-92952-5	8
10-078371-62052-0	4	10-093045-93402-4	8
10-078371-62062-9	5	10-093045-93620-2	6
10-078371-62087-2	5	10-093045-98016-8	8
10-078371-62111-4	4	50-051131-07000-9	2
10-078371-62147-3	4	50-051131-07024-5	2
10-078371-62169-5	4	50-051131-07025-2	2
10-078371-62178-7	5	50-051131-07026-9	2
10-078371-62235-7	4	50-051131-07047-4	3
10-078371-62330-9	4	50-051131-07184-6	2
10-078371-62331-6	4	50-051131-37174-8	10
10-078371-62337-8	4	50-051135-89360-4	10
10-078371-62612-6	5	50-051135-89361-1	10
10-078371-64197-6	6	50-051135-89421-2	2
10-078371-65550-8	6	50-051135-89424-3	2
10-078371-65551-5	6	50-051138-21674-5	2
10-078371-82501-7	6	50-051138-29008-0	7
10-078371-82502-4	6	50-051138-29009-7	8
10-078371-82701-1	6	50-051138-46457-3	1
10-078371-82783-7	6	50-051138-46465-8	3
10-080529-10000-6	7	50-051138-46467-2	3
10-080529-11001-2	7	50-051138-54141-0	1
10-080529-11011-1	9	50-051138-54143-4	1
10-080529-11033-3	7	50-051138-54146-5	2
10-080529-11042-5	8	50-051138-54159-5	2
10-080529-12002-8	7	50-051138-54186-1	3
10-080529-12013-4	7	50-051138-54187-8	3
10-080529-12063-9	7	50-051138-54285-1	1
10-080529-12085-1	7	50-051138-54343-8	1
10-080529-18002-2	9		



## Product-Related Seminars & Support

### Respiratory Fit Testing & Training Information

The Occupational Safety and Health Administration (OSHA) General Industry Standard for Respiratory Protection 29 CFR 1910.134 requires employers to have a written respiratory protection program in place. This program typically includes medical evaluations and respiratory fit testing.

3M helps you achieve regulatory compliance with a range of services focused on OSHA requirements. These include customized online respiratory medical evaluations to help optimize compliance testing and tracking; product selection tools; instructional tools for conducting OSHA-required product usage training; and cartridge service life software to help keep you in compliance.

### Powered & Supplied Air Training Tools

Gain a fuller understanding of how to use and care for your powered and supplied air respiratory protection equipment. This series includes training videos, posters and literature providing information on how to clean, assemble and maintain your system.

### Hearing Conservation Seminars

3M offers free on-site employee educational seminars focused on hearing conservation. Topics include current regulations, equipment choices, employee training programs, and issues related to noise hazards and hearing protection. Content is provided for both plant managers and workers. Seminars are conducted nationwide by 3M's team of HearForce™ CAOHC certified managers.

Hearing conservation technicians and occupational health professionals seeking certification as an Occupational Hearing Conservationist (OHC) can also attend Hearing Conservation courses that 3M helps facilitate at Minnesota's Midwest Center for Occupational Health and Safety and throughout the country.

### 3M Welding Hazard Seminars & Educational Information

Attend a local seminar to increase your knowledge of worker safety and hazards pertaining to welders. These seminars will build your awareness of safety standards and employer responsibilities and can support your efforts to stay in compliance with OSHA regulations. Topics include regulations and standards, respiratory hazards and protection, engineering controls, benefits of auto-darkening filters, eye and face impacts, fall protection, and productivity considerations; as well as arc radiation, noise and heat stress hazards.

Welding instructors and students can also access customized training materials including videos and ready-to-use presentations at our website. Visit [3M.com/WeldingSafety](http://3M.com/WeldingSafety).

### Online Respirator Medical Evaluations

- Using any computer with Internet access, the employer creates one or more Respirator Profiles describing the respirator type, the work being done and the conditions under which the respirator(s) is used.
- Each employee logs on to a secure website using a unique personal password. The employee then fills out the on-line questionnaire and submits it for evaluation.
- The employee receives immediate notification of his/her respirator use status.
- Within minutes after the employees have completed the questionnaire, the employee can find out the respirator use status of those employees.
- Employees and the employer are notified within one (1) business day after completion of the questionnaire regarding status of any employees requiring further evaluation.
- All data is stored behind a firewall on a secure server. The employer does not have access to the employees' private health information.

Visit [respexam.com](http://respexam.com) to order or call: 800-383-3393.

### Educational Seminars Available:

- Occupational Noise Exposure Measurement (1 day)
- Noise and Heat Stress Measurements, A Best Practice Approach (1/2 day)
- Heat Stress Management and Control (1/2 day)
- Detection University – Noise, Heat Stress and Indoor Air Quality Instrumentation Training (4 days)

3M also offers calibration and repair service for our line of occupational and industrial hygiene instrumentation. Many of our products are used in potentially explosive atmospheres and require strict adherence to our original proprietary design specifications for service and repairs. Accredited calibrations are important as they provide validation of data if challenged by third parties. They also ensure that intrinsic safety has not been compromised, and offer confidence in the technical sufficiency of the calibration.

### Occupational Prescription Eyewear (SRx)

Equip your workers with prescription safety eyewear that is professionally fitted for maximum comfort. 3M offers industry leading SRx programs backed with innovative administrative tools and a nationwide dispensing services network. We'll help you establish a program customized to your needs. Workers can choose from a comprehensive selection of frame styles and lens materials as well as the latest lens and coating technologies, including popular Progressive Addition Lenses (PALs).

# Website & Online Resources



## 3M.com/PPESafety or m.3M.com/PPESafety

3M's websites are available 24/7 and provide extensive information, resources, video and technical data for you and your customers.

## Distributor Portal: 3M.com/OHESDistributor

## Other direct links to product specific web pages:

### Respiratory

3M.com/Respiratory

Resources on this site include: Six-Step Respiratory Protection Program, Respirator Selection Guide Software, Cartridge Replacement Program Documents and Information, Hazards In The News, Filter Replacement Program and more.

### Hearing Conservation

3M.com/Hearing

Resources on this site include: 3M™ E-A-R Log™ Technical Monographs Series, Audio Demonstration Webinars, Noise Navigator™ Sound Level Database, Training Audios and Hearing Conservation Clinics, information about the EPA's new NRR standard, and more.

### For posters, DVDs, tech data bulletins, training videos and product samples

3M.com/PPESafety

### Welding

3M™ Speedglas™ Products Homepage: 3M.com/Speedglas  
Welding Student & Educator Portal: 3M.com/WeldingSafety

### Fall Protection

3M.com/FallProtection

### Detection & Monitoring

3M.com/Detection

### Body Protection

3M.com/ProtectiveCoveralls

### Powered and Supplied Air Respirators

3M.com/Versaflo

### Occupational Health Construction Page

3M.com/WorkerSafety

### HexChrome Website

3M.com/HexChrome

### YouTube®

youtube.com/3MPPESafetySolutions

### Facebook® – 3M™ Speedglas™ Welding

facebook.com/Speedglas

### JobHealth Highlights Newsletter

3M.com/JHH

### Additional PPE Training Courses

3M Technical Service may also be able to offer larger audiences half or full-day training on a variety of topics related to respiratory, hearing, eye and welding protective equipment applications and regulations. Contact your 3M Sales Representative for more information.

**For more information about these training programs and others, visit 3M.com/PPESafety or call 800-328-1667. Or call 3M OH&ESD Technical Service at 800-243-4630.**



3M respirators and hearing protection products are Officially Licensed Products of NASCAR®



**3M Occupational Health and Environmental Safety Division**  
3M Center, Building 235-2W-70  
St. Paul, MN 55144-1000  
www.3M.com/PPESafety

Facebook is a registered trademark of Facebook Inc. NASCAR® is a registered trademark of the National Association for Stock Car Auto Racing, Inc. YouTube is a registered trademark of Google Inc. 3M and other trademarks are the property of 3M Company, used under license in Canada.

Please recycle. Printed in U.S.A. © 3M 2013. All rights reserved.

Distributed by:

 **MOTION®  
INDUSTRIES**  
*Keeping Industry in Motion*

**Call.** 800-526-9328  
**Click.** www.motionindustries.com  
**Visit.** Over 550 Locations