


Voice & Data Inserts

CAT6A Solutions



Shielded:
Data Jack for FTP 10606AS
Blank Patch Panel, 24-Port 2022-24AS




Unshielded:
Data Jack for UTP 10606A-WH
Blank Patch Panel, 24-Port 2022-24A

Cat6A
Patch Cords 600AXX-GY
XX = ft.: 03, 05, 07, 10, 14



Shielded Jacks



Cat6 10606FS
Cat5E 10605FS

KwikJacks and KwikTool



Cat6 10606K-XX
Cat5E 10605K-XX
XX = AL, BK, BL, GN, GY,
IV, LA, OR, RD, WH, YL

USOC
(6P6C) 10600K-6-XX
XX = AL, BK, BL, GN, GY,
IV, LA, OR, RD, WH, YL

KwikTool 3190-KT

Replacement
Head 3190-KTM
Compatible with all KwikJacks



ET Single-Row Jacks



Cat6 10606ET-XX
XX = BL, OR, WH

Cat5E 10605ET-XX
XX = AL, BK, BL, GN, GY,
IV, LA, OR, RD, WH, YL

USOC (6P6C) 10600ET-6-XX
XX = AL, BK, BL, GN, GY,
IV, LA, OR, RD, WH, YL



Data Couplers

Cat6 17159-C6-XX
Cat5E 17159-C5-XX
XX = BK, WH



Basic Termination Tools



Palm Tool 3140-PTB
Ring Tool 3180-DY

Modular Wallplates and Surface Boxes

Classic Wallplates



Single Gang:


Blank	10600-PB-XX
1-Port	10600-P1-XX
2-Port	10600-P2-XX
3-Port	10600-P3-XX
4-Port	10600-P4-XX
6-Port	10600-P6-XX

Satin Finish, XX = AL, BK, GY, IV, LA, WH

Double Gang:

Blank	10600-DPB-XX
4-Port	10600-DP4-XX
6-Port	10600-DP6-XX
8-Port	10600-DP8-XX
12-Port	10600-DP12-XX

Satin Finish, XX = AL, IV, WH



Blank Inserts	10600-BLA-XX
---------------------	--------------

XX = AL, BK, GY, IV, LA, WH

Decor Wallplates



Mounting Brackets:

1-Port	10600-PDF1-XX
2-Port	10600-PDF2-XX
3-Port	10600-PDF3-XX
4-Port	10600-PDF4-XX
6-Port	10600-PDF6-XX

Smooth Finish, XX = AL, IV, WH

Wallplates:

1-Gang	10600-PD1-XX
2-Gang	10600-PD2-XX
3-Gang	10600-PD3-XX
4-Gang	10600-PD4-XX

Smooth Finish, XX = AL, IV, WH



Screwless Wallplates



2-Piece Kit:

1-Port	10600-P1SL-WH
2-Port	10600-P2SL-WH
3-Port	10600-P3SL-WH
4-Port	10600-P4SL-WH
6-Port	10600-P6SL-WH

Smooth Finish, White Only

Stainless Steel Wallplates



Single Gang:

Blank	10600-PB-SS
1-Port	10600-P1-SS
2-Port	10600-P2-SS
3-Port	10600-P3-SS
4-Port	10600-P4-SS
6-Port	10600-P6-SS

Double Gang:

Blank	10600-DPB-SS
4-Port	10600-DP4-SS
6-Port	10600-DP6-SS
12-Port	10600-DP12-SS



Surface Boxes

1-Port	10600-SB1-XX
2-Port	10600-SB2-XX

Satin Finish, XX = AL, GY, IV, WH



4-Port	10600-SB4-XX
6-Port	10600-SB6-XX

Satin Finish, XX = IV, WH

ID Window Wallplates



2-Port Flush	10600-P2W-XX
4-Port Flush	10600-P4W-XX
6-Port Flush	10600-P6W-XX

XX = AL, IV, WH

2-Port Angled	10600-P2AW-XX
4-Port Angled	10600-P4AW-XX

XX = IV, WH

Mounting Boxes

Single-Gang	630MBD-XX
Double-Gang	630DGMB-XX


Smooth Finish, XX = IV, WH



1.89" Deep

RJ-Style Cross-Connect Systems

Patch Panels



- Cat6 Data:**
 24-Port 2013-24C6E
 48-Port 2013-48C6E
 96-Port 2013-96C6E
- Cat5E Data:**
 12-Port 2013-12C5E
 24-Port 2013-24C5E
 48-Port 2013-48C5E
 96-Port 2013-96C5E

- USOC Voice (6P6C):**
 24-Port 2013-24C3
 48-Port 2013-48C3



Patch Boxes and Blocks



- 6-Port Patch Boxes:**
 Cat6 2013-06C6E
 Cat5E 2013-06C5E
- 12-Port Patch Box:**
 Cat5E 2013-12F-B

- 12-Port Patch Blocks:**
 Cat6 2013-12DC6E
 Cat5E 2013-12DC5E



Blank Patch Panels

- Low-Density:**
 12-Port, 1RU 2013-12MJP
 24-Port, 2RU 2013-24MJP
 48-Port, 3RU 2013-48MJP



- High-Density:**
 24-Port, 1RU 2013-24FP
 48-Port, 2RU 2013-48FP



Wire Managers



- D-Ring Panels:**
 1RU 2016-WMP1C
 2RU 2016-WMP2C

- Finger Duct Panels:**
 1RU, Sgl-Sided 2016-FD1
 1RU, Dbl-Sided 2016-FD2
 2RU, Sgl-Sided 2016-FD3
 2RU, Dbl-Sided 2016-FD4



- Vertical Finger Ducts:**
 80", Sgl-Sided 2016-FDV1
 80", Dbl-Sided 2016-FDV2
 35", Sgl-Sided 2016-FDV3
 35", Dbl-Sided 2016-FDV4

High-Density Patch Cords

- Unbooted Cat5E:**
 3-ft 350C03-XX
 5-ft 350C05-XX
 7-ft 350C07-XX
 10-ft 350C10-XX
 14-ft 350C14-XX
 25-ft 350C25-XX
 Color = BK, BL, GN, GY, OR, PR,
 RD, YL



- Slim-Boot Cat5E:**
 3-ft 350E03-XX
 5-ft 350E05-XX
 7-ft 350E07-XX
 10-ft 350E10-XX
 14-ft 350E14-XX
 25-ft 350E25-XX
 Color = BK, BL, GN, GY, OR, PR,
 RD, YL



- Unbooted Cat6:**
 3-ft 600C03-XX
 5-ft 600C05-XX
 7-ft 600C07-XX
 10-ft 600C10-XX
 14-ft 600C14-XX
 25-ft 600C25-XX
 Color = BK, BL, GN, GY, OR, PR, RD, YL


- Slim-Boot Cat6:**
 3-ft 600E03-XX
 5-ft 600E05-XX
 7-ft 600E07-XX
 10-ft 600E10-XX
 14-ft 600E14-XX
 25-ft 600E25-XX
 Color = BK, BL, GN, GY, OR, PR, RD, YL

110-Style Cross-Connect Systems

Wall-Mount Termination Kits

Cat6: (Compatible Only w/ Dynacom Products)
 48-Pair 610B-48FT
 96-Pair 610B-96FT
 288-Pair 610B-288FT


Cat5E:
 50-Pair 110X-X50FT
 100-Pair 110X-X100FT
 300-Pair 110X-X300FT
XX =Clip: AA=5-Pair, BB=4-Pair, CC=3-Pair



Wiring Blocks & Troughs

Cat6 with Legs: (Compatible Only w/ Dynacom Products)
 48-Pair 610AWB-48
 96-Pair 610AWB-96
 288-Pair 610AWB-288

Cat5E with Legs:
 50-Pair 110AWB-50
 100-Pair 110AWB-100
 300-Pair 110AWB-300



Cat6 without Legs: (Compatible Only w/ Dynacom Products)

48-Pair 610WB-48
 96-Pair 610WB-96
 288-Pair 610WB-288

Cat5E without Legs:
 50-Pair 110WB-50
 100-Pair 110WB-100
 300-Pair 110WB-300



Cable Troughs:
 With Legs 110A2
 Without Legs 110B1



Components

Clips:
 Cat6, 4-Pair 610C-4
Compatible Only w/ Dynacom Products
 Cat5E, 3-Pair 110C-3
 Cat5E, 4-Pair 110C-4
 Cat5E, 5-Pair 110C-5



Patch Cord Connectors:

Cat6, 4-Pair 610PCC-4
Compatible Only w/ Dynacom Products
 Cat5E, 4-Pair 110PCC-4
 Cat5E, 3-Pair 110PCC-3
 Cat5E, 2-Pair 110PCC-2
 Cat5E, 1-Pair 110PCC-1



Labels and Holders:
 Labels (6 pcs.) 110PS
 Holders (6 pcs.) 110PH


Termination Tools



Punchdown Handle Only 788JS
Heads:
 4-Pair, Cat6 788JH1-6
Compatible Only w/ Dynacom Products
 5-Pair, Cat5E 788JH1-5
 4-Pair, Cat5E 788JH1-4

Rack-Mount Termination Kits


Cat6: (Compatible Only w/ Dynacom Products)
 96-Pair 610RM-96FT
 192-Pair 610RM-192FT
 288-Pair 610RM-288FT
Cat5E:
 100-Pair 110RM-100-X
 200-Pair 110RM-200-X
 300-Pair 110RM-300-X
X =Clip: A=5-Pair, B=4-Pair, C=3-Pair



Cable Trough
 Panel 2016-WMPB1

Tower-Mount Termination Kits


Cat6: (Compatible Only w/ Dynacom Products)
 288-Pair 610WMT-288FT
 576-Pair 610WMT-576FT
 864-Pair 610WMT-864FT



Cat5E:
 300-Pair 110WMT-300-X
 600-Pair 110WMT-600-X
 900-Pair 110WMT-900-X
X =Clip: A=5-Pair, B=4-Pair, C=3-Pair

66-Style Cross-Connect Systems



50-Pair Wiring Blocks



Bare Block 66M1-50
w/ clear snap-on cover
Hinged Cover 66M1C-XX
Color = BL, CL, OR, WH

w/ 25-Pair Telco Connectors:

One Female 66B1F
Two Female 66B2F
One Male 66B1M
Two Male 66B2M




w/ USOC Voice Jacks:
Six 8P8C 66BM06-4
Eight 6P6C 66BM08-3
Twelve 6P4C 66BM12-2

w/ USOC Voice Plugs:

Six 8P8C Plugs,
7ft. cords 66DS2-7



Backboards



Metal Back:

Full (2x4) 183BXM
Half (2x2) 183AXM
Quarter (1x2) 183CXM

Wood Back:

Full (2x4) 183BXW
Half (2x2) 183AXW
Quarter (1x2) 183CXW

X = Color: 1-BL, 2-GN, 3-RD, 4-PR, 5-YL, 6-OR, 8-WH

Mushroom Boards

Metal Back:

Full (2x8) 187B1M
Half (2x4) 187A1M
Half (1x8) 187C1M
Quarter (1x4) 198A1M

Wood Back:


Full (2x8) 187B1W
Half (2x4) 187A1W
Half (1x8) 187C1W
Quarter (1x4) 198A1W

White Only





Accessories

Stainless Steel
Bridging Clips 66BC-SS
100 ct., For Voice Only



Single-Pair Wire:
Blue & White 200W-A
Red & White 200W-D
Green & White 200W-E
1000 ft. Spool, For Voice Only

B-Bracket 89B
D-Bracket 89D



Spools:
without screw 20A
with screw 20B
Plastic, Split D-Ring 30A

Tools




Hi-Lo Impact
Tool Handle ... 3140-DYA
Bit Not Included

Bits:
66-Style 3140-14
110-Style 3140-14B



Fiber Optic Cross-Connect Systems

Cabinets & Trays



Wall Mount Cabinet:
2-Panel 900-FWM-2
Includes Lock




Rack Mount Swing Trays:
2-Panel 900-FRM-2
4-Panel 900-FRM-4

Adapter Panels




Ceramic Sleeved

6-Port ST 920A-ST-6



6-Port SC 920A-SC-6



6-Port LC2 920A-LC2-6



Blank 920-BLA

Inserts



ST 1600-ST-XX
SC 10600-SC-XX
LC 10600-LC-XX
MTRJ ... 10600-MTRJ-XX
*XX = IV, WH
Ceramic Sleeved*

Rack Accessories, Brackets, & Hardware

Wall Mount Brackets



6" Deep

Horizontal:
1RU 2016-WB175
2RU 2016-WB350
3RU 2016-WB525
4RU 2016-WB700
6RU 2016-WB1050

Vertical:
1RU ... 2016-WBV175
2RU ... 2016-WBV350



Rack Accessories



Single-Sided Shelves:
14" Solid 1900-CS
14" Vented 1900-CSV
2RU, 50-lb. Capacity



Double-Sided Shelves:
20" Solid 1900-DSS
20" Vented 1900-DSSV
2RU, 75-lb. Capacity

2-Piece

Hardware



Screws (100 ct.):
#12-24 2016HW1224
#10-32 2016HW1032

J-Hooks:
1-5/16" ... 40A-21
2" 40A-32
4" 40A-64



Blank Panels:
1RU 2016-BP175
2RU 2016-BP350
3RU 2016-BP525

Voice Termination

Flush Jacks




Screw Termination:
 6P4C Single 10630S-4-XX
 6P6C Single 10630S-6-XX
 6P4C Double 20630S-4-XX
 6P6C Double 20630S-6-XX
 XX = IV, WH

Punchdown Termination:
 6P4C Single 110630S-4-XX
 6P6C Single 110630S-6-XX
 6P4C Double 110630D-4-XX
 6P6C Double 110630D-6-XX
 XX = IV, WH




Surface Jacks



Screw Termination:
 6P4C 13625-4-XX
 6P6C 13625-6-XX
 XX = IV, WH

Punchdown Termination:
 6P4C 110625-4-XX
 6P6C 110625-6-XX
 XX = IV, WH



Wallphone Wallplates



Stainless Steel
 6P4C 26630AD-4
 6P6C 26630AD-6



Plastic
 6P4C .. 26630AC-4-IV
 6P6C .. 26630AC-6-IV
 Ivory Only



Stainless Steel
 f/ VoIP 10600-AD

Integrated Wallplates



6P6C Voice + Cat5E Data:
 w/o Video 10600MMA-WH
 w/ 1G Video 10600MMB-WH
 Satin Finish, White Only



1-GHz Video Wallplates:
 w/o Voice 10630FS-XX
 w/ 6P4C Voice 10630FS-4-XX
 Smooth Finish, XX = IV, WH

Plugs & Tools



For Solid Wire:
 6P4C 400PR-46SO
 6P6C 400PR-66SO
 8P8C 400PR-88SO
 8P8C Shielded 400PRS-88SO



For Stranded Wire:
 6P6C 400PR-46ST
 6P6C 400PR-66ST
 8P8C 400PR-88ST
 8P8C Shielded ... 400PRS-88ST

For Flat Line Cord:
 4P4C Handset 400P-44
 6P4C 400P-46
 6P6C 400P-66



Line Cord
 Stripper/Crimper 6800-CR
 6 & 8 Conductor Only

Couplers & Tees



Tees:
 6P4C 16267-44
 6P6C 16267-66



Rollover Couplers:
 6P4C 17159-4
 6P6C 17159-6

Residential & Audio/Video

Residential Cabinets



14" Cabinet:
Door 800-F14-D
Back 800-F14-B



28" Cabinet:
Door 800-F28-D
Back 800-F28-B



42" Cabinet:
Door 800-F42-D
Back 800-F42-B

Modular Components



Data Cross-Connects:
Cat6, 8-Port 800-F306-8
Cat5E, 8-Port 800-F305E-8



Voice Hubs:
Master, 8-Drop 800-F401-8
Expansion, 8-Drop 800-F402-8



Passive Video Hubs:
1-GHz Splitter 800-F201-X
2-GHz Splitter 800-F202-X
X = Output Ports: 4, 8



Passive Audio Hub:
2-Channel x 8-Drop .. 800-F501-8
Accepts wire up to 16-Gauge




Universal Bracket:
w/ Velcro Strap 800-F102

Audio/Video Inserts




F-Couplers:
1-GHz 10600-F1G-XX
Bezel: AL, BK, IV, LA, WH
2-GHz 10600-F2G-XX
Bezel: IV, LA, WH

S-Video to 110 10600-SV110-WH
Bezel: WH Only





Banana Jack Pair 10600-BJ-XX
Bezel: IV, WH

Binding Post Pair 10600-BP-XX
Bezel: IV, WH




BNC Coupler 10600-BNCF-XX
XX = IV, WH

RCA-to-110 10600-RCA110-YY-WH
Bezel: WH Only
YY = Insulator: YL, BK, RD, WH



RCA-to-F 10600-RCAF-YY-XX
XX = Bezel: IV, WH
YY = Insulator: YL, RD, BL, GN, WH



RCA Couplers 10600-RCA-YY-XX
XX = Bezel: IV, WH
YY = Insulator: YL, RD, BL, GN, WH



Available at: