
For Over 47 Years Providing Quality Innovative, Made in U.S.A., Products Invented by Highly Experienced Electricians to Help Contractors do Jobs

Safer, Better, Faster With Less Material to be More Profitable and Competitive.



Proud to be the electricians' friend and a long time supporter of contractor training programs.

Please contact us anytime of the day – every day of the year!

Mikel – cell: 815-353-5500 • Paul – cell: 815-451-6335 • Peter – cell: 630-399-9972

We honestly care and promise excellent service.











Where shown

800-233-8595

www.spproducts.com



847-593-8595

info@spproducts.com

Wire Assemblies

EZ2 Wiring Harness for Power & Controls

EZ3 You Need It? We'll Make It

EZ4 Home Runs, Networks, etc.

"Tree Type" Harness Diagram

EZ6 Wire Assemblies in Flexible Conduit

Harnesses Outer Diameter Chart

Innovative Installed Products

IP1 QwikDuct HDPE Custom Template

IP1A QwikDuct HDPE Template Order Form

NEW! IP2 Conduit/Box Support Plates

NEW! IP2A Conduit/Box Support Plate (2 & 4 Way) - No Clamps

IP2B Conduit/Box Support Plate (Full & Half) - No Clamps

IP2C Conduit/Box Support Plate Round

IP3 No Conduit Clamp Trapeze Brackets

NEW! IP4 Threaded Block to Support 3 Conduits

NEW! IP5 Transition Couplings 1/2 thru 4 inch

IP6 Down Lite Hangers for T Bar Ceilings

NEW! IP7 Box Brackets for Masonry Block Walls

NEW! IP8 Truss Hangers for Upper & Lower Chord

IP9 Deck & Wall Sleeves

NEW! IP10 Tie Wraps

IP11 Roof Conduit Support Block

IP12 Custom Mounting Plates

IP13 EZ Cable Ties

NEW! IP14 Custom Nameplates and Labels

IP15 Barrier & Warning Tapes

IP16 ★Box Support Brackets for Common Walls

IP16A ★Any Position "Big O" Support Brackets

IP16B ★ Fixed Position Box Support Brackets

IP16C ★ Support Brackets for Deep Boxes

IP17 No Center Stop "Slip" Couplings

★ Also Available with UL Listed Prefabricated Assemblies

Prefabricated Products

Prefabricated Assemblies PFA1

Various Prefabricated Assemblies PFA2

Receptacles/Switches in Walls PFA3

Grounding Pigtails PFA4

Custom Wire Leads PFA5

Snap On/Off Box & Device Covers PFA6

Adjustable Mud Rings PFA7

Box Support Brackets for Common Walls ★ PFA8

Any Position "Big O" Box Support Brackets * PFA8A

Fixed Position Box Support Brackets * PFA8B

Support Brackets for Deep Boxes * PFA8C

Custom Cables for PDUs PFA9

"Econo Whips" and History PFA10

Innovative Tools and Equipment

Light Pole Anchor Bolt Template TE1

Live Panel Temporary Cover TE2

Panel Lockout Brackets TE3

Conduit Plug with ID Tag TE4

1-1/4 thru 6 inch Rigid Pipe Joiner TE5

Dry Wall Cut Out Templates TE6

Cable Guide for Low Voltage Cable T=7

Top Slide MC/LV Cable on T Bar Ceiling TE8

Wire Pulling Pal TE9

Wire Pulling Rollers for Cable Tray TE10 NEW!

Portable PVC Conduit Bender TE11

Laser Line Gun - Locate Pull Lines TE12

Step Ladder Shoulder Pad TE13

Bit with Plug Ejector Spring TE14

Extension Cord Lock TE15

Safety Vests TE16

- - -

Emergency Back Packs TE17

Wire Cart -Fast Load and Unload Reels TE18 NEW!

Hand Truck with Battery Operated Lift TE19 NEW!

Wire Chart EZ Peel and Stick TE20 NEW!

EZ Cable Ties TE21

Clip On/Off Phone Hanger TE22 NEW!

Quick Cable/Cord/Rope Winder TE23 NEW!

"No-Dog" Offset Level TE24 NEW!

Portable Cable Puller TE25 NEW!

NEW!

EZ Pull - EZ Read

Wire Harnesses for

Power, Controls, Voice, Data, etc.

Save Over 40% On Wire Pulls!

SHOW STOPPER 7991

Our unique cross tape only method, with easy to remove tabs at specified intervals allows quick, easy pulls.

UV laser
cured printed numbers,
letters, symbols, etc. every
half inch along its
entire length.

Safer to Handle Faster to Install Excellent Quality Since 1977











Where shown





Large Cable

For Power

In Flexible Conduit Steel, Aluminum, PVC or Liquidtite

Twisted/Striped

EZ Pull-EZ Read Wiring Harnesses

For Power, Controls, Voice, Data, etc.

▶ Any type, size, length, number of conductors, wire or cable including Fibre Optics Enhanced Cat 5 or 6, etc.

Every wire is carefully tested for continuity and quality

▶ Extra footage is provided to quarantee harness length

PULLS!

DELIMINATES:

- Labor intensive and often injury causing loading several heavy reels on racks then tearing them down
- Time consuming ringing out, making and applying costly wire markers that can be incorrect plus fall off during handling and the pull
- Left over partial reels to handle and haul back to the shop and never use.

NO WASTE!

Set up only one reel and pull only what you actually need.













Where shown





Ideal for All Job Sites!



Apartments

Auto Plants

Baggage

Freight Handling

Bottling Companies

Chemical Plants

Condominiums

Convention Centers

Detention Centers

Distribution Centers

Food Processing

Hospitals

Hotels

Jails

Mail Facilities

Museums

Offices

Oil Refineries

Pipe Lines

Power Plants

Printing

Prisons

Schools

Steel Plants


Theaters


Water Treatment & Sewer

...and many more!


Tell Us What You Need . . . We'll Make It!

Any size wire, type of insulation, length, number of conductors, or combination of sizes and cable types in the same harness up to four thousand pounds per reel maximum. For greater weight requirements, consult factory.









Reels shipped standing up or flat on skids for easier unloading and handling on jobsites.

Save time, waste, reduce chance of injury, plus eliminate mistakes by using SP Wiring Harnesses on all your jobsites... one pull and your done!











Where shown



Home Runs, Networks, Round Robins, Full Boats



Catalog #	Description	Reel Size	lbs./Reel					
#12 THHN Solid and Stranded								
HR 5C 12SOL 2500	5 Conductor #12 THNN Solid x 2500 foot Reel no wires printed or striped	22 w x 30 h	375					
HR 5C 12STR 2500	5 Conductor #12 THNN Stranded x 2500 foot Reel and same as above -or- x 2500 foot reel no wires printed or striped	22 w x 30 h	375					
HR 7C 12SOL 2500	7 Conductor #12 THNN Solid x 2500 foot Reel 3 Neutrals printed or striped and 4 wires not printed or striped	22 w x 30 h	525					
HR 7C 12STR 2500	7 Conductor #12 THNN Stranded and same as above -or- x 2500 foot reel - 3 Neutrals printed or striped and 4 wires not printed or striped		525					
#10 THHN Solid and Stranded								
HR 5C 10SOL 2500	5 Conductor #10 THNN Solid x 2500 foot Reel no wires printed or striped	28 w x 36 h	600					
HR 5C 10STR 2500	5 Conductor #10 THNN Stranded same as above	28 w x 36 h	600					
HR 7C 10SOL 2500	7 Conductor #10 THNN Solid x 2500 foot Reel 3 Neutrals printed or striped and 4 wires not printed or striped	28 w x 36 h	840					
HR 7C 10STR 2500	7 Conductor #10 THNN Stranded x 2500 foot Reel 3 Neutrals printed or striped and 4 wires not printed or striped							

- Every conductor is carefully inspected to provide excellent quality plus reels are properly marked and shipped laying flat or standing upright on skids for easier unloading and handling on jobsite.
- Customer must be aware very often reels furnished by manufacturers run short therefore home runs and other harnesses may only be as long as the shortest reel of the conductors involved. Also a small amount of footage loss occurs when printing or striping each conductor.
- Extremely competitive pricing with firm price blanket orders offered.
- Labor only orders (customer supplies wire) or labor with material supplied by SP negotiated.
- An unlimited variety of manufacturers' brands and other types of wire including low voltage (Cat 5 and 6, fibre optic, etc.) size, length, wire colors, number of conductors each either striped or printed with numbers, letters, common symbols flush harness in all types of flexible conduit – steel or aluminum, liquidtite, ENT, etc.available.













Where shown








"Typical Tree Type" Harness Diagram

Cook County Jail Division 11

Door Locking System

Wiring Harness Layout for the Cell Doors in a"Pod Design"



HARNESS Printing Pod #3-Door 101 Pod #3-
Pod #3-Door 101 Pod #3-Door 101 Pod #3-Door 101
Pod #3-Door 101 Pod #3-Door 101
e Pod #3-Door 101
Pod #3-Door 101
Pod #3-Door 102
Pod #3-Door 103
Pod #3-Door 103
Pod #3-Door 103
e Pod #3-Door 103
Pod #3-Door 103
v Pod #3-Door 104
Pod #3-Door 104
Pod #3-Door 104
e Pod #3-Door 104
Pod #3-Door 104



This was an actual layout diagram from the Door Locking System at the Cook County Jail, Div. 11 project. Approximately 1.4 million feet of #14 THHN was harnessed for this job by S-P Products. The harnesses were designed to feed 4 doors from each homerun. The printing of each wire saved the contractor enormously because the specsifications for the job statedthat all the wires had to be identified (tagged) at each and every junction and pull box used on the job.

NOTE: ALL WIRE TO BE #14 THHN STRANDED

Hit Several Locations in One Set-Up and Pull for Greater Savings











Where shown





Pre-Wired Flexible Conduit Custom Assemblies



Customer is responsible for compliance with the local and National Electrical Code, plus the owner's and specifying engineers' requirements. Customer must obey the National Electrical Code conduit fill and derating charts and all grounding requirements.

PRE-WIRED FLEXIBLE CONDUIT
ASSEMBLIES DO NOT MEET
MC CABLE SPECIFICATIONS PER
THE NATIONAL ELECTRIC CODE.

Eliminate Expensive Conduit Installation and Wire Pulls

Ideal for Power, Controls, Low Voltage, Data, Surveillance, Security, Fire Alarm, Instrumentation etc., plus 480 Volt Temporary Power and other applications where extra protection for the wire is required.

- Available in long lengths with any number of conductors and types of wire or cable installed, including: fibre optic, in any type of flexible steel or aluminum, liquidtight, ENT, NMLT, etc. conduit up thru their maximum size. Various sizes and types of wire and cable can be combined, however low voltage and 300 volt or more cables cannot be in the same pre-wired flexible conduit assembly.
- Conductors can be printed with any combination of numbers, letters or common symbols up to 256 characters repeated every half inch along their length.
- Assemblies do not have fillers within or wrapping of mylar or any type material around conductors within the flexible conduit.
- A PVC jacket over aluminum or steel flexible conduit is available in a wide range of mil thicknesses and specified colors. Ideal for greater protection in wet locations, corrosive areas or embedding in concrete slabs.

Ideal for Installation in difficult spaces where bends are needed - around columns, other obstructions, etc.













Where shown







Approximate THHN Copper Harnesses Outer Diameter

	Shown in Inches —																
Size	Single OD	3	4	5	6	7	19	37	61	91	127	169	217	271	331	397	464
18	0.096	0.192	0.221	0.288	0.288	0.288	0.480	0.672	0.86	1.060	1.248	1.440	1.632	1.824	2.016	2.208	2.400
16	0.106	0.212	0.244	0.318	0.318	0.318	0.530	0.742	0.954	1.166	1.378	1.590	1.802	2.014	2.226	2.438	2.600
14	0.112	0.244	0.258	0.336	0.336	0.336	0.560	0.784	1.008	1.232	1.456	1.680	1.904	2.218	2.352	2.596	2.860
12	0.131	0.262	0.302	0.393	0.393	0.393	0.655	0.917	1.179	1.441	1.703	1.965	2.227	2.489	2.751	3.013	3.270
10	0.165	.0330	0.380	0.495	0.495	0.495	0.825	1.155	1.485	1.815	2.145	2.475	2.805	3.135	3.465	3.745	4.125
8	0.218	0.436	0.502	0.654	0.654	0.654	1.090	1.526	1.962	1.962	2.834	3.270	3.706	4.142	4.578	5.014	5.450
6	0.257	0.514	0.591	0.771	0.771	0.771	1.285	1.800	2.313	2.830	3.341	3.855	4.369	4.883	5.397	5.910	6.430
4	0.328	0.656	0.755	0.984	0.984	0.984	1.640	2.300									
3	0.356	0.710	0.820	1.070	1.070	1.070	1.780	2.490									
2	0.388	0.780	0.890	1.160	1.160	1.160	1.940	2.270									
1	0.450	0.900	1.040	1.350	1.350	1.350	2.250	3.150									
1/0	0.491	0.980	1.130	1.470	1.470	1.470	2.460										
2/0	0.537	1.070	1.240	1.610	1.610	1.610	2.690										
3/0	0.588	1.180	1.350	1.760	1.760	1.760	2.940										
4/0	0.646	1.290	1.490	1.940	1.940	1.940	3.230										
250 MCM	0.716	1.430	1.650	2.150	2.150	2.150											
300 MCM	0.771	1.540	1.770	2.310	2.310	2.310											
350 MCM	0.822	1.640	1.890	2.470	2.470	2.470											
400 MCM	0.869	1.740	2.000	2.610	2.610	2.610											
500 MCM	0.955	1.910	2.200	2.870	2.870	2.870											
600 MCM	1.058	2.120	2.430	3.170	3.170	3.170											
750 MCM	1.163	2.330	2.670	3.490	3.490	3.490											
Number of layers		2	3	3	3	3	5	7	9	11	13	15	17	19	21	23	25













Where shown







QwikDuct HDPE CUSTOM TEMPLATES

For PVC Schedule 40 and 80, EB, DB, Fiber Glass, **PVC Coated or Plain Galvanized Rigid Conduit Safer and Over 15 Times Faster**

Order by description with signed approved drawing.







Concrete flow thru

Stake assembled conduit down FROM ABOVE with plastic rod or rebar to prevent floating during concrete pour



CONTRACTOR EARNED \$950,000 ON \$1,800,000 BID...

He assembled and lowered conduit from above and worked only in the manholes. He was able to dig a narrower trench which required less AND HELPED PREVENT excavation, shoring, concrete, backfill...

Also available with wheels to easily roll assembled conduit into caissons

- Extremely Strong 3/8 Through 1" Thick Black Recycled High Density Polyethylene Approximately 4,000 lbs. PSI "May Qualify for LEED Credits".
- White virgin material also available for greater resistance to heat. Material does not qualify for LEED credits.
- Conduit Size holes, Spacing, and Rebar Holes, Etc. available. Customer Must Furnish an Approved Drawing Before Production Begins.
- · Non corrosive in sand, gravel, concrete, or dirt.
- Any Size, Shape, or Combination Different Notch Provided on Top Left to Enable **Proper Alignment of Conduit Openings** When Assembling Above Trench.

to Live

- WHEN LIFTING INSTALLER MUST WRAP WIDE NYLON STRAPS AROUND CONDUITS. NOT ATTACHED TO TEMPLATES.
- · When Many Configurations are Involved, Indicate Priorities.



FOR APPLICATION SEE VIDEO WWW.SPPRODUCTS.COM













Where shown








No Center Stop Slide On Couplings

All Sizes EMT, IMC and Rigid Heavywall Conduit



- 1. Slide coupling over end of pipe
- 2. Line up 2nd conduit and mark it to allow coupling to be certered over both conduits.
- 3. Slide coupling back to mark.
- 4. Tighten 3/8 hex head bolts and conduits are securely joined together at center of coupling.
- 5. Size $\frac{1}{2}$ thru 2 inch = one bolt sizes $\frac{2^{1}}{2}$ and larger = 2 bolts on each end

Size 1/2" thur 4" EMT, IMC plus 6" For Rigid Heavywall Conduit Order by size and type of conduit

Completely smooth inside diameter along entire length allows flexibility of movement for fast easy installation of conduit in tight difficult situations.

Prevent injury and save hours











Where shown








QwikDuct HDP



Ordering Details

When requesting a quote or placing an order please furnish all information and show priority needed for each QwikDuct Template configuration. We must receive signed approval drawings before production begins.

All dimensions (hole sizes, spacing between, etc.) must be specified!



Material thickness from 3/8 thru 3/4 inch recycled black (qualifies for LEED credits), or white virgin material that does not.













Where shown





Conduit & Box Support Plates



Save More Than 20 Minutes





2 or 4 way eliminates conduit clamps



NEW!

Enter any side or back and support conduit above the box – all from one support in less time and with less material.




Support conduit for temperature, fire, data, security, etc. Systems ABOVE THE PLATE with clamps attached by TEK screws into closely spaced 3/32" holes provided in every wing.



Enter back with 1/2 or 3/4 inch EMT, MC Cable or Flexible Conduit whips thru 4 large open KOs in center of plate.

1/4" wide open slot located on every wing if specifications require clamps to be attached with 1/4" nuts & bolts.



Bend built in tabs down 90° (away from box) and slide conduit thru openings into connectors installed in center KOs oneach side of box.













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com



Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



Conduit & Box Support Plates

BUILT IN BEND DOWN TABS ELIMINATE CONDUIT CLAMPS SAVE OVER 1 HOUR PER INSTALLATION



Bend tabs down 90° and away from box, then slide conduit through opening into connector installed in box.

- 3/32" Holes for Self Tappers and ¼" Wide Open Slot at Each End Allow Fastening Conduit Clamps at any KO center.
- Plates Accommodate 4, 4-11/16 and 5 inch Square Shallow or Deep Boxes.
- All Plates Except Round CSPR Also Available in Stainless Steel.
- UL ASSEMBLIES COMPLETE WITH BOX, CONNECTORS, ROD, "ECONO-WHIPS" ATTACHED AVAILABLE.

One 2- or 4-Way Patented cULus listed Plate with bend down conduit support tabs that eliminate conduit clamps and allows entering any side, back or Support Conduit above the Box. ALL FROM ONE SUPPORT!











Where shown





Conduit & Box Support Plates

BUILT IN BEND DOWN TABS ELIMINATE CONDUIT CLAMPS SAVE OVER 1 HOUR PER INSTALLATION



Bend tabs down 90° and away from box, then slide conduit through opening into connector installed in box.

- 3/32" Holes for Self Tappers and ¼" Wide Open Slot at Each End Allow Fastening Conduit Clamps at any KO center.
- Plates Accommodate 4, 4-11/16 and 5 inch Square Shallow or Deep Boxes.
- All Plates Except Round CSPR Also Available in Stainless Steel.
- UL ASSEMBLIES COMPLETE WITH BOX, CONNECTORS, ROD, "ECONO-WHIPS" ATTACHED AVAILABLE.

One 2- or 4-Way Patented cULus listed Plate with bend down conduit support tabs that eliminate conduit clamps and allows entering any side, back or Support Conduit above the Box. ALL FROM ONE SUPPORT!











Where shown





Conduit & BoxSupport Plates

SAVE MORE THAN 20 MINUTES PER INSTALLATION



Plates Accommodate 4, 4-11/16 and 5 inch Square Shallow or Deep Boxes.

3/32" Holes for Self Tappers and 1/4" Wide Open Slot at Each End Allow Fastening Conduit Clamps at any KO center.

CSP 1/2 and CSP1 Also Available in Stainless Steel.

UL Assemblies Complete with Box, Connectors, Rod, "Econo-Whips" Attached Available.

Enter Box 2 Ways, Cross 2 to Enter From Any Direction or Cut in Half for Greater Material Savings.













Where shown







Conduit & Box Support Plates

SAVE MORE THAN 20 MINUTES PER INSTALLATION



Plates Accommodate 4, 4-11/16 and 5 inch Square Shallow or Deep Boxes. 3/32" Holes for Self Tappers and ½" Wide Open Slot at Each End Allow Fastening Conduit Clamps at any KO center.

Round CSPR Available only in Galvanized Steel – Not Stainless.

UL Assemblies Complete with Box, Connectors, Rod, "Econo-Whips" Attached Available.

Enter Box from any Direction with the Round Support Plate.











Where shown





Conduit Trapeze Brackets

SAVE OVER 20 MINUTES PER FOOT Conduits automatically run parallel to each other for a fast, professional looking job.





• EZ UTB 12-72 SERIES (order by length)



- Max length 6 feet 5 openings per foot spaced 1/2 inch apart
- Slide conduit through openings and press tabs down (optional) to secure conduit
- Attach conduit support plate and box above and below

Grommets for LV & MC Cable installed at SP Factory

Size 1/2" thru 1 1/4" 16 gauge Galvanized or Stainless Steel


Eliminate conduit clamps, handling and cutting heavy awkward strut, etc.





Or NEW Wide Flange "WF Series"
Allows clearance for drill to attach on:
Decks or Vertical on Walls





NEW! For 1-1/2 inch thru any larger size conduit or pipe.

FEED THRU...
(4 inch conduit)
EZUTB 2-4
EZUTB 4-4

PATENT PENDING



EZUTB 4-4 Li
PATENT PENDING

...OR LAY IN LARGER
SIZE CONDUIT
SAFER AND FASTER

- 1. Secure bracket to structure
- 2. Swivel angle iron with captive bolts parallel to run and lay conduit in
- 3. Return angle iron & bolt it down
- 4. Captive threaded bolts at center point of each opening lock conduit in place

An unlimited variety of conduit sizes and configurations, spacing, and any guage galvanized or stainless steel etc. available













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com



Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.





Use half the material and labor to install conduit, plumbing pipe or condensate lines.



Extremely strong. Rated at approximately 3,750 lbs. pull across threads and approximately 1,600 lbs pull across T Slots.







Vertical strut supports from a single threaded rod for use with standard 1/4 x 20, 3/8 x 16 hardware.

Eliminate building a costly trapeze. Support all conduit from a single threaded rod.











Where shown



Transition Couplings

Transitions for PVC Conduit Stubs...

USE PVC ELBOWS THROUGHOUT JOB WITH NO RISK OF DAMAGE. ELIMINATE TIME LOST CHIPPING CONCRETE, REPAIRING CONDUIT, ETC AND AGGRAVATION CAUSED BY OTHERS. SAFER PLUS SAVE MORE THAN ONE HOUR EACH INSTALLATION!


Transition is completed in less than 5 minutes with a flush fit throughout the inside diameter for fast, trouble free wire pulls.



SIZES 1/2" – 6" PVC STUBS TO:
PVC or Rigid and up through
4" EMT Conduit

LARGER SIZES AVAILABLE ON SPECIAL ORDER.

U.S. ARMY CORPS ENGINEERS APPROVEDOrder by size and description



- 1. Cut elbow flush to deck and cap it for protection.
- 2. Later remove cap, ream out elbow with drill and bit, apply glue and insert coupling.



5-Part Reaming Bit 5PRB50 -5PRB200 Series 1/2 thru 2 inch Order by size.

...and For 1/2 thru 5 inch Rigid Heavy Wall and PVC Conduit Stubs



1/2 thru 5 inch Rigid Conduit Couplings to set Transformers and Gear, Nipple up to Panels etc. Allows flexibility of movement in difficult situations

Slide down over conduit, bolt in place and job is done in a few minutes.

Order by Size HWTC 50 – 500 SERIES

- 5 female threads receive conduit or connectors and
 10 male threads for two lock nuts and a ground bushing
- One 3/8 inch Hex Head Bolt at bottom position for size
 1/2 inch thru 2 inch
- Two bolts for sizes 2 1/2 inch thru 5 inch

Safer Installation and Save Hours













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com



Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



EZ Bar Hangers

For Down Lites, Speakers, Exit Signs, Fire Alarm Boxes, etc. in 2 and 4 foot T Bar Ceilings



2 Foot T Bar = **2B1** 4 Foot T Bar = **4B1**

Save up to

20 MINUTES

with a perfectly aligned installation every time.

- Allows movement of fixtures and boxes in both directions to quickly ensure their proper alignment.
- Extremely strong with a 50 lb load rating and no extra parts to drop or lose during installation.
- Hangers have a center mark and 2 mounting holes each 1-1/2 inch from center to quickly mount speakers or other devices in center of tile plus one at each end for support independently of T Bar per NEC requirements.



- 1 Snap hangers onto T Bar and bend tabs to lock in place.
- 2 Brackets for mounting boxes at various heights.

Box Brackets = PB1

Slide 2 bar hangers and housing along T Bar Box ...

Faster Installation





Perfect Alignment Every Time

... and fixture housing only along bar hangers to exact location desired and bend tabs down to lock housing in place.

Eliminate labor intensive cutting and tieing down lathers channel, black iron, conduit, etc.











Where shown






NEW! Box Brackets for Masonry Block Walls

Strong Heat Treated Steel

(Galvanized Steel also available)


Save more than 20 minutes per box

- Snap Bracket on box in one second to firmly secure it in place.
- Eliminate code violations caused when attempting to keep boxes properly aligned with glues, sticks, crushed paper, etc and still not solve the problem.









Avoid time lost and aggravation when boxes do not properly line up











Where shown





Truss Hanger

for Supporting Cable Tray, Conduit and other Heavy Equipment

Safer and faster. Eliminates climbing and working above trusses. Install in seconds while standing on deck below.




Use 3/8 or 1/2 inch threaded coupling fo lengthen rod and install from deck with no ladder or lift.

Distributes load evenly over the center of the bar joint. Eliminates angle iron distribution.











THW 38 = 3/8" **THW 50** = 1/2"

One piece KEPS® integrated nut/washer firmly locks into chord.

Provides rigid seismic restraint.

Seismic bracing not required when used in top chord applications (9.3.5.3.8 NFPA 13)

Also suitable for overhead structural attachment for electrical, fire suppression, plumbing, and HVAC applications in open web bar joists











Where shown




Deck & Wall Sleeves

Decks

Specify location of base plate





Larger than 14 inch diameter from 15 inch and longer in 26 guage galvanized steel. An unlimited variety of other configurations -length, diameter, guage steel, available on special order.

Walls

Custom order.

Fast, Accurate Installation

- **1.** Tilt assembly between studs.
- 2. Level at correct height.
- 3. Screw into studs.





All above sleeves available with easy to install UL fire stop plugs

- Available in any frame width
- Frames are adjustable for any stud depth
- Corners rounded for safer handling
- O.D. and I.Ds conform to EMT or specify if other dimensions are required
- Sleeves can be color coded as a custom order per customers' specifications
- Extremely strong steel construction

Excellent quality, competitive prices













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com



Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



Tie Wraps



- Any Size, Length and Other Colors Available
- Strong for Secure Installations
- High Quality Made in U.S.A.
- Available in Bags of 100 or Bulk

Fast Delivery. Competitive Prices.











Where shown






"Quick Pipe" Conduit Support Roof Block

Safer, Lighter and Faster!

Eliminates cutting and hauling heavy, expensive treated lumber up to roof.

Just set black block with yellow certiform foam base on tar and gravel and white one piece free floating block on membrane roofs then quickly secure conduit with an inexpensive one hole strap.

QPB2000WH





- Design allows stacking them together for easier handling
- Prevents costly damage to roof membrane. Moves slightly when conduit or pipe expands or contracts during temperature changes.
- Strong HDPE resin with a long life

Suitable for electrical, plumbing, HVAC, etc. installations













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com



QPB2000BK





Custom Mounting Plates



- Any configuration and guage galvanized or stainless steel per customers' requirements
- Mounting holes and slots provided at locations specified
- Rounded corners for safer handling and installation

Excellent Quality at Extremely Competitive Prices.











Where shown





EZ Cable Ties


For Low Voltage and Other Cable

Wide, flat band prevents loss or signal distortion caused by kinking or damage to cables when securing together.



- 2 Especially suitable for sensitive low voltage cables.
- **3** Also reuseable for bundling ropes hoses, etc. together for easy handling and storage. Extremely strong, long lasting ozone resistant EDPM rubber.

Catalog #	Dimensions	Qty
CT3.5-38	3.5" L x 3/8"	10/bag
CT5.0-58	5.0" L X 5/8" W	10/bag
CT7.0-58	7.0" L x 5/8" W	10/bag
CT11.0-58-5	11.0" L x 5/8" W	5/bag
CT11.0-58-10	11.0" L x 5/8" W	10/bag
Bulk Pack	Assorted Sizes	Specified



Bundling, Tieing and Storing all Types of Cord, Rope, Hoses, etc.



Extremely strong, fast and secure installations. On and off in seconds.













Where shown





Custom Engraved Nameplates and Labels for Electrical and Mechanical Identification



- Available in steel or plastic materials.
- Laser engraved stainless steel and aluminum signs with vinyl lettering also available.
- Extensive experience labeling complex redundant base building systems in data centers (tenant labels for PDUs, FDCs, RPPs, cabinet rows, server racks, power strips) and hospitals.
- We provide professional submittals of materials and layouts according to project specifications for engineer approval.

Submittals to satisfy specifying engineers, government requirements, etc. available











Where shown





Barrier and Warning Tapes

Any configuration, wording in any language, color, etc.

APWA color coded diagonal stripes for representation and visability of buried utility lines



Catalog #	Size Length	Thickness	Approx. Net Wgt.	Standard Packaging	Pallet Packaging
BT 300L-3W-2M	3" x 300 ft.	2.0 mil	1.0 lbs/Roll	24 Rolls	1,200 Rolls
BT 300L-3W-3M	3" x 300 ft.	3.0 mil	1.2 lbs/Roll	18 Rolls	900 Rolls
BT 300L-3W-4M	3" x 300 ft.	4.0 mil	1.5 lbs/Roll	12 Rolls	600 Rolls
BT 1000L-3W-2M	3" x 1,000 ft.	2.0 mil	2.8 lbs/Roll	12 Rolls	384 Rolls
BT 1000L-3W-3M	3" x 1,000 ft.	3.0 mil	3.8 lbs/Roll	12 Rolls	384 Rolls
BT 1000L-3W-4M	3" X 1,000 ft.	4.0 mil	4.8 lbs/Roll	10 Rolls	320 Rolls

Consult factory for other widths, lengths, etc.













Where shown






Common Wall Conduit

Save More
Than 30 MINUTES with a Perfect Installation Every Time!

& Box Supports

For Hotels, Commercial Buildings, Etc.





Snap On/Off Protective Covers



power and back in to protect device

Available as a UL Listed Assembly with any combination of Boxes, Mud Rings, Wiring Devices, Protective Covers etc. plus with any type of other hardware or "Econo-Whips" attached to boxes. Carefully inspected, plus marked and packed.

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements











Where shown








"Big O" Supports

For Boxes at Any Location Between Studs



Available as a UL Listed Assembly with any combination of Boxes, Mud Rings, Wiring Devices, Protective Covers etc. plus with any type of other hardware or "Econo-Whips" attached to boxes.

Carefully inspected, plus marked and packed.

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements


Flat versions with no offsets available. Not UL listed.







Fixed Position Box Supports



- Mount 4 or 4-11/16 square shallow or deep boxes in fixed positions evenly spaced evenly and at same height
- Fast Perfectly level and spaced Installation Just pass screws attached to box thru holes on bracket and secure box with mud ring
- Extremely strong. Bracket will not bend or bow during installation

Snap On/Off Protective Covers



Bend tabs out to plug in for temporary power and back in to protect device

Available as a UL Listed Assembly with any combination of Boxes, Mud Rings, Wiring Devices, Protective Covers etc. plus with any type of other hardware or "Econo-Whips" attached to boxes. Carefully inspected, plus marked and packed.

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements











Where shown







Supports for 3¹/₂ Deep Boxes



Also available with any depth box, devices, other hardware and "Econo-Whips" attached. Carefully inspected, plus marked and packed.

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements













Where shown





Prefabricated Assemblies

Any Type, Manufacturers' Brand and Configuration of Components for Repetitive Applications.



Carefully inspected plus marked and packed before shipment!

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements









power and back in to protect device



Where shown





Prefabricated Assemblie The Original **Econo-Whips**


Any Configuration For Repetitive Applications

Machinery, Refrigeration, Drops, etc.

Any type, size, length and color of cord. Also available with Kellems™ Grips.



MC Cable or any Liquidtite jacket color, size, length, UL Listed with any type of device and ID Labels under clear heat tubing.



Every unit has a UL label plus is tested for excellent quality

Since 1966

- Multi gang assemblies available
- Marked and packed per customer's specifications



Snap On/Off Covers for Protection and Access to Temporary Power



Strong steel, reusable and adjustable. Fit all manufacturers' mud rings. Snap on/off inside edges to allow router to cut a smaller opening. Eliminate labor intensive screws. Also suited when tucking wired in devices toward back of deep box.

Protective covers sold separately.

Quantity discounts and "Labor Only" orders (customer supplies material) available for greater Savings!

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements











Where shown





Prefabricated Assemblies



For Typical Wall Outlets

Keep a small quantity of commonly needed assemblies on hand for everyday jobs and order large quantities for projects.





Complete with the following components

If not specified manufacturers' equals in brands of our choice will be supplied.

- 1- 4 square 1/2" 3/4" KO x 2 1/8 deep box
- 1- 1 gang x 5/8" raised mud ring
- 1- 20 AMP specification grade back wired device tucked in back of box or attached to mud ring
- 1- #12 stranded 8 inch long pigtail grounded to box

- 1- Single side back box support for any stud depths.
- 3- #12 stranded 8" long any color wire leads each with a Wago push on quick connector or live spring wirenut attached. Looped devices have 6 leads 3 in and 3 out of box, all on same circuit.
- 1- One or two gang snap on/off strong steel patented adjustable and reuseable protective cover attached to mud ring.

Covers also available as a separate item.

An unlimited variety of other types, manufacturers brands and configuration of components available

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com




Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



Grounding Pigtails

For Prefabricated Assemblies and Other Applications



color, plain, or striped etc., solid or stranded wire available.

Excellent quality with fast delivery at competitive prices

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements











Where shown





Custom Wire Leads



For Power and Other Applications







Push On Type
UL Listed for 600 v - 20 amp
Solid or Stranded



Ring



Fork/Spade

- (insulsated or unisulated)

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements



Excellent quality with fast delivery at competitive prices













Where shown








Snap On/Off Reusable Protective Box & Device Covers



- Protect against costly damage to devices and wires, plus prevent paint, mud, and debris from entering box
- Adjustable to fit all manufacturers brand mud rings
- Snap On/Off inside edges of mud rings to allow router to cut a smaller opening and eliminate screws that require labor and often are dropped or lost
- Strong galvanized or stainless steel



Also suited for tucking wired-in devices toward the back of deep boxes











PATENT

PENDING

Where shown





Adjustable Mud Rings

5/8 thru 1-1/2" Depth for 4 Square Outlet Boxes



Offer complete flexibility to quickly provide perfect alignment of devices in drywall

Save time and eliminate costly problems







Eliminates time lost and damage since adjusting screws are locate inside box openingand are not covered when drywall is installed
















Common Wall Conduit

Save More
Than 30 MINUTES with a Perfect Installation Every Time!

& Box Supports

For Hotels, Commercial Buildings, Etc.





Snap On/Off Protective Covers

Cat# DWSB-16 and DWSB-24



Bend tabs out to plug in for temporary power and back in to protect device

Available as a UL Listed Assembly with any combination of Boxes, Mud Rings, Wiring Devices, Protective Covers etc. plus with any type of other hardware or "Econo-Whips" attached to boxes. Carefully inspected, plus marked and packed.

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements











Where shown








"Big O" Supports

For Boxes at Any Location Between Studs



Available as a UL Listed Assembly with any combination of Boxes, Mud Rings, Wiring Devices, Protective Covers etc. plus with any type of other hardware or "Econo-Whips" attached to boxes. Carefully inspected, plus marked and packed.

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements


Flat versions with no offsets available. Not UL listed.







Fixed Position Box Supports



- Mount 4 or 4-11/16 square shallow or deep boxes in fixed positions evenly spaced evenly and at same height
- Fast Perfectly level and spaced Installation Just pass screws attached to box thru holes on bracket and secure box with mud ring
- Extremely strong. Bracket will not bend or bow during installation

Snap On/Off Protective Covers



Bend tabs out to plug in for temporary power and back in to protect device

Available as a UL Listed Assembly with any combination of Boxes, Mud Rings, Wiring Devices, Protective Covers etc. plus with any type of other hardware or "Econo-Whips" attached to boxes. Carefully inspected, plus marked and packed.

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements











Where shown







Supports for 3¹/₂ Deep Boxes



Also available with any depth box, devices, other hardware and "Econo-Whips" attached. Carefully inspected, plus marked and packed.

> Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com



Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



Custom Prefabricated Cable for Data Power Distribution Units



Provide a much lower job cost and eliminate problems

Any manufacturers' brand, type and configuration of UL Listed components

Tell us
what you need
and we'll make and
ship it on time
at an extremely
competitive
price.

- Every assembly is carefully and thoroughly tested per customers' requirements for ground integrity, insulation leaks, proper phase rotation and all conductors are Hi-Pot tested at twice rated circuit voltage plus 1,000 volts.
- Certificate of calibration provided with each order.
- Assemblies are marked at each end with custom labels protected by clear heat shrink tubing to prevent alteration or accidental removal.
- Liquidtight conduit colors available in all sizes: black, gray, blue, red, yellow, green, orange, brown and white up thru 225 ft.
- ▶ Floor pedestal mounting hardware available
- Single or multiple circuits provided
- Specify all components and if certain manufacturers; brands are required.





All assemblies are carefully inspected, tested, marked and packed per customers specifications

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements











Where shown







The Original Since 1966...



"Econo Whips"



"Econo-Whips" are carefully inspected before shipment to

...and 1969

Our nationally famous, automatic extremely productive whip machine, invented by a highly experienced electrician, tremendously increased productivity.

A Giant Step Toward Increasing Productivity in Our Industry!

Any size, length, type – steel or aluminum flexible conduit, MC cable, Liquidtite, cord Romex, etc. with or without any type connectors attached at one, both or no ends. Specify if certain manufacturers brands are required.

All conductors notched with insulation remaining for protection and easy to remove rubber bands at each end to prevent locknuts from falling off. Packed in barrels and bundles of 10 for easy, effecient handling on jobsites.

Liquidtite with any color jacket for PDUs, motors, etc. Any type cord with or without Kellems® Grips for refrigeration and machinery drops. Romex for commercial and residential applications. ENT for parking structures, etc.

Customer is responsible to determine assemblies comply with all applicable codes plus owner's and specifying engineers requirements





Guarantee

Excellent

Quality









Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.co



Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



Anchor Bolt Templates

For Poles, Beams, etc. Reusable for Many Jobs.



- Extremely fast, accurate installations.
- Rulers on all 4 wings allow drilling same bolt diameter holes for 5-1/2 thru 25 inch four bolt circle patterns.
- Deep recess in back allows leveling nut to be free of concrete.
- Embedded divots ensure accuracy when drilling.
- Strong non-corrosive ABS plastic.
- User can color code templates one color for each same bolt diameter and drill different circle patterns from job to job and order from the field by color.

Eliminate constantly purchasing and fabricating expensive plywood.











Where shown





Live Panel Temporary Cover

Provide Protection for Construction Workers, Visitors, and Tenants



- Saves a great amount of time On/Off in seconds
- Eliminates constantly finding, cutting, scribbling and taping on cardboard several times every day
- Firmly held in place with strong non-conductive magnets
- Extremely durable, water resistant corrugated plastic with a long life
- 20" wide x 48" tall = TPC 20x48 14" wide x 48" tall = TPC 14x48 Readily available
- For other sizes, colors, etc., consult factory

Highly Visible – Improves Image on Jobsite FOR USE AS AN ACCESS DETERRENT – NOT FOR PROTECTION AGAINST ELECTRICAL SHOCK!

Meets UL 67 Panel Boards

ANSI Z535.1-1991 ANSI Z535.4-1991 ANSI Z535.2-1991 ANSI Z535.5-1991 ANSI Z535.3-1991 ANSIZ535.6-2006













Where shown







Live Panel Lockout Brackets

Completely Lock Out Live Panels for Greater Safety. Save a Great Amount of Time Everyday on Jobs.



- Completely locks out panel to eliminate entry by unauthorized personnel at any time
- On/Off in seconds
- Two holes are provided on each piece of every pair for two locks – the electrician and perhaps another trade
- Pairs of brackets sold with locks and keys or available separately
- Strong 18 guage zinc plated steel
- Reusable with a long life
- Also available for any panel width as specified





Dimensions	
20" width panel	
36" width panel	
44" width panel	

FOR USE AS AN ACCESS DETERRENT – NOT FOR PROTECTION AGAINST ELECTRICAL SHOCK!











Where shown





Conduit Plug with ID Tag Save a Great Amount of Time on Jobs



On/off in a few seconds








Rigid Pipe Joiner

Spins 10 foot lengths together in under 10 seconds with less chance of injury and no damage to conduit



Catalog #	Dimensions
PS125	1-1/4"
PS150	1-1/2"
PS200	2"
PS250	2-1/2"
PS300	3"
PS350	3-1/2"
PS400	4"
PS500	5"
PS600	6"



 As shaft turns grips expand to lock on inside of conduit and quickly turn it 360° to join the entire 10 foot length into the preceding coupling. If necessary, drill can be reversed to disconnect conduit.



- Eliminates labor intensive ropes or chain and strap wrenches.
- Available for size 1-1/4 thru 6 inch rigid conduit
- Spinners are available in sets at reduced prices or sold separately.

SUITABLE FOR USE WITH A MILWAUKEE 0721-21 V28 VOLT RIGHT ANGLE CORDLESS DRILL/DRIVE KIT

WHEN USING CUTTING OIL, REMOVE WITH A PROPER SOLUTION. DO NOT INCLUDE OR ADD ANY MATERIALS TO PREVENT SLIPPAGE.

Prevents damage to inside and outside of conduit – especially PVC coated











Where shown





Dry Wall Cut Out Templates

For Fast, Perfectly Level and Accurate Location of Cut Outs with NO DAMAGE TO DRY WALL



Extremely fast, simple and perfect installation every time

For Gem or Handy Boxes

Allow tracing all box and screw openings.



Cat# **COT100** Patent Pending




Two levels provided for perfect horizontal and/or vertical alignment.

Center lines provided for accuracy, especially when ganging cutouts.

Clear see thru blue and orange in color polycarbonate material with long life.



NEW! For Low Voltage **AVAILABLE SOON**









Extremely strong and durable, long lasting to save hundreds of dollars thru out its' life













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.cor




Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



Low Voltage Cable Guide

Prevents low voltage wire from being tangled to allow faster, installation with no damage to the cables



2-piece to allow faster loading of cables. Strong, long lasting, high quality plastic.












Where shown





Top Slide

For MC or Low Voltage Cable Pulls Over T Bar



- Strong, long lasting, reusable, highly visible yellow
- Side rails contain wire for control during the pull

Allows fast trouble free pulls to save time and prevent damage to wire or ceiling
















Wire Pulling Pal

Only One Electrician Needed to Pull Wire Pays for itself in ONE DAY!



Closely Spaced Rollers Prevent Damge to Wires

- Unique closely spaced roller design allows building wire and low voltage cable to be pulled faster and easier without being nicked, scraped or cut. Eliminates costly on site problems, call backs and upset customers.
- Ideal for bundled Home Runs and all types of low voltage cable including, fiber optic, CAT 5 or 6, etc.
- Per-drilled holes allow fast mounting on 4" and 4-11/16" square or handy boxes, 1 and 2 gang mud rings, larger junction boxes, panels, studs, etc.
- Strong well machined steel construction.
 Built to last.

Every service truck should have at least one.











Where shown





Wire Pulling Rollers for Cable Tray

Feed Cable Safely and Smoothly Through Ball Bearing Rollers PATENTED

Cat# CTR-6S ▶

6 inch "Split Box" tray roller. Unit quickly clamps to tray.

Cat# CTR-9U "U" Shaped

Roller Unit.



Cat# CTR-12S 12 inch "Split Box" tray roller. Unit quickly clamps to tray.









Combine rollers for a variety of solutions



Cat# CTR-4-10x5 Inside Vertical Riser.



Cat# CTR-5-10x5 Inside Vertical Riser.



Cat# CTR-6-10x5 Inside Vertical Riser.

same size outer diameter of cables

Larger sizes available to accomodate up to 5" rigid conduit or

Split box design allows pulled cable to be safely and quickly removed and laid into cable tray.













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com



Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



Portable PVC Conduit Bender

Over 40% Faster – Eliminates Costly, Time Consuming Searching for and Hooking-Up Power for Hot Boxes and Heat Blankets



Complete With

• Bender • Wire Heat Guard • 25 ft. Hose • Brass Regulator

All in strong steel carrying case

NOTE: Customer supplies 5 gallon propane tank

High velocity heated air —flame never touches the conduit For up to 6 inch schedule 40 and 80 PVC











Where shown








Laser Line™ Gun

Locates Cable Pull Lines in Suspended Ceilings, Trusses, etc.



Cat# SP210-11D3	Darts 3/pkg.
Cat# SP210-12PL	Nylon Pull Line 3/2500 ft.
Cat# SP210-14C02	CO ₂ Cartridges 5/pkg.

Cat# LG500 PATENTED



Complete with strong plastic carrying case and.....

- Pull Line Spools (1,200 ft.)
- · Sturdy carrying case with foam insert
- 12 Gram CO₂ cylinders (approx. 6-8 shots)
- 12 gram CO₂ adapter
- Line Caster
- Laser sight (uses 3-LR44 type batteries)
- Thread will also accept paint ball type CO₂ tanks• LaserLine Gun
- · Velocity adjustment, increase or decrease
- Instruction manual

Extremely safe, fast and accurate

CO₂ cartridge propels laser guided pulling line with dart up to 200 feet to exact location desired













Where shown





Step Ladder Shoulder Pad

For 6, 8 and 10 foot Step Ladders



- On/off in seconds
- Built in velcro straps quickly and firmly attach or remove pad from ladder
- Extremely strong, waterproof and reversible to last for many years
- Fits Louisville, Werner and other manufacturers 6 thru 10 foot step ladders
- Serves as a safety marker on end of ladder when transporting on a vehicle

Carry ladder with no pain or injury











Where shown






Prevents injury saves time & eliminates aggravation

Bit with Plug Ejector Spring

Suitable for Wood, Metal, Drywall, Ceiling tile, etc.



Available Separately or as a Unit Installed in a Common Readily Available Hole Saw

Several sizes available, plus consult factory for replacement pilot bits and ejection springs.











Where shown





Extension Cord Lock Save Hours on Every Job



- production time
- Eliminates lost valuable No time wasted tieing and untieing cords which also damages them plus is not allowed by code in many areas
- **Spring loaded to securely join** extension cords together

Also prevents aggravation when power cords become separated — especially during a critical installation











Where shown





Safety Vests

Soft Polyester Mesh or Vinyl coated Polyester Mesh Material Custom Printed with 4 x 18 inch 3M™ Scotchlite™ Reflective Panels Attached to/or Printed Directly on the Vest



Meets Government and Military Specifications Excellent Quality – Competitive Pricing











Where shown





Emergency Back Packs

For Support During the First Critical Hours



STANDARD UNIT SHOWN ABOVE COMPLETE WITH:

- 1- Waterproof Tarp (8x10)
- 2- Safety Lights Sticks (12 hr) 1- Black Pen
- 1- Emergency Rain Poncho 6- Water Bottles (16.5 oz)
- 12- Emergency Energy Bars
- 1- Red Pen
- 1- Pad Paper (8.5x11)
- 1- Black Permanent Marker
- 1- Handcrank L.E.D. Flashlight 1- Clipboard
- 1- First Aid Kit (64 piece)
- 2- Pencils
- 1- Whistle with Lanyard
- 1- Safety Vest

Cat# EBP15

- 2- Highlight Marker
- 1- Roll Toilet Paper
- 2- Emergency Thermal Blanket
- 30- Paper Cups (3oz)

BACKPACK CONTENTS CAN BE MODIFIED TO YOUR REQUIREMENTS

Portable, lightweight, and extremely durable













Where shown










Reduces Injuries and Saves 100s of Hours Throughout its' Use



Built-in Flexible Tensioned Retaining Bars Allow Instant Loading and Removing 500 Foot Reels Located at any Point on the Cart

Carts for 2,500 foot #10 and #12 AWG wire available in near future

Allows Greater Utilization of Partial Reels to Reduce Waste











Where shown







- Platform set at an 89° angle to prevent load from tipping
- Base platen allows unit to be free standing, even when raised and lowered under load
- Overnight charge lasts more than 12 hours of operations
- Platform with back rest has 10 slots for securing load with bungee cords or straps

MODEL	LIFT Capacity	VERTICAL Lift range	PLATFORM Dimensions	WEIGHT
ALT 500 P	500 lbs	36 inches	20" w X 12" deep+ 4" ramp	82 lbs

COMPLETE WITH BUILT-IN CHARGER

For All Types of Material and Equipment in Any Type Business or Trade











Where shown






















Patented

Eliminate time lost and quickly identify phase colors











Where shown








EZ Cable Ties

For Bundling and Storing all Types of Cord, Rope, Hoses, etc.



On/off in seconds for a secure installation. Just wrap around cable, rope, hoses, etc. and feed plastic head thru loop.

Catalog #	Dimensions	Qty
CT3.5-38	3.5" L x 3/8"	10/bag
CT5.0-58	5.0" L X 5/8" W	10/bag
CT7.0-58	7.0" L x 5/8" W	10/bag
CT11.0-58-5	11.0" L x 5/8" W	5/bag
CT11.0-58-10	11.0" L x 5/8" W	10/bag
Bulk Pack	Assorted Sizes	Specified



Also suitable for sensitive low voltage and other cable installations

Extremely strong, fast and secure on/off in seconds











Where shown







Strong and durable. Firmly attaches to phone, hardcase or purse

Extremely useful and unique promotional item







Clip On/Off Phone Hanger For Cell, Smart, iPhones, etc. Split ring enables quick attachment and release. 12 O'Clock **Position** Does not interfere with functions of **Cell or Smart** Phones, iPods, Remotes, etc. Also suitable when using cell phone for GPS in car. **PATENTED** 6 O'Clock **Position** Phone Clip rotates 360° in either direction and snaps in place at 12 and 6 O'Clock.

remove from belt loop, or purse for quick access throughout the day. Phone conveniently remains at users side.

Extremely strong and durable. Attach and

Firmly attach to clip with extremely strong adhesive disc provided. Can be customized and later changed with any logo desired.

Strong and durable. Firmly attaches to phone, hardcase or purse

Extremely useful and unique promotional item













Where shown

730 Pratt Boulevard • Elk Grove Village, IL 60007 • P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595 • E: info@spproducts.com • www.spproducts.com



Proud to be the electricians' friend for over 47 years and a long time supporter of contractor training programs.



Quick Winder for Cable/Cord/Rope, etc.

Eliminates kinks, knots, and tangles. Neatly coils wire/cable into stackable bucket. Models available to handle from 50 up to 1,000 feet



Organize cords, cables, ropes, etc. into portable stackable bucket













Where shown







Bend Conduit Faster and Acurately Every Time



Available in the following colors for owner identification:Black, Blue, Gold, Green, Orange, Pink, Purple, Red and Silver.



"No-Dog" 6 inch Level

- Houses 5 precisely hand set acrylic vials
- Three neo-dymium (rare earth) extremely strong magnets

Extremely affordable Every electrician should have one













Where shown





Portable Cable Puller

for Power, Data, and Video in Light Poles etc.

Recently 2 electricians pulled a total of 50,000 feet of #4 cable in one day!



Quickly attach to hand hole of each pole and pull wire with no damage to poles or wire











Where shown





Portable Cable Puller

for Power, Data, and Video in Light Poles etc.

Recently 2 electricians pulled a total of 50,000 feet of #4 cable in one day!



Quickly attach to hand hole of each pole and pull wire with no damage to poles or wire





