

ZEICHENGENEHMIGUNG MARKS APPROVAL

I-Sheng Electric Wire & Cable
Co., Ltd.
No. 52 Tin Hwu Road, Ta Hua Village
33334 GWAI SAN, TAOYUAN HSIEN
TAIWAN

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Stecker ohne Schutzkontakt, nicht wiederanschließbar, umspritzt
Plug, without earthing contact, non-rewirable, moulded

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN VDE 0620 Teil 101:1992-05; EN 50075:1990



VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / *Certification*

K. Prohaska

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

Aktenzeichen: 1276300-1560-0006 / 169788
File ref.:

Ausweis-Nr. 40013649 Blatt 1
Certificate No. Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2005-04-12
(letzte Änderung/updated 2012-10-22)

<http://www.vde.com/zertifikat>
<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*
I-Sheng Electric Wire & Cable Co., Ltd., No. 52 Tin Hwu Road, Ta Hua Village, 33334 GWAI SAN,
TAOYUAN HSIEN, TAIWAN

Aktenzeichen / *File ref.*
1276300-1560-0006 / 169788 / FG45 / SHA

letzte Änderung / *updated* Datum / *Date*
2012-10-22 2005-04-12

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40013649
This supplement is only valid in conjunction with page 1 of the Certificate No. 40013649.

Stecker ohne Schutzkontakt, nicht wiederanschließbar, umspritzt
Plug, without earthing contact, non-rewirable, moulded

Typ(en) / *Type(s)*:

SP-021A

Bemessungsspannung AC 250 V
Rated voltage

Bemessungsstrom 2,5 A
Rated current

Polzahl 2-polig ohne Schutzkontakt
Number of poles 2-pole without earthing contact

Bauart Normblatt 1
Kind of construction standard sheet 1

Schutzart IP20
Degree of protection

Produktinformation siehe Anlage Nr. 100A + 101A + 102A + 103A
Product information see Appendix No. 100A + 101A + 102A + 103A

Kennzeichnung der Fertigungsstätte(n) 30005950: ohne / without
Marking of manufacturing place(s) 30006550: "C"
30006554: "K"
30019097: "V"

Anmerkung Die Stecker entsprechen zusätzlich IEC 60884-1(ed.3)
Remark The plugs are additional corresponding with IEC 60884-1(ed.3)

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Fachgebiet FG45
Section FG45

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

I-Sheng Electric Wire & Cable Co., Ltd., No. 52 Tin Hwu Road, Ta Hua Village, 33334 GWAI SAN,
TAOYUAN HSIEN, TAIWAN

Aktenzeichen / *File ref.*

1276300-1560-0006 / 169788 / FG45 / SHA

letzte Änderung / *updated* Datum / *Date*

2012-10-22 2005-04-12

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40013649.

This supplement is part of the Certificate No. 40013649.

Stecker ohne Schutzkontakt, nicht wiederanschließbar, umspritzt
Plug, without earthing contact, non-rewirable, moulded

Fertigungsstätte(n)

Place(s) of manufacture

Referenz/*Reference*

30006550

I-Sheng Mfg (Song Gang) Factory
Tang Xiayong Road
Songgang Town
518105 BAOAN AREA, SHENZHEN
Guangdong
CHINA

Referenz/*Reference*

30005950

I-Sheng Electric Wire & Cable
Co., Ltd.
No. 52 Tin Hwu Road, Ta Hua Village
33334 GWAI SAN, TAOYUAN HSIEN
TAIWAN

Referenz/*Reference*

30006554

I-Sheng Electronics
(Kunshan) Co., Ltd.
888 Tai Shan Road
Kunshan Development Zone
215300 KUNSHAN CITY
Jiangsu
CHINA

Referenz/*Reference*

30019097

I-Sheng Electric Wire & Cable
Company (Vietnam)
Lot D4-2 Que Vo Road
Que Vo Industrial Park
BAC NINH PROVINCE
VIETNAM

VDE Prüf- und Zertifizierungsinstitut GmbH

VDE Testing and Certification Institute

Fachgebiet FG45

Section FG45

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

I-Sheng Electric Wire & Cable Co., Ltd., No. 52 Tin Hwu Road, Ta Hua Village, 33334 GWAI SAN, TAOYUAN HSIEN, TAIWAN

Aktenzeichen / *File ref.*

1276300-1560-0006 / 169788 / FG45 / SHA

letzte Änderung / *updated* Datum / *Date*

2012-10-22 2005-04-12

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40013649

This supplement is only valid in conjunction with page 1 of the Certificate No. 40013649.

Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) der VDE Prüf- und Zertifizierungsinstitut GmbH (www.vde.com\AGB-Institut). Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE-Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der VDE Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE-GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE-GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Produkte, die das Biozid Dimethylfumarat (DMF) enthalten, dürfen gemäß der Kommissionsentscheidung 2009/251/EG nicht mehr in den Verkehr gebracht oder auf dem Markt bereitgestellt werden.

Der VDE-Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

Approval to use the legally protected Mark of the VDE as shown on the first page:

Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute (www.vde.com\terms-institute). The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.

The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to the VDE Testing and Certification Procedure (PM102E).

The validity period of a VDE-GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE-GS-Mark Approval may be shortened.

Products containing the biocide dimethylfumarate (DMF) may not be marketed or made available on the EC market according to the Commission Decision 2009/251/EC.

The approval is solely signed on the first page.



ZEICHENGENEHMIGUNG
MARKS APPROVAL

Aktenzeichen:

File ref.:
1276300-1560-0006/169788

Ausweis-Nr.:

Approval No.:
40013649

Datum

Date
2012-10-22

Stecker 2-polig ohne Schutzkontakt
Plug 2-pole without earthing contact

Ausführung: zentrale Leitungseinführung
Construction: straight cable entry

Anlage-Nr.: 100A
Appendix No.:

Fertigungsstätte / Place of manufacture:

30006550 : "C": (Song Gang); China
30005950 : "ohne/without": Gwai San; Taiwan
30006554 : "K": (Kunshan); China

Position im VDE-Ausweis Position in VDE-approval		Leitungsaufdruck Marking on cable	(max. 2 m)																						
Typ(en) Type(s)			H03VVH2-F 2x 0,5 mm ²	H03VVH2-F 2x 0,75 mm ²	H05VVH2-F 2x 0,75 mm ²	H05VVH2-F 2x 1,0 mm ²	H03V2V2H2-F 2x 0,75 mm ²	H03VV-F 2x 0,75 mm ²	H05VV-F 2x 0,75 mm ²	H05VV-F 2x 1,0 mm ²	H05VV-F 2x 1,5 mm ²	H05RR-F 2x 0,75 mm ²	H05RR-F 2x 1,0 mm ²	H05RR-F 2x 1,5 mm ²	H05RN-F 2x 0,75 mm ²	H05RN-F 2x 1,0 mm ²	H07RN-F 2x 1,0 mm ²	H07RN-F 2x 1,5 mm ²	H03RT-H 2x 0,75 mm ²	H03RT-H 2x 1,0 mm ²	H05V2V2-F 2x 0,75 mm ²	H05V2V2-F 2x 1,0 mm ²	H05V2V2-F 2x 1,5 mm ²	H05V2V2H2-F 2x0,75 mm ²	
SP-021A	I-SHENG		X	X	X	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

X \triangle genehmigte Ausführung / approved version

--- \triangle nicht genehmigt / not approved

Werkstoff der Umspritzung: Material of the moulding:	Typ; Farbe Type; colour	PVC; alle Farben / all colours
Werkstoff der Trägerteile: Material of the base:	Typ; Hersteller; Farbe Type; manufacturer; colour	PBT Typ(e) 5630; schwarz / black Chang Chun Plastics Co., Ltd.
Inneneinsatz: Insert:	Typ; Hersteller Type; manufacturer	P98003P; GEM Terminal Ind. Co.

VDE Prüf- und Zertifizierungsinstitut GmbH

Diese Anlage gilt nur in Verbindung mit Blatt 1 der Zeichengenehmigung
This Appendix is only valid in conjunction with page 1 of the marks approval

Fachgebiet FG45
Section FG45





ZEICHENGENEHMIGUNG
MARKS APPROVAL

Aktenzeichen:
File ref.:
1276300-1560-0006/169788

Ausweis-Nr.:
Approval No.:
40013649

Datum
Date
2012-10-22

Stecker 2-polig ohne Schutzkontakt
Plug 2-pole without earthing contact

Ausführung: zentrale Leitungseinführung
Construction: straight cable entry

Anlage-Nr.: 101A
Appendix No.:

Fertigungsstätte / Place of manufacture:

30019097 : „V“: I-Sheng Electric; Bac Ninh Province; Vietnam

Position im VDE-Ausweis Position in VDE-approval	Typ(en) Type(s)	Leitungsaufdruck Marking on cable																				
			(max. 2 m)																			
	SP-021A	I-SHENG SGIS	X	X	X	X	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

X \triangle genehmigte Ausführung / approved version --- \triangle nicht genehmigt / not approved

Werkstoff der Umspritzung: Material of the moulding:	Typ; Farbe Type; colour	PVC; alle Farben / all colours
Werkstoff der Trägereile: Material of the base:	Typ; Hersteller; Farbe Type; manufacturer; colour	PBT Typ(e) 5630; schwarz / black Chang Chun Plastics Co., Ltd.
Inneneinsatz: Insert:	Typ; Hersteller Type; manufacturer	P98003P; GEM Terminal Ind. Co.



ZEICHENGENEHMIGUNG
MARKS APPROVAL

Aktenzeichen:
File ref.:
1276300-1560-0006/169788

Ausweis-Nr.:
Approval No.:
40013649

Datum
Date
2012-10-22

Stecker Plug	2-polig ohne Schutzkontakt 2-pole without earthing contact	Ausführung: Construction:	zentrale Leitungseinführung straight cable entry	Anlage-Nr.: Appendix No.:	102A
-------------------------------	---	--	---	--	-------------

<u>Fertigungsstätte / Place of manufacture:</u> 30006550 : "C": (Song Gang); China			(max. 2 m)																						
Position im VDE-Ausweis Position in VDE-approval	Typ(en) Type(s)	Leitungsaufdruck Marking on cable	H03VVH2-F 2x 0,5 mm ²	H03VVH2-F 2x 0,75 mm ²	H05VVH2-F 2x 0,75 mm ²	H05VVH2-F 2x 1,0 mm ²	H03V2V2H2-F 2x 0,75 mm ²	H03VV-F 2x 0,75 mm ²	H05VV-F 2x 0,75 mm ²	H05VV-F 2x 1,0 mm ²	H05VV-F 2x 1,5 mm ²	H05RR-F 2x 0,75 mm ²	H05RR-F 2x 1,0 mm ²	H05RR-F 2x 1,5 mm ²	H05RN-F 2x 0,75 mm ²	H05RN-F 2x 1,0 mm ²	H07RN-F 2x 1,0 mm ²	H07RN-F 2x 1,5 mm ²	H03RT-H 2x 0,75 mm ²	H03RT-H 2x 1,0 mm ²	H05V2V2-F 2x 0,75 mm ²	H05V2V2-F 2x 1,0 mm ²	H05V2V2-F 2x 1,5 mm ²	H05V2V2H2-F 2x0,75 mm ²	
			X	X	X	X	X	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	SP-021A	I-SHENG SGIS																							

X Δ genehmigte Ausführung / approved version --- Δ nicht genehmigt / not approved

Werkstoff der Umspritzung: Material of the moulding:	Typ; Farbe Type; colour	PVC; alle Farben / all colours	
Werkstoff der Trägereile: Material of the base:	Typ; Hersteller; Farbe Type; manufacturer; colour	PBT Typ(e) 5630; schwarz / black Chang Chun Plastics Co., Ltd.	PBT Typ(e) 3080; schwarz / black NANTONG ORIENT PLASTIC CO.,LTD.
Inneneinsatz: Insert:	Typ; Hersteller Type; manufacturer	P98003P; GEM Terminal Ind. Co.	AC4000142 Suzhou Zhucheng Electrical Co.,Ltd.



ZEICHENGENEHMIGUNG
MARKS APPROVAL

Aktenzeichen:
File ref.:
1276300-1560-0006/169788

Ausweis-Nr.:
Approval No.:
40013649

Datum
Date
2012-10-22

Stecker 2-polig ohne Schutzkontakt
Plug 2-pole without earthing contact

Ausführung: zentrale Leitungseinführung
Construction: straight cable entry

Anlage-Nr.: 103A
Appendix No.:

Fertigungsstätte / Place of manufacture:

30006554 : "K": (Kunshan); China

Position im VDE-Ausweis Position in VDE-approval	Typ(en) Type(s)	Leitungsaufdruck Marking on cable	(max. 2 m)																							
			H03VVH2-F 2x 0,5 mm ²	H03VVH2-F 2x 0,75 mm ²	H05VVH2-F 2x 0,75 mm ²	H05VVH2-F 2x 1,0 mm ²	H03V2V2H2-F 2x 0,75 mm ²	H03VV-F 2x 0,75 mm ²	H05VV-F 2x 0,75 mm ²	H05VV-F 2x 1,0 mm ²	H05VV-F 2x 1,5 mm ²	H05RR-F 2x 0,75 mm ²	H05RR-F 2x 1,0 mm ²	H05RR-F 2x 1,5 mm ²	H05RN-F 2x 0,75 mm ²	H05RN-F 2x 1,0 mm ²	H07RN-F 2x 1,0 mm ²	H07RN-F 2x 1,5 mm ²	H03RT-H 2x 0,75 mm ²	H03RT-H 2x 1,0 mm ²	H05V2V2-F 2x 0,75 mm ²	H05V2V2-F 2x 1,0 mm ²	H05V2V2-F 2x 1,5 mm ²	H05V2V2H2-F 2x0,75 mm ²		
SP-021A	I-SHENG SGIS		--	--	--	--	X	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	I-SHENG KSIS		X	X	X	X	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

X \triangle genehmigte Ausführung / approved version --- \triangle nicht genehmigt / not approved

Werkstoff der Umspritzung: Material of the moulding:	Typ; Farbe Type; colour	PVC; alle Farben / all colours	
Werkstoff der Trägereile: Material of the base:	Typ; Hersteller; Farbe Type; manufacturer; colour	PBT Typ(e) 5630; schwarz / black Chang Chun Plastics Co., Ltd.	PBT Typ(e) 3080; schwarz / black NANTONG ORIENT PLASTIC CO.,LTD.
Inneneinsatz: Insert:	Typ; Hersteller Type; manufacturer	P98003P; GEM Terminal Ind. Co.	AC4000142 Suzhou Zhucheng Electrical Co.,Ltd.

CERTIFICATE

KEMA No.: 2124812.02



Issued to:
Applicant:

I-Sheng Electric Wire & Cable Co. Ltd.
No. 52, Tin Hwu Road, Ta Gann Village,
33334, GWAI SAN HSIAN, TAO YUAN HSIEN, Taiwan

Manufacturer/Licensee:
I-Sheng Electric Wire & Cable Co. Ltd.
No. 52, Tin Hwu Road, Ta Gann Village,
33334, GWAI SAN HSIAN, TAO YUAN HSIEN, Taiwan

Product : plug, (2-pole)
Trade name : I-SHENG
Type/model : SP-021A

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

KEMA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard EN 50075:1990
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 901022

KEMA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on: 19 March 2009 and expires upon withdrawal of one of the above mentioned standards.

KEMA Quality B.V.

drs. G.J. Zoetbrood
Managing Director

F.S. Strikwerda
Certification Manager

ACCREDITED BY
THE DUTCH COUNCIL
FOR ACCREDITATION



© Integral publication of this certificate is allowed

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

product	:	plug, (2-pole)
trade name	:	I-SHENG
type	:	SP-021A
rated current	:	2,5 A
rated voltage	:	250 V~
design	:	non-rewirable
standard sheet	:	I
applied flexible cord	:	H03VVH2-F 2x0,5 and 2x0,75 mm ² H03V2V2H2-F 2x0,75 mm ² H05VVH2-F 2x0,75 and 2x1,0 mm ² H03Z1Z1H2-F 2x0,75 mm ² H05Z1Z1H2-F 2x0,75 mm ²
certification mark	:	complies with the specified requirements
cord termination	:	crimped connection
description	:	body of thermoplastic material as part of an incomplete cord set for class II appliances
markings	:	are shown on the body

TESTS**Test requirements**

EN 50075:1990

Test result

The test results are laid down in KEMA test file 2124812.02.

Remarks


This certificate replaces our certificate 2124050.01 dated 2009-02-23 and is also based on the VDE CB Test Certificate DE 1-40358

Conclusion

The examination proved that all test requirements were met.

Tested by : VDE

Checked by : H.R.M. Barends

A handwritten signature in black ink, appearing to read "H.R.M. Barends", written over the printed name.**Factory locations**

I-Sheng Electronics (Kunshan) Co. Ltd.,
888 Tai Shan Road, Kunshan Development Zone,
215300, KUN SHAN CITY JIANG SU PROVINCE, China

I-Sheng Mfg Songgang Factory,
Tang Xia Yong Road, `Songgang Town, Bao'An Area,
518105, SHENZHEN, GUANGDONG, China


I-Sheng Electric Wire & Cable Co. Ltd.
No. 52, Tin Hwu Road, Ta Gann Village,
33334, GWAI SAN HSIAN, TAO YUAN HSIEN, Taiwan

I-Sheng Electric Wire & Cable, Company (Vietnam)
Lot D4-2 Que Vo Road,
Que Vo Industrial park, Bac Ninh Province, Vietnam

LICENCE

No. 16012 replaces No.11531/1

Issued to:
 Applicant:
I-Sheng Electric Wire & Cable Co. Ltd.
52, Tin Hwu Road
Ta Gann Village, Gwai San Hsian
33334 TAO YUANG HSIEN
Taiwan



Licensee:
I-Sheng Electric Wire & Cable Co. Ltd.
52, Tin Hwu Road
Ta Gann Village, Gwai San Hsian
33334 TAO YUANG HSIEN
Taiwan

Product : plugs (2-pole) for household purposes
 Trade name(s) : I-SHENG
 Type(s)/model(s) : SP-021A

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 809

SGS CEBEC hereby grants the right to use the CEBEC certification mark


The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on: 08/04/2009

ir. C. Lana,
 Certification Manager



© Only integral publication of this certificate, including the annex, is allowed
 This certificate is only valid combined with the publication on the following web address: www.sgs.com/ee



SGS Belgium NV-Division SGS CEBEC
 Business Riverside Park
 Bld Internationalelaan 55 Build. D
 B-1070 Brussels
 Tel.+32(0)2 556 00 20 Fax.+32(0)2 556 00 36

This certificate is issued by the company under its General Conditions for Certification Services accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability defined therein and in the Test Report herein mentioned which findings are reflected in this Certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Product	:	plugs (2-pole) for household purposes
Trade name(s)	:	I-SHENG
Type(s)/Model(s)	:	SP-021A
rated current (In)	:	2,5 A
rated voltage (Un)	:	250 V~
class	:	for class II appliances
earthing	:	without earthing
design	:	non-rewirable
standard sheet	:	I
applied flexible cord(s)	:	H03 VVH2-F 2x0.5-0.75 mm ² H03 V2V2H2-F 2x0.75 mm ² H05 VVH2-F 2x0.75-1 mm ²
applied flexible cord(s) (cont'd)	:	H03Z1Z1H2-F 2 x 0,75 mm ² H05Z1Z1H2-F 2 x 0,75 mm ²
certification mark	:	complies with the requirements
cord(s) termination	:	crimped connection
description	:	body of thermoplastic material
markings	:	are shown on the body

TESTS

Test requirements

NBN C 61-075 based on EN 50075:1990

Test results


The test results are laid down in certification file ref.584415/01


Remarks


This certificate is based on certificates ref. CB DE1-40358 and CB FI 2684 and test reports ref. 1276300-1560-0006/106851 and 230316-02.

Conclusion

The examination proved that all test requirements were met.

Checked by, project leader : Zanutto Luigi  2009/02/30

Department Manager, : 
Product Certification

Certification Manager :  2009-05-04

FACTORY LOCATION(S)

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road
Que Vo Industrial Park
BAC NINH Province
Viet Nam

I-Sheng Electric Wire & Cable Co. Ltd.
52, Tin Hwu Road
Ta Gann Village, Gwai San Hsian
33334 TAO YUANG HSIEN
Taiwan

I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road,
Songgang Town, Bao'An Area
518105 SHENZHEN, GUANGDONG
China

I-Sheng Electronics (Kunshan) Co. Ltd.
No. 888, Tai Shan Road, Kunshan Development Zone
Kun Shan City
JIANG SU PROVINCE
China

DEMKO CERTIFICATE

Certificate No.	D-04047
Page	1/3
Date of Issue	2015-03-24
Certificate Holder	I-Sheng Electric Wire & Cable Co., Ltd. 52, Tin Hwu Road Ta Gann Village, Gwai San Hsian 33334 TAOYUAN HSIEN, TAIWAN
Manufacturer	I-Sheng Electric Wire & Cable Co., Ltd. 52, Tin Hwu Road Ta Gann Village, Gwai San Hsian 33334 TAOYUAN HSIEN, TAIWAN
Production site	I-Sheng Manufacturing (Song Gang) Factory Tang Xia Yong Road Songgang Town, Bao'An District Shenzhen City GUANGDONG 518105, CHINA See Page 2
Certified Product Model	Plug, non-rewirable Ü^^Áÿæ^ÁG
Trademark	I-SHENG
Rated Voltage / Frequency	250 V~
Rated Current / Power	2,5 A
Insulation Class	-
Degree of protection (IP)	20
Tested acc. to	EN 50075:1990
Test Report No.	NCS/FI 29036 issued on 2015-03-16
Additional	S^^Áÿæ^ÁG
Expire date	2020-03-16

Certification Manager
Jan-Erik Storgaard

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D Mark Requirements. The Designated Certificate holder is entitled to use the d or for cables <DEMKO> for the Certified Product manufactured at the production site(s) identified above, in accordance with the D Mark Service Agreement, including without limitation the D Mark Testing and Certification Services Service Terms. Only those Products bearing the D Mark should be considered as being covered by UL's D Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior to the expiration date.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65,
info.dk@ul.com
www.ul-europe.com



Appendix DEMKO CERTIFICATE

Certificate No. D-04047
Page 2/3
Date of Issue 2015-03-24

Model Details:

SP-021A with cord H05VVH2-F 2X0,75-1
with cord H03VVH2-F 2X0,5-0,75
with cord H03V2V2H2-F 2X0,75
with cord H03Z1Z1H2-F 2X0,75
with cord H05Z1Z1H2-F 2X0,75

Production Sites:

I-Sheng Electronics (Kunshan) Co., Ltd.
888 Tai Shan Road
Kunshan Development Zone
215300 Kunshan City
JIANG SU PROVINCE, CHINA

I-Sheng Electric Wire & Cable Company (Vietnam)

Lot D4-2 Que Vo Road
Que Vo Industrial Park
BAC NINH PROVINCE, VIETNAM

External Certification Information:

NCS/FI 29036, issued on 2015-03-16 by SGS Fimko Ltd.

Á
Á

Additional Information:

Á
Á

This certificate replaces the certificate No. 315362-01, dated 2010-07-30 due to new testing and removed one Manufacturing site.


Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.ul-europe.com



Appendix DEMKO CERTIFICATE

Certificate No. D-04047
Page 3/3
Date of Issue 2015-03-24



Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.ul-europe.com



Certificate



for European Product Safety

Reference No. 1510121

Plug, non rewirable

Type designation	SP-021A
Certificate holder	I-Sheng Electric Wire & Cable Co., Ltd. 52, Tin Hwu Road, Ta Gann Village Gwai San Hsian 33334, TAOYUANG HSIEN, TAIWAN
The product complies with the standard(s)	EN 50075:1990
Date of expiry	14 April 2020

Additional information in Appendix.

Certification Body	Intertek Semko AB, Product Certification	Place	Kista - Stockholm
--------------------	--	-------	-------------------

Signed


Bo Berglöv

Date 14 April 2015
Page 1 of 3

**Intertek**
Appendix*Reference No. 1510121**Technical data*

<i>Type designation</i>	SP-021A
<i>Rated voltage (V)</i>	250 V~
<i>Rated current (A)</i>	2,5 A
<i>IP-Class</i>	IP20
<i>Type of cord</i>	H05VVH2-F 2X0,75-1,0mm ² H03VVH2-F 2X0,5-0,75mm ² H03V2V2H2-F 2X0,75mm ² H03Z1Z1H2-F 2X0,75mm ² H05Z1Z1H2-F 2X0,75mm ²
<i>Standard sheet</i>	I
<i>Brand name:</i>	I-SHENG
<i>Product information</i>	Non- rewirable

Manufacturing site(s) I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road, Songgang Town
Bao'An Area, Shenzhen City,
GUANGDONG 518105,
CHINA

I-Sheng Electronics (Kunshan) Co., Ltd.
No. 888, Tai Shan Road, Kunshan Development Zone,
215300 Kunshan City, JIANG SU PROVINCE,
CHINA

I-Sheng Electric Wire&Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park,
BAC NINH PROVINCE,
VIETNAM

This certificate is based on a certificate with ref. No. NCS/FI 29036 dated 16 Mach 2015, issued by SGS Fimko Ltd according to the Nordic Certification Service Agreement.

Safety related parts of the user instructions shall be written in a language acceptable to the country where the product is to be used.

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Intertek
Appendix

Reference No. 1510121

The certificate applies for countries that have sanctioned the use of plugs/outlets according to subject standard sheet and component standard.

This certificate replaces previously issued ref. No. 1017804 dated 24 June 2010.
A new certificate has been issued on account of new testing and deleted one manufacturing site.

Certification Body Intertek Semko AB, Product Certification Place Kista - Stockholm

Signed  Date 14 April 2015
Bo Berglöv

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Product	Plugs
Applicant	I-Sheng Electric Wire & Cable Co. Ltd. 52, Tin Hwu Road, Ta Gann Village, Gwai San Hsian 33334 Taoyuan Hsien Taiwan
Manufacturer	I-Sheng Electric Wire & Cable Co. Ltd. 52, Tin Hwu Road, Ta Gann Village, Gwai San Hsian 33334 Taoyuan Hsien Taiwan
Factory	<input checked="" type="checkbox"/> See page 2
Ratings	2.5A 250V AC
Trade mark	I-SHENG
Model / Type Ref.	SP-021A
Principal characteristics	Non-rewirable two-pole plug for Class II appliances. Standard Sheet I. Thermoplastic, with H05VVH2-F 2x0.75-1.0mm ² . IP20 <input type="checkbox"/> See next page(s)
A sample of the product was tested and found to be in conformity with	INST EN 50075:1990
Replaces	This certificate replaces previous certificate No. P05204545/A1, due to adding a new factory site.
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	<input type="checkbox"/> See next page(s)
Additional model(s)	<input checked="" type="checkbox"/> See next page(s)

Date of issue 12-05-2009



Signature

Juan Z. Kleppenes

Certification Department

Nemko AS

Office address

Internet

Telephone

Fax

P.O. Box 73, Blindern

Gaustadalléen 30

www.nemko.com

+47 22 96 03 30

+ 47 22 96 05 50

N-0314 Oslo, Norway

Oslo

Enterprise number:

NO 974404532

Product Plugs
Pos. No 1
Model / Type Ref. SP-021A
Trade mark (if different from page 1)
Rating 2.5A 250V AC
Principal characteristics Non-rewirable two-pole plug for Class II appliances. Standard Sheet I. Thermoplastic, with H03VVH2-F 2x0.5-0.75mm². IP20

Product Plugs
Pos. No 2
Model / Type Ref. SP-021A
Trade mark (if different from page 1)
Rating 2.5A 250V AC
Principal characteristics Non-rewirable two-pole plug for Class II appliances. Standard Sheet I. Thermoplastic, with H03V2V2H2-F 2x0.75mm². IP20

Product Plugs
Pos. No 3
Model / Type Ref. SP-021A
Trade mark (if different from page 1)
Rating 2.5A 250V AC
Principal characteristics Non-rewirable two-pole plug for Class II appliances. Standard Sheet I. Thermoplastic, with H03Z1Z1H2-F 2x0.75mm². IP20

Product Plugs
Pos. No 4
Model / Type Ref. SP-021A
Trade mark (if different from page 1)
Rating 2.5A 250V AC
Principal characteristics Non-rewirable two-pole plug for Class II appliances. Standard Sheet I. Thermoplastic, with H05Z1Z1H2-F 2x0.75mm². IP20

Factories:

I-Sheng Manufacturing (Songgang) Factory
Tang Xia Yong Road, Songgang Town, Bao An District
Shenzhen City 518105, Guangdong
China

I-Sheng Electric Wire & Cable Co. Ltd.
52, Tin Hwu Road, Ta Gann Village, Gwai San Hsian
33334 Taoyuan Hsien
Taiwan

Date of issue 12-05-2009



Signature

Juan Z. Kleppenes

Certification Department

Nemko AS

Office address

Internet

Telephone

Fax

P.O. Box 73, Blindern

Gaustadalléen 30

www.nemko.com

+47 22 96 03 30

+ 47 22 96 05 50

N-0314 Oslo, Norway

Oslo

Enterprise number:

NO 974404532



CERTIFICATE



No. P05204545/A2

Order No. 128198

Accredited Certificate (ref. NA-PROD 001)

Page 3/3

I-Sheng Electronics (Kunshan) Co., Ltd.
No. 888, Tai Shan Road, Kunshan Development Zone
Kun Shan City, JiangSu
China

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park
Bac Ninh Province
Viet Nam

Date of issue 12-05-2009

Signature

Juan Z. Kleppenes

Certification Department

Nemko AS

Office address

Internet

Telephone

Fax

P.O. Box 73, Blindern

Gaustadalléen 30

www.nemko.com

+47 22 96 03 30

+ 47 22 96 05 50

N-0314 Oslo, Norway

Oslo

Enterprise number:

NO 974404532



CERTIFICATE NCS/FI 29036

Our Ref. 277872-2

Product Plug, non-rewirable

Type SP-021A, with cord H05VVH2-F 2X0,75-1
 SP-021A, with cord H03VVH2-F 2X0,5-0,75
 SP-021A, with cord H03V2V2H2-F 2X0,75
 SP-021A, with cord H03Z1Z1H2-F 2X0,75
 SP-021A, with cord H05Z1Z1H2-F 2X0,75

Trade mark I-SHENG

**Certificate Holder/
 Manufacturer** I-Sheng Electric Wire & Cable Co., Ltd.
 52, Tin Hwu Road
 Ta Gann Village, Gwai San Hsian
 33334 TAOYUAN HSIEN, TAIWAN

Technical information 2,5 A, 250 V~, IP20

Other information Standard sheet I

**The product is certified
 according to the following
 standard(s)** EN 50075:1990

Validity This certificate is valid until 16 March 2020 unless the standard in question has been amended or superseded with significant changes in requirements, in which case, SGS Fimko has the right to shorten the validity of the certificate based on the legislation of the European Union. This certificate includes the right to use the FI mark under the condition that changes (if any) will be checked at SGS Fimko before the product is brought onto market and that the conditions for FI certification are met.

Date of issue 16 March 2015

Signature 
 SGS Fimko Ltd
 Sixten Lökfors
 Project Manager



This certificate has 1 appendix



This certificate is issued by the company under its General Conditions for Certification Services accessible at <http://www.sgs.fi/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitations of liability defined therein and in the Test Report here above mentioned which findings are reflected in this certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix to Certificate: 29036

Manufacturing site(s)

I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road
Songgang Town, Bao'An District
Shenzhen City
GUANGDONG 518105, CHINA

I-Sheng Electronics (Kunshan) Co., Ltd.
888 Tai Shan Road
Kunshan Development Zone
215300 Kunshan City
JIANG SU PROVINCE, CHINA

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road
Que Vo Industrial Park
BAC NINH PROVINCE, VIETNAM

Additional information

This certificate replaces certificate NCS/FI 25997, dated 18 June 2010, due to new testing and removed one Manufacturing site.



Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra

Swiss Confederation

Federal Inspectorate for Heavy Current Installations ESTI
Market Surveillance/Authorization of the Safety Mark

I-Sheng Electric Wire & Cable Co., Ltd.
52 Tin Hwu Road
Ta Hua Village, Gwai San Hsian
TW-Tao Yuan Hsien, 33334
Taiwan

Client no.
1451


Your ref.
Kelly Chien

Our Ref.
MC

Date
2013/10/02

Authorization

Number: **13.0809**
valid until: **2016/10/01**

Marking:  Company Logo

Based on the documents contained in file **10-BS-0283** the Federal Inspectorate for Heavy Current Installations grants the firm named above the right, to put the equipment listed below on the market marked with the safety mark in accordance with the NEV.

Equipment: **Plug, non-rewirable**
Tradename: **I-SHENG**

Type designation: **SP-021A**
Nominal values:
250V~ 2.5A L+N
standard sheet 1 of EN 50075
with non rewirable with cords:
H03VVH2-F 2x0.50mm² [I-SHENG]
H03VVH2-F 2x0.75mm² [I-SHENG]
H03V2V2H2-F 2x0.75mm² [Josef Feller GmbH]
H05VVH2-F 2x0.75mm² [I-SHENG]
H05VVH2-F 2x1.00mm² [I-SHENG]
H03Z1Z1H2-F 2x0.75mm² [I-SHENG]
H05Z1Z1H2-F 2x0.75mm² [I-SHENG]

Protection class: for class II equipment
Protection degree: ordinary
Basis: CB / SGS Fimko / FI 6256 dated 2010/06/18

Federal Inspectorate for Heavy Current Installations ESTI
Luppenstrasse 1, CH-8320 Fehraltorf
Phone +41 44 956 12 12, Fax +41 44 956 12 22
mub.bs.info@esti.ch
www.esti.admin.ch



SCESp 033





Authorization

Number: **13.0809**

Page 2

Remark:

Manufacturing sites:

1. I-Sheng Electric Wire & Cable Co., Ltd
52, Tin Hwu Rd
Ta Hua Village, Gwai San Hsian
33334 TAO YUAN HSIEN, TAIWAN
2. I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road
Songgang Town, Bao' An District Shenzhen City
518105, GUANGDONG, CHINA
3. I-Sheng Electronics (Kunshan) Co., Ltd.
No. 888, Tai Shan Road,
Kunshan Development Zone, Kun Shan City
JIANG SU PROVINCE, CHINA
4. I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park
BAC NINH PROVINCE, VIETNAM

Test standards:

IEC 60884-1(ed.3):02+A1:06
EN 50075:90

Federal Inspectorate for Heavy Current Installations ESTI


P. Fluri
Head of Market Surveillance/Authorization of the Safety Mark





ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **8556-014-10**

Valid from: 2014 10 03
until: 2016 10 03

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **I-SHENG ELECTRIC WIRE & CABLE Co.Ltd**
52 Tin Hwu Road, Ta Gann Village,
33334 Gwai San Hsian, Tao Yuang Hsien
Taiwan

Product: **Non rewirable two pole plug for Class II appliances**

Basis for this given right is the conformity of the products with the requirements of the technical standards listed in this certificate as stated in the file(s) Ref.-No(s). **2527, 1921, 1199-810/00-N2.**

This certificate establishes the conformity of the tested specimen and of all products manufactured strictly identical to the submitted one.

Österreichischer Verband für Elektrotechnik
Head of Testing & Certification

Digitally signed by W. Martin
Email=w.martin@ove.at

Dipl.-Ing. W. Martin

Vienna, 2014 08 14



OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.wg.at/accreditation





Manufacturer:

I-SHENG ELECTRIC WIRE & CABLE Co.Ltd
52 Tin Hwu Road, Ta Gann Village,
33334 Gwai San Hsian, Tao Yuang Hsien
Taiwan

Factory location(s):

I-SHENG ELECTRIC WIRE & CABLE Co.Ltd
52 Tin Hwu Road, Ta Gann Village,
33334 Gwai San Hsian, Tao Yuang Hsien
Taiwan

I-SHENG MANUFACTURING (Song Gang) Factory
Tang Xia Yong Road, Song Gang Town,
Bao´An Area, Shenzhen Guangdong
China

I-SHENG Electronics (Kunshan) Co., Ltd.
No. 888, Tai Shan Road, Kunshan Development Zone,
Kun Shan City, Jiang Su Province
China

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park,
Bac Ninh Province
Vietnam

Tested and certified according to:

ÖVE-IG/EN 50075:1990

Product: Non rewirable two pole plug for Class II appliances

Type designation:

Rating:

Trademark:

SP-021A
Rated voltage: AC 250 V
Rated current: 2,5 A
H05VVH2-F 2 X 0,75

I-SHENG

SP-021A
Rated voltage: AC 250 V
Rated current: 2,5 A
H05VVH2-F 2 X 1

I-SHENG

OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.vg.at/accreditation





SP-021A

Rated voltage: AC 250 V
Rated current: 2,5 A
H03VVH2-F 2 X 0,75

I-SHENG

SP-021A

Rated voltage: AC 250 V
Rated current: 2,5 A
H03VVH2-F 2 X 0,5

I-SHENG

SP-021A

Rated voltage: AC 250 V
Rated current: 2,5 A
H03V2V2H2-F 2 X 0,75

I-SHENG

SP-021A

Rated voltage: AC 250 V
Rated current: 2,5 A
H03Z1Z1H2-F 2 X 0,75

I-SHENG

SP-021A

Rated voltage: AC 250 V
Rated current: 2,5 A
H05Z1Z1H2-F 2 X 0,75.

I-SHENG

OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.gv.at/accreditation



PTD:

02113100

CID:

C.1993.495

Certificato di approvazione

Approval certificate

IMQ, ente di certificazione accreditato, autorizza la ditta *IMQ, accredited certification body, grants to*


***I SHENG ELECTRIC WIRE & CABLE CO. LTD
52, TIN HWU ROAD - TA GANN VILLAGE GWAI SAN
HSIAN
TAO YUANG HSIEN
TW - Taiwan***

all'uso del marchio

the licence to use the mark

IMQ

Il presente certificato è soggetto alle condizioni previste nel "Regolamento IMQ - Certificazione prodotto" ed è relativo ai prodotti descritti nell'Allegato al presente certificato.



per i seguenti prodotti

***Spine indissolubilmente
collegate al cavo
(Rif. di tipo SP 021A)***

for the following products

*Non-rewirable plugs
(Type ref. SP 021A)*

This certificate is subjected to the conditions foreseen by "IMQ Rules - Product Certification" and is relevant to the products listed in the annex to this certificate.

Emesso il | Issued on:

1990-07-06

Data di aggiornamento | Updated on

2009-05-13

Sostituisce | Replaces

2004-12-02



IMQ S.p.A.

Allegato - Certificato di approvazione
Annex - Approval certificate

Emesso il / Issued on 1990-07-06
Data di aggiornamento / Updated on 2009-05-13
Sostituisce / Replaces 2004-12-02

Prodotto | Product

Spine indissolubilmente collegate al cavo
Non-rewirable plugs

Concessionario | Licence Holder

I SHENG ELECTRIC WIRE & CABLE CO. LTD
52, TIN HWU ROAD - TA GANN VILLAGE GWAI SAN HSIAN
TAO YUANG HSIEN
TW - Taiwan

Marchio | Mark



IMQ

Costruito a | Manufactured at

98001046	CLISHE.CO2LCISHE+2	JIANG SU PROVINCE	China
98001045	CLISHE.CO2LCISHE+1	SHENZHEN GUANGDONG	China
95002261	CLISHE.CO1LCISHE.C	TAO YUANG HSIEN, TAIWAN	Taiwan
PLJ00091	C02702551	Bac Ninh Province	Viet Nam

Copia del presente certificato deve essere conservata presso i luoghi di produzione sopra elencati.

Copy of this certificate must be available at the manufacturing places listed above

Norme

EN 50075:1990

Standards

EN 50075:1990

Rapporti | Test Reports

26LJ00016

Caratteristiche tecniche | Technical characteristics

Designazione / Type designation	2P
Tensione nominale / Rated voltage	250 V
Corrente nominale / Rated current	2,5 A
Grado di protezione / Degree of protection (IP)	IP20
Tipo di morsetti / Type of terminals	morsetti aggraffati / crimped connections
Materiale della custodia / Material of the cover	termoplastico / thermoplastic
Uscita cavo / Cable exit	assiale / straight

Articoli (con dettagli) | Articles (with details)

AR.E00CNE

Marca / Trade mark	I-SHENG
Riferimento di tipo / Type reference	SP-021A
Tipo di cavo / Type of cable	H03VVH2-F
Sezione nominale / Section areas	2x0,50 mm²

DAT94004209.1

Marca / Trade mark	I-SHENG
Riferimento di tipo / Type reference	SP-021A
Tipo di cavo / Type of cable	H03VVH2-F
Sezione nominale / Section areas	2x0,75 mm²

AR.E00CNF

Marca / Trade mark	I-SHENG
--------------------	----------------

Riferimento di tipo | Type reference **SP-021A**
Tipo di cavo | Type of cable **H03V2V2H2-F**
Sezione nominale | Section areas **2x0,75 mm²**

AR_B000C8

Marca | Trade mark **I-SHENG**
Riferimento di tipo | Type reference **SP-021A**
Tipo di cavo | Type of cable **H05VVH2-F**
Sezione nominale | Section areas **2x0,75 mm²**

AR_B000C9

Marca | Trade mark **I-SHENG**
Riferimento di tipo | Type reference **SP-021A**
Tipo di cavo | Type of cable **H05VVH2-F**
Sezione nominale | Section areas **2x1,00 mm²**

AR_J003MY

Marca | Trade mark **I-SHENG**
Riferimento di tipo | Type reference **SP-021A**
Tipo di cavo | Type of cable **H03Z1Z1H2-F**
Sezione nominale | Section areas **2x0,75 mm²**

AR_J003MZ

Marca | Trade mark **I-SHENG**
Riferimento di tipo | Type reference **SP-021A**
Tipo di cavo | Type of cable **H05Z1Z1H2-F**
Sezione nominale | Section areas **2x0,75 mm²**

Ulteriori informazioni | Additional Information

Le spine sono marcate con il seguente suffisso aggiuntivo che identifica il luogo di produzione:

- C = I-SHENG Manufacturing (Song Gang) China;
- K = I-SHENG Electronics (Kunshan) China;
- V = I-SHENG Electric Wire & cable (Bac Ninh) Vietnam;
- = I-SHENG Electric Wire & Cable (Tao Yuang Hsien) Taiwan.

Ogni apparecchio equipaggiato con un'Euro-spina e destinato alla Gran Bretagna, deve riportare un'etichetta con il seguente avviso: "Within the UK, this appliance may only be used when supplied from a shaver supply unit in accordance with EN 61558-2-5 and must not be connected to a UK mains socket".

La spina rif. Di tipo SP-021A è prodotta con il seguente inserto:
Marca GEM, art. P98003P, colore nero.

The plugs are marked with the following additional suffix which identifies the manufacturing location:

- C = I-SHENG Manufacturing (Song Gang) China;
- K = I-SHENG Electronics (Kunshan) China;
- V = I-SHENG Electric Wire & cable (Bac Ninh) Vietnam;
- = I-SHENG Electric Wire & Cable (Tao Yuang Hsien) Taiwan.

Any appliance fitted with a Europlug and intend for use in the UK shall carry a warning label stating: "Within the UK, this appliance may only be used when supplied from a shaver supply unit in accordance with EN 61558-2-5 and must not be connected to a UK mains socket".

The non-rewirable plug type ref. SP-021A is manufactured with the following insert:
Trade mark GEM, art. P98003P, black color.

Componenti | Component List

Type ref. SP-021A

Tipo Type	(*)	Costruttore Manufacturer	Riferimento Type Ref.	Dati Data	Norme Standard (*)	Marchi Marks
Cavo Cable	2	I-Sheng Electric Wire & Cable		H03VVH2-F, H03VVH2-F, H03V2V2H2-F, H05VVH2-F, H03Z1Z1H2-F, H05Z1Z1H2-F	-	VDE

Emesso il | Issued on

Data di aggiornamento | Updated on

Sostituisce | Replaces

Ciascun componente è contraddistinto da un numero avente il seguente significato:

- 1 - Componente marchiato e sostituibile con altro pure marchiato con caratteristiche equivalenti
- 2 - Componente sostituibile solo previa autorizzazione dell'IMQ
- 3 - Componente (integrato nell'apparecchio utilizzatore) provato congiuntamente all'apparecchio utilizzatore
- 4 - Componente in alternativa
- 5 - Componente per uso opzionale
- 6 - Componente da abbinare

Each component is signed by a number having the following meaning:

- 1 - Approved component replaceable with another one also approved with equivalent characteristics
- 2 - Component replaceable with IMQ authorization only
- 3 - Integrated component tested together with appliances
- 4 - Alternative component
- 5 - Component for optional use
- 6 - Component to be matched

(*) Queste colonne sono compilate a cura di IMQ / These columns are filled in by IMQ

Diritti di concessione | Annual Fees

DAT94004209 BTJ.021100.DA19

Diritti modelli IMQ - 0211 - Prese, spine e connettori di uso domestico | IMQ models - 0211 - Plugs and appliance couplers for domestic purposes

2



IMQ S.p.A.



LCIE

Accréditation
N° 5-0014
Portée
disponible sur
www.cofrac.fr



LICENCE



LCIE N° 582026

Délivrée à:
Delivered to:

I-SHENG ELECTRIC WIRE AND CABLE Co. Ltd.
52, Tin Hwu Road Ta Gann Village Gwai San Hsian - 33334 Tao Yuang
Hsien - TAIWAN

Site de fabrication:
Factory:

Voir en annexe 1
See in annex 1

Produit:
Product:

FICHE DE PRISE DE COURANT
PLUG

Marque commerciale (s'il y a lieu):
Trade mark (if any):

I-SHENG

Modèle, type, référence:
Model, type, reference:

SP-021A

Caractéristiques nominales et principales:
Rating and principal characteristics:

2,5A, 250V~, 2P

Informations complémentaires:
Additional informations:

Voir annexe 2 / *See annex 2*
Ajout d'un nouveau site de fabrication et d'un câble / *Addition of new
factory and cable*

Le produit est conforme à:
The product is in conformity with:

EN 50075:1990

Documents pris en compte:
Relevant documents:

Certificats d'essai OC / CB test certificates n° FI 2684 / TR n° 230316-
02, DE1-40358 / TR n° 1276300-1560-0006/106851

Annule et remplace (s'il y a lieu):
Cancels and replaces (if necessary):

Licence n° 558756C du 2007-05-22

Cette licence autorise l'usage de la marque NF pour le produit dans les conditions du règlement de la marque NF, pour autant que les contrôles réguliers de la fabrication et les vérifications par tierce partie soient satisfaisants.

This licence permits the use of the Mark NF for the product in compliance with the Regulation of the NF Mark, as far as the regular checking and third party verifications of the production are satisfactory.


Par mandatement de AFNOR Certification et pour le LCIE
By mandate from AFNOR Certification and for LCIE

Rémi HANOT
Responsable de Certification
Certification Officer

Fontenay-aux-Roses, 2009-03-11

Date limite de validité :
Limit expired date :

La validité de la présente licence cesse dès l'annulation de l'une des normes sur laquelle elle est fondée.
The present licence is valid until the cancellation of one of the standards on which it is based.




Annexe 1 : Liste des sites de fabrication
Annex 1 : List of the Factories

Site de fabrication :
Factory :

I-SHENG ELECTRIC WIRE & CABLE COMPANY (Vietnam) (1786AP)
Lot D4-2 Que Vo Road, Que Vo Industrial Park - Bac Ninh Province -
VIËT NAM

I-SHENG ELECTRONICS (KUNSHAN) Co. Ltd (1458AP)
888, Tai Shan Road Kunshan Development Zone - Kun Shan City -
Jiang Su Province - CHINE

I-SHENG MANUFACTURING (Song Gang) Factory (1376AP)
Tang Xia Young road, Songgang Town, Bao'An Area Shenzhen -
518105 GUANGDONG - CHINE





LCIE

LCIE N°582026

Annexe / Annex 2

**CARACTERISTIQUES NOMINALES ET PRINCIPALES
RATING AND PRINCIPAL CHARACTERISTICS**

CLASSIFICATION

feuille de norme / <i>standard Sheet</i>	I
courant nominal / <i>rated current (A)</i>	2,5A
tension nominale / <i>rated voltage (V)</i>	250V
degré de protection <i>degree of protection</i>	IP20
présence de contact de terre <i>provision for earthing</i>	sans contact de terre <i>without earthing contact</i>
procédé de raccordement du câble <i>method of connecting the cable</i>	non démontable <i>non-rewirable</i>
fiches / <i>plugs:</i>	
classe du matériel <i>class of equipment</i>	II

entrée longitudinale de câble / *longitudinal entry of cable*

Type du câble <i>Type of cable</i>	Fabricant <i>Manufacturer</i>	Conformité <i>Conformity</i>
H03VVH2-F 2x0,5 / 0,75	I-Sheng Electric Wire and Cable Co., Ltd.	FIMKO
H05VVH2-F 2x0,75 / 1	I-Sheng Electric Wire and Cable Co., Ltd.	FIMKO
H03V2V2H2-F 2x0,75	FELLER	ÖVE <HAR>
H03Z1Z1H2-F 2x0,75	I-Sheng Electric Wire and Cable Co., Ltd.	VDE
H05Z1Z1H2-F 2x0,75	I-Sheng Electric Wire and Cable Co., Ltd.	VDE

Insert P98003P-F Gem Terminal Ind Co Ltd



ZEICHENGENEHMIGUNG MARKS APPROVAL

I-Sheng Electric Wire & Cable
Co., Ltd.

No. 52 Tin Hwu Road Ta Gann Village
33334 GWAI SAN, TAOYUAN HSIEN
TAIWAN

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN EN 60320-1 (VDE 0625-1):2008-05; EN 60320-1:2001 + A1:2007



VDE Prüf- und Zertifizierungsinstitut GmbH
Testing and Certification Institute
Zertifizierungsstelle / Certification

Dr. Schipper

Aktenzeichen: 1276300-1550-0007 / 110051
File ref.:

Ausweis-Nr. 40026860 Blatt 1
Certificate No. Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages.

Offenbach, 2009-03-16
(letzte Änderung/updated 2009-04-17)

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>
<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

I-Sheng Electric Wire & Cable Co., Ltd., No. 52 Tin Hwu Road Ta Gann Village, 33334 GWAI SAN,
TAOYUAN HSIEN, TAIWAN

Aktenzeichen / *File ref.*

1276300-1550-0007 / 110051 / FG31 / E

letzte Änderung / *updated* Datum / *Date*

2009-04-17 2009-03-16

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40026860.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40026860.

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

Typ(en) / *Type(s)*:

IS-033

Bemessungsspannung
Rated voltage

AC 250 V

Bemessungsstrom
Rated current

2,5 A

Polzahl
Number of poles

2-polig ohne Schutzkontakt
2-pole without earthing contact

Bauart
Kind of construction

Normblatt C7
standard sheet C7

Kennzeichnung der
Fertigungsstätte(n)
*Marking of
manufacturingplace(s)*

30005950: ohne / without: Gwai San; Taoyuan Hsien; Taiwan
30006550: "C": Songgang Town; Baoan Area; Shenzhen; China
30006554: "K": Kun Shan City; Jiangsu; China
30019097: "V": Bac Ninh Province; Vietnam

Anmerkung(en)

Gerätesteckdosen ohne Schutzkontakt müssen Teil
einer Geräteanschlußleitung oder einer
Weiterverbindungs-Geräteanschlußleitung sein.
*Connectors without earthing contact shall be part
of a cord set or interconnection cord set.*

Remark(s)

Produktinformation
Product information

siehe Anlage Nr. 100, 101, 102, 103, 900
see Appendix No. 100, 101, 102, 103, 900

Fortsetzung siehe Blatt 3 /
continued on page 3

VDE Prüf- und Zertifizierungsinstitut
Zeichengenehmigung

Ausweis-Nr. / Blatt /
Certificate No. page
40026860 3

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*
I-Sheng Electric Wire & Cable Co., Ltd., No. 52 Tin Hwu Road Ta Gann Village, 33334 GWAI SAN,
TAOYUAN HSIEN, TAIWAN

Aktenzeichen / *File ref.*
1276300-1550-0007 / 110051 / FG31 / E

letzte Änderung / *updated* Datum / *Date*
2009-04-17 2009-03-16

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40026860.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40026860.

PAK Das Produkt entspricht den Anforderungen gemäß PAK-Dokument
ZEK 01.2-08.
PAH *The product is in accordance with the requirements of*
PAH-document ZEK 01.2-08.

Dieser Zeichengenehmigungs-Ausweis bildet die Grundlage für die EG-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten und bescheinigt die Konformität mit den genannten Normen im Sinne der **EG-Niederspannungsrichtlinie 2006/95/EG**.
This Marks Approval is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the said standards as defined by the EC Low-Voltage Directive 2006/95/EC.

VDE Prüf- und Zertifizierungsinstitut GmbH
Testing and Certification Institute
Fachgebiet FG31
Section FG31

VDE Prüf- und Zertifizierungsinstitut
Zeichengenehmigung

Ausweis-Nr. / Beiblatt /
Certificate No. Supplement
40026860

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

I-Sheng Electric Wire & Cable Co., Ltd., No. 52 Tin Hwu Road Ta Gann Village, 33334 GWAI SAN,
TAOYUAN HSIEN, TAIWAN

Aktenzeichen / *File ref.*

1276300-1550-0007 / 110051 / FG31 / E

letzte Änderung / *updated* Datum / *Date*

2009-04-17 2009-03-16

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40026860.

This supplement is part of the Certificate No. 40026860.

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

Fertigungsstätte(n)

Place(s) of manufacture

Referenz/*Reference*
30005950 I-Sheng Electric Wire & Cable
Co., Ltd.
No. 52 Tin Hwu Road Ta Gann Village
33334 GWAI SAN, TAOYUAN HSIEN
TAIWAN

Referenz/*Reference*
30006550 I-Sheng Mfg (Song Gang) Factory
Tang Xiayong Road
Songgang Town
518105 Baoan Area, Shenzhen
Guangdong
CHINA

Referenz/*Reference*
30006554 I-Sheng Electronics
(Kunshan) Co., Ltd.
888 Tai Shan Road
Kunshan Development Zone
215300 KUNSHAN CITY
Jiangsu
CHINA

Referenz/*Reference*
30019097 I-Sheng Electric Wire & Cable
Company (Vietnam)
Lot D4-2 Que Vo Road
Que Vo Industrial Park
BAC NINH PROVINCE
VIETNAM

VDE Prüf- und Zertifizierungsinstitut GmbH
Testing and Certification Institute
Fachgebiet FG31
Section FG31

VDE Prüf- und Zertifizierungsinstitut

Zeichengenehmigung

Ausweis-Nr. / Infoblatt /
Certificate No. Info sheet
40026860

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

I-Sheng Electric Wire & Cable Co., Ltd., No. 52 Tin Hwu Road Ta Gann Village, 33334 GWAI SAN,
TAOYUAN HSIEN, TAIWAN

Aktenzeichen / *File ref.*

1276300-1550-0007 / 110051 / FG31 / E

letzte Änderung / *updated* Datum / *Date*

2009-04-17 2009-03-16

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40026860.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40026860.

Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) des VDE Prüf- und Zertifizierungsinstitut GmbH. Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE-Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE-GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE-GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Der VDE-Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

Approval to use the legally protected Mark of the VDE as shown on the first page:

Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute. The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.

The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to other provisions of the Testing and Certification Procedure (PM102).

The validity period of a VDE-GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE-GS-Mark Approval may be shortened.

The approval is solely signed on the first page

CERTIFICATE

KEMA No.: 2124045.01



Issued to:

Applicant:

I-Sheng Electric Wire & Cable Co. Ltd.
No. 52, Tin Hwu Road, Ta Gann Village,
33334, GWAI SAN HSIAN, TAO YUAN HSIEN, Taiwan

Manufacturer/Licensee:

I-Sheng Electric Wire & Cable Co. Ltd.
No. 52, Tin Hwu Road, Ta Gann Village,
33334, GWAI SAN HSIAN, TAO YUAN HSIEN, Taiwan

Product : appliance connectors; (2-pole)
Trade name : I-SHENG
Type/model : IS-033

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

KEMA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard EN 60320-1:2001/A1:2007
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 901022

KEMA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on: 19 March 2009 and expires upon withdrawal of one of the above mentioned standards.

KEMA Quality B.V.



drs. G.J. Zoetbrood
Managing Director



F.S. Strikwerda
Certification Manager

ACCREDITED BY
THE DUTCH COUNCIL
FOR ACCREDITATION



© Integral publication of this certificate is allowed

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

product	:	appliance connector; (2-pole)
trade name	:	I-SHENG
type	:	IS-033
rated current	:	2,5 A
rated voltage	:	250 V~
standard sheet	:	C7
temperature limit	:	T70
design	:	non-rewirable
applied flexible cord(s)	:	H03VVH2-F 2x0,75 mm ² H03Z1Z1H2-F 2x0,75 mm ²
certification mark	:	complies with the specified requirements
cord(s) termination	:	crimped connection
description	:	body of thermoplastic material as part of an complete cord set for class II appliances
markings	:	are shown on the body

TESTS**Test requirements**

EN 60320-1:2001/A1:2007

Test result

The test results are laid down in KEMA test file 2124045.01.

Remarks

This certificate replaces our certificate 2089693.01 dated 2006-01-10 and is based on the FIMKO CB Test Certificate FI-5524



Conclusion

The examination proved that all test requirements were met.

Tested by : FIMKO

Checked by : H.R.M. Barends

Factory locations

I-Sheng Electronics (Kunshan) Co. Ltd.,
888 Tai Shan Road, Kunshan Development Zone,
215300, KUN SHAN CITY JIANG SU PROVINCE, China

I-Sheng Mfg Songgang Factory,
Tang Xia Yong Road, Songgang Town, Bao'An Area,
518105, SHENZHEN, GUANGDONG, China


I-Sheng Electric Wire & Cable Co. Ltd.
No. 52, Tin Hwu Road, Ta Gann Village,
33334, GWAI SAN HSIAN, TAO YUAN HSIEN, Taiwan

I-Sheng Electric Wire & Cable, Company (Vietnam)
Lot D4-2 Que Vo Road,
Que Vo Industrial park, Bac Ninh Province, Vietnam

LICENCE

No. 16015 replaces No.9521/1

Issued to:
 Applicant:
I-Sheng Electric Wire & Cable Co. Ltd.
52, Tin Hwu Road
Ta Gann Village, Gwai San Hsian
33334 TAO YUANG HSIEN
Taiwan



Licensee:
I-Sheng Electric Wire & Cable Co. Ltd.
52, Tin Hwu Road
Ta Gann Village, Gwai San Hsian
33334 TAO YUANG HSIEN
Taiwan

Product : connectors (2-pole) for class II appliances
 Trade name(s) : I-SHENG
 Type(s)/model(s) : IS-033

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 809

SGS CEBEC hereby grants the right to use the CEBEC certification mark

The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on: 08/04/2009

Ir. C. Lana,
 Certification Manager

© Only integral publication of this certificate, including the annex, is allowed
 This certificate is only valid combined with the publication on the following web address: www.sgs.com/ee



SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Product	:	connectors (2-pole) for class II appliances
Trade name(s)	:	I-SHENG
Type(s)/Model(s)	:	IS-033
rated current (In)	:	2,5 A
rated voltage (Un)	:	250 Vac
standard sheet	:	C7
class	:	for class II equipment
earthing	:	without earthing contact
temperature limit (t max)	:	cold conditions
design	:	non-rewirable
applied flexible cord(s)	:	H03 VVH2-F 2x0.75 mm ² H03Z1Z1H2-F 2 x 0,75 mm ²
certification mark	:	complies with the requirements
cord(s) termination	:	crimped connection
description	:	body of thermoplastic material as part of an incomplete cord set for class II appliances
markings	:	are shown on the body

TESTS

Test requirements

NBN EN 60320-1 based on EN 60320-1:2001 + A1:2007

Test results

The test results are laid down in certification file ref.584410/01.

Remarks

This certificate is based on certificate ref. CB FI 5524 and test report(s) ref. 253284-1

Conclusion

The examination proved that all test requirements were met.

Checked by, project leader : Zanutto Luigi




2009/02/30

Department Manager,
Product Certification

:

Certification Manager

:



2009-09-04

FACTORY LOCATION(S)

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road
Que Vo Industrial Park
BAC NINH Province
Viet Nam

I-Sheng Electric Wire & Cable Co. Ltd.
52, Tin Hwu Road
Ta Gann Village, Gwai San Hsian
33334 TAO YUANG HSIEN
Taiwan

I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road,
Songgang Town, Bao'An Area
518105 SHENZHEN, GUANGDONG
China

I-Sheng Electronics (Kunshan) Co. Ltd.
No. 888, Tai Shan Road, Kunshan Development Zone
Kun Shan City
JIANG SU PROVINCE
China

DEMKO CERTIFICATE

Certificate No. D-03068
Page 1/3
Date of Issue 2013-12-30

Certificate Holder I-SHENG ELECTRIC WIRE & CABLE CO LTD
52 TIN HWU RD
TA GANN VILLAGE
GWAI SAN HSIAN, 33334 TAOYUAN HSIEN Taiwan

Manufacturer I-SHENG ELECTRIC WIRE & CABLE CO LTD
52 TIN HWU RD
TA GANN VILLAGE
GWAI SAN HSIAN, 33334 TAOYUAN HSIEN Taiwan

Production site I-SHENG ELECTRIC WIRE & CABLE CO (VIETNAM)
LOT D4-2, QUE VO ROAD
QUE VO INDUSTRIAL PARK
QUE VO DISTRICT
BAC NINH Viet Nam

See Page 2

Certified Product Model Connector, non-rewirable
IS-033, with cord H03Z1Z1H2-F 2X-0,75 mm²
IS-033, with cord H03VVH2-F 2X0,5-0,75 mm²

Trademark I-Sheng

Rated Voltage / Frequency 250 V~

Rated Current / Power 2,5 A

Insulation Class -

Degree of protection (IP) 20

Tested acc. to EN 60320-1:2001/A1:2007, EN 60320-1:2001

Test Report No. NCS/FI 28345 issued on 2013-12-13

Additional Standard sheet C7

Expire date 2018-12-13

Certification Manager
Jan-Erik Storgaard

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D Mark Requirements. The Designated Certificate holder is entitled to use the d or for cables <DEMKO> for the Certified Product manufactured at the production site(s) identified above, in accordance with the D Mark Service Agreement, including without limitation the D Mark Testing and Certification Services Service Terms. Only those Products bearing the D Mark should be considered as being covered by UL's D Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior to the expiration date.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65,
info.dk@ul.com
www.ul-europe.com



Appendix DEMKO CERTIFICATE

Certificate No. D-03068
Page 2/3
Date of Issue 2013-12-30

Production Sites:

I-SHENG ELECTRIC WIRE & CABLE CO LTD
52 TIN HWU RD
TA GANN VILLAGE
GWAI SAN HSIAN, 33334 TAOYUAN HSIEN Taiwan

I-SHENG ELECTRONICS (KUN SHAN) CO LTD
NO. 888 TAI SHAN ROAD
KUNSHAN DEVELOPMENT ZONE
KUNSHAN CITY, 215300 JIANGSU China

I-SHENG MANUFACTURING(SONG GANG) FACTORY
TANG XIA YONG RD
SONGGANG TOWN
BAO'AN AREA
SHENZHEN, 518105 GUANGDONG China

External Certification Information:
NCS/FI 28345 issued on 2013-12-13 by SGS Fimko Ltd

Additional Information:
This certificate replaces Demko certificate no. 314850-02 dated 2009-05-28 due to revising test report.


Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.ul-europe.com



Appendix DEMKO CERTIFICATE

Certificate No. D-03068
Page 3/3
Date of Issue 2013-12-30



Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.ul-europe.com



Certificate



for European Product Safety

Reference No. 1317095

Connector, non-rewirable

Type designation IS-033

Certificate holder **I-Sheng Electric Wire & Cable Co., Ltd.
52, Tin Hwu Rd. Ta Gann Village, Gwai San Hsian,
33334 TAOYUAN HSIEN, TAIWAN**

The product complies with the standard(s) EN 60320-1:2001 +A1

Date of expiry 18 December 2018

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification *Place* Kista - Stockholm

Signed 
Paul Klemets *Date* 18 December 2013
Page 1 of 2

**Intertek
Appendix**

Reference No. 1317095

Technical data

Type designation	IS-033
Rated voltage (V)	250 V~
Rated current (A)	2.5 A
IP-Class	20
Type of cord	H03VVH2-F 2X0.5-0.75 mm ² H03Z1Z1H2-F 2X0.75 mm ²
Standard sheet	C7
Brand name:	I-Sheng

Manufacturing site(s)

I-Sheng Electric Wire & Cable Co., Ltd.
52, Tin Hwu Road, Ta Gann Village, Gwai San Hsian
33334 TAOYUAN HSIEN, TAIWAN

I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road, Songgang Town, Bao'An District, Shenzhen City,
GUANGDONG 518105, CHINA

I-Sheng Electronics (Kunshan) Co., Ltd.
888 Tai Shan Road, Kunshan Development Zone, 215300 Kunshan City,
JIANG SU PROVINCE, CHINA

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park
BAC NINH PROVINCE, VIETNAM

The certificate applies for countries that have sanctioned the use of plugs/outlets according to subject standard sheet and component standard.

This certificate is based on a certificate with ref. No. NCS/FI 28345 dated 13 December 2013, issued by SGS Fimko Ltd according to the Nordic Certification Service Agreement.

Certification Body Intertek Semko AB, Product Certification *Place* Kista - Stockholm

Signed 
Paul Klemets *Date* 18 December 2013

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Product	Connector, non-rewirable
Applicant	I-Sheng Electric Wire & Cable Co., Ltd. 52, Tin Hwu Rd., Ta Gann Village, Gwai San Hsian 33334 Tao Yuan Hsien Taiwan
Manufacturer	I-Sheng Electric Wire & Cable Co., Ltd. 52, Tin Hwu Rd., Ta Gann Village, Gwai San Hsian 33334 Tao Yuan Hsien Taiwan
Factory	<input checked="" type="checkbox"/> See page 2
Ratings	2.5A 250V~
Trade mark	I-SHENG
Model / Type Ref.	IS-033
Principal characteristics	Non-rewirable connector, with cord H03VVH2-F 2x0.5-0.75mm ² . Standard Sheet C7. IP20 <input type="checkbox"/> See next page(s)
A sample of the product was tested and found to be in conformity with	INST EN 60320-1:2001;A1
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	<input type="checkbox"/> See next page(s)
Additional model(s)	<input checked="" type="checkbox"/> See next page(s)

Date of issue 19-12-2013



Signature

Skule Moe

Certification Department

Nemko AS

Office address

Internet

Telephone

Fax

P.O. Box 73, Blindern

Gaustadalléen 30

www.nemko.com

+47 22 96 03 30

+ 47 22 96 05 50

N-0314 Oslo, Norway

Oslo

Enterprise number:

NO 974404532

Product	Connector, non-rewirable
Pos. No	1
Model / Type Ref.	IS-033
Trade mark (if different from page 1)	
Rating	2.5A 250V~
Principal characteristics	Non-rewirable connector, with cord H03Z1Z1H2-F 2x0.75mm ² . Standard Sheet C7. IP20

Factories:

I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road, Songgang Town, Bao' An District
Shenzhen City, Guangdong 518105
China

I-Sheng Electric Wire & Cable Co., Ltd.
52, Tin Hwu Rd., Ta Gann Village, Gwai San Hsian
33334 Tao Yuan Hsien
Taiwan

I-Sheng Electronics (Kunshan) Co., Ltd.
888 Tai Shan Road Kunshan Development Zone
215300 Kunshan City, Jiang Su Province
China

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park
Bac Ninh Province
Viet Nam

Date of issue 19-12-2013



Signature

Skule Moe

Certification Department

CERTIFICATE NCS/FI 28345

Our Ref. 274487



Product Connector, non-rewirable

Type IS-033, with cord H03VVH2-F 2X0,5-0,75 mm²
IS-033, with cord H03Z1Z1H2-F 2X0,75 mm²

Trade mark I-Sheng

Certificate Holder I-Sheng Electric Wire & Cable Co., Ltd.
52, Tin Hwu Rd. Ta Gann Village, Gwai San Hsian, 33334 TAOYUAN HSIEN, TAIWAN

Manufacturer I-Sheng Electric Wire & Cable Co., Ltd.
52, Tin Hwu Rd. Ta Gann Village, Gwai San Hsian, 33334 TAOYUAN HSIEN, TAIWAN

Technical information 2,5 A, 250 V~, IP20

Other information Standard sheet C7

The product is certified according to the following standard(s) EN 60320-1:2001 + A1:2007

Validity This certificate is valid until 13 December 2018 unless the standard in question has been amended or superseded with significant changes in requirements, in which case, SGS Fimko has the right to shorten the validity of the certificate based on the legislation of the European Union. This certificate includes the right to use the FI mark under the condition that changes (if any) will be checked at SGS Fimko before the product is brought onto market and that the conditions for FI certification are met.

Directive information The product(s) fulfils the essential safety requirements for CE conformity marking according to the Low Voltage Directive (2006/95/EC) at the date of issue of the certificate.

Date of issue 13 December 2013

SGS Fimko Ltd

Signature



Sixten Lökfors
Project Manager



This certificate has 1 appendix



This certificate is issued by the company under its General Conditions for Certification Services accessible at <http://www.sgs.fi/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitations of liability defined therein and in the Test Report here above mentioned which findings are reflected in this certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Appendix to Certificate: 28345

Manufacturing site(s)

I-Sheng Electric Wire & Cable Co., Ltd.
52, Tin Hwu Rd. Ta Gann Village, Gwai San Hsian
33334 TAOYUAN HSIEN, TAIWAN

I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road, Songgang Town, Bao'An District Shenzhen City,
GUANGDONG 518105, CHINA

I-Sheng Electronics (Kunshan) Co., Ltd.
888 Tai Shan Road, Kunshan Development Zone, 215300 Kunshan City,
JIANG SU PROVINCE, CHINA

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park
BAC NINH PROVINCE, VIETNAM

Additional information

The product has certificate NL-25088/A1 issued by Dekra in accordance with the CB system.

This certificate replaces previous NCS FI certificate No 24777 M1, dated 26 March 2009.

Our ref.

274487-1



I-Sheng Electric Wire & Cable Co., Ltd.
52 Tin Hwu Road
Ta Hua Village, Gwai San Hsian
TW-Tao Yuan Hsien, 33334
Taiwan

Client no. 1451	Your ref. Kelly Chien	Our Ref. Ts	Date 2015/05/04
--------------------	--------------------------	----------------	--------------------

Authorization

Number: **15.0274**
valid until: **2018/05/03**

Marking:  Company logo

Based on the documents contained in file **15-BS-0119** the Federal Inspectorate for Heavy Current Installations grants the firm named above the right, to put the equipment listed below on the market marked with the safety mark in accordance with the NEV.

Equipment: **Connector, non-rewirable**
Tradename: **I-SHENG**

Type designation: **IS-033**
Nominal values:
250V~ 2.5A L+N
standard sheet C7
with non rewirable cords
H03VVH2-F 2x0.50mm² [I-SHENG]
H03VVH2-F 2x0.75mm² [I-SHENG]
H03Z1Z1H2-F 2x0.75mm² [I-SHENG]
H05VVH2-F 2x0.75mm² [I-SHENG]

Protection class: **For class II equipment**
Protection degree: **ordinary**
Basis: **CB / DEKRA / NL-34418 dated 2015/01/22**
Remark: **Manufacturing sites:**





Authorization

Number: **15.0274**


page **2**

1. I-Sheng Manufacturing (Song Gang) Factory
Tang Xia Yong Road
Songgang Town, BAOAN AREA
SHENZHEN, CHINA
2. I-Sheng Electronics (Kunshan) Co., Ltd.
888 Tai Shan Road,
Kunshan Development Zone,
215300 KUNSHAN CITY, CHINA
3. I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park
BAC NINH PROVINCE, VIETNAM

Test standards: IEC 60320-1(ed.2):01+A1:07

Federal Inspectorate for Heavy Current Installations ESTI


P. Fluri
Head of Market Surveillance/Authorization of the Safety Mark



OVE AUSTRIAN ELECTROTECHNICAL ASSOCIATION

Eschenbachgasse 9, 1010 Wien, Austria
ZVR: 327279890 | DVR: 1055887

OVE - Testing & Certification

Kahlenberger Str. 2A, 1190 Wien, Austria
Phone: +43 1 370 58 06
www.ove.at



Page 1 of 2

ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **8556-019-11**

Valid from: 2015 07 01
until: 2017 07 01

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **I-SHENG ELECTRIC WIRE & CABLE Co.Ltd**
52 Tin Hwu Road, Ta Gann Village,
33334 Gwai San Hsian, Tao Yuang Hsien
Taiwan

Product: **Connector for Class II appliances with cord**

Basis for this given right is the conformity of the products with the requirements of the technical standards listed in this certificate as stated in the file(s) Ref.-No(s). **TGM-VA EE 32559, VAE 19824a.**

This certificate establishes the conformity of the tested specimen and of all products manufactured strictly identical to the submitted one.

Österreichischer Verband für Elektrotechnik
Head of Testing & Certification

Digitally signed by W. Martin
Email=w.martin@ove.at

Vienna, 2015 05 04

Dipl.-Ing. W. Martin



OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmfwf.gv.at/accreditation





Manufacturer:

I-SHENG ELECTRIC WIRE & CABLE Co.Ltd
52 Tin Hwu Road, Ta Gann Village,
33334 Gwai San Hsian, Tao Yuang Hsien
Taiwan

Factory location(s):

I-SHENG ELECTRIC WIRE & CABLE Co.Ltd
52 Tin Hwu Road, Ta Gann Village,
33334 Gwai San Hsian, Tao Yuang Hsien
Taiwan

I-SHENG MANUFACTURING (Song Gang) Factory
Tang Xia Yong Road, Song Gang Town,
Bao An Area, Shenzhen Guangdong
China

I-SHENG Electronics (Kunshan) Co., Ltd.
No. 888, Tai Shan Road, Kunshan Development Zone,
Kun Shan City, Jiang Su Province
China

I-Sheng Electric Wire & Cable Company (Vietnam)
Lot D4-2 Que Vo Road, Que Vo Industrial Park,
Bac Ninh Province
Vietnam

Tested and certified according to:

ÖVE/ÖNORM EN 60320-1:2010-11-01

This certificate is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the listed standards as defined by the **EC Low-Voltage Directive 2006/95/EC**.

Product: Connector for Class II appliances with cord

Type designation:
Rating:

Trademark:

IS-033
Rated voltage: AC 250 V
Rated current: 2,5 A
H03VVH2-F 2 X 0,75

I-SHENG

IS-033
Rated voltage: AC 250 V
Rated current: 2,5 A
H03Z1Z1H2-F 2 X 0,75

I-SHENG

OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.gv.at/accreditation



PID:
02115100
CID:
C.1993.495

Certificato di approvazione

Approval certificate

IMQ, ente di certificazione accreditato, autorizza la ditta *IMQ, accredited certification body, grants to*


I SHENG ELECTRIC WIRE & CABLE CO. LTD
52, TIN HWU ROAD - TA GANN VILLAGE GWAI SAN
HSIAN
TAO YUANG HSIEN
TW - Taiwan

all'uso del marchio

the licence to use the mark

IMQ

Il presente certificato è soggetto alle condizioni previste nel "Regolamento IMQ - Certificazione prodotto" ed è relativo ai prodotti descritti nell'Allegato al presente certificato.



per i seguenti prodotti

Prese di connettore
indissolubilmente collegate al
cavo
(Rif. di tipo IS-033)

for the following products

Non-rewirable connectors
(Type ref. IS-033)

This certificate is subjected to the conditions foreseen by "IMQ Rules - Product Certification" and is relevant to the products listed in the annex to this certificate.

Emesso il | Issued on:

2004-12-17

Data di aggiornamento | Updated on

2009-05-21

Sostituisce | Replaces

2004-12-17


IMQ S.p.A.

Allegato - Certificato di approvazione
Annex - Approval certificate

Emesso il / Issued on 2004-12-17

Data di aggiornamento / Updated on 2009-05-21

Sostituisce / Replaces 2004-12-17

Prodotto | Product

Prese di connettore indissolubilmente collegate al cavo
Non-rewirable connectors

Concessionario | Licence Holder

I SHENG ELECTRIC WIRE & CABLE CO. LTD
52, TIN HWU ROAD - TA GANN VILLAGE GWAI SAN HSIAN
TAO YUANG HSIEN
TW - Taiwan

Marchio | Mark



IMQ

Costruito a | Manufactured at

98001046	CLISHE.C02LCISHE+2	JIANG SU PROVINCE	China
98001045	CLISHE.C02LCISHE+1	SHENZHEN GUANGDONG	China
95002261	CLISHE.C01LCISHE.C	TAO YUANG HSIEN, TAIWAN	Taiwan
PL.J00091	C02702551	Bac Ninh Province	Viet Nam

Copia del presente certificato deve essere conservata presso i luoghi di produzione sopra elencati.

Copy of this certificate must be available at the manufacturing places listed above

Norme

EN 60320-1:2001 + A1:2007
Prodotti conformi ai requisiti essenziali della Direttiva B.T. 2006/95/CE

Standards

EN 60320-1:2001 + A1:2007
Products meeting the essential requirements of L.V.D. 2006/95/EC

Rapporti | Test Reports

26LJ00008

Caratteristiche tecniche | Technical characteristics

Designazione / Type designation	2P foglio C7 / 2P S.S. C7
Tensione nominale / Rated voltage	250 V
Corrente nominale / Rated current	2,5 A
Tipo di applicazione / Type of application	fredda / for cold conditions
Tipo di morsetti / Type of terminals	morsetti aggraffati / crimped connections
Materiale della custodia / Material of the cover	termoplastico / thermoplastic
Uscita cavo / Cable exit	assiale / straight

Articoli (con dettagli) | Articles (with details)

AR.E00C50

Marca / Trade mark	I-SHENG
Riferimento di tipo / Type reference	IS-033
Tipo di cavo / Type of cable	H03VVH2-F
Sezione nominale / Section areas	2x0,75 mm²

AR.J003C0

Marca / Trade mark	I-SHENG
Riferimento di tipo / Type reference	IS-033
Tipo di cavo / Type of cable	H03Z1Z1-F
Sezione nominale / Section areas	2x0,75 mm²

Ulteriori informazioni | Additional Information

La validità del presente certificato è condizionata dal fatto che la presa di connettore venga collegata a una spina certificata in accordo alle relative norme.

Accanto al marchio di fabbrica viene riportato il suffisso che identifica il luogo di produzione:

- C = I-SHENG Manufacturing (Song Gang) China;
- K = I-SHENG Electric Wire & Plastic (Kunshan) China;
- = I-SHENG Electric Wire & cable (Tao Yuang Hsien) Taiwan;
- V = I-SHENG Electric Wire & cable (Bac Ninh) Vietnam.

La presa di connettore rif. Di tipo IS-033 è prodotta con il seguente inserto :

Marca I-Sheng, art. IS-033 (alloggiamento) e marca TAIWAN TERMINAL INDUSTRY CO. LTD art. 4082351-1P (contatti)

This certificate is conditional upon a non rewirable plug certified to its own standard being fitted.

Nearly the trade mark is quoted the suffix that identify the production site:

- C = I-SHENG Manufacturing (Song Gang) China;
- K = I-SHENG Electric Wire & Plastic (Kunshan) China;
- = I-SHENG Electric Wire & cable (Tao Yuang Hsien) Taiwan;
- V = I-SHENG Electric Wire & cable (Bac Ninh) Vietnam.

The non-rewirable connector ref.type IS-033 is manufactured with the following insert:

Trade Mark I-Sheng, art. IS-033 (housing) and trade mark TAIWAN TERMINAL INDUSTRY CO. LTD art. 4082351-1P (contacts).

Componenti | Component List

Type ref. IS-033

Tipo / Type	(*)	Costruttore / Manufacturer	Riferimento / Type Ref.	Dati / Data	Norme / Standard (*)	Marchi / Marks
Cavo / Cable	2/4	I-Sheng Electric Wire & Cable		H03VVH2-F	-	FIMKO
Cavo / Cable	2/4	I-Sheng Electric Wire & Cable		H03Z1Z1H2-F	-	VDE

Emesso il / Issued on

2009-05-21

Data di aggiornamento / Updated on

Sostituisce / Replaces

Ciascun componente è contraddistinto da un numero avente il seguente significato:

- 1 - Componente marchiato e sostituibile con altro pure marchiato con caratteristiche equivalenti
- 2 - Componente sostituibile solo previa autorizzazione dell'IMQ
- 3 - Componente (integrato nell'apparecchio utilizzatore) provato congiuntamente all'apparecchio utilizzatore
- 4 - Componente in alternativa
- 5 - Componente per uso opzionale
- 6 - Componente da abbinare

Each component is signed by a number having the following meaning:

- 1 - Approved component replaceable with another one also approved with equivalent characteristics
- 2 - Component replaceable with IMQ authorization only
- 3 - Integrated component tested together with appliances
- 4 - Alternative component
- 5 - Component for optional use
- 6 - Component to be matched

(*) Queste colonne sono compilate a cura di IMQ / These columns are filled in by IMQ

Diritti di concessione | Annual Fees

SN.E001V4 BTJ.021100.DA19 Diritti modelli IMQ - 0211 - Prese, spine e connettori di uso domestico | IMQ models - 0211 - Plugs and appliance couplers for domestic purposes 2



IMQ S.p.A.



Accréditation
N° 5-0014
Portée
disponible sur
www.cofrac.fr



LICENCE



LCIE N° 581787/1

Délivrée à:
Delivered to:

I-SHENG ELECTRIC WIRE AND CABLE Co. Ltd.

52, Tin Hwu Road Ta Gann Village Gwai San Hsian - 33334 Tao Yuang Hsien - TAIWAN

Site de fabrication:
Factory:

Voir en annexe 1

See in annex 1

Produit:
Product:

Connecteurs pour usages domestiques et usages généraux analogues
Appliance couplers for household and similar general purposes

Marque commerciale (s'il y a lieu):
Trade mark (if any):

I-SHENG

Modèle, type, référence:
Model, type, reference:

IS-033

Caractéristiques nominales et principales:
Rating and principal characteristics:

2,5A, 250V~,2P

Informations complémentaires:
Additional informations:

Voir annexe 2 / *See annex 2*

Correction de la norme et ajout d'un nouveau site de fabrication /
Correction of the standard and addition of new factory

Le produit est conforme à:
The product is in conformity with:

EN 60320-1:2001 +A1:2007

Documents pris en compte:
Relevant documents:

Certificat d'essai OC / CB test certificate n° FI 55 24 / TR n° 253284-1

Annule et remplace (s'il y a lieu):
Cancels and replaces (if necessary):

Licence n° 581787 du 2009-03-02

Cette licence autorise l'usage de la marque NF pour le produit dans les conditions du règlement de la marque NF, pour autant que les contrôles réguliers de la fabrication et les vérifications par tierce partie soient satisfaisants.

This licence permits the use of the Mark NF for the product in compliance with the Regulation of the NF Mark, as far as the regular checking and third party verifications of the production are satisfactory.

Par mandatement de AFNOR Certification et pour le LCIE
By mandate from AFNOR Certification and for LCIE

Rémi HANOT

Responsable de Certification
Certification Officer

Fontenay-aux-Roses, 2009-03-11

Date limite de validité :
Limit expired date :

La validité de la présente licence cesse dès l'annulation de l'une des normes sur laquelle elle est fondée.
The present licence is valid until the cancellation of one of the standards on which it is based.



Annexe 1 : Liste des sites de fabrication
Annex 1 : List of the Factories

Site de fabrication :
Factory :

I-SHENG ELECTRIC WIRE & CABLE COMPANY (Vietnam) (1786AP)
Lot D4-2 Que Vo Road, Que Vo Industrial Park - Bac Ninh Province -
VIËT NAM

I-SHENG ELECTRONICS (KUNSHAN) Co. Ltd (1458AP)
888, Tai Shan Road Kunshan Development Zone - Kun Shan City -
Jiang Su Province - CHINE

I-SHENG MANUFACTURING (Song Gang) Factory (1376AP)
Tang Xia Young road, Songgang Town, Bao'An Area Shenzhen -
518105 GUANGDONG - CHINE





LCIE

LCIE N°581787/1

Annexe / Annex 2


CARACTERISTIQUES NOMINALES ET PRINCIPALES RATING AND PRINCIPAL CHARACTERISTICS

Classification

Feuille de norme / <i>standard Sheet</i>	C7
Courant nominal / <i>rated current (A)</i> Tension nominale / <i>rated voltage (V)</i>	2,5A 250V
Degré de protection / <i>degree of protection</i>	IP20
Température maximale de la base des broches du socle de connecteur correspondant <i>maximum pin temperature at the base of the pins of the corresponding appliance inlet</i>	prises mobiles pour conditions froides (température des broches ne dépassant pas 70 °C) <i>connectors for cold conditions (pin temperature not exceeding 70 °C)</i>
Type d'équipement à raccorder <i>type of equipment to be connected</i>	prises mobiles pour matériels de la classe I <i>connectors for class I equipment</i>
Mode de raccordement du câble <i>method of connecting the cord</i>	prises mobiles non démontables <i>non-rewirable connectors</i>

Câble / Cable

Type du câble / <i>type of cable</i>	fabricant / <i>manufacturer</i>	Conformité / <i>Conformity</i>
H03VVH2-F 2x0,75 mm ²	I-SHENG	NF-USE
H03Z1Z1H2-F 2x0,75 mm ²	I-SHENG	VDE



06 August 2013

9th Floor, No.12, Alley 100,
Lane 155, Tung Hwa North Road,
Taipei 105, Taiwan

Liza Yu Hsien Ting Huang

Attention: Ms Liza Huang
Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Pravin Venkatesan on telephone ,or email pravin.venkatesan@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully



DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO130579/00

Certificate Number: ESO130579/00



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: Liza Yu Hsien Ting Huang
9th Floor, No.12, Alley 100,
Lane 155, Tung Hwa North Road,
Taipei 105, Taiwan

Required Marking: ESO130579

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Appliance Connector C7 type moulded appliance connector
Relevant Standards:	AS/NZS60320.1: 2012
Expiry Date:	06 October 2018
Conditions of Approval:	Alternative certification mark Q88203

A handwritten signature in black ink, appearing to read "B. R. H.", written over a light grey rectangular background.

Certificate Number: ESO130579/00



Approval details

Model	IS-033
Rated at	Input: 250V~, 2.5A
Trade Name	I-Sheng
Comments	Moulded to cords: H03VVH2-F 2X0.5mm ² (2LDF/50) / H03VVH2-F 2X0.75mm ² (2LDF/75)(Q90096) and H03Z1Z1H2-F 2X0.75mm ² (Q090060).

Model	IS-037
Rated at	Input: 250V~, 2.5A
Trade Name	I-Sheng
Comments	Change of shape and moulded to cords: H03VVH2-F 2x0.75mm ² (2LDF/75)(Q90096) / H05VVH2-F 2X0.75mm ² (2LSF/75) (Q88228) and H03Z1Z1H2-F 2X0.75mm ² / H05Z1Z1H2-F 2X0.75mm ² (Q090060).

Model	IS-033B
Rated at	Input: 250V~, 2.5A
Trade Name	I-Sheng
Comments	Change of rear dimensions to larger size and moulded to cords: H03VVH2-F 2X0.75mm ² (2LDF/75) (Q90096) and H03Z1Z1H2-F 2X0.75mm ² (Q090060).

Model	IS-033L
Rated at	Input: 250V~, 2.5A
Trade Name	I-Sheng
Comments	Offset cord entry; moulded to cords:

A handwritten signature in black ink, appearing to be "B. R. H.", located at the bottom right of the page.

Certificate Number: ESO130579/00



	H03VVH2-F 2X0.75mm ² (2LDF/75)(Q90096) and H03Z1Z1H2-F 2X0.75mm ² (Q090060).
--	--

Model	IS-033C
Rated at	Input: 250V~, 2.5A
Trade Name	I-Sheng
Comments	Altered body shape; moulded to cords: H03VVH2-F 2X0.5mm ² (2LDF/50) / H03VVH2-F 2X0.75mm ² (2LDF/75) (Q90096) and H03Z1Z1H2-F 2X0.5mm ² / H03Z1Z1H2-F 2X0.75mm ² (Q090060).

Model	IS-033LS
Rated at	Input: 250 V~, 2.5A
Trade Name	I-Sheng
Comments	Offset cord entry; moulded to cords: H03VVH2-F 2X0.5mm ² (2LDF/50) and H03VVH2-F 2X0.75mm ² (2LDF/75) (Q90096).

A handwritten signature in black ink, appearing to read "B. R. H.", written over a light grey rectangular background.

03 February 2015

9th Floor, No.12, Alley 100,
Lane 155, Tung Hwa North Road,
Taipei 105, Taiwan

Liza Yu Hsien Ting Huang

Attention: Ms Liza Huang
Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Ben Taylor on telephone ,or email ben.taylor@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully



DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO130579/01

Certificate Number: ESO130579/01



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: Liza Yu Hsien Ting Huang
9th Floor, No.12, Alley 100,
Lane 155, Tung Hwa North Road,
Taipei 105, Taiwan

Required Marking: ESO130579

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Appliance Connector C7 type moulded appliance connector
Relevant Standards:	AS/NZS60320.1: 2012
Expiry Date:	06 October 2018
Conditions of Approval:	Alternative certification mark Q88203

A handwritten signature in black ink, appearing to read "B. R. H.", written over a light blue background.

Certificate Number: ESO130579/01



Approval details

Model	IS-033
Rated at	Input: 250V~, 2.5A
Trade Name	I-SHENG
Comments	moulded to alternative cord H05VVH2-F 2x0.75mm ² (2LSF/75, Q88228).

Model	IS-033B
Rated at	Input: 250V~, 2.5A
Trade Name	I-SHENG
Comments	Moulded to alternative cord H03VVH2-F 2x0.5mm ² (2LDF/50, Q90096).

Model	IS-033F
Rated at	Input: 250V~, 2.5A
Trade Name	I-SHENG
Comments	C7 Type Appliance Connector, moulded to cords H03VVH2-F 2x0.5mm ² or H03VVH2-F 2x0.75mm ² (2LDF/50, Q90096).

A handwritten signature in black ink, appearing to read "B. R. H.", is written over a light grey rectangular background.