

Prepare,  
Respond, &  
**Recover**



# Table Of Contents

Preparedness .....	1
Building Protection.....	1 - 3
Fire Protection .....	3 - 7
Slip Resistance .....	7 - 8
Evacuation.....	8
Safe Egress .....	8 - 10
Enhanced Visibility.....	10
Traffic Safety .....	11 - 13
Communication.....	13
Post-It® Notes & Flags .....	13
Easel Pads.....	14
Document Protection .....	14
Briefings.....	15 - 16
Work Station Essentials .....	16 - 17
Personal Protection .....	18
Respirators .....	18 - 25
Filtering Facepiece Respirators .....	18 - 20
6000 & 7500 Series .....	20 - 21
Belt-Mounted PAPR System .....	21 - 22
Breathe Easy™ PAPR Assembly.....	22 - 24
Systems .....	24
Fit Testing.....	25
Eye, Hearing & Head Protection .....	25 - 30
Insect Repellent .....	30
Food and Medicine Safety .....	30
Clothing & Equipment Protection .....	31
Detection Equipment.....	31
K-9 Products .....	32
EMS & Field Hospital.....	32
First Aid.....	32 - 33
Dressings.....	34 - 36
Adhesive Bandages .....	37
Surgical Clippers.....	37 - 38
Surgical Tapes & Wraps .....	38 - 40
Wound Closure & Cleanser .....	40 - 41
Casting & Splinting .....	41 - 43
Biomedical Electrodes .....	44 - 45
Patient Monitoring.....	45 - 46
Personal Protection .....	46 - 48
Anti-Fatigue & Scraper Matting.....	48 - 50
Cleaning & Disinfecting .....	50
Cleaning/Disinfecting/Deodorizing.....	50 - 51
Cleaning Supplies .....	52
Liquid Absorption .....	53 - 55
Electronics Cleaning.....	55 - 56

# Table Of Contents

Restoration & Rebuilding.....	57
Tape.....	57 - 59
Electrical Repair.....	59 - 67
Concrete Repair.....	67
Adhesives.....	67 - 68
Abrasives.....	68 - 69
Electrical Detection Equipment.....	69 - 70

### 3M™ Safety and Security Standard Films - Clear

Protecting People and Property with 3M™ Safety and Security Window Films.

Sometimes the threat is from nature, other times people. No matter where the threat comes from, 3M Safety and Security Window Films can help you be prepared for the worst. When natural disasters like hurricanes, tornados, high winds, and earthquakes hit, there is little you can do to protect your building. But by planning ahead, your building can be prepared for the worst. Glass can be your worst enemy in severe weather and storms. When unprotected glass breaks, shards can be sent flying causing severe injury to people and major damage to property. During a disaster, 3M Safety and Security Window Films help hold the glass together to maintain the integrity of your home or business. This also helps to keep flying glass from harming inhabitants and, in many circumstances, keeps out wind and rain.

These 3M Safety and Security Films offer a clear, single-layer polyester film coated with a special thicker adhesive designed to help hold broken glass together for improved safety of the glazing and security for the structure. Film thickness ranges from 7 mil to 14 mil, depending upon the specific film selected.



### 3M™ Safety and Security Ultra Films - Clear

These clear 3M Safety and Security Ultra Films offer a multiple micro layer construction, making these films tough, tear-resistant polyester films. Coated with a special thicker adhesive designed to help hold broken glass together, it's designed for improved safety and security.



### 3M™ Dynatel™ 2210 Cable Locators

Dynatel™ Cable/Pipe Locators are used to find the exact path and estimated depth of CATV and telephone cables. The 2210 Locators have two operator-selectable frequencies as well as visual cable locates.

Website: [www.3m.com/cosmeticingredients](http://www.3m.com/cosmeticingredients)



Item Number	Description	Product ID
00051138346065	3M™ Cable Locator 60 HZ/IN 3 watt Telco 3" Coupler 2210-U3T3	2210-U3T3
00051138346126	3M™ Cable Locator 60 HZ/IN 3w power 3" CPLR 2210-U3P3	2210-U3P3

### 3M™ Dynatel™ 2250 Cable Locators

Dynatel™ 2250 Cable/Pipe Locators are used to find the exact path and estimated depth of CATV and telephone cables or pipes with metallic tracer wires. The 2250 Locators have four operator-selectable frequencies, visual cable locates, and a direct readout of active duct probe.

Website: [www.3m.com/cosmeticingredients](http://www.3m.com/cosmeticingredients)



Item Number	Description	Product ID
00051138346249	3M™ Advanced Cable Locator 3W Telco 3" Coupler 2250-U3T3	2250-U3T3
00051138704490	3M™ Advanced Cable Locator 3W 3" Coupler 2250-CNTR	2250-CNTR
00051138346300	3M™ Advanced Cable Locator 3W Power 3" CPLR 2250-U3P3	2250-U3P3
00051138704483	3M™ Advanced Cable Locator 5W Contractor 3" Coupler 2250-CNTR/A	2250-CNTR/A

### 3M™ Dynatel™ 2273 Cable/Fault Locators

Dynatel™ 2273 Cable/Pipe/Fault Locators are used to find the exact path and estimated depth of CATV and telephone cables or pipes with metallic tracer wires. The 2273 Locators have four operator-selectable frequencies, visual cable locates, and a direct readout of active duct probe.

Website: [www.3m.com/cosmeticingredients](http://www.3m.com/cosmeticingredients)



Item Number	Description	Product ID
00051138761752	3M™ Adv Cable/fault Locator 3W Long Distance 3" Coupler incl. Sheath Fault ACCYS 2273-U3LD3	2273-U3LD3
00051138366698	3M™ Advanced Cable Locator 3W 3" CPLR W/O Fault ACCYS 2273-T3	2273-U3LD3
00051138366704	3M™ Advanced Cable Locator 3W W/O Fault ACCYS 2273-TN	2273-TN
00051138346423	3M™ Advanced Cable/Sheath Fault Locator 3 watt TELCO 3" coupler 2273-U3T3	2273-U3T3
00051138346485	3M™ Advanced Cable/Sheath Fault Locator 3W Power 3" CPLR 2273-U3P3	CPLR 2273-U3P3
00051138704711	3M™ Advanced Cable/Sheath Fault Locator 5 watt TELCO 3" coupler with EXT DC Power 2273-U5T3/A	2273-U5T3/A
00051138704469	3M™ Advanced Cable/sheath Fault Locator 5W Power W/External DC Input 2273-U5P3/A	2273-U5P3/A

### 3M™ Electronic Marker System (EMS)

3M electronic marker system (EMS) delivers more information to accelerate identification and can help avoid costly mistakes.

- An EMS marker is not affected by overgrown vegetation or vandalism and can't be worn away by weather.
- Markers are passive antennas with no internal power source to run down.
- High strength polyethylene shells are impervious to minerals, chemicals and the temperature extremes.
- Durable, passive markers can be buried over key facilities during construction or used to mark existing facilities during maintenance.



### 3M™ Scotchkote™ Rebar Protection Products

3M™ Scotchkote™ Rebar Protection Products protect the steel used in reinforced concrete structures throughout North America and around the world.

With over 30 years of successful application and results, Scotchkote is the brand of coating which sets industry standards for quality, consistency and performance. By covering steel rebar, mesh and other elements used in, and around concrete structures, Scotchkote coatings protect against the menace of corrosion. Scotchkote coatings are the result of years of technological research and development. They are proven, cost effective, money saving solutions to concrete structures.



### 3M™ Scotchkote™ Electrical Coating

Brush onto vinyl tape for an extra protective layer of flexible material. Fast drying sealant resists oil, moisture and corrosion. Works great on electrical applications when a little extra protection is needed.

Item Number	Description	Size	QTY	UOM
00054007439066	Scotchkote™ Electrical Coating, 4 fl oz	4 oz	10	Can
00054007148531	Scotchkote™ Electrical Coating, 15 fl oz	15 oz	10	Can



### 3M™ Zinc Spray 16-501

3M™ Zinc Spray 16-501 provides an effective way to inhibit rust and corrosion with 97% pure zinc.

Item Number	Description	Size	Color	QTY	UOM
00054007428282	3M™ Zinc Spray 16-501	16 oz	Natural	12	Each



### Scotch® Insulating Sprays

Protects surfaces against weather, moisture, corrosion, oil, alkalis and acids. Use it over insulation on wire and cable splices. Also touch up insulation on motor windings and frames. Makes a great general purpose sealer.



Item Number	Description	Product ID	Size	Color	QTY	UOM
00054007503422	Scotch® Insulating Sprays	1601	16 oz	Clear	12	Each
00054007503439	Scotch® Insulating Sprays	1602	16 oz	Red	12	Each
00054007503446	Scotch® Insulating Sprays	1603	16 oz	Black	12	Each

### Fire Protection

#### 3M™ Fire Barrier CP 25WB+ Sealant

Great for sealing around metal and small plastic pipes in both concrete or gypsum walls. Prevents both fire and smoke escaping to other areas in a building. Up to 4 hour fire rating in fire-rated assemblies.



Item Number	Description	Description	Size	Color	QTY	UOM
00051115116384	3M™ Fire Barrier Sealant CP-25 WB+ 10.1 Fluid Ounce Tube	Cartridge	10.1 oz	Red-Brown	12	CQ
00051115116421	3M™ Fire Barrier Sealant CP-25WB+ 20 Ounce Sausage C	Sausage Pack	20 oz	Red-Brown	10	Each
00051115116414	3M™ Fire Barrier Sealant CP 25 WB+ 27 Fluid Ounces Cartridge	Cartridge	27 oz	Red-Brown	6	CQ
00051115116391	3M™ Fire Barrier Sealant CP-25 WB+ 2-Gallon Pail C	Pail	2 gal	Red-Brown	1	PA
00051115116407	3M™ Fire Barrier Sealant CP-25 WB+ 5 Gallon Pail	Pail	5 gal	Red-Brown	1	PA

#### 3M™ Fire Barrier IC 15WB+ Sealant

Cost effective intumescent latex for common pipe and cable penetrations seals against inadvertant water spills in the expanded state. Dries tack-free in just 8 to 12 minutes. Good UL testing.



Item Number	Description	Description	Size	Color	QTY	UOM
00051115165573	3M™ Fire Barrier IC 15WB Sealant, 10.1 fl. oz. Cartridge	Cartridge	10.1 oz	Yellow	12	CQ
00051115165603	3M™ Fire Barrier IC 15WB Sealant, 20 oz. Sausage	Sausage Pack	20 oz	Yellow	10	Each
00051115165597	3M™ Fire Barrier IC 15WB Sealant, 27 oz. Cartridge	Cartridge	27 oz	Yellow	6	CQ
00051115165580	3M™ Fire Barrier IC 15WB Sealant, 4.5-Gallon Pail	Pail	4.5 gal	Yellow	1	PA

#### 3M™ Fire Barrier Packing Material

Introducing the first in an integrated combination of convenience, accessibility and performance for a firestop packing material.

- Easy to store, transport and carry.
- Less irritating to skin, eyes, and lungs.
- Convenient hand-tear dispensing. Fast and easy packing of penetrations (no crumbling).



Item Number	Description	Product ID	Description	QTY
00051115187643	3M™ Fire Barrier Packing Material PM4-Bulk 4"X 20.5 LNFT	PM4-Bulk	4"X 20.5 LNFT	5

### 3M™ Fire Barrier Moldable Putty+ Pads and Stix

A synthetic elastomer designed for use as a one-part, intumescent fire resistive putty used to restore the integrity of fire rated building construction. Stays pliable, allows easy access for cable mining at a later date.

Item Number	Description	Size	QTY	UOM
00051115165085	3M™ Fire Barrier Moldable Putty Pads MPP+ 4 in x 8 in	4" x8"	100	Each
00051115165092	3M™ Fire Barrier Moldable Putty Pads MPP+ 7 in x 7 in	7" x7"	20	Each
00051115165108	3M™ Fire Barrier Moldable Putty Pads MPP+ 9.5 in x 9.5 in	9½" x9½"	20	Each



### 3M™ Fire Barrier 2000+ and 2000 Silicone Sealants

Premium silicone firestop sealant. Superior adhesion and movement capabilities. Weather-resistant.



### 3M™ Fire Barrier 2001 Silicone RTV Foam

Two-part silicone foam. No ampacity derating of cables. Ideal for large openings.

Item Number	Description	Size	QTY	UOM
00051115083709	3M™ Fire Barrier Silicone RTV Foam 2001 8 Pound Kit - Part A	128 oz	1	Each
00051115083716	3M™ Fire Barrier Silicone RTV Foam 2001 8 Pound Kit - Part B	128 oz	1	Each
00051115075056	3M™ Fire Barrier Silicone RTV Foam 2001 40 Pound Kit - Part A	640 oz	1	Each
00051115075513	3M™ Fire Barrier Silicone RTV Foam 2001 40 Pound Kit - Part B	640 oz	1	Each



### 3M™ Fire Barrier Cast-In Device for Metal Pipes

Devices that adjust to any height. One-step firestopping, no need to core drill holes and firestop later. Up to 3 hour UL listed systems. Devices for both metal and plastic pipes.

Item Number	Description	Product ID	Size	QTY	UOM
00051115165405	3M™ Fire Barrier Cast-In Device 2MCID for Metal Pipes, 2 in	2MCID	2"	12	Each
00051115165412	3M™ Fire Barrier Cast-In Device 3MCID for Metal Pipes, 3 in	3MCID	3"	12	Each
00051115165429	3M™ Fire Barrier Cast-In Device 4MCID for Metal Pipes, 4 in	4MCID	4"	6	Each



### 3M™ Fire Barrier Cast-In Device for Plastic Pipes

Devices that adjust to any height. One-step firestopping, no need to core drill holes and firestop later. Up to 3 hour UL listed systems. Devices for both metal and plastic pipes.

Item Number	Description	Product ID	Size	QTY	UOM
00051115165368	3M™ Fire Barrier Cast-In Device 2PCID for Plastic Pipes, 2 in	2PCIP	2"	12	Each
00051115165375	3M™ Fire Barrier Cast-In Device 3PCID for Plastic Pipes, 3 in	3PCID	3"	12	Each
00051115165382	3M™ Fire Barrier Cast-In Device 4PCID for Plastic Pipes, 4 in	4PCID	4"	6	Each



### 3M™ Fire Barrier Pass-Through Devices

3M, the industry leader in fire protection technology, has introduced a cable transit system designed to prevent the spread of fire and smoke where electrical, data and communication cables or pipes penetrate walls and floors. The 3M™ Fire Barrier Pass-Through Device passes the ASTM E814 Fire Test Standard and is fire-rated for up to 3 hours (dependent upon system application). 3M Fire Barrier Pass-Through Devices are UL classified and provide L-Ratings for additional life-safety protection.



Item Number	Description	Product ID	Description	QTY
00051115187735	3M™ Fire Barrier Pass-Through, 2" Round Device	PT2RD	2" Round Device	6
00051115187742	3M™ Fire Barrier Pass-Through, 2" Round Mounting Brackets (Pair)	PT2RMB	2" Round Mounting Brackets (Pair)	24
00051115165962	3M™ Fire Barrier Pass-Through, 2-1/2" Square Device	PT2.5SD	2-1/2" Square Device	6
00051115187513	3M™ Fire Barrier Pass-Through, 2-1/2" Square Triple Mounting Brackets (Pair)	PT2.5TMB	2-1/2" Square Triple Mounting Brackets (Pair)	24
00051115187506	3M™ Fire Barrier Pass-Through, 2-1/2" Square Single Mounting Brackets (Pair)	PT2.5SMB	2-1/2" Square Single Mounting Brackets (Pair)	24
00051115187544	3M™ Fire Barrier Pass-Through, 4" Round Mounting Brackets (Pair)	PT4RMB	4" Round Mounting Brackets (Pair)	24
00051115165986	3M™ Fire Barrier Pass-Through, 4" Round Device	PT4RD	4" Round Device	6

### 3M™ Fire Barrier Duct Wrap

Safer fiber construction. Shaft alternative for air and grease ducts. High flexibility for easy installation.

Item Number	Description	Size	QTY	UOM
00051115165535	3M™ Fire Barrier Duct Wrap 15A, 1.5" x 24" x 20 In. ft.	1½" x24" x20'	1	Roll
00051115165542	3M™ Fire Barrier Duct Wrap 15A, 1.5" x 48" x 20 In. ft.	1½" x48" x20'	1	Roll
00051115165559	3M™ Fire Barrier Duct Wrap 20A, 20" x 24 "x 20 In. ft.	2" x24" x20'	1	Roll
00051115165566	3M™ Fire Barrier Duct Wrap 20A, 20" x 48 "x 20 In. ft.	2" x48" x20'	1	Roll



### 3M™ Fire Barrier Mortar

This lightweight cementitious firestop with excellent adhesion bonds to concrete, metals, wood, plastic and cable jacketing. Superior chemical resistance. Bonds to itself. Ideal for large floor openings.


Item Number	Description	Size	QTY	UOM
00051115075599	3M™ Fire Barrier Mortar (44-Pound Bag)	44 lb	1	BG



### 3M™ Fire Barrier CS-195+ Composite Sheet

No mixing or damming required. UL testing up to 36 sq. ft. openings. Easy to install using common trade tools.

Item Number	Description	Description	Size	QTY	UOM
00051115074370	3M™ Fire Barrier CS-195+ Composite Sheet - 16" X 28" Boxed	Boxed	16" x28"	1	Each
00051115082603	3M™ Fire Barrier CS-195+ Composite Sheet, 28 in x 52 in	Bulk	28" x52"	1	Each
00051115072208	3M™ Fire Barrier CS-195+ Composite Sheet - 36" X 24" Boxed	Boxed	3'x2'	1	Each
00051115072222	3M™ Fire Barrier CS-195+ Composite Sheet - 36" X 36" Boxed	Boxed	3'x3'	1	Each
00051115072246	3M™ Fire Barrier CS-195+ Composite Sheet - 36" X 41" Boxed	Boxed	3'x41"	1	Each



### 3M™ Fire Barrier FS-195+ Wrap/Strip

One-part, intumescent strip. Can be cut to fit irregular shapes. Re-enterable, no special tools required.

Item Number	Description	Size	QTY	UOM
00051115071157	3M™ Fire Barrier FS-195+ Wrap/Strip - 2" X 24"	2" x24"	10	Each



### 3M™ Fire Barrier Pillows

Highly intumescent. Slides easily into and out of the opening. Just stack into place, no tools required.

Item Number	Description	Size	QTY	UOM
00051115165306	3M™ Fire Barrier Pillow FB249 (Nominally 2" x 4" x 9")	2" x4" x9"	24	Each
00051115165313	3M™ Fire Barrier Pillow FB269 (Nominally 2" x 6" x 9")	2" x6" x9"	16	Each
00051115165320	3M™ Fire Barrier Pillow FB369 (Nominally 3" x 6" x 9")	3" x6" x9"	20	Each



### 3M™ Fire Barrier Water Tight 3000 WT Silicone Sealants

3M™ Fire Barrier Water Tight Sealant 3000 WT is a premium, ready-to-use, single component, neutral cure, non-slumping, intumescent silicone sealant. The sealant cures upon exposure to atmospheric humidity to form a flexible seal.

Item Number	Description	Description	Size	Color	QTY	UOM
00051115165931	3M™ Fire Barrier Water Tight 3000WT Silicone Sealants	Cartridge	10.1 oz	Gray	12	CQ



### 3M™ Fire Barrier Water Tight Silicone Sealant 1000 NS

A non-slump silicone sealant ready-to-use, one component, silicone elastomer used to fire stop openings and penetrations through floor slabs, walls and other fire-related building partition and assemblies.

Item Number	Description	Description	Size	QTY	UOM
00051115115356	3M™ Fire Barrier Silicone Sealant 1000NS 10.1 Ounce (300ML) Tube	Tube	10.1 oz	12	CQ
50051115115375	3M™ Fire Barrier Silicone Sealant 1000NS 4.5 Gallon (17 Litre) Pail	Pail	4.5 gal	1	PA



### 3M™ FireDam™ Spray 200

One-part, water-based spray. Excellent movement capabilities. High coverage rates reduce installation time.



### 3M™ Scotchcast™ Electrical Insulating and Sealing Compound

3M™ Scotchcast™ 2130 is a flexible, permanent, urethane resin used for jacket repair or splicing portable cables. It is flame retardant and has MSHA approval number P-142-5.

Website: [www.3m.com/cosmeticredients](http://www.3m.com/cosmeticredients)



Item Number	Description	Product ID	Size
00054007502371	3M™ Scotchcast™ Flame Retardant Compound 2130-Part-A-5gal	2130-Part-A-5gal	5 gallon
00054007502388	3M™ Scotchcast™ Flame Retardant Compound 2130-Part-B-5gal	2130-Part-B-5gal	5 gallon
00054007314011	3M™ Scotchcast™ Flame Retardant Compound 2130B	2130B	5 gallon
00054007314028	3M™ Scotchcast™ Flame Retardant Compound 2130C	2130C	21.7 oz

### 3M™ Novec™ 1230 Fire Protection Fluid

3M™ Novec™ 1230 Fire Protection Fluid is a next-generation halon alternative designed to balance industry concerns for performance, human safety and the environment. Novec 1230 fluid the first chemical halon replacement option to non-sustainable technologies offering zero ozone depletion potential, 5-day atmospheric lifetime, and a global warming potential of one. It can be used in occupied areas. 3M™ Novec™ 1230 Fire Protection Fluid can effectively be applied in flooding, inerting and explosion suppression applications in: Data processing centers; Telecommunications; Commercial aviation; Military aviation; Military systems; Marine Oil & Gas Exploration; Transportation and Recreational vehicles.



Toll Free Number: 1-800 810 8513

Website: [www.3m.com/novec1230fluid](http://www.3m.com/novec1230fluid)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2- EA Credit 4: Enhanced Refrigerant Management; and LEED® EB v2.0- EA Credit 4 Additional Ozone Protection.

**Environmental/Energy Advantage:** With zero ozone depletion potential, extremely low global warming potential and short atmospheric lifetime, 3M™ Novec™ 1230 Fire Protection Fluid is the first chemical halon replacement to offer a viable, long-term, sustainable technology for special hazards fire protection.

Item Number	Description	Product ID	Size
00051135716335	3M™ Novec™ 1230 Fire Protection Fluid	1230	220 gal

### Slip Resistance

#### 3M™ Safety-Walk™ Slip-Resistant Conformable Treads 500 Series

Ideal for use on diamond-grade safety plates, steps and other irregular surfaces. Mineral coated slip-resistant with aluminum backing.



Item Number	Description	Size	Color	QTY	UOM
50048011192807	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 19280 Black, 2 in x 60 ft	2" x 60'	Black	2	Case
50048011192883	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 530, Safety Yellow Roll, 2 in x 60 ft	2" x 60'	Yellow	2	Case
50048011192814	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 19281 Black, 4 in x 60 ft	4" x 60'	Black	1	Case
50048011192890	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 530, Safety Yellow Roll, 4 in x 60 ft	4" x 60'	Yellow	1	Case
50048011192791	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 510, Black Tread, 6 in x 24 in	6" x 24"	Black	50	Case
50048011192821	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 510, Black Roll, 6 in x 60 ft	6" x 60'	Black	1	Case
50048011192906	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 530, Safety Yellow Roll, 6 in x 60 ft	6" x 60'	Yellow	1	Case
50048011192838	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 510, Black Roll, 12 in x 60 ft	12" x 60'	Black	1	Case
50048011192845	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 510, Black Roll, 18 in x 60 ft	18" x 60'	Black	1	Case
50048011192852	3M™ Safety-Walk™ Slip-Resistant Conformable Tread 510, Black Roll, 24 in x 60 ft	24" x 60'	Black	1	Case

## Slip Resistance, cont'd

### 3M™ Safety-Walk™ Slip-Resistant Coarse Tread 710

Extra-large mineral particles and more durable construction provide additional slip resistance in the most extreme conditions.

Item Number	Description	Size	Color	QTY	UOM
00048011347301	3M™ Safety-Walk™ Slip-Resistant Coarse Tread 710, Black, 4 in x 30 ft	4" x 30'	Black	1	Case
00048011347295	3M™ Safety-Walk™ Slip-Resistant Coarse Tread 710, Black, 6 in x 24 in	6" x 24"	Black	25	Case
00048011347318	3M™ Safety-Walk™ Slip-Resistant Coarse Tread 710, Black, 6 in x 30 ft	6" x 30'	Black	1	Case
00048011347349	3M™ Safety-Walk™ Slip-Resistant Coarse Tread 710, Black, 24 in x 30 ft	24" x 30'	Black	1	Case



### 3M™ Safety-Walk™ Slip Resistant Mat 5300

Mineral-coated slip resistant mat for greasy and oily areas such as foodservice kitchens and industrial applications.



## Safe Egress

### 3M™ Photoluminescent Film Series 6900

3M™ Photoluminescent Film Series 6900 is the ideal solution for emergency exits and directional signage in buildings, ships, ferries and railcars. Delivering performance you can count on, 3M™ Photoluminescent Film Series 6900 film meets and/or exceeds ASTM 2072, NFPA 101, IMO A.752.18, OSHA 1910 Means of Egress and 2000 International Building Code. Superior initial and retained luminosity; high conformability; superior PSA adhesion for easy installation; resists graffiti, chemicals and stains; no radioactive materials used in production; expected performance life of six (6) years; wide selection of signs and markings.



**Toll Free Number:** 1-800-553-1380

**Website:** [www.3M.com/tss](http://www.3M.com/tss)

**Environmental/Energy Advantage:** Long expected performance life minimizes removal of old material and reinstallation costs.

Item Number	Description	Product ID	Size	UOM
00051135232422	3M™ Photoluminescent Film Series 6900	6900	2" x 50yds	Roll

### 3M™ High Performance Photoluminescent Film 6900

3M™ Photoluminescent Film 6900 HPPL is the ideal solution for emergency exits and directional signage in buildings. 6900 HPPL delivers performance you can count on:

- Meets and exceeds NYC Building Code RS 6-1 and 6-1A,
- Superior initial and retained luminosity
- High conformability
- Superior PSA adhesion for easy installation to a variety of substrates
- Resists graffiti, chemicals and stains
- No heavy metals used in production
- Expected performance life: Six (6) years




### Scotch® 300 Series Barricade Tapes

These tapes are not only effective but economical as well-with 300 and 1000 feet of tape per roll. One roll has sufficient length to designate a large area. The Scotch® 300 Barricade Tapes are non-lead and each roll is individually shrink wrapped.



### 3M™ Hazard Warning Tape 766

A general purpose hazard marking vinyl tape for use in non-critical applications. Can be used to mark equipment pinch points and temporary floor marking around equipment or spills.



Item Number	Description	Size	Color	QTY	UOM
00021200431814	3M™ Hazard Warning Tape 766, 2 in x 36 yd	2" x36yds	Black/Yellow	24	Roll
00021200431821	3M™ Hazard Warning Tape 766, 3 in x 36 yd	3" x36yds	Black/Yellow	12	Roll

### 3M™ Hazard Warning Tape 767

Red and white stripe, 5.0 mil (0.125 mm) vinyl backing with rubber adhesive. Stripes promote employee safety by marking pinch points or gears on equipment. Provides temporary floor marking around equipment or spills. Mark risers on stairways or low-clearance areas.



Item Number	Description	Size	Color	QTY	UOM
00021200431869	3M™ Hazard Warning Tape 767, 2 in x 36 yd	2" x36yds	Red/White	24	Roll
00021200431876	3M™ Hazard Warning Tape 767, 3 in x 36 yd	3" x36yds	Red/White	12	Roll

### 3M™ Safety Stripe Tape 5700

Tape resists most common chemicals and solvents. Used to identify or mark traffic areas and physical hazards. The clear vinyl over the colored stripes help protect stripes from abrasion. The 5.4 mil total tape thickness resists snagging often associated with thicker products.



Item Number	Description	Product ID	Size	Color	QTY	UOM
00021200043673	3M™ Safety Stripe Tape 5700 Black/White, 2 in x 36 yd	5700	2" x 36yds	Black/White	24	Roll
00021200039546	3M™ Safety Stripe Tape 5700 Black/White, 3 in x 36 yd	5700	3" x 36yds	Black/White	12	Roll

### 3M™ Safety Stripe Tape 5702

Tape resists most common solvents. Used to identify or mark traffic areas and physical hazards. The clear vinyl over the colored stripes help protect stripes from abrasion. The 5.4 mil total tape thickness resists snagging often associated with thicker products.



Item Number	Description	Description	Size	Color	QTY	UOM
00021200045851	3M™ Safety Stripe Tape 5702, 2 in x 36 yd		2" x 36yds	Black/Yellow	24	Roll
00021200039515	3M™ Safety Stripe Tape 5702, 3 in x 36 yd		3" x 36yds	Black/Yellow	12	Roll
00021200039522	3M™ Safety Stripe Tape 5702, 4 in x 36yds	Bulk	4" x 36yds	Black/Yellow	8	Roll
00021200428920	3M™ Safety Stripe Tape 5702, 1 in x 36yds		1" x 36yds	Black/Yellow	36	Roll

### 3M™ Vinyl Tape 471

Ideal for many color-coding, abrasion protection, decoration, sealing, patching, splicing, wrapping and general purpose applications. Excellent for many lane-marking applications. Color throughout technology, easy to apply, use for color coding, marking and identification to aisles, lanes, hazard areas, tools and equipment.



Item Number	Description	Description	Size	Color	QTY	UOM
00021200031151	3M™ Vinyl Tape 471 Black, 1 in x 36 yd		1" x36yds	Black	36	Roll
00021200031212	3M™ Vinyl Tape 471 Blue, 1 in x 36 yd		1" x36yds	Blue	36	Roll
00021200031458	3M™ Vinyl Tape 471, Green, 1 in x 36 yd	Bulk	1" x36yds	Green	36	Roll
00021200031403	3M™ Vinyl Tape 471 Orange, 1 in x 36 yd		1" x36yds	Orange	36	Roll
00021200377419	3M™ Vinyl Tape 471 Purple 1 in x 36 yds	Bulk	1" x36yds	Purple	36	Roll
00021200031076	3M™ Vinyl Tape 471 Red, 1 in x 36 yd		1" x36yds	Red	36	Roll
00021200031007	3M™ Vinyl Tape 471 Transparent, 1 in x 36 yd		1" x36yds	Transparent	36	Roll
00021200031366	3M™ Vinyl Tape 471 White, 1 in x 36 yd		1" x36yds	White	36	Roll
00021200031281	3M™ Vinyl Tape 471 Yellow, 1 in x 36 yd		1" x36yds	Yellow	36	Roll
00021200031243	3M™ Vinyl Tape 471 Brown, 1 in x 36 yd		1" x36yds	Brown	36	Roll
00021200043062	3M™ Vinyl Tape 471 Black, 2 in x 36 yd		2" x36yds	Black	24	Roll
00021200043086	3M™ Vinyl Tape 471 Blue, 2 in x 36 yd		2" x36yds	Blue	24	Roll
00021200043093	3M™ Vinyl Tape 471 Brown, 2 in x 36 yd		2" x36yds	Brown	24	Roll
00021200043130	3M™ Vinyl Tape 471 Green, 2 in x 36 yd		2" x36yds	Green	24	Roll
00021200043123	3M™ Vinyl Tape 471 Orange, 2 in x 36 yd		2" x36yds	Orange	24	Roll
00021200484247	3M™ Vinyl Tape 471 Purple, 2 in x 36 yds,	Bulk	2" x36yds	Purple	24	Roll
00021200043055	3M™ Vinyl Tape 471 Red, 2 in x 36 yd		2" x36yds	Red	24	Roll
00021200043147	3M™ Vinyl Tape 471 Transparent, 2 in x 36 yd		2" x36yds	Transparent	24	Roll
00021200043116	3M™ Vinyl Tape 471 White, 2 in x 36 yd		2" x36yds	White	24	Roll
00021200303197	3M™ Vinyl Tape 471 Yellow, 2 in x 108 yd		2" x108yds	Yellow	6	Roll

### Enhanced Visibility

#### 3M™ Scotchlite™ Reflective Material

3M™ Scotchlite™ Reflective Material is the broad line of reflective products that incorporate patented retroreflection technology. Products are available through 3M or our global network of manufacturers of converted products.



#### 3M™ High Visibility Reflective Strips

3M™ High Visibility Reflective Strips respond to the need for improved visibility with 2-inch wide strips of an alternating red and white (silver) reflective tape. Guaranteed to meet NHTSA's minimum specs. All material is edge sealed. 2in x 18in, Alternating Red and White



Item Number	Description	Product ID	Description	Size	QTY	UOM
00051131034624	3M™ High Visibility Reflective Strips	03462	4pk	2in x 18in	1	Each

#### Scotch® Reflective Tape 198

1 in x 40 in reflective tape roll.

Item Number	Description	Product ID	Size	QTY
00051131533301	Scotch® Reflective Tape 198	198	1" x 40"	12



### 3M™ Vinyl Roll-Up Sign Sheeting Series RS30

Series RS30 vinyl roll-up sign sheeting consists of retroreflective microprisms formed on a flexible, glossy and UV-stabilized polymeric film, designed for the production of roll up traffic control signs. This sign sheeting is designed to provide higher nighttime sign brightness. Exceeds specification ASTM D 4956-04, Type VI.



### 3M™ Diamond Grade™ Flexible Fluorescent Drum Sheeting Series 3910

Series 3910 flexible fluorescent drum sheeting is a highly reflective, flexible, prismatic lens sheeting pre-coated with a pressure sensitive adhesive. This sheeting is used on reboundable, plastic substrate work zone traffic control devices such as drums, posts and tubes. Exceeds specification ASTM D 4956-04, Type IV, Reboundable.



### 3M™ Diamond Grade™ VIP Reflective Sheeting Series 3990

Series 3990 reflective sheeting is a highly reflective, durable, microprismatic sheeting used for signs that need to be highly visible in all light and weather conditions. Series 3990 reflective sheeting performs well at short sight distances. Meets specification ASTM D 4956-04, Type IX.

Website: <http://www.3M.com/tss>



Item Number	Description	Product ID	Size	Color
00051138390198	3M™ Diamond Grade™ VIP Reflective Sheeting	3990	36" x 50 yds	White

### 3M™ Diamond Grade™ Conspicuity Markings Series 983

Highly reflective prismatic lens sheeting with pressure sensitive adhesive for application to sides and rear of large trucks, trailers and other vehicles to increase their visibility, especially when the vehicle is turning or crossing roadways. Meets or exceeds all FMVSS 108 requirements and includes the DOT-C2 certification mark. Available in solid white, red/white, solid yellow and solid red.

Toll Free Number: 1-800-553-1380

Website: <http://www.3M.com/tss>

**Environmental/Energy Advantage:** The product is constructed by laminating layers of material with minimal use of solvents or emissions. The long service life minimizes sign replacement and disposal costs.



Item Number	Description	Product ID	Size	Color
00051138678272	3M™ Diamond Grade™ Conspicuity Marking	983-10 ES	3" x 150 ft	White

### 3M™ Diamond Grade™ DG<sup>3</sup> Reflective Sheeting

3M™ Diamond Grade™ DG<sup>3</sup> Reflective Sheeting provides higher luminance values than all other sheeting types at the distance most critical to drivers at 500 feet and closer. 3M™ Diamond Grade™ DG<sup>3</sup> Reflective Sheeting performs at the optimal level to counteract changes in today's driving environment. It is more visible to aging drivers, more effectively reflects low-emitting VOA headlamps, more efficient to accommodate wide observation and entrance angles, outstanding target value performance, greatly increased retroreflectivity efficiency, performs at all sight distances and overcomes the challenge of disadvantaged signs. High initial and retained retroreflectivity at multiple viewing angles. Fluorescent colors for improved visibility in daytime, twilight, and inclement weather as well as well as at night.



**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** The product is constructed by laminating layers of material with minimal use of solvents or emissions. The long service life minimizes sign replacement and disposal costs. May eliminate the need for external sign illumination (for example, on overhead guide signs). The product is designed to minimize environmental impacts from manufacturing to disposal. The manufacturing process for 3M's Prismatic Sheatings reduces VOC emissions by 97 percent, energy consumption by 77 percent and solid waste by 46 percent compared to encapsulated lens sheeting manufacturing processes.

Item Number	Description
00051135341865	3M™ Diamond Grade™ DG <sup>3</sup> Reflective Sheeting

### 3M™ High Intensity Prismatic Reflective Sheeting

Non-metalized microprismatic lens reflective sheeting designed for production of reflective durable traffic control signs, work zone devices and delineators that are exposed vertically in service. Provides long-term reflectivity and durability with an improved optical package to increase nighttime safety. Its unique prismatic construction provides a high level of retroreflectivity for multiple traffic control situations.



**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** The product is a construction of lamination layers with minimal solvent use or emissions. The long service life minimizes sign replacement and disposal costs. The product is designed to minimize environmental impacts from manufacturing to disposal.

The manufacturing process for 3M's Prismatic Sheatings reduces VOC emissions by 97 percent, energy consumption by 77 percent and solid waste by 46 percent compared to encapsulated lens sheeting manufacturing processes.

### 3M™ Scotchlite™ Removable Reflective Graphic Film with Comply™ Adhesive IJ680CR-10

Use this flexible, enclosed lens, 7-mil retroreflective film for long-term durable vehicle graphics, striping and vertical commercial signs. Available in 11 colors, the film has similar daytime and nighttime appearance, and retains most of its retroreflectivity even when totally wet. Film series 680CR can be screen printed or electrostatically imaged and film IJ680CR-10 can be piezo ink jet printed. Together, the Controltac(TM) and Comply adhesive technologies, including pressure activation, positionability and air release channels, allow the fastest and easiest bubble-free graphic installations, yet can be removed with heat, leaving little or no adhesive residue.



**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** Product imaged with low-solvent or solvent-free process when used with 3M™ Scotchal™ Series 9700 UV inks. Finished product (fleet marking or emblem) imaged without VOC. Retroreflectivity increases visibility.


### 3M™ Stamark™ Pavement Marking Tape Series 270 ES

Stamark 270 ES tape is a durable, patterned tape with a polyurethane top coat for retained reflectivity and a reinforcing net in the adhesive layer to minimize shear and tearing. Available in white and yellow, Series 270 ES is quickly and easily applied because it doesn't require surface preparation adhesive during the typical tape application season



### 3M™ Raised Pavement Markers Series 290

Durable, highly reflective markers may be applied to asphalt and Portland cement concrete road surfaces. Impact and weather resistant, Diamond Grade™ prismatic optics provide excellent wet and dry reflectance. Compatible with standard bitumen and epoxy adhesives; also available with pressure sensitive adhesive. Comes in white, yellow and blue.



### 3M™ Driver Feedback Signs

The 3M™ Driver Feedback Sign alerts drivers about their vehicle speed in real-time. This encourages speed limit compliance to improve safety and protect pedestrians. Hybrid pixels combine LED technology with 3M™ Diamond Grade™ Fluorescent Yellow Green Reflective Sheeting to stand out against cluttered backgrounds. Two display sizes are available. Signs come with software for programming and speed data collection and reporting.



### Post-it® Notes & Flags

#### Post-it® Flags 680-RYBG

Use these flags to mark, tab, highlight important points in a textbook or document. Flags stick securely and remove cleanly. This convenient four-pack gives you a total of 200 flags, 50 each of blue, green, red and yellow.



Item Number	Description	Product ID	Size	QTY
00021200522826	Post-it® Flags 680-RYBG	680-RYBG	1" x 1.719"	24

#### Post-it® Super Sticky Notes

Post-it® Super Sticky Notes stick practically anywhere! They are ideal for vertical and hard-to-stick-to surfaces, when you need your message to stay put and get noticed.



Item Number	Description	Product ID	Description	Size	Color	NSN	QTY
00051131949584	Post-it® Super Sticky Notes, 5845-SSAN	5845-SSAN	4 pads 45 sheet pads	5" x 8"	Neon	7510015573170	12
00021200976216	Post-it® Super Sticky Notes, 654-5SSA	654-5SSA	5 pads 90 sheet pads	3" x 3"	Asstd		24
00021200531224	Post-it® Super Sticky Notes, 654-5SSAN	654-5SSAN	5 pads 90 sheet pads	3" x 3"	Neon		24
00021200469091	Post-it® Super Sticky Notes, 654-5SST	654-5SST	5 pads 90 sheet pads	3" x 3"	Tropical		12
00021200531279	Post-it® Super Sticky Notes, 660-3SSAN	660-3SSAN	Lined, 3 pads 90 sheet pads	4" x 6"	Neon	7510015573137	12
00021200531255	Post-it® Super Sticky Notes, 675-6SSAN	675-6SSAN	Lined, 6 pads 90 sheet pads	4" x 4"	Asstd Neon	7510015573174	12
00021200507267	Post-it® Super Sticky Notes, 6445-SSP	6445-SSP	Unlined, 8 pads 45 sheet pads	4" x 6"	Neon	7510015573144	12
00021200507274	Post-it® Super Sticky Notes, 6845-SSP	6845-SSP	Unlined, 4 pads 45 sheet pads	8" x 6"	Neon	7510015573172	12

## Easel Pads

### Post-it® Self-Stick Easel Pad 559

This standard size Post-it® Easel Pad comes with Command™ attachments so it goes great on an Easel Stand or mounts easily on a conference room wall. Plus, you can roll it up for easy transportation. Great for any conference room.



Item Number	Description	Product ID	Description	Size	Color	QTY
00021200707261	Post-it® Self-Stick Easel Pad 559	559		25" x 30.5"	White	2
00051131981379	Post-it® Self-Stick Easel Pad 559-STB	559-STB	Table Top	25 in x 30 in (63.5 cm x 76.2 cm)	White	2

### Post-it® Tabletop Easel Pad 563R

Turn the tables in your favor with Post-it® Table Top Easel Pad. They give you all the advantages that Post-it® Self-Stick Easel Pads offer plus a built-in stand that sets up easily in just seconds. Look for them!



Item Number	Description	Product ID	Description	Size	Color	NSN	QTY
00021200436338	Post-it® Tabletop Easel Pad 563R	563R	20sheets/pad, 6pads/cs, retail	20" x 23"	White	7530015573176	6

## Document Protection

### Scotch® Laminating Sheets

Instant, permanent document laminating without heat or hassle. Protects your larger documents. Easy to use...no special tools or equipment needed. Ultra-clear to let important information show through. Ten laminating sheets per pack.



Item Number	Description	Product ID	Description	Size	QTY
00021200593994	Scotch® Laminating Sheets, Letter Size LS854WC	LS854WC	Glossy, 25/box	9 1/16" x 11 5/8"	12
00021200594175	Scotch® Laminating Sheets, Letter Size LS854-10G	LS854-10G	Glossy, 10pk	9 1/16" x 11 5/8"	24

### Scotch® Laminating Dispenser W/Cartridge LS950VAD

No-heat, no electricity, no waiting - cold lamination process. Great for presentations, phone lists, art projects and other frequently used documents. 1 Laminator with 5 dual laminating film cartridges for items up to 8.5" wide.



Item Number	Description	Product ID	QTY
50021200974743	Scotch® Laminating Dispenser W/Cartridge 5 DL951 cartridges & 1 dispenser	LS950VAD	1

### 3M™ Print to Last Paper

3M™ Print to Last Paper provide excellent permanent documentation solutions that are extremely hard to tear, waterproof, and remarkably resistant to damage by oil, alcohol, mud or other conditions that you may find in any outdoor or unfavorable environment.



Item Number	Description	Product ID	Description	Size
00051125606134	3M™ Print to Last Paper FP3712	FP3712	100/500	8.5" X11"

## 3M™ Overhead Projector Model 2660


Small but powerful, this 11-pound feature-packed 3M Overhead Projector Model 2660 has three lenses for sharp images. Brightness: 2500 lumens Warranty: 1-year

Item Number	Description	Product ID	Description
00051125599283	3M™ Portable Overhead Projector Model 2660	2660	Brightness: 2500 lumens, Warranty: 1-year



## 3M™ Multipurpose Transparency Film CG6000


3M™ Multipurpose Transparency Film CG6000 is the right choice for almost all black-and-white copiers and black-and-white or color inkjet or laser printers. 8 1/2" x 11" 65 sheets



## 3M™ Transparency Film CG3300

CG3300 is a clear transparency film that is used to create crisp, uniform transparencies. Guaranteed for use in black-and-white laser printers. 8.5" x 11" 50 sheets

Item Number	Description	Product ID	Description	Size	Color	QTY
00051125018661	3M™ Transparency Film CG3300	CG3300	50 per box	8 1/2" x 11"	Clear	5



## 3M™ Digital Wall Display Plus Series

The 3M™ Digital Wall Display Plus Series is an all inclusive display system. It incorporates an integrated XGA digital projector, dry erase board, digital whiteboard (9200 IW & 9200IC) and stereo sound system into one, mobile or easy-to-install solution for the classroom, meeting room, or command center.

Item Number	Description	Product ID	Description	QTY
00051125608923	3M™ Digital Wall Display 9200IC Plus	9200IC Plus	Integrated Projector, Dry Erase Screen, Powerful Speakers, Interactive Whiteboard, Remote Collaboration, Copyboard.	1
00051125608930	3M™ Digital Wall Display 9200IW Plus	9200IW Plus	Integrated Projector, Dry Erase Screen, Powerful Speakers, Interactive Whiteboard, Remote Collaboration	1



## 3M™ Digital Board

Present and share your presentations more dynamically with the 3M™ Digital Board. It's a dry erase board that can electronically capture notes; has a playback feature even for erased notes; can display images to annotate with a digital pen and more!

Item Number	Description	Product ID	Description
00051125609807	3M™ Digital Board DB565	DB565	65" Diagonal Screen
00051125609814	3M™ Digital Board DB578	DB578	78" Diagonal Screen



## 3M™ Digital Projector X20

A True XGA (1024 x 768) LCD projector, lightweight model. Weighing less than 4 lbs., this 2000 lumen, 4:3 aspect ratio projector delivers a crisp image from 30-300 inches-perfect for almost any office, classroom, or small space screen.



**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)

Item Number	Description	Product ID	QTY	UOM
00051125631310	3M™ Digital Projector X20	X20	1	Case

## 3M™ Digital Projector X95

For the projection needs that call for maximum brightness to fill a large room but still reach the audience, the 3M Digital Projector X95 is the one to have. Boasting 5000 lumens, this XGA projector is ideal for larger boardrooms, classrooms, and auditoriums. Lens shift capabilities make for easy placement in virtually any room, and the multiple security features give you peace of mind that your assets are protected



**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)

Power Consumption: 385W (Normal Mode), 320W (Whisper Mode)

Item Number	Description	Product ID	QTY	UOM
00048011614038	3M™ Digital Projector X95	X95	1	Case

## Work Station Essentials

### Command™ Poster Strips 17024

Secure posters, calendars and other lightweight objects firmly to a wall, without sagging or falling down. Like all Command products, poster strips remove without surface damage. 12 small strips per pack.



Item Number	Description	Product ID	Description	QTY
00051131659889	Command™ Poster Strips 17024	17024	12/Pk	36
00051131830950	Command™ Poster Strips 17024	17024Y	Young/Fun Design, 12/pack	36

### Command™ Cord Organizer Pack and Adhesive Strips

Organize cords behind computers, appliances and entertainment centers. They remove cleanly and may be reused with a new Command adhesive strip. Contains 2 trees of Medium Cord Clips, 1 tree of Small Cord Clips and 1 Decorative Bundler, 10 Small strips, 12 Mini Strips and 2 Medium Strips.



Item Number	Description	Product ID	Description	QTY
00051131832831	Command™ Cord Organizer Pack and Adhesive Strips	17379	Strips and Cord Organizer Pack	36



### ⚠️ RESPIRATORY WARNING

These respirators help reduce exposure to certain airborne contaminants. Before use, the wearer must read and understand the USER Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M OH&ESD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

### ⚠️ WARNING: EYE & FACE PROTECTION PRODUCTS

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and / or splash see supervisor, read User Instructions and warnings on the package or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

### ⚠️ WARNING: HEARING PROTECTION PRODUCTS

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

### ⚠️ WARNING: SORBENTS PRODUCTS

Failure to properly handle and dispose of sorbents contaminated by hazardous materials can result in serious physical injury or death and/or environmental harm. For proper handling, consult the Material Safety Data Sheet for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

### ⚠️ WARNING: HARD HAT PRODUCTS

These hard hats provide limited protection only. Misuse or failure to follow warning and instructions may result in serious personal injury or death. For proper use see supervisor, read instructions and warning on the package or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

### Gas Detection Warning

These instruments help monitor for the presence and concentration level of certain specified airborne gases. Misuse may produce an inaccurate reading which means that higher levels of the gas being monitored may be present and could result in overexposure and **cause sickness or death**. For instruments with an oxygen sensor installed, misuse may produce an inaccurate reading where lower or higher levels of oxygen may be present and **cause sickness or death**.

Each person using this equipment must read and understand the information in the User Instructions before use. Use of this equipment by untrained or unqualified persons, or use that is not in accordance with the User Instructions, may adversely affect product performance and result in sickness or death. For proper use, see supervisor or User Instructions, or call 3M OH&ESD Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

**3M™ Particulate Respirator 8210, N95**

Is designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction helps promote greater worker acceptance and comfort and increased wear time.

Item Number	Description	Product ID	QTY	UOM
50051138464573	3M™ Particulate Respirator 8210, N95	8210	160	Case

**3M™ Particulate Respirator 8511, N95**

Minimum 95% filtration efficiency. Features M-noseclip, 3M™ Cool Flow™ Exhalation Valve for cool dry comfort, comfortable braided headbands.

Item Number	Description	Description	QTY	UOM
50051138543438	3M™ Particulate Respirator 8511, N95	80/Cs	80	Case

**3M™ Particulate Respirator with Nuisance Level Organic Vapor Relief 8577, P95**

Designed to help provide comfortable, reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels\*\* of organic vapors. Features the 3M™ Cool Flow™ Exhalation Valve for cool, dry comfort, and M-noseclip to help provide a custom fit and secure seal.

\*\*Nuisance level refers to concentrations below the OSHA PEL/OEL or applicable exposure limits, whichever is lower.

Item Number	Description	Description	QTY	UOM
50051138543711	3M™ Particulate Respirator 8577, P95, with Nuisance Level Organic Vapor Relief	80/Case	80	Case

**3M™ Particulate Respirator 9210, N95**

Comfortable, lightweight and convenient. Three panel respirator, low profile and conforms to a wide range of faces. Individually packaged for easier handling and storage. Additional features include soft nose foam pad and Advanced Electret Media.

Item Number	Description	Description	QTY	UOM
50051131370215	3M™ Particulate Respirator 9210, N95	240/Cs	240	Case

**3M™ Particulate Respirator 9211, N95**

Is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is ideally suited for work settings that involve heat, humidity, or long periods of wear.

Item Number	Description	Description	QTY	UOM
50051131370222	3M™ Particulate Respirator 9211, N95	120/Cs	120	Case



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See Product  WARNING on page 18.

## Respirators, Filtering Facepiece Respirators, cont'd

### 3M™ Particulate Respirator 8200, N95

N95 respirator designed to help provide reliable protection against certain non-oil based particles. Low priced N95 that features Advanced Electret Media, adjustable noseclip and nose foam to help provide a custom fit and secure seal.



## Respirators, 6000 & 7500 Series

### 3M™ Half Facepiece Respirator 6000 Series, Reusable

3M™ Half Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



Item Number	Description	Product ID	Size	QTY	UOM
50051131070245	3M™ Half Facepiece 6100/07024(AAD), Small	6100	Small	24	Case
50051131070252	3M™ Half Facepiece 6200/07025(AAD), Medium	6200	Medium	24	Case
50051131070269	3M™ Half Facepiece 6300/07026(AAD), Large	6300	Large	24	Case

### 3M™ Full Facepiece Respirator 6000 Series, Reusable

3M™ Full Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093 P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



Item Number	Description	Product ID	Size	QTY	UOM
50051138541458	3M™ Full Facepiece 6700, Small	6700	Small	4	Case
50051138541465	3M™ Full Facepiece 6800, Medium	6800	Medium	4	Case
50051138541595	3M™ Full Facepiece 6900, Large	6900	Large	4	Case
50051138767018	3M™ Full Facepiece 6700DIN, Small	6700DIN	Small	4	Case
50051138767025	3M™ Full Facepiece 6800DIN, Medium	6800DIN	Medium	4	Case
50051138767032	3M™ Full Facepiece 6900DIN, Large	6900DIN	Large	4	Case

### 3M™ Half Facepiece Respirator 7500 Series, Reusable

This half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M™ Cool Flow™ Exhalation Valve, enhances wearer comfort. It's made from a durable silicone and can be used with any of the 3M™ Filters and Cartridges, Series 2000, 6000 and 7093.



Item Number	Description	Product ID	Size	QTY	UOM
50051131370819	3M™ Half Facepiece 7501/37081 (AAD), Reusable, Small	7501	Small	10	Case
50051131370826	3M™ Half Facepiece 7502/37082 (AAD), Reusable, Medium	7502	Medium	10	Case
50051131370833	3M™ Half Facepiece 7503/37083 (AAD), Reusable, Large	7503	Large	10	Case

All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.  
 Note: See Product WARNING on page 18.

## Respirators, 6000 & 7500 Series, cont'd

### 3M™ Particulate Filter 2071, P95 100/Case

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bayonet filter holders.



Item Number	Description	Description	QTY	UOM
50051138543568	3M™ Particulate Filter 2071, P95 100/Case	100/Cs	100	Case

### 3M™ Respirator Cleaning Wipe 504, Alcohol-Free

Alcohol-free cleaning wipes. Individually packaged. Will not damage the facepiece material. 8" x 10" folded, individually wrapped towelettes stored in a convenient box dispenser.



Item Number	Description	Description	QTY	UOM
50051131070658	3M™ Respirator Cleaning Wipe 504/07065(AAD), Alcohol-Free, Individually Packaged	500/Cs	500	Case

## Respirators, Belt-Mounted PAPR System

### 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly

Ideal for use during a post event clean-up effort, this NIOSH-approved respirator system includes a belt-mounted PAPR assembly, breathing tube, lightweight headgear with wide-view lens and organic vapor/high efficiency cartridge. It is ideal for use when you need mobility.



Item Number	Description	Product ID	QTY	UOM
00051138291969	3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly	GVP-1	1	Case
00051138462277	3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly	GVP-1U	1	Case
00051131527720	3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly	GVP-CB	1	Each

### 3M™ High Efficiency Filter GVP-440

This cartridge helps provide particulate protection and is used with the 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



Item Number	Description	Description	NSN	QTY	UOM
50051138292190	3M™ High Efficiency Filter GVP-440 8/Case	1/Cs	N	8	Case

### 3M™ Organic Vapor/High Efficiency Cartridge GVP-441/07196

This cartridge is used with the 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



Item Number	Description	Description	NSN	QTY	UOM
50051131071969	3M™ Organic Vapor/High Efficiency Cartridge GVP-441/07196(AAD)	1/Cs	N	6	Case

All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.  
 Note: See Product WARNING on page 18.

Respirators, Belt-Mounted PAPR System, cont'd

### 3M™ Organic Vapor/Acid Gas/High Efficiency Cartridge GVP-443

This cartridge is used with the 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.

Item Number	Description	Description	NSN	QTY	UOM
50051138292220	3M™ Organic Vapor/Acid Gas/High Efficiency Cartridge GVP-443	1/Cs	N	6	Case



Respirators, Breathe Easy™ PAPR Assembly

### 3M™ Breathe Easy™ Turbo Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly

This assembly is used on 3M™ Breathe Easy™ Systems. It includes 3M™ Motor Blower 022-00-03R01, Battery Pack BP-15 (Nickel Metal Hydride), Belt 520-02-90R01 and Airflow Indicator 520-01-21.

Item Number	Description	Product ID	QTY	UOM
00051138728373	3M™ Breathe Easy™ Turbo Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly 520-15-00, Standard 1/Case	520-15-00	1	Case



### 3M™ Breathing Tube Assembly 520-01-77

This 34" breathing tube, with clamp, is used on 3M™ Breathe Easy™ Powered Air Purifying Respirator (PAPR) Systems and Rapid Response Powered Air Respirator (RRPAS) Systems.

Item Number	Description	Description	NSN	QTY	UOM
00051138720810	3M™ Breathing Tube Assembly 520-01-77, with clamp	1/Cs	N	1	Case



### 3M™ Battery Pack BP-15, NiMH

This is a new battery pack for the 3M™ Breathe Easy™ Turbo Powered Air Purifying Respirator (PAPR), (520-15-00). The new Nickel Metal Hydride (NiMH) technology allows greater user comfort and faster charging capabilities.

Item Number	Description	Product ID	QTY	UOM
00051131916449	3M™ Battery Pack BP-15, NiMH	BP-15	1	Case



### 3M™ Battery Pack 520-04-57R01

Used with 3M™ Breathe Easy™ Systems. This battery provides the power for the system to operate as a powered air purifying respirator. This 12 hour battery has a ten year shelf life, however is not rechargeable.

Item Number	Description	Description	NSN	QTY	UOM
00051138720629	3M™ Battery Pack 520-04-57R01, Lithium	1/Cs	N	1	Case



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.  
 Note: See Product  WARNING on page 18.

**3M™ Hood BE-10L-3 (Formerly 522-02-17R03) White, Large, Tychem® QC\***

Used with 3M™ Air-Mate™ and Breathe Easy™ Powered Air Purifying Respirators (PAPR) and 3M™ BE-Series Supplied Air Hood Systems. This is a lightweight, durable hood that helps provide protection for a wide range of applications.

\*Tychem is a registered trademark of DuPont.



Item Number	Description	Product ID	Description	Size	Color	QTY
50051138724349	3M™ Hood BE-10L-3	BE-10L-3	Tychem® QC	Large	White	3

**3M™ Hood BE-10-3 (Formerly 522-01-11R03)**

Used with 3M™ Air-Mate™ and Breathe Easy™ Powered Air Purifying Respirators (PAPR) and 3M™ BE-Series Supplied Air Hood Systems. It's a lightweight, comfortable hood that helps provide protection for a wide range of applications.



Item Number	Description	Product ID	Description	Size	Color	QTY
50051138720884	3M™ Hood BE-10-3	BE-10-3	Tychem® QC	Regular	White	3

**3M™ Breathing Tube Assembly 520-01-00R01**

This assembly, 36" in length, is used with the 3M™ Breathe Easy™ 10 System. It delivers air to either the Tychem® QC\* hood or butyl rubber hood used on the system.

\*Tychem is a registered trademark of DuPont.



Item Number	Description	Product ID	QTY	UOM
00051138720797	3M™ Breathing Tube Assembly 520-01-00R01	520-01-00R01	1	Case

**3M™ Smart Battery Charger BC-210**

For use with the 3M™ Battery Pack BP-15 and 3M™ Breathe Easy™ Turbo Powered Air Purifying Respirator Assembly 520-15-00.



Item Number	Description	Product ID	QTY
00051131917149	3M™ Smart Battery Charger BC-210	BC-210	1

**3M™ Cartridge FR-57/453-03-02R06**

NIOSH-approved for: Organic Vapor, Acid Gas (Sulfur Dioxide, Chlorine and Hydrogen Chloride), Ammonia/Methylamine, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde, and HE Filter. Can also filter a wide range of chemical warfare agents such as: Nerve agents, Mustard agents, Tear agents, Blood agents, Chlorine, Phosgene, Chloropicrin, and Diphenylchloroarsine. Approved for use with 3M™ Breathe Easy Turbo™ with R-Series Hoods and 6000DIN.



Item Number	Description	Product ID	QTY
50051138729177	3M™ Cartridge FR-57/453-03-02R06	FR-57/453-03-02R06	6

All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See Product  WARNING on page 18.

## Respirators, Breathe Easy™ PAPR Assembly, cont'd

### 3M™ High Efficiency Cartridge 450-00-01R12, P3

NIOSH approved for use with 3M™ Breathe Easy™ Systems. Helps provide respiratory protection against airborne particulates.

Item Number	Description	Product ID	QTY	UOM
50051138720006	3M™ High Efficiency Cartridge 450-00-01R12, P3	450-00-01R12	12	Case




## Respirators, Systems

### 3M™ RRPAS™ Rapid Response Powered Air Purifying Respirator System

A Powered Air Purifying Respirator System that is stored in a unique carrying bag that transitions into a vest with a PAPR in place and ready to use. FR-57L68 and FR-57L69 contains a 10 year shelf life lithium battery. FR-57N68 and FR-57N69 contain a rechargeable NiMH battery.

Item Number	Description	Product ID	Description	Size	QTY	UOM
00051131526563	3M™ RRPAS™ Rapid Response Powered Air Purifying Respirator System	FR-57L68	Lithium Battery	Medium	1	Case
00051131526587	3M™ RRPAS™ Rapid Response Powered Air Purifying Respirator System	FR-57L69	Lithium Battery	Large	1	Case
00051131526570	3M™ RRPAS™ Rapid Response Powered Air Purifying Respirator System	FR-57N68	Rechargeable NiMH battery	Medium	1	Case
00051131526594	3M™ RRPAS™ Rapid Response Powered Air Purifying Respirator System	FR-57N69	Rechargeable NiMH battery	Large	1	Case



### 3M™ Breathe Easy™ Butyl Rubber Hood Powered Air Purifying Respirator (PAPR) System FR-57N10

Uses the 3M™ Cartridge FR-57/453-03-02R06 and a lightweight butyl rubber hood for excellent protection. FR-57N10 contains a NiMH Battery, FR-57L10 contains a Lithium Battery. Both models include cartridge FR-57. 1/Case

Item Number	Description	Product ID	Description	QTY	UOM
00051131525719	3M™ Breathe Easy™ Butyl Rubber Hood Powered Air Purifying Respirator (PAPR)	FR-57N10	NiMH Battery	1	Case
00051131525702	3M™ Breathe Easy™ Butyl Rubber Hood Powered Air Purifying Respirator (PAPR)	FR-57L10	Lithium Battery	1	Case



### 3M™ Mold Remediation Respirator Kit

Everything you need in full facepiece respiratory protection for mold remediation in one kit. Includes a 3M™ Full Facepiece 6000 and two pairs of 3M™ Particulate Filters 2097 P100, to help reduce exposure to mold and low level organic compounds produced by mold. An additional chemical cartridge may be needed for exposure to disinfectants.

Item Number	Description	Product ID	Description	Size	QTY	UOM
50051131527916	3M™ Mold Remediation Respirator Kit 67097, Small	67097	2 Kits/Case	Small	2	Case
50051131527923	3M™ Mold Remediation Respirator Kit 68097, Medium	68097	2 Kits/Case	Medium	2	Case
50051131527930	3M™ Mold Remediation Respirator Kit 69097, Large	69097	2 Kits/Case	Large	2	Case



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.  
 Note: See Product WARNING on page 18.

### 3M™ Qualitative Fit Test Apparatus FT-10, Sweet

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any gas and vapor respirator with a particulate prefilter to test face-to-respirator seal. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use. The fit test works by spraying a sweet solution into the hood environment. If the wearer does not detect the test agent's taste, an acceptable fit has been demonstrated. Contains a laminated instruction booklet, sensitivity solution, fit test solution, two nebulizers, one hood and collar assembly and replacement nebulizer inserts.



Item Number	Description	Description	NSN	QTY	UOM
00051138163587	3M™ Qualitative Fit Test Apparatus FT-10, Sweet	1/Cs	N	1	Case

### 3M™ Qualitative Fit Test Apparatus FT-30, Bitter

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any gas and vapor respirator with a particulate prefilter to test face-to-respirator seal. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use. The fit test works by spraying a bitter solution into the hood environment. If the wearer does not detect the test agents taste, an acceptable fit has been demonstrated. Includes laminated instruction booklet, two nebulizers, one hood and collar assembly, sensitivity solution, fit test solution and replacement nebulizer inserts.



Item Number	Description	Description	NSN	QTY	UOM
00051138542030	3M™ Qualitative Fit Test Apparatus FT-30, Bitter	1/Cs	N	1	Case

## Eye, Hearing & Head Protection

### AOSafety™ 332 Impact Goggles

Effective Protection, Value-Priced. Features tough Duralite® Polycarbonate Lens with 99.9% UV Protection.

- Impact-resistant polycarbonate lens
- Meets the requirements of ANSI-Z87.1-2003

Item Number	Description	Product ID	Color
40650-00000	332 Impact Goggle Clear Lens	40650-00000	Clear



### AOSafety™ 334 Chemical Splash Goggles

Effective Protection, Value-Priced. Features tough Duralite® Polycarbonate Lens absorbs 99.9% UV

- Impact-resistant polycarbonate lens

Item Number	Description	Product ID	Color
40660-00000	334 Chemical Splash Goggle Clear Lens	40660-00000	Clear



### AOSafety™ 484 Splash Goggles with Clear Frame and Clear Lens

The 484 Splash Goggle helps reduce exposure to a variety of eye hazards including impact, splash and dust.

- Impact-resistant polycarbonate lens
- Indirect venting for maximum ventilation
- Meets the requirements of ANSI Z87.1-2003 and CSA Z94.3-2007
- DX™ anti-fog hard coat protects lens from fog, scratching, and most chemicals



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.  
 Note: See Product  WARNING on page 18.

Eye, Hearing & Head Protection, cont'd

**AOSafety™ Virtua™**

- Meets the requirements of ANSI Z87.1-2003
- Sleek - Styling with both men and women
- Lightweight - Less than 1 oz
- Contoured flexible temples for comfortable fit
- DX™ anti-fog hard coat protects against lens from fog, scratching, and most chemicals.



Item Number	Description	Product ID	Color	QTY	UOM
11326-00000	Virtua™ Clear Temples, Clear Lens (Hardcoat)	11326-00000	Clear	10	Case
11329-00000	Virtua™ Clear Temples, Clear Lens (Anti-fog)	11329-00000	Clear	10	Case
11327-00000	Virtua™ Gray Temples, Gray Lens (Hardcoat)	11327-00000	Gray	10	Case

**AOSafety™ GoggleGear™ for Lexa™ with Black Frame and Clear Lens with Strap, Large 16618-00000**

- Vent channels at top and bottom for improved air flow
- Light weight for improved comfort.
- Soft foam backing seals out particulates
- Meets the requirements of ANSI Z87.1-2003 and CSA Z94.3.-2007



**AOSafety™ Nassau™ Plus, Fighter with Black Temple and Clear Lens, Bulk Pack 14347-00000**

- DX™ anti-fog hard coat protects lens from fog, scratching, and most chemicals.
- Duralite® Polycarbonate lenses absorb 99.9% of UV rays
- Meets the requirements of ANSI-Z87.1 -2003 and CSA Z94.3-2007.



**AOSafety™ Nassau Rave™ with Black Frame and Gray Lens 14453-00000**

- New, patented "Vertically Vented" brow guard
- Lens angle and temple length are adjustable for a custom fit
- DX™ anti-fog hard coat protects lens from fog, scratching, and most chemicals
- Meets the requirements of ANSI-Z87.1 -2003 and CSA Z94.3-2007



**AOSafety™ Virtua™ V10, Clear Hardcoat Lens 11722-00000**

- Popular sport styling
- Adjustable length temple
- Soft nosebridge
- Durable polycarbonate lens construction; Lens absorbs 99.9% UV
- Meets the requirements of ANSI-Z87.1 -2003 and CSA Z94.3-2007



**AOSafety™ Virtua™ Sport, Light Amber Hardcoat Lens 11545-00000**

- Sporty, sleek unisex styling
- Polycarbonate construction
- Absorbs 99.9% UV
- Excellent side coverage
- Light amber hardcoat lens (improves visual acuity)
- Meets the requirements of ANSI-Z87.1 -2003 and CSA Z94.3-2007



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.  
 Note: See Product  WARNING on page 18.

### AOSafety™ Virtua™ V4 Black Temple/Gray overmold

- Soft, dual injected temples for comfortable all day wear
- Popular unisex styling
- Rugged polycarbonate lens construction
- Lightweight
- Meets the requirements of ANSI-Z87.1 -2003



Item Number	Description	Product ID	Color	QTY	UOM
11671-00000	Virtua V4 Black Temple/Gray overmold, Gray Hardcoat Lens	11671-00000	Gray	10	Case
11674-00000	Virtua V4 Black Temple/Gray overmold, Indoor/Outdoor Mirror Lens	11674-00000	Mirror	10	Case
11672-00000	Virtua V4 Black Temple/Gray overmold, Clear Anti-fog Lens	11672-00000	Clear	10	Case

### AOSafety™ Virtua™ V7, Clear Temples, Clear Hardcoat Lens 11691-00000

- Frameless unisex design
- Soft nosebridge
- Durable polycarbonate lens construction
- Lens absorbs 99.9% UV
- Meets the requirements of ANSI-Z87.1 -2003



### AOSafety™ Virtua™ V8, Black Temples, Clear Anti-fog Lens 11702-00000

- Popular unisex styling
- Adjustable length temple, Lens angle adjustment
- Full lens wrap with excellent coverage
- Durable polycarbonate lens construction, Lens absorbs 99.9% UV
- Meets the requirements of ANSI-Z87.1 -2003



### AOSafety™ Moon Dawg™ Safety Eyewear, Black Frame, Gray Anti-fog Lens 11215-00000

- Surf-inspired design
- Wide temples provide excellent side coverage
- Polycarbonate lenses absorb 99.9% UV
- Gray anti-fog lens
- Meets the requirements of ANSI-Z87.1 -2003 high impact



### AOSafety™ X.Sport™ with Silverized Temple and Clear Lens 15182-00000

- Sleek temples hug the head for ultimate comfort
- 7.5 Base curve lens provides maximum coverage and field of vision
- DX™ anti-fog hard coat protects lens from fog, scratching, and most chemicals.
- Soft nose bridge
- Meets the requirements of ANSI-Z87.1 -2003 and CSA Z94.3-2007



### AOSafety™ BX™ Reader, Silver/Black Frame, Clear +1.50 Diopter 11374-00000

- Adjustable soft tip temples
- Soft nose bridge
- Polycarbonate lens absorbs 99.9% UV
- Three lens angles for custom fit
- Meets the requirements of ANSI-Z87.1 -2003 and CSA Z94.3-2007



### AOSafety™ Flywear™ Black Frame, Gray Lens 11201-00000

- Popular dual lens "fly-eye" styling
- Sport-grip temple for superior fit & comfort.
- DX™ anti-fog hard coat protects lens from fog, scratching, and most chemicals
- Polycarbonate lenses absorb 99.9% UV
- Meets the requirements of ANSI-Z87.1 -2003 and CSA Z94.3-2007




**E-A-Rsoft™ Yellow Neons™ "Regular Size" Uncorded in Poly Bag 312-1250**

- NRR\* 33dB-Highest NRR available
- Self-adjusting foam provides low pressure with excellent attenuation
- Smooth, soft foam for outstanding comfort

**E-A-Rsoft™ Yellow Neons™ "Regular Size" Corded in Poly Bag 311-1250**

- NRR\* 33dB-Highest NRR available
- Self-adjusting foam provides low pressure with excellent attenuation
- Smooth, soft foam for outstanding comfort

**E-A-R™ UltraFit™ Plugs 340-4003**

- NRR\* 25dB
- Patented flange design provides comfortable fit
- Conforms to oval shape of ear
- Washable, promotes worker hygiene
- No rolling or touching plug portion during insertion

**E-A-R™ UltraFit™ Plugs with Cotton Cord 340-4036**

- NRR\* 25dB
- Patented flange design provides comfortable fit
- Conforms to oval shape of ear
- Washable, promotes worker hygiene
- No rolling or touching plug portion during insertion

**E-A-R™ Earmuffs - Model 3000 330-3002**

- NRR\* 26dB when headband is worn behind-the-head
- Can be worn with headband over-the-head, behind-the-head, or under-the-chin
- Made of durable, lightweight, non-conductive plastic

**E-A-R™ Poly Con Carrying Case 390-9003**

- Carrying case for convenient and hygienic storage

**NRR Footnote**

\*Research suggest that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

### Peltor™ Optime™ 98 Over-the-Head Earmuffs H9A

- Lightweight - headband
- NRR\* 25 dB
- Dual low pressure bands improve comfort
- Broad foam cushions provide low surface pressure



### Peltor™ Optime™ - Helmet Attachable Earmuff H9P3E

- Lightweight - helmet attachment
- NRR\* 23 dB
- Dual low pressure bands improve comfort
- Broad foam cushions provide low surface pressure



### AOSafety™ Hi-Viz Orange XLR8™ Hard Hat with 6-pt. Pinlock Suspension

- Revolutionary design with real hard hat wearers in mind
- Customize w/ "Quick Snap" suspension and universal accessory slots
- Value priced 6-pt pinlock suspension
- Woven nylon suspension for ultimate comfort
- Fully dielectric / meets ANSI Z89.1-2003 Type 1, Class C, G, E



SKU	Description	Product ID	Color
45963-00001	Yellow XLR8™ Hard Hat with 6-pt. Pinlock Suspension	45963-00001	Yellow
45964-00001	White XLR8™ Hard Hat with 6-pt. Pinlock Suspension	45964-00001	White
45965-00001	Blue XLR8™ Hard Hat with 6-pt. Pinlock Suspension	45965-00001	Blue
45967-00001	Red XLR8™ Hard Hat with 6-pt. Pinlock Suspension	45967-00001	Red
45968-00001	Hi-Viz Orange XLR8™ Hard Hat with 6-pt. Pinlock Suspension	45968-00001	Orange

### AOSafety™ XLR8™ Hard Hat with 6-pt. Ratchet Suspension

On the outside, the XLR8's lightweight, polyethylene shell provides excellent impact resistance. On the inside is the industry's most wearer-friendly suspension systems available with custom-fitting capabilities, added ventilation and maximum comforts.

- Revolutionary design with real hard hat wearers in mind
- Customize w/ "Quick Snap" suspension and universal accessory slots
- Value priced 6-pt pinlock suspension
- Woven nylon suspension for ultimate comfort
- Fully dielectric / meets ANSI Z89.1-2003 Type 1, Class C, G, E



SKU	Description	Product ID	Color
45969-00001	Yellow XLR8™ Hard Hat with 6-pt. Ratchet Suspension	45969-00001	Yellow
45971-00001	Blue XLR8™ Hard Hat with 6-pt. Ratchet Suspension	45971-00001	Blue
45973-00001	Red XLR8™ Hard Hat with 6-pt. Ratchet Suspension	45973-00001	Red
45974-00001	Hi-Viz Orange XLR8™ Hard Hat with 6-pt. Ratchet Suspension	45974-00001	Orange
45995-00001	White XLR8™ Hard Hat with 6-pt. Ratchet Suspension	45995-00001	White

### AOSafety™ XLR8™ 6-pt. Pinlock Replacement Suspension 45977-00001

- Featuring easy "Quick Snap" suspension
- Woven nylon suspension for ultimate comfort



#### NRR Footnote

\*Research suggest that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

## Eye, Hearing & Head Protection, cont'd

### AOSafety™ XLR8™ 6-pt. Ratchet Replacement Suspension 45978-00001

- Featuring easy "Quick Snap" suspension
- Woven nylon suspension for ultimate comfort



## Insect Repellent

### Ultrathon™ Insect Repellent

Unique, time-release technology allows you to enjoy the outdoors longer. Provides lasting protection up to eight hours against mosquitoes, gnats, chiggers, biting flies and ticks. Helps reduce the risk of contracting West Nile Virus and Lyme Disease.

- Patented Controlled Release Technology prevents DEET from quick evaporation from perspiration or rain
- Splash and sweat resistant to protect even in the most challenging environments
- Lotion: 34.34% DEET - provides continuous protection for up to 12 hours
- Aerosol: 25% DEET - provides continuous protection for up to 8 hours
- Aerosol sprays upside down for total coverage
- Ultrathon™ insect repellent provides protection from mosquitoes and deer ticks, the two insects that may carry West Nile virus and Lyme disease
- Repels biting flies, chiggers, gnats and fleas



Item Number	Description	Product ID	Description	Size	QTY	UOM
00051131674424	Ultrathon™ Insect Repellent Lotion, 2 oz	SRL-12	Lotion	2 oz	12	Each
00051131677777	Ultrathon™ Insect Repellent Aerosol, 6 oz	SRA-6	Aerosol	6 oz	6	Each
00051131914549	Ultrathon™ Insect Repellent Pump, 6 oz	605-6	Pump bottle	6 oz	6	Each

## Food and Medicine Safety

### 3M™ Freeze Watch™ Indicators

3M™ Freeze Watch™ Indicators are ideal for monitoring products that run the risk of being damaged when exposed to freezing temperatures during shipment and storage.

3M™ Freeze Watch™ Indicators are available at two temperature levels: -4°C(25°F) and 0°C(32°F) to provide a visual indication of low temperature exposure.



### 3M™ MonitorMark™ Time Temperature Indicators

3M™ MonitorMark™ Time/Temperature Indicators monitor product temperature exposure through the entire supply chain. They provide a non-reversible record of temperature exposure that is accurate and easy to interpret.

3M™ MonitorMark™ Time/Temperature Indicators are available in a variety of time and temperature ranges, and may be used to monitor the cold chain for perishable food products, vaccines, blood and many other applications.



## Scotchgard™ Fabric & Upholstery Protector

Helps repel spills, block stains and resist soils keeping fabrics and upholstery cleaner and newer looking longer. Safe to use on dry cleanable fabrics including silks and wools. Protect your sofas, chairs, chair pads, tablecloths and linens, throw pillows and more.

Website: [www.scotchgard.com](http://www.scotchgard.com)



Item Number	Description	Product ID	Size	QTY	UOM
50021200002132	Scotchgard™ Fabric & Upholstery Protector	4101D	12 oz	12	Case

## Detection Equipment

### 3M™ Single Gas Monitor 110 Series

Simplify gas detection and reduce maintenance cost with 3M™ Single Gas Detector 110 Series, an innovative family of portable, single-gas monitors that are user-friendly and affordable.

- With the push of a button, gas and peak readings, and alarm set points instantly appear in the display.
- Engineered to go anywhere, it can be easily clipped to your pocket, belt or hardhat.
- Audible, visual, and vibrating alarms give you the notice you need to appropriately respond to the presence of targeted gases.



Item Number	Description	Product ID	Description	Size	QTY	UOM
00051131985667	3M™ Single Gas Detector 110-495-100, Oxygen (OX)	110-495-100		3.2" x 2.0" x 1.2"	1	Case
00051131985674	3M™ Single Gas Detector 110-495-101, Carbon Monoxide (CO)	110-495-101	110 Carbon Monoxide (CO) - Standard	3.2" x 2.0" x 1.2"	1	Case
00051131988200	3M™ Single Gas Detector 110-495-101-XL-025, Carbon Monoxide (CO), 25 PPM Alarm	110-495-101-XL-025		3.2" x 2.0" x 1.2"	1	Case
00051131985681	3M™ Single Gas Detector 110-495-102, Hydrogen Sulfide (HS)	110-495-102		3.2" x 2.0" x 1.2"	1	Case
00051131985711	3M™ Single Gas Detector 110-495-102-XL, Hydrogen Sulfide (HS)	110-495-102-XL		3.2" x 2.0" x 1.2"	1	Case

### 3M™ Multi-GasDetector 740 Series

3M™ Multi-GasDetector 740 Series is designed for ease-of-use, durability, convenience and low operating cost. It's the ideal companion for workers on industrial sites or in confined work spaces - scenarios where potentially hazardous levels of CO, H<sub>2</sub>S, O<sub>2</sub>, or combustible gases may be found.

Apart from its power to detect up to four gases at a time, the 740 series detector features a bright, readable display, pre-calibrated sensor replacement packs, and heavy duty construction. Simply put: it's smart technology that you can count on to do its job, so you can focus on doing yours.



Item Number	Description	Product ID	Size	QTY	UOM
00051131985841	3M™ Multi-Gas 3-Sensor Detector 740-100-300, OX/CO/EX (Methane), Li-Ion Battery	740-100-300	4.8" x 2.7" x 1.4"	1	Case
00051131985834	3M™ Multi-Gas 4-Sensor Detector 740-100-400, HS/OX/CO/EX (Methane), Li-Ion Battery	740-100-400	4.8" x 2.7" x 1.4"	1	Case

## K-9 Products

### 3M™ Vetrap™ Bandaging Tape

The Professional's First Choice in self adherent wraps!  
 Layers "bond" together to provide maximum holding power for superior support and bandages that stay put. Better fit and lower risk of bandage slipping. Vetrap is a high performance bandaging tape for a broad spectrum of applications - support, compression, catheter and bandage secural.



### Animalintex® Poultice Pad or Hoof Pad

Ready-to-use poultice just add water.  
 Animalintex® Poultice is made from 100% cotton with a non-woven covering on one side and a plastic backing on the other for moisture retention. The cotton poultice pad is impregnated with a mild antiseptic to promote faster healing, and a natural poultice agent. The occlusive backing helps retain moisture and warmth and also helps protect the wound from external contamination.



### Gamgee® Highly Absorbent Padding

More than just a cotton roll.  
 Gamgee® Highly Absorbent Padding is a hospital quality 100% cotton roll that is used for a wound dressing, protective padding, support and warmth/insulation. The non-woven, low-adherent cover can minimize wound disruption and will provide a fiber and particle barrier. The cotton core provides a high degree of absorbency, removing blood, serum, exudates and debris from the wound surface.



## First Aid

### Nexcare™ Instant Cold Pack

Cold therapy for emergency pain relief.

- Activates instantly - no refrigeration needed.
- Designed with a foam insulating layer to stay cold longer.



Item Number	Description	Product ID	Description	Size
50051131082953	Nexcare™ Instant Cold Pack	2640	4 Box/Pack, 12/Case	5" x 9"

### Nexcare™ Reusable Cold Hot Pack

- Dual purpose - flexible ice or soothing heat
- Reusable for cost savings and convenience



Item Number	Description	Product ID	Description	Size
00051131666887	Nexcare™ Reusable Cold Hot Pack, with protective cover	2671 PEG	2 Each/Box, 10 Box/Case	4" x 10"

## Nexcare™ First Aid Tapes

- All Nexcare™ First Aid Tapes are hypoallergenic and latex free (except Nexcare™ Athletic Cloth Tape - 870-B)
- From the #1 leader in hospital tapes



Item Number	Description	Product ID	Description	Size	QTY	UOM
00051131000148	Nexcare™ Micropore™ Paper First Aid Tape, Wrapped - 530-P	530-P	Micropore™ Paper	½" x 10 yds	72	Roll
00051131000155	Nexcare™ Micropore™ Paper First Aid Tape, Wrapped - 530-P	530-P	Micropore™ Paper	1" x 10 yds	36	Roll
00051131000162	Nexcare™ Micropore™ Paper First Aid Tape, Wrapped - 530-P	530-P	Micropore™ Paper	2" x 10 yds	24	Roll
00051131669932	Nexcare™ Durable Cloth First Aid Tape, Dispenser - 799	799	Durable Cloth	¾" x 6 yds	24	Roll
00051131669925	Nexcare™ Gentle Paper First Aid Tape, Dispenser - 789	789	Gentle Paper	¾" x 8 yds	24	Roll
00051131667754	Nexcare™ Absolute Waterproof Premium - 731	731	Absolute Waterproof Premium	1" x 5 yds	24	Roll
00051131668751	Nexcare™ No Hurt First Aid Tape, Tan - NHT-1	NHT-1	No Hurt	1" x 5 yds	24	Roll
00051131667778	Nexcare™ Cloth Plus First Aid Tape	751	Cloth Plus	1" x 6 yds	24	Roll
00051131913868	Nexcare™ Gentle Paper First Aid Tape, 2-rolls - 781-2PK	781-2PK	Gentle Paper	1" x 10 yds	24	PH
00051131913899	Nexcare™ Durable Cloth First Aid Tape 2 rolls - 791-2PK	791-2PK	Durable Cloth	1" x 10 yds	24	PH
00051131566606	Nexcare™ Transpore™ Clear First Aid Tape Wrapped - 527-P	527-P	Transpore™ Clear	1" x 10 yds	36	Roll
00051131913820	Nexcare™ Flexible Clear First Aid Tape 2 rolls - 771-2PK	771-2PK	Flexible Clear	1" x 10 yds	24	PH
00051131000209	Nexcare™ Durapore™ Cloth First Aid Tape Wrapped - 538-P	538-P	Durapore™ Cloth Tape.	1" x 10 yds	36	Roll
00051131566613	Nexcare™ Transpore™ Clear First Aid Tape Wrapped - 527-P	527-P	Transpore™ Clear First Aid Tape	2" x 10 yds	24	Roll
00051131000216	Nexcare™ Durapore™ Cloth First Aid Tape Wrapped - 538-P	538-P	Durapore™ Cloth Tape.	2" x 10 yds	24	Roll
00051131620988	Nexcare™ Athletic Cloth Tape - 870-B	870-B	Athletic Cloth Tape	1½" x 12½ yds	24	Roll

## Nexcare™ No Sting Liquid Bandage Spray

Nexcare™ No Sting Liquid Bandage provides a unique skin protectant that doesn't sting when applied. It provides a soothing, breathable, waterproof protection that promotes healing of skin. It is ideal for larger scrapes and abrasions that are difficult to cover with traditional adhesive bandages. It also works well to protect your wound when the appearance of a traditional bandage is not desirable.

- Unique skin protectant provides breathable, waterproof protection.
- Ideal for larger scrapes and abrasions that are difficult to cover with traditional adhesive bandages.
- Does not sting when applied.
- Wears off naturally as skin heals.



Item Number	Description	Product ID	Size	QTY
00051131862937	No Sting Liquid Bandage, Spray	118-03	0.61 fl. oz.	24

## Nexcare™ No Sting Liquid Bandage Drops, 0.034 fl oz.

Nexcare™ Liquid Bandage Drops provide a clear shield against moisture, dirt and germs. It is ideal for small wounds in areas where it is difficult to use a traditional adhesive bandage. It also works well to cover your wound when the appearance of a traditional bandage is not desirable.

- Great for minor cuts and scrapes
- Creates a clear, breathable shield
- Waterproof
- Dries in 60 seconds
- 60 drop applications
- Compact, great for travel
- Wears off naturally as skin heals



Item Number	Description	Product ID	Size	QTY
00051131863866	Nexcare™ No Sting Liquid Bandage Drops, 0.034 fl oz.	120-LB	0.034 fl. oz.	24

### 3M™ Tegaderm™ Transparent Film Dressing - IV

Transparent film dressings designed to secure the catheter in challenging I.V. applications. Many with notches and borders reinforced with a soft cloth fabric, designed to reduce edge lift and to seal around the insertion site.

- The CDC/HICPAC Guidelines for the Prevention of Intravascular Catheter-Related Infections base dressing change recommendations on studies with Tegaderm™ Film.
- Notched designs provide a better seal around the catheter.
- Sterile tape strips are provided on many dressings.
- Breathable film allows moisture vapor and oxygen exchange.
- Transparency allows monitoring of I.V. sites without the need to remove the dressing.
- Picture-frame style allows one-handed application and less waste. Unique, non-adhesive handles allow for hassle-free application (1655 & 1650 designs). Waterproof dressing provides a breathable bacterial and viral barrier\* to outside contaminants and allows the patient to shower.
- \*Laboratory testing has proven Tegaderm™ and Tegaderm™ HP dressings provide a viral barrier (HIV-1 and HBV) while the dressings remain intact without leakage.



Item Number	Description	Product ID	Description	Size
50707387370584	3M™ Tegaderm™ I.V. Transparent Dressing, Original Frame Style, with label and tape strips	1633	100 Each/Box, 4 Box/Case	2-3/4" x 3-1/4"
50707387447378	3M™ Tegaderm™ I.V. Transparent Dressing, Original Frame Style, with label and tape strips	1635	100 Each/Box, 4 Box/Case	3-1/2" x 4-1/4"

### 3M™ Medipore™ +Pad Soft Cloth Adhesive Wound Dressings

3M™ Medipore™ +Pad soft cloth adhesive wound dressing may be used as a primary or secondary dressing over light to moderately draining wounds, for securing devices, or for protecting I.V. catheter sites. This all-in-one sterile dressing is a highly conformable absorbent dressing that provides superior patient comfort as dressing flexes with body movement and contours.



Item Number	Description	Product ID	Description	Size
50707387435771	3M™ Medipore™ +Pad Soft Cloth Adhesive Wound Dressings	3562	50 Each/Box, 4 Box/Case	2" x 2 3/4"
50707387435788	3M™ Medipore™ +Pad Soft Cloth Adhesive Wound Dressings	3564	50 Each/Box, 4 Box/Case	2 3/8" x 4"
50707387435795	3M™ Medipore™ +Pad Soft Cloth Adhesive Wound Dressings	3566	25 Each/Box, 4 Box/Case	3 1/2" x 4"

### 3M™ Tegaderm™ +Pad Film Dressings with Non-Adherent Pad

This composite dressing is a sterile, waterproof bacterial barrier which consists of a non-adherent absorbent pad bonded to a larger thin film transparent dressing.



Item Number	Description	Product ID	Description	Size
50707387435849	3M™ Tegaderm™ +Pad Film Dressings with Non-Adherent Pad	3582	50 Each/Box, 4 Box/Case	Dressing size 2" x 2-3/4" (5cm x 7cm)
50707387435856	3M™ Tegaderm™ +Pad Film Dressings with Non-Adherent Pad	3584	50 Each/Box, 4 Box/Case	Dressing size 2-3/8" x 4" (6cm x 10cm)
50707387435863	3M™ Tegaderm™ +Pad Film Dressings with Non-Adherent Pad	3586	25 Each/Box, 4 Box/Case	Dressing size 3-1/2" x 4" (9cm x 10cm)
50707387435870	3M™ Tegaderm™ +Pad Film Dressings with Non-Adherent Pad	3587	Oval, 25 Each/Box, 4 Box/Case	Dressing size 3 1/2" x 4 1/8" (9cm x 10, 5cm)

## 3M™ Tegaderm™ Transparent Film Dressing Universal

Transparent film dressings used to cover and secure I.V. sites to protect at-risk skin, or as a primary or secondary dressing over acute wounds, surgical sites, and chronic wounds. Available in a variety of sizes and shapes.



- Versatility allows you to use one product for many applications. Breathable film allows moisture vapor and oxygen exchange.
- For I.V. sites, water vapor and oxygen are easily exchanged to permit normal functioning of the skin.
- Provides a moist environment for enhanced wound healing, as viscous wound exudate is more slowly evaporated through the breathable film.
- Unique, thin film conforms to the body and flexes with the skin for greater patient comfort.
- Sterile, waterproof dressing provides a bacterial and viral barrier\* to outside contaminants and allows the patient to shower.
- The dressings are available in a variety of sizes and shapes to address both wound and I.V. applications.
- Tegaderm™ Roll has a preferred delivery system that allows it to be applied with gloved hands. Tegaderm™ Roll provides all the benefits of surgical tape, while providing a waterproof, bacterial, viral\* barrier.
- 1614 and 1616 dressings offer borders reinforced with a soft cloth fabric, designed to reduce edge lift and increase patient comfort. The hydrophilic nature of Tegaderm™ HP (holding power) Film adhesive makes it more adherent and useful in moist conditions.
- \*Laboratory testing has proven Tegaderm™ and Tegaderm™ HP dressings provide a viral barrier (HIV-1 and HBV) while the dressings remain intact without leakage.

Item Number	Description	Product ID	Description	Size
8333161405	3M™ Tegaderm™ Transparent Film Dressing with Border, 1614	1614	Picture Frame Style, 4 Box/Case	2 3/8 x 2 3/4
8333161605	3M™ Tegaderm™ Transparent Film Dressing with Border, 1616	1616	Picture Frame Style, 4 Box/Case	4 x 4 3/4
8333162405	3M™ Tegaderm™ Transparent Film Dressing Frame Style, 1624W	1624W	Picture Frame Style, 100 Each/Box, 4 Box/Case	2 3/8 x 2 3/4
8333162605	3M™ Tegaderm™ Transparent Film Dressing Frame Style, 1626W	1626W	100 Each/Box, 4 Box/Case	4in x 4 3/4 in
8333162701	3M™ Tegaderm™ Transparent Film Dressing Frame Style, 1627	1627	20 Each/Box, 4 Box/Case	4" x 10"
8333162801	3M™ Tegaderm™ Transparent Film Dressing Frame Style, 1628	1628	10 Each/Box, 8 Box/Case	6" x 8"
8333162901	3M™ Tegaderm™ Transparent Film Dressing Frame Style, 1629	1629	10 Each/Box, 8 Box/Case	8" x 12"
50707387565393	3M™ Tegaderm™ Transparent Film Roll, 16002	16002	4 Box/Case	2" x 11 yds
50707387565409	3M™ Tegaderm™ Transparent Film Roll, 16004	16004	4 Box/Case	4" x 11 yds
8333160060	3M™ Tegaderm™ Transparent Film Roll, 16006	16006	4 Box/Case	6" x 11 yds
8333953601	3M™ Tegaderm™ HP Transparent Film Dressing Frame Style, 9536HP	9536HP	4 Box/Case	6 in x 4 3/4 in
8333954801	3M™ Tegaderm™ HP Transparent Film Dressing Frame Style, 9548HP	9548HP	8 Box/Case	5 1/2 in x 6 1/2 in

## Nexcare™ Tegaderm™ Transparent Dressing

A thin clear sterile dressing that keeps out water, dirt and germs yet lets skin breathe.

- Use for protecting minor wounds such as scrapes, burns, blisters and post-surgical incisions.
- Latex free
- Hypoallergenic adhesives.
- The #1 hospital brand transparent dressing.



Item Number	Description	Size	QTY
00051131641143	Nexcare™ Tegaderm™ Transparent Dressing, H1624, 8 Dressings/Box	2-3/8" x 2 3/4"	12
00051131641136	Nexcare™ Tegaderm™ Transparent Dressing, H1626, 4 Dressings/Box	4" x 4 3/4"	12

Dressings, cont'd

### 3M™ Tegaderm™ Foam Adhesive Dressing

This highly absorbent, breathable wound dressing is constructed from a conformable polyurethane foam pad and an additional absorbent nonwoven layer with a border of transparent adhesive film impermeable to liquids, bacteria and viruses. (1)

- Reduced potential for skin maceration
- Unique moist skin adhesive provides adherence to dry and moist skin conditions
- Soft, conformable - patient comfort
- Oval design conforms to contours
- Easy spoke delivery
- (1) - Laboratory testing has proven that the film provides a barrier against HIV-1 and HBV while the dressings remain intact without leakage.



Item Number	Description	Product ID	Description	Size
50707387506808	3M™ Tegaderm™ Foam Adhesive Dressing, Square, Total Fluid Management Plus Moist Skin Adherence	90610	Square Pad, 10 Each/Box, 4 Box/Case	2" x 2"
50707387563399	3M™ Tegaderm™ Foam Adhesive Dressing, Small Oval, Total Fluid Management Plus Moist Skin Adherence	90611	Small Oval Pad, 10 Each/Box, 4 Box/Case	4" x 4"
50707387563405	3M™ Tegaderm™ Foam Adhesive Dressing, Square, Total Fluid Management Plus Moist Skin Adherence	90612	Square Pad, 10 Each/Box, 4 Box/Case	5 5/8" x 5 5/8"

### 3M™ Tegaderm™ Foam Dressing (nonadhesive)

The wound dressing is a fast wicking, non-swelling polyurethane foam with a highly breathable film backing which prevents wound exudate strike-through and is a barrier to outside contamination while the dressing remains intact without leakage.

- Reduced skin maceration
- Ease of application
- Barrier to strike-through
- Non-swelling
- Variety of sizes and styles



Item Number	Description	Product ID	Description	Size
50707387506754	3M™ Tegaderm™ Foam Dressing (nonadhesive)	90600	10 Each/Box, 4 Box/Case	2" x 2"
50707387506761	3M™ Tegaderm™ Foam Dressing (nonadhesive)	90601	10 Each/Box, 4 Box/Case	4" x 4"
50707387506778	3M™ Tegaderm™ Foam Dressing (nonadhesive)	90602	5 Each/Box, 6 Box/Case	4" x 8"
50707387506785	3M™ Tegaderm™ Foam Dressing (nonadhesive)	90603	5 Each/Box, 6 Box/Case	8" x 8"

### Nexcare™ Non-Stick Pads

For covering and cleaning wounds.

- High quality, clinically proven, soft, thin and highly absorbent
- Won't stick to skin or injury



Item Number	Description	Product ID	Description	Size	QTY
00051131605923	Nexcare™ Non-Stick Pads	412	12 pads/box	2" x 3"	24
00051131641341	Nexcare™ Non-Stick Pads	413	12 pads/box	2" x 4"	24

### Nexcare™ Opticlude™ Orthoptic Eye Patches

Designed for comfortable vision-occlusive therapy.

- Convenient application, sticks well, yet removes easily.
- Fits comfortably behind glasses, yet permits free movement of eyelid.
- Highly breathable backing
- Extra gentle, designed for sensitive skin.



Item Number	Description	Product ID	Size	QTY	UOM
00051131000230	Nexcare™ Opticlude™ Orthoptic Eye Patches	1539	3¼" x 2¼"	36	Box

## Adhesive Bandages

### Nexcare™ Active™ Extra Cushion Bandages

Unique bandage shape for a great fit. Stays put in water and keeps water out. Great for protecting minor cuts, scrapes and blisters during strenuous work or play. Latex free.



Item Number	Description	Product ID	Description	Size	QTY	UOM
00051131997172	Active™ Extra Cushion Bandage, Knee & Elbow	511-08	8 ct.	1 7/8" x 4"	24	Box
00051131995123	Active™ Extra Cushion Bandage, One Size	512-30PB	30 count	1-1/16" x 3"	24	Box
00051131995116	Active™ Extra Cushion Bandage, Assorted	516-30PB	30 count	Two Sizes 13/16" x 2-1/4" ; 1-1/16" x 3"	24	Box

### Nexcare™ Comfort Ultra Fabric Bandages 17040

Nexcare™ Comfort Bandages, 3/4 inch x 3 inch Strips (19mm x 76mm) This bandage is made of a soft, velvety material that stretches and conforms. It combines performance and comfort so it is particularly well-suited for use by the whole family.



Item Number	Description	Product ID	Description	Size	QTY
50051131654407	Nexcare™ Comfort Bandages, Latex Free	17040	100 ct.	3/4" x 3"	12

## Surgical Clippers

### 3M™ Surgical Clipper 9661 for use with 9660 or 9690 blade

A compact and lightweight rechargeable surgical clipper with a pivoting head for removing head and body hair from patients in preparation for surgery or other procedures requiring hair removal. Uses disposable, single-use blades.



- April 1999 CDC Guidelines recommend that if hair removal is required, the use of a surgical clipper immediately before an operation is one means to help reduce the risk of surgical site infections.
- Removes all types of head and body hair, wet or dry, to allow for standardization on one product for all hair removal needs.
- Unique design pivoting head rotates easily to allow flexibility of clipping with either a pushing or a pulling motion.
- The cutting blade is on top of the stationary blade, away from the skin, so there's minimal risk of nicks or cuts.
- Single-use blades help reduce the risk of cross-contamination and are easy to snap on for use and pop off for disposal.
- Rechargeable clipper provides approximately 60 minutes of run time, allowing multiple patients to be clipped from a single 8-hour recharge.
- Unique design is easy to clean and disinfect, wipe with a disinfectant or rinse under running water.
- Safe hair removal for scalp and coarse body hair.

Item Number	Description	Product ID	QTY	UOM
50707387443707	3M™ Single-use Blade Assembly; for 3M™ Surgical Clipper with Pivoting Head 9661	9660	50	Case
00707387443719	3M™ Surgical Clipper with Pivoting Head 9661; Rechargeable	9661	1	Case
00707387443726	3M™ Clipper Charger; for 3M™ Surgical Clipper with Pivoting Head 9661	9662	1	Case
00707387447366	3M™ Clipper Starter Kit; contains 3M™ Surgical Clipper 9661 and 3M™ Clipper Charger 9662 (clipper blade assembly not included)	9667	1	Case
50707387575217	3M™ Single-use Neurology Blade Assembly (Grey); for 3M™ Surgical Clipper with Pivoting Head 9661	9690	20	Case
00707387094690	3M™ Clipper wall bracket; for 3M™ Surgical Clipper with Pivot Head 9661	9611	1	Case

## Surgical Clippers, cont'd

### 3M™ Surgical Clipper 9671 for use with 9670 blade

An ergonomically designed surgical clipper with a fixed head and non-slip grip for removing head and body hair from patients for procedures requiring hair removal. Operates corded or cordless. Uses disposable, single-use blades.



- Universal - for body and head hair removal.
- Removes all types of hair - fine or coarse, wet or dry.
- Operates with or without a cord.
- Clipper blade assembly is fixed (non-rotating) - easy attachment, easy removal.
- The cutting blade is on top of the stationary blade, away from the skin, so there's minimal risk of nicks or cuts.
- NiMH battery charges continuously during corded operation; LED light indicates charging mode.
- Ergonomic design fits comfortably in hand, features non-slip grip.
- Improved, state-of-the-art performance: easier to use, direct steel drive for dependability.
- Cuts hair in both pulling and pushing motions.
- Single-use blades help eliminate cross-contamination and are easy to snap on and pop off for disposal.
- Provides approximately 45 minutes of cordless run time from a single 12-14 hour recharge.
- Easy-to-clean handle - just wipe with a disinfectant or rinse under running water.

Item Number	Description	Product ID	Description	QTY	UOM
00707387561437	3M™ Clipper Wall Bracket for 3M™ Surgical Clipper with Fixed Head 9671	9669		1	Case
50707387561449	3M™ Single-use Blade Assembly, Black, for 3M™ Surgical Clipper with Fixed Head 9671	9670		50	Case
00707387561451	3M™ Surgical Clipper with Fixed Head 9671; Battery or Cord Operated	9671	Charge/cord not included	1	Case
00707387561468	3M™ Clipper Charger/Cord for 3M™ Surgical Clipper with Fixed Head 9671	9672	10ft. Cord	1	Case
00707387566708	3M™ Clipper Charge Stand for 3M™ Surgical Clipper with Fixed Head 9671	9676		1	Case
00707387561505	3M™ Clipper Starter Kit contains 3M™ Surgical Clipper 9671 and 3M™ Clipper Charger/Cord 9672	9677	Clipper blade assembly and charge stand not included	1	Case

## Surgical Tapes & Wraps

### 3M™ Tegaderm™ Non-Adherent Contact Layer

A woven, nylon fabric with sealed edges that is non-adherent, non-irritating and hypoallergenic. The Tegaderm™ contact layer is placed over wound and under gauze or other absorbent dressing.



- Provides a layer under gauze or dressing to minimize exudate pooling and leakage.
- Non-adherent material results in increased patient comfort during dressing changes.
- Maintains moist wound environment which has been shown to enhance wound healing.
- Tegaderm™ contact layer can be left on wound for up to 7 days.
- Woven nylon is free of loose fibers for faster cleanup during dressing changes.
- Versatile product can be used to treat a variety of wounds.

### 3M™ Microdon™ Non-Adherent Sheeting

A versatile, general sheeting for patients with burns or multiple abrasions, or as a covering for beds, stretchers or examination tables.



- Highly absorbent, porous surface absorbs wound exudate to help prevent pooling for less mess and easier cleanup.
- Non-adherent sheeting won't stick to patient wound's healing tissues when removed.
- Excellent wet strength allows patient to be repositioned without tearing the sheeting.
- Sterile sheeting lessens risk of infection.

Item Number	Description	Product ID	Description	Size
50707387073232	3M™ Microdon™ Non-Adherent Sheeting	1604	10 Each/Case	33-1/2" x 37-1/2"

### 3M™ Micropore™ Surgical Tapes

A latex-free, hypoallergenic paper tape that is gentle to the skin yet adheres well and leaves minimal adhesive residue upon removal. An economical, general purpose, breathable surgical tape. Available in white or tan.



- Gentle to the skin.
- Latex-free and hypoallergenic for sensitive patients.
- Highly breathable to maintain skin integrity.
- Holds well on damp skin for secure placement.

### 3M™ Durapore™ Surgical Tapes

A "silk-like" tape with a latex-free, hypoallergenic adhesive that offers high strength and adhesion. It adheres well to dry skin.



- High strength for durability.
- Adheres well to dry skin.
- Conformable.
- Latex-free and hypoallergenic for sensitive patients
- Convenient bi-directional tear for easy tailoring
- Versatile.
- Water-resistant.

Item Number	Description	Product ID	Description	Size
50707387007428	3M™ Durapore™ Silk-like, hypoallergenic surgical tape, standard roll	1538-1	12 Roll/Box, 10 Box/Case	1" x 10 yds
50707387007435	3M™ Durapore™ Silk-like, hypoallergenic surgical tape, standard roll	1538-2	6 Roll/Box, 10 Box/Case	2" x 10 yds

### 3M™ Medipore™ Soft Cloth Surgical Tapes

Latex-free, hypoallergenic Soft Cloth tape products that offer excellent adhesion yet are gentle to reduce risk of skin irritation. Available in perforated rolls.



- Easy-tear perforated rolls
- Gentle, breathable to maintain skin integrity.
- Latex-free and hypoallergenic for sensitive patients
- Excellent cross and diagonal stretch to accommodate moderate swelling or movement.
- Easy to handle - no curling or self-adhesion.
- No paper liner for more economical and efficient use.
- Water-resistant.

Item Number	Description	Product ID	Description	Size	QTY	UOM
50707387379969	3M™ Medipore™ Soft Cloth, hypoallergenic surgical tape	2962	12 Rolls/Case	2" x 10 yds	1	Roll
50707387382099	3M™ Medipore™ Soft Cloth, hypoallergenic surgical tape	2963	12 Rolls/Case	2" x 2 yds	1	Roll
50707387379976	3M™ Medipore™ Soft Cloth, hypoallergenic surgical tape	2964	12 Rolls/Case	4" x 10 yds	1	Roll
50707387379945	3M™ Medipore™ Soft Cloth, hypoallergenic surgical tape	2968	12 Rolls/Case	6" x 10 yds	1	Roll
50707387379983	3M™ Medipore™ Soft Cloth, hypoallergenic surgical tape	2968	6 Rolls/Case	8" x 10 yds	1	Roll

Surgical Tapes & Wraps, cont'd

### 3M™ Coban™ Self-Adherent Wrap

A self-adherent elastic wrap that functions like a tape, but sticks only to itself. Available in sterile and nonsterile styles, and in a variety of widths and colors to meet your application needs.

- Sticks to itself without need for adhesive, pins or clips for fast and easy application.
- Wrap will not slip so no need for frequent readjustment.
- Comfortable for patients
- Lightweight, porous
- Protects primary dressings
- Desired amount of compression at time of application



Item Number	Description	Product ID	Description	Size	Color	QTY	UOM
50707387093117	3M™ Coban™ Self-Adherent Wrap, Tan	1581	6 Pack/Case	1" x 5 yds - (fully stretched)	Tan	1	Each
50707387292886	3M™ Coban™ Self-Adherent Wrap, Blue	1581B	30 Roll/Case	1" x 5 yds - (fully stretched)	Blue	1	Each
50707387093100	3M™ Coban™ Self-Adherent Wrap, Tan	1582	36 Roll/Case	2" x 5 yds - (fully stretched)	Tan	1	Each
50707387292879	3M™ Coban™ Self-Adherent Wrap, Blue	1582B	36 Roll/Case	2" x 5 yds - (fully stretched)	Blue	1	Each

Wound Closure & Cleanser

### Nexcare™ Steri-Strip™ Skin Closures

Nexcare™ Steri-Strip Skin Closures are comfortable, sterile adhesive strips used to secure, close and provide low-tension support for small cuts, wounds and surgical incisions.

- Holds firmly in place and allows the skin to breathe while the wound heals.
- Used in hospitals for improved cosmetic results.
- Hypoallergenic and breathable.
- The #1 hospital brand adhesive strip closure.



Item Number	Description	Description	Size	QTY
00051131641259	Nexcare™ Steri-Strip™ Skin Closure H1546, 1/4 in x 4 in	30ct.	¼" x 4"	12
00051131641242	Nexcare™ Steri-Strip™ Skin Closure H1547, 1/2 in x 4 in	18ct.	½" x 4"	12

### 3M™ Precise™ PGX Disposable Skin Stapler

A disposable pistol grip stapler with a slim, lightweight design that handles like a well-balanced, precision surgical instrument. Precise PGX staplers are available in four configurations: 35 regular or wide and 15 regular or wide.

- Slim design provides excellent visibility for more accurate staple placement.
- Lightweight and well-balanced design allows for easy handling with less hand fatigue.
- Staple preview position provides staple visibility for more reliable use.
- Automatic staple release lifts off in any direction to eliminate staple hang-ups.
- Flexible placement angle allows choice in staple placement depth.
- Ergonomically designed pistol grip fits a wide range of hand sizes for greater comfort and easy use.
- Simple design and quality construction assure consistent, reliable performance.



### 3M™ Precise™ Disposable Skin Staple Remover

Disposable skin staple removers designed to provide fast and easy removal of all brands of surgical skin staples.

- Precise disposable skin staple removers easily remove staples in the same direction they were implanted, making removal simple with little pain.
- Removes all brands of surgical staples for versatile use.
- Fast and easy removal saves time.
- Removes staples by placing the tips of the remover under each staple for reliable, consistent performance.



### 3M™ Steri-Strip™ Adhesive Skin Closures (reinforced)

Sterile skin closure strips that are made of a porous, non-woven backing coated with a pressure-sensitive, hypoallergenic adhesive and reinforced with polyester filaments for added strength.

- Less scarring when compared to staples or sutures.
- Enhances patient comfort and less chance of infection than with sutures or staples.
- Fast application.
- Comfortable to wear.
- Reduces likelihood of skin irritation.



Item Number	Description	Product ID	Description	Size
50707387062519	3M™ Steri-Strip™ Adhesive Skin Closures (reinforced)	R1542	6 strips/envelope, 50 Envelope/Box, 4 Box/Case	1/4 " x 1-1/2 "
50707387023688	3M™ Steri-Strip™ Adhesive Skin Closures (reinforced)	R1546	10 strips/envelope, 50 Envelope/Box, 4 Box/Case	1/4 " x 4inch
50707387023640	3M™ Steri-Strip™ Adhesive Skin Closures (reinforced)	R1547	6 strips/envelope, 50 Envelope/Box, 4 Box/Case	1/2 " x 4 "

### 3M™ Wound Cleanser

Zinc-nutrient formulated, gentle wound cleanser in easy to use squeeze bottle.

- Low cytotoxicity potential, pH-balanced
- Gentle spray stream consistent with guidelines for safe and effective cleansing
- Delivered in a convenient easy open, easy squeeze bottle
- Fragrance free, no rinse formulation



### Casting & Splinting

#### 3M™ Scotchcast™ One-Step Splint

A splint that incorporates foam padding, layered fiberglass and breathable backing for easy, one-step application. Prepackaged in a variety of sizes to meet application needs.

- All-in-one splint allows for easy application and time savings. Faster application increases patient turnaround.
- Conformable and moldable for better patient fit.
- Provides strong, lightweight support to encourage early patient mobility.
- Available in a variety of pre-cut sizes to accommodate a variety of patient sizes and reduce the need to cut and customize splints.



Item Number	Description	Product ID	Description	Size
50707387561531	3M™ Scotchcast™ One-Step Splint	76210A	10 Each/Case	2" x 10"
50707387561548	3M™ Scotchcast™ One-Step Splint	76210A	10 Each/Case	3" x 12"
50707387561555	3M™ Scotchcast™ One-Step Splint	76415A	10 Each/Case	4" x 15"
50707387144437	3M™ Scotchcast™ One-Step Splint	76430	5 Each/Case	4" x 30"
50707387144444	3M™ Scotchcast™ One-Step Splint	76530	5 Each/Case	5" x 30"
50707387446326	3M™ Scotchcast™ One-Step Splint	86335	5 Each/Case	3" x 35"
50707387446333	3M™ Scotchcast™ One-Step Splint	86545	5 Each/Case	5" x 45"

## Casting & Splinting, cont'd

### 3M™ Scotchcast™ Conformable Splint

A ready-to-use, highly conformable splint made of layered fiberglass and pre-padded with patented water-repellent felt for quicker drying. Prepackaged in a variety of sizes to meet application needs.

- Low-profile, one-sided felt padding is less bulky so it molds more easily to the patient for a closer, more conformable fit.
- All-in-one splint allows for easy application and time savings. Faster application increases patient turnaround.
- Patented hypoallergenic, water-repellent felt padding dries much more quickly than standard padding for less water against patient's skin and reduced chance of maceration.
- Provides strong, lightweight support in minutes to encourage early patient mobility.
- Priced comparably to fiberglass roll splints and faster to apply than plaster or roll splints for greater cost effectiveness.
- Less messy than plaster splints for easy application and faster cleanup.



Item Number	Description	Product ID	Description	Size
50707387463743	3M™ Scotchcast™ Conformable Splint	72210	10 Each/Case	2" x 10"
50707387455403	3M™ Scotchcast™ Conformable Splint	72312	10 Each/Case	2" x 10"
50707387455427	3M™ Scotchcast™ Conformable Splint	72312	10 Each/Case	4" x 15"

### 3M™ Scotchcast™ Plus Casting Tapes

A lightweight, strong and durable casting tape that combines the benefits of a fiberglass casting tape with the handling ease of plaster. Available in a variety of colors to meet patient preferences.

- Water-activated resin lets you control working time according to application needs.
- High and early strength allows for weight bearing in 20 minutes and provides a durable cast with less chance of breakdown and the need for costly repairs or replacements.
- Lightweight for easy mobility.
- Stretches to conform well to contours for a more comfortable, better fitting cast.
- Porous weave allows the skin to breathe.
- Available in a variety of colors to maximize patient satisfaction.



Item Number	Description	Product ID	Description	Size
50707387394795	3M™ Scotchcast™ Plus Casting Tape, White	82002	10 Roll/Case	2" x 4 yds
50707387408997	3M™ Scotchcast™ Plus Casting Tape, Black	82002A	10 Roll/Case	2" x 4 yds
50707387394801	3M™ Scotchcast™ Plus Casting Tape, Blue	82002B	10 Roll/Case	2" x 4 yds
50707387394818	3M™ Scotchcast™ Plus Casting Tape, Green	82002G	10 Roll/Case	2" x 4 yds
50707387409055	3M™ Scotchcast™ Plus Casting Tape, Glow-in-the-dark	82002J	10 Roll/Case	2" x 4 yds
50707387394825	3M™ Scotchcast™ Plus Casting Tape, Light Blue	82002L	10 Roll/Case	2" x 4 yds
50707387394849	3M™ Scotchcast™ Plus Casting Tape, Red	82002R	10 Roll/Case	2" x 4 yds
50707387394863	3M™ Scotchcast™ Plus Casting Tape, White	82003	10 Roll/Case	3" x 4 yds
50707387394931	3M™ Scotchcast™ Plus Casting Tape, White	82004	10 Roll/Case	4" x 4 yds

### 3M™ Scotchcast™ Wet or Dry Cast Padding

Scotchcast Wet or Dry Cast padding is applied the same way and has the same performance characteristics as our current padding, so you won't have to learn new application techniques. Plus, the cast may be removed using the same methods currently used in the industry.

- Product is completely immersible.
- Sheds water and feels comfortably dry to patient in approximately 1 to 3 hours. \*
- Is easy to apply and remove, and requires no additional training.
- \* See Patient Information pamphlet for patient instructions.



Item Number	Description	Product ID	Description	Size
50707387455595	3M™ Scotchcast™ Wet or Dry Cast Padding	WDP2	Wet or Dry Cast Padding	2" x 4 yds (5cm x 3, 6m)
50707387455601	3M™ Scotchcast™ Wet or Dry Cast Padding	WDP3	Wet or Dry Cast Padding	3" x 4 yds (7, 5cm x 3, 6m)
50707387455618	3M™ Scotchcast™ Wet or Dry Cast Padding	WDP4	Wet or Dry Cast Padding	4" x 4 yds (10cm x 3, 6m)
50707387455625	3M™ Scotchcast™ Wet or Dry Cast Padding	WDP3	Wet or Dry Cast Padding	6" x 4 yds (15cm x 3, 6m)

### 3M™ Synthetic Cast Padding

A non-woven polyester padding suitable for use with all casting materials.

- Spun Dacron® polyester padding provides protection and patient comfort, while helping reduce water retention for a drier cast.
- Strong and durable padding is easy to tear.
- Conforms easily to body contours.
- Porous to allow the skin to breathe.
- Versatile padding can be used with all casting materials, plaster and synthetic.
- Available in a variety of widths to meet your casting needs.



Item Number	Description	Product ID	Description	Size
50707387496994	3M™ Synthetic Cast Padding	CMW02	20 Roll/Bag, 4 Bag/Case	2" x 4 yds
50707387496987	3M™ Synthetic Cast Padding	CMW03	20 Roll/Bag, 4 Bag/Case	3" x 4 yds
50707387496970	3M™ Synthetic Cast Padding	CMW04	20 Roll/Bag, 4 Bag/Case	4" x 4 yds
50707387496963	3M™ Synthetic Cast Padding	CMW06	20 Roll/Bag, 4 Bag/Case	6" x 4 yds

### 3M™ Synthetic Cast Stockinet

This synthetic stockinet is an underlayment for all standard casting applications, and suitable for use with all casting materials.

- Stockinet helps reduce water retention and improves patient comfort.
- 100% knitted polyester stockinet provides conformability for easy use.
- Can be used for all standard casting applications and with all casting materials for greater versatility.
- Available in a variety of widths to meet your casting needs.



Item Number	Description	Product ID	Description	Size
00707387078324	3M™ Synthetic Cast Stockinet	MS01	Synthetic Cast Stockinet	1" x 25 yds (2, 5cm x 22, 8m)
00707387078331	3M™ Synthetic Cast Stockinet	MS02	Synthetic Cast Stockinet	2" x 25 yds (5cm x 22, 8m)
00707387020958	3M™ Synthetic Cast Stockinet	MS03	Synthetic Cast Stockinet	3" x 25 yds (7, 6cm x 22, 8m)
00707387020965	3M™ Synthetic Cast Stockinet	MS04	Synthetic Cast Stockinet	4" x 25 yds (10, 1cm x 22, 8m)
00707387020972	3M™ Synthetic Cast Stockinet	MS06	Synthetic Cast Stockinet	6" x 25 yds (15, 2cm x 22, 8m)

### 3M™ Red Dot™ Repositionable Monitoring Electrodes

These electrodes are designed with a larger conductive area to improve trace quality by reducing ECG artifact. They're repositionable once upon initial application allowing the electrodes to be moved rather than replacing them with new ones.



- Cost saving may be realized by repositioning rather than replacing electrode.
- Quick-to-stick means less time wasted, and wear time up to three days means fewer electrodes used.
- Potential for fewer false alarms that can waste electrodes, generate wasted paper and waste nursing time.
- Better quality and faster trace can offer time and cost savings.
- Time consuming skin prep may be optional.
- Conformability and a low profile help electrodes stay on patients: therefore there is a potential for reduced costs by using fewer electrodes.
- Potential for increased patient comfort: patients who wear electrodes over extended periods are less likely to complain of discomfort because of excellent conformability vs. foam-backed products.

Item Number	Description	Product ID	Description	Size
50707387507836	3M™ Red Dot™ Repositionable Monitoring Electrode	2660-3	3 Each/Bag, 200 Bag/Case	1.56 " x 1.25 "
50707387507843	3M™ Red Dot™ Repositionable Monitoring Electrode	2660-5	5 Each/Bag, 200 Bag/Case	1.56 " x 1.25 "
50707387507829	3M™ Red Dot™ Repositionable Monitoring Electrode	2670-3	3 Each/Bag, 200 Bag/Case	1.56 " x 1.25 "
50707387499964	3M™ Red Dot™ Repositionable Monitoring Electrode	2670-5	5 Each/Bag, 200 Bag/Case	1.56 " x 1.25 "

### 3M™ Red Dot™ Monitoring Electrodes with Foam Tape and Sticky Gel

Multi-purpose monitoring electrodes with foam backing and sticky gel are ideally suited for the OR, ER and diagnostic stress testing applications.



- Conveniently packaged in individual strips of ten electrodes for easy use and less waste.
- Remains fresh for 30 days out of the bag.
- High performance adhesive offers instant adhesion and up to five-day wear with excellent patient skin care and comfort.
- Sticky gel delivers excellent trace quality resulting in better patient information.
- Smaller size electrode is easier to place, and minimizes skin irritation for better patient comfort.
- 2570 with Microreplicated Trace Prep surface, gently prepares skin for optimal trace quality.
- 2570 electrode is radiolucent to allow for easy, cost-effective use throughout the hospital.

Item Number	Description	Product ID	Description
50707387463255	3M™ Red Dot™ Monitoring Electrode with Foam Tape and Sticky Gel	2560	10 Each/Strip, 5 Strips/Bag, 20 Bag/Case
50707387463279	3M™ Red Dot™ Monitoring Electrode with Foam Tape and Sticky Gel	2570	10 Each/Strip, 5 Strips/Bag, 20 Bag/Case
50707387463347	3M™ Red Dot™ Monitoring Electrode with Foam Tape and Sticky Gel	2570-3	3 Each/Bag, 200 Bag/Case
50707387463354	3M™ Red Dot™ Monitoring Electrode with Foam Tape and Sticky Gel	2570-5	5 Each/Bag, 200 Bag/Case

### 3M™ Red Dot™ Pediatric Monitoring Electrodes with 3M™ Micropore™ Tape Backing

A traditional-style monitoring electrode with 3M™ Micropore™ Surgical Tape backing that is ideal for pediatric applications.



- Patented solid gel conforms to the skin quickly allowing high-quality, uninterrupted traces.
- The gel's low chloride content minimizes skin irritation for increased patient comfort.
- Micropore tape backing is breathable, flexible and conformable, yet is gentle to the skin for increased patient comfort.
- The SureSeal Cap Seal prevents premature product dryout to help ensure product freshness for 30 days out of the bag.

Item Number	Description	Product ID	Description
50707387029710	3M™ Red Dot™ Pediatric Monitoring Electrode with 3M™ Micropore™ Tape Backing	2248	25 Each/Bag, 40 Bag/Case

### 3M™ Red Dot™ Resting EKG Electrodes

Resting electrodes for 12-lead EKG applications are available in tab style and snap style.

- Tab-style electrode has pressure-sensitive conductive adhesive that is easy to apply and remove, and provides rapid and intimate skin contact to ensure high quality trace pickup.
- Radiolucent to minimize the need to replace or remove electrodes in most radiological imaging applications (except 2352).
- Extra large tabs (2330, 2360) for easy handling and attachment.
- Semi-stiff backing (2330, 2360) reduces roll-off and minimizes electrode lift.
- Snap-style electrode (2352) has foam backing that is stretchable, comfortable and gentle to the skin.



Item Number	Description	Product ID	Description
50707387472820	3M™ Red Dot™ Resting EKG Electrode with Conductive Adhesive, Tab Style	2360	10 Each/Card, 10 Cards/Bag, 40 Bag/Case

### Patient Monitoring

#### 3M™ Littmann® Stethoscopes

Littmann® Stethoscopes - a trusted leader in auscultation technology and your assurance of excellence in precision, innovative design and exceptional performance.



Item Number	Description	Description	Size	Color	QTY	UOM
00707387500054	3M™ Littmann® Master Classic II Stethoscopes 2144L	Master Classic II	27"	Black	3	Case
00707387468712	3M™ Littmann® Cardiology III Stethoscopes 3128	Cardiology III	28"	Black	3	Case
00707387446772	3M™ Littmann® Classic II S.E. Stethoscopes 2201	Classic II S.E.	28"	Caribbean Blue	3	Case
00707387562434	3M™ Littmann® Lightweight II S.E. 2452	Lightweight II S.E.	28"	Black	3	Case

#### 3M™ Littmann® Electronic Stethoscope Model 3100 with Ambient Noise Reduction

The 3M™ Littmann® Electronic Stethoscope Model 3100's exceptional sound capabilities deliver an exceptional auscultation experience. Clinical evidence shows that it's easier to detect difficult-to-hear heart sounds, like S3 gallops, aortic regurgitation murmurs, and abnormal lung sounds. The user interface is incredibly simple, and non-disruptive to the auscultation workflow. It all adds up to a great auscultation experience. Hear it. With confidence. the organ sounds you need to hear.


Item Number	Description	Product ID	Size	Color	QTY	UOM
00707387581657	3M™ Littmann® Electronic Stethoscope Model 3100 with Ambient Noise Reduction	3100BK27	27" (68cm)	Black tube	1	Each
00707387581695	3M™ Littmann® Electronic Stethoscope Model 3100 with Ambient Noise Reduction	3100BU	27" (68cm)	Burgundy tube	1	Each
00707387581671	3M™ Littmann® Electronic Stethoscope Model 3100 with Ambient Noise Reduction	3100HG	27" (68cm)	Hunter Green tube	1	Each
00707387581688	3M™ Littmann® Electronic Stethoscope Model 3100 with Ambient Noise Reduction	3100NB	27" (68cm)	Navy Blue tube	1	Each
00707387581701	3M™ Littmann® Electronic Stethoscope Model 3100 with Ambient Noise Reduction	3100PL	27" (68cm)	Plum tube	1	Each

Patient Monitoring, cont'd

### 3M™ Tempa•DOT™ Thermometers

A single-use, disposable clinical thermometer that can measure oral or axillary body temperature. Available in Fahrenheit or Celsius, the thermometers are sterile and individually wrapped.

- Single-use thermometer is sterile and individually wrapped to reduce risk of patient infection from microorganisms and to reduce risk of additional hospital stay related to nosocomial infection.
- Provides consistently accurate temperature readings for reliable patient assessment.
- Easy to read and simple to understand.
- Versatile thermometer can be used to take oral or axilla temperatures, provides a fast reading in 60 seconds for oral temperature, and allows you to check other patient vital signs simultaneously with temperature taking.
- Disposable to eliminate time and labor spent on disinfection, recalibration, recharging and repair of electronic and tympanic units, and eliminate expense and risk associated with toxic mercury cleanup and disposal.
- No risk of toxic mercury exposure makes this thermometer a nontoxic and safe choice for patients of all ages.



Item Number	Description	Product ID	Description
50707387457650	3M™ Tempa•DOT™ Oral and Axillary Thermometer, Individually Wrapped, Fahrenheit	5122	Fahrenheit, 100 Each/Box, 20 Boxes/Case
50707387457667	3M™ Tempa•DOT™ Oral and Axillary Thermometer, Individually Wrapped, Fahrenheit	5125	Fahrenheit, 100 Each/Box, 5 Box/Case
50707387495232	3M™ Tempa•DOT™ Oral and Axillary Thermometer, Individually Wrapped, Celsius	5532	Celsius, 100 Each/Box, 20 Box/Case

Personal Protection

### 3M™ Earloop Fluid Resistant Face Mask

Flat, earloop face masks for general patient care applications, with and without attached face shield.

- Earloop design allows you to slip on and remove mask quickly and easily.
- 99% BFE (1) and >98% PFE (2) for 1820.
- 99% BFE (1) and >99% PFE (2) for 1820FS.
- Hypoallergenic to reduce chance of allergic reaction.
- Non-fiberglass
- (1) - Bacterial Filtration Efficiency (BFE) determined by the modified Greene and Vesley test method.
- (2) - Particle Challenge Study - measures filter efficiency only against mass median aerodynamic diameter particle. Surgical mask tests were conducted by an independent laboratory following a 3M internal protocol and using a 0.2 micron latex sphere at a flow rate of 28.3 liters per minute.



Item Number	Description	Product ID	Description	Color
50707387256031	3M™ Earloop Procedure Face Mask, Blue	1820	12 Box/Case	Blue
50707387562248	3M™ Procedure Mask with Face Shield, Fog-free, Blue	1820FS	6 Box/Case	Blue

### 3M™ Standard Earloop Mask

An economical, flat, earloop face mask with standard pleats for general patient care applications.

- Patient care
- Isolation
- EMS, Sterile Processing
- Labor and Delivery
- ER/Trauma
- Laboratory/Pathology
- Clinics and physician offices
- Housekeeping and other non-patient care services



Item Number	Description	Product ID	Description	Color
50707387455885	3M™ Standard Earloop Mask, Blue	1826	50 Each/Box, 6 Box/Case	Blue

### 3M™ Aseptex™ Molded Surgical Mask

A fluid resistant, molded surgical mask that is ideal for general-purpose use.

- >98% BFE (1) to help reduce patient contamination caused by exhaled microorganisms.
- Single elastic band allows you to slip on and remove mask quickly and easily.
- Molded mask is soft and lightweight for comfortable wear.
- Non-fiberglass and latex free.
- Collapse resistant design.
- (1) - Bacterial Filtration Efficiency (BFE) determined by the modified Greene and Vesley test method.



Item Number	Description	Product ID	Description
50707387506679	3M™ Aseptex™ Molded Style Mask (no latex in headbands), Blue	1800+NL	50 Each/Box, 12 Box/Case

### 3M™ High Performance Off-The-Face/Duckbill Design Surgical Mask

Tie-on surgical masks with off-the-face design and unique filter to reduce fogging. Available with an anti-fog, anti-reflective face shield (Catalog Number 1838FSG) or without (Catalog Number 1838). 1836 is not anti-fog.

- Anti-fog design makes the 1838 and 1838FSG masks an ideal choice for eyeglass wearers.
- The anti-fog, anti-reflective face shield on the 1838FSG is easy to see through and is designed to help protect the wearer against the splashes, sprays and spatter of blood and body fluids.
- The 1836 is fluid resistant to help reduce potential exposure of the wearer to blood and body fluids.
- 1838=>99% BFE (1) and >99% PFE (2).
- 1836=>99% BFE (1) and >97% PFE (2).
- Hypoallergenic to reduce chance of allergic reaction.
- Off-the-face (duckbill) design helps keep the mask away from nose and mouth for greater comfort and breathability.
- Does not contain either natural rubber latex or dry natural rubber as components in the product or its packaging to eliminate concern of latex reaction.
- (1) - For 1838 Bacterial Filtration Efficiency (BFE) determined by the modified Greene and Vesley test method and in vitro testing for 1836.
- (2) - Particle Challenge Study - measures filter efficiency only against mass median aerodynamic diameter particle. Surgical mask tests were conducted by an independent laboratory following a 3M internal protocol and using a 0.2 micron latex sphere at a flow rate of 28.3 liters per minute."



Item Number	Description	Product ID	Description	Color
50707387027389	3M™ Filtron™ High Performance (duckbill design) Surgical Mask	1838	Off-the-face/anti-fog style mask, 50 Each/Box, 12 Box/Case	Blue

### 3M™ Health Care Particulate Respirator and Surgical Mask

It has a soft inner shell for greater comfort against the face and, because it's fluid resistant, it aids in reducing the potential exposure of the wearer to blood and other body fluids. Meets CDC guidelines for M. tuberculosis exposure control.

NIOSH-approved. N95 Particulate Respirator

This respirator can help reduce inhalation exposure to certain airborne biological particles (e.g. mold, Bacillus anthracis, Mycobacterium tuberculosis, etc.) but cannot eliminate the risk of contracting infection, illness or disease. OSHA and other government agencies have not established safe exposure limits for these contaminants.



Item Number	Description	Product ID	Description	Size	QTY
50707387419429	3M™ Health Care Particulate Respirator Type N95, Regular, (Cone Molded), Teal	1860	20 Each/Box	Regular	6
50707387444124	3M™ Health Care Particulate Respirator Type N95, Small, (Cone Molded), Teal	1860S	20 Each/Box	Small	6
50707387561326	3M™ Health Care Particulate Respirator Type N95, Flat-fold/Three-panel, High Fluid resistant, White	1870	Flat-fold/three-panel, 20 Each/Box		6

Personal Protection, cont'd

### 3M™ Avagard™ D Instant Hand Antiseptic with Moisturizers

Provides rapid bactericidal action against a broad spectrum of microorganisms while helping to maintain the skin's integrity and prevent skin breakdown. Avagard D Hand Antiseptic contains 61% w/w ethyl alcohol in a moisturizing base.



Item Number	Description	Product ID	Description	Size
50707387508635	3M™ Avagard™ D Instant Hand Antiseptic with Moisturizers	9222	Pump Bottle, 12 Each/Case	16 fl. oz.
50707387508642	3M™ Avagard™ D Instant Hand Antiseptic with Moisturizers	9221	Personal Size, 48 Each/Case	3 fl. oz.

### 3M™ Avagard™ Surgical and Healthcare Personnel Hand Antiseptic with Moisturizers

3M™ Avagard™ (Chlorhexidine Gluconate 1% Solution and Ethyl Alcohol 61% w/w) Surgical and Healthcare Personnel Hand Antiseptic with Moisturizers

A scrubless, waterless way to prepare hands for surgery, it's fast-acting and effective, providing proven, persistent antimicrobial protection for up to six hours without water or scrubbing.



- Scrubless, brushless, waterless
- Fast and easy application - three pumps from a touchless, simple dispensing system
- First and only FDA approved waterless and brushless hand prep
- In human testing, surpasses FDA criteria for surgical scrub formulations at all measured time points
- Proven efficacy - provides rapid antimicrobial kill of a broad spectrum of microorganisms, including antibiotic resistant strains, with greater than 99% kill in 15 seconds in vitro 1
- Compatible with latex and non-latex gloves
- Proven safe and effective for daily use
- Advanced, emollient-rich lotion base helps prevent dry, cracked hands, and maintains skin barrier integrity
- Reduces material waste of water, sterile towels and scrub brushes
- (1) - Data on file (LIMS 8257), 3M Health Care.

Item Number	Description	Product ID	Description
50707387505474	3M™ Avagard™ (Chlorhexidine Gluconate 1% Solution and Ethyl Alcohol 61% w/w) Surgical and Healthcare Personnel Hand Antiseptic with Moisturizers	9200	8 Each/Case

Anti-Fatigue & Scraper Matting

### 3M™ Nomad™ Carpet Matting 4000

Entrance carpet matting designed for light traffic applications. The dual fiber construction traps, holds and hides dirt and moisture.



Item Number	Description	Size	Color	QTY	UOM
50048011237485	3M™ Nomad™ Carpet Matting 4000, Charcoal, 2 ft x 3 ft	2ftx3ft	Charcoal	6	Case
50048011237645	3M™ Nomad™ Carpet Matting 4000, Cranberry, 2 ft x 3 ft	2ftx3ft	Cranberry	6	Case
50048011237508	3M™ Nomad™ Carpet Matting 4000, Light Gray, 2 ft x 3 ft	2ftx3ft	Light Gray	6	Case
50048011237683	3M™ Nomad™ Carpet Matting 4000, Brown, 3 ft x 5 ft	3ftx5ft	Brown	1	Case
50048011237676	3M™ Nomad™ Carpet Matting 4000, Charcoal, 3 ft x 5 ft	3ftx5ft	Charcoal	1	Case
50048011237669	3M™ Nomad™ Carpet Matting 4000, Cranberry, 3 ft x 5 ft	3ftx5ft	Cranberry	1	Case
50048011233227	3M™ Nomad™ Carpet matting 4000, Hunter Green 3 ft x 5 ft	3ftx5ft	Hunter Green	1	Case
50048011237690	3M™ Nomad™ Carpet Matting 4000, Light Gray, 3 ft x 5 ft	3ftx5ft	Light Gray	1	Case
50048011237911	3M™ Nomad™ Carpet Matting 4000, Brown, 4 ft x 6 ft	4ftx6ft	Brown	1	Case
50048011237898	3M™ Nomad™ Carpet Matting 4000, Hunter Green, 4 ft x 6 ft	4ftx6ft	Hunter Green	1	Case

### 3M™ Nomad™ Medium Traffic Backed Scraper Matting

Resilient vinyl loop construction traps, holds, and hides dirt and sand, so the surface stays neat and clean. Foam backing reduces creeping and provides added foot comfort. 4-Sided Edging.



Item Number	Description	Product ID	Description	Size	Color
00048011262680	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		4 ft x 20 ft	Chestnut (DkBrn)
00048011262697	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		4 ft x 20 ft	Ebony
00048011262437	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		3 ft x 20 ft	Blue
00048011262468	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		3 ft x 20 ft	Ebony
50048011264566	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		4 ft x 6 ft	Blue
50048011264580	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		4 ft x 6 ft	Forest
00048011262727	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		4 ft x 20 ft	Blue
00048011262734	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		4 ft x 20 ft	Forest
50048011264498	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		3 ft x 5 ft	Blue
00048011262420	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		3 ft x 20 ft	Forest
00048011262390	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		3 ft x 20 ft	Slate (Gray)
50048011177880	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050	Side Edge	4 ft x 6 ft	Red
50048011264511	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		3 ft x 5 ft	Forest
00048011262765	3M™ Nomad™ Medium Traffic Backed Scraper Matting	6050		4 ft x 20 ft	Slate (Gray)

### 3M™ Safety-Walk™ Cushion Matting 3270E

Spring-coiled vinyl foam compresses uniformly and continually, providing greater comfort, less fatigue. Textured, solid top surface improves traction and allows debris to stay on top for easy cleanup. Helps improve productivity for employees who spend long hours on their feet in dry environments.



Item Number	Description	Product ID	Size	Color
00048011348285	3M™ Safety-Walk™ Cushion Matting 3270E	3270E	3 ft x 10 ft.	Black
00048011348308	3M™ Safety-Walk™ Cushion Matting 3270E	3270E	3 ft x 20 ft.	Black
00048011348261	3M™ Safety-Walk™ Cushion Matting 3270E	3270E	3 ft x 5 ft.	Black
00048011348292	3M™ Safety-Walk™ Cushion Matting 3270E	3270E	4 ft x 10 ft.	Black
00048011348278	3M™ Safety-Walk™ Cushion Matting 3270E	3270E	4 ft x 6 ft.	Black
00048011348315	3M™ Safety-Walk™ Cushion Matting 3270E	3270E	4 ft x 10 ft.	Black

### 3M™ Clean-Walk Mats - Unframed 5830

3M™ Clean-Walk Mats are adhesive mats that capture dirt on contact from shoe soles, wheels, and other passing objects. Unframed mats adhere to most smooth, clean and dry floors such as tile or concrete. Remove cleanly from floor surface when all sheets are used.



- Individually tabbed sheets remove easily to expose a fresh, ready-to-use sheet
- Individually numbered sheets ensure one sheet removal at time and identify remaining number of applications
- Large adhesive area allows two full steps

Item Number	Description	Description	Size	Color	QTY	UOM
00021200557309	3M™ Clean-Walk Mat 5830 White, 18 in x 36 in	30 sheets per mat 4 mats per case	18" x36"	White	4	Case
00021200557286	3M™ Clean-Walk Mat 5830 White, 25 in x 45 in	30 sheets per mat 4 mats per case	25" x45"	White	4	Case

## Anti-Fatigue & Scraper Matting, cont'd

### 3M™ Clean-Walk Mats - Framed 5840

3M™ Clean-Walk Mats are adhesive mats that capture dirt on contact from shoe soles, wheels, and other passing objects. Framed mats are adhered to a plastic frame. The frame's nonskid textured back maintains position on carpet and other surfaces. Replacement pads/mats install easily to the reusable plastic frame.



- Individually tabbed sheets remove easily to expose a fresh, ready-to-use sheet
- Individually numbered sheets ensure one sheet removal at time and identify remaining number of applications
- Large adhesive area allows two full steps

Item Number	Description	Size	Color	QTY	UOM
00021200557231	3M™ Clean-Walk Framed Mat 5840 White on White, 31.5 in x 25.5 in	31.5" x25.5"	White/White	1	Case
00021200557248	3M™ Clean-Walk Framed Mat 5840 White on Black, 31.5 in x 25.5 in	31.5" x25.5"	White/Black	1	Case

### 3M™ Clean-Walk Replacement Pad 5842

Replacement pads for 3M™ Clean-Walk Mats - Framed 5840. Installs quickly and easily

Item Number	Description	Description	Size	Color	QTY	UOM
00021200557224	3M™ Clean-Walk Replacement Pad 5842 White, 30 in x 24 in	60 sheets per pad 2 pads per case	30" x24"	White	2	Case

## Cleaning/Disinfecting/Deodorizing

### 3M™ Adhesive Remover Citrus Base

Provides easy clean up of most types of adhesives. Quickly removes waxes, road tars, grease, oil and similar materials. Will not harm paint, vinyl or fabrics when properly used.



Item Number	Description	Description	Size	QTY	UOM
00021200491429	3M™ Citrus Base Adhesive Remover, 1 gal	5 per case, Bulk Gallons	1 gal	4	Gallon
00021200491436	3M™ Citrus Base Adhesive Remover, 5 gal Pail	Bulk	5 gal	5	Gallon

### 3M™ All-Purpose Cleaner & Degreaser Starter Kit

Versatile cleaner that removes heavy dirt buildup, food soils, greases and oils from washable surfaces such as walls, desks, lockers, doors, machinery, stainless steel countertops and plastic. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making eight more quarts and one free storage caddy.



Item Number	Description	Product ID	Size	QTY	UOM
50048011541094	3M™ All Purpose Cleaner & Degreaser Starter Kit	54109	136 mL	4	Case

### 3M™ Glass Cleaner Starter Kit

Fast-drying, non-streaking cleaner. For cleaning windows glass and mirrors as well as stainless steel, chrome, aluminum, ceramic, marble and plastic. Non-ammoniated formula is compatible with Plexiglas™ and most other plastics. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making six more quarts and one free storage caddy.



Item Number	Description	Product ID	Size	QTY	UOM
50048011541117	3M™ Glass Cleaner Starter Kit	54111	139 mL	4	Case

### 3M™ Restroom Cleaner Starter Kit

Mild acid restroom cleaner effectively removes soap scum and light bathroom scale from toilet bowls, urinals, sinks, showers, ceramic tile, countertops, plastics, fiberglass, porcelain and fixtures. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making eight more quarts and one free storage caddy.



Item Number	Description	Product ID	Size	QTY	UOM
50048011541063	3M™ Restroom Starter Kit	54106	138 mL	4	Case

### 3M™ Non-Acid Foaming Disinfectant Restroom Cleaner Ready-to-Use

Ready-to-use formula quickly penetrates soap scum and soils found on restroom surfaces. Non-acid product provides powerful foaming action, making it an excellent choice for cleaning vertical surfaces.



Item Number	Description	Product ID	Size	QTY	UOM
50048011347658	3M™ Non-Acid Foaming Disinfectant Restroom Cleaner, Ready-to-Use	34765	1 qt	12	Case

### 3M™ Stainless Steel Cleaner and Polish

Ideal for stainless steel, chrome, laminated plastics and aluminum surfaces. With a high-gloss formula, it wipes clean with no streaks or buildup, resists fingerprints and masks surface blemishes. Pleasant lime fragrance. Contains no petroleum distillates.



Item Number	Description	Product ID	Size	QTY	UOM
50048011140020	3M™ Stainless Steel Cleaner and Polish, 21-oz Aerosol	14002	21 oz-Aerosol	12	Case
50048011265648	3M™ Stainless Steel Cleaner and Polish, 21 oz. Aerosol	26564	21 oz-Aerosol	6	Case
50048011199301	3M™ Stainless Steel Cleaner and Polish, 1 Gallon	19930	1 gal	4	Case

### 3M™ HB Quat Disinfectant Cleaner Concentrate

Rinse-free, EPA-registered, hospital germicide. Effective against HBV, HIV-1, MRSA, VRE and other pathogens. Complies with OSHA's Bloodborne Pathogen Standard for disinfecting surfaces soiled with blood and other potentially infectious body fluids. Dilution rate: 1:365



Item Number	Description	Product ID	Size	QTY
50048011235566	3M™ HB Quat Disinfectant Cleaner Concentrate	23556	1 gallon	4
50048011235788	3M™ HB Quat Disinfectant Cleaner Concentrate	23578	55 gallon drum	1

### 3M™ TB Quat Disinfectant Ready-To-Use Cleaner

Rinse-free, EPA-registered, hospital germicide disinfects and cleans hard, nonporous surfaces. Effective against TB, HBV, (CA approval pending), HIV-1, MRSA, VRE and other pathogens. Complies with OSHA's Bloodborne Pathogen Standard for disinfecting surfaces soiled with blood or other potentially infectious body fluids. Pleasant lemon fragrance; extended 1-year shelf life.



Item Number	Description	Product ID	Size	QTY
50048011296123	3M™ TB Quat Disinfectant Ready-To-Use Cleaner	29612	1 quart	12

### 3M™ Commercial Sponges

Commercial-sized for big jobs when you need a long-lasting, industrial product. Beige cellulose sponges are 10 times more absorbent than polyurethane sponges (water absorption by weight). Stronger, less likely to fall apart. A size for every clean-up need.

Item Number	Description	Product ID	Size	QTY	UOM
50053200074499	3M™ Commercial Size Sponge C31	C31	6" x4.25" x1.625"	24	Case
50053200074567	3M™ Extra Large Commercial Sponges C41	C41	7.5" x4.375" x2.0625"	24	Case



### Scotch-Brite™ Power Pad Sponge No. 3000

Two cleaning tools in one. Scotch-Brite™ Power pad combined with a sponge. Patented antimicrobial protection that is locked in to resist odors in the sponge. 20 per case.

Toll Free Number: 1-800-626-8578

Website: [www.3M.com/commerce](http://www.3M.com/commerce)

LEED® Claim: Use of this product helps contribute to LEED® EB v2.0- ID Credit 1.1 Innovation in Operation & Upgrades

Environmental/Energy Advantage: Scotch-Brite Hand Pads are engineered for high performance and durability. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



Item Number	Description	Product ID	Size	QTY	UOM
50048011231636	Scotch-Brite™ Power Pad Sponge	3000	2.8" x 4.5" x 0.6"	20	Case

### Scotch-Brite™ Heavy Duty Commercial Scouring Pad 86

Use in the kitchen to replace scrapers, steel wool and metal sponges. Tough fibers and abrasives clean grills and ovens and remove baked-on food from pots and pans. 6 in x 9 in.

Toll Free Number: 1-800-626-8578

Website: [www.3M.com/commerce](http://www.3M.com/commerce)

LEED® Claim: Use of this product helps contribute to LEED® EB v2.0- ID Credit 1.1 Innovation in Operation & Upgrades

Environmental/Energy Advantage: Scotch-Brite Hand Pads are engineered for high performance and durability. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



Item Number	Description	Product ID	Size	Color	QTY
50048011055096	Scotch-Brite™ Heavy Duty Scouring Pad No.86	No. 86	6" x 9"	Green	36

### 3M™ Easy Trap Duster System

Using specially developed disposable sheets, the 3M™ Easy Trap Duster System traps and holds 6 times more dust, dirt, sand and hair than traditional mops and other disposable dusting systems. It's the more efficient way to dust.

- Works on most horizontal surfaces
- Low drag reduces worker fatigue
- Use both sides of the duster without touching it
- A single duster inventory for all holder sizes

Item Number	Description	Product ID	Description	Size	QTY
00048011556550	3M™ Easy Trap Duster - Standard	55655	500 sheets	5" x 6" x 125'	2



### 3M™ Chemical Sorbent Pads - P-110

Designed with quick and easy response in mind. Packaged in convenient dispenser boxes, for storage in confined spaces or mounting on a wall near where spills may occur.

Toll Free Number: 1-800-328-1667

Website: [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

Environmental/Energy Advantage: Chemical sorbents help to efficiently pick up hazardous chemical spills.



Item Number	Description	Product ID	Description	Size	UOM
50051138175936	3M™ Chemical Sorbent Pad P-110	P-110	50 pads per Dispenser Box, 4 Boxes/Case	11" x 13"	Case

### 3M™ Chemical Sorbent Folded Spill Kit

This spill kit combines the best of both worlds – chemical sorbent-folded (which can be used as boom, pillows or a roll) and high capacity chemical sorbent pads. Packaged in a 20 gallon drum, the kit can be placed in key locations throughout your facility and is easily identified by the bright yellow color. Includes handy, easy-to-grip handles around the drum. Each kit contains 2 rolls of folded sorbent (each 5" by 50'), 30 pads (each 17" by 19"), 3 temporary disposal bags and ties, and one 20 gallon yellow drum.



Item Number	Description	Product ID	Size	QTY	UOM
00051138462871	3M™ Chemical Sorbent Folded Spill Kit C-SKFL31, 31 Gallon 1 Kit = 1 Each	C-SKFL31	31 gal	1	Each

### 3M™ Chemical Sorbent Mini-Booms

Chemical Sorbent Mini-Booms can be placed around hazardous spills, reducing the possibility of spread to adjacent areas. Chemical Sorbents can sorb acids, bases and other hazardous fluids.

Mini-Booms can be ordered in three different sizes, P-200 (3" x 4'), P-208 (3" x 8') and P-212 (3" x 12').

Toll Free Number: 1-800-328-1667

Website: [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

Environmental/Energy Advantage: Chemical sorbents help to efficiently pick up hazardous chemical spills.



Item Number	Description	Product ID	Description	Size	QTY	UOM
50051138175967	3M™ Chemical Sorbent Mini-Boom P-200	P-200	12 Mini-Booms/Case	3" x 4ft	12	Case
50051138213430	3M™ Chemical Sorbent Mini-Boom P-208	P-208	6 Mini-Booms/Case	3" x 8ft	6	Case
50051138213447	3M™ Chemical Sorbent Mini-Boom P-212	P-212	4 Mini-Booms/Case	3" x 12ft	4	Case

### 3M™ Chemical Sorbent Rolls, High Capacity

Designed to cover large surfaces, can be easily cut to cover small areas or fit tight corners. May be used to cover bench tops in anticipation of a spill while also acting as a work surface. Available in two convenient widths - 15 and 38 inches.



Item Number	Description	Product ID	Description	Size	QTY	UOM
00051138290979	3M™ Chemical Sorbent Rolls C-RL15150DD, High Capacity 1 Roll/Case = 1 Each	C-RL15150DD	Absorb 31 Gallons/roll.	15¼" x150'	1	Each
00051138290986	3M™ Chemical Sorbent Rolls C-RL38150DD, High Capacity 1 Roll/Case = 1 Each	C-RL38150DD	Absorb 76 Gallons/roll.	38" x150'	1	Each

All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See Product  WARNING on page 18.

## 3M™ Chemical Spill Response Pack - SPR-CHEM

3M Chemical Spill Kits each contain a carefully selected variety of 3M Chemical Sorbents. Available in five configurations, these convenient kits assist with providing fast and effective containment and clean-up of hazardous spills.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.



Item Number	Description	Product ID	Description	Size	QTY	UOM
50051138289107	3M™ Chemical Spill Response Pack SRP-CHEM	SRP-CHEM	Ideal for spills up to 3.5 gallons.	21.5" x 17.26" x 13.58"	3	Case
50051131071754	3M™ Chemical Spill Response Pack C-SKFL5	C-SKFL5	Kit contains 1-chemroll, 5 inches by 26 feet and one temporary disposal bag	16" x 13" x 13.6"	3	Case
00051138462871	3M™ Chemical Sorbent Folded Spill Response Pack C-SKFL31	SKFL31	Packed in an element-resistant 20 gallon drum with 2 rolls of folded sorbent, 30 pads, 3 disposal bags and ties.	16" x 13" x 13.6"	1	Case

## 3M™ Petroleum Sorbent Pillow T-240

The 3M™ Petroleum Sorbent Pillow T-240 is a selective sorbent which will "sorb" hydrocarbon-based liquids (oleophilic) and repel aqueous-based liquids (hydrophobic). These open mesh bags of particulate sorbent are excellent for handling large quantities of light oil in confined spaces such as sumps, catch basins, bilges, or settlement ponds. Designed for long term use, they are UV resistant and will not deteriorate or sink.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



Item Number	Description	Product ID	Description	QTY	UOM
00021200160530	3M™ Petroleum Sorbent Pillow T-240	T-240	10 Pillows/Bale = 1 Each	10	Each

## 3M™ Petroleum Sorbent Mini-Booms

Tube-like shape used to encircle spills and to contain leaks. Selective sorbent, will "sorb" hydrocarbon-based liquids (oleophilic) and repel aqueous-based liquids (hydrophobic). 3" diameter scrim on the outside of the boom identifies the use while containing particulate sorbent material. One case of booms will absorb 12 gallons of petroleum based liquid.

Item Number	Description	Product ID	Description	Size	QTY	UOM
50051138213546	3M™ Petroleum Sorbent Mini-Boom T-4	T-4	12 Mini-Booms/Case	3" x4'	12	Case
50051138213553	3M™ Petroleum Sorbent Mini-Boom T-8	T-8	6 Mini-Booms/Case	3" x8'	6	Case
50051138213560	3M™ Petroleum Sorbent Mini-Boom T-12	T-12	4 Mini-Booms/Case	3" x12'	4	Case



## 3M™ Petroleum Sorbent Roll HP-100, High Capacity

Designed to cover large areas, petroleum sorbent rolls are perfect for lining drawers, covering workbenches, or masking areas from oversprays. HP-100 rolls can be cut to cover small areas or can be laid on open waters, shorelines, or discharge streams. One bale of HP-100 petroleum sorbent material will absorb up to 73 gallons of petroleum-based liquid. With a scrim on one side, HP-100 can be wrung out and reused many times over to reduce waste and reclaim fluids.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



Item Number	Description	Product ID	Description	Size	QTY	UOM
00051138215422	3M™ Petroleum Sorbent Roll HP-100, High Capacity	HP100	Each roll has the capacity to absorb 277 Litres.	44m x 97cm	1	Roll

Liquid Absorption, cont'd

### 3M™ Petroleum Sorbent Spill Kit Petrol

Compact and conformable for easy storage in locations such as under seats. Ideal for rapid response. Use for containing and sorbing petroleum-based liquids of up to 5 gallons. Use in fuel dispensing applications and the transportation industry where immediate on-site response is needed. Versatile, can be used in pillow, pad, roll or boom configuration. Includes containment bag and tie.



Item Number	Description	Product ID	Description	Size	QTY	UOM
50051138462890	3M™ Petroleum Sorbent Spill Kit P-SKFL5, Petrol, 5 Gallon	P-SKFL5	3 Rolls/Case	5 Gallon	3	Case

### 3M™ Petroleum Sorbent Spill Response Pack SRP-PETRO

Will sorb hydrocarbon based liquids and repel aqueous based liquids. The pack is encased in a cardboard box which can be used as a warning sign and includes both mini-booms and pads.



Item Number	Description	Description	QTY	UOM
50051138289503	3M™ Petroleum Sorbent Spill Response Pack SRP-PETRO	3 Packs/Case	3	Case

All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See Product  WARNING on page 18.

## Electronics Cleaning

### 3M™ Novec™ Electronic Degreaser

An industrial-strength cleaner, ideal for cleaning heavy oils, greases and handling soils from electronic and electrical equipment.

Toll Free Number: 1-800 810 8513

Website: [www.3M.com/Novec](http://www.3M.com/Novec)

**Environmental/Energy Advantage:** Non-flammable, plastic-compatible and low in toxicity. Novec Aerosol Cleaners are non-ozone depleting and contain no nPB, HFCs or HAPS. These high-performing products have a wide margin of safety for use in intended application and are an environmentally responsible alternative to HCFC-141b.



Item Number	Description	Size	QTY	UOM
00051135716984	3M™ Novec™ Electronic Degreaser	12 oz	6	Can

Electronics Cleaning, cont'd

### 3M™ Novec™ Contact Cleaner

Ideal for use on energized components, Novec Contact Cleaner is plastic compatible and can be used for removal of fluorinated oils and greases, light oils and silicones, dust and particulates from sensitive electrical and electronic equipment.

Toll Free Number: 1-800 810 8513

Website: [www.3M.com/Novec](http://www.3M.com/Novec)

**Environmental/Energy Advantage:** Non-flammable, plastic-compatible and low in toxicity. Novec Aerosol Cleaners are non-ozone depleting and contain no nPB, HFCs or HAPS. These high-performing products have a wide margin of safety for use in intended application and are an environmentally responsible alternative to HCFC-141b.



Item Number	Description	Size	QTY	UOM
00051135716991	3M™ Novec™ Contact Cleaner	11 oz	6	Can

### 3M™ Novec™ Contact Cleaner Plus

3M™ Novec™ Contact Cleaner Plus is formulated with extra cleaning power to remove stubborn oils, greases and silicones, as well as fluorinated oils and greases, dust and particulates, from sensitive electrical and electronic equipment. This includes connectors, printed circuit boards, electromechanical devices, scales, relays and circuit breakers. Novec Contact Cleaner Plus is compatible with plastics and other materials of construction. Novec Contact Cleaner Plus is nonflammable, non ozone-depleting, has low global warming potential and contains no HCFCs, HFCs, nPB or HAPS.

Toll Free Number: 1-800 810 8513

Website: [www.3M.com/Novec](http://www.3M.com/Novec)



### 3M™ Novec™ Flux Remover

An industrial-strength cleaner, effective on a wide variety of solder fluxes including rosin-based and many no-clean and lead-free fluxes.

Toll Free Number: 1-800 810 8513

Website: [www.3M.com/Novec](http://www.3M.com/Novec)

**Environmental/Energy Advantage:** Non-flammable, plastic-compatible and low in toxicity. Novec Aerosol Cleaners are non-ozone depleting and contain no nPB, HFCs or HAPS. These high-performing products have a wide margin of safety for use in intended application and are an environmentally responsible alternative to HCFC-141b.



Item Number	Description	Size	QTY	UOM
00051135716977	3M™ Novec™ Flux Remover	12 oz can	6	Case

### 3M™ Quick Drying Contact Cleaner 16-102

This aerosol contact cleaner is great where a very rapidly drying solvent is needed. It is perfect for precision cleaning jobs such as sensors, relays, motor switches, generators, electromechanical assemblies and terminals. Removes soil and other contaminants, then evaporates very quickly without leaving residue. Petroleum distillate alcohol based. No CFC's.

Item Number	Description	Size	QTY	UOM
00054007428183	3M™ Quick Drying Contact Cleaner 16-102	16 oz	12	Each



### 3M™ General Purpose Contact Cleaner 16-101

Clean and remove contaminants from electrical equipment with this alcohol based solvent. Sprays on and quickly dries. Non-corrosive and ideal for cleaning electrical connections and terminals such as contacts, relays, switches, instruments and sensors. This general-purpose cleaner removes light oils and other contaminants, then evaporates quickly without leaving residue. No CFC's.

Item Number	Description	Size	QTY	UOM
00054007428176	3M™ General Purpose Contact Cleaner 16-101	16 oz	12	Each



## 3M™ Performance Plus Duct Tape 8979

This High Performance Duct Tape has a unique construction of high tensile cloth and aggressive adhesive. Designed for permanent and temporary applications, indoors and out. Sunlight/UV and water resistance allows for clean removal from most opaque surfaces with little or no adhesive residue for up to 6 months even in extreme temperatures.



Item Number	Description	Description	Size	Color	QTY	UOM
00021200564680	3M™ Performance Plus Duct Tape 8979 Slate Blue, 48 mm x 54.8 m		48mm x 54.8m	Slate Blue	24	Roll
00021200564697	3M™ Performance Plus Duct Tape 8979 Slate Blue, 72 mm x 54.8 m		72mm x 54.8m	Slate Blue	12	Roll
00021200564703	3M™ Performance Plus Duct Tape 8979 Slate Blue, 96 mm x 54.8 m		96mm x 54.8m	Slate Blue	12	Roll
00048011538518	3M™ Performance Plus Duct Tape 8979 Slate Blue, 48 mm x 22.8 m		48mm x 22.8m	Slate Blue	12	Roll
00048011539164	3M™ Performance Plus Duct Tape 8979 Olive, 48 mm x 54.8 m	1 per inner 24 per case	48mm x 54.8m	Olive	24	Roll
00048011539188	3M™ Performance Plus Duct Tape 8979 Black, 48 mm x 54.8 m	1 per inner 24 per case	48mm x 54.8m	Black	24	Roll
00048011539195	3M™ Performance Plus Duct Tape 8979 Slate Blue, 22in x 60yd		22" x 60yds	Slate Blue		Roll
00048011539201	3M™ Performance Plus Duct Tape 8979 Slate Blue, 12in x 60yd		12" x 60yds	Slate Blue		Roll
00048011539225	3M™ Performance Plus Duct Tape 8979 Slate Blue, 24mm x 58.8m		24mm x 58.8m	Slate Blue		Roll
00048011581835	3M™ Performance Plus Duct Tape 8979 Slate Blue, 144mm x 54.8m		144mm x 54.8m	Slate Blue	6	Roll

## Scotch® A/C & Ventilating Duct Tape

This tape meets stringent UL standards and is for use on ventilation ducts and pipes. Extremely dense cloth and special adhesives create unique sealing properties to protect against moisture or air leakage.



## 3M™ Multi Purpose Duct Tape 3900

General purpose cloth duct tape with tack-free roll edges. Polyethylene coated cloth backing is moisture resistant. A good choice for general maintenance repair.

Typical physical and performance properties include; adhesion to steel: 56 oz./in. width, tensile strength: 22 lbs/in width, elongation at break: 15%, thickness: 7.7 mils, temperature use range: up to 200°F (93 °C).

- Holds firmly, stays in place.
- Multiple colors for color coding.
- Holds poly, carpet and other materials.
- Secure PVC pipes.
- Protect surfaces from abrasion.



Item Number	Description	Size	Color	QTY	UOM
00021200498336	3M™ Duct Tape 3900 Black, 48 mm x 54.8 m	48mmx54.8m	Black	24	Roll
00021200498329	3M™ Duct Tape 3900 Blue, 48 mm x 54.8 m	48mmx54.8m	Blue	24	Roll
00021200498312	3M™ Duct Tape 3900 Olive, 48 mm x 54.8 m	48mmx54.8m	Olive	24	Roll
00021200498305	3M™ Duct Tape 3900 Red, 48 mm x 54.8 m	48mmx54.8m	Red	24	Roll
00051131069763	3M™ Duct Tape 3900 Silver, 48 mm x 54.8 m	48mmx54.8m	Silver	24	Roll
00021200498299	3M™ Duct Tape 3900 White, 48 mm x 54.8 m	48mmx54.8m	White	24	Roll
00021200498282	3M™ Duct Tape 3900 Yellow, 48 mm x 54.8 m	48mmx54.8m	Yellow	24	Roll

## Scotch® Safe-Release™ Painters' Masking Tape for Multi-Surfaces

This tape removes cleanly without adhesive transfer or surface damage for up to 14 days - even when exposed to direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal. Flexible crepe backing allows for exceptional conformability to semi-smooth surfaces.



Item Number	Description	Product ID	Size	Color	QTY
00051115036804	Scotch® Safe-Release™ Painters' Masking Tape - 3/4 in x 60 yd	2090-.75E	3/4 " x 60 yds	Blue	24
00051115036811	Scotch® Safe-Release™ Painters' Masking Tape - 1 in x 60 yd	2090-1A	1 " x 60 yds	Blue	36
00051115068188	Scotch® Safe-Release™ Painters' Masking Tape - 1 in x 60 yd	2090-1A-BK	1 " x 60 yds	Blue	36
00051115036828	Scotch® Safe-Release™ Painters' Masking Tape - 1 1/2 in x 60 yd	2090-1.5A	1 1/2 " x 60 yds	Blue	24
00051115068195	Scotch® Safe-Release™ Painters' Masking Tape - 1 1/2 in x 60 yd	2090-1.5A-BK	1 1/2 " x 60 yds	Blue	24
00051115068201	Scotch® Safe-Release™ Painters' Masking Tape - 2 in x 60 yd	2090-2A-BK	2 " x 60 yds	Blue	24
00051115036835	Scotch® Safe-Release™ Painters' Masking Tape - 2 in x 60 yd	2090-2E	2 " x 60 yds	Blue	12

## 3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090

This is a pre-folded high density plastic drop cloth pre-taped with Scotch® 2090 Long-Mask™ tape. Plastic folds out.

Item Number	Description	Description	NSN	QTY	UOM
00051131066960	3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090-24		N	12	Each
00051131066977	3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090-35		N	12	Each
00051115079979	3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth with dispenser, PTD2090-24	With dispenser		12	Each



## 3M™ General Purpose Masking Tape 203

Crepe paper backing with rubber adhesive. 3M™ General Purpose Masking Tape 203 has good adhesion, holding power, and provides good paint lines. Use for general purpose masking projects where surfaces are not easily damaged. Instant adhesion to a wide variety of surfaces with high holding power that resists lifting and curling.

Toll Free Number: 1-800-362-3550

Website: [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



Item Number	Description	Product ID	Description	Size	Color	QTY	UOM
00048011584522	3M™ General Purpose Masking Tape 203, 24mm x 55m	203	Individually Wrapped	24mm x 55m	Beige	36	Roll
00048011580364	3M™ General Purpose Masking Tape 203, 24mm x 55m	203	Bulk	24mm x 55m	Beige	24	Roll
00048011580371	3M™ General Purpose Masking Tape 203, 36mm x 55m	203	Bulk	36mm x 55m	Beige	24	Roll
00048011584546	3M™ General Purpose Masking Tape 203, 48mm x 55m	203	Individually Wrapped	48mm x 55m	Beige	24	Roll
00048011580388	3M™ General Purpose Masking Tape 203, 48mm x 55m	203	Bulk	48mm x 55m	Beige	24	Roll
00048011580395	3M™ General Purpose Masking Tape 203, 72mm x 55m	203	Bulk	72mm x 55m	Beige	72	Roll


## Scotch® Box Sealing Tape 375

Superior performance box sealing tape for single- and double-wall cartons and demanding applications. Synthetic rubber resin adhesive instantly seals with more than 12,000 minutes adhesion. Tensile strength: 35 lb/inch. Backing thickness: 2.0 mil.

Toll Free Number: 1-800-362-3550

Website: [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product complies with environmental considerations of ASTM D1974-92, meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



Item Number	Description	Product ID	Description	Size	Color	QTY	UOM
00021200724053	Scotch® Box Sealing Tape 375 Clear, 36mm x 50m		Bulk	36 mm x 50 m	Clear	48	Roll
00021200724060	Scotch® Box Sealing Tape 375 Clear, 48 mm x 50 m	375		48 mm x 50 m	Clear	36	Roll
00021200724015	Scotch® Box Sealing Tape 375 Tan, 48 mm x 50 m	375		48 mm x 50 m	Tan	36	Roll
00021200724084	Scotch® Box Sealing Tape 375 Clear, 48 mm x 914 m			48 mm x 914 m	Clear	6	Roll
00021200724039	Scotch® Box Sealing Tape 375 Tan, 48mm x 914m			48 mm x 914 m	Tan	6	Roll
00021200724107	Scotch® Box Sealing Tape 375 Clear, 48 mm x 1500 m			48 mm x 1500 m	Clear	3	Roll
00021200724077	Scotch® Box Sealing Tape 375 Clear, 72 mm x 50 m	375		72 mm x 50 m	Clear	24	Roll
00021200724022	Scotch® Box Sealing Tape 375 Tan, 72 mm x 50 m	375		72 mm x 50 m	Tan	24	Roll
00021200481871	Scotch® Box Sealing Tape 375 Clear, 72 mm x 411m			72 mm x 411m	Clear	4	Roll
00021200724091	Scotch® Box Sealing Tape 375 Clear, 72 mm x 914 m			72 mm x 914 m	Clear	4	Roll
00021200724046	Scotch® Box Sealing Tape 375 Tan, 72 mm x 914 m			72 mm x 914 m	Tan	4	Roll

## Electrical Repair

### Scotch® Linerless Rubber Splicing Tape 130C

Scotch® Linerless Rubber Splicing Tape 130C is high voltage, insulating, thermally conductive and self-bonding. Typical applications include primary electrical insulation for splicing all solid dielectric cables through 69kV.

Item Number	Description	Product ID	Size	QTY	UOM
00054007417170	Scotch® Linerless Rubber Splicing Tape 130C	130C	¾" x 30'	10	Roll
00054007417538	Scotch® Linerless Rubber Splicing Tape 130C	130C	1" x 30'	24	Roll
00054007417187	Scotch® Linerless Rubber Splicing Tape 130C	130C	1½" x 30'	12	Roll
00054007417545	Scotch® Linerless Rubber Splicing Tape 130C	130C	2" x 30'	12	Roll



## Scotch® Super 33+™ Vinyl Electrical Tape

Scotch® Super 33+™ Vinyl Electrical Tape is highly conformable and super stretchy in all weather applications. This tape provides flexibility and easy handling for all around performance. It combines PVC backing with excellent electrical insulating properties to provide primary electrical insulation and protective jacketing for splices up to 600V. UL Listed and CSA Certified. Excellent resistance to UV rays, abrasion, moisture, copper corrosion, alkalis and acids, and is flame-retardant. Excellent all-weather performance in cold to 0°F (-18°C) and is designed to perform in a continuous temperature environment up to 221°F (105°C).

Website: [www.3m.com/electrical](http://www.3m.com/electrical)

**Environmental/Energy Advantage:** Electrical vinyl tapes are lead free, defined as a lead level that does not exceed 0.1% (EU RoHS Directive 2002/95/EC, as amended).



Item Number	Description	Product ID	Description	Size	Color	QTY	UOM
00054007061304	Scotch® Super 33+™ Vinyl Electrical Tape, 3/4" x 20'	Super 33+		3/4" x 20 ft	Black	100	Case
00054007100751	Scotch® Super 33+™ Vinyl Electrical Tape, 3/4" x 44'	Super 33+		3/4" x 44 ft	Black	100	Case
00054007061328	Scotch® Super 33+™ Vinyl Electrical Tape, 3/4" x 66'	Super 33+		3/4" x 66 ft	Black	100	Case
00054007502364	Scotch® Super 33+™ Vinyl Electrical Tape, 1 1/2" x 36yd	Super 33+	Bulk	1 1/2" x 36 yds	Black	50	Case

## Scotch® Vinyl Electrical Tape Super 88

This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications. Inner pack of 1 per box, 10 per carton with 100 rolls per case.

Website: [www.3m.com/electrical](http://www.3m.com/electrical)

**Environmental/Energy Advantage:** Electrical vinyl tapes are lead free, defined as a lead level that does not exceed 0.1% (EU RoHS Directive 2002/95/EC, as amended).



Item Number	Description	Size	Color	QTY	UOM
00054007103073	Scotch® Vinyl Electrical Tape Super 88	3/4" x 44 ft	Black	100	Roll
00054007061434	Scotch® Vinyl Electrical Tape Super 88	3/4" x 66 ft	Black	100	Roll
00054007103233	Scotch® Vinyl Electrical Tape Super 88	3/4" x 36 yds	Black	48	Roll
00054007103646	Scotch® Vinyl Electrical Tape Super 88	1 1/2" x 44 ft	Black	100	Roll
00054007103561	Scotch® Vinyl Electrical Tape Super 88	2" x 36 yds	Black	12	Roll
00054007103318	Scotch® Vinyl Electrical Tape Super 88	1" x 36 yds	Black	48	Roll

## Scotch® Vinyl Electrical Tape 35

Colored 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. Comes in blue, brown, grey, orange, violet, white, yellow, green, and red.

Website: [www.3m.com/electrical](http://www.3m.com/electrical)

**Environmental/Energy Advantage:** Electrical vinyl tapes are lead free, defined as a lead level that does not exceed 0.1% (EU RoHS Directive 2002/95/EC, as amended).



Item Number	Description	Product ID	Size	Color	QTY
00054007108368	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	Blue	100
00054007108856	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	Brown	100
00054007000723	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	Gray	100
00054007108511	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	Green	100
00054007108696	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	Orange	100
00054007108108	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	Red	100
00054007112716	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	Violet	100
00054007108283	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	White	100
00054007108443	Scotch® Vinyl Electrical Tape 35	35	3/4 in x 66 ft	Yellow	100

### Scotch® Electrical Shielding Tape 24

Scotch® Electrical Shielding Tape 24 is an all-metal, flat, open-weave shielding braid that is compatible with power cable insulations and all high-voltage splicing and terminating materials.



Item Number	Description	Product ID	Size	QTY
00054007150589	Scotch® Electrical Shielding Tape 24-1x100FT	24	1 in x 100 ft (25 mm x 30, 5 m)	10
00054007150411	Scotch® Electrical Shielding Tape 24-1x15FT	24	1 in x 15 ft (25 mm x 4, 6 m)	50

### Scotch® 23 Rubber Splicing Tape

Scotch® 23 Rubber Splicing Tape is a highly conformable, self-fusing Ethylene Propylene Rubber (EPR) based high-insulating voltage tape. Scotch® 23 has a "snakeskin" liner that is easily removed as the tape is applied.



Item Number	Description	Product ID	Description	Size	QTY	UOM
00054007150251	Scotch® 23 Rubber Splicing Tape, 3/4 inch x 30 ft	2828	1/box, 10/carton, 50/case	3/4" x 30'	50	Roll
00054007130611	Scotch® 23 Rubber Splicing Tape 1 in x 20 ft (25 mm x 6 1 m)	2831	100 Rolls/Shipper	1" x 20' (25 mm x 6 1 m)	100	Roll
00054007000594	Scotch® 23 Rubber Splicing Tape, 1 inch x 30 ft	2830	1/box, 10/carton, 50/case	1" x 30'	50	Roll
00054007112143	Scotch® 23 Rubber Splicing Tape, 1 1/2 in x 30 ft (38 mm x 9, 1 m)	2832	1/box, 10/carton, 50/case	1½" x 30' (38 mm x 9, 1 m)	50	Roll
00054007150336	Scotch® 23 Rubber Splicing Tape, 2 inch x 30 ft	2834	1/box, 10/carton, 50/case	2" x 30'	50	Roll

### 3M™ ScotchCode™ Wire Marking Tape Dispenser

Provides a fast, convenient system for marking wire, cable, or vacuum hoses and spark plug wires. Special end loop to hook on belt or tool pouch. Small size makes it easy to carry. Filled dispenser.



Item Number	Description	Product ID	QTY	UOM
00054007495178	3M™ ScotchCode™ Wire Marking Tape Dispenser	STD-CX	10	Each
00054007495185	3M™ ScotchCode™ Wire Marking Tape Dispenser	STD-0-9X	10	Each
00054007121749	3M™ ScotchCode™ Wire Marking Tape Dispenser	STD-0-9	25	Each

### 3M™ ScotchCode™ Write On Wire Marker Book

This self-laminating, write-on marker was designed for small volume applications involving special or complex legends that are handwritten at the job site.



Item Number	Description	Product ID	Description	Size	QTY	UOM
00054007499046	3M™ ScotchCode™ SWB-1 Write On Wire Marker Book, Wire O.D. 0.16 to 0.31 inches	SWB-1	180 labels per book.	0.16" to 0.31"	5	Each
00054007499053	3M™ ScotchCode™ SWB-2 Write On Wire Marker Book, Wire O.D. 0.24 to 0.31 inches	SWB-2	120 labels per book.	0.24" to 0.31"	5	Each
00054007499060	3M™ ScotchCode™ SWB-3 Write On Wire Marker Book, Wire O.D. 0.32 to 0.58 inches	SWB-3	60 labels per book.	0.32" to 0.58"	5	Each
00054007499077	3M™ ScotchCode™ SWB-4 Write On Wire Marker Book, Wire O.D. 0.32 to 1.55 inches	SWB-4	30 labels per book.	0.32" to 1.55"	5	Each

### 3M™ ScotchCode™ Write-On Tape Wire Marker Dispenser SLW

Offers three marker sizes to fill your needs. This lightweight dispenser provides a flat, stable surface for writing on the marker. Dispenser is factory loaded and re-enterable, providing clean storage for the die-cut markers. The markers are transparent vinyl tape with acrylic, self-laminating, pressure sensitive adhesive that resists flapping, dirt, oil and heat. Write on tape markers are for use on 0.09" to 0.315" O.D. wire and cable and any other marking uses from control panels to golf clubs. Large dispenser with tape and SMP marker.



Item Number	Description	Product ID	Size	QTY	UOM
00054007121770	3M™ ScotchCode™ Write-On Tape Wire Marker Dispenser SLW	SLW	1" x5"	10	Each

### 3M™ Quick Connects 03874NA

3M™ high-count pack Electrical Connectors are reliable, simple to use and versatile.



Item Number	Description	Product ID	Size	QTY
00051131038745	3M™ Quick Connects 03874NA	03874NA	2.875" x 4.75" x 1.25"	36

### 3M™ Scotchlok™ Terminal Kit STK-1

Filled with 3M's most frequently purchased low voltage termination products. Kit is constructed of durable metal with individual product compartments. While the compartments keep you organized, the rugged metal frame protects the contents even in the harshest conditions. Also includes crimping tool, Scotchcode™ Tape Dispenser and Cable Ties.



Item Number	Description	Product ID	Color	QTY	UOM
00051138253486	3M™ Scotchlok™ Terminal Kit STK-1	STK-1	Red	1	Each

### 3M™ Scotchlok™ Electrical Spring Connectors

Insulated with a color-coded, pliable, vinyl skirt. They feature a "live spring" which assures a tight grip, even on small wire combinations. These premium grade connectors can be "backed off" to allow maintenance or modification of electrical systems.



Item Number	Description	Description	Color	QTY	UOM
00054007420330	3M™ Scotchlok™ Electrical Spring Connectors B	3-6#12, 2-6#10, 2-3#8, 1-2#6 stranded AWG	Blue	500	CONN
00054007213468	3M™ Scotchlok™ Electrical Spring Connectors G-BOX	3-7#14, 2-6#12, 2-4#10, 2#8 AWG	Green	1, 000	CONN
00054007704881	3M™ Scotchlok™ Electrical Spring Connectors G-BULK(Bulk)	3-7#14, 2-6#12, 2-4#10, 2#8 AWG	Gray	5, 000	CONN
00054007200581	3M™ Scotchlok™ Electrical Spring Connectors R-BOX	9#18, 4-6#16, 2-5#14, 2-5#12, 1-3#10 AWG	Red	1, 000	CONN
00054007704898	3M™ Scotchlok™ Electrical Spring Connectors, R-BULK, 5000 Bulk	Wire range: 600 Volt	Red	5, 000	CONN
00054007200413	3M™ Scotchlok™ Electrical Spring Connectors Y-BOX	5-8#22, 4-6#20, 2-5#18, 2-3#16 AWG	Yellow	1, 000	CONN
00054007157694	3M™ Scotchlok™ Electrical Spring Connectors Y-BULK	5-8#22, 4-6#20, 2-5#18, 2-3#16 AWG	Yellow	5, 000	CONN

### 3M™ "Performance Plus" B/G+ Wire Connector

B/G + covers both the large blue and gray connectors. This simplifies selection of the right connector for a wide range of wiring jobs. There's also less inventory to manage, and a better chance you'll have the connector you need to do every job.



Item Number	Description	Description	Color	QTY	UOM
00054007431503	3M™ "Performance Plus" B/G+ Wire Connector	50/Inr, 500/Cs	Blue/Gray	500	Case
00054007431510	3M™ "Performance Plus" B/G+ Wire Connector	250/Inr, 2, 000/Cs	Blue/Gray	2, 000	Case

### 3M™ "Performance Plus" O/B+ Wire Connector

The improved 3M O/B+ Connector will help electricians do more with less. The O/B+ connector combines a very small shell with an increased wire range. The improved spring bites wire quickly with less effort and accommodates from two #22 AWG wires up to three #12 AWG (solid) or four #14 AWG.



Item Number	Description	Description	Color	QTY	UOM
00054007431534	3M™ "Performance Plus" O/B+ Wire Connector	500/Inr, 10, 000/Cs	Orange/Blue	10, 000	Case
00054007431527	3M™ "Performance Plus" O/B+ Wire Connector	100/Inr, 1, 000/Cs	Orange/Blue	1, 000	Case

### 3M™ "Performance Plus" R/Y+ Wire Connector

R/Y + replaces both red and yellow wing style connectors. This simplifies selection of the right connector for a wide range of wiring jobs. There's also less inventory to manage, and a better chance you'll have the connector you need to do every job.



Item Number	Description	Description	Color	QTY	UOM
00054007431541	3M™ "Performance Plus" R/Y+ Wire Connector	100/Inr, 1, 000/Cs	Red/Yellow	1, 000	Case
00054007431558	3M™ "Performance Plus" R/Y+ Wire Connector	500/Inr, 4, 000/Cs	Red/Yellow	4, 000	Case

### 3M™ Spring Connector

Electrical spring connectors are insulated with a color-coded, pliable, vinyl skirt. They feature a "live-spring" which assures a tight grip, even on small wire combinations. These premium-grade connections can be "backed off" to allow maintenance or modification of electrical systems. Cable Range (AWG): 5-7 #22, 3-6 #20, 2-6 #18, 2-6 #16, 1-4 #14, 1-3 #12 (1, 5-10, 0 mm2).



Item Number	Description	Product ID	Description	Color	QTY	UOM
00054007081593	3M™ 312 Electrical Spring Connectors, Yellow, 100 per Bx	312	100/Bx, 1, 000/Cs	Yellow	1, 000	CONN
00054007081609	3M™ 312 Electrical Spring Connectors, Yellow, 500 per bulk bag	312	500/Bx, 1, 000/Cs	Yellow	1, 000	CONN
00054007081616	3M™ 512 Electrical Spring Connectors, Red, 100 per Bx	512	100/Bx, 1, 000/Cs	Red	1, 000	CONN
00051128539538	3M™ 512 Electrical Spring Connectors, Red, 250 per jug	512	250/Jug, 5, 000/Cs	Red	5, 000	CONN
00054007081623	3M™ 512 Electrical Spring Connectors, Red, 500 per bulk bag	512	500/Bag, 10, 000/Cs	Red	10, 000	CONN

### 3M™ Highland™ Electrical Wire Connectors

For general wiring. Color code makes it easy (and fast) to match the right connector to the wire's sizes. UL listed. CSA approved. Works equally well with either solid or stranded wire.



Item Number	Description	Product ID	Description	Color	QTY	UOM
00054007431404	Highland™ H-35 Wire Connector, Red, 18-10 AWG, 100/Box	H-35	18-10 AWG	Red	1, 000	CONN
00054007431367	Highland™ H-33 Wire Connector, Yellow, 18-12 AWG, 100/Box	H-33	18-12 AWG	Yellow	1, 000	CONN
00054007431381	Highland™ H-33 Wire Connector, Yellow, 18-12 AWG, 500/Bag	H-33	18-12 AWG	Yellow	5, 000	CONN
00054007431428	Highland™ H-35 Wire Connector, Red, 18-12 AWG, 250/Bag	H-35	18-12 AWG	Red	2, 500	CONN
00054007431176	Highland™ Electrical Wire Connectors	H-31	18-14 AWG	Orange	1, 000	CONN
00054007431183	Highland™ H-31 Wire Connector, Orange, 18-14 AWG, 500/Bag	H-31	18-14 AWG	Orange	10, 000	CONN
00054007431206	Highland™ H-31 Wire Connector, Orange, 18-14 AWG, 10, 000/Keg	H-31	18-14 AWG	Orange	10, 000	CONN
00054007431336	Highland™ Electrical Wire Connectors	H-29	22-16 AWG	Gray	1, 000	CONN
00054007431220	Highland™ Electrical Wire Connectors	H-30	20-16 AWG	Blue	1, 000	CONN
00054007431237	Highland™ H-30 Wire Connector, Blue, 22-16 AWG, 1, 000/Bin	H-30	22-16 AWG	Blue	1, 000	CONN

## Electrical Repair, cont'd

### 3M™ Scotchfil™ Electrical Insulation Putty

Wrap and stretch this electrical insulation putty around low-voltage connections (up to 600V). Moisture seal ground wires or smooth out irregularities. Electrical grade, rubber-based, elastic putty in a tape form is self-fusing. 125 mil thick for quick insulation buildup. Overwrap with Scotch® Super 33+ for best erosion protection. Use up to 176°F.



Item Number	Description	Size	QTY	UOM
00054007417507	3M™ Scotchfil™ Electrical Insulation Putty	1½" x60"	12	Roll

### 3M™ Scotchcast™ Electrical Insulating and Sealing Compound 2104

3M™ Scotchcast™ 2104 compound in a Unipak container is a two-part, low-viscosity polyurethane for permanent splice protection. This resin is included in the multi-mold splicing kits.



Item Number	Description	Product ID	Size	QTY
00054007311898	3M™ Scotchcast™ Electrical Insulating and Sealing Compound 2104A	2104A	3.46 oz	10
00054007313823	3M™ Scotchcast™ Electrical Insulating and Sealing Compound 2104B	2104B	7.4 oz	10
00054007313830	3M™ Scotchcast™ Electrical Insulating and Sealing Compound 2104C	2104C	14.82 oz	10
00054007118497	3M™ Scotchcast™ Electrical Insulating and Sealing Compound 2104D	2104D	23.8 oz	10

### 3M™ Cable Tie Mounting Bases

Designed to be screw-mounted. Adhesive backing makes it an easy application. Nylon unless noted. Packed: 100/bag, 500/case. Ivory is made of ABS Plastic.



Item Number	Description	Size	Color	QTY	UOM
00054007062981	3M™ Cable Tie Mounting Bases	0.6" x0.39"	Natural	500	Each
00054007062950	3M™ Cable Tie Mounting Bases	0.75" x0.75"	Black	500	Each
00054007062943	3M™ Cable Tie Mounting Bases	0.75" x0.75"	Natural	500	Each
00054007062998	3M™ Cable Tie Mounting Bases	0.8" x0.6"	Natural	500	Each
00054007062929	3M™ Cable Tie Mounting Bases	1" x1"	Ivory	500	Each
00054007062974	3M™ Cable Tie Mounting Bases	1" x1"	Black	500	Each
00054007062967	3M™ Cable Tie Mounting Bases	1" x1"	Natural	500	Each
00054007062905	3M™ Cable Tie Mounting Bases	2" x1"	Ivory	500	Each

### 3M™ Cable Tie Assortment Pack 06220

Secure wire bundles and harnesses components quickly, without slipping. Self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Cable tie assortment pack contains 100 of the most commonly used ties. Contains three sizes, four lengths and two colors.



Item Number	Description	Description	QTY	UOM
00054007062202	3M™ Cable Tie Assortment Pack 06220	100/PH	1,000	Each

### 3M™ Weather Resistant Cable Ties - Standard

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 50 lb.



Item Number	Description	Description	Size	Color	QTY	UOM
00054007062028	3M™ Weather Resistant Cable Ties	100/lnr	0.18" x11"	Natural	1,000	Each
00054007062264	3M™ Weather Resistant Cable Ties	100/lnr	0.18" x11"	Black	1,000	Each
00054007062721	3M™ Weather Resistant Cable Ties	1,000/lnr	0.18" x11"	Natural	5,000	Each
00054007062509	3M™ Weather Resistant Cable Ties	1,000/lnr	0.18" x11"	Black	5,000	Each
00054007062035	3M™ Weather Resistant Cable Ties	100/lnr	0.18" x15"	Natural	500	Each
00054007062271	3M™ Weather Resistant Cable Ties	100/lnr	0.19" x15"	Black	500	Each
00054007062738	3M™ Weather Resistant Cable Ties	1,000/lnr	0.14" x6"	Natural	1,000	Each
00054007062516	3M™ Weather Resistant Cable Ties	1,000/lnr	0.14" x6"	Black	1,000	Each
00054007062042	3M™ Weather Resistant Cable Ties	100/lnr	0.14" x6"	Natural	10,000	Each
00054007062288	3M™ Weather Resistant Cable Ties	100/lnr	0.14" x6"	Black	10,000	Each

### 3M™ Weather Resistant Cable Ties - Intermediate

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 40 lb.



Item Number	Description	Description	Size	Color	QTY	UOM
00054007062011	3M™ Weather Resistant Cable Ties	100/lnr	0.18" x8"	Natural	1,000	Each
00054007062257	3M™ Weather Resistant Cable Ties	100/lnr	0.18" x8"	Black	1,000	Each
00054007062714	3M™ Weather Resistant Cable Ties	1,000/lnr	0.18" x8"	Natural	10,000	Each
00054007062493	3M™ Weather Resistant Cable Ties	1,000/lnr	0.18" x8"	Black	10,000	Each

### 3M™ Weather Resistant Cable Ties - Heavy Duty

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 120 lb.



Item Number	Description	Description	Size	Color	QTY	UOM
00054007062776	3M™ Weather Resistant Cable Ties	500/lnr	0.30" x15"	Yellow	2,500	Each
00054007062646	3M™ Weather Resistant Cable Ties	500/lnr	0.30" x15"	Black	2,500	Each

### 3M™ Wire Pulling Lubricant Gel

Not only does 3M™ Wire Pulling Lubricant Gel make wire pulling jobs smoother and safer, it also wipes off the cable quickly and cleanly before terminating or splicing. The consistent gel does not liquefy, or separate with hot or cold aging. It stays thick, smooth and ready to apply. Temperature use range is 20°F to 110°F.



Item Number	Description	Product ID	Size	QTY	UOM
00054007506225	WL-QT Wire Pulling Lubricant Gel, One Quart	WL-QT	1 qt	12	QT
00054007506232	WL-1 Wire Pulling Lubricant Gel, One Gallon	WL-1	1 gal	4	Gallon

### 3M™ Wire Pulling Lubricant Wax

The thick, consistent lubricant does not liquefy or separate with hot aging; it scoops and applies easily to wire and cable without runs or drips in hot temperatures; and it will not evaporate too soon after pulls. The lubricant's low friction coefficient lessens the chance of wire damage from high pulling forces, wipes off the cable quickly and cleanly and leaves less residue in the conduit to block future pulls or prevent removal. Because Wire Pulling Lubricant Wax can be immersed in water for 30 minutes with minimal weight loss, it is also the choice for wet weather applications.



Item Number	Description	Product ID	Size	QTY	UOM
00054007417422	WLX-QT Wire Pulling Lubricant Wax, One Quart	WLX-QT	1 qt	12	QT
00054007417439	WLX-1 Wire Pulling Lubricant Wax, One Gallon	WLX-1	1 gal	4	Gallon

## Electrical Repair, cont'd

### 3M™ Hand Wire Connector Driver WCD-H

Hand driver for 3M™ O/B +, R/Y +, 3M™ Scotchlok™ Wire Connectors Y, R, G, and 3M 212, 312, and 512.



Item Number	Description
00054007499480	3M™ Hand Wire Connector Driver WCD-H

### 3M™ Power Wire Connector Driver WCD-P

Power driver using a standard chuck, drill or screw driver for 3M™ O/B +, R/Y +, 3M™ Scotchlok™ Y, R, G, and 3M 212, 312, and 512 wire connectors.



Item Number	Description
00054007499190	3M™ Power Wire Connector Driver WCD-P

### 3M™ Splice Kits 8420 Series

3M™ Splice Kits 8420 Series are designed using the unique cold shrink delivery system developed by 3M. Products are supplied pre-stretched on a removable core for efficiency and ease of installation.


The removable core unwinds after positioning the splice, allowing the product to shrink into position and form a moisture resistant seal. The live memory action of the specially formulated material ensures a permanent, durable environmental seal and insulation.



Item Number	Description	Product ID	Description	QTY
00054007099178	3M™ Cold Shrink Insulator 8429-6	8429-6		10
00054007421467	3M™ Cold Shrink Insulator 8423-6	8423-6	6-4 AWG	10
00054007428640	3M™ Cold Shrink Insulator 8423-6P	8423-6P	6-4 AWG, Point of Purchase	10
00054007423904	3M™ Cold Shrink Insulator 8424-8	8424-8	10-1/0 AWF	10
00054007428657	3M™ Cold Shrink Insulator 8424-8P	8424-8P	10-1/0 AWF, Point of purchase	10
00054007423911	3M™ Cold Shrink Insulator 8425-8	8425-8	2-1/0 AWG	10
00054007428664	3M™ Cold Shrink Insulator 8425-8P	8425-8P	2-1/0 AWG, Point of Purchase	10
00054007344575	3M™ Cold Shrink Insulator 8426-9	8426-9	2/0 AWG -250 kcmil	10
00054007434368	3M™ Cold Shrink Insulator 8426-9M	8426-9M	2-4/0 AWG	10
00054007428671	3M™ Cold Shrink Insulator 8426-9P	8426-9P	2/0 AWG -250 kcmil, Point of purchase	10
00054007344582	3M™ Cold Shrink Insulator 8426-11	8426-11	2/0 AWG - 252 kcmil	10
00054007099154	3M™ Cold Shrink Insulator 8427-6	8427-6		10

### 3M™ Heat Shrink Heavy-Wall Cable Sleeve for 1kV ITCSN-1500

3M™ Heavy Wall Cable Sleeves ITCSN are cross linked polyolefin. They are highly split resistant and fast shrinking to provide rapid installation.



Item Number	Description	Description	Size	QTY
00054007089742	3M™ Heat Shrink Heavy-Wall Cable Sleeve for 1kV ITCSN-1500	12-Bulk, 3/0 AWG-400 kcmil, Expanded/Recovered I.D. 1.50/0.50 in	12 in Length	50
00054007089759	3M™ Heat Shrink Heavy-Wall Cable Sleeve for 1kV ITCSN-1500	48-Bulk, 3/0 AWG-400 kcmil, Expanded/Recovered I.D. 1.50/0.50 in	48 in Length	20
00054007089735	3M™ Heat Shrink Heavy-Wall Cable Sleeve for 1kV ITCSN-1500	9-Bulk, 3/0 AWG-400 kcmil, Expanded/Recovered I.D. 1.50/0.50 in	9 in Length	50

### 3M™ Cold Shrink Silicone Rubber Termination Kit

3M™ Cold Shrink Termination Kit QT-III, 7672-S-8 Series, is designed to terminate power cable up to 69/72, 5kV. It covers a conductor size of 250 to 2000 kcmil, 125-1000 mm(2). Unlike traditional kits, 3M cold shrink technology allows the installer to use same installation techniques as used for medium-voltage cold shrink accessories. For standard and reduced-wall cable.



Item Number	Description	Product ID
00051128554388	3M™ Cold Shrink Silicone Rubber Termination Kit QT-III 7672-S-8 for 69/72, 5kV	QT-III 7672-S-8

## Electrical Repair, cont'd

### Scotch® Electrical Grounding Braid 25

Scotch® Electrical Grounding Braid 25 is a flat, all-metal woven electrical grounding braid that is compatible with all power cable insulations and high-voltage splicing and terminating materials.



Item Number	Description	Product ID	Size	QTY
00054007116028	Scotch® Electrical Grounding Braid 25	25	1/2 in x 15 ft (13 mm x 4, 6 m),	1

## Concrete Repair

### 3M™ Concrete Repair 600, Self-Leveling

Used as a horizontal grade repair material for cracks and spalls in concrete floors. Also used for light-duty custom threading and setting anchors in concrete floors or horizontal surfaces.



Item Number	Description	Description	Size	QTY	UOM
00021200965968	3M™ Concrete Repair 600 Gray Self-Leveling, 8.4 oz Cartridge/2 mix nozzels	Cartridge, 6/Cs	8.4 oz	1	CQ

## Adhesives

### 3M™ Scotch-Grip™ Construction Mastic Adhesive 4323

High performance panel and construction adhesive for both interior and exterior use. This versatile adhesive bonds to many hardwoods, plywood, concrete, aluminum, steel, polystyrene foam, FRP, and some plastics.



Item Number	Description	Description	Size	Color	QTY	UOM
00021200879876	3M™ Scotch-Grip™ Construction Mastic Adh 4323 Gray, 1/10 gal Cartridge	Cartridge	1/10 gal	Gray	12	CQ

### 3M™ Scotch-Weld™ Neoprene High Performance Contact Adhesive 1357

A gray-olive colored, high performance contact adhesive that provides a long bonding range and excellent initial strength.



Item Number	Description	Size	QTY	UOM
00021200198878	3M™ Scotch-Weld™ Neoprene High Performance Contact Adhesive 1357, 5 oz	5 oz	36	Tube
00021200198908	3M™ Scotch-Weld™ Neoprene High Performance Contact Adhesive 1357, 1 pt	1 pt	12	PT
00021200198922	3M™ Scotch-Weld™ Neoprene High Performance Contact Adhesive 1357, 1 qt	1 qt	12	QT
00021200198946	3M™ Scotch-Weld™ Neoprene High Performance Contact Adhesive 1357, 1 gal	1 gal	4	Gallon
00021200198977	3M™ Scotch-Weld™ Neoprene High Performance Contact Adhesive 1357, 5 gal	5 gal	5	Gallon

### 3M™ FoamFast 74 Spray Adhesive

A fast tack adhesive available in an orange and clear formula. Its high content of adhesive solids provides high coverage. It quickly bonds many soft foams and fabrics. The non-dimpling glue line provides an ideal bond line for many upholstery applications. Its variable valve provides a precise spray pattern width of 1" to 4".



- General upholstery foam bonding
- Bonds fabrics to foam, wood, plastics, metal or fabrics

Item Number	Description	Size	Color	QTY	UOM
00021200500459	3M™ FoamFast 74 Spray Adhesive Clear, 24 fl oz	24 fl oz	Clear	12	Can
00021200822421	3M™ FoamFast 74 Spray Adhesive, Orange, 24 fl oz, Aerosol	24 fl oz	Orange	12	Can
00021200963162	3M™ FoamFast 74 Spray Adhesive, Orange Original Formula, 24 oz	24 fl oz	Orange	12	Can

## Adhesives, cont'd

### 3M™ Blue 72 Pressure Sensitive Spray Adhesive

It permits wide-area bonds to be made hours after spraying and easy repositioning of bonds. Provides strong bonds for adhering plastic, foam padding, carpet backing, polyethylene, polypropylene and many other materials to fiberglass, plastics, and particle board.



Item Number	Description	Description	Size	Color	QTY	UOM
00021200300257	3M™ Pressure Sensitive Spray Adhesive 72 Blue, 24 fl oz	Aerosol	24 fl oz	Blue	12	Can

### 3M™ Scotch-Weld™ Instant Adhesive CA5

This slower setting cyanoacrylate instant adhesive is great for gap filling while bonding rough and uneven surfaces. Works very well on metal, rubber, ceramic and plastic.



Item Number	Description	Description	Size	QTY	UOM
00021200742897	3M™ Scotch-Weld™ Instant Adhesive CA5, 1 oz	Bottle	1 oz	12	BO

### 3M™ Scotch-Weld™ Acrylic Adhesive DP805

Two-part, high performance, toughened acrylic adhesive. It has a 1:1 mix ratio and exhibits exceptional overlap shear and peel strength to both metallic and plastic surfaces. It also exhibits excellent environmental resistance with a 5 minute work life.



Item Number	Description	Size	Color	QTY	UOM
00021200837586	3M™ Scotch-Weld™ Acrylic Adhesive DP805, 1.6 fl oz	1.6 oz	Yellow	12	Each
00021200878299	3M™ Scotch-Weld™ Acrylic Adhesive DP805, 400 mL	400 mL	Yellow	6	Each

### 3M™ Scotch-Weld™ Epoxy Adhesive 1751 B/A

An aluminum filled two-part structural epoxy adhesive that cures at room temperature. Has outstanding adhesion to metal and good void filling properties.

Item Number	Description	Description	Size	Color	QTY	UOM
00021200201004	3M™ Scotch-Weld™ Epoxy Adhesive 1751 Gray B/A, 2 oz	Part B/A	2 oz	Gray	6	Kit
00021200201011	3M™ Scotch-Weld™ Epoxy Adhesive 1751 Gray B/A, 1 pt	Part B/A	1 pt	Gray	6	Kit
00021200201035	3M™ Scotch-Weld™ Epoxy Adhesive 1751 Gray B/A, 1 qt	Part B/A	1 qt	Gray	6	Kit
00021200201059	3M™ Scotch-Weld™ Epoxy Adhesive 1751 Gray B/A, 1 gal	Part B/A	1 gal	Gray	2	Kit

## Abrasives

### 3M™ Roloc™ Bristle Disc

Plastic brush-like bristle disc works with Roloc™ system. Designed for cleaning or stripping light coatings. Removes very little base material from workpiece. White (Grade 120), Green (Grade 50) and Yellow (Grade 80)



Item Number	Description	Product ID	Description	Size	QTY
00048011187334	3M™ Roloc™ Bristle Disc	18733	Tapered 120	2 " x 5/8	40
00048011187327	3M™ Roloc™ Bristle Disc	18732	Tapered 80	2 " x 5/8	40
00048011187303	3M™ Roloc™ Bristle Disc	18730	Tapered 50	2 " x 5/8	40

Abrasives, cont'd

### 3M™ Roloc™ TS & TSM Disc Pad

Backup pad designed to support 3M™ Roloc™ TS & TSM abrasive discs. Pad has a ¼-20 INT thread which allows it to be mounted directly to tools with ¼-20 EXT threaded shafts or use with Roloc™ Shank to fit collet chuck tools.



Item Number	Description	Product ID	Description	Size	QTY	UOM
00051144777280	3M™ Roloc™ TS & TSM Disc Pad 77728, Hard, 1 1/2 in 1/4-20 Internal	77728	¼-20" T, Hard	1½"	5	PD
00051144777297	3M™ Roloc™ TS & TSM Disc Pad 77729, Medium, 1 1/2 in 1/4-20 Internal	77729	¼-20" T, Med	1½"	5	PD
00051144142125	3M™ Roloc™ TS & TSM Disc Pad 14212, Hard, 2 in 1/4-20 Internal	14212	¼-20" T, Hard	2"	5	PD
00051144142118	3M™ Roloc™ TS & TSM Disc Pad 14211, Medium, 2 in 1/4-20 Internal	14211	¼-20" T < Med	2"	5	PD
00051144142163	3M™ Roloc™ TS & TSM Disc Pad 14216, Hard, 3 in 1/4-20 Internal	14216	¼-20" T, Hard	3"	5	PD
00051144142156	3M™ Roloc™ TS & TSM Disc Pad 14215, Medium, 3 in 1/4-20 Internal	14215	¼-20" T, Med	3"	5	PD

### Scotch-Brite™ Roloc™ Surface Conditioning Disc Pack 982RS

Convenient introductory pack containing a variety of 2" Roloc™ Discs, unitized wheels and bristle discs. Includes disc pad holder.



Item Number	Description	Product ID	Description	Size	UOM
00048011186948	3M™ Roloc™ Bristle Disc Pack 982RS, 2 in	IP-IP	1 per inner, 5 per case	2"	PH

### Scotch-Brite™ Roloc™ TSM SE Surface Conditioning Disc

A coarse, tough, aggressive non-woven disc for heavy duty deburring and finishing. A metal attachment system screws onto the holder.



Item Number	Description	Product ID	Description	Size	Color	QTY	UOM
00048011257792	Scotch-Brite™ Roloc™ TSM SE Surface Conditioning Disc, 3 in x NH, AMED	SE-DM	Grade AMED, MOS: 18,000 RPM 25/Inr, 100/Cs	3" x NH	Maroon	100	Disc

## Electrical Detection Equipment

### 3M™ IR-1100 Infrared Thermometer

The 3M™ IR-1100 Infrared Thermometer expand its measurement capabilities with the ability to store 12 data points to allow recall of the maximum, minimum, differential, average and last temperature readings. This unit can mount to a tripod and come standard with a hard plastic case, contact probe and wrist strap.



Item Number	Description	Description	NSN	QTY	UOM
00054007444145	3M™ IR-1100 Infrared Thermometer	1/Cs	N	1	Each

### 3M™ IR-1400 Infrared Thermometer

The 3M™ IR-1400 Infrared Thermometer expand its measurement capabilities with the ability to store 12 data points to allow recall of the maximum, minimum, differential, average and last temperature readings. This unit can mount to a tripod and comes standard with a hard plastic case, contact probe and wrist strap.



Item Number	Description	Description	NSN	QTY	UOM
00054007444152	3M™ IR-1400 Infrared Thermometer	1/Cs	N	1	Each

Electrical Detection Equipment, cont'd

### 3M™ IR-1400ISNI Infrared Thermometer

The 3M™ IR-1400ISNI Infrared Thermometer expand its measurement capabilities with the ability to store 12 data points to allow recall of the maximum, minimum, differential, average and last temperature readings. This unit can mount to a tripod and comes standard with a hard plastic case, contact probe and wrist strap.



Item Number	Description	Description	NSN	QTY	UOM
00051128532621	3M™ IR-1400ISNI Infrared Thermometer	1/Cs	N	20	Each

### 3M™ IR-500 Infrared Thermometer

The IR-500 features single spot laser sighting, a 6:1 distance-to-spot ratio, fixed emissivity and a temperature range of 0°F (-18°C) to 500°F (260°C).



Item Number	Description	Description	NSN	QTY	UOM
00054007435563	3M™ IR-500 Infrared Thermometer	20/Cs	N	1	Each

### 3M™ IR-60EXPL2NI-1 Infrared Thermometer

It stores up to 100 data points allowing for easy set-up of preventative maintenance programs. For the ultimate in data logging, the IR-60EXP2NI-1, adds the versatility of direct computer connection for data downloads or printing. This unit can mount to a tripod, where temperature data can be measured over an extended period of time and output directly to a chart recorder, printer, or PC. This 3M™ Infrared Thermometer comes standard with an RS232 cable, Windows-based software, power supply, hard plastic case, wrist strap and contact probe.



Item Number	Description	Description	NSN	QTY	UOM
00054007428558	3M™ IR-60EXPL2NI-1 Infrared Thermometer, 110 V, Software, NIST Certificate	1/Cs	N	1	Each

### 3M™ IR-60L2 Infrared Thermometer

This unit can mount to a tripod and comes standard with a hard plastic case and wrist strap.



Item Number	Description	Description	NSN	QTY	UOM
00054007428404	3M™ IR-60L2 Infrared Thermometer	1/Cs	N	1	Each

### 3M™ IR-750 Infrared Thermometer

This unit can mount to a tripod and comes standard with a hard plastic case and wrist strap.



Item Number	Description	Size	UOM
00054007444121	3M™ IR-750 Infrared Thermometer	5/8" x8"	LB

# Product Index

Product .....	Page
3M "Performance Plus" B/G+ Wire Connector .....	62
3M "Performance Plus" O/B+ Wire Connector .....	63
3M "Performance Plus" R/Y+ Wire Connector.....	63
3M Adhesive Remover Citrus Base .....	50
3M All-Purpose Cleaner & Degreaser Starter Kit.....	50
3M Aseptex Molded Surgical Mask.....	47
3M Avagard D Instant Hand Antiseptic with Moisturizers .....	48
3M Avagard Surgical and Healthcare Personnel Hand Antiseptic with.....	48
3M Battery Pack 520-04-57R01 .....	22
3M Battery Pack BP-15, NiMH .....	22
3M Blue 72 Pressure Sensitive Spray Adhesive.....	68
3M Breathe Easy Butyl Rubber Hood Powered Air Purifying Respirato .....	24
3M Breathe Easy Turbo Belt-Mounted Powered Air Purifying Respirat.....	22
3M Breathing Tube Assembly 520-01-00R01 .....	23
3M Breathing Tube Assembly 520-01-77.....	22
3M Cable Tie Assortment Pack 06220.....	64
3M Cable Tie Mounting Bases.....	64
3M Cartridge FR-57/453-03-02R06 .....	23
3M Cartridge/Filter 60926, Multi Gas/Vapor/P100 .....	21
3M Chemical Sorbent Folded Spill Kit .....	53
3M Chemical Sorbent Mini-Booms .....	53
3M Chemical Sorbent Pads - P-110 .....	53
3M Chemical Sorbent Rolls, High Capacity .....	53
3M Chemical Spill Response Pack - SPR-CHEM .....	54
3M Clean-Walk Mats - Framed 5840.....	50
3M Clean-Walk Mats - Unframed 5830.....	49
3M Clean-Walk Replacement Pad 5842.....	50
3M Coban Self-Adherent Wrap.....	40
3M Cold Shrink Silicone Rubber Termination Kit .....	66
3M Commercial Sponges .....	52
3M Concrete Repair 600, Self-Leveling.....	67
3M Diamond Grade Conspicuity Markings Series 983 .....	11
3M Diamond Grade DG <sup>3</sup> Reflective Sheeting.....	12
3M Diamond Grade Flexible Fluorescent Drum Sheeting Series 3910 .....	11
3M Diamond Grade VIP Reflective Sheeting Series 3990.....	11
3M Digital Board .....	15
3M Digital Projector X20 .....	16
3M Digital Projector X95.....	16
3M Digital Wall Display Plus Series.....	15
3M Driver Feedback Signs .....	13
3M Durapore Surgical Tapes .....	39
3M Dynatel 2210 Cable Locators .....	1
3M Dynatel 2250 Cable Locators .....	1
3M Dynatel 2273 Cable/Fault Locators .....	2
3M Earloop Fluid Resistant Face Mask .....	46
3M Easy Trap Duster System .....	52
3M Electronic Marker System (EMS).....	2
3M Fire Barrier 2000+ and 2000 Silicone Sealants .....	4
3M Fire Barrier 2001 Silicone RTV Foam .....	4
3M Fire Barrier Cast-In Device for Metal Pipes .....	4
3M Fire Barrier Cast-In Device for Plastic Pipes .....	4
3M Fire Barrier CP 25WB+ Sealant.....	3
3M Fire Barrier CS-195+ Composite Sheet.....	5
3M Fire Barrier Duct Wrap.....	5
3M Fire Barrier FS-195+ Wrap/Strip .....	6
3M Fire Barrier IC 15WB+ Sealant .....	3
3M Fire Barrier Moldable Putty+ Pads and Stix.....	4
3M Fire Barrier Mortar .....	5
3M Fire Barrier Packing Material .....	3
3M Fire Barrier Pass-Through Devices .....	5
3M Fire Barrier Pillows.....	6
3M Fire Barrier Water Tight 3000 WT Silicone Sealants .....	6
3M Fire Barrier Water Tight Silicone Sealant 1000 NS.....	6
3M FireDam Spray 200.....	6
3M FoamFast 74 Spray Adhesive.....	67
3M Freeze Watch Indicators.....	30

Product .....	Page
3M Full Facepiece 6000 Series, Reusable .....	20
3M General Purpose Contact Cleaner 16-101 .....	56
3M General Purpose Masking Tape 203 .....	58
3M Glass Cleaner Starter Kit .....	50
3M GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR).....	21
3M Half Facepiece 6000 Series, Reusable .....	20
3M Half Facepiece 7500 Series, Reusable .....	20
3M Hand Wire Connector Driver WCD-H .....	66
3M Hand-Masker Pre-Taped Plastic Drop Cloth PT2090 .....	58
3M Hazard Warning Tape 766 .....	9
3M Hazard Warning Tape 767 .....	9
3M HB Quat Disinfectant Cleaner Concentrate .....	51
3M Health Care Particulate Respirator and Surgical Mask .....	47
3M Heat Shrink Heavy-Wall Cable Sleeve for 1KV ITCSN-1500.....	66
3M High Efficiency Cartridge 450-00-01R12, P3 .....	24
3M High Efficiency Filter GVP-440 .....	21
3M High Intensity Prismatic Reflective Sheeting .....	12
3M High Performance Off-The-Face/Duckbill Design Surgical Mask .....	47
3M High Performance Photoluminescent Film 6900 .....	8
3M High Visibility Reflective Strips .....	10
3M Highland Electrical Wire Connectors .....	63
3M Hood BE-10-3 (Formerly 522-01-11R03).....	23
3M Hood BE-10L-3 (Formerly 522-02-17R03) White, Large, Tychem® QC .....	23
3M IR-1100 Infrared Thermometer .....	69
3M IR-1400 Infrared Thermometer .....	69
3M IR-1400ISNI Infrared Thermometer .....	70
3M IR-500 Infrared Thermometer .....	70
3M IR-60EXPL2NI-1 Infrared Thermometer.....	70
3M IR-60L2 Infrared Thermometer .....	70
3M IR-750 Infrared Thermometer .....	70
3M Littmann® Electronic Stethoscope Model 3100 with Ambient Noise .....	45
3M Littmann® Stethoscopes.....	45
3M Medipore +Pad Soft Cloth Adhesive Wound Dressings.....	34
3M Medipore Soft Cloth Surgical Tapes .....	39
3M Microdon Non-Adherent Sheeting .....	38
3M Micropore Surgical Tapes .....	39
3M Mold Remediation Respirator Kit.....	24
3M MonitorMark Time Temperature Indicators .....	30
3M Multi Purpose Duct Tape 3900.....	57
3M Multi-GasDetector 740 Series.....	31
3M Multipurpose Transparency Film CG6000 .....	15
3M Nomad Carpet Matting 4000.....	48
3M Nomad Medium Traffic Backed Scraper Matting .....	49
3M Non-Acid Foaming Disinfectant Restroom Cleaner Ready-to-Use .....	51
3M Novec 1230 Fire Protection Fluid .....	7
3M Novec Contact Cleaner Plus.....	56
3M Novec Contact Cleaner.....	56
3M Novec Electronic Degreaser .....	55
3M Novec Flux Remover .....	56
3M Organic Vapor/Acid Gas/High Efficiency Cartridge GVP-443 .....	22
3M Organic Vapor/High Efficiency Cartridge GVP-441/07196.....	21
3M Overhead Projector Model 2660.....	15
3M Particulate Respirator 8200, N95.....	20
3M Particulate Respirator 8210, N95.....	19
3M Particulate Respirator 8511, N95.....	19
3M Particulate Respirator 9210, N95.....	19
3M Particulate Respirator 9211, N95.....	19
3M Particulate Respirator with Nuisance Level Organic Vapor Relie .....	19
3M Performance Plus Duct Tape 8979 .....	57
3M Petroleum Sorbent Mini-Booms.....	54
3M Petroleum Sorbent Pillow T-240 .....	54
3M Petroleum Sorbent Roll HP-100, High Capacity.....	54
3M Petroleum Sorbent Spill Kit Petrol .....	55
3M Petroleum Sorbent Spill Response Pack SRP-PETRO .....	55
3M Photoluminescent Film Series 6900 .....	8
3M Power Wire Connector Driver WCD-P.....	66

# Product Index

Product .....	Page
3M Precise Disposable Skin Staple Remover .....	40
3M Precise PGX Disposable Skin Stapler .....	40
3M Print to Last Paper .....	14
3M Qualitative Fit Test Apparatus FT-10, Sweet .....	25
3M Qualitative Fit Test Apparatus FT-30, Bitter .....	25
3M Quick Connects 03874NA .....	62
3M Quick Drying Contact Cleaner 16-102 .....	56
3M Raised Pavement Markers Series 290 .....	13
3M Red Dot Monitoring Electrodes with Foam Tape and Sticky Gel .....	44
3M Red Dot Pediatric Monitoring Electrodes with 3M Micropore Tape .....	44
3M Red Dot Repositionable Monitoring Electrodes .....	44
3M Red Dot Resting EKG Electrodes .....	45
3M Respirator Cleaning Wipe 504, Alcohol-Free .....	21
3M Restroom Cleaner Starter Kit .....	51
3M Roloc Bristle Disc .....	68
3M Roloc TS & TSM Disc Pad .....	69
3M RRPAS Rapid Response Powered Air Purifying Respirator System .....	24
3M Safety and Security Standard Films - Clear .....	1
3M Safety and Security Ultra Films - Clear .....	1
3M Safety Stripe Tape 5700 .....	9
3M Safety Stripe Tape 5702 .....	9
3M Safety-Walk Cushion Matting 3270E .....	49
3M Safety-Walk Slip Resistant Mat 5300 .....	8
3M Safety-Walk Slip-Resistant Coarse Tread 710 .....	8
3M Safety-Walk Slip-Resistant Conformable Treads 500 Series .....	7
3M Scotchcast Conformable Splint .....	42
3M Scotchcast Electrical Insulating and Sealing Compound 2104 .....	64
3M Scotchcast Electrical Insulating and Sealing Compound .....	7
3M Scotchcast One-Step Splint .....	41
3M Scotchcast Plus Casting Tapes .....	42
3M ScotchcastWet or Dry Cast Padding .....	42
3M ScotchCode Wire Marking Tape Dispenser .....	61
3M ScotchCode Write On Wire Marker Book .....	61
3M ScotchCode Write-On Tape Wire Marker Dispenser SLW .....	62
3M Scotchfil Electrical Insulation Putty .....	64
3M Scotch-Grip Construction Mastic Adhesive 4323 .....	67
3M Scotchkote Electrical Coating .....	2
3M Scotchkote Rebar Protection Products .....	2
3M Scotchlite Reflective Material .....	10
3M Scotchlite Removable Reflective Graphic Film with Comply Adhes .....	12
3M Scotchlok Electrical Spring Connectors .....	62
3M Scotchlok Terminal Kit STK-1 .....	62
3M Scotch-Weld Acrylic Adhesive DP805 .....	68
3M Scotch-Weld Epoxy Adhesive 1751 B/A .....	68
3M Scotch-Weld Instant Adhesive CA5 .....	68
3M Scotch-Weld Neoprene High Performance Contact Adhesive 1357 .....	67
3M Single Gas Monitor 110 Series .....	31
3M Smart Battery Charger BC-210 .....	23
3M Splice Kits 8420 Series .....	66
3M Spring Connector .....	63
3M Stainless Steel Cleaner and Polish .....	51
3M Stamark Pavement Marking Tape Series 270 ES .....	13
3M Standard Earloop Mask .....	46
3M Steri-Strip Adhesive Skin Closures (reinforced) .....	41
3M Surgical Clipper with Fixed Head and Clipper Blade Assembly .....	38
3M Surgical Clipper with Pivoting Head and Clipper Blade Assembly .....	37
3M Synthetic Cast Padding .....	43
3M Synthetic Cast Stockinet .....	43
3M TB Quat Disinfectant Ready-To-Use Cleaner .....	51
3M Tegaderm +Pad Transparent Dressings with Absorbent Pad .....	34
3M Tegaderm Foam Adhesive Dressing .....	36
3M Tegaderm Foam Dressing (nonadhesive) .....	36
3M Tegaderm Non-Adherent Contact Layer .....	38
3M Tegaderm Transparent Film Dressing - IV .....	34
3M Tegaderm Transparent Film Dressing Universal .....	35
3M Tempa-DOT Thermometers .....	46

Product .....	Page
3M Transparency Film CG3300 .....	15
3M Vetrap Bandaging Tape .....	32
3M Vinyl Roll-Up Sign Sheeting Series RS30 .....	11
3M Vinyl Tape 471 .....	10
3M Weather Resistant Cable Ties - Heavy Duty .....	65
3M Weather Resistant Cable Ties - Intermediate .....	65
3M Weather Resistant Cable Ties - Standard .....	65
3M Wire Pulling Lubricant Gel .....	65
3M Wire Pulling Lubricant Wax .....	65
3M Wound Cleanser .....	41
3M Zinc Spray 16-501 .....	2
Animalintex® Poultice Pad or Hoof Pad .....	32
AOSafety 332 Impact Goggles .....	25
AOSafety 334 Chemical Splash Goggles .....	25
AOSafety 484 Splash Goggles with Clear Frame and Clear Lens .....	25
AOSafety BX Reader, Silver/Black Frame, Clear +1.50 Diopter 11374 .....	27
AOSafety Flywear Black Frame, Gray Lens 11201-00000 .....	27
AOSafety GoggleGear for Lexa with Black Frame and Clear Lens with .....	26
AOSafety Hi-Viz Orange XLR8 Hard Hat with 6-pt. Pinlock Suspensio .....	29
AOSafety Moon Dawg Safety Eyewear, Black Frame, Gray Anti-fog Len .....	27
AOSafety Nassau Rave with Black Frame and Gray Lens 14453-00000 .....	26
AOSafety Nassau Plus, Fighter with Black Temple and Clear Lens, B .....	26
AOSafety Virtua Sport, Light Amber Hardcoat Lens 11545-00000 .....	26
AOSafety Virtua V10, Clear Hardcoat Lens 11722-00000 .....	26
AOSafety Virtua V4 Black Temple/Gray overmold .....	27
AOSafety Virtua V7, Clear Temples, Clear Hardcoat Lens 11691-0000 .....	27
AOSafety Virtua V8, Black Temples, Clear Anti-fog Lens 11702-0000 .....	27
AOSafety Virtua .....	26
AOSafety X.Sport with Silverized Temple and Clear Lens 15182-0000 .....	27
AOSafety XLR8 6-pt. Pinlock Replacement Suspension 45977-00001 .....	29
AOSafety XLR8 6-pt. Ratchet Replacement Suspension 45978-00001 .....	30
AOSafety XLR8 Hard Hat with 6-pt. Pinlock Suspension .....	29
Command Cord Organizer Pack and Adhesive Strips .....	17
Command Poster Strips 17024 .....	16
E-A-Rsoft Yellow Neons "Regular Size" Corded in Poly Bag 311-1250 .....	28
E-A-Rsoft Yellow Neons "Regular Size" Uncorded in Poly Bag 312-12 .....	28
E-A-R Earmuffs - Model 3000 330-3002 .....	28
E-A-R Poly Con Carrying Case 390-9003 .....	28
E-A-R UltraFit Plugs 340-4003 .....	28
E-A-R UltraFit Plugs with Cotton Cord 340-4036 .....	28
Gamege® Highly Absorbent Padding .....	32
Nexcare Active Extra Cushion Bandages .....	37
Nexcare Comfort Ultra Fabric Bandages 17040 .....	37
Nexcare First Aid Tapes .....	33
Nexcare Instant Cold Pack .....	32
Nexcare No Sting Liquid Bandage Drops, 0.034 fl oz. .....	33
Nexcare No Sting Liquid Bandage Spray .....	33
Nexcare Non-Stick Pads .....	36
Nexcare Opticlude Orthoptic Eye Patches .....	36
Nexcare Reusable Cold Hot Pack .....	32
Nexcare Steri-Strip Skin Closures .....	40
Nexcare Tegaderm Transparent Dressing .....	35
OHESDWarningSorbentStatement .....	55
OHESDWarningStatement .....	18
Peltor Optime - Helmet Attachable Earmuff H9P3E .....	29
Peltor Optime 98 Over-the-Head Earmuffs H9A .....	29
Post-it® Flags 680-RYBG .....	13
Post-it® Self-Stick Easel Pad 559 .....	14
Post-it® Super Sticky Notes .....	13
Post-it® Tabletop Easel Pad 563R .....	14
Scotch® 23 Rubber Splicing Tape .....	61
Scotch® 300 Series Barricade Tapes .....	9
Scotch® A/C & Ventilating Duct Tape .....	57
Scotch® Box Sealing Tape 375 .....	59
Scotch® Electrical Grounding Braid 25 .....	67
Scotch® Electrical Shielding Tape 24 .....	61

# Product Index

Product.....	Page
Scotch® Insulating Sprays.....	3
Scotch® Laminating Dispenser W/Cartridge LS950VAD.....	14
Scotch® Laminating Sheets.....	14
Scotch® Linerless Rubber Splicing Tape 130C.....	59
Scotch® Reflective Tape 198.....	10
Scotch® Safe-Release Painters' Masking Tape for Multi-Surfaces.....	58
Scotch® Super 33+ Vinyl Electrical Tape.....	60
Scotch® Vinyl Electrical Tape 35.....	60
Scotch® Vinyl Electrical Tape Super 88.....	60
Scotch-Brite Heavy Duty Commercial Scouring Pad 86.....	52
Scotch-Brite Power Pad Sponge No. 3000.....	52
Scotch-Brite Roloc Surface Conditioning Disc Pack 982RS.....	69
Scotch-Brite Roloc TSM SE Surface Conditioning Disc.....	69
Scotchgard Fabric & Upholstery Protector.....	31
Ultrathon Insect Repellent.....	30







**Government Markets**

3M Center  
Building 225-4N-15  
St. Paul, MN, 55144  
United States  
1-877-906-8505

[3M.com/prepare](http://3M.com/prepare)

Please recycle. Printed in U.S.A.  
© 3M 2009. All rights reserved.  
75-3000-0001-7

Post-it, Animalintex, Gamgee, Littman, Dynatel, Scotchcast, Scotchkote, FireDam, Novec, Safety-Walk, Scotchlite, Diamond Grade, Safety-Walk, Stamark, Command, Breathe Easy, RRPAS, Goggleclear, Nassau, Rave, E-A-Rsoft, E-A-R, XLRs, Scotch, Scotchlite, Tychem, Ultrathon, Avagard, Freeze Watch, MonitorMark, Scotchgard, Vetrax, Nexcare, Tegaderm, Medipore, Opticludex, Active, Microdon, Transpore, Durapore, Coban, Steri-Strip, Precise, Red Dot, Micropore, Tempa•DOT, Aseptex, Nomad, Scotch-Brite, Safe-Release, Hand-Masker, Super 33+, ScotchCode, Scotchlok, Highland, Scotchfil, Scotch-Grip, Scotch-Weld, Roloc, 3M are trademarks of 3M Corporation.