

MIGHTY-BOND™ GROUNDING PRODUCTS



- Enclosure Grounding Connectors and Couplings
- Inter System Grounding Bridges and Clamps
- cULus Listed

Mighty-Bond grounding products are unique, patent pending products designed for low cost and easy use. Precision machined bodies and stainless steel screws provide the optimum in performance and appearance.



MIGHTY-BOND™ GROUNDING PRODUCTS

Enclosure Grounding Connectors and Couplings

Low cost and easy to use connectors and couplings. The connectors are used to secure grounding conductors at the enclosure in accordance with NEC article 250.8. The couplings are for use with rigid conduit and for securing grounding conductors at the enclosure in accordance with NEC article 250.8. Trade size 1/2" suitable for use with no. 8, 6, 4, 3, or 2 AWG copper or aluminum, stranded or solid, conductor; 3/4" size for use with no. 4, 3, 2, 1, 1/0, 2/0, and 3/0 AWG copper or aluminum, stranded or solid, conductor. Selection of conductor size to be made per NEC article 250.66. Suitable for service entrance grounding.

Product advantages include:

- Precision machined brass body with zinc die cast locknut and stainless steel set screw
- Professional installation appearance
- Serrated locknut removes residual paint from box
- Tamper Resistant as locknut and set screw are mounted inside the box
- Low profile flange on outside of box clearly marked with application guideline for ease in AHJ inspection
- cULus listed for grounding per UL467

cULus File No. E20412

Patent Pending.

Enclosure Grounding Connectors

Catalog Number	UPC Number	Trade Size	AWG Wire Capacity	Unit Quantity	Standard Package
MC-050	02350	1/2"	#8 - #2	25	100
MC-075	02351	3/4"	#4 - #3/0	25	100

Enclosure Grounding Couplings

Catalog Number	UPC Number	Trade Size	AWG Wire Capacity	Unit Quantity	Standard Package
MCC-050	02340	1/2"	#8 - #2	25	100
MCC-075	02341	3/4"	#4 - #3/0	25	100



Intersystem Grounding Clamp

For use with 5/8" grounding rod. Constructed of brass body with stainless steel screws. Suitable for intersystem bonding and direct burial rated. Meets NEC Article 250.94

cULus File No. E20412

Patent Pending.

Catalog Number	UPC Number	Copper AWG Wire Capacity	Aluminum Wire Capacity	Unit Quantity	Standard Package
IGBC-063	02371	#8, #6 & #4	#6 & #4	25	100



Intersystem Grounding Bridge

Constructed of brass body with stainless steel screws. Suitable for intersystem bonding. Can be used with grounding conduit and cable fittings. Meets NEC Article 250.94

cULus File No. E20412

Patent Pending.

Catalog Number	UPC Number	Copper AWG Wire Capacity	Aluminum Wire Capacity	Unit Quantity	Standard Package
IGB-050	02360	#8, #6 & #4	#6 & #4	25	100



Printed in the U.S.A.

© 2010 Bridgeport Fittings, Inc. All rights reserved.



BP-151 9/10