

BROAN[®]

General Product Catalogue (excluding Central Ventilation)

All Sales Channels



BROAN-NUTONE CANADA

1140 Tristar Drive
Mississauga Ontario L5T 1H9

CUSTOMER SERVICE

Phone: 905-670-2500
1-877-221-7517 (Wholesale)
1-877-221-7518 (Retail)

Fax: 905-795-8311
1-800-795-7829

CONSUMER CONTACT EMAIL:
info@broan-nutone.ca

CONFIDENTIAL DISTRIBUTOR EMAIL:

RMA Desk:
rma&depot@broan-nutone.ca

Order Desk:
BNC-OrderDesk@broan-nutone.ca

Technical Assistance:
BNC-Techassist@broan-nutone.ca

**GENERAL TERMS
AND CONDITIONS OF SALE..... 4**

UNDER CABINET RANGE HOODS..... 6

QS3 SERIES 6
QS2 SERIES 6
QS1 SERIES 6
ESB SERIES 7
BDF SERIES 7
QT SERIES 7
GP SERIES 8
BP SERIES..... 8
CM SERIES..... 8

SPECIALTY RANGE HOODS 9

PM SERIES 9
BC21 / BC41 SERIES 9
RMP1 / RMPE SERIES 9
RMIP SERIES 10
15000 SERIES 10
27000 / 28000 SERIES 11
RMDD SERIES..... 11
B59000 SERIES 12
EI59 SERIES 12
RM50000 SERIES 12
RM52000 SERIES 13
RM53000 SERIES 13
EW58000 SERIES 14
RP1 SERIES 14
E64000 SERIES 15
BLOWERS..... 16
OTHER ACCESSORIES 16
REPLACEMENT FILTERS
FOR OBSOLETE SERIES 17

VENTILATION FANS	18	CENTRAL VACUUMS	29
QTXE SERIES.....	18	POWER UNITS	29
QTRE SERIES	19	CENTRAL VACUUM KITS.....	29
QTRE FANS		BRUSHES	30
WITH INTERLOCKING RELAY	20	TOOLS SETS	30
QTR SERIES.....	20	HOSES.....	30
DECORATIVE SERIES	21	ACCESSORIES.....	31
DELUXE SERIES	21	INLETS.....	31
ECONOMY	22	INSTALLATION PARTS.....	32
COMBINATION UNITS -		INLET INSTALLATION KITS	33
HEATER, FAN, LIGHT.....	22		
RECESSED FAN/LIGHT	22	ELECTRIC FURNACES.....	34
UTILITY SERIES	23	B SERIES.....	34
REPLACEMENT GRILLES	23	D SERIES.....	34
DUCTS	23	ECM SERIES	34
TRANSITIONS	24	ACCESSORIES.....	34
ELBOWS	24		
INSTALLATION KITS	24	THERMOSTATS - WALL HEATERS	35
ROOF CAPS	24	THERMOSTATS.....	35
WALL CAPS	25	WALL HEATERS	35
ACCESSORIES.....	25		
WALL CONTROLS	25	TRASH COMPACTORS	36
ATTIC VENTILATORS.....	25	TRASH COMPACTORS.....	36
COMMERCIAL VENTILATORS –			
LOSONE® SELECT.....	26		
CEILING MOUNT -			
100, 150, 200, 250, 300 CFM.....	26		
CEILING MOUNT - 400, 500, 700 CFM	26		
CEILING MOUNT - 900, 1500 CFM	27		
IN-LINE - 100, 150, 200, 250, 300 CFM.....	27		
IN-LINE - 400, 500, 700 CFM.....	27		
IN-LINE - 900, 1500 CFM.....	28		
CABINET VENTILATOR - 2000 CFM.....	28		
ACCESSORIES.....	28		
IN-LINE ADAPTERS.....	28		

ALL ORDERS ACCEPTED SHALL BE SUBJECT TO THE FOLLOWING CONDITIONS:

1. **BUYER'S ASSENT TO THESE TERMS AND CONDITIONS.** (a) Seller hereby objects to and rejects any and all different or additional terms or conditions contained in any order submitted to Seller by or on behalf of Buyer unless specifically agreed to in a writing signed by an officer of Seller. Under no other circumstances are any such different or additional terms to be considered a part of this Agreement. (b) No representative or agent of Seller has any authority to make any different or additional representations or warranties on behalf of Seller. (c) All contracts or orders are subject to acceptance and approval by the Seller at its main office.

2. **PRICES & PAYMENT TERMS.** Prices for the goods described herein (the "Goods") shall be as in effect at the time of shipment. The price is payable net thirty (30) days unless otherwise agreed upon in the commercial agreement. Interest shall be paid on demand on past due amounts at the rate of two percent (2%) per month or the highest lawful rate, whichever is less.

2.1. **ORDER CONFIRMATION, PRICE CHANGE & MINIMUM ORDERS.** When your order is placed with Broan-NuTone Canada, a "sales acknowledgement" is automatically faxed or emailed to you. This is to make sure that the following information is accurate: shipping address, unit cost, part number and quantities, ship date, shipping terms and your order number.

Upon receipt of our "sales acknowledgement", it is your responsibility to inform us immediately of any discrepancy. If no indication of discrepancy is received, your order will be processed as per acknowledgement. Do not hesitate to contact us for any modifications, i.e.: fax number, sales contact, etc.

Due to our "just-in-time" production process, Broan-NuTone Canada reserves the right to extend the time of delivery according to the quantity ordered. If this modification should occur, the shipping date will be changed accordingly on the "sales acknowledgement". Broan-NuTone Canada reserves the right to change prices and specifications without prior notice.

2.2. **MINIMUM ORDERS.** For any order under \$50 net, \$15 administrative fees will be charged, excluding service parts.

- Prepaid shipment: \$2 000 net or as per the commercial agreement (see description of Prepaid at item 3.1).

3. **SHIPPING & TRANSPORTATION.** (a) The price for the Goods does not include charges for freight, packaging, insurance, or federal, provincial or municipal taxes, all of which are the responsibility of Buyer. Prices are based on shipping the entire order at one time. (b) All shipping dates are estimates and do not guarantee a particular date of shipment. All schedules shall be subject to any reduction in plant capacity and any unavailability of materials or tooling. **SELLER SHALL NOT BE LIABLE FOR ANY LOSSES OR DAMAGES (WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE) RESULTING FROM ANY DELAYS IN SHIPPING OR DAMAGE OCCURRING DURING SHIPPING.** (c) Seller may ship the Goods to Buyer's address as shown on the face hereof (the "Shipping Address") by any commercially reasonable means and may select the carrier and route. Delivery of the Goods by Seller to a carrier at Buyer's Plant shall constitute tender of delivery to Buyer for all purposes. All risk of loss with respect to the Goods shall pass to Buyer upon tender of delivery. Seller does not insure Goods against loss or damage in transit. (d) The products covered by this order are subject to an over-run or under-run not exceeding 5% of the quantity specified for any item.

3.1. **SHIPMENTS COLLECT:** All merchandise is carefully packaged to avoid damage in transit. The purchaser assumes full responsibility for shipments sent "collect", once the merchandise has been picked up at Broan-NuTone Canada by the transport carrier.

PREPAID: Broan-NuTone Canada is responsible for all freight claims on prepaid shipments. All damages and/or losses on prepaid shipments must be reported to Broan-NuTone Canada within 72 hours after the carrier has delivered the shipment. Upon reception of the merchandise, the customer (receiver) is responsible for counting the number of packages as well as the number of skids. Any irregularity, damage or shortage must be clearly specified on the bill of lading at the time of delivery or Broan-NuTone Canada will not be held responsible.

4. **BUYER'S RESPONSIBILITY FOR CHOICE AND USE OF GOODS.** Buyer acknowledges being fully aware of the inherent limits of performance and use of the Goods and of their maintenance requirements. Buyer has the ultimate responsibility to inform its purchaser(s) or the end-user(s) of the Goods of the aforesaid limits and requirements. Buyer is solely responsible for the choice of the type and model of unit being purchased and seller makes no representations as to suitability for use. Buyer acknowledges that the type and model chosen by the Buyer is based on the following criteria and will be used in a "Building" as defined below:

Building: All structures zoned and/or erected for the act, process or art of human or animal habitation and/or the storage or warehousing of goods.

Residential use: Dwelling, lodging, suite: Building, or part of a building, intended to act as either the domicile to one or several people which can include general sanitary, food consumption and rest facilities. Buildings of only one room or a group of rooms including those occupied by a tenant or owner; comprise the lodgings, the individual rooms of the motels, hotels, rooming/lodging houses, boarding/half-way/foster homes, dormitories, and suites, as well as the stores and the business establishments constituted by only one room in a dwelling.

Commercial use: Agricultural establishment, commercial establishment for assembly, care, or detention: Building or part of a building that does not contain a dwelling, situated on land dedicated to agriculture or farming and used primarily to shelter animals, or for the production, the storage or the treatment of agricultural or horticultural products or animal food. Building or part of a building, used for the display or retail of goods, professional or personal services, or commodities. Building, or part of a building used by persons gathering for civic activities, religious or political assembly, tourism, educational/vocational training, recreation or the consumption of food or drink. Building, or part of a building used to shelter persons of impaired physical or psychological states, persons requiring palliative care or medical treatments, or persons for reasons out of their control, cannot escape harm or threat of danger autonomously.

Industrial use: Building, or part of a building, used for the assembly, the manufacture, the creation, the treatment, the repair or the storage of products and combustible materials and that contain fuels that when ignited or exploded in sufficient quantity may constitute a risk of fire.

5. **CERTIFICATION OUTSIDE CANADA AND THE UNITED STATES.** Buyer hereby acknowledges purchasing Goods that are certified for use in Canada and/or the United States (depending on the certification) and undertakes to ensure that all Goods conform to certification criteria of any other state or country and will assume to the exoneration of Seller the recertification and/or other compliance requirements under the laws of that other state or country.

6. **INSPECTION AND ACCEPTANCE; RETURNED GOODS.** Buyer at its expense shall inspect the Goods immediately upon receipt at the Shipping Address and, within the following thirty (30) day period, Buyer shall be deemed to have irrevocably accepted the Goods. Goods may not be returned, and will not be accepted for return by Seller, without the prior written approval of Seller. All defective merchandise must be returned within thirty (30) days after its shipment by Broan-NuTone Canada. A twenty per cent (20%) handling charge will be made on all authorized and acceptable returned merchandise. There will be no handling charge on merchandise found upon Broan-NuTone Canada's inspection to be defective or on merchandise shipped by Broan-NuTone Canada in error.

7. **ACTS OF GOD; ADJUSTMENTS.** If performance by Seller is delayed or made impracticable or burdensome by any cause beyond Seller's control, including, without limitation, acts of God, fire, flood, explosion, vandalism, sabotage, riot, insurrection, severe weather, curtailment or termination of Seller's regular sources of supplies, inability to obtain or a delay in obtaining licenses, permits, materials or equipment, acts or omission of Buyer, its agents or representatives, shipping delays, strikes or other disputes involving Seller or its subcontractors or suppliers or any existing or future laws or acts of any government or regulatory body, then (i) Seller shall be excused from performance to the extent that and for so long as such performance is delayed or made impracticable or burdensome by such cause, and (ii) Seller may adjust the price of the Goods.

8. CANCELLATION; STOP WORK. (a) Orders are non-cancelable and Buyer shall not be relieved from any obligation under this Agreement without the prior written consent of Seller. (b) In the event of Buyer's default hereunder, Seller has the right to immediately cancel this Agreement, stop work, refuse to ship or stop delivery of any Goods, recover any losses or damages incurred by Seller as a result thereof, as well as seek any other remedy provided by law. Buyer's default means (i) Buyer's insolvency or the filing or institution of a proceeding under any bankruptcy, reorganization or similar law, by or against Buyer, (ii) an assignment for the benefit of creditors by Buyer, (iii) the appointment of a receiver, trustee or custodian for any of the property or assets of Buyer, and (iv) Buyer's otherwise being in default of any obligation to Seller hereunder or otherwise. (c) By submitting an order to Seller, Buyer warrants, represents and covenants that it is solvent now and will be solvent at shipment and agrees to notify Seller immediately in writing upon the occurrence of any of the events set forth in the foregoing Section 7.

9. LIMITED WARRANTY. Seller warrants the Goods to be free from defects in materials manufactured by Seller and in Seller's workmanship for a period of one (1) year after tender of delivery (the "Warranty Period"). THIS LIMITED WARRANTY (a) IS IN LIEU OF, AND SELLER DISCLAIMS AND EXCLUDES, ALL OTHER WARRANTIES, STATUTORY, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR OF CONFORMITY TO MODELS OR SAMPLES; (b) does not apply to any Goods which have been (i) repaired, altered or improperly installed; (ii) subjected to improper use or storage; (iii) used or incorporated with other materials or equipment, after Buyer or anyone using the Goods has or reasonably should have, knowledge of any defect or nonconformance of the Goods; or (iv) manufactured, fabricated or assembled by anyone other than Seller; (c) shall not be effective unless Buyer notifies Seller in writing of any purported defect or nonconformance within thirty (30) days after Buyer discovers or should have reasonably discovered such purported defect or nonconformance; and (d) shall only extend to Buyer and not to any subsequent buyers or users of the Goods. Buyer shall provide Seller access to the Goods as to which Buyer claims a purported defect or nonconformance. Upon request by Seller, Buyer shall, at its own risk and expense, promptly return the Goods in question to Seller's Plant.

10. BUYER'S REMEDIES. Seller's liability for any breach of this limited warranty is limited to either (i) repair or replacement of any nonconforming components of the Goods, or (ii) upon return of the nonconforming Goods, return of the amount paid therefore, whichever Seller shall elect. Seller's liability shall in no event be greater than the price of the item and shall not include any labor, shipping or other costs incurred in connection with any such repair, replacement, reinstallation or reshipment. Any nonconforming Goods returned to Seller must be accompanied by proof of purchase and the transportation of the Goods must be prepaid. Any Goods that are repaired or replaced by Seller shall be re-delivered to Buyer F.O.B. Seller's Plant and shall be warranted, subject to the terms hereof, until the expiration of the original Warranty Period. Notwithstanding the foregoing, Seller shall have no warranty obligations unless and until Buyer performs all its obligations hereunder, including payment in full of the purchase price. THE REMEDY SET FORTH IN THIS PARAGRAPH SHALL BE BUYER'S SOLE AND EXCLUSIVE REMEDY AGAINST SELLER AND BUYER WAIVES ALL OTHER REMEDIES AGAINST SELLER.

11. INDEMNIFICATION. Buyer shall defend, indemnify and hold harmless Seller and its shareholders, directors, officers, affiliates, predecessors, successors and assigns, from and against any and all claims, actions, causes of action, liabilities, liens, losses and costs (including, without limitation, the costs of litigation and attorneys' fees), relating to the Goods or any device, material or thing to which the Goods are attached or of which the Goods are made a part of within which the Goods are enclosed, regardless of whether Seller may be wholly, concurrently, partially, jointly or solely negligent or otherwise at fault.

12. LIMITATION OF LIABILITY IN GENERAL. Except as provided herein, in no event whatsoever shall Seller or any of its shareholders, directors, officers, affiliates, predecessors, successors and assigns, for any loss or damages of any kind, whether direct, incidental, consequential, exemplary, special or otherwise relating in any way to this Agreement or acts of omissions in connection herewith (including, without limitation, the performance or non-performance of this Agreement and the use of or the loss of use of any of the Goods or other property), regardless of whether Seller and/or others may be wholly, concurrently, partially, jointly or solely negligent or otherwise at fault.

13. TIME LIMITATION ON ACTIONS; WAIVER. (a) Any action by Buyer relating to this Agreement or the Goods must be commenced not later than one (1) year after tender of delivery of the Goods. If Buyer fails to commence any such action within such one (1) year, the action shall be deemed barred and Seller shall have no liability whatsoever to Buyer. (b) No failure of Seller to require strict performance by Buyer of this Agreement shall waive, affect or diminish any right of Seller to demand strict performance of this Agreement thereafter. The rights and remedies herein reserved to Seller shall be cumulative and in addition to any other rights and remedies provided by law.

14. SELLER'S RIGHTS IN GOODS SOLD. All merchandise remains the property of Seller until the purchase price has been fully paid.

15. COSTS OF COLLECTION. Should Seller be required to retain attorneys to recover any unpaid amount in capital and/or interest, Buyer will pay as a penalty an amount equal to twenty five per cent (25%) of the amounts there owed as compensation for the fees and disbursements incurred in the recovery, regardless of the actual amounts incurred by Seller.

16. GOVERNING LAW; CONSENT TO JURISDICTION. This Agreement shall be deemed to have been made under, and shall be construed and interpreted in accordance with, the substantive laws of Ontario, without regard to any choice of law rules or principles. Buyer hereby submits to the jurisdiction of the courts of the Province of Ontario, and said courts shall have exclusive jurisdiction and venue to adjudicate the rights and obligations of the parties relating in any manner to this Agreement.

17. SEVERABILITY. If any provision of this Agreement is held by any court to be invalid or unenforceable, such provision shall be deemed to be modified or deleted, but only to the extent necessary to enable that and the remaining provisions of this Agreement to be valid and enforceable.

18. NO ASSIGNMENT. Buyer may not assign any rights or obligations under this Agreement without prior written consent of Seller.

QS3 SERIES

QS3 Series range hoods provide an elegant combination of smooth design, bright halogen lighting, 0.4 sone at normal speed, extra powerful 430 cfm boost mode and easy-clean Teflon® surfaces.



Part No.	Description	Width	CFM	Sone	Weight (lb.)	UPC
QS330BLN	Black on black	30"	430	0.4	32	055321521000
QS330SSN	Stainless steel with black trim	30"	430	0.4	32	055321521017
QS330WWN	White on white	30"	430	0.4	32	055321520973
QS336SSN	Stainless steel	36"	430	0.4	32	055321521185
QS336WWN	White on white	36"	430	0.4	32	055321521178

Option No.	Description	Size	Std. Pack	UPC
BPS3FA30	Professional aluminum filter for QS3 - 30"	11 7/8" x 14 3/8"	1 pc.	026715138678
BPS3FA36	Professional aluminum filter for QS3 - 36"	11 7/8" x 17 3/8"	1 pc.	026715138685
BPSF36	Charcoal filter for QS series 36"	10 7/8" x 16 3/8"	1 pc.	026715138142
BPSF30	Charcoal filter for QS series 30"	10 13/16" x 13 5/16"	1 pc.	026715138135

QS2 SERIES

QS2 Series range hoods provide an elegant combination of smooth design, bright halogen lighting, 0.9 sone at normal speed, extra powerful 300 cfm high setting and easy-clean Teflon® surfaces.



Part No.	Description	Width	CFM	Sone	Weight (lb.)	UPC
QS230BLN	Black on black	30"	300	0.9	30	055321520959
QS230SSN	Stainless steel with black trim	30"	300	0.9	30	055321520966
QS230WWN	White on white	30"	300	0.9	30	055321520928

Option No.	Description	Size	Std. Pack	UPC
BPS2FA30	Aluminum filter for QS2 - 30"	11 7/8" x 14 3/8"	1 pc.	026715138180
BPSF30	Charcoal filter for QS Series 30"	10 13/16" x 13 5/16"	1 pc.	026715138135

QS1 SERIES

QS1 Series range hoods provide an elegant combination of smooth design, bright halogen lighting, 1.5 sones at normal speed and at high setting.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
QS130AAN	Almond on almond	30"	220	1.5	23	055321520898
QS130BLN	Black on black	30"	220	1.5	23	055321520904
QS130SSN	Stainless steel with black trim	30"	220	1.5	23	055321520911
QS130WWN	White on white	30"	220	1.5	23	055321520874

Option No.	Description	Size	Std. Pack	UPC
BPS1FA30	Aluminum filter for QS1 - 30"	11 7/8" x 14 3/8"	1 pc.	026715138166
BPSF30	Charcoal filter for QS Series 30"	10 13/16" x 13 5/16"	1 pc.	026715138135

ESB SERIES

ENERGY STAR® certified, provide an elegant combination of slim design, bright fluorescent lighting, 0.9 sone at normal speed and at high setting.



Part No.	Description	Width	CFM	Sone	Weight (lb.)	UPC
ESB1030BL	Black	30"	280	0.9	25	772371098794
ESB1030SS	Stainless steel	30"	280	0.9	25	772371098800
ESB1030WH	White	30"	280	0.9	25	772371098787

Option No.	Description	Size	Std. Pack	UPC
14131	Mesh filter for ESB Series 30"	14" x 14"	1 pc.	772371069855

BDF SERIES

A range hood that matches your cooking style. Real 500 CFM power for the modern chef in you!



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
BDF302SS	Stainless steel	30"	500	4.1	35.5	772371112902
BDF302WH	White	30"	500	4.1	35.5	772371112919

QT SERIES

Most people use their range hoods less frequently because of a loud fan noise; that is why the QT Series range hoods were developed. They have a patented air chamber design that reduces noise up to 40 percent over a conventional hood, 210 cfm, 5.0 sones (vertical discharge).



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
QT230AAN	Almond on almond	30"	210	5.0	20	055321520805
QT230BLN	Black on black	30"	210	5.0	20	055321520812
QT230SSN	Stainless steel with black trim	30"	210	5.0	20	055321520829
QT230WWN	White on White	30"	210	5.0	20	055321520799
QT236BLN	Black on black	36"	210	5.0	21	055321520850
QT236SSN	Stainless steel with black trim	36"	210	5.0	21	055321520867
QT236WWN	White on white	36"	210	5.0	21	055321520836

Option No.	Description	Size	Std. Pack	UPC
RFQTA	Aluminum filter for QT 30" and 36"	11 1/4" x 12"	1 pc.	055321801119
RFQTC	Charcoal filter for QT 30" and 36"	11 1/4" x 12"	1 pc.	055321801096

GP SERIES

This hood is ideal for homeowners who cook occasionally, yet require a variable speed control for different types of cooking. Powerful 190 cfm, 7.0 sones (vertical discharge).



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
GP124ALN	Black on almond	24"	190	7.0	16	055321521963
GP124SSN	Stainless steel with black trim	24"	190	7.0	16	055321522519
GP124WHN	Black on white	24"	190	7.0	16	055321521956
GP124WWN	White on white	24"	190	7.0	16	055321522083
GP130ALN	Black on almond	30"	190	7.0	16	055321521987
GP130SSN	Stainless steel with black trim	30"	190	7.0	16	055321522526
GP130WHN	Black on white	30"	190	7.0	16	055321521970
GP130WWN	White on white	30"	190	7.0	16	055321521994

Option No.	Description	Size	Std. Pack	UPC
RLSM65	Aluminum filter for 24" and 30"	8 1/2" x 11 1/4"	1 pc.	784891279690
FKM65	Charcoal filter for 24" and 30"	8 1/2" x 11 1/4"	1 pc.	784891983276

BP SERIES

Ideal for light cooking habits. Designed with simplicity in mind, this range hood provides the high quality you expect and the value you demand. 180 cfm, 7.0 sones (3/4" x 10" vertical discharge).



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
BP124ALN	Black on almond	24"	180	7.5	14	055321500630
BP124WHN	Black on white	24"	180	7.5	14	055321500623
BP124BLN	Black on black	24"	180	7.5	14	055321500807
BP124SSN	Stainless steel with black trim	24"	180	7.5	14	055321500999
BP130ALN	Black on almond	30"	180	7.5	16	055321500654
BP130BLN	Black on black	30"	180	7.5	16	055321500739
BP130WHN	Black on white	30"	180	7.5	16	055321500647
BP130WWN	White on white	30"	180	7.5	16	055321500661
BP130SSN	Stainless steel with black trim	30"	180	7.5	16	055321501002

Option No.	Description	Size	Std. Pack	UPC
RLSM65	Aluminum filter for 24" and 30"	8 1/2" x 11 1/4"	1 pc.	784891279690
FKM65	Charcoal filter for 24" and 30"	8 1/2" x 11 1/4"	1 pc.	784891983276

CM SERIES

This hood is for ducted installation only. 160 cfm, 6.5 sones (vertical or horizontal discharge).




Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
CM124SSN	Stainless steel with black trim	24"	160	6.5	16	055321522533
CM130WWN	White on white	30"	160	6.5	16	055321500616
CM130SSN	Stainless steel with black trim	30"	160	6.5	16	055321500777

Option No.	Description	Size	Std. Pack	UPC
RLSM65	Aluminum filter for 24" and 30"	8 1/2" x 11 1/4"	1 pc.	784891279690

PM SERIES

The Power Module Series range hoods feature a fully enclosed design and multi-speed operation in your choice of performance levels.




Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
PM250	Silver	20 1/2"	250	8.0	9	026715172955
PM390	Silver	20 1/2"	390	6.0	16	026715172962

Option No.	Description	Size	UPC
B08087922	Aluminum filter for PM250/390	-	N/A
B08999040	Replacement charcoal filter for PM250/390	-	026715178520
356NDK	Non-ducted kit for PM250	20 1/2" x 11" x 11"	026715174232
357NDK	Non-ducted kit for PM390	20 1/2" x 14 1/2" x 13"	026715174249
LT30	Liner 30", T-shape for PM250 and PM390 (cabinet 12" deep)	30" x 16 1/2" x 4"	026715172979
LT36	Liner 36", T-shape for PM250 and PM390 (cabinet 12" deep)	36" x 16 1/2" x 4"	026715172986
LB30	Liner 30", box shape for PM250 and PM390 (cabinet 18" deep)	28 7/16" x 17 1/4" x 4"	026715172993
LB36	Liner 36", box shape for PM250 and PM390 (cabinet 18" deep)	28 7/16" x 17 1/4" x 4"	026715173006

BC21 / BC41 SERIES

New power pack with stylish design which complement any retro, contemporary or modern décor. This turnkey range hood solution adds the perfect finishing touch!



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
BC2130SS	Stainless steel, single blower	27 5/8"	290	1.5	28	055321501026
BC4130SS	Stainless steel, dual blower	27 5/8"	500	< 0.3	35	055321501033

Option No.	Description	Std. Pack	UPC
SV08965	Replacement mesh filter for BC21 & BC41	1 pc.	055321590020

RMP1 / RMPE SERIES

This unit can be flush-mounted for a custom-mounted look.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
RMP17004	Stainless steel	27 9/16"	400	9.0	38	026715152285
RMPE7004	Unit without motor*	27 9/16"	-	-	15	026715152292

Option No.	Description	Size	Std. Pack	UPC
FILTEREB40	Replacement charcoal filter RMP, 2 per pkg.	9" x 9" x 4"	1 pc.	026715152353
B08087153	Aluminum filter for RMP	6 3/4" x 12 3/4"	1 pc.	026715157433
RML7030S	Liner for RMP1-RMPE, 30", stainless steel	17 1/2" x 20 1/2" x 28 3/8"	1 pc.	026715157907
RML7036S	Liner for RMP1-RMPE, 36", stainless steel	17 1/2" x 20 1/2" x 34 3/8"	1 pc.	026715157914
RML7048S	Liner for RMP1-RMPE, 48", stainless steel	17 1/2" x 20 1/2" x 46 3/8"	1 pc.	026715157921

*For use with exterior or in-line blower models; sold separately.

RMIP SERIES

This unit offers insert a powerful, professional performance.



Part No.	Description	Width	CFM	Weight (lb.)	UPC
RMIP33	Pro-Style insert 33", stainless steel*	33	N/A	33	026715157846
RMIP45	Pro-Style insert 45", stainless steel*	45	N/A	42	026715157853

Option No.	Description	Size	Weight (lb.)	Std. Pack	UPC
RML3336S	Liner for RMIP33, 36", stainless steel, 22.5 - 25.5	36	14	1 pc.	026715163670
RML3342S	Liner for RMIP33, 42", stainless steel, 22.5 - 25.5	42	16	1 pc.	026715163887
RML4548S	Liner for RMIP45, 48", stainless steel, 22.5 - 25.5	48	17	1 pc.	026715163694
RML4560S	Liner for RMIP45, 60", stainless steel, 22.5 - 25.5	60	21	1 pc.	026715163700
RBFIP33	Baffle filter kit for RMIP33 Series	-	11	1 pc.	026715157976
RBFIP45	Baffle filter kit for RMIP45 Series	-	13	1 pc.	026715157983
RMIPWC	Wall-mounted remote control for RMIP Series	-	2	1 pc.	026715157969

*For use with exterior, interior or in-line blower models; sold separately.

15000 SERIES

This slim design merges perfectly with the style of any kitchen. Its unseen advantages include quiet, powerful ventilation performance along with a hood that can be hidden away when not being used.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
153004N	Stainless steel	30"	300	4.5	40	026715173037
153001N	White	30"	300	4.5	40	055321550031
153023N	Black	30"	300	4.5	40	055321550048
153604N	Stainless Steel	36"	300	4.5	43	026715499433

Option No.	Description	Size	Std. Pack	UPC
99010175	Foam replacement filter	23 1/4" x 6 1/8"	1 pc.	026715043637

27000 / 28000 SERIES

This hood is ideal for the unique demands of island and peninsula cooktops.



Part No.	Description	Width	CFM	Weight (lb.)	UPC
273003	Stainless steel finish	30"	500	60	055321550055
273603	Stainless steel finish	36"	500	62	055321550062
283003	Unit without motor*	30"	N/A	44	026715054084
283603	Unit without motor*	36"	N/A	46	026715054091

Option No.	Description	Size	Std. Pack	UPC
273001C	White cover	30"	1 pc.	026715054947
273023C	Black cover	30"	1 pc.	026715054978
273601C	White cover	36"	1 pc.	026715054954
273623C	Black cover	36"	1 pc.	026715054961
97009786	Aluminum filter for 27000 / 28000 series 30", 2 per pkg.	3 7/8" x 8" and 3 7/8" x 10 3/8"	1 pc.	026715036608
97009787	Aluminum filter for 27000 / 28000 series 36", 2 per pkg.	3 7/8" x 11" and 3 7/8" x 13 3/8"	1 pc.	026715036615

*For use with exterior or in-line blower models; sold separately.

RMDD SERIES

This hood is designed to be compatible with most conventional and new high-end commercial style kitchens.



Part No.	Description	Width	CFM	Weight (lb.)	UPC
RMDD3004	Stainless steel	30"	500	77	026715151752
RMDD3604	Stainless steel	36"	500	84	026715151769
RMDD3004EX	Unit without motor*	30"	N/A	57	026715151783
RMDD3604EX	Unit without motor*	36"	N/A	65	026715151790

Option No.	Description	Size	Std. Pack	UPC
97015841	Aluminum filter for RMDD 30"	12 5/8" x 4 1/2" x 3/8"	1 pc.	026715154715
97015842	Aluminum filter for RMDD 36"	15 5/8" x 4 1/2" x 3/8"	1 pc.	026715154722
RMDDRBK	Remote control for RMDD	4.80" x 4.80" x 2.40"	1 pc.	026715151813

*For use with exterior or in-line blower models; sold separately.

B59000 SERIES

Gently, curving metal canopy creates a dramatic, contemporary appearance and an open, airy feel.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
B5936SS	Stainless Steel	36"	450	2.5	68	026715187102

Option No.	Description	Std. Pack	UPC
S97018029	Replacement aluminum filter 11" x 10", 2 per pkg.	1 pc.	026715188482
FXN59SS	10 ft ceiling flue extension	1 pc.	026715187485
RK59	Recirculation kit	1 pc.	026715187867
S99527023	Replacement charcoal filter	1 pc.	026715188758

EI59 SERIES

This new Broan Elite range hood gently curving glass canopy creates a dramatic, contemporary appearance and an open, airy feel.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
EI5936SS	Stainless Steel	36"	500 / 200	10/2.5	85	026715194919

Option No.	Description	Std. Pack	UPC
FXNE59SS	Flue extension for 9' to 10' ceilings	1	026715195145
RKE59*	Non-ducted kit	1	026715195176
S99010365	Replacement charcoal filters	1	026715196777
S99010366	Replacement aluminum filter	1	026715196784
BCR1	Remote control	1	026715192915

* Includes non-ducted filters and flexible duct

RM50000 SERIES

This hood combines European design with tremendous value to meet the requirements of today's conventional appliance and kitchen styles.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
RM503004	Stainless steel	30"	270	6.5	39	026715149483
RM503604	Stainless steel	36"	270	6.5	42	026715149490

Option No.	Description	Size	Std. Pack	UPC
FILTEREB40	Replacement charcoal filter, 2 per pkg.	9" x 9" x 4"	1 pc.	026715152353
B08087292	Replacement aluminum filter	11 11/16" x 18 13/16"	1 pc.	026715157426
RFX5004	Flue extension - 10 ft - RM50000	39.6" x 10.8" x 10.8"	1 pc.	026715150861

RM52000 SERIES

This wall-mounted chimney hood is engineered to meet the requirements of today's highly styled, conventional appliances and kitchens.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
RM523004	Stainless steel	30"	370	7	46	026715150922
RM523604	Stainless steel	36"	370	7	49	026715150939
RM524204	Stainless steel	42"	370	7	52	026715150946

Option No.	Description	Size	Std. Pack	UPC
B08087294	Aluminum filter	9 3/8 x 11 3/4	1 pc.	026715151011
FILTER SQUARE	Charcoal filter	11" x 11" x 2"	1 pc.	026715152360
RRK51	Non-ducted recirculation kit	10 1/2" x 9 1/2" x 10 1/2"	1 pc.	026715150908
RFX5204	Flue extension - 10 ft - RM52000	39.6" x 10.8" x 9.6"	1 pc.	026715150960

RM53000 SERIES

Seamless style and design. Clean lines and contemporary style makes this wall-mount, stainless steel hood a popular choice.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
RM533004	Stainless Steel	30"	370	7	47	026715165193
RM533604	Stainless Steel	36"	370	7	48	026715165209

Option No.	Description	Size	Std. Pack	UPC
RFX5304	Flue extension - 10 ft - RM53000 DUCTED	17.04" x 43.8" x 17.04"	1 pc.	026715165223
RFXN5304	Flue extension - 10 ft - RM53000- NON-DUCTED	17.04" x 43.8" x 17.04"	1 pc.	026715165230
B08087294	Aluminum filter	9 3/8 x 11 3/4	1 pc.	026715151011
FILTER SQUARE	Charcoal filter	11" x 11" x 2"	1 pc.	026715152360
RRK51	Non-ducted recirculation kit	10 1/2" x 9 1/2" x 10 1/2"	1 pc.	026715150908

EW58000 SERIE

Broan Elite brings another wonderful design to meets today's needs. Everyone can own the ideal kitchen!



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
EW5830SS	Stainless Steel	30"	500 / 200	10/2.5	50	026715194957

Option No.	Description	Std. Pack	UPC
FXNE58SS	Flue extension for 9' to 10' ceilings	1	026715195169
RKE58*	Non-ducted kit	1	026715195190
S99010365	Replacement charcoal filters	1	026715196777
S99010368	Replacement aluminum filter	1	026715196807
BCR1	Remote control	1	026715192915

* Includes non-ducted filters and flexible duct

RP1 SERIES

This hood offers a professional look and 440 cfm.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
RP130SSC	9" PRO hood, 440 CFM SS	30"	440	7	32	055321500852

Option No.	Description	Size	Std. Pack	UPC
97017455	Replacement mesh filter RP1 Series	12" x 10 1/4"	1 pc.	026715179114

E64000 SERIES

This hood offers the professional look and performance you are looking for.



Part No.	Description	Width	CFM	Sones	Weight (lb.)	UPC
E6430SS	Internal blower	30"	600	1.5	43	026715186327
E64E30SS	External blower *	30"	N/A	N/A	35	026715186372
E6436SS	Internal blower	36"	600	1.5	46	026715186334
E6436TSS	Internal blower	36"	1100	1.5	60	772371111714
E64E36SS	External blower *	36"	N/A	N/A	39	026715186389
E6442SS	Internal blower	42"	600	1.5	53	026715186341
E6442TSS	Internal blower	42"	1100	1.5	63	772371111721
E64E42SS	External blower *	42"	N/A	N/A	46	026715186396
E6448SS	Internal blower	48"	600	2.0	58	026715186358
E6448TSS	Internal blower	48"	1200	2.0	65	026715186365
E64E48SS	External blower *	48"	N/A	N/A	50	026715186402

Option No.	Description	Size	Weight (lb.)	UPC
RMP3004	Stainless steel backsplash	30"	18	026715153244
RMP3604	Stainless steel backsplash	36"	21	026715153251
RMP4204	Stainless steel backsplash	42"	22	026715153268
RMP4804	Stainless steel backsplash	48"	30	026715153275
ANKE60302SS	Non ducted Kit 30"	30"	12.5	026715186419
ANKE60362SS	Non ducted Kit 36"	36"	12.5	026715186426
ANKE60422SS	Non ducted Kit 42"	42"	17	026715186433
ANKE60482SS	Non ducted Kit 48"	48"	17	026715186440
SV08343	Replacement charcoal filter	N/A	N/A	026715187324

*For use with exterior or in-line blower models; sold separately.



BLOWERS

Part No.	Description	CFM	Weight (lb.)	UPC
331H	Exterior wall/roof stand-alone fan and blower for 28000, E64000, RMPE and RMIP	600	35	026715071814
332H	Exterior wall/roof stand-alone fan and blower for 28000, E64000, RMPE and RMIP	900	36	026715071821
332KR*	Rough-in kit for RMIP only	N/A	3	026715122158
335	Exterior wall/roof stand-alone fan and blower for 28000, E64000, RMPE and RMIP	1200	39	026715109968
336	Exterior wall/roof stand-alone fan and blower for 28000, E64000, RMPE and RMIP	1500	47	026715109975
P5	Interior blower for RMIP Insert	500	18	026715124343
P8	Interior blower for RMIP Insert	850	26	026715124350
HLB3	In-line blower for 28000, E64000, RMPE and RMIP	280	27	026715169214
HLB6	In-line blower for 28000, E64000, RMPE and RMIP	600	45	026715169221
HLB9	In-line blower for 28000, E64000, RMPE and RMIP	800	67	026715169238
HLB11	In-line blower for 28000, E64000, RMPE and RMIP	1100	67	026715169245

* Required when using the HLB in-line blowers, or external blowers, with RMIP Series range hoods.

OTHER ACCESSORIES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
LLMM7C	7" round transition (for 7" round duct installation)	1	1 pc.	784891310720
BP87	7" round damper (for 7" round duct installation)	0.5	1 pc.	40026715049897
ARP6	CFM reducer for 6" round duct	1.8	1 pc.	026715182244
ARP8	CFM reducer for 8" round duct	2.2	1 pc.	026715182251
ARP310	CFM reducer for 3 1/4" x 10" duct	1.3	1 pc.	026715182220
RK004	Black knobs (2)	0.5	1 pc.	055321800822
RK021	White knobs (2)	0.5	1 pc.	055321800846

REPLACEMENT FILTERS FOR OBSOLETE SERIES

Part No.	Description	Size	Std. Pack	UPC
97015843	Aluminum filter for RMDD 48"	21 5/8" x 4 1/2" x 3/8"	1 pc.	026715154739
RF88M	Microtek filter for DP 88000 - 90000 30" and 36", 2 per pkg.	10" x 11 5/8"	1 pc.	055321800181
NNFC	Aluminum filter for HP 30" (single)	8 1/8" x 9"	1 pc.	784891999147
NN82F	Charcoal filter for HP 30", 2 per pkg.	8 1/8" x 7 1/2"	1 pc.	784891994739
RF48A	Aluminum filter for 38-40-41-42-43-48-52-54-55-57000	8 3/4" x 10 1/2"	1 pc.	055321800075
RF49C	Charcoal filter for 48000	7 1/2" x 8 1/2"	1 pc.	055321800082
RF55AM	Microtek charcoal filter for 54-55-57000 and NA	8 1/2" x 10 1/2"	1 pc.	055321800105
RF57C	Charcoal filter for 56-57000 and NB	8 3/4" x 10 5/16"	1 pc.	055321800129
RF58M	Microtek charcoal filter for 56-57-58000 and NB	8 3/4" x 10 1/4"	1 pc.	055321800136
RF76A	Aluminum filter for 76-78-79000 and NC, 2 per pkg.	6 5/8" x 11 5/8"	1 pc.	055321800143
RF79M	Microtek charcoal filter for 79000, 2 per pkg.	6 3/4" x 11 5/8"	1 pc.	055321800167
RF82A	Aluminum filter for 82-86-88-89-9000, 2 per pkg.	9 7/8" x 11 5/8"	1 pc.	055321800174
R610027	Aluminum filter for PM25	7 3/4" x 14 1/8"	1 pc.	027014021081
R610049	Replacement charcoal filter for PM25	7 5/8" x 14 1/8"	1 pc.	027014021111
SR610080	Aluminum filter for PM44	11" x 7" x 5"	1 pc.	027014022712
SR610081	Replacement charcoal filter for PM44	11" x 7" x 5"	1 pc.	027014022729

QTXE SERIES

The QTXE line brings simple elegance to any bathroom or powder room. Ultra quiet, you'll barely notice it - except of course, when you need just the right amount of ventilation and light at the touch of a switch.



Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QTXE050C	ENERGY STAR® qualified, ultra-quiet ventilation fan	50	<0.3	6"	11 1/4" x 10 3/8" x 7 5/8"	13.2	1 pc.	055321600569
QTXE080C	ENERGY STAR qualified, ultra-quiet ventilation fan	80	0.3	6"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601047
QTXE090C	ENERGY STAR qualified, ultra-quiet ventilation fan	90	0.6	6"	11 1/4" x 10 3/8" x 7 5/8"	13.2	1 pc.	055321600576
QTXE090FLC	ENERGY STAR qualified, ultra-quiet ventilation fan with light and night light (Q4 2011 Phase-Out)	90	0.6	6"	11 1/4" x 10 3/8" x 7 5/8"	16.2	1 pc.	055321600606
QTXE110C	ENERGY STAR qualified, ultra-quiet ventilation fan	110	0.7	6"	11 1/4" x 10 3/8" x 7 5/8"	12.8	1 pc.	055321600583
QTXE110FLC	ENERGY STAR qualified, ultra-quiet ventilation fan with light and night light (Q4 2011 Phase-Out)	110	0.7	6"	11 1/4" x 10 3/8" x 7 5/8"	15.8	1 pc.	055321600613
QTXE110H	Humidity Sensing, ENERGY STAR qualified, ultra-quiet ventilation fan	110	0.7	6"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601054
QTXE150C	ENERGY STAR qualified, ultra-quiet ventilation fan	150	1.4	6"	11 1/4" x 10 3/8" x 7 5/8"	13.2	1 pc.	055321600590
QTXE150FLC	ENERGY STAR qualified, ultra-quiet ventilation fan with light and night light (Q4 2011 Phase-Out)	150	1.4	6"	11 1/4" x 10 3/8" x 7 5/8"	16.2	1 pc.	055321600620
Project Packs								
HQTXE	Project housing pack for QTXE non-lighted models. Contains 4 housings and 4 duct connectors.	N/A	N/A	6"	11 1/4" x 10 3/8" x 7 5/8"	4.6	4 pcs.	50055321601608
FQTXE050C	QTXE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 grilles.	50	<0.3	N/A	N/A	7.7	4 pcs.	50055321601660
FQTXE090C	QTXE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 grilles.	90	0.6	N/A	N/A	7.7	4 pcs.	50055321601622
FQTXE110C	QTXE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 grilles.	110	0.7	N/A	N/A	7.7	4 pcs.	50055321601646



QTRE SERIES

For style, quiet operation, power and convenience, the QTRE Series will meet your every need with its energy efficient performance.

Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QTRE070C	ENERGY STAR® qualified, quiet ventilation fan	70	0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601412
QTRE080C	ENERGY STAR qualified, quiet ventilation fan	80	0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601030
QTRE2080WC	Select-Air two speed, ENERGY STAR qualified, quiet ventilation fan with Two-Function Wall Control	40/80	<0.3/0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	12.0	1 pc.	055321601757
QTRE080C2S	Select-Air two speed, ENERGY STAR qualified, quiet ventilation fan (wholesale only)	40/80	<0.3/0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	12.0	1 pc.	055321601733
QTRE080R	Easy Retrofit, ENERGY STAR qualified, quiet ventilation fan	80	0.8	4"	11 1/4" x 10 3/8" x 7 5/8"	12.4	1 pc.	026715191291
QTRE080H	Humidity Sensing, ENERGY STAR qualified, quiet ventilation fan	80	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601696
QTRE090C	ENERGY STAR qualified, quiet ventilation fan	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321600637
QTRE090FLC	ENERGY STAR qualified, quiet ventilation fan with light and night light	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	15.4	1 pc.	055321600651
QTRE100H	Humidity Sensing, ENERGY STAR qualified, quiet ventilation fan	100	1.5	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601115
QTRE110C	ENERGY STAR qualified, quiet ventilation fan	110	1.3	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321600644
QTRE110FLC	ENERGY STAR qualified, quiet ventilation fan with light and night light	110	1.3	4"	11 1/4" x 10 3/8" x 7 5/8"	15.4	1 pc.	055321600668

Project Packs

HQTXR000C	Project housing pack for QTRE/QTR non-lighted models. Contains 4 housings and 4 duct connectors.	N/A	N/A	4"	11 1/4" x 10 3/8" x 7 5/8"	4.6	4 pcs.	50055321600472
FQTRE050C	QTRE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 grilles.	50	0.4	N/A	N/A	7.7	4 pcs.	50055321601479
FQTRE070C	QTRE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 grilles.	70	0.8	N/A	N/A	7.7	4 pcs.	50055321601493
FQTRE080C	QTRE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 grilles.	80	0.8	N/A	N/A	7.7	4 pcs.	50055321601530
FQTRE090C	QTRE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 grilles.	90	1.0	N/A	N/A	7.7	4 pcs.	50055321600533
FQTRE110C	QTRE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 grilles.	110	1.3	N/A	N/A	7.7	4 pcs.	50055321600557
FQTRE110MG	QTRE project finish pack, ENERGY STAR qualified, contains 4 motor assemblies and 4 metal grilles.	110	1.3	N/A	N/A	7.7	4 pcs.	50055321601578

QTRE FANS WITH INTERLOCKING RELAY

When the exhaust fan with built-in interlock relay is switched on, the relay contact closes to activate the furnace's low-voltage circuit. This turns on the furnace blower motor and ensures the ventilation distribution required by most building codes.



Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QTRE090RC	ENERGY STAR® qualified ventilation fan with interlocking relay	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	12.4	1 pc.	055321601351
QTRE110RC	ENERGY STAR qualified ventilation fan with interlocking relay	110	1.3	4"	11 1/4" x 10 3/8" x 7 5/8"	12.4	1 pc.	055321601559

QTR SERIES

The Broan QTR Series is an ideal design solution for any bathroom or powder room.



Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
QTR070C	Ventilation fan	70	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	11.8	1 pc.	055321601061
QTR090C	Ventilation fan	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	12.4	1 pc.	055321600675
QTR090LC	Ventilation fan with light and night light	90	1.0	4"	11 1/4" x 10 3/8" x 7 5/8"	13.8	1 pc.	055321600699
QTR110C	Ventilation fan	110	1.5	4"	11 1/4" x 10 3/8" x 7 5/8"	12.4	1 pc.	055321600682
QTR110LC	Ventilation fan with light and night light	110	1.5	4"	11 1/4" x 10 3/8" x 7 5/8"	13.8	1 pc.	055321600705

Project Packs

HQTXR000C	Project housing pack for QTRE/QTR non-lighted models. Contains 4 housings and 4 duct connectors.	N/A	N/A	4"	11 1/4" x 10 3/8" x 7 5/8"	4.6	4 pcs.	50055321600472
FQTR050C	QTR project finish pack, contains 4 motor assemblies and 4 grilles.	50	0.4	N/A	N/A	7.7	4 pcs.	50055321601028
FQTR090C	QTR project finish pack, contains 4 motor assemblies and 4 grilles.	90	1.0	N/A	N/A	7.7	4 pcs.	50055321600496
FQTR110C	QTR project finish pack, contains 4 motor assemblies and 4 grilles.	110	1.5	N/A	N/A	7.7	4 pcs.	50055321600519

DECORATIVE SERIES

The perfect blend of elegance and performance. It is an elegant glass light fixture and a powerful exhaust fan. Uses two standard incandescent bulbs - 60-watt maximum each (not included). HVI certified.



Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
741WHC	Decorative fan-light with white gloss finish and frosted melon glass globe (Q3 2011 Phase-Out)	70	3.5	4"	8 1/4" x 8" x 5 3/4"	10.9	1 pc.	026715148349
741SNC	Decorative fan-light with satin nickel finish and frosted melon glass globe (Q3 2011 Phase-Out)	70	3.5	4"	8 1/4" x 8" x 5 3/4"	10.9	1 pc.	026715148356
754SNC	Decorative fan-light with satin nickel finish and frosted glass shade	70	3.5	4"	8 1/4" x 8" x 5 3/4"	11.0	1 pc.	055321620932
757SNC	Decorative fan-light with satin nickel finish and frosted glass shade	80	2.5	4"	8 1/4" x 8" x 5 3/4"	13.2	1 pc.	055321620949
761BN	Decorative fan-light with brushed nickel finish and white alabaster glass shade	80	2.5	4"	8 1/4" x 8" x 5 3/4"	12.0	1 pc.	026715191529
761RB	Decorative fan-light with oil-rubbed bronze finish and ivory alabaster glass shade	80	2.5	4"	8 1/4" x 8" x 5 3/4"	12.0	1 pc.	026715191536

DELUXE SERIES

Stylishly designed to accentuate any bathroom décor with centrifugal blower wheel and 4-pole motor for high capacity at low sound levels. Built-in mounting ears for quick, sturdy installation. Torsion spring grille mounting means no tools are required. HVI certified.



Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
DX50L	Deluxe fan-light	50	2.5	4"	8 1/4" x 8" x 5 3/4"	5.7	1 pc.	055321620499
DX70L	Deluxe fan-light	70	3.5	4"	8 1/4" x 8" x 5 3/4"	6.6	1 pc.	055321620512
DX90	Deluxe fan	90	2.5	4"	8 1/4" x 8" x 5 3/4"	6.0	1 pc.	055321620475
DX110	Deluxe fan	110	4.0	4"	8 1/4" x 8" x 5 3/4"	6.2	1 pc.	055321620482
683C	Deluxe ventilation fan	80	2.5	4"	8 1/4" x 8" x 5 3/4"	6.0	1 pc.	055321601320
770	ENERGY STAR®, deluxe fan	50	1.5	4"	8 1/4" x 8" x 5 3/4"	7.0	1 pc.	026715199518
784	ENERGY STAR, deluxe fan	80	2.0	4"	8 1/4" x 8" x 5 3/4"	7.0	1 pc.	026715194193
778WH	ENERGY STAR, deluxe fan-light (white)	80	2.0	4"	8 1/4" x 8" x 5 3/4"	12.0	1 pc.	026715197446

Project Packs

FHD50C	ENERGY STAR project finish pack, contains 4 motor assemblies and 4 metal grilles.	50	1.5	N/A	N/A	3.8	4 pcs.	50055321620968
DXF90	Deluxe project finish pack, contains 4 motor assemblies and 4 grilles.	90	2.5	N/A	N/A	3.8	4 pcs.	50055321620852
DXF110	Deluxe project finish pack, contains 4 motor assemblies and 4 grilles.	110	4.0	N/A	N/A	4.0	4 pcs.	50055321620869
F770	ENERGY STAR, deluxe project finish pack contains 4 motor assemblies and grilles.	50	1.5	N/A	N/A	3.2	4 pcs.	026715199532
F784	ENERGY STAR, deluxe project finish pack contains 4 motor assemblies and grilles.	80	2.0	N/A	N/A	3.2	4 pcs.	026715197460
DXH600	Project housing pack for above finish packs. Contains 4 housings and 4 duct connectors.	N/A	N/A	4"	8 1/4" x 8" x 5 3/4"	2.5	4 pcs.	50055321620845

ECONOMY SERIES

A quality fan for an incredible value. Torsion spring grille mounting means no tools are required. The compact housing fits easily between wall studs and features double strength flanges with keyholes for fast installation. Ceiling or wall application. HVI certified.



Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
EC50	Economy fan	50	3.0	3"	8 1/16" x 7 3/8" x 3 7/8"	3.6	1 pc.	055321600255
EC70	Economy fan	70	5.5	3"	8 1/16" x 7 3/8" x 3 7/8"	4.1	1 pc.	055321600262
Project Packs								
ECF50	Economy project finish pack, contains 6 motor assemblies and 6 grilles.	50	3.0	N/A	N/A	2.1	6 pcs.	50055321600274
ECF70	Economy project finish pack, contains 6 motor assemblies and 6 grilles.	70	5.5	N/A	N/A	2.5	6 pcs.	50055321600281
ECH600	Project housing pack for above finish packs. Contains 6 housings and 6 duct connectors.	N/A	N/A	3"	8 1/16" x 7 3/8" x 3 7/8"	1.6	6 pcs.	50055321600298

COMBINATION UNITS - HEATER, FAN, LIGHT

Multi-functional providing heat, ventilation and light. HVI certified (except 161M).



Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
161M	One-bulb heater - no fan	N/A	N/A	N/A	8 3/8" x 8 1/8" x 6"	5.0	1 pc.	055321620581
162M	One-bulb heater - with fan	70	3.5	4"	8 3/8" x 8 1/8" x 6 3/8"	6.9	1 pc.	055321620574
164	Two-bulb heater - with fan	70	3.5	4"	14 1/4" x 8 3/8" x 6 3/8"	16.0	1 pc.	055321620161
655C	Heater/fan light - designer styled white polymeric grille, 100-watt light capacity and 1,300-watt heater	70	4.0	4"	14 1/4" x 8 1/4" x 5 3/4"	14.0	1 pc.	026715156245

RECESSED FAN/LIGHT

The recessed fan/light is at home in any room of the house where you'd like to keep the air fresh and comfortable. Two distinct functions in one clever design.



Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
744C	Recessed fan light with 6" white trim	70	1.5	4"	12 3/4" x 8 1/4" x 6 3/4"	9.8	1 pc.	026715165704



UTILITY SERIES

Versatile heavy duty fans for the kitchen, family room or laundry room. Through-the-wall, ceiling and vertical discharge models available. HVI certified.

Part No.	Description	CFM @ 0.1" SP	Sones @ 0.1" SP	Duct	Housing	Weight (lb.)	Std. Pack	UPC
502	10" side discharge fan with white polymeric grille	270	8.0	3 1/4" x 10"	16 3/4" x 13 7/8" x 3 1/4"	12.0	1 pc.	055321620208
503	8" side discharge fan with white polymeric grille	160	5.0	3 1/4" x 10"	14" x 12" x 3 1/4"	9.5	1 pc.	055321620024
504	10" vertical discharge fan with white polymeric grille	350	6.5	10"	10 1/4" Ø x 7" H	9.5	1 pc.	055321620215
505	8" vertical discharge fan with white polymeric grille	180	6.5	8"	8 1/4" Ø x 7" H	8.0	1 pc.	055321620031
508	Thru-the-wall 10" automatic fan with white polymeric grille	270	6.0	10"	14 1/4" square	14.0	1 pc.	055321620222
509	Thru-the-wall 8" automatic fan with white polymeric grille	180	6.5	8"	14 1/4" square	13.0	1 pc.	055321620048
510	10" room-to-room fan with white reinforced polymeric grille	380	6.5	10"	11 1/2" square	11.0	1 pc.	055321620239
511	8" room-to-room fan with white reinforced polymeric grille	180	3.5	8"	11 1/2" square	10.0	1 pc.	055321620055
512	6" room-to-room fan with white reinforced polymeric grille	90	3.5	6"	7 1/2" Ø	4.0	1 pc.	055321620062

REPLACEMENT GRILLES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
FG266	Grille for 650 / 660 / 675	0.3	1 pc.	055321800808
FG100	Grille for EC50 / EC70	0.3	1 pc.	055321801140
FG200	Grille for DX90 / DX110	0.5	1 pc.	055321801201

DUCTS

Part No.	Description	Weight (lb.)	UPC
407	7" round duct, 2' section (price per carton); 5-24" length per carton	15.0	026715011186
410	10" round duct (price per carton); 5-24" length per carton	20.0	026715022748

TRANSITIONS

Part No.	Description	Weight (lb.)	UPC
411	3 1/4" x 10" to 6" round transition	2.0	026715002672
412	3 1/4" x 10" to 7" round transition	2.0	026715002689
413	3 1/4" x 10" to 8" round transition	2.0	026715015993
414	8" to 10" expander	2.0	026715075478
423	Adapter (vertical), 4 1/2" x 18 1/2" to 10" round transition	4.0	026715039029
424	Rear transition, 4 1/2" x 18 1/2" to 10" round	4.5	026715039036
427	Thin wall horizontal transition, 4 1/2" x 18 1/2" to 10" round	4.0	026715126071
T624	6" to 4" duct transition	0.6	055321590013

ELBOWS

Part No.	Description	Weight (lb.)	UPC
415	7" adjustable elbow	6.0	026715007967
418	Adjustable elbow - 10"	3.0	026715059454
421	Damper vertical in-line 10" round	1.0	026715039005
428	Vertical elbow - 3 1/4" x 10"	1.0	026715011148
429	Horizontal elbow - 3 1/4" x 10"	2.0	026715011155
430	Eave elbow - 3 1/4" x 10" with damper and grille	4.0	026715016013

INSTALLATION KITS

Part No.	Description	Weight (lb.)	UPC
443	Fan ducting kit, roof installation includes 1-aluminum roof cap with built-in damper and bird screen, 1-4" diameter duct connector, 2-4" hose clamps, 1-3" to 4" duct transition, and 8' of 4" diameter flexible hose.	3.5	055321800235
450	Fan ducting kit, wall installation includes 1-louvered wall vent, 1-4" diameter metal duct connector, 2-4" hose clamps, 1-3" to 4" duct transition, and 5' of 4" diameter flexible hose.	1.5	055321800228

ROOF CAPS

Part No.	Description	Weight (lb.)	UPC
437	High capacity roof cap, up to 1200 CFM exhaust	12.0	026715039074
634	Roof cap with damper and bird screen, 3 1/4" x 10" or up to 8" round, steel, black enamel	6.0	026715002658
636	Roof cap with damper and bird screen, 3" or 4" round, steel, black enamel	2.0	026715000609
634M	Roof cap with damper and bird screen, 6" round, steel, black enamel	6.8	026715057818
644	Aluminum roof cap with backdraft damper and bird screen, 3 1/4" x 10" or up to 8" round duct. Natural finish	3.0	026715003938

WALL CAPS

Part No.	Description	Weight (lb.)	UPC
441	Wall cap for 10" round duct	4.0	026715039081
639	Wall cap 3 1/4" x 10" with damper and bird screen, steel, black enamel	3.0	026715002641
641	Aluminum wall cap fits 6" round duct, damper and bird screen	1.0	026715011377
643	Aluminum wall cap, 8" round duct with damper	2.5	026715022946
647	Wall cap for 7" round duct	1.5	026715052127
885BL	Wall cap for 3" or 4" round duct	1.7	784891276491

ACCESSORIES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
EV100	EcoVent – Exit air vent for bath fans or dryers only, multiples of 9 only	1.3	9 pcs.	50055321801084
RDJ1	Radiation damper accessory for DX90, DX110, 683C, 770 and 784 models	5.0	1 pc.	026715199624

WALL CONTROLS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
P57WN	White solid state speed control, 3 amp	0.2	1 pc.	055321800358
P59WN	White 60-minute timer	0.5	1 pc.	055321800365
P61WN	White 15-minute timer	0.5	1 pc.	055321800372
P66WN	White 3-function wall control	0.4	1 pc.	055321800402
P68WN	White 2-function wall control	0.3	1 pc.	055321800532
DH100W	White dehumidistat	0.5	1 pc.	055321800211
80L	Speed control for LoSone® Select models	0.4	1 pc.	026715172269
P77DWN	White 4-function wall control for fan-lights	0.3	1 pc.	055321800860

ATTIC VENTILATORS

Part No.	Description	CFM	HP	Height	Dome Dia.	RPM	Volts	UPC
345	Attic Ventilator	1200	1/10	7 7/8"	23 3/16"	1100	120	055321680011


CEILING MOUNT - 100, 150, 200, 250, 300 CFM



Single, impact resistant centrifugal blower wheel, driven by low RPM motor. Housing dimensions: 12 1/4" x 12 1/4" x 11 3/4" (31.1 cm x 31.1 cm x 29.8 cm). Low profile white polymeric grille (14" x 14") (35.6 cm x 35.6 cm) or sturdy, low profile metal grille finished with white enamel paint (14" x 14") (35.6 cm x 35.6 cm). Built-in back draft damper. Discharges horizontally or vertically through 6" or 8" (15.2 cm or 20.3 cm) round duct. AMCA certified.

Part No.	Description	CFM (Horiz. / Vert.) @ 0.1"SP	Sones (Horiz. / Vert.) @ 0.1"SP	Duct	Weight (lb.)	UPC
L100	Ceiling mount 120 VAC, white polymeric grille	115 / 117	0.8 / 0.9	6"	22.8	026715124497
L100MG	Ceiling mount 120 VAC, white enamel steel grille	121 / 119	0.8 / 0.8	6"	23.7	026715125142
L150	Ceiling mount 120 VAC, white polymeric grille	161 / 163	1.4 / 1.6	6"	23.1	026715124503
L150MG	Ceiling mount 120 VAC, white enamel steel grille	165 / 165	1.4 / 1.6	6"	23.7	026715125159
L200	Ceiling mount 120 VAC, white polymeric grille	214 / 210	1.8 / 1.8	8"	23.0	026715124510
L200MG	Ceiling mount 120 VAC, white enamel steel grille	218 / 213	1.8 / 1.7	8"	23.9	026715125166
L250	Ceiling mount 120 VAC, white polymeric grille	261 / 261	2.3 / 2.6	8"	23.1	026715124527
L250MG	Ceiling mount 120 VAC, white enamel steel grille	267 / 263	2.5 / 2.6	8"	24.0	026715125173
L300	Ceiling mount 120 VAC, white polymeric grille	309 / 314	2.9 / 2.9	8"	23.1	026715124534
L300MG	Ceiling mount 120 VAC, white enamel steel grille	317 / 315	2.8 / 2.7	8"	24.0	026715125180
L300KMG	Ceiling mount 120 VAC suitable for kitchen installation, white enamel steel grille	279 / 280	3.0 / 3.6	8"	25.2	026715125197

CEILING MOUNT - 400, 500, 700 CFM



Two, impact resistant centrifugal blower wheels driven by low RPM motor (Models L400K and L500K have metal wheels). Housing dimensions: 21 1/2" x 12 1/4" x 11 3/4" (54.6 cm x 31.1 cm x 29.8 cm). Sturdy, low profile metal grille finished with white enamel paint (23 1/4" x 14") (59.1 cm x 35.6 cm). Discharges horizontally or vertically through 4 1/2" x 18 1/2" (11 cm x 47 cm) duct connector. AMCA certified.

Part No.	Description	CFM (Horiz. / Vert.) @ 0.1"SP	Sones (Horiz. / Vert.) @ 0.1"SP	Duct	Weight (lb.)	UPC
L400	Ceiling mount 120 VAC, white enamel steel grille	442 / 428	2.4 / 2.6	4 1/2" x 18 1/2"	33.8	026715124541
L400K	Ceiling mount 120 VAC suitable for kitchen installation, white enamel steel grille	415 / 409	3.2 / 3.4	4 1/2" x 18 1/2"	36.2	026715125203
L500	Ceiling mount 120 VAC, white enamel steel grille	520 / 517	3.1 / 3.1	4 1/2" x 18 1/2"	33.8	026715124558
L500K	Ceiling mount 120 VAC suitable for kitchen installation, white enamel steel grille	484 / 472	4.3 / 3.9	4 1/2" x 18 1/2"	36.2	026715125210
L700	Ceiling mount 120 VAC, white enamel steel grille	704 / 691	4.6 / 5.0	4 1/2" x 18 1/2"	33.9	026715124565

CEILING MOUNT - 900, 1500 CFM

Single, impact resistant centrifugal blower wheel driven by low RPM motor. Housing dimensions: 22" x 18" x 18" (55.9 cm x 45.7 cm x 45.7 cm). Sturdy, low profile metal grille finished with white enamel paint (23 7/8" x 19 7/8") (60.6 cm x 50.4 cm). Discharges horizontally or vertically through 8" x 12" (20.3 cm x 30.5 cm) duct connector. AMCA certified.



Part No.	Description	CFM (Horiz. / Vert.) @ 0.1"SP	Sones (Horiz. / Vert.) @ 0.1"SP	Duct	Weight (lb.)	UPC
L900	Ceiling mount 120 VAC, white enamel steel grille	905 / 892	4.0 / 3.4	8" x 12"	64.2	026715124572
L1500	Ceiling mount 120 VAC, white enamel steel grille	1526 / 1519	8.4 / 8.4	8" x 12"	64.3	026715124589

IN-LINE - 100, 150, 200, 250, 300 CFM

Single, impact resistant centrifugal blower wheel driven by low RPM motor. Housing dimensions: 12 1/4" x 12 1/4" x 11 3/4" (31.1 cm x 31.1 cm x 29.8 cm). In-line models have removable access panel and do not include insulation. AMCA certified.



Part No.	Description	CFM (Horiz. / Vert.) @ 0.1"SP	Sones (Horiz. / Vert.) @ 0.1"SP	Duct	Weight (lb.)	UPC
L100L	In-line, 120 VAC	108 / 98	0.7 / 0.8	6"	22.9	026715124596
L150L	In-line, 120 VAC	148 / 138	1.0 / 1.4	6"	22.9	026715124602
L200L	In-line, 120 VAC	196 / 177	1.9 / 1.6	8"	19.8	026715124619
L250L	In-line, 120 VAC	245 / 224	2.3 / 2.5	8"	19.8	026715124626
L300L	In-line, 120 VAC	294 / 261	3.0 / 3.7	8"	19.9	026715124633

IN-LINE - 400, 500, 700 CFM

Two, impact resistant centrifugal blower wheels driven by low RPM motor. Housing dimensions: 21 1/2" x 12 1/4" x 11 3/4" (54.6 cm x 31.1 cm x 29.8 cm). Two 4 1/2" x 18 1/2" (11.4 cm x 47 cm) duct connectors. In-line models have removable access panel and do not include insulation. AMCA certified.



Part No.	Description	CFM (Horiz. / Vert.) @ 0.1"SP	Sones (Horiz. / Vert.) @ 0.1"SP	Duct	Weight (lb.)	UPC
L400L	In-line, 120 VAC	415 / 415	1.6 / 1.7	4 1/2" x 18 1/2"	33.9	026715124640
L400KL	In-line, 120 VAC, suitable for kitchen installation	385 / 391	2.7 / 2.4	4 1/2" x 18 1/2"	36.3	026715125128
L500L	In-line, 120 VAC	526 / 516	2.4 / 3.8	4 1/2" x 18 1/2"	33.9	026715124657
L500KL	In-line, 120 VAC, suitable for kitchen installation	476 / 482	3.7 / 4.1	7 3/4" x 33 3/4"	36.3	026715125135
L700L	In-line, 120 VAC	686 / 667	3.8 / 5.0	4 1/2" x 18 1/2"	34.0	026715124664

IN-LINE - 900, 1500 CFM

Single, impact resistant centrifugal blower wheel driven by low RPM motor. Housing dimensions: 22" x 18" x 18" (55.9 cm x 45.7 cm x 45.7 cm). Two 8" x 12" (20.3 cm x 30.5 cm) duct connectors. In-line models have removable access panel and do not include insulation. AMCA certified.



Part No.	Description	CFM (Horiz. / Vert.) @ 0.1"SP	Sones (Horiz. / Vert.) @ 0.1"SP	Duct	Weight (lb.)	UPC
L900L	In-line, 120 VAC	902 / 778	3.8 / 4.5	8" x 12"	64.4	026715124671
L1500L	In-line, 120 VAC	1228 / 1117	6.8 / 7.8	8" x 12"	64.5	026715124688

CABINET VENTILATOR - 2000 CFM

Twin double inlet blower wheels with housing measuring 14 5/8" x 14 5/8" x 38". AMCA certified.



Part No.	Description	CFM (Horiz. / Vert.) @ 0.1"SP	Sones (Horiz. / Vert.) @ 0.1"SP	Duct	Weight (lb.)	UPC
L2000L	In-line, 120 VAC	1803 / 1931	9.8 / 10.3	7 3/4" x 33 3/4"	89.0	026715124695

ACCESSORIES



Part No.	Description	Weight (lb.)	Std. Pack	UPC
MG1	Metal grille kit for LoSone® housing no.1	1.9	1 pc.	026715131969
80L	Speed Control for LoSone® fans, 120 V, 3 amps	0.4	1 pc.	026715172269
RD1	Radiation damper: 12 1/2" x 12 1/2" for use with L100, L150, L200, L250 and L300 models.	3.7	1 pc.	026715124749

IN-LINE ADAPTERS



Part No.	Description	Weight (lb.)	Std. Pack	UPC
961L	Use with L100 and L150 series, for 6" (15.2 cm) round duct intake	1.65	1 pc.	026715131884
981L	Use with L200, L250, L300 series; for 8" (20.3 cm) round duct intake	1.85	1 pc.	026715124718
982L	Use with L400, L500, L700 series; for 4 1/2" x 18 1/2" (11.4 cm x 47 cm) duct intake	3.0	1 pc.	026715124725



POWER UNITS

A Broan central vacuum system is one of Canada's "most wanted" built-in appliances.

Part No.	Description	Size	Weight (lb.)	Std. Pack	UPC
CX450	For homes up to 3,000 sq. ft. Cyclonic or disposable bag. 450 Air Watts - 90" Water lift - 100 cfm - 120 volt - 22.7 L debris pail capacity - Built-in sound suppression - right or left installation.	11" Ø x 40 1/2"	25	1 pc.	055321700399
VX3000C	For homes up to 3000 sq. ft. - Cyclonic - 475 Air watts - 90" Water lift - 114 cfm - 120 Volt - 15 L debris pail capacity - Built-in sound suppression - Right or left installation.	11 1/2" x 16 1/2" x 36"	45	1 pc.	055321700191
VX6000C	For homes up to 6,000 sq. ft. - Cyclonic - Self cleaning permanent HEPA filter with non stick coating - 550 Air watts - 130" Water lift - 135 cfm - 120 Volt - 26.5 L debris pail capacity - Built-in sound suppression - Pail full indicator - Right or left installation.	11 1/2" x 17 1/2" x 39"	48	1 pc.	055321700207
VX12000C	For homes up to 12,000 sq. ft - Cyclonic - Self cleaning permanent HEPA filter with non stick coating - 1040 Air watts - 130" Water lift - 230 cfm - 240 Volt - Dual Motor - 26.5 L debris pail capacity - Built-in sound suppression - Pail full indicator - Right or left installation.	11 1/2" x 17 1/2" x 39"	50	1 pc.	055321700214

CENTRAL VACUUM KITS

Everything you need in one package.



Part No.	Description	Weight (lb.)	Std. Pack	UPC
CXKIT450A	Kit includes a CX450 power unit, BN135 standard 6-piece tool set, BN30LV 30' low-voltage crushproof hose, BN160 multi-surface brush.	34	1 pc.	055321700375
VXKIT300A	Kit includes a VX3000C power unit, BN135 standard 6-piece tool set, BN32LV 32' low-voltage crushproof hose, BN165 air-driven power brush	60	1 pc.	055321700221
VXKIT600E	Kit includes a VX6000C power unit, BN235 deluxe 7-piece tool set, BN32DV 32' dual-voltage crushproof hose, BN200 electric power brush.	70	1 pc.	055321700238
VXKIT1200E	Kit includes a VX12000C power unit, BN235 deluxe 7-piece tool set, BN32DV 32' dual-voltage crushproof hose, BN200 electric power brush.	77	1 pc.	055321700320



BRUSHES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
BN155B	Universal brush - ideal for hard floors - two soft wheels help keep the brush aligned to floor for superior pick-up - side channels for better edge cleaning - scalloped-cut front blade - pivot/swivel neck assembly.	0.7	1 pc.	50055321721603
BN160	Multi-surface floor brush - Effective on all flooring types - easy-to-use pedal: switches from hard surface to carpet cleaning mode - side channels for better edge cleaning - pivot/swivel neck assembly - fits all standard wands.	N/A	1 pc.	50055321722167
BN165	Air-Driven Brush - four rubber wheels for use on all surfaces - floating wheels ensure superior performance - side channels for better edge cleaning - pivot/swivel neck assembly - squeegee floor tool for even suction distribution - fits all standard wands.	1.8	1 pc.	50055321722174
BN200	Electric Power Brush - Power brush neck and wand release pedal - equipped with 6 LEDs for superior lighting - 4-level height adjustment with LED indicators - soft, easy-rolling rubber wheels - includes aluminum telescopic wand.	9.6	1 pc.	055321722124



TOOL SETS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
BN135	6-piece Standard tool set: 10" hard floor brush - stainless steel telescopic wand - natural bristle upholstery tool (directional slide brush) - crevice tool - dusting brush and clip-on caddy.	3	1 pc.	055321721721
BN235	7-piece Deluxe tool set: 12" hard floor brush - stainless steel telescopic wand - dusting brush - natural bristle upholstery tool (directional slide brush) - crevice tool and clip-on caddy - storage bag.	4	1 pc.	055321721790
GK225	Garage and car cleaning kit: 50' crushproof hose - crevice tool - floor brush with swivel neck - dusting brush - natural bristle upholstery tool (directional slide brush) - cloth caddy bag and hose hanger.	10.1	1 pc.	055321700368



HOSES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
BN32	Standard crushproof hose - 32' hose - 1 1/4" Ø - Airflow regulator on handle - Universal wall end - hose hanger included.	6.8	1 pc.	055321721554
BN32LV	Low-voltage crushproof hose - 32' - 1 3/8" Ø - Control your central vacuum from the hose handle control.	10	1 pc.	055321721813
BN32DV	Dual-voltage crushproof hose - 32' - 1 3/8" Ø - 360° rotation - Control both the central vacuum and the electric brush from the hose handle control.	10	1 pc.	055321721806

ACCESSORIES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
HS30	Protect your floors and furniture with this padded hose cover - Stay-lock fastener - Simple installation - 30'	0.3	1 pc.	800696012147
HS35	Protect your floors and furniture with this padded hose cover - Stay-lock fastener - Simple installation - 35'	0.5	1 pc.	800696012734
V137	Muffler	0.8	1 pc.	055321720229
V600	VacuSweep® inlet valve - Ivory	0.4	1 pc.	055321721226
V600B	VacuSweep® inlet valve - Black	0.5	1 pc.	055321721264
V600W	VacuSweep® inlet valve- White	0.4	1 pc.	055321721288
V601	VacuSweep® trim plate - Ivory	0.8	1 pc.	055321721301
V601B	VacuSweep® trim plate - Black	0.8	1 pc.	055321721349
V601W	VacuSweep® trim plate - White	0.8	1 pc.	055321721363
V172-3	Disposable Bag – V14/15/16C (3/pack)	0.4	1 pc.	055321720021
391C	Replacement filter bag for model CX450 (3/pack)	0.7	1 pc.	784891998546
PF450	Cyclonic permanent filter bag for model CX450- Multiples of 4 only	1.2	4 pcs.	50055321700448

INLETS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
V111	Wall inlet - Ivory	0.3	1 pc.	055321720281
V111W	Wall inlet - White	0.3	1 pc.	055321720755
V111B	Wall inlet - Brass	0.7	1 pc.	055321720298
V144	Plastic mounting plate	0.1	1 pc.	055321720892

INSTALLATION PARTS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
V110	90° sweep elbow	0.1	1 pc.	055321720908
V118	45° elbow spigot	0.1	1 pc.	055321721028
V120	45° elbow	0.1	1 pc.	055321720144
V121	90° medium elbow sweep	0.1	1 pc.	055321720151
V122	90° short elbow	0.3	1 pc.	055321720168
V123	45° Y	0.2	1 pc.	055321720175
V124	90° tee	0.2	1 pc.	055321720182
V125	3-way 90° Y	0.2	1 pc.	055321720311
V126	Short tee	0.1	1 pc.	055321720328
V127	Stop coupling	0.1	1 pc.	055321720199
V129	Joint cement (118 ml)	0.6	1 pc.	064529000163
V131	2" PVC tubing 10 ft. length	2.0	10 pcs.	055321721760
V131-5	2" PVC tubing 5 ft. length	1.0	1 pc.	055321720434
V132	30° elbow	0.1	1 pc.	055321720335
V133	100 ft. Low-voltage wire (2 cond. 22 gauge)	1.4	1 pc.	055321720342
V134	Tubing cap	0.1	1 pc.	055321720359
V135	Plaster guard	0.1	1 pc.	055321720366
V138	Cover plate with screws	0.1	1 pc.	055321720373
V139	Inlet valve extension	0.1	1 pc.	055321720441
V140	Tubing strap with built-in wire holder	0.1	1 pc.	055321720205
V142	Exterior Exhaust vent	0.2	1 pc.	055321720380
V144	Plastic mounting plate	0.1	1 pc.	055321720892
V153	90° medium elbow spigot	0.1	1 pc.	055321721004
V382XS	90° short socket elbow	0.1	1 pc.	055321721196
CF367	CF367 Flexible tubing 36" x 2"	1.0	1 pc.	784891774188
393	Wall cap	1.4	1 pc.	784891992421

INLET INSTALLATION KITS

Part No.	Description	Weight (lb.)	Std. Pack	UPC
V185	Add-on inlet kit: (1) V120 - 45° Short elbow (2) V121 - 90° Medium elbow sweep (1) V122 - 90° Short elbow (1) V124 - 90° Tee (2) V127 - Stop coupling (1) V144 - Plastic mounting plate	2	1 pc.	055321720052
V186	Single-inlet kit: (1) V111W - White wall inlet (2) V120 - 45° Short elbow (3) V121 - 90° Medium elbow sweep (1) V122 - 90° Short elbow (1) V124 - 90° Tee (3) V127 - Stop coupling (1) V144 - Plastic mounting plate (1) 25 ft. Low-voltage wire (4) V131-5 - PVC tubing 5 ft. length (1) V129 - Joint cement	8	1 pc.	055321720069
V189	Three-inlet kit: (3) V120 - 45° Short elbow (6) V121 - 90° Medium elbow sweep (3) V122 - 90° Short elbow (2) V124 - 90° Tee (6) V127 - Stop coupling (1) V129 - Joint cement (1) V133 - 100 ft. Low-voltage wire (3) V144 - Plastic mounting plate	10	1 pc.	055321720076

B SERIES

Our Nortron B Series electric furnaces are clean, efficient and quiet. They can be installed almost anywhere, in a basement, closet, crawl space or any unused area or alcove. The B Series models use traditional sequencers to control the heating elements.

Part No.	Description	Weight (lb.)	Std. Pack	UPC
21B10M	10 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	107	1 pc.	055321020329
21B15M	15 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	108	1 pc.	055321020336
21B18M	18 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	110	1 pc.	055321020343
21B20M	20 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	110	1 pc.	055321020350
21B25M	25 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	115	1 pc.	055321020367
21B27MS	27 kW, 3/4 HP, 4 speeds, 240 Volts, electric furnace	115	1 pc.	055321020374
83B13	13.5 kW, 1/3 HP, 3 speeds, 208 Volts, 3-phase electric furnace	105	1 pc.	055321020084
83B24	24 kW, 1/3 HP, 3 speeds, 208 Volts, 3-phase electric furnace	115	1 pc.	055321020152
83B27	27 kW, 1/3 HP, 3 speeds, 208 Volts, 3-phase electric furnace	120	1 pc.	055321020091



D SERIES

D Series electric furnaces offer the same great benefits as the B Series, plus insulated blower compartments and the superior reliability of electronic circuit board controllers for the heating elements.

Part No.	Description	Weight (lb.)	Std. Pack	UPC
21D10	10 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	107	1 pc.	055321020619
21D15	15 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	108	1 pc.	055321020626
21D18	18 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	110	1 pc.	055321020633
21D20	20 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	110	1 pc.	055321020640
21D23	22.5 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	115	1 pc.	055321020657
21D25	25 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	115	1 pc.	055321020664
21D27	27 kW, 3/4 HP, 4 speeds, 240 Volts, electric furnace	115	1 pc.	055321020671



ECM SERIES

The ECM Series takes the D Series one step further by offering the superior performance of electronically commutated motors (ECM) resulting in an improved operating efficiency and lower overall energy costs.

Part No.	Description	Weight (lb.)	Std. Pack	UPC
21ECM15	15 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	108	1 pc.	055321020541
21ECM18	18 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	110	1 pc.	055321020558
21ECM20	20 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	110	1 pc.	055321020565
21ECM23	22.5 kW, 1/3 HP, 4 speeds, 240 Volts, electric furnace	115	1 pc.	055321020602



ACCESSORIES

Part No.	Description	Weight (lb.)	Std. Pack	UPC
FK120	120-Volt Kit - For B and D Series furnaces - Mounts inside the furnace for the supply of electric air cleaners and furnace humidifiers	3	1 pc.	055321800020
FK120ECM	120-Volt Kit - For ECM Series furnaces - Mounts inside the furnace for the supply of electric air cleaner and furnace humidifiers	3	1 pc.	055321020572
FSB1	For use with 10 kW, 15 kW, 18 kW and 20 kW furnaces in down-flow position for CSA-listed mobile home installations	5.5	1 pc.	055321800037



THERMOSTATS

Part No.	Description	Amp.	Weight (lb.)	Std. Pack	UPC
1D23W	White double pole thermostat	22	0.6	1 pc.	055321010016
1T22	Beige single pole thermostat	22	0.5	1 pc.	055321010023
1T22W	White single pole thermostat	22	0.5	1 pc.	055321010030
1T20WCVR	White replacement cover – Must order in multiples of 10	N/A	0.1 ea	10 pcs.	50055321010097



WALL HEATERS

Part No.	Description	Volts	Watts	Weight (lb.)	UPC
169PT	Matte white grille and thermostat	120	1500-750	7.5	055321200110
174PTN	Matte white grille and thermostat	240	1500-750	7.5	055321200127



TRASH COMPACTORS

Broan Elite takes convenience, hygiene and style to a new level thanks to its beautiful lines, rich finishes and functional characteristics.

Part No.	Description	Compacting Power	Weight	Compacting Ratio	Odor Control	Programmable Operation	UPC
15XEES	15", stainless steel flat door	3000 lb.	168 lb.	6:1	X	X	026715182633
15XEESA	15", stainless steel arched door	3000 lb.	169 lb.	6:1	X	X	026715182640
15XEWT	15", wood trim door pan	3000 lb.	167 lb.	6:1	X	X	026715182657
15WH	15", white door	3000 lb.	165 lb.	6:1	X	-	026715182510
15BL	15", black door	3000 lb.	165 lb.	6:1	X	-	026715182527
15SS	15", stainless steel flat door	3000 lb.	165 lb.	6:1	X	-	026715182534
15WT	15", wood trim door pan	3000 lb.	164 lb.	6:1	X	-	026715182541

Option No.	Description	Weight (lb.)	Std. Pack	UPC
15TCBL	Compactor bags for 15" models (12 per pack)	12	1 pc.	026715182565
15TCOD	Odor control disc (1 per pack)	9	1 pc.	026715182572
15TCTK	Free standing toe kick kit for 15" models	2.4	1 pc.	026715182589
15TCBB	Hard maple cutting board for 15" models, 1" thick	8.3	1 pc.	026715182596

Broan-NuTone Canada
1140 Tristar Drive
Mississauga Ontario
L5T 1H9 CANADA

www.broan.ca

BROAN[®]