

Recommended Low Voltage Switchgear Price List October 2012

MLFB	SAP mat. No.	Qty	V2/PD	DESCRIPTION	CURRENT MARKET LIST PRICE EXCL. VAT EACH
3KA5030-1GE01	101762807	1	PD	SWITCH DISCONNECTOR IN NEW DESIGN IU=63A, UE=690V, 3-POLE WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY	R 2,648.00
3KA5230-1AE01	100879122	1	PD	SWITCH DISCONNECTOR NEW DESIGN IU=125A, UE=690V, 3-POLE BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 2,502.00
3KA5230-1GE01	101762809	1	PD	SWITCH DISCONNECTOR IN NEW DESIGN IU=125A, UE=690V, 3-POLE WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY	R 3,414.00
3KA5330-1AE01	100000013	1	PD	SWITCH DISCONNECTOR NEW DESIGN IU=160A, UE=690V, 3-POLE BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 2,660.00
3KA5530-1AE01	100000015	1	PD	SWITCH DISCONNECTOR NEW DESIGN IU=250A, UE=690V, 3-POLE BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 4,818.00
3KA5530-1GE01	101762810	1	V2	SWITCH DISCONNECTOR IN NEW DESIGN IU=250A, UE=690V, 3-POLE WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY	R 6,247.00
3KA5730-1GE01	101762831	1	V2	SWITCH DISCONNECTOR IN NEW DESIGN IU=400A, UE=690V, 3-POLE WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY	R 8,485.00
3KA5830-1AE01	100112367	1	PD	SWITCH DISCONNECTOR NEW DESIGN IU=630A, UE=690V, 3-POLE BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 8,630.00
3KA7123-3AC00	100444032	1	PD	SWITCH DISCONNECTOR IU = 250 A, 3-POLE WITH DOOR COUPLING RED. MECHAN. BLACK	R 8,649.00
3KA7131-3AC00	101049625	1	-	SWITCH DISCONNECTOR IU = 315 A, 3-POLE WITH DOOR COUPLING RED. MECHAN. BLACK	R 9,742.00
3KC9000-8TL30	101357453	1	V2	SENTRON ATC5300; LNEED; 144X144; TRANSFER CONTROL DEVICE FOR CONTROLLING MCCB, ACB, LBS FOR LOAD TRANSFER BETWEEN MAIN AND ANCILLARY NETWORK;	R 19,163.00
3KC9000-8TL70	102629038	1	PD	SENTRON SOFTWARE ATC FOR TRANSFER CONTROL DEVICE; INCL. CONNECTING CABLE BETWEEN CONTROLLER AND PC, CABLE LENGTH 1.8 M	R 6,388.00
3KL5030-1AB01	100079011	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=63A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 2,238.00
3KL5030-1AG01	100112376	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=63A, UE=690V, 3-POLE FOR BS88-FUSE FORM A2/A3 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 2,476.00
3KL5030-1GB01	101848830	1	V2	SWITCH-DISCONNECTOR W. FUSE NEW DESIGN IU=63A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 W. DOOR COUPL.ROTARY OP.MECH. 8UC7 HANDLE BLACK	R 2,767.00
3KL5030-1GG01	101762815	1	PD	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=63A, UE=690V, 3-POLE FOR BS88-FUSE FORM A2/A3 WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC	R 3,032.00
3KL5040-1AB01	100112378	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=63A, UE=690V, 4-POLE FOR LV HRC FUSE SIZE 00 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 3,401.00

3KL5040-1AG01	101712140	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=63A, UE=690V, 4-POLE FOR BS88-FUSE FORM A2/A3 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 3,640.00
3KL5230-1AB01	100078699	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=125A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 2,635.00
3KL5230-1AJ01	100072892	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=125A, UE=690V, 3-POLE FOR BS88-FUSE FORM A4 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 3,163.00
3KL5230-1GB01	101762832	1	V2	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=125A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC	R 3,561.00
3KL5330-1AB01	100079014	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=160A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 3,136.00
3KL5330-1AJ01	100821007	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=160A, UE=690V, 3-POLE FOR BS88-FUSE FORM A4 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 3,442.00
3KL5330-1GB01	101762836	1	PD	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=160A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC	R 4,037.00
3KL5340-1AB01	100112396	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=160A, UE=690V, 4-POLE FOR LV HRC FUSE SIZE 00 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 4,315.00
3KL5530-1AA01	101805683	1	-	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=250 A, UE=690 V, 3-POLE FOR NH FUSE SIZE 1 AND 2 BASIC VERSION WITHOUT 8UC6 GRIP AND SHAFT	R 5,758.00
3KL5530-1AB01	100079015	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=250A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 1 AND 2 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 5,758.00
3KL5530-1AG01	100468602	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=250A, UE=690V, 3-POLE FOR BS88-FUSE FORM B1/B3 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 6,313.00
3KL5530-1GB01	101762838	1	V2	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=250A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 1 AND 2 WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC	R 7,108.00
3KL5730-1AB01	100072771	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=400A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 1 AND 2 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 8,762.00
3KL5730-1AG01	101116423	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=400A, UE=690V, 3-POLE FOR BS88-FUSE FORM B1/B3 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 9,676.00
3KL5730-1GB01	101762818	1	V2	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=400A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 1 AND 2 WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC	R 10,139.00
3KL5740-1AB01	100112409	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=400A, UE=690V, 4-POLE FOR LV HRC FUSE SIZE 1 AND 2 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 10,205.00
3KL6130-1AB0	100025349	1	V2	SWITCH DISCONNECTOR FUSE I=630A, U=690V, 3-POLE BASIC VERSION,WITHOUT OPERATING MECHANISM WITH SHAFT END WITH LYRE-SHAPED CONTACTS	R 13,605.00
3KL6130-1AB02	100182647	1	PD	SWITCH DISCONNECTOR WITH LVHRC FUSES SIZE 3/2 IU=630A, UE=690V, 3-POLE, UR	R 13,605.00

3KL6130-1GB00	101762842	1	V2	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=630A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 3 WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC	R 15,213.00
3KL6130-1GB02	101847084	1	V2	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=630A, UE=690V, 3-POLE, UR FOR NH FUSES SIZE 3/2 WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC	R 15,213.00
3KL6230-1AB02	100562385	1	V2	SWITCH DISCONNECTOR WITH LVHRC FUSES SIZE 3/2 IU=800A, UE=690V, 3-POLE, UR	R 18,800.00
3KL6230-1GB02	101762844	1	V2	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=800A, UE=690V, 3-POLE, UR FOR NH FUSES SIZE 3/2 WITH DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC	R 20,903.00
3KM5030-1AB01	100112424	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=63A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 3,058.00
3KM5030-1AG01	100112426	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=63A, UE=690V, 3-POLE FOR BS88-FUSE FORM A2/A3 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 3,350.00
3KM5030-1GB01	101762824	1	PD	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=63A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 W.ISOLATING PLUG CONN.FOR MCC WITH DOOR DRIVE 8UC7	R 3,601.00
3KM5230-1AB01	100112430	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=125A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 4,567.00
3KM5230-1AJ01	100112435	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=125A, UE=690V, 3-POLE FOR BS88-FUSE FORM A4 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 5,481.00
3KM5230-1GB01	101762826	1	PD	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=125A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 00 W.ISOLATING PLUG CONN.FOR MCC WITH DOOR DRIVE 8UC7	R 5,481.00
3KM5330-1AJ01	100520421	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=160A, UE=690V, 3-POLE FOR BS88-FUSE FORM A4 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 6,090.00
3KM5530-1AB01	100112446	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=250A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 1 AND 2 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 8,539.00
3KM5530-1GB01	101762799	1	PD	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=250A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 1 AND 2 W.ISOLATING PLUG CONN.FOR MCC WITH DOOR DRIVE 8UC7	R 9,981.00
3KM5730-1AB01	100076160	1	PD	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=400A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 1 AND 2 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 12,350.00
3KM5730-1AG01	100112454	1	V2	SWITCH DISCONNECTOR FUSE NEW DESIGN IU=400A, UE=690V, 3-POLE FOR BS88-FUSE FORM B1/B3 BASIC VERSION WITHOUT 8UC6 HANDLE AND SHAFT	R 13,501.00
3KM5730-1GB01	101762803	1	PD	SWITCH DISCONNECTOR WITH FUSE IN NEW DESIGN IU=400A, UE=690V, 3-POLE FOR LV HRC FUSE SIZE 1 AND 2 W.ISOLATING PLUG CONN.FOR MCC WITH DOOR DRIVE 8UC7	R 13,766.00
3KX3507-0AA01	100500967	1	V2	FUSE SEPARATOR FOR SWITCH DISCONN. 3KL/M 50-NEW DESIGN CONSISTS OF 5 PIECES	R 218.00
3KX3516-1AA	100112474	1	PD	ACCESSORIES FOR FUSE SWITCH DISCONNECTORS 3KA50,3KA51,3KL50 3KM50 HANDLE, BLACK, 36MM LONG WITH SHAFT 6 X 6MM, 250MM LONG	R 377.00
3KX3517-3AA	100112479	1	V2	ACCESSORIES FOR FUSE SWITCH DISCONNECTORS 3KL50 ,3KM50 SHROUDING COVER WITH INTERLOCKING BLOCK	R 284.00

3KX3527-3AA	100025351	1	V2	ACCESSORIES FOR FUSE SWITCH DISCONNECTORS 3KL52 3KL53,3KM52,3KM53 SHROUDING COVER WITH INTERLOCKING BLOCK	R 423.00
3KX3536-1AA	100000048	1	PD	ACCESSORIES FOR FUSE SWITCH DISCONNECTORS 3KA53, 3KL52,3KL53,3KM52,3KM53 HANDLE, BLACK, 62MM LONG WITH SHAFT 8 X 8MM	R 448.00
3KX3552-3DA01	100633943	1	V2	TERMINAL COVER FOR THREAD M6 FOR 3K*50/51/52) CONSISTS OF 6 PIECES	R 384.00
3KX3552-3EA01	100897198	1	PD	LEADING AUXILIARY SWITCH FOR SWITCH DISCONN. 3KA, 3KL 1NO + 1NC	R 169.00
3KX3553-3DA01	100232793	1	V2	TERMINAL COVER FOR THREAD M8 FOR 3K*53 (1 SET = 6 UNITS)	R 547.00
3KX3557-0AA01	100112500	1	V2	FUSE SEPARATOR FOR SWITCH DISCONN. 3KL/M 55- CONSISTS OF 5 PIECES	R 377.00
3KX3557-3AA	100112502	1	V2	ACCESSORIES FOR FUSE SWITCH DISCONNECTORS 3KL55 3KL57,3KM55,3KM57 SHROUDING COVER WITH INTERLOCKING BLOCK	R 733.00
3KX3557-3DA01	100112503	1	V2	TERMINAL COVER FOR THREAD M10 FOR 3K*55/57/58 UND 3KE42/43 CONSISTS OF 6 PIECES	R 759.00
3KX3561-3DA01	100112506	1	V2	TERMINAL COVER FOR THREAD M12 FOR 3KL61 (1 SET = 6 UNITS)	R 830.00
3KX3612-1B	101489659	1	V2	ACCESSORY FOR SWITCH 3KL61 CONTROL SWITCH MOUNTING KIT 1NO+1NC (MAX.3 SWITCHING ELEMENTS ATTACHABLE)	R 820.00
3LD2003-0TK51	101353714	1	PD	3-P. MAIN CTR. SWITCH IU=16, P/AC-23A AT 400V=7.5KW FRONT MOUNTING 4-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 299.00
3LD2003-0TK53	100112536	1	V2	EMERG. STOP SWITCH 3-POLE IU=16, P/AC-23A AT 400V=7.5KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 299.00
3LD2003-1TL53	100630642	1	PD	EMERG. STOP SWITCH 4-POLE IU=16, P/AC-23A AT 400V=7.5KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 378.00
3LD2013-0TK51	100112543	1	V2	3-P. MAIN CTR. SWITCH IU=16, P/AC-23A AT 400V=7.5KW TO BE FITTED AD THE BASE RAILS/2-HOLE MOUNTING ROTARY ACTUATOR BLACK 4-HOLE MOUNTING	R 482.00
3LD2013-0TK53	100112544	1	V2	EMERG. STOP SWITCH 3-POLE IU=16, P/AC-23A AT 400V=7.5KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 482.00
3LD2015-0TK51	101353715	1	PD	MAIN SWITCH 3-POLE IU=16, P/AC-23A AT 400V=7.5KW BASE MOUNTING HUTSCHINIEN/ZWEILOCHBEFESTIGUNG ROTARY MECHANISM BLACK FOUR HOLE MOUNTING	R 505.00
3LD2044-0TK51	101353716	1	PD	3-P. MAIN CTR. SWITCH IU=16, P/AC-23A AT 400V=7.5KW BASE MOUNTING RAILS/2-HOLE MOUNTING ROTARY ACTUATOR BLACK MAIN HOLE MOUNTING	R 502.00
3LD2054-0TK53	101353717	1	PD	EMERG. STOP SWITCH 3-POLE IU=16, P/AC-23A AT 400V=7.5KW FRONT MOUNTING CENTER HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 299.00
3LD2064-0TB53	100112571	1	V2	EMERG. STOP SWITCH 3-POLE IU=16, P/AC-23A AT 400V=7.5KW 1 N-TERMINAL + 1 PE-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 426.00
3LD2064-1GP51	100923250	1	V2	3-P. MAIN CTR. SWITCH IU=16, P/AC-23A AT 400V=7.5KW 1NO+1NC, 1N-TERMINAL MOULDED-PLASTIC ENCLOSED, IP65 ROTARY ACTUATOR BLACK	R 536.00
3LD2064-1GP53	100112573	1	PD	EMERG. STOP SWITCH 3-POLE IU=16, P/AC-23A AT 400V=7.5KW 1NO+1NC, 1N-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 536.00
3LD2103-0TK53	100000063	1	V2	EMERG. STOP SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9.5KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 331.00

3LD2103-1TL53	100112578	1	PD	EMERG. STOP SWITCH 4-POLE IU=25, P/AC-23A AT 400V=9.5KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 414.00
3LD2113-0TK51	100112587	1	PD	MAIN CONTROL SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9,5KW BASE MOUNTING MOUNTING RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 534.00
3LD2113-0TK53	100112588	1	V2	EMERG. STOP SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9.5KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 534.00
3LD2113-3VK53	100500394	1	PD	EMERG. STOP SWITCH 6-POLE IU=25, P/AC-23A AT 400V=9.5KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 786.00
3LD2144-1TL51	101139783	1	PD	MAIN CONTROL SWITCH 4-POLE IU=25, P/AC-23A AT 400V=9,5KW BASE MOUNTING MOUNTING RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 625.00
3LD2154-0TK53	100112608	1	PD	EMERG. STOP SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9.5KW FRONT MOUNTING CENTER HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 331.00
3LD2164-0TB51	100626939	1	PD	MAIN CONTROL SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9,5KW 1 N-TERMINAL + 1 PE-TERMINAL ENCAPSUL.IN M.P.ENCLOSURE, IP65 ROTARY ACTUATOR BLACK METRIC THREAD	R 465.00
3LD2164-0TB53	100541073	1	V2	EMERG. STOP SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9.5KW 1 N-TERMINAL + 1 PE-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 465.00
3LD2164-1GP51	100639768	1	PD	MAIN CONTROL SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9,5KW 1NO+1 NC, 1 N-TERMINAL ENCAPSUL.IN M.P.ENCLOSURE, IP65 ROTARY ACTUATOR BLACK METRIC THREAD	R 596.00
3LD2164-1GP53	100506723	1	PD	EMERG. STOP SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9.5KW 1NO+1NC, 1 N-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 596.00
3LD2164-1GP53-0US2	102105874	1	PD	EMERG. STOP SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9.5KW 1 PE-TERMINAL + 1NO+1NC INSULATION-ENCLOSED IP65 INCH SCREW CONNECTION 2X 1/2"OR 2X 3/4" TOP+BOTTOM	R 862.00
3LD2164-2TD51-0AE2	101843057	1	PD	MAIN SWITCH 3-POLE IU=25, P/AC-23A WITH 400V=9.5KW 1 N TERMINAL + 1 PE TERMINAL INSULATION-ENCLOSED, IP65 ROT. ACTUATOR BLACK	R 638.00
3LD2165-3VB51	101712950	1	PD	MAIN SWITCH 6-POLE IU=25, P/AC-23A AT 400V=9,5KW 2 N-TERMINAL MOULDED-PLASTIC ENCLOSURED, IP65	R 816.00
3LD2165-3VB53	100112627	1	PD	EMERG. STOP SWITCH 6-POLE IU=25, P/AC-23A AT 400V=9.5KW 2 N-TERMINALS INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 816.00
3LD2165-4VD53	100112629	1	V2	EMERG. STOP SWITCH 6-POLE IU=25, P/AC-23A AT 400V=9.5KW 1NO+1NC, 1 N-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 917.00
3LD2165-7UB01	100112630	1	PD	CHANGEOVER SWITCH 3-POLE IU=25, P/AC-23A AT 400V=9,5KW 2 N-TERMINAL MOULDED-PLASTIC ENCLOSURED, IP65	R 961.00
3LD2203-0TK51	100072974	1	PD	MAIN CONTROL SWITCH 3-POLE IU=32, P/AC-23A AT 400V=11,5KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 370.00
3LD2203-0TK53	100000065	1	V2	EMERG. STOP SWITCH 3-POLE IU=32, P/AC-23A AT 400V=11.5KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 370.00
3LD2203-1TL51	100112631	1	PD	MAIN CONTROL SWITCH 4-POLE IU=32, P/AC-23A AT 400V=11,5KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 501.00

3LD2203-1TL53	100112632	1	V2	EMERG. STOP SWITCH 4-POLE IU=32, P/AC-23A AT 400V=11.5KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 501.00
3LD2203-1TP53	101718941	1	PD	EMERG. STOP SWITCH 3-POLE IU=32, P/AC-23A AT 400V=11.5KW 1NO+1NC, FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 509.00
3LD2213-0TK51	100112636	1	PD	MAIN CONTROL SWITCH 3-POLE IU=32, P/AC-23A AT 400V=11,5KW BASE MOUNTING MOUNTING RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 588.00
3LD2213-0TK53	100112637	1	V2	EMERG. STOP SWITCH 3-POLE IU=32, P/AC-23A AT 400V=11.5KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 588.00
3LD2213-1TL53	101713060	1	V2	EMERG. STOP SWITCH 4-POLE IU=32, P/AC-23A AT 400V=11.5KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 670.00
3LD2254-1TL53	101713164	1	V2	EMERG. STOP SWITCH 4-POLE IU=32, P/AC-23A AT 400V=11.5KW FRONT MOUNTING CENTER HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 479.00
3LD2264-0TB53	100638692	1	V2	EMERG. STOP SWITCH 3-POLE IU=32, P/AC-23A AT 400V=11.5KW 1 N-TERMINAL + 1 PE-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 551.00
3LD2264-0TB53-0US2	102220439	1	PD	EMERG. STOP SWITCH 3-POLE IU=32, P/AC-23A AT 400V=11.5KW 1 PE-TERMINAL INSULATION-ENCLOSED IP65 INCH SCREW CONNECTION 2X 1/2" OR 2X 3/4" TOP+BOTTOM	R 974.00
3LD2264-1GP53	100499140	1	PD	EMERG. STOP SWITCH 3-POLE IU=32, P/AC-23A AT 400V=11.5KW 1NO+1NC, 1 N-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 665.00
3LD2265-3VB53	100112662	1	V2	EMERG. STOP SWITCH 6-POLE IU=32, P/AC-23A AT 400V=11.5KW 1 N-, 1 PE-TERMINALS INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 942.00
3LD2265-4VD51	101344408	1	PD	MAIN SWITCH 6-POLE IU=32, P/AC-23A AT 400V=11,5KW 1NO+1NC, 1 N-TERMINAL MOULDED-PLASTIC ENCLOSURED, IP65	R 1,060.00
3LD2305-0TK13	102192032	1	PD	MAIN SWITCH 3-POLE FRONT MOUNTING IU=160A P/AC-23A AT 400V=75KW ROTARY ACTUATOR RED/YELLOW (EMERG. STOP) FOUR-HOLE MOUNTING	R 3,143.00
3LD2305-3VK13	102221526	1	PD	MAIN SWITCH 6-POLE FRONT MOUNTING IU=160A, P/AC-23A AT 400V=75KW ROTARY ACTUATOR RED/YELLOW (EMERG. STOP) FOUR-HOLE MOUNTING	R 7,013.00
3LD2318-0TK11	102221453	1	PD	MAIN SWITCHES 3-POLE FRONT / 4-HOLE MOUNTING	R 3,475.00
3LD2318-0TK13	102221543	1	V2	MAIN SWITCH 3-POLE FLOOR MOUNTING IU=160A P/AC-23A AT 400V=75KW WITH DOOR COUPLING ROTARY MECHANISM RED/YELLOW (EMERG. STOP)	R 3,475.00
3LD2504-0TK51	100087137	1	V2	MAIN CONTROL SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 636.00
3LD2504-0TK53	100000068	1	V2	EMERG. STOP SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 636.00
3LD2504-1TP51	101497162	1	PD	MASTER SWITCH IU=63, P/AC-23A W. 400V=22KW	R 774.00
3LD2513-0TK53	101713264	1	PD	EMERG. STOP SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 703.00
3LD2514-0TK51	100082810	1	V2	MAIN CONTROL SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW BASE MOUNTING MOUNTING RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 703.00

3LD2514-0TK53	100112669	1	V2	EMERG. STOP SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 703.00
3LD2514-0TK53	101709563	1	V2	EMERG. STOP SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 703.00
3LD2514-1TL53	101713283	1	PD	EMERG. STOP SWITCH 4-POLE IU=63, P/AC-23A AT 400V=22KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 850.00
3LD2545-0TK53	100112674	1	PD	EMERG. STOP SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 846.00
3LD2555-0TK53	100615559	1	PD	EMERG. STOP SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW FRONT MOUNTING CENTER HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 636.00
3LD2565-0TB53	100112683	1	V2	EMERG. STOP SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW 1 N-TERMINAL + 1 PE-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 915.00
3LD2565-1GP51	100633495	1	PD	MAIN CONTROL SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW 1NO+1 NC, 1 N-TERMINAL ENCAPSUL.IN M.P.ENCLOSURE, IP65 ROTARY ACTUATOR BLACK METRIC THREAD	R 1,033.00
3LD2566-4VD51	101713487	1	PD	MAIN SWITCH 6-POLE IU=63, P/AC-23A AT 400V=22KW 1NO+1NC, 1 N-TERMINAL MOULDED-PLASTIC ENCLOSURED, IP65	R 1,942.00
3LD2566-4VD53	100624949	1	PD	MAIN/EMERG. STOP SWITCH 6-POLE IU=63, P/AC-23A AT 400V=22KW 1NO+1NC, 1 N-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 1,942.00
3LD2566-7UB01	101713508	1	PD	CHANGEOVER SWITCH 3-POLE IU=63, P/AC-23A AT 400V=22KW 2 N-TERMINAL MOULDED-PLASTIC ENCLOSURED, IP65	R 2,364.00
3LD2704-0TK53	100075765	1	V2	MAIN/EMERG. STOP SWITCH 3-POLE IU=100, P/AC-23A AT 400V=37KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 963.00
3LD2714-0TK51	100082808	1	V2	MAIN CONTROL SWITCH 3-POLE IU=100, P/AC-23A AT 400V=37KW BASE MOUNTING MOUNTING RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 1,159.00
3LD2714-0TK53	100072478	1	V2	MAIN/EMERG. STOP SWITCH 3-POLE IU=100, P/AC-23A AT 400V=37KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 1,159.00
3LD2714-0TK53	101709684	1	V2	MAIN/EMERG. STOP SWITCH 3-POLE IU=100, P/AC-23A AT 400V=37KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 1,159.00
3LD2766-0TB51	101280214	1	PD	MAIN CONTROL SWITCH 3-POLE IU=100, P/AC-23A AT 400V=37KW 1 N-TERMINAL + 1 PE-TERMINAL ENCAPSUL.IN M.P.ENCLOSURE, IP65 ROTARY ACTUATOR BLACK METRIC THREAD	R 2,083.00
3LD2766-0TB53	100669072	1	PD	MAIN/EMERG. STOP SWITCH 3-POLE IU=100, P/AC-23A AT 400V=37KW 1 N-TERMINAL + 1 PE-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 2,083.00
3LD2766-1GP53	100460404	1	PD	MAIN/EMERG. STOP SWITCH 3-POLE IU=100, P/AC-23A AT 400V=37KW 1NO+1NC, 1 N-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 2,145.00
3LD2804-0TK53	100112705	1	V2	MAIN/EMERG. STOP SWITCH 3-POLE IU=125, P/AC-23A AT 400V=45KW FRONT MOUNTING FOUR-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 1,227.00

3LD2814-0TK51	100891783	1	V2	MAIN CONTROL SWITCH 3-POLE IU=125, P/AC-23A AT 400V=45KW BASE MOUNTING MOUNTING RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR BLACK	R 1,443.00
3LD2814-0TK53	100072473	1	V2	MAIN/EMERG. STOP SWITCH 3-POLE IU=125, P/AC-23A AT 400V=45KW FLOOR MOUNTING DIN RAIL/TWO-HOLE MOUNTING ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 1,443.00
3LD2866-0TB53	100636333	1	PD	MAIN/EMERG. STOP SWITCH 3-POLE IU=125, P/AC-23A AT 400V=45KW 1 N-TERMINAL + 1 PE-TERMINAL INSULATION-ENCLOSED, IP65 ROTARY ACTUATOR RED/YELLOW (EMERG. STOP)	R 3,769.00
3LD9200-2B	100112716	1	V2	N-/PE-TERMINAL CONTINUOUS FOR FRONT MOUNTING UP TO 16A (ACCESS. FOR SWITCH 3LD2)	R 91.00
3LD9200-5B	101049570	1	V2	AUXIL. SWITCH 1NO+1NC (ACCESSORIES FOR SWITCHING DEVICE 3LD2) -NEW DESIGN - DELAYED SWITCH-ON LEADING SWITCH-OFF	R 139.00
3LD9200-5B	101710372	1	V2	AUXIL. SWITCH 1NO+1NC (ACCESSORIES FOR SWITCHING DEVICE 3LD2) -NEW DESIGN - DELAYED SWITCH-ON LEADING SWITCH-OFF	R 139.00
3LD9200-5C	101023606	1	V2	AUXIL. SWITCH 1NO+1NC (ACCESSORY FOR SWITCH 3LD2) -NEW DESIGN - FOR FLOOR MOUNTING FOR INSTALLATION IN DISTR. BOARDS AND	R 139.00
3LD9200-5C	101709825	1	V2	AUXIL. SWITCH 1NO+1NC (ACCESSORY FOR SWITCH 3LD2) -NEW DESIGN - FOR FLOOR MOUNTING FOR INSTALLATION IN DISTR. BOARDS AND	R 139.00
3LD9200-6C	103174778	1	PD	AUXIL. SWITCH 2NO (ACCESSORY FOR SWITCH 3LD2) -NEW DESIGN - FOR FLOOR MOUNTING FOR INSTALLATION IN DISTR. BOARDS AND	R 157.00
3LD9205-2C	101076076	1	PD	SHAFT SET SHAFT 6X6X600 MM	R 167.00
3LD9220-0B	100000073	1	PD	N-CONDUCTOR LEADING FOR FRONT MOUNTING UP TO 32A (ACCESS. FOR SWITCH 3LD2)	R 124.00
3LD9220-2B	100000074	1	PD	N-/PE-TERMINAL CONTINUOUS FOR FRONT MOUNTING UP TO 32A (ACCESS. FOR SWITCH 3LD2)	R 97.00
3LD9224-1B	100112728	1	PD	ROTARY ACTUATOR BLACK FOR SWITCH 3LD2, 25A, 32A FOR FRONT MOUNTING FOUR-HOLE MOUNTING	R 64.00
3LD9250-0BA	101202869	1	PD	N COND. LEADING SWITCH-ON FOR FRONT MOUNTING FOR 125 A (ACCESSORIES FOR SWITCH 3LD2)	R 197.00
3LD9250-0CA	101104688	1	PD	N COND. LEADING SWITCH-ON FOR BOTTOM MOUNTING FOR 63 A (ACCESSORIES FOR SWITCH 3LD2)	R 197.00
3LD9250-2BA	101353727	1	PD	N/PE TERMINAL CONTINUITY FOR FRONT MOUNTING FOR 63 A (ACCESSORIES FOR SWITCH 3LD2)	R 134.00
3LD9250-2CA	101085447	1	PD	N/PE THROUGH-TYPE TERMINAL (ACCESSORIES FOR SWITCH 3LD25) - NEW DESIGN -	R 134.00
3LD9251-0A	100000079	1	PD	TERMINAL COVER 3-POLE FOR SWITCH 3LD2, 63A	R 43.00
3LD9281-2A	100112751	1	PD	TERMINAL COVER 1-POLE FOR SWITCH 3LD2, 100A, 125A	R 18.00
3NA3005	100415828	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 0, 16A, AC 500V/DC 440V	R 313.00
3NA3122	100000117	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 63A, AC 500V/DC 440V	R 242.00
3NA3130	100000119	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 100A, AC 500V/DC 440V	R 242.00
3NA3130-6	100234346	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 100A, AC 690V/DC 440V	R 894.00
3NA3132	100000120	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 125A, AC 500V/DC 440V	R 242.00
3NA3132-6	100000121	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 125A, AC 690V/DC 440V	R 894.00

3NA3136	100000122	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 160A, AC 500V/DC 440V	R 242.00
3NA3136-6	100000123	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 160A, AC 690V/DC 440V	R 894.00
3NA3140	100000124	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 200A, AC 500V/DC 440V	R 282.00
3NA3144	100000126	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 1, 250A, AC 500V/DC 440V	R 282.00
3NA3220	100475416	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 50A, AC 500V/DC 440V	R 332.00
3NA3224	100487326	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 80A, AC 500V/DC 440V	R 332.00
3NA3232	100068865	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 125A, AC 500V/DC 440V	R 332.00
3NA3236	100000128	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 160A, AC 500V/DC 440V	R 332.00
3NA3240	100000130	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 200A, AC 500V/DC 440V	R 332.00
3NA3244	100000132	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 250A, AC 500V/DC 440V	R 332.00
3NA3244-6	100068869	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 250A, AC 690V/DC 440V	R 1,544.00
3NA3250	100000133	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 300A, AC 500V/DC 440V	R 348.00
3NA3252	100000134	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 315A, AC 500V/DC 440V	R 348.00
3NA3252-6	100068871	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 315A, AC 690V/DC 440V	R 1,544.00
3NA3254	100000135	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 355A, AC 500V/DC 440V	R 348.00
3NA3260	100000136	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 2, 400A, AC 500V/DC 440V	R 348.00
3NA3360	100000139	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 3, 400A, AC 500V/DC 440V	R 607.00
3NA3365	100000140	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 3, 500A, AC 500V/DC 440V	R 682.00
3NA3365-6	100000141	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 3, 500A, AC 690V/DC 440V	R 2,119.00
3NA3372	100000142	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 3, 630A, AC 500V/DC 440V	R 682.00
3NA3801	100000148	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 6A, AC 500V/DC 250V	R 139.00
3NA3801-6	100000149	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 6A, AC 690V/DC 250V	R 468.00
3NA3803	100000152	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 10A, AC 500V/DC 250V	R 111.00
3NA3804	100000154	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 4A, AC 500V/DC 250V	R 139.00

3NA3805	100000156	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 16A, AC 500V/DC 250V	R 111.00
3NA3805-6	100000157	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 16A, AC 690V/DC 250V	R 468.00
3NA3807	100000158	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 20A, AC 500V/DC 250V	R 111.00
3NA3810	100000160	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 25A, AC 500V/DC 250V	R 111.00
3NA3812	100000162	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 32A, AC 500V/DC 250V	R 111.00
3NA3812-6	100068886	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 32A, AC 690V/DC 250V	R 468.00
3NA3814	100000163	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 35A, AC 500V/DC 250V	R 97.00
3NA3814-6	100000164	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 35A, AC 690V/DC 250V	R 468.00
3NA3814-7	100087280	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 00, 35A, AC 500V/DC 250V	R 122.00
3NA3817	100000165	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 40A, AC 500V/DC 250V	R 97.00
3NA3820	100000166	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 50A, AC 500V/DC 250V	R 97.00
3NA3820-6	100000167	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 00, 50A, AC 690V/DC 250V	R 468.00
3NA3822	100000168	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 63A, AC 500V/DC 250V	R 97.00
3NA3822-7	100087282	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 00, 63A, AC 500V/DC 250V	R 122.00
3NA3824	100000169	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 80A, AC 500V/DC 250V	R 97.00
3NA3824-6	100000170	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 00, 80A, AC 690V/DC 250V	R 468.00
3NA3830	100000171	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 100A, AC 500V/DC 250V	R 97.00
3NA3830-6	100000172	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 00, 100A, AC 690V/DC 250V	R 468.00
3NA3830-7	100087284	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 00, 100A, AC 500V/DC 250V	R 122.00
3NA3832	100000173	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 00, 125A, AC 500V/DC 250V	R 122.00
3NA3836	100000174	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 00, 160A, AC 500V/DC 250V	R 129.00
3NA6252-4	102193231	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 2, 315A, AC 400V	R 554.00
3NA6804-6	100489553	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 4A, AC 690V/DC 250V	R 544.00
3NA6805-4	100447299	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 16A, AC 400V	R 155.00

3NA6810	100068940	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 25A, AC 500V/DC 250V	R 124.00
3NA6817-6	100489557	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 00, 40A, AC 690V/DC 250V	R 544.00
3NA6820	100438981	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 50A, AC 500V/DC 250V	R 111.00
3NA6820-4	101472249	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 50A, AC 400V	R 140.00
3NA6822	100437501	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 63A, AC 500V/DC 250V	R 111.00
3NA6822-4	100136394	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 63A, AC 400V	R 140.00
3NA6824-4	102140382	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 80A, AC 400V	R 140.00
3NA6824-6	100489559	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 00, 80A, AC 690V/DC 250V	R 544.00
3NA6830-4	101045824	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 100A, AC 400V	R 140.00
3NA6832	100000176	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 00, 125A, AC 500V/DC 250V	R 136.00
3NA6832-4	100506652	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 00, 125A, AC 400V	R 166.00
3NA6836-4	101692767	1	PD	LV HRC FUSE LINK GL/GG WITH INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 00, 160A, AC 400V	R 173.00
3NA7260	100228250	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 2, 400A, AC 500V/DC 440V	R 355.00
3NA7810	100447566	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 25A, AC 500V/DC 250V	R 115.00
3NA7812	100069015	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 32A, AC 500V/DC 250V	R 115.00
3NA7820	100489609	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 000, 50A, AC 500V/DC 250V	R 101.00
3NA7832	100069030	1	V2	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 00, 125A, AC 500V/DC 250V	R 126.00
3NA7836	100069031	1	PD	LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH COMBINATION INDICATOR SIZE 00, 160A, AC 500V/DC 250V	R 135.00
3NC1010	101077392	1	PD	SITOR CYLINDRICAL FUSE LINK AR 10 A, 600 V AC/400V DC	R 66.00
3NC1038-3	101138656	1	PD	SITOR FUSE BASE 3P 10X38, UP TO 30A, 690 V AC	R 208.00
3NC1091	100186727	1	V2	SITOR SWITCH DISCONNECTOR 10X38, UP TO 32 A, 690 V AC	R 89.00
3NC1401	101169934	1	PD	SITOR CYLINDRICAL FUSE LINK AR 1 A, 660 V AC/700 V DC	R 76.00
3NC1491	100972691	1	V2	SITOR FUSE SWITCH DISCONNECTOR 14X51, UP TO 50 A, 690 V AC	R 261.00
3NC1516	100863878	1	V2	SITOR CYLINDRICAL FUSE GG 16 A, 690 V AC	R 54.00
3NC2263	101161986	1	PD	SITOR CYLINDRICAL FUSE LINK AR 63 A, 660 V AC/700 V DC	R 169.00
3NC2432-3C	101752620	1	V2	SITOR FUSE-LINK FOR SEMICONDUCTOR PROTECTION 400A AR 500V SIZE 3 CONNECTION CONTACT INDICATOR 110MM	R 1,430.00
3NC3240-1	102256745	1	PD	FOR SEMICONDUCTOR PROTECTION 900A AR 690V SIZE 3 CONNECTION CONTACT PLATE 80 MM CARTOUCHE FUSIBLE SITOR DE PROTECTION DE SEMI-CONDUCT.	R 1,430.00

3ND1817	100069051	1	PD	LV HRC FUSE LINK A.M. W.NON-INSULATED GRIPPING LUGS SIZE 00, 40A, 500V	R 367.00
3ND1822	100069052	1	V2	LV HRC FUSE LINK A.M. W.NON-INSULATED GRIPPING LUGS SIZE 00, 63A, 500V	R 367.00
3ND1824	100069053	1	PD	LV HRC FUSE LINK A.M. W.NON-INSULATED GRIPPING LUGS SIZE 00, 80A, 500V	R 367.00
3NE1020-2	100979791	1	PD	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 80A , AC 690 V ,(SIZE 00)	R 362.00
3NE1021-0	100025389	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 100A , AC 690 V ,(SIZE 00)	R 372.00
3NE1021-2	100930271	1	PD	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 100A , AC 690 V ,(SIZE 00)	R 388.00
3NE1022-0	100151244	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 125A , AC 690 V ,(SIZE 00)	R 372.00
3NE1022-2	100970515	1	PD	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 125A , AC 690 V ,(SIZE 00)	R 388.00
3NE1224-0	100072999	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 160A , AC 690 V ,(SIZE 1)	R 666.00
3NE1224-2	100973054	1	PD	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 160A , AC 690 V ,(SIZE 1)	R 763.00
3NE1225-0	100066294	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 200A , AC 690 V ,(SIZE 1)	R 666.00
3NE1225-2	100151722	1	PD	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 200A , AC 500 V ,(SIZE 1)	R 763.00
3NE1227-0	100000202	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 250A , AC 690 V ,(SIZE 1)	R 695.00
3NE1227-2	100970516	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 250A , AC 690 V ,(SIZE 1)	R 792.00
3NE1230-0	100076973	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 315A , AC 690 V ,(SIZE 1)	R 721.00
3NE1230-2	100970517	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 315A , AC 500 V ,(SIZE 1)	R 819.00
3NE1331-0	100000203	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 350A , AC 690 V ,(SIZE 2)	R 959.00
3NE1331-2	100939789	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 350A , AC 690 V ,(SIZE 2)	R 1,084.00
3NE1332-0	100000204	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 400A , AC 690 V ,(SIZE 2)	R 999.00
3NE1332-2	104271683	1	PD	SITOR FUSE-LINK FOR SEMICONDUCTOR PROTECTION 400A GR 690V SIZE 2 CONTACT INDICATOR ACCORDING DIN VDE 0636 PART 2/IEC60269-2	R 1,124.00
3NE1333-0	100066295	1	V2	SITOR FUSE LINKS OPERATING CAT. GS, DIN 43620 450A, AC 690V (SIZE 2)	R 1,041.00
3NE1334-0	100000205	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 500A , AC 690 V ,(SIZE 2)	R 1,084.00
3NE1334-2	100833890	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 500A , AC 690 V ,(SIZE 2)	R 1,207.00
3NE1435-0	100076601	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 560A , AC 690 V ,(SIZE 3)	R 1,248.00
3NE1435-2	100850324	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 560A , AC 690 V ,(SIZE 3)	R 1,498.00
3NE1436-0	100084670	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 630A , AC 690 V ,(SIZE 3)	R 1,304.00
3NE1436-2	100467555	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 630A , AC 690 V ,(SIZE 3)	R 1,551.00
3NE1437-0	100637105	1	V2	SITOR SET OF FUSES DUTY CLASS GS, DIN 43620 710A, 690V AC (SIZE 3)	R 1,416.00
3NE1437-2	100970519	1	PD	SITOR SET OF FUSES DUTY CLASS GR, DIN 43620 710A, 400V AC (SIZE 3)	R 1,658.00
3NE1438-2	100862904	1	V2	SITOR SET OF FUSES DUTY CLASS GR, DIN 43620 800A, 500V AC	R 1,808.00
3NE1447-2	100970520	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GR, DIN 43620 670A , AC 690 V ,(SIZE 3)	R 1,592.00
3NE1448-2	100497605	1	V2	SITOR SET OF FUSES DUTY CLASS GR, DIN 43620 850A, 400V AC (SIZE 3)	R 1,942.00
3NE1802-0	100000206	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 40A , AC 690 V ,(SIZE 000)	R 319.00
3NE1803-0	100000207	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 35A , AC 690 V ,(SIZE 000)	R 319.00
3NE1813-0	100000208	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 16A , AC 690 V ,(SIZE 000)	R 305.00

3NE1814-0	100000209	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 20A , AC 690 V ,(SIZE 000)	R 305.00
3NE1815-0	100000210	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 25A , AC 690 V ,(SIZE 000)	R 305.00
3NE1817-0	100000211	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 50A , AC 690 V ,(SIZE 000)	R 319.00
3NE1818-0	100000212	1	V2	SITOR FUSE-LINK UTILIZ. CATEGORY GS, DIN 43620 63A , AC 690 V ,(SIZE 000)	R 319.00
3NE1820-0	100000213	1	V2	SITOR FUSE LINKS OPERATING CAT. GS, DIN 43620 80A, AC 690V (SIZE 000)	R 319.00
3NE3222	100000214	1	V2	SITOR FUSE-LINK SIZE 1 125A, AC 1000V	R 590.00
3NE3224	100000215	1	V2	SITOR FUSE-LINK SIZE 1 160A, AC 1000V	R 590.00
3NE3225	100000216	1	V2	SITOR FUSE-LINK SIZE 1 200A, AC 1000V	R 1,012.00
3NE3227	100000217	1	V2	SITOR FUSE-LINK SIZE 1 250A, AC 1000V	R 1,041.00
3NE3230-0B	100000218	1	V2	SITOR FUSE-LINK 315A, AC 1000V, SIZE 1/110MM	R 1,068.00
3NE3231	100074903	1	V2	SITOR FUSE-LINK 350A, AC 1000V, SIZE 1/110MM	R 1,110.00
3NE3232-0B	100000219	1	V2	SITOR FUSE-LINK 400A, AC 1000V, SIZE 1/110MM	R 1,194.00
3NE3233	100000220	1	V2	SITOR FUSE-LINK 450A, AC 1000V, SIZE 1/110MM	R 1,262.00
3NE3333	100000221	1	V2	SITOR FUSE-LINK 450A, AC 1000V, SIZE 2/110MM	R 1,389.00
3NE3334-0B	100078444	1	V2	SITOR FUSE-LINK 500A, AC 1000V, SIZE 2/110MM	R 1,430.00
3NE3335	100000222	1	V2	SITOR FUSE-LINK 560A, AC 1000V, SIZE 2/110MM	R 1,498.00
3NE3336	100000223	1	V2	SITOR FUSE-LINK 630A, AC 1000V, SIZE 2	R 1,551.00
3NE3337-8	100000224	1	V2	SITOR FUSE-LINK 710A, AC 900V, SIZE 2/110MM	R 1,605.00
3NE3338-8	100000225	1	V2	SITOR FUSE-LINK 800A, AC 800V, SIZE 2/110MM	R 1,658.00
3NE3340-8	100151945	1	V2	SITOR SET OF FUSES 900 A, 690V AC, SIZE 2/110 MM	R 1,741.00
3NE4101	100000228	1	V2	SITOR FUSE-LINK 32A,AC 1000V,(DIN 43620,SIZE O)	R 403.00
3NE4117	100000230	1	V2	SITOR FUSE-LINK 50A,AC 1000V (DIN 43620,SIZE 0)	R 403.00
3NE4118	100000231	1	V2	SITOR FUSE-LINK 63A,AC 1000V (DIN 43620,SIZE 0)	R 444.00
3NE4120	100000232	1	V2	SITOR FUSE-LINK 80A,AC 1000V (DIN 43620,SIZE 0)	R 444.00
3NE4121	100000233	1	V2	SITOR FUSE-LINK 100A, AC 1000V (DIN 43620, SIZE 0)	R 473.00
3NE4121-5	100151995	1	V2	SITOR FUSE LINK 100A 100A, AC 1000V, FOR 6QG11	R 473.00
3NE4122	100000234	1	V2	SITOR FUSE-LINK 125, AC 1000V (DIN 43620, SIZE 0)	R 473.00
3NE4124	100000235	1	V2	SITOR FUSE-LINK 160A, AC 1000V (DIN 43620, SIZE 0)	R 500.00
3NE4327-6B	100000237	1	V2	SITOR FUSE-LINK 250A, AC 800V, FOR 6QG12	R 1,180.00
3NE4330-0B	100151997	1	PD	SITOR FUSE-LINK 315A, AC 800V, SIZE 2	R 1,166.00
3NE4333-0B	100000239	1	V2	SITOR FUSE-LINK 450A, AC 800V, SIZE 2	R 1,222.00
3NE4334-0B	100000241	1	PD	SITOR FUSE-LINK 500A, AC 800V, SIZE 2	R 1,262.00
3NE8003-1	100152020	1	V2	SITOR FUSE LINKS 35A, AC 690V (DIN 43620, SIZE 00)	R 333.00
3NE8017-1	100152022	1	V2	SITOR FUSE LINKS 50A, AC 690V (DIN 43620, SIZE 00)	R 333.00
3NE8018-1	100152023	1	V2	SITOR FUSE LINKS 63A, AC 690V (DIN 43620, SIZE 00)	R 375.00
3NE8020-1	100152024	1	V2	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	R 375.00
3NE8021-1	100152025	1	V2	SITOR FUSE LINKS 100A, AC 690V (DIN 43620, SIZE 00)	R 416.00
3NE8022-1	100152026	1	PD	SITOR FUSE LINKS 125A, AC 690V (DIN 43620, SIZE 00)	R 416.00
3NE8024-1	100152027	1	V2	SITOR FUSE LINKS 160A, AC 690V (DIN 43620, SIZE 00)	R 444.00
3NE8727-1	100103952	1	PD	SITOR FUSE-LINK FOR SEMICONDUCTOR PROTECTION 250A AR, AC 690V, DC 700V SIZE 000, BRACKETS 80MM	R 624.00
3NG1002	100000259	1	V2	LV HRC ISOLATING LINK,SIZE 00 WITH INSULATED GRIPPING LUG	R 190.00
3NH3030	100025391	1	V2	LV HRC FUSE BASE 690V(1000V) SINGLE-POLE,160A,SIZE 00 PAD-TYPE TERMINAL, 95 SQMM	R 328.00
3NH3031	100000264	1	V2	LV HRC FUSE BASE 690V(1000V) SINGLE-POLE,160A,SIZE 00 STRAIGHT-WIRE TERMI.2-50SQMM	R 403.00
3NH3230	100000267	1	V2	LV HRC FUSE BASE 690V(1000V) SINGLE-POLE, 250A, SIZE 1 PAD-TYPE TERMINAL	R 754.00

3NH3320	100000268	1	V2	LV HRC FUSE BASE 690V(1000V) SINGLE-POLE, 400A, SIZE 2 DOUBLE BUSBAR CONNECTION	R 953.00
3NH3330	100000269	1	V2	LV HRC FUSE BASE, 690V(1000V) SINGLE-POLE, 400A, SIZE 2	R 955.00
3NH3430	100000271	1	V2	LV HRC FUSE BASE, 690V(1000V) SINGLE-POLE, 630A, SIZE 3	R 1,519.00
3NH3530	100000272	1	PD	LV HRC BUS MOUNT.FUSE BASE 690V 1 POLE,1000A,SIZE4 FLAT-TYPE CONNECTION	R 3,365.00
3NH4030	100000273	1	V2	LV HRC FUSE BASE, 690V(1000V) TRIPLE-POLE, 160A, SIZE 00	R 993.00
3NH4031	100489628	1	V2	LV HRC FUSE BASE, 690V(1000V) TRIPLE-POLE, 160A, SIZE 00 STRAIGHT-WIRE TERMIN.2.5-50SQMM	R 1,280.00
3NH4037	100489630	1	PD	LV HRC BUS MOUNTING FUSE BASE 660V, 2X3-POLE, (TANDEM) 160A	R 2,552.00
3NH4052	100489632	1	PD	LV HRC BUS MOUNTING FUSE BASE 660V, 3POLE 160A, SIZE 00 FOR 60MM BUSBAR SYSTEM SADDLE-TYPE TERMINAL CONNECTION	R 1,141.00
3NH4230	100000274	1	V2	LV HRC FUSE BASE, 660V TRIPLE-POLE, 250A, SIZE 1	R 2,716.00
3NH7230	100235514	1	PD	LV HRC FUSE BASE AC 690V WITH SLEWING EQUIPMENT SIZE 1 250A 1POLE W.SCREW-TYPE TERMINAL CONNECTION	R 4,200.00
3NP1123-1CA20	102271389	1	PD	FUSE-SWITCH-DISCONNECTOR 3-POLE, NH000, 160A MOUNTING PLATE CONSTRUCTION COVER LEVEL 45 MM BOX TERMINAL	R 574.00
3NP1133-1BC10	102284791	1	V2	FUSE-SWITCH-DISCONNECTOR 3-POLE, NH00, 160A 60MM BUSBAR SYSTEM COVER LEVEL 32/70 MM FLAT CONNECTOR	R 909.00
3NP1133-1CA10	102264234	1	V2	FUSE-SWITCH-DISCONNECTOR 3-POLE, NH00, 160A MOUNTING PLATE CONSTRUCTION COVER LEVEL 45 MM FLAT CONNECTOR	R 597.00
3NP1133-1CA20	102271418	1	PD	FUSE-SWITCH-DISCONNECTOR 3-POLE, NH00, 160A MOUNTING PLATE CONSTRUCTION COVER LEVEL 45 MM BOX TERMINAL	R 716.00
3NP1143-1BC10	102284794	1	V2	FUSE-SWITCH-DISCONNECTOR 3-POLE, NH1, 250A 60MM BUSBAR SYSTEM COVER LEVEL 32/70 MM FLAT CONNECTOR	R 2,904.00
3NP1143-1DA10	102225807	1	PD	FUSE-SWITCH-DISCONNECTOR 3-POLE, NH1, 250A MOUNTING PLATE CONSTRUCTION COVER LEVEL 70 MM FLAT CONNECTOR	R 1,743.00
3NP1153-1DA10	102264241	1	PD	FUSE-SWITCH-DISCONNECTOR 3-POLE, NH2, 400A MOUNTING PLATE CONSTRUCTION COVER LEVEL 70 MM FLAT CONNECTOR	R 2,402.00
3NP1163-1DA10	102264238	1	PD	FUSE-SWITCH-DISCONNECTOR 3-POLE, NH3, 630A MOUNTING PLATE CONSTRUCTION COVER LEVEL 70 MM FLAT CONNECTOR	R 3,220.00
3NP1900-1HA00	104271708	1	-	ACCES.F.FUSE SWI.DISCONNECTOR FOR NH000-NH3 LOCKING DEVICE	R 403.00
3NP4010-0CH01	100066322	1	V2	FUSE-SWITCH-DISCONNECTOR I = 100/160A, U = 500/400V FOR SURFACE MOUNTING AND INSTALLATION IN SWITCHBOARDS SIGUT BOX TERMINAL, FUSE SIZE NH000	R 723.00
3NP4016-1CJ01	100112767	1	PD	FUSE-SWITCH-DISCONNECTOR I = 100/160A, U = 500/400V FOR 60MM BUSBAR ADAPTOR FLAT, BOX TERMINAL AT BOTTOM FUSE SIZE NH000	R 990.00
3NP4070-0CA01	100000283	1	V2	FUSE-SWITCH-DISCONNECTOR I = 160 A, U = 690 V, FOR SURFACE MOUNTING AND INSTALL., FLAT PAD CONNECTION M8, FUSE SIZE NH00	R 815.00
3NP4070-0CH01	100084871	1	V2	FUSE-SWITCH-DISCONNECTOR I = 160 A, U = 690 V, FOR SURFACE MOUNT. AND INST., SIGUT BOX TERMINAL, FUSE SIZE NH00,	R 988.00
3NP4075-0FE01	101680330	1	PD	FUSE-SWITCH-DISCONNECTOR I = 160 A, U = 690 V, FOR 40MM BUSBAR SYSTEMS, ADAPTOR DEEP, WITH FUSE MONITORING, FLAT PAD CONNECT. TOP,	R 3,839.00
3NP4076-1CE01	100000284	1	PD	FUSE-SWITCH-DISCONNECTOR FLAT PAD CONNECTION TOP/SIZE, 60MM, ADAPTOR FLAT, FLAT PAD CONNECTION TOP FUSE SIZE NH00	R 1,363.00
3NP4076-1CF01	100112788	1	PD	FUSE-SWITCH-DISCONNECTOR FLAT PAD CONNECTION TOP/SIZE, 60MM, ADAPTOR FLAT, FLAT PAD CONNECTION BOTTOM FUSE SIZE NH00	R 1,363.00

3NP4076-1CJ01	100112789	1	PD	FUSE-SWITCH-DISCONNECTOR SIGUT CONNECT. ROTATABLE/SIZE, 60MM, ADAPTOR FLAT, SIGUT BOX TERMINAL BOTTOM FUSE SIZE NH00	R 1,549.00
3NP4270-0CA01	100000286	1	V2	FUSE-SWITCH-DISCONNECTOR FOR SURFACE MOUNT. AND INST., SIZE1, 250 A, HANDLE UNIT GRAY, FLAT PAD CONNECTION M10, FUSE SIZE NH1	R 2,410.00
3NP4276-1CG01	100112805	1	PD	FUSE-SWITCH-DISCONNECTOR FOR 60MM BUSBAR SYSTEMS 250 A, HANDLE UNIT GRAY, SIZE 1 FLAT PAD CONNECTION M10, TOP OR BOTTOM FUSE SIZE NH1	R 3,878.00
3NP4370-0CA01	100000288	1	V2	FUSE-SWITCH-DISCONNECTOR SIZE 2, I = 400 A, U = 690 V, FOR SURFACE MOUNT. AND INST., FLAT PAD CONNECTION M10, FUSE SIZE NH2, HANDLE UNIT GRAY	R 3,429.00
3NP4470-0CA01	100000289	1	PD	FUSE-SWITCH-DISCONNECTOR SIZE 3, I = 630 A, U = 690 V, FOR SURFACE MOUNT. AND INST., FLAT PAD CONNECTION M12, FUSE SIZE NH3, HANDLE UNIT GRAY	R 4,328.00
3NP5060-0CA00	100000290	1	PD	FUSE-SWITCH-DISCONNECTOR I=160A, U=690V, FOR CABLE-LUG CONNECTION FUSE SIZE NH00	R 2,064.00
3NP5060-0CB00	100785096	1	V2	FUSE-SWITCH-DISCONNECTOR I=160A, U=690V, 3-POLE WITH CLAMP CONNECTION FUSE SIZE NH00	R 2,238.00
3NP5260-0CA00	100000294	1	PD	FUSE-SWITCH-DISCONNECTOR I=250A, U=690V, FUSE SIZE NH0 AND NH1 FOR CABLE-LUG CONNECTION	R 5,122.00
3NP5260-0EB86	100112832	1	PD	FUSE-SWITCH-DISCONNECTOR I=250A, U=690V, AUXILIARY SWITCH 1NO+1NC WITH CLAMP CONNECTION FUSE SIZE NH0 AND NH1 WITH FUSE MONITORING	R 9,359.00
3NP5360-0CA00	100000296	1	V2	FUSE-SWITCH-DISCONNECTOR I=400A, U=690V, FOR CABLE-LUG CONNECTION FUSE SIZE NH1 AND NH2	R 5,612.00
3NP5460-0CA00	100075159	1	PD	FUSE-SWITCH-DISCONNECTOR I=630A, U=690V, FOR CABLE-LUG CONNECTION FUSE SIZE NH2 AND NH3	R 6,671.00
3NW32NNSF	101764642	1	-	FUSE HOLDERS (FOR FUSES TYPE 3NWN5) 32A	R 73.00
3NW6001-1	100000300	1	V2	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 10X38MM, 500V 6A	R 59.00
3NW6002-1	100000301	1	V2	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 10X38MM, 500V 2A	R 59.00
3NW6003-1	100000302	1	V2	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 10X38MM, 500V 10A	R 59.00
3NW6010-1	100000308	1	PD	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 10X38MM, 500V 25A	R 59.00
3NW6012-1	100000309	1	V2	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 10X38MM, 400V 32A	R 59.00
3NW6101-1	100000310	1	PD	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 14X51MM, 500V 6A	R 66.00
3NW6104-1	100000312	1	PD	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 14X51MM, 500V 4A	R 66.00
3NW6304-1	100231115	1	PD	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 8.5X31.5MM, 400V 4A	R 66.00
3NW7013	100981225	1	V2	BUILT-IN FUSE BASE FOR CYLINDRICAL FUSES SIZE 10X38MM 32A, 1POLE	R 105.00
3NW7023	101079260	1	PD	BUILT-IN FUSE BASE FOR CYLINDRICAL FUSES SIZE 10X38MM 32A, 2POLE	R 208.00
3NW7033	101595277	1	PD	BUILT-IN FUSE BASE FOR CYLINDRICAL FUSES SIZE 10X38MM 32A, 3POLE	R 313.00
3NW8001-1	100000333	1	PD	CYLINDRICAL FUSE A.M. ACC. TO FRENCH STANDARD (NFC) WITHOUT INDICATOR SIZE 10X38MM, 500V 6A	R 82.00
3NX1013	100223840	1	PD	FUSE PULLER FOR LV HBC FUSE SIZE 000 TO 4	R 580.00
3NX1014	100444926	1	PD	FUSE PULLER FOR LV HBC FUSE SIZE 000 TO 4, WITH LEATHER SLE	R 2,221.00

3NX2024	100000341	1	PD	PHASE AND END BARRIERS FOR LV HRC FUSE BASES, SIZE 1	R 110.00
3NX3106	100069140	1	PD	MOULDED PLASTIC PUSH-ON COVERS FOR LV HRC FUSE BASES SIZE 1	R 110.00
3NX3115	100489674	1	PD	MOULDED-PLASTIC COVER IP2X FOR LV HRC FUSE BASE SIZE 00	R 77.00
3NX3116	100489675	1	PD	ISO SHROUDING COVER IP2X FOR LV HRC FUSE BASE SIZE 00	R 48.00
3NY1236	100882758	1	PD	ACCESSORIES FOR FUSE SWITCH DISCONNECTORS 3NP35 FEED-IN TERMINAL MAX. 95MM2 CONSISTS OF 3 PIECES IN SWITCHBOARDS W/O AUX.SWITCH	R 427.00
3NY1237	100626339	1	PD	ACCESSORIES FOR FUSE SWITCH DISCONNECTORS 3NP35 3-PHASE BUSBARS FOR 2 X 3NP35 MODULAR SPACING 90MM (= 5 MODULAR SPACINGS)	R 368.00
3NY3035	100076270	1	V2	ACCESSORIES FOR FUSE SWITCH DISCONNECTORS 3NP35/3NP4.7 UND 3NP401 AUXILIARY SWITCH 1CO WITH SCREWS (INSTALLATION SET)	R 180.00
3NY7381	101712075	1	PD	ACCESSORIES FOR SWITCH 3NP427, 3NP437, 3NP447: (2 SETS NECESSARY) BAR-THICKNESS COMPENSATION 5MM 1 SET = 3 + 2 ITEMS	R 314.00
3RA1120-4DD26-0BB4	100113166	1	PD	LOAD FEEDER FUSELESS DIRECT STARTING, AC 400V, SIZE S0 20...25 A, DC 24 V, SCREW CONNECTION ON 60 MM BUSBAR ADAPTER TYPE OF COORDIN. 1, IQ = 50 KA	R 2,953.00
3RA1125-4DA26-0DB4	101708539	1	PD	LOAD FEEDER FUSE LINE DIRECT START, 400 V AC, SIZE S0 20...25 A, 24 V DC, SCREW CONNECTION, FOR TOP-HAT RAIL MOUNTING, ASSIGN. TYPE 1, IQ = 50 KA WITH HI. SCHA. 1NO+1NC	R 2,953.00
3RA1220-1EB24-0BB4	100461239	1	PD	LOAD FEEDER FUSELESS REVERSING DUTY, AC 400 V, SIZES0, 2.8...4 A, DC 24V SCREW CONNECTION, TYPE OF COORDIN. 2, IQ = 50 KA	R 3,499.00
3RA1315-8XB30-1AB0	100113609	1	V2	REVERSING CONTACTOR ASSEMBLY AC-3, 3KW/400V, 3-POLE, SZ. S00 SCREW CONNECTION, AC 24V, 50HZ AC 24V, 50/60 HZ, ELECTR. AND MECH. INTERLOCKING	R 968.00
3RA1316-8XB30-1BB4	100000359	1	PD	REVERSING CONTACTOR COMBINATION AC-3 4KW/400 V, 3-POLE, SIZES00 SCREW CONNECTION, DC 24 V, EL. AND MECH. LOCKING DEVICE	R 1,165.00
3RA1317-8XB30-1AF0	100113635	1	PD	REVERSING CONTACTOR ASSEMBLY AC-3, 5KW/400V, 3-POLE, SZ. S00 SCREW CONNECTION, AC 110V, 50/60 HZ ELECTR. AND MECH. INTERLOCKING	R 1,219.00
3RA1317-8XB30-1AP0	100075160	1	PD	REVERSING CONTACTOR ASSEMBLY AC-3, 5.5KW/400V, 3-POLE, SZ. S00 SCREW CONNECTION, AC 230V, 50/60 HZ ELECTR. AND MECH. INTERLOCKING	R 1,219.00
3RA1323-8XB30-1AK6	104693608	1	PD	REVERSING CONTACTOR COMBINATION AC-3 4 KW/400V, SIZE S0 AC 110 V 50/120 V 60HZ	R 1,343.00
3RA1325-8XB30-1AL2	100113654	1	PD	REVERSING CONTACTOR COMBINATION AC-3 7.5KW/400V, SIZE S0 230V, 50/60HZ	R 1,730.00
3RA1325-8XB30-1BB4	100228745	1	PD	REVERSING CONTACTOR COMBINATION AC-3 7.5KW/400V, SIZE S0 DC 24V	R 2,806.00
3RA1326-8XB30-1AG2	100231965	1	PD	REVERSING CONTACTOR COMBINATION AC-3 11KW/400V, SIZE S0 110V, 50/60HZ	R 2,208.00
3RA1326-8XB30-1AL2	100235259	1	PD	REVERSING CONTACTOR COMBINATION AC-3 11KW/400V, SIZE S0 230V, 50/60HZ	R 2,208.00
3RA1334-8XB30-1AG2	100113665	1	PD	REVERSING CONTACTOR COMBINATION 15KW, SIZE S2, AC 110V, 50/60HZ	R 3,178.00
3RA1425-8XC21-1AG2	101088286	1	PD	CONTACTOR COMBINATION, STAR-DELTA (PREASSEMBLED) SIDE MOUNTING ON TIME RELAY, AC-3 15/18.5KW/400 V, 3-POLE, SIZE S0,S0,S0, EL.LOCK. DEVICE, SCREW CONNECTION, AC 110V, 50/60HZ	R 4,177.00
3RA1911-1A	100000361	1	V2	LINK MODULE (EL. A. MECH.) FOR 3RV1.11 A. 3RT1.1., 3RW3, PACKING = 10 ITEMS	R 49.00
3RA1911-1AA00	100105025	1	V2	CONNECTION MODULE, ELECTRICAL AND MECHANICAL, FOR 3RV1.1 AND 3RT101, 3RW301 1 PIECE AC AND DC ACTUATION	R 58.00

3RA1913-2A	100000363	1	V2	WIRING KIT (ELECTR.A.MECHANIC.) FOR REVERSING STARTER, SIZE S00	R 168.00
3RA1913-2B	100113735	1	PD	WIRING KIT (ELECTRICAL) FOR STAR-DELTA STARTER, SIZES00	R 130.00
3RA1921-1A	100000364	1	V2	LINK MODULE (EL. A. MECH.) FOR 3RV1.21 AND 3RT1.2., 3RW3, PACKING = 10 ITEMS AC OPERATION	R 70.00
3RA1921-1AA00	100113739	1	V2	CONNECTING MODULE ELECTRICAL AND MECHANICAL FOR 3RV1.2 AND 3RT1.2, 3RW302 1 PIECE AC OPERATION	R 86.00
3RA1921-1B	100000365	1	PD	LINK MODULE (EL. A. MECH.) FOR 3RV1.21 AND 3RT1.2. PACKING = 10 ITEMS DC OPERATION	R 70.00
3RA1921-1D	100000366	1	PD	LINK MODULE ELECTRICAL AND MECHANICAL FOR 3RV1.2 AND 3RT101 FOR 3RV2.1/3RV2.2 AND 3RT2.1 AC AND DC OPERATION (MULTI-UNIT PACKAGING)	R 64.00
3RA1921-1DA00	100113741	1	V2	LINK MODULE, ELECTRICAL AND MECHANICAL, FOR 3RV1.2 AND 3RT101 FOR 3RV2.1/3RV2.2 AND 3RT2.1 AC AND DC OPERATION (SINGLE-UNIT PACKAGING)	R 78.00
3RA1923-2A	100000368	1	V2	WIRING KIT (ELECTR.A.MECHANIC.) FOR REVERSING STARTER, SIZE S0	R 173.00
3RA1923-2A	102185886	1	V2	WIRING KIT (ELECTR.A.MECHANIC.) FOR REVERSING STARTER, SIZE S0	R 173.00
3RA1923-2B	100000369	1	V2	WIRING KIT (ELECTRICAL) F. STAR-DELTA STARTER, SIZES0	R 219.00
3RA1924-1A	100000370	1	V2	MECHANICAL LOCKING DEVICE FOR REVERSING CONT. ASSEMBLY FRONT-MOUNTED ON CONTACTORS SIZES S0...S3	R 181.00
3RA1924-2B	100000371	1	V2	MECHANICAL LOCKING DEVICE FOR REVERSING STARTER, LATERALLY FITTABLE WITH ONE AUXIL. CONT. EACH(1NC P. CONT.) SIZE S0, S2, S3	R 194.00
3RA1931-1AA00	100113752	1	PD	CONNECTING MODULE ELECTRICAL AND MECHANICAL FOR 3RV1.3 AND 3RT1.3, 3RW303 1 PIECE AC OPERATION	R 171.00
3RA1931-1B	100113753	1	PD	LINK MODULE (EL. A. MECH.) FOR 3RV1.31 A. 3RT1.3. PACKING = 5 ITEMS DC OPERATION	R 158.00
3RA1931-1BA00	100113754	1	PD	CONNECTING MODULE ELECTRICAL AND MECHANICAL FOR 3RV1.3 AND 3RT1.3 1 PIECE DC OPERATION	R 194.00
3RA1933-2A	100000374	1	V2	WIRING KIT (ELECTR.A.MECHANIC.) FOR REVERSING STARTER, SIZE S2	R 265.00
3RA1933-2B	100000375	1	PD	WIRING KIT (ELECTRICAL) F. STAR-DELTA STARTER, SIZES2	R 398.00
3RA1933-2C	100113766	1	PD	WIRING KIT (ELECTRICAL) F. STAR-DELTA STARTER SIZE S2, S2, S0,	R 294.00
3RA1941-1BA00	100232729	1	PD	CONNECTING MODULE ELECTRICAL AND MECHANICAL FOR 3RV1.4 AND 3RT1.4 1 PIECE DC OPERATION	R 239.00
3RA1943-2A	100000376	1	PD	WIRING KIT (ELECTR.A.MECHANIC.) FOR REVERSING STARTER, SIZE S3	R 596.00
3RA1952-2A	100113780	1	PD	BASE PLATE FOR REVERSING STARTER MOD.S6	R 1,147.00
3RA1952-2E	100113781	1	PD	BASE PLATE FOR YD-STARTER MOD. S6-S6-S3	R 1,311.00
3RA1953-2A	100113783	1	PD	CABLE SET FOR REVERSING STARTER MOD.S6	R 6,521.00
3RA1953-2B	100113784	1	PD	CABLE SET FOR YD-STARTER MOD.S6-S6-S6	R 4,016.00
3RA1953-3D	101057758	1	PD	SET OF LINKS TOP FOR REVERSING COMBINATIONS SIZE S6	R 3,863.00
3RA1954-2A	100076227	1	V2	MECHANICAL INTERLOCK FOR CONTACTOR MOD.S6/S10/S12 3RT10/3RT12/3RT14	R 323.00
3RA1962-2A	100113785	1	PD	BASE PLATE FOR REVERSING STARTER MOD. S10	R 1,414.00
3RA1962-2E	100113786	1	PD	BASE PLATE FOR YD-STARTER MOD. S10-S10-S6	R 1,525.00
3RA1963-2A	100113788	1	V2	CABLE SET FOR REVERSING STARTER MOD. S10	R 4,129.00
3RA2315-8XB30-1BB4	103580604	1	PD	REV. COMB. AC3, 3KW/400V DC24V 3-POLE, SZ S00 SCREW TERMINAL ELECTR. AND MECH. INTERLOCK	R 1,064.00
3RA2316-8XB30-1BB4	103580614	1	PD	REV. COMB., AC3, 4KW/400V DC24V 3-POLE, SZ S00 SCREW TERMINAL ELECTR. AND MECH. INTERLOCK	R 1,130.00

3RA2712-1BA00	102937003	1	PD	FUNCTION MODULE FOR AS-I, REVERSING START, SCREW CONNECTION, MOUNTED ON CONTACTORS 3RT2 S00/ S0 COMM. CAPABLE CONTACTOR REQUIRED	R 1,833.00
3RA2911-2A	103542440	1	V2	LINK MODULE, ELECTRICAL AND MECHANICAL, FOR 3RV2011 AND 3RT201., SPRING-LOADED TERMINALS, (MULTI-UNIT PACKAGING)	R 64.00
3RA2911-2AA00	102488278	1	V2	LINK MODULE, ELECTRICAL AND MECHANICAL, FOR 3RV2011 AND 3RT201., SPRING-LOADED TERMINALS	R 77.00
3RA2913-1DB1	104512569	1	PD	WIRING KIT, SCREW ELECTRICAL AND MECHANICAL, COMPL. FOR LOAD FEEDERS, FUSELESS, SIZE S00, FOR 60MM BUSBAR SYSTEMS COMPRISING A WIRING MODULE, BUSBAR ADAPTER, DEVICE HOLDER AND SIDE MODULES	R 672.00
3RA2913-2AA1	102618453	1	V2	WIRING KIT, SCREW ELECTRICAL AND MECHANICAL, INCL. MECH. INTERLOCK, FOR REVERS. STARTERS, SIZE S00	R 158.00
3RA2921-1A	103170234	1	PD	LINK MODULE, SCREW ELECTRICAL AND MECHANICAL, FOR 3RV2.21 AND 3RT2.2., AC OPERATION (MULTI-UNIT PACKAG.)	R 66.00
3RA2921-1AA00	103179486	1	PD	LINK MODULE, SCREW ELECTRICAL AND MECHANICAL, FOR 3RV2.1/3RV2.21 AND 3RT2.2 AC OPERATION	R 79.00
3RA2921-1BA00	102488283	1	PD	LINK MODULE, SCREW ELECTRICAL AND MECHANICAL, FOR 3RV2.2 AND 3RT2.2, DC OPERATION OR 3RW3 SOFT STARTER OR 3RF34 SOLID-STATE CONTACTOR	R 79.00
3RA2921-2AA00	102489001	1	PD	LINK MODULE, SPRING-LOADED ELECTRICAL AND MECHANICAL, FOR 3RV2.21 AND 3RT2.2.	R 80.00
3RA2923-2AA1	102533151	1	V2	WIRING KIT, SCREW ELECTRICAL AND MECHANICAL, INCL. MECH. INTERLOCK, FOR REVERSING STARTERS, SIZE S0	R 236.00
3RA2924-2BB1	104945963	1	PD	WIRING KIT, SCREW ELECTRICAL AND MECHANICAL, INCL. MECH. INTERLOCK, FOR WYE-DELTA STARTER, SIZE S0	R 420.00
3RA6120-1BB32	102362387	1	PD	SIRIUS, COMPACT STARTER, DIRECT STARTER 690 V, 24 V AC/DC, 50 ... 60 HZ, 0.32 ... 1.25 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 2,273.00
3RA6120-1BP32	102065019	1	-	SIRIUS, COMPACT STARTER, DIRECT STARTER 690 V, 110 ... 240 V AC/DC, 50 ... 60 HZ, 0.32 ... 1.25 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 2,273.00
3RA6120-1CB32	102362392	1	V2	SIRIUS, COMPACT STARTER, DIRECT STARTER 690 V, 24 V AC/DC, 50 ... 60 HZ, 1 ... 4 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 2,457.00
3RA6120-1CB34	102018475	1	PD	SIRIUS, COMPACT STARTER, DIRECT STARTER 690 V, 24 V AC/DC, 50 ... 60 HZ, 1 ... 4 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: PLUGGABLE, WITHOUT TERMINAL	R 2,347.00
3RA6120-1CP32	102362396	1	V2	SIRIUS, COMPACT STARTER, DIRECT STARTER 690 V, 110 ... 240 V AC/DC, 50 ... 60 HZ, 1 ... 4 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 2,457.00
3RA6120-1CP33	102184865	1	PD	SIRIUS, COMPACT STARTER, DIRECT STARTER 690 V, 110 ... 240 V AC/DC, 50 ... 60 HZ, 1 ... 4 A, IP20, CONNECTION MAIN CIRCUIT: PLUGGABLE, WITHOUT TERMINALS, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 2,347.00
3RA6120-1DB34	102362401	1	V2	SIRIUS, COMPACT STARTER, DIRECT STARTER 690 V, 24 V AC/DC, 50 ... 60 HZ, 3 ... 12 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: PLUGGABLE, WITHOUT TERMINALS	R 2,512.00

3RA6120-1DP32	102018480	1	V2	SIRIUS, COMPACT STARTER, DIRECT STARTER 690 V, 110 ... 240 V AC/DC, 50 ... 60 HZ, 3 ... 12 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 2,585.00
3RA6120-1EB32	104271107	1	-	SIRIUS, COMPACT STARTER, DIRECT STARTER 400 V, 24 V AC/DC, 50 ... 60 HZ, 8 ... 32 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 3,868.00
3RA6120-1EP32	102324238	1	PD	SIRIUS, COMPACT STARTER, DIRECT STARTER 400 V, 110 ... 240 V AC/DC, 50 ... 60 HZ, 8 ... 32 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 3,868.00
3RA6120-1EP32	102364065	1	PD	SIRIUS, COMPACT STARTER, DIRECT STARTER 400 V, 110 ... 240 V AC/DC, 50 ... 60 HZ, 8 ... 32 A, IP20, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 3,868.00
3RA6120-1EP33	102364067	1	PD	SIRIUS, COMPACT STARTER, DIRECT STARTER 400 V, 110 ... 240 V AC/DC, 50 ... 60 HZ, 8 ... 32 A, IP20, CONNECTION MAIN CIRCUIT: PLUGGABLE, WITHOUT TERMINALS, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL	R 3,776.00
3RA6250-1CB33	102018488	1	PD	SIRIUS, COMPACT STARTER, REVERSING STARTER 690 V, 24 V AC/DC, 50 ... 60 HZ, 1 ... 4 A, IP20, MAIN CIRCUIT CONNECTION: PLUG-IN, W/O TERMINALS, AUXILIARY CIRCUIT CONNECTION: SCREW TERMINAL	R 4,070.00
3RA6250-1DB34	102362446	1	PD	SIRIUS, COMPACT STARTER, REVERSING STARTER 690 V, 24 V AC/DC, 50 ... 60 HZ, 3 ... 12 A, IP20, MAIN CIRCUIT CONNECTION: SCREW TERMINAL, AUXILIARY CIRCUIT CONNECTION: PLUG-IN, W/O TERMINALS	R 4,510.00
3RA6250-1EB33	102362455	1	PD	SIRIUS, COMPACT STARTER, REVERSING STARTER 400 V, 24 V AC/DC, 50 ... 60 HZ, 8 ... 32 A, IP20, MAIN CIRCUIT CONNECTION: PLUG-IN, W/O TERMINALS, AUXILIARY CIRCUIT CONNECTION: SCREW TERMINAL	R 5,866.00
3RA6812-8AB	102018490	1	PD	INFEED ON THE LEFT, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, 3 SLOTS FOR COMPACT LOAD FEEDERS TERMINAL MAX. 25 MM2 / 35 MM2	R 1,230.00
3RA6813-8AB	102133888	1	PD	INFEED ON THE LEFT CONNECTION MAIN CIRCUIT: SCREW TERMINAL, 3 SLOTS FOR COMPACT LOAD FEEDERS TERMINAL MAX. 50 MM2 / 70 MM2	R 1,530.00
3RA6822-0AB	102018492	1	PD	DOUBLE EXTENSION BLOCK, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, 2 SLOTS FOR COMPACT LOAD FEEDERS	R 625.00
3RA6823-0AB	102083413	1	PD	EXTENSION BLOCK 3FOLD, CONNECTION MAIN CIRCUIT: SCREW TERMINAL, 3 SLOTS FOR COMPACT LOAD FEEDERS	R 887.00
3RA6890-1AB	102362493	1	PD	EXPANSION PLUG BETWEEN TWO EXPANSION BLOCKS	R 205.00
3RA6911-1A	102133892	1	PD	AUXILIARY SWITCH, 2 NO CONTACTS, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL,	R 158.00
3RA6913-1A	102189965	1	V2	AUXILIARY SWITCH, 1 NC CONTACT, 1 NO CONTACT, CONNECTION AUXILIARY CIRCUIT: SCREW TERMINAL,	R 158.00
3RA6970-3B	102018497	1	PD	AS-I MOUNTABLE MODULE FOR SAFE DISCONNECTION CONTROL CIRCUIT CONNECTION: SCREW-TYPE	R 2,255.00
3RB2016-1NB0	101083794	1	V2	OVERLOAD RELAY 0.32...1.25 A FOR MOTOR PROTECTION SIZE S00, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 802.00
3RB2016-1PB0	101083795	1	V2	OVERLOAD RELAY 1...4 A FOR MOTOR PROTECTION SIZE S00, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 802.00

3RB2016-1SB0	101083796	1	V2	OVERLOAD RELAY 3...12 A FOR MOTOR PROTECTION SIZE S00, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 802.00
3RB2016-2NB0	101353850	1	PD	OVERLOAD RELAY 0.32...1.25 A FOR MOTOR PROTECTION SIZE S00, CLASS 20 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 988.00
3RB2016-2PB0	101353851	1	PD	OVERLOAD RELAY 1...4 A FOR MOTOR PROTECTION SIZE S00, CLASS 20 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 988.00
3RB2016-2SB0	101199617	1	PD	OVERLOAD RELAY 3...12 A FOR MOTOR PROTECTION SIZE S00, CLASS 20 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 988.00
3RB2026-1NB0	101699670	1	PD	OVERLOAD RELAY 0.32...1.25 A FOR MOTOR PROTECTION SZ S0, CLASS 10 F. MOUNTING ONTO CONTACTORS MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 952.00
3RB2026-1PB0	101686208	1	V2	OVERLOAD RELAY 1...4 A FOR MOTOR PROTECTION SZ S0, CLASS 10 F. MOUNTING ONTO CONTACTORS MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 952.00
3RB2026-1QB0	100970218	1	V2	OVERLOAD RELAY 6...25 A FOR MOTOR PROTECTION SIZE S0, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 952.00
3RB2026-1RB0	101758352	1	PD	OVERLOAD RELAY 0.1...0.4 A FOR MOTOR PROTECTION SZ S0, CLASS 10 F. MOUNTING ONTO CONTACTORS MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 952.00
3RB2026-1SB0	101075313	1	V2	OVERLOAD RELAY 3...12 A FOR MOTOR PROTECTION SIZE S0, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 952.00
3RB2026-2QB0	101153026	1	V2	OVERLOAD RELAY 6...25 A FOR MOTOR PROTECTION SIZE S0, CLASS 20 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 1,137.00
3RB2026-2SB0	101122580	1	V2	OVERLOAD RELAY 3...12 A FOR MOTOR PROTECTION SIZE S0, CLASS 20 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 1,137.00
3RB2036-1QB0	101075314	1	V2	OVERLOAD RELAY 6...25 A FOR MOTOR PROTECTION SIZE S2, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 1,067.00
3RB2036-1QW1	101083797	1	PD	OVERLOAD RELAY 6...25 A FOR MOTOR PROTECTION SIZE S2, CLASS 10 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 1,067.00
3RB2036-1UB0	101087067	1	V2	OVERLOAD RELAY 12.5...50 A FOR MOTOR PROTECTION SIZE S2, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 1,488.00

3RB2036-1UW1	101083798	1	V2	OVERLOAD RELAY 12.5...50 A FOR MOTOR PROTECTION SIZE S2, CLASS 10 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 1,488.00
3RB2036-2UB0	101090971	1	PD	OVERLOAD RELAY 12.5...50 A FOR MOTOR PROTECTION SIZE S2, CLASS 20 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 1,767.00
3RB2046-1EB0	101090854	1	V2	OVERLOAD RELAY 25...100 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 2,060.00
3RB2046-1ED0	102362206	1	PD	OVERLOAD RELAY 25...100 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SPRINGLOAD. TERM. MANUAL-AUTOMATIC-RESET	R 2,087.00
3RB2046-1EW1	101083799	1	V2	OVERLOAD RELAY 25...100 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 2,060.00
3RB2046-1UB0	101087084	1	V2	OVERLOAD RELAY 12.5...50 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 1,649.00
3RB2046-2EB0	101156856	1	V2	OVERLOAD RELAY 25...100 A FOR MOTOR PROTECTION SIZE S3, CLASS 20 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 2,392.00
3RB2046-2EW1	101602664	1	PD	OVERLOAD RELAY 25...100 A FOR MOTOR PROTECTION SIZE S3, CLASS 20 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 2,392.00
3RB2056-1FC2	101072509	1	V2	OVERLOAD RELAY 50...200 A FOR MOTOR PROTECTION SIZE S6, CLASS 10 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 2,738.00
3RB2056-1FW2	101087600	1	V2	OVERLOAD RELAY 50...200 A FOR MOTOR PROTECTION SIZE S6, CLASS 10 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 2,605.00
3RB2056-2FC2	101122578	1	V2	OVERLOAD RELAY 50...200 A FOR MOTOR PROTECTION SIZE S6, CLASS 20 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 3,136.00
3RB2066-1GC2	101083550	1	V2	OVERLOAD RELAY 55...250 A FOR MOTOR PROTECTION SIZE S10/S12, CLASS 10 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 2,937.00
3RB2066-1MC2	101083800	1	V2	OVERLOAD RELAY 160...630 A FOR MOTOR PROTECTION SIZE S10/S12, CLASS 10 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 5,395.00
3RB2066-2GC2	101178612	1	V2	OVERLOAD RELAY 55...250 A FOR MOTOR PROTECTION SIZE S10/S12, CLASS 20 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 3,417.00

3RB2066-2MC2	101092653	1	PD	OVERLOAD RELAY 160...630 A FOR MOTOR PROTECTION SIZE S10/S12, CLASS 20 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 5,887.00
3RB2123-4PB0	101743486	1	PD	OVERLOAD RELAY 1...4A F. MOTOR PROTECTION SZ S0, CLASS 5...30 F. MOUNT. ONTO CONTACTORS MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET INT. GROUND FAULT DETECTION	R 1,963.00
3RB2123-4QB0	101089361	1	V2	OVERLOAD RELAY 6...25 A FOR MOTOR PROTECTION SIZE S0, CLASS 5...30 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 1,963.00
3RB2123-4SB0	101089360	1	PD	OVERLOAD RELAY 3...12 A FOR MOTOR PROTECTION SIZE S0, CLASS 5...30 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 1,963.00
3RB2133-4QB0	101089367	1	PD	OVERLOAD RELAY 6...25 A FOR MOTOR PROTECTION SIZE S2, CLASS 5...30 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 2,127.00
3RB2133-4UB0	101089368	1	PD	OVERLOAD RELAY 12.5...50 A FOR MOTOR PROTECTION SIZE S2, CLASS 5...30 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 2,565.00
3RB2133-4UW1	101084615	1	PD	OVERLOAD RELAY 12.5...50 A FOR MOTOR PROTECTION SIZE S2, CLASS 5...30 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 2,565.00
3RB2143-4EB0	101089370	1	V2	OVERLOAD RELAY 25...100 A FOR MOTOR PROTECTION SIZE S3, CLASS 5...30 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 3,203.00
3RB2143-4EW1	101084616	1	PD	OVERLOAD RELAY 25...100 A FOR MOTOR PROTECTION SIZE S3, CLASS 5...30 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 3,203.00
3RB2143-4UB0	101089369	1	-	OVERLOAD RELAY 12.5...50 A FOR MOTOR PROTECTION SIZE S3, CLASS 5...30 FOR MOUNTING ONTO CONT. MAIN CIRCUIT: SCREW CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 2,777.00
3RB2153-4FC2	101090858	1	V2	OVERLOAD RELAY 50...200 A FOR MOTOR PROTECTION SIZE S6, CLASS 5...30 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 3,947.00
3RB2163-4GC2	101090859	1	PD	OVERLOAD RELAY 55...250 A FOR MOTOR PROTECTION SIZE S10/S12, CLASS 5...30 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 4,225.00

3RB2163-4MC2	101084618	1	PD	OVERLOAD RELAY 160...630 A FOR MOTOR PROTECTION SIZE S10/S12, CLASS 5...30 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET INT. EARTH FAULT DETECTION	R 6,697.00
3RB2283-4AA1	100941694	1	V2	PROCESSING UNIT FOR FULL MOTOR PROTECTION SIZE S00...S12, CLASS 5...30 STAND-ALONE INSTALLATION MAIN CIRCUIT: -- AUX. CIRCUIT: SCREW CONNECTION MANUAL-AUTOMATIC-RESET	R 2,540.00
3RB2906-2BG1	100943395	1	PD	CURRENT TRANSFORMER 0.3...3 A FOR 3RB22/23/24 SIZE S00/S0 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: --	R 1,605.00
3RB2906-2DG1	101084068	1	V2	CURRENT TRANSFORMER 2.4...25 A FOR 3RB22/23/24 SIZE S00/S0 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: --	R 1,630.00
3RB2906-2JG1	100941710	1	V2	CURRENT TRANSFORMER 10...100 A FOR 3RB22/23/24 SIZE S2/S3 STAND-ALONE INSTALLATION MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: --	R 1,698.00
3RB2913-0AA1	100941717	1	V2	INDIVIDUAL MOUNTING SUPPORT FOR 3RB20/21 SIZE S00 STAND-ALONE INSTALLATION MAIN CIRCUIT, SCREW-TYPE TERM. AUX. CIRCUIT, --	R 127.00
3RB2923-0AA1	100941719	1	V2	INDIVIDUAL MOUNTING SUPPORT FOR 3RB20/21 SIZE S0 STAND-ALONE INSTALLATION MAIN CIRCUIT, SCREW-TYPE TERM. AUX. CIRCUIT, --	R 148.00
3RB2956-2TG2	101084081	1	V2	CURRENT TRANSFORMER 20...200 A FOR 3RB22/23/24 SIZE S6 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: THROUGH TRANSF. AUX. CIRCUIT: --	R 3,837.00
3RB2956-2TH2	101084083	1	V2	CURRENT TRANSFORMER 20...200 A FOR 3RB22/23/24 SIZE S6 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: --	R 4,052.00
3RB2966-2WH2	100941711	1	V2	CURRENT TRANSFORMER 63...630 A FOR 3RB22/23/24 SIZE S10/S12 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: --	R 4,572.00
3RB2985-2AA1	100941704	1	PD	MEMORY MODULE ANALOG BASIC 1 GF FOR 3RB22/23 SZ S00...S12	R 1,189.00
3RB2985-2CA1	100941708	1	PD	MEMORY MODULE BASIC 1 GF FOR 3RB22/23 SZ S00...S12	R 298.00
3RB2987-2B	100941712	1	V2	CONNECTING CABLE 0.1 M FOR 3RB22/23/24 SIZE S00...S12	R 143.00
3RB2987-2D	100941714	1	V2	CONNECTING CABLE 0.5 M FOR 3RB22/23/24 SIZE S00...S12	R 180.00
3RB3113-4TB0	102836249	1	PD	OVERLOAD RELAY 4...16 A FOR MOTOR PROTECTION SIZE S00, CLASS 5...30 CONTACTOR ASS. MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOM.-RESET INT. GROUND FAULT DETECTION	R 1,723.00
3RE1010-8XC17-0AV0	101084099	1	PD	DIRECT STARTER, 5.5 KW, RELAY CAN BE CONNECTED, CONTACT. 3RT10, 400V,50/60 HZ, SIZE S00, PE TERMINAL, MOULDED PLASTIC HOUSING IP65, EUROPEAN DESIGN, PUSHB. I-0 (0=R), BLACK/WHITE	R 821.00
3RE1913-1CB1	100639469	1	V2	HOUSING FOR DIRECT STARTER, SIZE S00, CONTACTORS/RELAYS CAN BE CONN. PE TERMINAL MOULDED PLASTIC HOUSING IP65, EUROPEAN DESIGN, PUSHB. BLACK/WHITE	R 450.00
3RE1923-1CB2	100540702	1	PD	HOUSING FOR DIRECT STARTER, SIZE S0, CONTACTORS/RELAYS CAN BE CONN. PE AND N TERMINAL MOULDED PLASTIC HOUSING IP65, EUROPEAN DESIGN, PUSHB. BLACK/WHITE	R 569.00
3RE1933-1CB3	101126423	1	V2	HOUSING FOR DIRECT STARTER, SIZE S2, CONTACTORS/RELAYS CAN BE CONN. PE AND N TERMINAL MOULDED PLASTIC HOUSING IP65, EUROPEAN DESIGN, PUSHB. BLACK/WHITE	R 1,276.00
3RF2120-1AA02	100784967	1	PD	SEMICOND. RELAY 3RF2, 1-PHASE WIDTH 22.5 MM, 20 A 24-230 V / 24 V DC SCREW TERMINAL	R 662.00

3RF2190-1AA04	101353898	1	PD	SEMICONDUCTOR RELAY 3RF2, 1-PH. WIDTH 22.5MM, 90 A 48-460 V / 24 V DC SCREW TERMINAL	R 1,134.00
3RF2190-3AA04	100689055	1	V2	SEMICONDUCTOR RELAY 3RF2, 1-PH. WIDTH 22.5MM, 90 A 48-460 V / 24 V DC RING TERMINAL	R 1,134.00
3RF2310-1AA02	100625881	1	V2	SEMICOND. CONTACTOR 3RF2, 1-PH. AC 51 10.5 A 40 DEGREES C 24-230 V / 24V DC SCREW TERMINAL	R 1,045.00
3RF2320-1AA02	100424356	1	PD	SEMI-COND. CONTACTOR 3RF2,1-PH. AC 51 20 A 40 DEGREES C 24-230 V / 24 V DC SCREW TERMINAL	R 1,097.00
3RF2320-1AA04	100861881	1	V2	SEMI-COND. CONTACTOR 3RF2,1-PH. AC51 20 A 40 DEGREES C 48-460 V / 24 V DC SCREW TERMINAL	R 1,187.00
3RF2320-1CA44	102363561	1	PD	SEMI-COND. CONTACTOR 3RF2,1-PH. AC51 20A 40 DEGREE C 48-460 V / 4-30 V DC LOW NOISE	R 1,431.00
3RF2330-1AA02	100449130	1	PD	SEMI-COND. CONTACTOR 3RF2,1-PH. AC 51 30 A 40 DEGREES C 24-230 V / 24 V DC SCREW TERMINAL	R 1,179.00
3RF2330-1AA04	100466685	1	PD	SEMI-COND. CONTACTOR 3RF2,1-PH. AC 51 30 A 40 DEGREES C 48-460 V / 24 V DC SCREW TERMINAL	R 1,279.00
3RF2340-1AA04	100988004	1	PD	SEMI-COND. CONTACTOR 3RF2,1-PH. AC 51 40 A 40 DEGREES C 48-460 V / 24 V DC SCREW TERMINAL	R 1,483.00
3RF2370-3AA04	101089717	1	PD	SEMI-COND. CONTACTOR 3RF2,1-PH. AC 51 70 A 40 DEGREES C 48-460 V / 24 V DC RING TERMINAL	R 2,311.00
3RF2390-3BA02	102352592	1	-	SEMI-COND. CONTACTOR 3RF2,1-PH. AC 51 90A / AC15 30A 40 DEG. C 24-230 V / 24 V DC INSTANTANEOUS SWITCHING	R 3,572.00
3RF2410-1AC45	101152386	1	V2	SOLID STATE CONTACTOR 3-P. 3RF2 AC51 10 A 40 DEG. C 48-600 V / 4-30 V DC 3PH.-CONTROLLED SCREW TERMINAL BLOCKING VOLTAGE 1200V	R 3,047.00
3RF2420-1AC45	101635892	1	PD	SEMI-CONDUCTOR CONTAC.3-PH.3RF2 AC51 20A 40 DEG. C 48-600V / 4-30V DC 3-PHASE CONTROLLED SCREW TERMINAL BLOCKING VOLTAGE 1200V	R 3,383.00
3RF2420-1AC55	102060874	1	V2	SEMI-CONDUCTOR CONTAC.3-PH.3RF2 AC51 20A 40 DEG. C 48-600V / 230V AC 3-PHASE CONTROLLED SCREW TERMINAL BLOCKING VOLTAGE 1200V	R 3,445.00
3RF2900-3PA88	100667815	1	PD	TERMINAL COVER FOR 3RF21/3RF23 RING CABLE TERMINAL	R 51.00
3RF2990-0GA16	101583441	1	PD	LOAD MONITORING CURRENT RANGE 90 A 40 DEGREES C 400-600 V / 24 V AC/DC TO SEMICON. RELAY/CONTACT. 3RF2	R 2,709.00
3RG9001-0AG00	100000720	1	V2	ACTUATOR SENSOR INTERFACE 4I APPLICATION MODULE 4X1 INPUT 200 MA, PNP 4X M12 SOCKETS, EMI	R 3,596.00
3RG9001-0AM00	100183693	1	PD	ACTUATOR SENSOR INTERFACE 2I/2O APPLICATION MODULE 2X1 INPUT 100 MA PNP,2X1 OUTPUT ELECTRONICS DC 24V, 2A 4XM12 SOCKETS, EXTERNAL VOLTAGE INFEEED VIA M12-PLUG, EMI	R 4,001.00
3RG9001-0CB00	100000721	1	PD	ACTUATOR SENSOR INTERFACE 4O APPLICATION MODULE 4X1 OUTPUTS,ELECTRONICS DC 24V 1A, 4X M12 SOCKETS EXTERNAL VOLTAGE SUPPLY VIA INTERFACE MODULE FK-E, EEMI	R 4,001.00
3RG9001-0CC00	100000722	1	PD	ACTUATOR SENSOR INTERFACE 2I/2O APPLICATION MODULE 2X1 INPUT 100MA,PNP,2X1 OUTPUT ELECTRONICS DC 24V, 2A, 4XM12 SOCKETS,EXT.VOLTAGE SUPPLY VIA INTERFACE MODULE FK-E, EEMI EEMJ(EXT. ELECT.-MECH.-INTERF.)	R 3,913.00

3RG9002-0DB00	100000723	1	PD	ACTUATOR SENSOR INTERFACE F90 4I/4O APPLICATION MODULE, IP20 4X1 INPUT 200MA PNP,4X1 OUTPUT ELECTRONICS DC 24V, 1A SCREW TERMINALS, EXT. VOLTAGE SUPPLY VIA SCREW TERMINALS	R 1,886.00
3RG9002-0DE00	100183695	1	PD	AS-INTERFACE MODULE 16I, IP20 16 INPUTS (MULTIPLEXING) SCREW TERMINALS MODULE NECESSARY IN SPS	R 2,045.00
3RG9010-0AA00	100000724	1	PD	AS-INTERFACE FK-INTERFACE MODULE FOR	R 314.00
3RG9030-0AA00	100000725	1	PD	AS-INTERFACE FK-INTERFACE MODULE FOR AS-I LINE (YELLOW) AND AS-I POWER CABLE (BLACK), EEMI	R 453.00
3RH1122-1AB00	100025441	1	V2	CONTACTOR RELAY, 2NO+2NC, AC 24 V, 50 HZ, SCREW CONNECTION, SIZES00	R 361.00
3RH1122-1AF00	100000727	1	V2	CONTACTOR RELAY, 2NO+2NC, AC 110 V, 50 HZ, SCREW CONNECTION, SIZE S00	R 361.00
3RH1122-1AP00	100000729	1	V2	CONTACTOR RELAY, 2NO+2NC, AC 230 V, 50 HZ, SCREW CONNECTION, SIZE S00	R 361.00
3RH1122-1AS00	101090939	1	V2	CONTACTOR RELAY, 2NO+2NC, 500 V AC, 50/60 HZ SCREW CONNECTION, SIZE S00	R 361.00
3RH1122-1AV00	100073855	1	V2	CONTACTOR RELAY, 2NO+2NC, AC 400 V 50/60 HZ SCREW CONNECTION, SIZE S00	R 361.00
3RH1122-1BB40	100000730	1	V2	CONTACTOR RELAY, 2NO+2NC, DC 24 V, SCREW CONNECTION, SIZE S00	R 420.00
3RH1122-1BC40	100025442	1	V2	CONT. RELAY, 2NO+2NC, 30 V DC, SCREW CONNECTION, SIZE S00	R 439.00
3RH1122-1BD40	100923571	1	PD	CONTACTOR RELAY, 2NO+2NC, DC 42 V, SCREW CONNECTION, SIZE S00	R 439.00
3RH1122-1BE80	100920805	1	V2	CONT. RELAY, 2NO+2NC, 80 V DC, SCREW CONNECTION, SIZE S00	R 439.00
3RH1122-1BF40	100000731	1	V2	CONTACTOR RELAY, 2NO+2NC, DC 110 V, SCREW CONNECTION, SIZE S00	R 420.00
3RH1122-1BM40	100000733	1	V2	CONTACTOR RELAY, 2NO+2NC, DC 220 V, SCREW CONNECTION, SIZE S00	R 420.00
3RH1122-1HB40	100073863	1	V2	COUPLING RELAY, 2NO+2NC, DC 24 V, 0.7...1.25*US, SCREW CONNECTION, SIZE S00	R 438.00
3RH1122-1VB40	100857087	1	PD	COUPLING RELAY F. AUXILIARY CIRCUITS, 2NO+2 NC, 24V DC, SIZE S00, 0.85...1.85XUS, 1.4W, SCREW CONNECTION, DIODE BUILT-IN	R 507.00
3RH1122-2AF00	100067159	1	PD	CONTACTOR RELAY, 2NO+2NC, AC 110 V, 50 HZ, CAGE CLAMP CONNECTION, SIZE S00	R 384.00
3RH1122-2BB40	100073893	1	V2	CONTACTOR RELAY, 2NO+2NC, DC 24 V, CAGE CLAMP CONNECTION, SIZE S00	R 447.00
3RH1122-2JC40	101122664	1	PD	CONTROL RELAY, 2NO+2NC 30 V DC 0.7...1.25*US, W. DIODE CAGE CLAMP CONNECTION, SIZE S00	R 517.00
3RH1131-1AB00	100000735	1	V2	CONTACTOR RELAY, 3NO+1NC, AC 24 V, 50 HZ, SCREW CONNECTION, SIZE S00	R 361.00
3RH1131-1AF00	100000736	1	V2	CONTACTOR RELAY, 3NO+1NC, AC 110 V, 50 HZ, SCREW CONNECTION, SIZE S00	R 361.00
3RH1131-1AP00	100000738	1	V2	CONTACTOR RELAY, 3NO+1NC, AC 230 V, 50 HZ, SCREW CONNECTION, SIZE S00	R 361.00
3RH1131-1BB40	100000739	1	V2	CONTACTOR RELAY, 3NO+1NC, DC 24 V, SCREW CONNECTION, SIZE S00	R 420.00
3RH1131-1BC40	100000740	1	PD	CONTACTOR RELAY, 3NO+1NC, DC 30 V, SCREW CONNECTION, SIZE S00	R 439.00
3RH1131-1BD40	100073935	1	PD	CONTACTOR RELAY, 3NO+1NC, DC 42 V, SCREW CONNECTION, SIZE S00	R 439.00
3RH1131-1BE80	100920778	1	V2	CONT. RELAY, 3NO+1NC, 80 V DC, SCREW CONNECTION, SIZE S00	R 439.00
3RH1131-1VB40	101085264	1	PD	COUPLING RELAY F. AUXILIARY CIRCUITS, 3NO+1 NC, 24V DC, SIZE S00, 0.85...1.85XUS, 1.4W, SCREW CONNECTION, DIODE BUILT-IN	R 507.00
3RH1131-2AP00	100583038	1	PD	CONTACTOR RELAY, 3NO+1NC, AC 220 V, 50 HZ, CAGE CLAMP CONNECTION, SIZE S00	R 384.00
3RH1131-2BB40	100000745	1	V2	CONTACTOR RELAY, 3NO+1NC, DC 24 V, CAGE CLAMP CONNECTION, SIZE S00	R 447.00
3RH1140-1AB00	100000746	1	V2	CONTACTOR RELAY, 4NO, AC 24 V, 50 HZ, SCREW CONNECTION, SIZE S00	R 361.00

3RH1140-1AF00	100000747	1	V2	CONTACTOR RELAY, 4NO, AC 110 V, 50 HZ, SCREW CONNECTION, SIZE S00	R 361.00
3RH1140-1AP00	100000749	1	V2	CONTACTOR RELAY, 4NO, AC 230 V, 50 HZ, SCREW CONNECTION, SIZE S00	R 361.00
3RH1140-1BB40	100000750	1	V2	CONTACTOR RELAY, 4NO, DC 24 V, SCREW CONNECTION, SIZE S00	R 420.00
3RH1140-1BC40	100025443	1	V2	CONTACTOR RELAY, 4NO, 30 V DC, SCREW CONNECTION, SIZE S00	R 439.00
3RH1140-1BD40	100074024	1	PD	CONTACTOR RELAY, 4NO, DC 42 V, SCREW CONNECTION, SIZE S00	R 439.00
3RH1140-1BF40	100000751	1	V2	CONTACTOR RELAY, 4NO, DC 110 V, SCREW CONNECTION, SIZE S00	R 420.00
3RH1140-1VB40	102195403	1	PD	COUPLING RELAY F. AUXILIARY CIRCUITS, 4NO, 24V DC, SIZE S00, 0.85...1.85XUS, 1.4W, SCREW CONNECTION, DIODE BUILT-IN	R 507.00
3RH1140-2BB40	100000755	1	V2	CONTACTOR RELAY, 4NO, DC 24 V, CAGE CLAMP CONNECTION, SIZE S00	R 447.00
3RH1244-1AP00	100116444	1	PD	CONTACTOR RELAY, 4 NO+4 NC, W. PERMANENT. JOINTED AUXILIARY SWITCH BLOCK, AC 230V, 50/60HZ	R 594.00
3RH1253-1BB40	101687787	1	PD	CONTACTOR RELAY, 5NO+3NC, TOP UNIT BLOCK NOT DETACHABLE, 24 V DC, SIZE S00, SCREW CONNECTION, SIZE S00	R 656.00
3RH1344-1BF40	100534218	1	PD	CONTACTOR RELAY, 4NO+4NC, DC 110 V, SCREW CONNECTION, SIZE S00	R 680.00
3RH1362-2BB40	100614348	1	PD	CONT. RELAY, 24 V DC, 6S, U.2S CAGE CLAMP CONNECTION, SIZE S00	R 692.00
3RH1911-1AA01	100116564	1	V2	AUXILIARY SWITCH BLOCK, 1NC, DIN EN 50005, CONNECTION FROM ABOVE, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 75.00
3RH1911-1AA10	100087170	1	V2	AUXILIARY SWITCH BLOCK, 1NO, DIN EN 50005, CONNECTION FROM ABOVE, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 75.00
3RH1911-1BA10	100083234	1	PD	AUX. SWITCH BLOCK, 1NO, DIN EN 50005, CONNECTION FROM BELOW, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT.	R 75.00
3RH1911-1FA02	100000759	1	V2	AUXILIARY SWITCH BLOCK, 02, 2NC, DIN EN50005, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 95.00
3RH1911-1FA11	100000760	1	V2	AUXILIARY SWITCH BLOCK, 11, 1NO+1NC, DIN EN50005, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 95.00
3RH1911-1FA20	100000761	1	V2	AUXILIARY SWITCH BLOCK, 20, 2NO, DIN EN50005, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 95.00
3RH1911-1FA22	100000762	1	V2	AUXILIARY SWITCH BLOCK, 22, 2NO+2NC, DIN EN50005, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 162.00
3RH1911-1FA31	100000763	1	V2	AUXILIARY SWITCH BLOCK, 31, 3NO+1NC, DIN EN50005, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 162.00
3RH1911-1FA40	100000764	1	V2	AUXILIARY SWITCH BLOCK, 40, 4NO, DIN EN50005, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 162.00
3RH1911-1FB22	100073403	1	PD	AUX. SWITCH BLOCK, 22, 2NO+2NC, 1 U, DIN EN50005, SCREW CONNECTION, F. AUX.+MOT. CONTACTORS, SIZE S00	R 294.00
3RH1911-1FC22	100000765	1	PD	AUXILIARY SWITCH BLOCK, , 22, 2NO+2NC 2U, DIN EN50005, SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 263.00
3RH1911-1GA04	100000766	1	V2	AUXILIARY SWITCH BLOCK, 44E, 4NC, DIN EN50011, SCREW CONNECTION, FOR CONTACTOR RELAYS, 4-POLE	R 162.00

3RH1911-1GA13	100000767	1	PD	AUXILIARY SWITCH BLOCK, 53E, 1NO+3NC, DIN EN50011, SCREW CONNECTION, FOR CONTACTOR RELAYS, 4-POLE	R 162.00
3RH1911-1GA22	100000768	1	V2	AUXILIARY SWITCH BLOCK, 62E, 2NO+2NC, DIN EN50011, SCREW CONNECTION, FOR CONTACTOR RELAYS, 4-POLE	R 162.00
3RH1911-1GA31	100000769	1	V2	AUXILIARY SWITCH BLOCK, 71E, 3NO+1NC, DIN EN50011, SCREW CONNECTION, FOR CONTACTOR RELAYS, 4-POLE	R 162.00
3RH1911-1GA40	100000770	1	V2	AUXILIARY SWITCH BLOCK, 80E, 4NO, DIN EN50011, SCREW CONNECTION, FOR CONTACTOR RELAYS, 4-POLE	R 162.00
3RH1911-1HA01	100000771	1	PD	AUXILIARY SWITCH BLOCK, 11E (1NC), DIN EN50012, SCREW CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 4-POLE	R 75.00
3RH1911-1HA13	100000773	1	V2	AUXILIARY SWITCH BLOCK, 23E, 1NO+3NC, DIN EN50012, SCREW CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 4-POLE	R 162.00
3RH1911-1HA22	100000774	1	V2	AUXILIARY SWITCH BLOCK, 32E, 2NO+2NC, DIN EN50012, SCREW CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 4-POLE	R 162.00
3RH1911-1MA11	100000776	1	V2	AUXILIARY SWITCH BLOCK, DIN EN 50005, 1NO+1NC, CONNECTION FROM BELOW SCREW CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZES00	R 95.00
3RH1911-1NF11	100073133	1	PD	AUXILIARY CONTACT BLOCK, 11I, DIN EN 50005, 1 NO + 1 NC, FOR USE IN ELECTRONICS, SCREW CONNECTION, SIZE S00, 4-POLE	R 402.00
3RH1911-2FA20	100075789	1	PD	AUXILIARY SWITCH BLOCK, 20, 2NO, DIN EN50005, CAGE CLAMP CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 97.00
3RH1911-2FA22	100075791	1	PD	AUXILIARY SWITCH BLOCK, 22, 2NO+2NC, DIN EN50005, CAGE CLAMP CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 167.00
3RH1911-2FA31	100116571	1	PD	AUXILIARY SWITCH BLOCK, 31, 3NO+1NC, DIN EN50005, CAGE CLAMP CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 167.00
3RH1911-2FA40	100075790	1	PD	AUXILIARY SWITCH BLOCK, 40, 4NO, DIN EN50005, CAGE CLAMP CONNECTION, F. CONTACTOR RELAYS A. CONTACT. FOR SWITCHING MOTORS, SIZE S00	R 167.00
3RH1911-2GA04	100083014	1	V2	AUXILIARY SWITCH BLOCK, 44E, 4 NC, DIN EN50011, CAGE CLAMP CONNECTION FOR CONTACTOR RELAYS, 4-POLE	R 167.00
3RH1911-2GA31	100116576	1	PD	AUXILIARY SWITCH BLOCK, 71E, 3NO+1NC, DIN EN50011, CAGE CLAMP CONNECTION FOR CONTACTOR RELAYS, 4-POLE	R 167.00
3RH1911-2GA40	100083016	1	PD	AUXILIARY SWITCH BLOCK, 80E, 4NO,, DIN EN50011, CAGE CLAMP CONNECTION FOR CONTACTOR RELAYS, 4-POLE	R 167.00
3RH1911-2HA12	100116578	1	PD	AUXILIARY SWITCH BLOCK, 22E, 1NO+2NC, DIN EN50012, CAGE CLAMP CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 4-POLE	R 135.00
3RH1911-2HA22	100116580	1	PD	AUXILIARY SWITCH BLOCK, 32E, 2NO+2NC, DIN EN 50012, CAGE CLAMP CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 4-POLE	R 167.00
3RH1911-2NF02	100929733	1	V2	AUX. CONTACT BLOCK, 02, OVERLAPP. CONTACT, DIN EN50005, CAGE CLAMP CONNECTION, SIZE S00, 2NC FOR AUX. + MOTOR CONTACTORS,	R 408.00
3RH1911-2NF11	100116582	1	PD	AUX. CONT. BLOCK, 11, 1NO+1NC, OVERLAPP. CONTACT, DIN EN50005, CAGE CLAMP CONNECTION, FOR AUX. + MOTOR CONTACTORS, SIZE S00	R 408.00
3RH1921-1CA01	100025444	1	V2	AUXILIARY SWITCH BLOCK, 1 NC, DIN EN50005, SCREW CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 1-POLE	R 54.00
3RH1921-1CA10	100000778	1	V2	AUXILIARY SWITCH BLOCK, 1 NO, DIN EN50005, SCREW CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 1-POLE	R 54.00

3RH1921-1DA11	100000779	1	V2	AUX. SWITCH BLOCK, 1 NO+1 NC, DIN EN50012, LATERALLY, 10 MM, SCREW CONNECTION, SIZE S0...S12, FOR MOTOR CONTACTORS,	R 140.00
3RH1921-1EA02	100000780	1	V2	AUXILIARY SWITCH BLOCK, 2 NC, DIN EN50005, LATERALLY, 10 MM SCREW CONNECTION, SIZE S0...S12 FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 140.00
3RH1921-1EA11	100000781	1	V2	AUX. SWITCH BLOCK, 1NO+1NC, DIN EN50005, LATERALLY, 10 MM SCREW CONNECTION, SIZE S0...S12, FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 140.00
3RH1921-1EA20	100000782	1	V2	AUXILIARY SWITCH BLOCK, 2 NO, DIN EN50005, LATERALLY, 10 MM SCREW CONNECTION, SIZE S0...S12, FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 140.00
3RH1921-1FA04	100000783	1	V2	MOUNTING BLOCK DIN EN 50005, 4-POLE, 4NC	R 159.00
3RH1921-1FA11	100167212	1	V2	TOP UNIT BLOCK 2 POE, 1NO+1NC	R 140.00
3RH1921-1FA22	100000784	1	V2	MOUNTING BLOCK DIN EN 50005, 4-POLE, 2NO+2NC	R 159.00
3RH1921-1FA31	100000785	1	V2	MOUNTING BLOCK DIN EN 50005, 4-POLE, 3NO+1NC	R 159.00
3RH1921-1FA40	100000786	1	V2	MOUNTING BLOCK DIN EN 50005, 4-POLE, 4NO	R 159.00
3RH1921-1FC22	100000787	1	PD	AUXILIARY SWITCH BLOCK 22U, 2NO+2NC, DIN EN 50005, SCREW CONNECTION, SIZE S0...S12	R 256.00
3RH1921-1FE22	100116586	1	PD	ELECTRONICS COMPAT. AUX. SWITCH DIN EN 50005, 1NO+1NC (ENCLOSED) A. 1NO+1NC (NON-ENCLOSED) SIZE S0...S3	R 469.00
3RH1921-1HA11	100784056	1	PD	AUX. CONTACT BLOCK, 1NO+1NC, DIN EN50012, FRONT SIDE SCREW CONNECTION, SIZE S0...S3 FOR MOTOR CONTACTORS, 2-POLE	R 156.00
3RH1921-1HA13	100000788	1	V2	AUXILIARY SWITCH BLOCK, 13 (1NO+3NC), DIN EN50012, 4-POLE, SCREW CONNECTION, FOR MOTOR CONTACTORS, SIZE S0...S3	R 159.00
3RH1921-1HA22	100000789	1	V2	AUXILIARY SWITCH BLOCK, 22 (2NO+2NC), DIN EN50012, 4-POLE, SCREW CONNECTION, FOR MOTOR CONTACTORS, SIZE S0...S3	R 159.00
3RH1921-1HA31	100000790	1	V2	AUXILIARY SWITCH BLOCK, 31 (3NO+1NC), DIN EN50012, 4-POLE, SCREW CONNECTION, FOR MOTOR CONTACTORS, SIZE S0...S3	R 159.00
3RH1921-1KA02	100116588	1	V2	AUXILIARY SWITCH BLOCK, 2 NC, DIN EN50005, LATERALLY, 10 MM SCREW CONNECTION, SIZE S3...S12 FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 140.00
3RH1921-1KA11	100000791	1	PD	AUX. SWITCH BLOCK, 2NO+1NC, DIN EN50005, LATERALLY, 10 MM SCREW CONNECTION, SIZE S3...S12 FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 140.00
3RH1921-1KA20	100116589	1	V2	AUXILIARY SWITCH BLOCK, 2 NO, DIN EN50005, LATERALLY, 10 MM SCREW CONNECTION, SIZE S3...S12 FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 140.00
3RH1921-1LA11	100000792	1	V2	AUXILIARY SWITCH BLOCK, DIN EN 50005, 1NO+1NC, CABLE ENTRY FROM ABOVE SCREW CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 142.00
3RH1921-1LA20	100116591	1	PD	AUXILIARY SWITCH BLOCK, 2 NO, DIN EN 50005, CABLE ENTRY FROM ABOVE SCREW CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 142.00
3RH1921-1MA11	100000793	1	PD	AUX. SWITCH BLOCK, 1NO+1NC, DIN EN 50005, CABLE ENTRY FROM BELOW, SCREW CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 2-POLE	R 142.00
3RH1921-1XA22-0MA0	100116593	1	PD	AUX. SWITCH BLOCK, 2NO+2NC, WITH ORDINAL NUMBERS 5...8, DIN EN 50012, 4-POLE SCREW CONNECTION, FOR CONTACTORS SIZE S0...S12	R 180.00
3RH1921-2CA01	100116594	1	PD	AUXILIARY SWITCH BLOCK, 1 NC, DIN EN50005, CAGE CLAMP CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 1-POLE	R 56.00
3RH1921-2CA10	100116595	1	V2	AUXILIARY SWITCH BLOCK, 1 NO, DIN EN50005, CAGE CLAMP CONNECTION, FOR CONTACTORS FOR SWITCHING MOTORS, 1-POLE	R 56.00

3RH1921-2DA11	100116596	1	V2	AUX. SWITCH BLOCK, 1NO + 1NC, DIN EN 50012, LATERAL, 10MM, CAGE CLAMP, FOR MOTOR CONTACTORS, SIZE S0...S12	R 148.00
3RH1921-2FA22	100075786	1	PD	AUXILIARY SWITCH BLOCK, DIN EN 50005, 2NO+2NC, CAGE CLAMP, F.CONTACTOR RELAYS A. CONTACT. F. SWITCHING MOTORS,SIZE S0...S12	R 169.00
3RH1921-2FA40	100116604	1	PD	AUXILIARY SWITCH BLOCK, 4NO, DIN EN 50005, CAGE CLAMP, F.CONTACTOR RELAYS A. CONTACT. F. SWITCHING MOTORS,SIZE S0...S12	R 169.00
3RH1921-2FJ22	100154951	1	PD	AUXILIARY SWITCH BLOCK ELECTRONIC-ORIENTATED, FRONT SIDE, CAGE CLAMP, SIZE S0...S12, FOR 3RT102, 3RT103, 3RT104, 2NC (ENCLOSED), 2S (NOT ENCLOSED)	R 496.00
3RH1921-2HA22	100000795	1	V2	AUXILIARY SWITCH BLOCK, 22 (2NO+2NC), DIN EN50005, CAGE CLAMP-ANSCHLUSS, FOR CONTACTORS FOR SWITCHING MOTORS, 4-POLE	R 169.00
3RH1924-1GP11	100000796	1	V2	COUPLING LINK FOR DIRECT COIL INSTALLATION FOR SIRIUS CONTACTORS SIZE S0...S3, DC 24V, 1 NO CONTACTOR RELAY, 2NO+2NC, AC 110V, 50/60 HZ,	R 625.00
3RH2122-1AF00	103116736	1	V2	SIZE S00, SCREW TERMINAL	R 356.00
3RH2122-1AP00	103115539	1	V2	CONTACTOR RELAY, 2NO+2NC, AC 230V, 50/60 HZ, SIZE S00, SCREW TERMINAL	R 356.00
3RH2122-1BB40	102938021	1	V2	CONTACTOR RELAY, 2NO+2NC, DC 24V, SIZE S00, SCREW TERMINAL	R 417.00
3RH2122-1KB40	104845214	1	V2	COUPLING CONTACTOR RELAY, 2NO+2NC, DC 24V, 0.7...1.25*US, W/ INTEGRATED SUPPRESSOR DIODE, SIZE S00, SCREW TERMINAL	R 466.00
3RH2122-2AB00	104808508	1	V2	CONTACTOR RELAY, 2NO+2NC, AC 24V, 50/60 HZ, SZ S00, SPRING-LOADED TERMINAL	R 369.00
3RH2122-2AP00	103794573	1	PD	CONTACTOR RELAY, 2NO+2NC, AC 230V, 50/60 HZ, SZ S00, SPRING-LOADED TERMINAL	R 369.00
3RH2131-1AP00	102637149	1	V2	CONTACTOR RELAY, 3NO+1NC, AC 230V, 50/60 HZ, SIZE S00, SCREW TERMINAL	R 356.00
3RH2131-1BB40	102637158	1	V2	CONTACTOR RELAY, 3NO+1NC, DC 24V, SIZE S00, SCREW TERMINAL	R 417.00
3RH2131-1BM40	103577048	1	PD	CONTACTOR RELAY, 3NO+1NC, DC 220V, SIZE S00, SCREW TERMINAL	R 417.00
3RH2140-1AF00	103117157	1	V2	CONTACTOR RELAY, 4NO, AC 110V, 50/60 HZ, SIZE S00, SCREW TERMINAL	R 356.00
3RH2140-1AP00	102529199	1	V2	CONTACTOR RELAY, 4NO, AC 230V, 50/60 HZ, SIZE S00, SCREW TERMINAL	R 356.00
3RH2140-1BB40	103117158	1	V2	CONTACTOR RELAY, 4NO, DC 24V, SIZE S00, SCREW TERMINAL	R 417.00
3RH2140-1JB40	104845217	1	PD	COUPLING CONTACTOR RELAY, 4NO, DC 24V, 0.7...1.25*US, W/ INTEGRATED DIODE, SIZE S00, SCREW TERMINAL	R 482.00
3RH2140-2AB00	104808510	1	V2	CONTACTOR RELAY, 4NO, AC 24V, 50/60 HZ, SZ S00, SPRING-LOADED TERMINAL	R 369.00
3RH2140-2AP00	103794567	1	PD	CONTACTOR RELAY, 4NO, AC 230V, 50/60 HZ, SZ S00, SPRING-LOADED TERMINAL	R 369.00
3RH2244-1AP00	103172791	1	PD	CONTACTOR RELAY, 4NO+4NC, AC 230V, 50/60 HZ, SIZE S00, SCREW TERMINAL, PERMANENT AUX. SWITCH, FOR SUVA APPLICATIONS	R 584.00
3RH2262-1AP00	103172798	1	PD	CONTACTOR RELAY, 6NO+2NC, AC 230V, 50/60 HZ, SIZE S00, SCREW TERMINAL, PERMANENT AUX. SWITCH, FOR SUVA APPLICATIONS	R 584.00
3RH2262-1BB40	102919430	1	PD	CONTACTOR RELAY, 6NO+2NC, DC 24V, SIZE S00, SCREW TERMINAL, PERMANENT AUX. SWITCH, FOR SUVA APPLICATIONS	R 640.00
3RH2911-1AA01	102894242	1	V2	AUX.SWITCH BLOCK,FRONT,1NC, CURR.PATH: 1NC, CONN. F. ABOVE, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL 71 / 72	R 78.00
3RH2911-1AA10	102478601	1	V2	AUX.SWITCH BLOCK,FRONT,1NO, CURR.PATH: 1NO, CONN. F. ABOVE, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL 73 / 74	R 78.00
3RH2911-1FA22	103402147	1	PD	AUX.SWITCH BLOCK,FRONT,2NO+2NC, CURR.PATH: 1NO, 1NC, 1NC, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .3 / .4,.1 / .2,.1 / .2,.3 / .4	R 168.00

3RH2911-1FA22	103659274	1	PD	AUX.SWITCH BLOCK,FRONT,2NO+2NC, CURR.PATH: 1NO, 1NC, 1NC, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .3 / .4, .1 / .2, .1 / .2, .3 / .4	R 168.00
3RH2911-1FA40	102529198	1	V2	AUX.SWITCH BLOCK,FRONT,4NO, CURR.PATH: 1NO, 1NO, 1NO, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .3 / .4, .3 / .4, .3 / .4, .3 / .4	R 168.00
3RH2911-1GA04	103315854	1	PD	AUX.SWITCH BLOCK,FRONT,4NC, CURR.PATH: 1NC, 1NC, 1NC, 1NC, FOR CONTACTOR RELAYS, SZ S00, SCREW TERMINAL 51 / 52, 61 / 62, 71 / 72, 81 / 82	R 168.00
3RH2911-1GA13	103315855	1	V2	AUX.SWITCH BLOCK,FRONT,1NO+3NC, CURR.PATH: 1NO, 1NC, 1NC, 1NC, FOR CONTACTOR RELAYS, SZ S00, SCREW TERMINAL 53 / 54, 61 / 62, 71 / 72, 81 / 82	R 168.00
3RH2911-1GA13	104270287	1	V2	AUX.SWITCH BLOCK,FRONT,1NO+3NC, CURR.PATH: 1NO, 1NC, 1NC, 1NC, FOR CONTACTOR RELAYS, SZ S00, SCREW TERMINAL 53 / 54, 61 / 62, 71 / 72, 81 / 82	R 168.00
3RH2911-1GA22	103170673	1	V2	AUX.SWITCH BLOCK,FRONT,2NO+2NC, CURR.PATH: 1NO, 1NC, 1NC, 1NO, FOR CONTACTOR RELAYS, SZ S00, SCREW TERMINAL 53 / 54, 61 / 62, 71 / 72, 83 / 84	R 168.00
3RH2911-1GA31	102938025	1	V2	AUX.SWITCH BLOCK,FRONT,3NO+1NC, CURR.PATH: 1NO, 1NC, 1NO, 1NO, FOR CONTACTOR RELAYS, SZ S00, SCREW TERMINAL 53 / 54, 61 / 62, 73 / 74, 83 / 84	R 168.00
3RH2911-1GA40	102938023	1	V2	AUX.SWITCH BLOCK,FRONT,4NO, CURR.PATH: 1NO, 1NO, 1NO, 1NO, FOR CONTACTOR RELAYS. SZ S00, SCREW TERMINAL 53 / 54, 63 / 64, 73 / 74, 83 / 84	R 168.00
3RH2911-1HA11	103117162	1	V2	AUX.SWITCH BLOCK,FRONT,1NO+1NC, CURR.PATH: 1NC, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .1 / .2, .3 / .4	R 99.00
3RH2911-1HA12	102457763	1	V2	AUX.SWITCH BLOCK,FRONT,1NO+2NC, CURR.PATH: 1NC, 1NC, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .1 / .2, .1 / .2, .3 / .4	R 136.00
3RH2911-1HA13	103117163	1	V2	AUX.SWITCH BLOCK,FRONT,1NO+3NC, CURR.PATH: 1NC, 1NC, 1NC, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .1 / .2, .1 / .2, .1 / .2, .3 / .4	R 168.00
3RH2911-1HA22	102488301	1	V2	AUX.SWITCH BLOCK,FRONT,2NO+2NC, CURR.PATH: 1NC, 1NC, 1NO, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .1 / .2, .1 / .2, .3 / .4, .3 / .4	R 168.00
3RH2911-1HA31	103117164	1	V2	AUX.SWITCH BLOCK,FRONT,3NO+1NC, CURR.PATH: 1NC, 1NO, 1NO, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .1 / .2, .3 / .4, .3 / .4, .3 / .4	R 168.00
3RH2911-1NF02	103577063	1	PD	SOLID-STATE COMP. AUX. SW BL.FR 2NC, CURR.PATH: 1NC, --, --, 1NC, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .1 / .2, -- / --, -- / --, .1 / .2	R 384.00
3RH2911-1NF20	103577065	1	PD	SOLID-STATE COMP. AUX. SW BL.FR 2NO, CURR.PATH: 1NO, --, --, 1NO, F. CONT. RELAYS A. MOTOR CONT., SZ S00 AND S0, SCREW TERMINAL .3 / .4, -- / --, -- / --, .3 / .4	R 384.00
3RH2924-1GP11	103011136	1	PD	COUPLING LINK FOR DIRECT COIL CONNECTION, DC 24V, 1NO, FOR MOTOR CONTACTORS, SZ S0, SCREW TERMINAL CONNECTOR B1/B2 FOR 1NO	R 659.00
3RK1100-1CE00-0AA2	100116617	1	PD	AS-INTERFACE MODULE SLIMLINE S22.5, DIGITAL, 4A, IP20, 4 X 1 OUTP., ELECTR., 1A, DC 24V SCREW-TYPE TERMINAL CONNECT. MODULE WIDTH 22.5 MM	R 1,588.00

3RK1100-1CQ00-0AA3	100828425	1	V2	AS-INTERFACE COMPACT MOD. IP67 DIGITAL, 4A 4 X 1 OUTP.,ELECTR., 2A, DC 24V 4 X M12 STANDARD SOCKET TO CONNECT OUTPUTS MOUNTING PLATE 3RK19010CA0 TO BE ORDERED SEPARATELY	R 2,062.00
3RK1100-1CQ20-0AA3	100116620	1	V2	AS-INTERFACE COMPACT MOD. K45, IP67, DIGITAL, 4 OUTPUTS, 4 X OUTP., ELECTR.,1.0A, DC 24V 3AMAX. FOR ALL OUTPUTS 4 X M12 SOCKET	R 1,851.00
3RK1105-1AE04-0CA0	100073396	1	V2	ASISAFE BASIC SAFETY MONITOR 1 F-RO, 1 ENABLING CIRCUIT, IP20, WITH SCREW-TYPE TERMINALS (REMOVABLE), SAFE OUTPUT RELAY RESPONSE TIME MAX. 40 MS, MONITOR TYPE 1, VERSION 3, APPLICABLE UP TO CATEGORY 4 (EN 954-1), UP TO PL E (EN ISO 13849-1), UP TO SIL 3 (R 5,958.00
3RK1105-1AG04-0CA0	103366405	1	PD	ASISAFE BASIC SAFETY MONITOR 1 F-RO, 1 ENABLING CIRCUIT, IP20, WITH SPRING-LOADED TERMINALS (REMOVABLE), SAFE OUTPUT RELAY RESPONSE TIME MAX. 40 MS, MONITOR TYPE 1, VERSION 3, APPLICABLE UP TO CATEGORY 4 (EN 954-1), UP TO PL E (EN ISO 13849-1), UP TO SIL	R 5,958.00
3RK1105-1BE04-0CA0	100077421	1	V2	ASISAFE BASIC SAFETY MONITOR 2 F-RO, 2 ENABLING CIRCUITS, IP20, WITH SCREW-TYPE TERMINALS (REMOVABLE), SAFE OUTPUT RELAY RESPONSE TIME MAX. 40 MS, MONITOR TYPE 2, VERSION 3, APPLICABLE UP TO CATEGORY 4 (EN 954-1), UP TO PL E (EN ISO 13849-1), UP TO SIL 3	R 7,949.00
3RK1105-1BE04-2CA0	100445729	1	PD	ASISAFE ENHANCED SAFETY MONITOR 2 F-RO, 2 ENABLING CIRCUITS, IP20, WITH SCREW-TYPE TERMINALS (REMOVABLE), SAFE OUTPUT RELAY RESPONSE TIME MAX. 40 MS, MONITOR TYPE 4, VERSION 3, APPLICABLE UP TO CATEGORY 4 (EN 954-1), UP TO PL E (EN ISO 13849-1), UP TO SIL	R 8,884.00
3RK1105-1BE04-4CA0	102814588	1	PD	ASISAFE ENHANCED SAFETY MONITOR 2 F-RO WITH INTEGRATED SAFETY SLAVE, 2 ENABLING CIRCUITS INCLUDING CONTROL OF ONE SAFE AS-I OUTPUT / SAFE COUPLING, IP20, WITH SCREW-TYPE TERMINALS (REMOVABLE), SAFE OUTPUT RELAY RESPONSE TIME MAX. 40 MS, MONITOR TYPE 6, VE	R 9,959.00

3RK1107-1BQ40-0AA3	100116627	1	V2	AS-INTERFACE COMPACT MOD., IP67 ANALOG, 2AO, NUMERIC. FORMAT S7 2 X OUTP. (M12), 4 TO 20MA FOR 2-WIRE ACTUATORS ACTIVE CHANNELS 1 AND 2 MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY	R 3,702.00
3RK1107-2BQ40-0AA3	100116631	1	V2	AS-INTERFACE COMPACT MOD., IP67 ANALOG, 2AO, NUMERIC. FORMAT S7 2 X OUTP. (M12), +/- 10V FOR 2-WIRE ACTUATORS ACTIVE CHANNELS 1 AND 2 MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY	R 3,702.00
3RK1200-0CD00-0AA2	104795664	1	PD	4E MODULE WITH 3 INPUTS FOR 3-WIRE BEROS AND A MAX. OF 4 INPUTS FOR 3-WIRE BEROS IF 1X DOUBLE ASSIGNMENT OF UB +/-, AS PRINTED BOARD	R 1,276.00
3RK1200-0CE00-0AA2	100116633	1	V2	AS-INTERFACE MODULE SLIMLINE S22.5, DIGITAL, 4I, 2-WIRE, IP20 4 X 1 INPUT, PNP, SCREW-TYPE TERMINAL CONNECT. MODULE WIDTH 22.5 MM	R 1,264.00
3RK1200-0CE02-0AA2	100116636	1	V2	AS-INTERF. MODULE SLIMLINE, IP20 S22.5, DIGITAL, 4I, 2/3-WIRE 4 X 1 INPUT, 200MA, PNP SCREW-TYPE TERMINAL CONNECT. MODULE WIDTH 22.5 MM	R 1,528.00
3RK1200-0CQ00-0AA3	100116641	1	V2	AS-INTERFACE COMPACT MOD. K60, DIGITAL, 4I, IP67 4 X 1 INPUT, 200MA MAX., PNP 2 X M12 STANDARD SOCKET 2 X M12 SOCKET W. Y-II-ASSIGNM. FOR INPUT CONNECTIONS MOUNTING PLATE 3RK19010CA00 TO TO BE ORDERED SEPARATELY	R 1,588.00
3RK1200-0CQ20-0AA3	100116642	1	V2	AS-INTERFACE COMPACT MOD. K45, IP67, DIGITAL, 4 INPUTS 4 X 1 INPUT, 200MA MAX., PNP 4 X M12 SOCKET	R 1,535.00
3RK1200-0DQ00-0AA3	100116645	1	V2	AS-INTERFACE COMPACT MOD. K60, DIGITAL, 8I, IP67 8 X 1 INPUT, 200MA MAX., PNP 4 X M12 STANDARD SOCKET 4 X M12 SOCKET W. Y-II-ASSIGNM. FOR INPUT CONNECTIONS MOUNTING PLATE 3RK19010CA00 TO TO BE ORDERED SEPARATELY	R 3,067.00
3RK1205-0BE00-0AA2	100445901	1	V2	AS-INTERFACE SAFETY AT WORK SLIMLINE S22.5F STANDARD IP20 2F-DI	R 1,712.00
3RK1205-0BQ00-0AA3	100077423	1	V2	SAFE MODULE K45F, WITH TWO SECURE INPUTS 2FE	R 1,868.00
3RK1205-0BQ30-0AA3	101692216	1	V2	ASISAFE COMPACT MODULE K20F, IP67, DIGITAL, 2F-DI, 2 X SAFE INPUT CAT. 1/2 OR 1 X SAFE INPUT CAT. 3/4 2 X M12 SOCKET	R 1,886.00
3RK1207-1BQ40-0AA3	100116652	1	V2	AS-INTERFACE COMPACT MOD., IP67 ANALOG, 2AI, NUMERIC. FORMAT S7 2 X INP. (M12), 4 TO 20MA FOR 4-WIRE SENSORS ACTIVE CHANNELS 1 AND 2 NO SMOOTHING FILTER 50HZ MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY	R 3,472.00

3RK1207-1BQ44-0AA3	101051932	1	V2	AS-INTERF. COMPACT MODULE, IP67 ANALOG, 4AI 4 X INPUTS (M12), 4...20MA FOR 4-WIRE SENSORS ACTIVE CHANNELS 1,2, 3 A. 4 MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY, PROFILE 7.3	R 3,984.00
3RK1207-3BQ40-0AA3	100116666	1	V2	AS-INTERFACE COMPACT MOD., IP67 ANALOG, 2AI, NUMERIC. FORMAT S7 2 X INP. (M12), PT100 LIN. ST. FOR 4-WIRE SENSORS ACTIVE CHANNELS 1 AND 2 NO SMOOTHING FILTER 50HZ MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY	R 3,472.00
3RK1207-3BQ44-0AA3	101187507	1	V2	AS-INTERF. COMPACT MODULE, IP67 ANALOG, 4AI 4 X INP. (M12), PT100 LIN. ST. FOR 4-WIRE SENSORS ACTIVE CHANNELS 1,2, 3 A. 4 MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY, PROFILE 7.3	R 3,984.00
3RK1301-0AB10-0AA4	101679675	1	PD	DSTE-X FOR ET200S HIGH FEATURE DIRECT STARTER SETTING RANGE 0.3...3A MECHANICAL SWITCHING ELEKTRONIC CONTACTOR AC-3/TO 1.1KW/400V EXPANDABLE FOR BRAKE CONTROL MODULE 2DI MODULE MOTORSTARTER ES SIGNAL FROM CIRCUIT-BREAKER PARAMETERIZABLE	R 3,707.00
3RK1301-0AB10-1AA4	102003465	1	PD	RSTE-X FOR ET200S HIGH FEATURE REVERSING STARTER SETTING RANGE 0.3...3A MECHANICAL SWITCHING ELECTRONIC PROTECTION AC-3/TO 1.1KW/400V EXPANDABLE FOR BRAKE CONTROL MODULE 2DI MODULE 2DI MODULE SIGNAL FROM CIRCUIT-BREAKER PARAMETERIZABLE	R 4,931.00
3RK1301-0AB13-1AA4	101167480	1	PD	F-RSTE-X FOR ET 200S FAILSAFE REVERSING STARTER SETTING RANGE 0.3...3A MECHANICAL SWITCHING ELECTRONIC PROTECTION EXPANDABLE FOR BRAKE CONTROL MODULE 2DI MODULE 2DI MODULE SIGNAL FROM CIRCUIT-BREAKER PARAMETERIZABLE	R 6,888.00
3RK1301-0BB13-0AA2	100439603	1	PD	F-DSTE-X FOR ET 200S FAILSAFE DIRECT STARTER SETTING RANGE 2.4...8A, MECHANICAL SWITCHING ELECTRONIC PROTECTION AC-3, TO 3KW/400V, CAN BE EXPANDED FOR BRAKE CONTROL MODULE FOR 2DI CONTROL MODUL	R 5,872.00

3RK1301-OCB10-0AA3	100197731	1	PD	DSTE-X FOR ET200S HIGH FEATURE DIRECT STARTER SETTING RANGE 2.4...16A SWITCH MECHANICALLY PROTECT ELECTRONICALLY AC-3/UP TO 7.5KW/400V EXPANDABLE FOR BRAKE CONTROL MODULE 2DI MODULE MOTOR STARTER ES	R 4,648.00
3RK1301-OCB10-0AA4	101740205	1	V2	DSTE-X FOR ET200S HIGH FEATURE DIRECT STARTER SETTING RANGE 2.4...16A MECHANICAL SWITCHING ELECTRONIC PROTECTION AC-3/TO 7.5KW/400V EXPANDABLE FOR BRAKE CONTROL MODULE 2DI MODULE 2DI MODULE MOTORSTARTER ES SIGNAL FROM CIRCUIT-BREAKER PARAMETERIZABLE	R 4,648.00
3RK1400-OCE10-0AA2	100169345	1	V2	AS-INTERFACE FUNCTION MODULE LOGO! STANDARD SLAVE IP20 4DI/4DO	R 1,565.00
3RK1400-1BQ20-0AA3	100000805	1	V2	AS-INTERFACE COMPACT MOD. K45, IP67, DIGITAL, 2 IN-/OUTPUTS, 2X1 INPUT, 200MA MAX., PNP, 2 X 1OUTP., ELECTR.,1.5A,DC 24V 3A MAX. FOR ALL OUTPUTS 4 X M12-SOCKETS	R 1,816.00
3RK1400-1CD00-0AA2	100139951	1	PD	4I/4O MODULE FOR 3-WIRE BEROS, 24V/1A OUTPUTS, AS PRINTED BOARD WITH EDGE CONNECTOR	R 1,616.00
3RK1400-1CE00-0AA2	100139952	1	V2	AS-INTERFACE SLIMLINE MOD. S45, DIGITAL, 4I/4O, 2/3-WIRE, IP20 4 X 1 INPUT, 200MA, PNP 4 X 1 OUTPUT, 1A, DC 24V SCREW-TYPE TERMINAL CONNECT. MODULE WIDTH 45 MM	R 1,741.00
3RK1400-1CE01-0AA2	100076405	1	V2	AS-INTERFACE SLIMLINE MOD. S45, DIGITAL, 4I/4O, 2/3-WIRE, IP20 4 X 1 INPUT, 200MA, PNP 4 X 1 OUTPUT, 2A, DC 24V SCREW-TYPE TERMINAL CONNECT. MODULE WIDTH 45 MM	R 2,098.00
3RK1400-1CQ00-0AA3	100139955	1	V2	AS-INTERFACE COMPACT MOD. IP67, DIGITAL, 4I/4O, 4 X 1 INPUT, 200MA MAX., PNP 4 X 1 OUTPUT, 2A, DC 24V 8 X M12 STANDARD SOCKET TO CONNECT THE INPUTS/OUTPUTS, MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY	R 2,503.00
3RK1400-1DQ00-0AA3	100000806	1	V2	AS-INTERFACE COMPACT MOD. K60, DIGITAL, 4I/4O, IP67, 4 X 1 INPUT, 200MA MAX., PNP 4 X 1 OUTPUT, 2A, DC 24V 4 X M12 STANDARD SOCKET 4 X M12 SOCKET M. Y-II ASSIGNM. FOR INPUT/OUTPUT CONNECTIONS, MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY	R 2,503.00

3RK1400-1DQ03-0AA3	100139959	1	PD	AS-INTERFACE COMPACT MOD. K60, DIGITAL, 4I/4O, IP67, 4 X 1 INPUT, 200MA MAX., PNP 4 X 1 OUTPUT, 1A, DC 24V 4 X M12 STANDARD SOCKET 4X M12 SOCKET, STAND. ASSIGNM. FOR INPUT/OUTPUT CONNECTIONS, MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY	R 2,397.00
3RK1402-0BE00-0AA2	100000809	1	V2	AS-INTERFACE SLIMLINE MOD. IP20 S22.5, DIGITAL, 2I/2OR(RELAY), 2 X 1 INPUT, 2-WIRE, PNP 2 X 1 OUTPUT, RELAY, 6A,UC 230V SCREW-TYPE TERMINAL CONNECT., MODULE WIDTH 22.5 MM	R 1,701.00
3RK1402-3CE00-0AA2	100087168	1	V2	AS-INTERFACE SLIMLINE MOD. S45, DIGITAL, 4I/4OR, 2/3-WIRE, IP20 4 X 1 INPUT, 200MA, PNP, 4 X 1 OUTPUT, RELAY, 6A,UC 230V SCREW-TYPE TERMINAL CONNECT., MODULE WIDTH 45 MM	R 2,150.00
3RK1405-0BQ20-0AA3	101963045	1	PD	ASISAFE MODULE K45F TWO SAFE INPUTS 2FDI AND TWO STANDARD OUTPUTS 2DO MOUNTING PLATE 3RK19012EA00 TO BE ORDERED SEPARATELY (CAT.: SAFETY CATEGORY TO EN 954-1). 2 X STANDARD OUTPUTS 150MA, OUTPUT SUPPLY FROM U_ASI. 4 X M12 SOCKET. MOUNTING PLATE 3RK19012EA	R 2,115.00
3RK1408-8KE00-0AA2	100000812	1	V2	AS-INTERFACE SLIMLINE MODULE S22.5, EARTH FAULT MONITORING, IP20,1 X 1INPUT, REMOTE RESET, 2 X SIGNAL OUTPUT, RELAY, 1A DC12 1A (2A MAX.) DC13 500MA (24V) SCREW-TYPE TERMINAL CONNECT., MODULE WIDTH 22.5 MM, NO AS-I ADDRESS REQUIRED AS-INTERFACE MONITORING	R 1,562.00
3RK1408-8KG00-0AA2	100929421	1	V2	AS-INTERFACE SLIMLINE MODULE S22.5, EARTH FAULT MONITORING, IP20,1 X 1INPUT, REMOTE RESET, 2 X SIGNAL OUTPUT, RELAY, 1A DC12 1A (2A MAX.) DC13 500MA (24V) CAGE-CLAMP, MODULE WIDTH 22.5 MM, NO AS-I ADDRESS REQUIRED AS-INTERFACE MONITORING ONLY	R 1,562.00
3RK1802-2FB06-0GA1	102206477	1	PD	ASISAFE CD (V3) FOR AS-I SAFETY MONITOR, INCLUDES CONFIGURATIONS SOFTWARE ASIMON V3,	R 1,833.00
3RK1901-0CA00	100000814	1	V2	AS-INTERFACE MOUNT. PLATE K60 FOR COMPACT MODULE K60 FOR 2 RIBBON CABLES, AS-INTERFACE CABLE (YELLOW) AND AS-INTERFACE CABLE 24V (BLACK)	R 192.00
3RK1901-0CB01	100849837	1	V2	AS-INTERFACE MOUNTING PLATE K60 FOR COMPACT MODULE K60, MOUNT. ON RAIL WITHOUT ADAPTER FOR 2 RIBBON CABLE, AS-INTERFACE CABLE (YELLOW) AND AS-INTERFACE CABLE 24 V (BLACK)	R 229.00
3RK1901-0PA00	100000817	1	PD	AS-INTERFACE CONNECTOR FOR DATA AND AUX. SUPPLY CABLE WITH 2 INSUL. PIERC. CLAMPS FOR STAND. LITZ W. 2X0.5...0.75 MM2 FLAT, BLACK, EXTENDER	R 44.00

3RK1901-1GA01	103366403	1	V2	AS-INTERFACE OVERVOLTAGE PROTECTION MODULE FOR LIGHTN. PROTECTION ZONE 2 IP 67	R 2,221.00
3RK1901-1KA00	100000821	100	V2	AS-INTERFACE, BLANK PLUG M12, FOR MODULES IP 67,	R 1,333.00
3RK1901-1MA00	100506773	1	PD	AS-INTERFACE COUPLING MODULE FK/ADDRESS W. BUILT-IN ADDRESSING SOCKET FOR 2 AS-INTERFACE CABLES (YELLOW), CONNECTION WITH INSULATION PIERCING METHOD EEMI (EXTEND. ELECTROMECHANICAL INTERFACE)	R 451.00
3RK1901-1MN00	100140005	1	PD	CABLE END PIECE, FOR SEALING OPEN CABLE ENDS FOR PROFILED AS-I CABLES DEGREE OF PROTECTION IP67,	R 49.00
3RK1901-1MX00	100445740	1	V2	AS-INTERFACE ACCESSORIES EXTENSION PLUG DOUBLING THE CABLE LENGTH TO 200 M PER AS-INTERFACE SEGMENT DEG. OF PROTECTION IP67 CONNECTION VIA AS-INTERFACE M12 FEEDER 3RX9801-0AA00 (HAS TO BE ORDERED SEPARATELY)	R 1,156.00
3RK1901-1MX01	100897010	1	PD	AS-INTERFACE ACCESSORIES EXTENSION PLUG PLUS DOUBLING THE CABLE LENGTH ON 200M/AS-I SEGMENT WITH INTEGR. SLAVE FOR DIAGNOS. PROTECTION IP67 CONNECTION VIA AS-INTERFACE M12 BRANCH 3RX9801-0AA00 (MUST BE ORDERED SEPARATELY)	R 1,639.00
3RK1901-1NN10	101700923	1	V2	AS-INTERFACE DISTRIB. COMPACT FOR CREATING NETWORK STRUCTURES BRANCHES, DISCONNECTION, IP 67/68/69K, MAX. 8A	R 273.00
3RK1901-1NR04	103366390	1	V2	AS-INTERFACE 4-FOLD M12 FEEDER AS-I AND U-AUX, 4 X M12 SOCKET IP67, SUPPLIED WITH MOUNTING PLATE	R 874.00
3RK1901-2DA00	100000822	1	V2	AS-INTERFACE MOUNTING PLATE K45 FOR STANDARD RAIL MOUNTING 1X AS-INTERFACE CABLE (YELL.), 1X AS-INTERFACE CABLE (BLACK), HOLE GRID COMPATIBLE WITH COUPLING MODULE FK/FK-E (APPLICATION MODULE)	R 123.00
3RK1901-2EA00	100000823	1	V2	AS-INTERFACE MOUNTING PLATE K45 FOR WALL MOUNTING 1X AS-INTERFACE CABLE (YELL.) 1X AS-INTERFACE CABLE (BLACK) HOLE GRID COMPATIBLE WITH MOUNTING PLATE K60	R 120.00
3RK1901-5AA00	100073399	1	V2	CABLE SET AS-I SAFETY MONITOR, INCLUDES 1 PC CONFIGURATION CABLE FOR COMMUNICATION BETWEEN PC (SERIAL INTERFACE) AND SAFETY MONITOR, LENGTH ABOUT 150 CM, AND 1 TRANSFERRING CABLE BETWEEN TWO SAFETY MONITORS, LENGTH ABOUT 25 CM	R 747.00
3RK1902-0AR00	100000828	100	V2	SEALING FOR MOUNTING PLATE TO SEAL OFF THE HOUSING IF THE TRAPEZ.-SECTION CABLES ARE ENTERED AT ONE SIDE ONLY, CONSISTS OF 2 SEALS (1 NORMAL + 1 THREADED)	R 1,378.00

3RK1902-4BA00-5AA0	103168961	1	V2	M12 CONNECTOR STRAIGHT SCREW CONNECTION MAX. 0.75 SQMM 5-POLE A-CODED MAX. 4A	R 194.00
3RK1903-0AA00	100140038	1	V2	TERMINAL MODULE FOR ET 200S PMD FOR POWER MODULE F. STARTER	R 442.00
3RK1903-0AK00	100140045	1	V2	65MM TERMINAL MODULE FOR ET200S HIGH FEATURE LINE STARTER/LINE DIR.STARTER- STARTER WITH SUPPLY CONNECTOR	R 1,349.00
3RK1903-0AK10	100140046	1	V2	65MM TERMINAL MODULE FOR ET200S HIGH FEATURE LINE STARTER/LINE DIR. STARTER STARTER, WITHOUT SUPPLY CONNECTOR	R 1,274.00
3RK1904-2AB02	103727257	1	V2	AS-INTERFACE ADDRESSING UNIT V3.0 FOR SETTING ADDRESSES OF AS-I SLAVE MODULES, INPUT/OUTPUT TEST AND OTHER FUNCTIONS. AS-I SPECIFICATION V3.0, M12 CONNECTION SOCKET, WITH ADDRESSING CABLE 1.5 M (M12 CONNECTOR / HOLLOW PLUG). WITH BATTERIES (4 X 1.5 V LR6)	R 5,640.00
3RK1904-3AB01	100925959	1	PD	AS-INTERFACE ANALYZER V2, DIAGNOSTIC UNIT WITH FUNCTIONALITY ACC.TO V2.1, ENHANCED VERSION WITH ASISAFE EVALUATION AND MEASUREMENT WIZARD	R 31,375.00
3RK2100-1EQ20-0AA3	100183744	1	V2	AS-INTERFACE COMPACT MODULE K45 A/B-SLAVE,DIGITAL, 3A, IP67, 3 X 1 OUTPUT, 1A, DC 24V 3 X M12-SOCKET STANDARD ASSIGNMENT MOUNTING PLATE 3RK1901-2EA00 OR 3RK1901-2DA00 TO BE ORDERED SEPARATELY	R 1,851.00
3RK2200-0CE02-0AA2	100939627	1	V2	AS-INTERFACE CONTROL CABINET MODULE SLIMLINE S22.5 A/B SLAVE IP 20 4DI <=270MA SCREW TERMINAL	R 1,613.00
3RK2200-0CG02-0AA2	100194707	1	V2	AS-INTERFACE CONTROL CABINET MODULE SLIMLINE S22.5 A/B SLAVE IP 20 4DI <=270MA SPRING-LOADED TERMINAL	R 1,639.00
3RK2200-0CQ20-0AA3	100183745	1	V2	AS-INTERFACE COMPACT MOD. K45, A/B-SLAVE, IP67, DIGITAL, 4 INPUTS, 4 X 1 INPUT, MAX. 200MA, PNP, 4 X M12 SOCKETS	R 1,657.00
3RK2200-0DQ00-0AA3	100194710	1	V2	AS-INTERFACE COMP. MODULE K60, A/B SLAVE, DIGITAL, 8E, IP 67, 8 X 1 INPUT 8 X M12 SOCK. W. Y-II ASSIGNM. MOUNTING PLATE 3RK1901-0CA00 OR ORDER 3RK1901-0CB01 SEPARATELY	R 3,208.00

3RK2400-0GQ20-0AA3	102276320	1	V2	AS-INTERFACE COMPACT MODULE K45, A/B SLAVE (SPEC. 3.0), IP67 DIGITAL, 4X(1DI/1DO), MAX. 200MA FOR ALL I/O IN TOTAL MOUNTING PLATE 3RK19012EA00 OR 3RK19012DA00 TO BE ORDERED SEPARATELY	R 2,009.00
3RK2400-1BQ20-0AA3	100194711	1	V2	AS-INTERFACE COMP. MODULE K45, A/B SLAVE, DIG., 2A/2E, IP 67, 2 INPUTS, 2 OUTPUTS 4 X M12 SOCK. W. STD. ASSIGNM. MOUNTING PLATE 3RK1901-2EA00 OR ORDER 3RK1901-2DA00 SEPARATELY	R 1,904.00
3RK2400-1FE00-0AA2	100183746	1	V2	AS-INTERFACE SLIMLINE MOD. S45, DIGITAL, 4I/3O, 2/3-WIRE, IP20 4 X 1 INPUT, 200MA, PNP 3 X 1 OUTPUT, 1A, DC 24V SCREW-TYPE TERMINAL CONNECT. MODULE WIDTH 45 MM	R 1,886.00
3RK2400-1FQ03-0AA3	100183748	1	V2	AS-INTERFACE COMPACT MOD. K60, DIGITAL, 4I/3O, IP67, 4 X 1 INPUT, 200MA MAX., PNP 3 X 1 OUTPUT, 2A, DC 24V 4 X M12 STANDARD SOCKET 4 X M12 SOCKET M. Y-II ASSIGNM. FOR INPUT/OUTPUT CONNECTIONS, MOUNTING PLATE 3RK19010CA00 TO BE ORDERED SEPARATELY	R 2,609.00
3RK2400-1HQ00-0AA3	101353962	1	PD	AS-INTERFACE COMPACT MOD. K60, A/B-SLAVE, DIGITAL, 8I/2O, IP67, 3 X 2 I / 2 X 1I/1O, DC 24V 8 X M12-SOCKET SPECIALLY FOR SENSORS/ACTUATORS WITH DIAGNOSTICS FUNCTION MOUNTING PLATE 3RK1901-0CA00 OR 3RK1901-0CB01 TO BE ORDERED SEPARATELY	R 3,278.00
3RK3141-1CD10	101610574	1	V2	DP/AS-I F-LINK, NETWORK TRANSITION PROFIBUS DP/AS-I FOR SAFETY-RELATED DATA TRANSMISSION FROM ASISAFE TO PROFIBUS DP - PROFISAFE. MASTER PROFILE M3/ M4 ACC. TO EXTENDED AS-I SPEC.3.0. DEGREE OF PROTECTION IP20. SCREW TYPE TERMINALS.	R 17,291.00
3RK4320-5JQ64-0BA2	104504885	1	PD	SIRIUS MCO MOTOR STARTER ENC DEGR.OF PROTEC. IP54 METAL COMMUNICATION AS-INTERFACE ELECTRONICALLY SWITCHING SHORT-CIRCUIT PROTECTION W.CB DIRECT STARTER BREAK 230VAC (INTERNAL) RATING CLASS 4.00A MOTOR PROT.ELECT.OVERLOAD RELAY WITH THERMAL MOTOR MODEL	R 10,551.00
3RK7243-2AA30-0XB0	104845779	1	PD	SIMATIC S7-1200, CM 1243-2, COMMUNICATION MODULE AS-INTERFACE MASTER ACCOR. AS-INTERFACE SPEC. V3.0	R 5,447.00
3RK7271-1AA30-0AA0	104795901	1	PD	SIMATIC S7-1200, DCM 1271, DATA DECOUPLING MODULE, FOR AS-I MASTER CM 1243-2 IN: DC 24 V / 30 V OUT: 1 X AS-I, 4 A INTEGR. OVERLOAD PROTECTION, INTEGR. EARTH FAULT DETECTION, SIGNALING CONTACT	R 1,451.00
3RN1000-1AB00	100025452	1	PD	THERMISTOR MOTOR PROTECTION COMPACT EVALUATION UNIT AUTO, 1W, AC/DC 24V SCREW CONNECTION	R 627.00

3RN1000-1AG00	100000830	1	PD	THERMISTOR MOTOR PROTECTION COMPACT EVALUATION UNIT AUTO, 1W, AC 110V SCREW CONNECTION	R 627.00
3RN1010-1BB00	101280423	1	PD	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT, AUTORESET, 2W, AC/DC24V, SCREW CONNECTION,	R 869.00
3RN1010-1CB00	100066352	1	V2	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT AUTO, 1NO+1NC, AC/DC 24V SCREW CONNECTION	R 800.00
3RN1010-1CG00	100066513	1	V2	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT AUTO, 1NO+1NC, AC 110V SCREW CONNECTION	R 800.00
3RN1010-1CM00	100000831	1	V2	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT AUTO, 1NO+1NC, AC230V SCREW CONNECTION	R 800.00
3RN1010-1CW00	100076814	1	V2	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT AUTO, 1NO+1NC, UC 24...240V SCREW CONNECTION	R 1,048.00
3RN1011-1CK00	100000832	1	V2	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT MANUAL, 1NO+1NC, AC 230/110V SCREW CONNECTION	R 1,007.00
3RN1012-1BM00	100930703	1	PD	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT, MANUAL/AUTO/REMOTE, 2 CC, AC230V, SCREW CONN., SHORT-CIRCUIT DETECT., NON-RESETTING ON VOLT.FAIL.,	R 1,471.00
3RN1012-1CB00	100000833	1	PD	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT MANUAL/AUTO/REMOTE, 1NO+1NC, AC/DC24V, SCREW CONNECTION	R 1,420.00
3RN1012-1CK00	100068739	1	V2	THERMISTOR MOTOR PROTECTION STANDARD EVALUATION UNIT MANUAL/AUTO/REMOTE, 1NO+1NC, AC 230/110V SCREW CONNECTION	R 1,420.00
3RN1013-1BW10	100000834	1	V2	THERMISTOR MOTOR PROTECTION MULTIFUNCTION EVALUATION UNIT MANUAL/AUTO/REMOTE, SHORT-CIRC.DETECT., 2W, UC 24...240V, SCREW CONNECTION	R 2,047.00
3RN1022-1DW00	100000835	1	PD	THERMISTOR MOTOR PROTECTION FOR 2 SENSOR CIRCUITS, ALARM AND SWITCH-OFF, 1NO+1CO, UC 24...240V, SCREW CONNECTION	R 2,864.00
3RN1062-1CW00	100000836	1	V2	THERMISTOR MOTOR PROTECTION FOR 6 SENSOR CIRCUITS, MULTI-MOTOR PROTECTION, 1NO+1NC, UC 24...240V, SCREW CONNECTION	R 3,479.00
3RP1505-1AP30	100000840	1	V2	TIME RELAY, MULTI-FUNCTION 1 CHANGEOVER, 8 FUNCTIONS, 15 TIME SETTING RANGES AC/DC 24 V AND AC 200... 240 V WITH LED, SCREW CONNECTION	R 1,168.00
3RP1505-1AQ30	100000841	1	V2	TIME RELAY, MULTI-FUNCTION 1 CHANGEOVER, 8 FUNCTIONS, 15 TIME SETTING RANGES AC/DC 24 V, AC 100... 127 V, WITH LED, SCREW CONNECTION	R 1,168.00
3RP1505-1BP30	100000842	1	V2	TIME RELAY, MULTI-FUNCTION 2 CHANGEOVER, 16 FUNCTIONS, 15 TIME SETTING RANGES AC 24/200... 240 V AND DC 24V, WITH LED, SCREW CONNECTION	R 1,318.00
3RP1505-1BT20	100074816	1	PD	MULTI-FUNCTION TIME RELAY 2 CHANGEOVER CONT., 16 FUNCT., AC 400...440V, 0,05S...100H SCREW CONNECTION	R 1,420.00
3RP1505-1BW30	100000844	1	V2	TIME RELAY, MULTI-FUNCTION 2 CHANGEOVER, 16 FUNCTIONS, 15 TIME SETTING RANGES AC/DC 24... 240 V, WITH LED, SCREW CONNECTION	R 1,612.00
3RP1511-1AP30	100000845	1	V2	TIME RELAY, SOLID-STATE, ON-DELAY, 1 CHANGEOVER CONTACT, 1 TIME RA 0.5S TO 10S, AC 24, 200 TO 240V AND DC 24V, WITH LED, SCREW TERMINAL	R 622.00
3RP1511-1AQ30	100000846	1	PD	TIME RELAY, ON-DELAY, 1C, RANGE 0.5 S...10 S, AC 24, 100...127 V AND DC 24 V, WITH LED	R 622.00
3RP1512-1AP30	100000847	1	V2	TIME RELAY, SOLID-STATE, ON-DELAY, 1 CHANGEOVER CONTACT, 1 TIME RA 1.5S TO 30S, AC 24, 200 TO 240V AND DC 24V, WITH LED, SCREW TERMINAL	R 622.00
3RP1512-1AQ30	100000848	1	V2	TIME RELAY, ON-DELAY, 1C, RANGE 1.5 S...30 S, AC 24, 100...127 V AND DC 24 V, WITH LED	R 622.00

3RP1513-1AP30	100000849	1	V2	TIME RELAY, ON-DELAY, 1C, RANGE 5 S...100 S, AC 24,200...240 V AND DC 24 V, WITH LED	R 622.00
3RP1513-1AQ30	100000850	1	PD	TIME RELAY, ON-DELAY, 1C, RANGE 5 S...100 S, AC 24,100...127 V AND DC 24 V, WITH LED	R 622.00
3RP1525-1AP30	100000851	1	V2	TIME RELAY, ON-DELAY, 1C, 15 RANGES (1,3,10,30,100) (S,MIN,H) AC 24,200...240 V AND DC 24 V, WITH LED	R 803.00
3RP1525-1AQ30	100000852	1	V2	TIME RELAY, ON-DELAY, 1C, 15 RANGES (1,3,10,30,100) (S,MIN,H) AC 24,100...127 V AND DC 24 V, WITH LED	R 803.00
3RP1525-1BP30	100000853	1	V2	TIME RELAY, ON-DELAY, 2C, 15 RANGES (1,3,10,30,100) (S,MIN,H) AC 24,200...240 V AND DC 24 V, WITH LED	R 891.00
3RP1525-1BQ30	100000854	1	V2	TIME RELAY, ON-DELAY, 2C, 15 RANGES (1,3,10,30,100) (S,MIN,H) AC 24,100...127 V AND DC 24 V, WITH LED	R 891.00
3RP1525-1BR30	100000855	1	PD	TIME RELAY, ON-DELAY, 2C, 15 RANGES (1,3,10,30,100) (S,MIN,H) AC/DC 42...48 V, AC/DC 60 V WITH LED	R 891.00
3RP1525-1BW30	100000856	1	V2	TIME RELAY, MOUNT. ON-DELAY 2 W, 15 TIME SETTING RANGES, 0.05 S...100 H, AC/DC 24...240 V, WIDE SUPPLY VOLTAGE TOLERANCE	R 1,156.00
3RP1525-2BP30	100541226	1	PD	MULTIFUNCTION TIME RELAY IN CAGE-CLAMP TECH. 2 CHANGEOVER ON-DELAY, 0.5S...100H AC/DC 24V/AC 200...240V	R 908.00
3RP1527-1EM30	100000858	1	PD	TIME RELAY, ON-DELAY, 1 SEMICONDUCTOR, 4 RANGES (1,4,32,256 NO), AC/DC 90...240 V, 2-WIRE	R 622.00
3RP1531-1AP30	100000859	1	PD	TIME RELAY, OFF-DELAY W. AUXIL. SW., 1 C, 0.5 S...10 S AC 24,200...240 V AND DC 24 V, WITH LED	R 1,070.00
3RP1531-1AQ30	100000860	1	PD	TIME RELAY, OFF-DELAY WITH AUXILIARY SWITCH, 1C, RANGE 0.5 S...10 S, AC 24,100...127 V AND DC 24 V, WITH LED	R 1,070.00
3RP1532-1AP30	100000861	1	V2	TIME RELAY, OFF-DELAY WITH AUXILIARY SWITCH, 1C, RANGE 1.5 S...30 S AC 24,200...240 V AND DC 24 V, WITH LED	R 1,070.00
3RP1533-1AP30	100000863	1	PD	TIME RELAY, OFF-DELAY WITH AUXILIARY SWITCH, 1C, RANGE 5 S...100 S AC 24,200...240 V AND DC 24 V, WITH LED	R 1,070.00
3RP1535-1BW30	100232756	1	V2	RELEASE-TIME DEL. DESIGN RELAY 2 W, 15 TIME RANGES, 0.05 S...100 H, 24...240 V DC, WIDE VOLTAGE	R 1,521.00
3RP1540-1AB31	102017138	1	PD	TIMING RELAY, SOLID-STATE, OFF-DELAY, W/O AUX.VOLTAGE, 1 CO CONTACT 9 TIME SETTING RANGES 0.05S...600S, 24V AC/DC, WITH LED, SCREW TERMINAL	R 1,355.00
3RP1540-1AJ31	102017140	1	V2	TIMING RELAY, SOLID-STATE, OFF-DELAY, 1 CO CONTACT, W/O AUX.VOLTAGE, 9 TIME SETTING RANGES 0.05S...600S, 100...127V AC/DC, WITH LED, SCREW TERMINAL	R 1,355.00
3RP1540-1BJ31	102017147	1	V2	TIMING RELAY, SOLID-STATE, OFF-DELAY, 2 CO CONTACTS, W/O AUX.VOLTAGE, 9 TIME SETTING RANGES 0.05S...600S, 100...127V AC/DC, WITH LED, SCREW TERMINAL	R 1,573.00
3RP1540-1BN31	102017148	1	V2	TIMING RELAY, SOLID-STATE, OFF-DELAY, 2 CO CONTACTS, W/O AUX.VOLTAGE, 9 TIME SETTING RANGES 0.05S...600S, 200...240V AC/DC, WITH LED, SCREW TERMINAL	R 1,573.00
3RP1540-1BW31	102017149	1	PD	TIMING RELAY, SOLID-STATE, OFF-DELAY, 2 CO CONTACTS, W/O AUX.VOLTAGE, 9 TIME SETTING RANGES 0.05S...600S, 24-240V AC/DC, WITH LED, SCREW TERMINAL	R 1,740.00
3RP1555-1AP30	100000870	1	V2	TIME RELAY, CLOCK-PULSE RELAY 15 TIME SETTING RANGES AC 24 V DC 200... 240 V, WITH LED	R 1,509.00
3RP1560-1SP30	100000872	1	V2	SOLID-STATE TIME RELAY WITH STAR-DELTA, 1...20S, 30...600S, 0.85 ...1.1US, AC/DC 24V, AC 200...240V, WITH LED	R 1,445.00
3RP1574-1NM20	101750605	1	PD	TIME RELAY, SOLID-STATE, WITH STAR-DELTA FUNCTION, 1 NO CONTACT DELAYED, 1 NO CONTACT DELAYED 1 TIME DOMAIN 1...20 S 200...240V AC AND 380...440V AC SCREW TERMINAL	R 925.00

3RP1574-1NP30	100000873	1	V2	TIME RELAY, STAR-DELTA SINGLE TIME RANGE 20 S AC 24 V DC 200...240 V 0.7...1.25 US	R 803.00
3RP1574-1NQ30	100000874	1	V2	TIME RELAY, STAR-DELTA SINGLE TIME RANGE 20 S AC/DC 24 V, AC 100...127 V, 1...20 US	R 803.00
3RP1574-2NP30	100671215	1	PD	MULTIFUNCTION TIME RELAY IN CAGE-CLAMP TECH. 1 NO CONTACT DELAYED, 1 NO CONTACT NON-DELAYED, 1S...20S, AC/DC 24V, AC 200...240V	R 820.00
3RP1576-1NP30	100000875	1	V2	TIME RELAY, STAR-DELTA SINGLE TIME RANGE 60 S AC 24 V DC 200...240 V 0.7...1.25 US	R 803.00
3RP2005-1AP30	100169961	1	PD	SOLID-STATE TIME-DELAY RELAY MULTI-FUNCTION, 8 FUNCTIONS 1 CHANGEOVER CONTACT AC/DC 24V, AC 200 TO 240V 0.05 S TO 100H WIDTH 45MM SCREW TERMINALS	R 1,185.00
3RP2025-1AP30	100182202	1	PD	SOLID-STATE TIME-DELAY RELAY ON-DELAY 1 CHANGEOVER CONTACT AC/DC 24V, AC 200 TO 240V 0.05 S TO 100H WIDTH 45MM SCREW TERMINALS	R 788.00
3RP2025-1AQ30	100197737	1	PD	SOLID-STATE TIME-DELAY RELAY ON-DELAY 1 CHANGEOVER CONTACT AC/DC 24V, AC 100 TO 127V 0.05 S TO 100H WIDTH 45MM SCREW TERMINALS	R 788.00
3RR2242-1FW30	102633478	1	V2	MONITORING RELAY ATTACHABLE TO CONTACTOR 3RT2. SIZE S0 STANDARD, DIGITAL ADJUSTABLE APPARENT/ACTIVE CURRENT MONIT. 4 - 40A, 20-400 HZ, 3-PHASE SUPPLY 24-240 V AC/DC 1 CO CONTACT, 1 SEMICOND. FOR ALARM AND WARNING MONITORING FOR CURRENT OVERSHOOT/UNDERSHOOT PHASE FAILURE, WIRE BREAK PHASE SEQUENCE FAULT CURRENT BLOCKING CURRENT WARNING AND ALARM THRESHOLDS WITH OR W/O ERROR LOG ON-DELAY 0-99 S SPURIOUS PEAK SUPPR.0-30 S BREAK AFTER FAULT 0-300 MIN SCREW CONNECTION	R 2,328.00
3RS1000-1CD20	100879135	1	PD	TEMPERATURE MONITORING RELAY FOR PT100, EXCEEDING OF 1 THRESH. VAL., WIDTH 22ND5 MM 0 C - 200 C, 24V AC/DC 1 NO + 1 NC, CLOSED-CIRC.PRINC. SCREW CONNECTION	R 1,630.00
3RS1000-1CK20	100456140	1	PD	TEMPERATURE MONITORING RELAY FOR PT100, EXCEEDING OF 1 THRESH. VAL., WIDTH 22ND5 MM 0 C-200 C, 110-120/220-240V AC 1 NO + 1 NC, CLOSED-CIRC.PRINC. SCREW CONNECTION	R 1,630.00
3RS1040-1GW50	100469412	1	PD	TEMPERATURE MONITORING RELAY PT100/500/1000 KTY83/84, NTC 2 THRESH. VAL., DIGITAL -50 C - 500 C, 24-240V AC/DC 2 X 1 W + 1 NO, WIDTH 45 MM SCREW CONNECTION	R 3,520.00
3RS1040-2GW50	101675878	1	PD	TEMPERATURE MONITORING RELAY PT100/500/1000 KTY83/84, NTC 2 THRESH. VAL., DIGITAL -50 C - 500 C, 24-240V AC/DC 2 X 1 W + 1 NO, WIDTH 45 MM CAGE-CLAMP - CONNECTION	R 3,598.00
3RS1041-1GW50	100141571	1	V2	TEMPERATURE MONITORING RELAY PT100/1000, KTY83/84, NTC 3 SENSORS, 2 THR. VAL., DIGITAL -50 DEG. C TO 500 DEG. C 24-240V AC/DC 2 X 1 W + 1 NO, WIDTH 45 MM SCREW CONNECTION	R 5,397.00
3RS1140-1GW60	100188903	1	PD	TEMPERATURE MONITORING RELAY THERMOCOUPLE J, T, E, K, N 2 THRESH. VAL., DIGITAL -99 C - 999 C, 24-240V AC/DC 2 X 1 W + 1 NO, WIDTH 45 MM SCREW CONNECTION	R 3,520.00
3RS1720-1ET00	101280474	1	PD	INTERFACE CONVERTER PASSIVE SEPARATORS, 1-CHANNEL ON: 0/4 TO 20 MA OFF: 0/4 TO 20 MA WIDTH 6.2 MM SCREW CONNECTION	R 1,592.00
3RS1800-1BW00	100860389	1	PD	COUPLING RELAY IM INDUSTRY-STANDARD ENCLOSURE 2 CHANGEOVER CONTACTS WIDE VOLTAGE RANGE 24 V TO 240 V AC/DC SCREW TERMINALS	R 629.00
3RS1800-1HP01	101353964	1	V2	COUPLING RELAY IM INDUSTRY-STANDARD ENCLOSURE 3 COS, HARD GOLD-PLATED COMBIVOLTAGE 24 V AND 220 V TO 240 V AC/DC SCREW TERMINALS	R 690.00
3RS1800-1HW01	101136567	1	PD	COUPLING RELAY IM INDUSTRY-STANDARD ENCLOSURE 3 COS, HARD GOLD-PLATED WIDE VOLTAGE RANGE 24 V TO 240 V AC/DC SCREW TERMINALS	R 820.00

3RS2040-1GW50	101537669	1	PD	TEMPERATURE MONITORING RELAY PT100/1000, KTY83/84, NTC 2 THRESHOLD VALUES, DIGITAL -58 DEGR.F TO 932 DEGR.F 24-240V AC/DC 2 X 1 CC + 1 NO, WIDTH 45 MM SCREW CONNECTION	R 3,715.00
3RT1015-1AB01	100000880	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NO, AC 24 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1AB02	100000881	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NC, AC 24 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1AF01	100000882	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NO, AC 110 V, 50/60HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1AF02	100000883	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NC, AC 110 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1AH02	101138208	1	PD	CONTACTOR, AC-3 3 KW/400 V, 1 NC, AC 48V 50/60HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 364.00
3RT1015-1AK61	100000884	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NO, AC 110V 50/120V 60 HZ 3-POLE, SIZE S00, SCREW CONNECTION	R 364.00
3RT1015-1AP01	100000886	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NO, AC 230 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1AP02	100000887	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NC, AC 230 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1AS01	101181923	1	PD	CONTACT., 3-PH. 3KW/400V, 1 NO, 500 V AC 50/60 HZ 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1AS02	101134044	1	PD	CONTACT., 3-PH. 3KW/400V, 1 NC, 500 V AC 50/60 HZ 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1AV01	100498040	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NO, AC 400 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 312.00
3RT1015-1BB41	100000888	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NO, DC 24 V, 3-POLE, SIZE S00, SCREW CONNECTION	R 400.00
3RT1015-1BB42	100000889	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1 NC, DC 24 V, 3-POLE, SIZE S00, SCREW CONNECTION	R 400.00
3RT1015-1JB41	100000892	1	V2	CONTACTOR, AC-3 3 KW/400 V, 1NO, DC 24 V, 0.7...1.25*US, W.DIODE, 3-POLE, SIZE S00, SCREW CONNECTION	R 508.00
3RT1015-2AB01	100073585	1	PD	CONTACTOR, AC-3 3 KW/400 V, 1 NO, AC 24 V, 50/60 HZ, 3-POLE, SIZE S00, CAGE CLAMP CONNECTION	R 373.00
3RT1015-2AP01	100419539	1	PD	CONTACTOR, AC-3 3 KW/400 V, 1 NO, AC 230 V, 50/60 HZ, 3-POLE, SIZE S00, CAGE CLAMP CONNECTION	R 373.00
3RT1015-2GG22	102879568	1	-	CONTACT., 3-PH. 3KW/400V, 1NC, 110 V AC, 50/60 HZ, 3-POLE, SIZE S00, CAGE CLAMP CONNECTION WITH FULL RECTIFIER	R 680.00
3RT1015-2JB42	100923464	1	PD	CONTACTOR, AC-3 3 KW/400 V, 1 NC, DC 24 V, 0.7...1.25*US, W.DIODE, 3-POLE, SIZE S00, CAGE CLAMP CONNECTION	R 517.00
3RT1015-2KB42	101170320	1	PD	CONTACTOR, AC-3 3 KW/400 V, 1 NC, DC 24 V, 0.7...1.25*US, W. VARISTOR, 3-POLE, SIZE S00, CAGE CLAMP CONNECTION	R 509.00
3RT1016-1AB01	100000895	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NO, AC 24 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 339.00
3RT1016-1AB02	100000896	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NC, AC 24 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 339.00
3RT1016-1AF01	100000898	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NO, AC 110 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 339.00
3RT1016-1AF02	100000899	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NC, AC 110 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 339.00
3RT1016-1AH01	100073684	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NO, AC 48V 50/60HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 397.00
3RT1016-1AP01	100000902	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NO, AC 230V 50/60HZ, 3-POLE, SIZE S00, SCREW TERMINAL	R 339.00
3RT1016-1AP01-1AA0	101123079	1	PD	CONTACTOR, AC-3 4 KW/400 V, 1 NO, AC 230 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION, MOUNTING POSITION VERTICAL	R 503.00
3RT1016-1AP02	100000903	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NC, AC 230 V, 50/60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 339.00
3RT1016-1AV01	100116965	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NO, AC 400 V 50 HZ /60 HZ, 3-POLE, SIZE S00, SCREW CONNECTION	R 339.00
3RT1016-1BB41	100000904	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NO, DC 24 V, 3-POLE, SIZE S00, SCREW CONNECTION	R 428.00
3RT1016-1BB42	100000905	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NC, DC 24 V, 3-POLE, SIZE S00, SCREW CONNECTION	R 428.00

3RT1016-1BB44	100168030	1	PD	CONTACTOR, AC-3 4 KW/400 V, 2NO + 2NC, DC 24 V, 3-POLE, SIZE S00, SCREW CONNECTION	R 659.00
3RT1016-1BF41	100097080	1	V2	CONTACTOR, AC-3 4 KW/400 V, 1 NO, DC 110 V, 3-POLE, SIZE S00, SCREW CONNECTION	R 428.00
3RT1016-1KB41	100000908	1	PD	COUPLING RELAY, AC-3 4 KW/400 V, 1 NO, DC 24 V, 0.7...1.25*US, W. VARISTOR, 3-POLE, SIZE S00, SCREW CONNECTION	R 528.00
3RT1016-1KB42	100116994	1	PD	COUPLING RELAY, AC-3 4 KW/400 V, 1 NC, DC 24 V, 0.7...1.25*US, W. VARISTOR, 3-POLE, SIZE S00, SCREW CONNECTION	R 528.00
3RT1016-2AP01	100117029	1	PD	CONTACTOR, AC-3 4 KW/400 V, 1 NO, AC 230 V, 50/60 HZ, 3-POLE, SIZE S00, CAGE CLAMP CONNECTION	R 403.00
3RT1016-2BB42	100075788	1	PD	CONTACTOR, AC-3 4 KW/400 V, 1 NC, DC 24 V, 3-POLE, SIZE S00, CAGE CLAMP	R 467.00
3RT1017-1BF41	100539289	1	V2	CONTACTOR, AC-3 5.5KW/400V, 1NO DC 110 V, 3-POLE, SIZE S00, SCREW CONNECTION	R 541.00
3RT1017-2BB41	100117203	1	PD	CONTACTOR, AC-3 5.5KW/400V, 1NO DC 24 V, 3-POLE, SIZE S00, CAGE CLAMP CONNECTION	R 553.00
3RT1017-2KB42	101123724	1	PD	COUPLING RELAY, AC-3 5,5 KW/400 V, 1 NC, DC 24 V, 0.7...1.25*US, W. VARISTOR, 3-POLE, SIZE S00, CAGE CLAMP CONNECTION	R 621.00
3RT1023-1AB00	100117236	1	V2	CONTACTOR, AC-3 4KW/400V, AC 24V, 50HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 341.00
3RT1023-1AD00	100415980	1	PD	CONTACTOR, AC-3 4KW/400V, AC 42V, 50HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 388.00
3RT1023-1AF00	100078674	1	V2	CONTACTOR, AC-3 4KW/400V, AC 110V, 50HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 341.00
3RT1023-1AK60	100117266	1	PD	CONTACTOR, AC-3 4 KW/400 V, AC 110 V 50 HZ / 120 V 60 HZ 3-POLE, SIZE S0, SCREW CONNECTION	R 388.00
3RT1023-1AP00	100000920	1	V2	CONTACTOR, AC-3 4KW/400V, AC 230V 50HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 341.00
3RT1023-1AP04	100000921	1	V2	CONTACTOR, AC-3 4KW/400V, AC 230V, 50HZ, 3-POLE, SIZE S0, SCREW CONNECTION, WITH 2NO+2NC	R 619.00
3RT1023-1AV00	100117290	1	V2	CONTACTOR, AC-3 4KW/400V, AC 400V, 50HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 341.00
3RT1023-1BB40	100000922	1	V2	CONTACTOR, AC-3 4KW/400V, DC 24 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 858.00
3RT1023-1BB44	100068817	1	V2	CONTACTOR, AC-3 4 KW/400 V, DC 24 V, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,086.00
3RT1024-1AB00	100000923	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 401.00
3RT1024-1AD00	100117372	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, AC 42 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 451.00
3RT1024-1AD04	100117374	1	PD	CONTACTOR, AC-3 5.5 KW/400 V, AC 42 V, 50 HZ, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 679.00
3RT1024-1AF00	100000926	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 401.00
3RT1024-1AF00	101709730	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 401.00
3RT1024-1AF04	100000927	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, AC 110 V, 50 HZ, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 679.00
3RT1024-1AG20	100000928	1	PD	CONTACTOR, AC-3 5.5 KW/400 V, AC 110V 50/60HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 451.00
3RT1024-1AH00	100117383	1	PD	CONTACTOR, AC-3 5.5 KW/400 V, AC 48 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 451.00
3RT1024-1AP00	100000931	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 401.00
3RT1024-1AP00	101709742	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 401.00
3RT1024-1AP04	100000932	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, AC 230 V, 50 HZ, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 679.00
3RT1024-1AQ20	100582999	1	V2	CONTACTOR 3-PH 5.5 KW/400 V, 500 V AC 50/60 HZ 3-POLE, SIZE S0, SCREW CONNECTION	R 419.00
3RT1024-1AV00	100117411	1	V2	CONTACTOR, AC-3 5,5 KW/400 V, AC 400 V 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 401.00
3RT1024-1BB40	100000933	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, DC 24 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 936.00

3RT1024-1BB44	100000934	1	V2	CONTACTOR, AC-3 5.5 KW/400 V, DC 24 V, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,165.00
3RT1024-1BE40	100117423	1	PD	CONTACTOR, AC-3 5.5 KW/400 V, DC 60 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 936.00
3RT1024-1BF40	100117427	1	PD	CONTACTOR, AC-3 5.5 KW/400 V, DC 110 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 936.00
3RT1024-1BM40	100117435	1	PD	CONTACTOR, AC-3 5.5 KW/400 V, DC 220 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 936.00
3RT1024-1KB40	100000935	1	PD	CONTACTOR, AC-3 5.5 KW/400 V, DC 24 V, 0.7...1.25*US, W. VARISTOR, 3-POLE, SIZE S0, SCREW CONNECTION	R 1,006.00
3RT1024-3BB40	100000936	1	PD	CONTACTOR, AC-3 5.5 KW/400 V, DC 24 V, 3-POLE, SIZE S0, CAGE CLAMP	R 963.00
3RT1025-1AB00	100000937	1	V2	CONTACTOR, AC-3 7.5 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AC20	100000938	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, AC 24V 50/60HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AD00	100117496	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, AC 42 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AF00	100000939	1	V2	CONTACTOR, AC-3 7.5 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AF04	100077646	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, AC 110 V, 50 HZ, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 858.00
3RT1025-1AH00	101117163	1	V2	CONTACTOR, AC-3 7.5 KW/400 V, AC 48 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AK60	100117514	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, AC 110V 50HZ/120V 60HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AL20	100075873	1	PD	CONTACTOR, AC-3 7,5 KW/400 V, AC 230 V, 50/60 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AP00	100000943	1	V2	CONTACTOR, AC-3 7.5 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AP04	100000944	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, AC 230 V, 50 HZ, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 858.00
3RT1025-1AQ20	101165844	1	PD	CONTACTOR 3-PH 7.5 KW/400 V, 500 V AC 50/60 HZ 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AU00	100117533	1	PD	CONTACTOR, AC-3 7,5 KW/400 V, AC 240 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 622.00
3RT1025-1AV00	100117538	1	V2	CONTACTOR, AC-3, 7.5KW/400V, AC 400V, 50HZ, 3-POLE, SIZE S0, SCREW TERMINAL	R 622.00
3RT1025-1BB40	100000945	1	V2	CONTACTOR, AC-3 7.5 KW/400 V, DC 24 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 1,136.00
3RT1025-1BB44	100000946	1	V2	CONTACTOR, AC-3 7.5 KW/400 V, DC 24 V, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,364.00
3RT1025-1BE84	100468266	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, DC 80V, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,364.00
3RT1025-1BF40	100000947	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, DC 110 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 1,136.00
3RT1025-1KB40	100000948	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, DC 24 V, 0.7...1.25*US, W. VARISTOR, 3-POLE, SIZE S0, SCREW CONNECTION	R 1,103.00
3RT1025-3AP00	100117595	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S0, CAGE CLAMP CONNECTION	R 625.00
3RT1025-3BB40	100000949	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, DC 24 V, 3-POLE, SIZE S0, CAGE CLAMP CONNECTION	R 1,173.00
3RT1025-3KB40	100117619	1	PD	CONTACTOR, AC-3 7.5 KW/400 V, DC 24 V, 0.7...1.25*US, W. VARISTOR, 3-POLE, SIZE S0, CAGE CLAMP	R 1,209.00
3RT1026-1AB00	100000950	1	V2	CONTACTOR, AC-3 11 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AB04	100000951	1	PD	CONTACTOR, AC-3 11 KW/400 V, AC 24 V, 50 HZ, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,087.00
3RT1026-1AC20	100000952	1	PD	CONTACTOR, AC-3 11 KW/400 V, AC 24V 50/60HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AF00	100000953	1	V2	CONTACTOR, AC-3 11 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00

3RT1026-1AF04	100000954	1	V2	CONTACTOR, AC-3 11 KW/400 V, AC 110 V, 50 HZ, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,087.00
3RT1026-1AG20	100000955	1	PD	CONTACTOR, AC-3 11 KW/400 V, AC 110V 50/60HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AL20	100000956	1	PD	CONTACTOR, AC-3 11 KW / 400 V, AC 230 V 50/60 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AN20	100000957	1	PD	CONTACTOR, AC-3 11 KW / 400 V, AC 220 V 50/60 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AP00	100000958	1	V2	CONTACTOR, AC-3 11 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AP00	103667761	1	V2	CONTACTOR, AC-3 11 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AP00	104086859	1	V2	CONTACTOR, AC-3 11 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AP04	100000959	1	V2	CONTACTOR, AC-3 11 KW/400 V, AC 230 V, 50 HZ, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,087.00
3RT1026-1AQ20	100880902	1	PD	CONTACTOR 3-PH 11 KW / 400 V, 500 V AC, 50/60 HZ, 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1AV00	100117671	1	V2	CONTACTOR, AC-3 11 KW / 400 V, AC 400 V, 50 HZ 3-POLE, SIZE S0, SCREW CONNECTION	R 853.00
3RT1026-1BB40	100000960	1	V2	CONTACTOR, AC-3 11 KW/400 V, DC 24 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 1,363.00
3RT1026-1BB44	100000961	1	V2	CONTACTOR, AC-3 11 KW/400 V, DC 24 V, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,579.00
3RT1026-1BF40	100117688	1	V2	CONTACTOR, AC-3 11 KW/400 V, DC 110 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 1,363.00
3RT1026-1BM40	100117696	1	PD	CONTACTOR, AC-3 11 KW/400 V, DC 220 V, 3-POLE, SIZE S0, SCREW CONNECTION	R 1,363.00
3RT1026-1BM44	100638809	1	PD	CONTACTOR, AC-3 11 KW/400 V, DC 220 V, 3-POLE, 2 NO + 2 NC, SIZE S0, SCREW CONNECTION	R 1,579.00
3RT1026-1KB40	100117708	1	PD	CONTACTOR, AC-3 11 KW/400 V, DC 24 V, 0.7...1.25*US, W. VARISTOR, 3-POLE, SIZE S0, SCREW CONNECTION	R 1,328.00
3RT1026-3AB00	100117709	1	-	CONTACTOR, AC-3 11 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S0, CAGE CLAMP	R 858.00
3RT1034-1AB00	100000964	1	V2	CONTACTOR, AC-3 15 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,227.00
3RT1034-1AB04	100117776	1	PD	CONTACTOR, AC-3 15 KW/400 V, AC 24 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S2, SCREW CONNECTION	R 1,450.00
3RT1034-1AD00	100925173	1	PD	CONTACTOR, AC-3 15 KW/400 V, AC 42 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,227.00
3RT1034-1AF00	100000966	1	V2	CONTACTOR, AC-3 15 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,227.00
3RT1034-1AF04	100000967	1	V2	CONTACTOR, AC-3 15 KW/400 V, AC 110 V, 50 HZ, 2 NO + 2 OE 3-POLE, SIZE S2, SCREW CONNECTION	R 1,450.00
3RT1034-1AG24	100068744	1	PD	CONTACTOR, AC-3 15 KW/400 V, AC 110V 50/60HZ, 2 NO + 2 NC, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,450.00
3RT1034-1AP00	100000972	1	V2	CONTACTOR, AC-3 15 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,227.00
3RT1034-1AP04	100000973	1	V2	CONTACTOR, AC-3 15 KW/400 V, AC 230 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S2, SCREW CONNECTION	R 1,450.00
3RT1034-1AQ20	100583001	1	V2	CONTACTOR 3-PH 15 KW/400 V, 500 V AC, 50/60 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,227.00
3RT1034-1AV00	100117815	1	V2	CONTACTOR, AC-3 15 KW/400 V, AC 400 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,227.00
3RT1034-1BB40	100000974	1	V2	CONTACTOR, AC-3 15 KW/400 V, DC 24 V, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,895.00
3RT1034-1BB44	100068818	1	V2	CONTACTOR, AC-3 15 KW/400 V, DC 24 V, 3-POLE, 2 NO + 2 NC, SIZE S2, SCREW CONNECTION	R 2,108.00
3RT1034-1BF40	100117825	1	V2	CONTACTOR, AC-3 15 KW/400 V, DC 110 V, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,895.00
3RT1034-1BM40	100117829	1	V2	CONTACTOR, AC-3 15 KW/400 V, DC 220 V, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,895.00
3RT1034-3AP00	100117851	1	PD	CONTACTOR, AC-3 15 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S2, CAGE CLAMP	R 1,236.00
3RT1035-1AB00	100000975	1	V2	CONTACTOR, AC-3 18.5 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,418.00

3RT1035-1AF00	100000977	1	V2	CONTACTOR, AC-3 18.5 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,418.00
3RT1035-1AH00	100000981	1	PD	CONTACTOR, AC-3 18.5 KW/400 V, AC 48 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,418.00
3RT1035-1AL20	100000982	1	V2	CONTACTOR, AC-3 18,5 KW/400 V, AC 230V 50/60HZ 3-POLE, SIZE S2, SCREW CONNECTION	R 1,418.00
3RT1035-1AP00	100000984	1	V2	CONTACTOR, AC-3 18.5 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,418.00
3RT1035-1AP04	100000985	1	V2	CONTACTOR, AC-3 18.5 KW/400 V, AC 230 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S2, SCREW CONNECTION	R 1,641.00
3RT1035-1AP60	100084846	1	PD	CONTACTOR, AC-3 18,5 KW/400 V, AC 220V 50HZ/240V 60HZ 3-POLE, SIZE S2, SCREW CONNECTION	R 1,418.00
3RT1035-1AQ20	100880868	1	V2	CONTACTOR 3-PH 18.5 KW/400 V, 500 V AC 50/60 HZ 3-POLE, SIZE S2, SCREW CONNECTION	R 1,418.00
3RT1035-1AV00	100117915	1	V2	CONTACTOR, AC-3 18,5 KW/400 V, AC 400 V, 50HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,418.00
3RT1035-1BB40	100000986	1	V2	CONTACTOR, AC-3 18.5 KW/400 V, DC 24 V, 3-POLE, SIZE S2, SCREW CONNECTION	R 2,095.00
3RT1035-1BB44	100000987	1	V2	CONTACTOR, AC-3 18.5 KW/400 V, DC 24 V, 3-POLE, 2 NO + 2 NC, SIZE S2, SCREW CONNECTION	R 2,310.00
3RT1035-1BM40	100078442	1	PD	CONTACTOR, AC-3 18.5 KW/400 V, DC 220 V, 3-POLE, SIZE S2, SCREW CONNECTION	R 2,095.00
3RT1036-1AB00	100000988	1	V2	CONTACTOR, AC-3 22 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,880.00
3RT1036-1AF00	100000990	1	V2	CONTACTOR, AC-3 22 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,880.00
3RT1036-1AF04	100000991	1	PD	CONTACTOR, AC-3 22 KW/400 V, AC 110 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S2, SCREW CONNECTION	R 2,133.00
3RT1036-1AL20	100074279	1	PD	CONTACTOR, AC-3 22 KW/400 V, AC 230 V, 50/60 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,880.00
3RT1036-1AP00	100000995	1	V2	CONTACTOR, AC-3 22 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,880.00
3RT1036-1AP04	100000996	1	V2	CONTACTOR, AC-3 22 KW/400 V, AC 230 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S2, SCREW CONNECTION	R 2,133.00
3RT1036-1AQ20	100626564	1	PD	CONTACTOR 3-PH 22 KW/400 V, 500 V AC, 50/60 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,936.00
3RT1036-1AV00	100118011	1	V2	CONTACTOR, AC-3 22 KW/400 V, AC 400 V, 50 HZ, 3-POLE, SIZE S2, SCREW CONNECTION	R 1,880.00
3RT1036-1BB40	100000997	1	V2	CONTACTOR, AC-3 22 KW/400 V, DC 24 V, 3-POLE, SIZE S2, SCREW CONNECTION	R 2,775.00
3RT1036-1BB44	100068742	1	PD	CONTACTOR, AC-3 22 KW/400 V, DC 24 V, 3-POLE, 2 NO + 2 NC, SIZE S2, SCREW CONNECTION	R 2,989.00
3RT1044-1AB00	100000998	1	V2	CONTACTOR, AC-3 30 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 2,633.00
3RT1044-1AC00	100225022	1	PD	CONTACTOR, AC-3 30 KW/400 V, AC 32 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 2,647.00
3RT1044-1AF00	100001001	1	V2	CONTACTOR, AC-3 30 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 2,633.00
3RT1044-1AF04	100001002	1	PD	CONTACTOR, AC-3 30 KW/400 V, AC 110 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S3, SCREW CONNECTION	R 2,854.00
3RT1044-1AL20	100001005	1	PD	CONTACTOR, AC-3 30 KW/400 V, AC 230V 50/60HZ 3-POLE, SIZE S3, SCREW CONNECTION	R 2,633.00
3RT1044-1AP00	100001007	1	V2	CONTACTOR, AC-3 30 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 2,633.00
3RT1044-1AP04	100001008	1	PD	CONTACTOR, AC-3 30 KW/400 V, AC 230 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S3, SCREW CONNECTION	R 2,854.00
3RT1044-1AQ20	101078028	1	PD	CONTACTOR 3-PH 30 KW/400 V, 500 V AC 50/60 HZ 3-POLE, SIZE S3, SCREW CONNECTION	R 2,633.00
3RT1044-1AV00	100118091	1	V2	CONTACTOR, AC-3 30 KW/400 V, AC 400 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 2,633.00
3RT1044-1BB40	100001009	1	V2	CONTACTOR, AC-3 30 KW/400 V, DC 24 V, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,817.00
3RT1044-1BB44	100068743	1	V2	CONTACTOR, AC-3 30 KW/400 V, DC 24 V, 2 NO + 2 NC 3-POLE, SIZE S3, SCREW CONNECTION	R 3,991.00
3RT1044-1BF40	100118098	1	V2	CONTACTOR, AC-3 30 KW/400 V, DC 110 V, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,817.00

3RT1044-1BM40	100118102	1	PD	CONTACTOR, AC-3 30 KW/400 V, DC 220 V, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,817.00
3RT1045-1AB00	100001010	1	PD	CONTACTOR, AC-3 37 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,213.00
3RT1045-1AF00	100001012	1	V2	CONTACTOR, AC-3 37 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,213.00
3RT1045-1AP00	100001016	1	V2	CONTACTOR, AC-3 37 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,213.00
3RT1045-1AP04	100001017	1	V2	CONTACTOR, AC-3 37 KW/400 V, AC 230 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S3, SCREW CONNECTION	R 3,423.00
3RT1045-1AQ20	101078029	1	V2	CONTACTOR 3-PH 37 KW/400 V, 500 V AC, 50/60 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,213.00
3RT1045-1AV00	100118176	1	PD	CONTACTOR, AC-3 37 KW/400 V, AC 400 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,213.00
3RT1045-1AV04	100118177	1	PD	CONTACTOR, AC-3 37 KW/400 V, AC 400 V, 50 HZ, 2 S + 2 OE 3-POLE, SIZE S3, SCREW CONNECTION	R 3,423.00
3RT1045-1BB40	100001018	1	V2	CONTACTOR, AC-3 37 KW/400 V, DC 24 V, 3-POLE, SIZE S3, SCREW CONNECTION	R 4,338.00
3RT1045-1BF40	100118183	1	PD	CONTACTOR, AC-3 37 KW/400 V, DC 110 V, 3-POLE, SIZE S3, SCREW CONNECTION	R 4,338.00
3RT1046-1AB00	100001020	1	PD	CONTACTOR, AC-3 45 KW/400 V, AC 24 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 4,083.00
3RT1046-1AF00	100001022	1	V2	CONTACTOR, AC-3 45 KW/400 V, AC 110 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 4,083.00
3RT1046-1AF04	100078673	1	V2	CONTACTOR, AC-3 45 KW/400 V, AC 110 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S3, SCREW CONNECTION	R 4,308.00
3RT1046-1AN20	100001024	1	PD	CONTACTOR, AC-3 45 KW/400 V, AC 220V 50/60HZ 3-POLE, SIZE S3, SCREW CONNECTION	R 4,083.00
3RT1046-1AP00	100001025	1	V2	CONTACTOR, AC-3 45 KW/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 4,083.00
3RT1046-1AP04	100001026	1	PD	CONTACTOR, AC-3 45 KW/400 V, AC 230 V, 50 HZ, 2 NO + 2 NC 3-POLE, SIZE S3, SCREW CONNECTION	R 4,308.00
3RT1046-1AQ20	101137652	1	V2	CONTACTOR 3-PH 45 KW/400 V, 500 V AC 50/60 HZ 3-POLE, SIZE S3, SCREW CONNECTION	R 4,083.00
3RT1046-1AV00	100118259	1	V2	CONTACTOR, AC-3 45 KW/400 V, AC 400 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 4,083.00
3RT1046-1BB40	100075824	1	V2	CONTACTOR, AC-3 45 KW/400 V, DC 24 V, 3-POLE, SIZE S3, SCREW CONNECTION	R 5,165.00
3RT1046-1BF44	100498123	1	PD	CONTACTOR, AC-3 45 KW/400 V, DC 110 V, 2 NO + 2 NC, 3-POLE, SIZE S3, SCREW CONNECTION	R 5,365.00
3RT1054-1AB36	100086910	1	V2	CONTACTOR, 55KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23...26V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 WITH BOX TERMINALS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00
3RT1054-1AB36	103791733	1	V2	CONTACTOR, 55KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23...26V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 WITH BOX TERMINALS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00
3RT1054-1AF36	100025454	1	V2	CONTACTOR, 55KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110...127V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 WITH BOX TERMINALS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00
3RT1054-1AP30	100865644	1	PD	CONTACTOR, 55KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 220...240V W/O AUXILIARY CONTACTS 3-POLE, SIZE S6 WITH BOX TERMINALS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 5,079.00
3RT1054-1AP36	100001028	1	V2	CONTACTOR, 55KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220...240V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 WITH BOX TERMINALS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00

3RT1054-1AV36	100118317	1	PD	CONTACTOR, 55KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 380...420V AUX. CONTACTS 2NO+2NC, 3-POLE, SIZE S6 WITH BOX TERMINALS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00
3RT1054-1PF35	100118322	1	PD	CONTACTOR, 55KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 96-127V AUXILIARY CONTACTS 1NO+1NC 3-POLE, SIZE S6 WITH BOX TERMINALS ELECTRONIC OPERATING MECHANISM WITH PLC/SIMOCODE INTERFACE AND REMAIN. LIFETIME INDICATOR	R 7,816.00
3RT1054-1PP35	100641019	1	PD	CONTACTOR, 55KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 200...277V AUXIL. CONTACTS 1NO+1NC 3-POLE, SIZE S6 WITH BOX TERMINALS ELECTRONIC OPERATING MECHANISM WITH PLC/SIMOCODE INTERFACE AND REMAIN. LIFETIME INDICATOR	R 7,816.00
3RT1054-6AB36	100843724	1	PD	CONTACTOR, 55KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 23...26V AUX. CONTACTS 2NO+2NC, 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00
3RT1054-6AF36	100118328	1	V2	CONTACTOR, 55KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 110...127V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00
3RT1054-6AP36	100074608	1	V2	CONTACTOR, 55KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 220...240V AUX. CONTACTS 2NO+2NC, 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00
3RT1054-6AS36	101078031	1	PD	CONTACTOR, 55KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 500...550V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 4,674.00
3RT1054-6LA06	100118334	1	V2	CONTACTOR, 55KW/400V/AC-3 W/O COIL AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN. AUX.CONDUCTOR: SCREW TERMINALS	R 3,846.00
3RT1055-1AB36	101152645	1	PD	CONTACTOR, 75KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 23...26V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 WITH BOX TERMINAL	R 7,687.00
3RT1055-2NP36	101141087	1	PD	CONTACTOR, 75KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 200-277V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS ELECTRON. OPERATING MECHANISM WITH 24 V DC PLC INTERFACE CAGE CLAMP CONNECTION	R 7,714.00
3RT1055-6AB36	100118342	1	V2	CONTACTOR, 75KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 23...26V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN.	R 5,716.00
3RT1055-6AF36	100075510	1	V2	CONTACTOR, 75KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 110...127V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 5,716.00
3RT1055-6AP36	100001029	1	V2	CONTACTOR, 75KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 220...240V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN. SCREW TERMINAL	R 5,716.00
3RT1055-6LA06	100118349	1	V2	CONTACTOR, 75KW/400V/AC-3 W/O COIL AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTIONAL OPERATING MECHAN. AUX. CONDUCTOR: SCREW TEMRINALS	R 4,852.00
3RT1056-6AB36	100118357	1	V2	CONTACTOR, 90KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 23...26V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 8,014.00

3RT1056-6AF36	100077205	1	V2	CONTACTOR, 90KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 110...127V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENTION. OPERATING MECHANISM SCREW TERMINAL	R 8,014.00
3RT1056-6AP36	100001030	1	V2	CONTACTOR, 90KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 220...240V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 8,014.00
3RT1056-6AS36	101144389	1	PD	CONTACTOR, 90KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 500...550V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 8,014.00
3RT1056-6AV36	100083992	1	PD	CONTACTOR, 90KW/400V/AC-3, AC(40...60HZ)/DC OPERATION UC 380...420V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 8,014.00
3RT1056-6LA06	100118363	1	V2	CONTACTOR, 90KW/400V/AC-3 W/O COIL AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENT. OPERATING MECHANISM AUX. COND.: SCREW TERMINALS	R 6,963.00
3RT1064-6AB36	100118371	1	V2	CONTACTOR, 110KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23-26V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 9,742.00
3RT1064-6AF36	100084782	1	V2	CONTACTOR, 110KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 9,742.00
3RT1064-6AP36	100072954	1	V2	CONTACTOR, 110KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 9,742.00
3RT1064-6LA06	100118379	1	V2	CONTACTOR, 110KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM AUX.COND.: SCREW TERMINALS	R 8,505.00
3RT1065-6AB36	100118388	1	PD	CONTACTOR, 132KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23-26V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 12,973.00
3RT1065-6AF36	100075825	1	V2	CONTACTOR, 132KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 12,973.00
3RT1065-6AP36	100066301	1	V2	CONTACTOR, 132KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 12,973.00
3RT1065-6LA06	100118397	1	V2	CONTACTOR, 132KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 MAIN COND.: BAR CONNECTIONS CONVENT. OPERATING MECHANISM AUX. COND.: SCREW TERMINALS	R 11,760.00
3RT1066-6AB36	100500173	1	V2	CONTACTOR, 160KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23-26V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 16,031.00
3RT1066-6AF36	100075826	1	V2	CONTACTOR, 160KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 16,031.00

3RT1066-6AP36	100074912	1	V2	CONTACTOR, 160KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 16,031.00
3RT1066-6LA06	100118413	1	V2	CONTACTOR, 160KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 MAIN COND.: BAR CONNECTIONS CONVENT. OPERATING MECHANISM AUX. COND.: SCREW TERMINALS	R 14,797.00
3RT1075-2AP36	101119913	1	PD	CONTACTOR, 200KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM CAGE CLAMP TERMINAL	R 20,712.00
3RT1075-2NP36	101170011	1	PD	CONTACTOR, 200KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 200-277V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS ELECTRONIC OPERATING MECHANISM WITH 24 V DC PLC INTERFACE CAGE CLAMP TERMINAL	R 23,632.00
3RT1075-6AB36	100118420	1	V2	CONTACTOR, 200KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23-26V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 19,625.00
3RT1075-6AF36	100075827	1	V2	CONTACTOR, 200KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 19,625.00
3RT1075-6AP36	100067852	1	V2	CONTACTOR, 200KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 19,625.00
3RT1075-6LA06	100118427	1	V2	CONTACTOR, 200KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 MAIN COND.: BAR CONNECTIONS CONVENT. OPERATING MECHANISM AUX. COND.: SCREW TERMINALS	R 18,022.00
3RT1076-6AB36	100448084	1	V2	CONTACTOR, 250KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23-26V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 27,335.00
3RT1076-6AF36	100075831	1	V2	CONTACTOR, 250KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 27,335.00
3RT1076-6AP36	100076226	1	V2	CONTACTOR, 250KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 27,335.00
3RT1076-6AV36	100118442	1	PD	CONTACTOR, 250KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 380-420V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM SCREW TERMINAL	R 27,335.00
3RT1076-6LA06	100118443	1	V2	CONTACTOR, 250KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 RAIL CONNECTIONS	R 25,903.00
3RT1076-6NP36	100505443	1	PD	CONTACTOR, 250KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 200-277V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS ELECTRONIC OPERATING MECHANISM WITH 24V DC PLC INTERFACE SCREW TERMINAL	R 27,454.00
3RT1264-6AB36	100859883	1	PD	VAC. CONTACTOR, 110KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23-26V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 14,009.00

3RT1264-6AF36	100118501	1	V2	VAC. CONTACTOR, 110KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 14,009.00
3RT1264-6AP36	100067850	1	V2	VAC. CONTACTOR, 110KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 14,009.00
3RT1264-6LA06	100118508	1	PD	VAC. CONTACTOR, 110KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 RAIL CONNECTIONS	R 12,893.00
3RT1264-6NB36	102801867	1	PD	VAC. CONTACTOR, 110KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 21-27.3V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS ELECTRONIC OPERATING MECHANISM WITH 24V DC PLC INTERFACE	R 15,124.00
3RT1265-6AF36	100467945	1	PD	VAC. CONTACTOR, 132KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 18,223.00
3RT1266-6AF36	100616456	1	V2	VAC. CONTACTOR, 160KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 21,942.00
3RT1266-6AP36	100073145	1	V2	VAC. CONTACTOR, 160KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 21,942.00
3RT1266-6LA06	100118534	1	PD	VAC. CONTACTOR, 160KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 RAIL CONNECTIONS	R 20,826.00
3RT1275-6AB36	100444613	1	PD	VAC. CONTACTOR, 200KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 23-26V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 26,404.00
3RT1275-6AF36	100465583	1	PD	VAC. CONTACTOR, 200KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 26,404.00
3RT1275-6AP36	100067851	1	V2	VAC. CONTACTOR, 200KW/400V/AC-3 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 26,404.00
3RT1275-6LA06	100118547	1	PD	VAC. CONTACTOR, 200KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 RAIL CONNECTIONS	R 25,166.00
3RT1276-6AF36	100635556	1	V2	VAC. CONTACTOR, 250KW/400V/AC-3 AC/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 35,455.00
3RT1276-6AP36	100073146	1	V2	VAC. CONTACTOR, 250KW/400V/AC-3 AC/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 35,455.00
3RT1276-6AV36	102124244	1	PD	VAC. CONTACTOR, 250KW/400V/AC-3 AC/DC OPERATION UC 380-420V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 35,455.00
3RT1276-6LA06	100118560	1	V2	VAC. CONTACTOR, 250KW/400V/AC-3 WITHOUT COIL AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 RAIL CONNECTIONS	R 33,967.00
3RT1316-1AP00	100073135	1	V2	CONTACTOR, AC-1 18A, 12KW/400 V AC 230 V, 50 HZ, 4 POLE, SIZE S00, 4 NO, SCREW CONNECTION	R 372.00
3RT1316-1BB40	100073136	1	V2	CONTACTOR, AC-1, 12KW/400 V, AC-1 18 A, DC 24 V, 4- POLE, 4 NO, SIZE S00, SCREW CONNECTION	R 433.00

3RT1317-1AF00	100118610	1	PD	CONTACTOR, AC-1, 14.5 KW/400V, AC-1 22 A, AC 110 V, 50/60 HZ, 4-POLE, 4 NO, SIZE S00, SCREW CONNECTION	R 459.00
3RT1317-1BB40	100001031	1	PD	CONTACTOR, AC-1, 14.5 KW/400V, AC-1 22 A, DC 24 V 4-POLE, 4 NO, SIZE S00, SCREW CONNECTION	R 518.00
3RT1325-1AF00	100416023	1	V2	CONTACTOR, AC-1 35 A, AC 110 V, 50 HZ, 4-POLE, SIZE S0, SCREW CONNECTION	R 574.00
3RT1325-1AP00	100118672	1	PD	CONTACTOR, AC-1 35A, 22KW/400V, AC 230 V, 50 HZ, 4 POLE, SIZE S0, SCREW CONNECTION	R 574.00
3RT1325-1BB40	100118678	1	PD	CONTACTOR, AC-1 35 A, DC 24 V, 4-POLE, SIZE S0, SCREW CONNECTION	R 1,069.00
3RT1336-1AP00	100118717	1	PD	CONTACTOR, AC-1 60A, 39KW/400V, AC 230 V, 50 HZ, 4 POLE, SIZE S2, SCREW CONNECTION	R 1,703.00
3RT1336-1BB40	100118726	1	PD	CONTACTOR, AC-1 60 A, DC 24 V, 4-POLE, SIZE S2, SCREW CONNECTION AVAILABLE MARCH '98	R 2,630.00
3RT1344-1AP00	100001036	1	V2	CONTACTOR, AC-1 110A, 72KW/400V AC 230 V, 50 HZ, 4-POLE, SIZE S3, SCREW CONNECTION	R 2,871.00
3RT1346-1AP00	100074946	1	V2	CONTACTOR, AC-1 140A, 92KW/400V AC 230 V, 50 HZ, 4-POLE, SIZE S3, SCREW CONNECTION	R 4,358.00
3RT1346-1BB40	100118771	1	PD	CONTACTOR, AC-1 140 A, DC 24 V, 4-POLE, SIZE S3, SCREW CONNECTION AVAILABLE MARCH '98	R 5,755.00
3RT1446-1AP00	100118795	1	V2	CONTACTOR, AC-1 140 A/400 V, AC 230 V, 50 HZ, 3-POLE, SIZE S3, SCREW CONNECTION	R 3,270.00
3RT1456-6AF36	100118810	1	V2	CONTACTOR, 275A/AC-1, AC(40...60HZ)/DC OPERATION UC 110...127V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 5,592.00
3RT1456-6AP36	100118812	1	V2	CONTACTOR, 275A/AC-1, AC(40...60HZ)/DC OPERATION UC 220...240V AUXIL. CONTACTS 2NO+2NC 3-POLE, SIZE S6 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 5,592.00
3RT1466-6AF36	100118828	1	PD	CONTACTOR, 400A/AC-1 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 12,373.00
3RT1466-6AP36	100076980	1	V2	CONTACTOR, 400A/AC-1 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S10 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 12,373.00
3RT1476-6AF36	100118843	1	PD	CONTACTOR, 690A/AC-1 AC(40...60HZ)/DC OPERATION UC 110-127V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 20,766.00
3RT1476-6AP36	100072238	1	V2	CONTACTOR, 690A/AC-1 AC(40...60HZ)/DC OPERATION UC 220-240V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS CONVENT. OPERATING MECHANISM	R 20,766.00
3RT1476-6NP36	102117927	1	PD	CONTACTOR, 690A/AC-1 AC(40...60HZ)/DC OPERATION UC 200-277V AUXILIARY CONTACTS 2NO+2NC 3-POLE, SIZE S12 BAR CONNECTIONS ELECTRONIC OPERATING MECHANISM WITH 24V DC PLC INTERFACE	R 23,643.00
3RT1516-1BB40	100073138	1	PD	CONTACTOR, AC-3 4 KW/400 V, AC-1 18 A, DC 24 V, 4-POLE, 2 NO + 2 NC, SIZE S00, SCREW CONNECTION	R 460.00
3RT1517-1AP00	100001039	1	V2	CONTACTOR, AC-3 5.5KW/400 V, AC-1 22 A, AC 230 V, 50 HZ, 4-POLE, 2 NO + 2 NC, SIZE S00, SCREW CONNECTION	R 493.00
3RT1517-1BB40	100232758	1	PD	CONTACTOR, AC-3 5.5KW/400 V, AC-1 22 A, DC 24V 4-POLE, 2 NO + 2 NC, SIZE S00, SCREW CONNECTION	R 555.00
3RT1526-1AF00	100118944	1	V2	CONTACTOR, AC-3 40 A, 11KW/400V, AC 110 V, 50 HZ, 4 POLE, 2NO + 2NC, SIZE S0, SCREW CONNECTION	R 982.00
3RT1627-1AP01	100119004	1	V2	CAPACITOR SW. CONTACTOR, AC-6, 25KVAR/400V, 230V, 50HZ, 3-POLE, SIZE S0	R 1,622.00
3RT1647-1AP01	100119029	1	V2	CAPACITOR SW. CONTACTOR, AC-6, 50KVAR/400V, 230V, 50HZ, 3-POLE, SIZE S3	R 3,341.00
3RT1900-1SB20	100445778	100	PD	IDENTIFICATION PLATES 20X7 MM PASTEL-TURQUOISE, COMPRISES 340 PLATES ON FRAMES PER FRAME 20 PLATES	R 285.00

3RT1916-1BB00	100001049	1	V2	VARISTOR, AC 24...48 V,DC 24...70 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 101.00
3RT1916-1BC00	100001050	1	V2	VARISTOR, AC 48...127 V, DC 70...150 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 101.00
3RT1916-1BD00	100001051	1	V2	VARISTOR, AC 127...240 V,DC 150...250 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 101.00
3RT1916-1CB00	100001052	1	V2	RC-ELEMENT, AC 24...48 V,DC 24...70 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00 WITHOUT/WITH AUX. SWITCH BLOCKS	R 101.00
3RT1916-1CC00	100077526	1	V2	RC-ELEMENT, AC 48...127 V, DC 70...150V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 101.00
3RT1916-1CD00	100001053	1	V2	RC-ELEMENT, AC 127...240 V,DC 150...250 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 101.00
3RT1916-1DG00	100025456	1	V2	SUPPRESSION DIODE, DC 12...250 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 101.00
3RT1916-1EH00	100001055	1	V2	DIODE COMBINATION, DC 24...250 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 108.00
3RT1916-1JJ00	100119041	1	PD	VARISTOR, WITH LED, AC 24...48 V, DC 12...24 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 133.00
3RT1916-1JK00	100001056	1	V2	VARISTOR, WITH LED, AC 48...127 V,DC 24...70 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 133.00
3RT1916-1JL00	100001057	1	PD	VARISTOR, WITH LED, AC 127...240 V, DC 70...150V SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 133.00
3RT1916-1LM00	100001058	1	V2	SUPPRESSION DIODE, WITH LED, DC 24...70 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZES00	R 133.00
3RT1916-2FJ21	100081272	1	PD	SOLID-STATE, TIME-DELAYED AUXILIARY SWITCH BLOCK SETTING RANGE 0.5 S...10 S, AC/DC 24 V, 1NO + 1NC, OFF-DELAY, FOR MOUNTING ONTO CONTACTORS SIZES00	R 886.00
3RT1916-2FJ31	100119067	1	PD	SOLID-STATE, TIME-DELAYED AUXILIARY SWITCH BLOCK SETTING RANGE 5 S...100 S, AC/DC 24 V, 1NO + 1NC, OFF-DELAY, FOR MOUNTING ONTO CONTACTORS SIZES00	R 972.00
3RT1924-5AB01	100119081	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S0, SCREW CONNECTION AC 24 V, 50 HZ	R 194.00
3RT1924-5AC01	100418936	1	PD	SOLENOID COIL FOR CONTACTORS SIRIUS SIZE S0, SCREW CONNECTION 32 V AC, 50 HZ	R 217.00
3RT1924-5AF01	100025457	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S0, SCREW CONNECTION AC 110 V, 50 HZ	R 194.00
3RT1924-5AL21	100669713	1	PD	COIL FOR CONTACTORS SIRIUS, SIZE S0, SCREW CONNECTION AC 230 V, 50/60 HZ	R 194.00
3RT1924-5AP01	100119106	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S0, SCREW CONNECTION AC 230 V, 50 HZ	R 194.00
3RT1924-5AV01	100001068	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S0, SCREW CONNECTION AC 400 V, 50 HZ	R 194.00
3RT1926-1BB00	100001069	1	V2	VARISTOR, AC 24...48V, DC 24...70V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SZ. S0, S2, S3	R 122.00
3RT1926-1BC00	100001070	1	V2	VARISTOR, AC 48...127V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SZ. S0...S3	R 126.00
3RT1926-1BD00	100001071	1	V2	VARISTOR, AC 127...240V, DC 150...250V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SZ. S0...S3	R 129.00
3RT1926-1BE00	100001072	1	PD	VARISTOR, AC 240...400V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SZ. S0...S3	R 167.00
3RT1926-1CC00	100119122	1	V2	RC ELEMENT, AC 48...127V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SZ. S0,	R 165.00
3RT1926-1CD00	100119123	1	V2	RC ELEMENT, AC 127...240V, DC 150...250V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SZ. S0,	R 143.00

3RT1926-1ER00	100001075	1	PD	DIODE ASSEMBLY W/O LED, DC 24 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SZ. S0, CAN BE PLUGGED IN ON TOP	R 163.00
3RT1926-2CH21	100001076	1	V2	SOLID-STATE TWO-WIRE TIME RELAY SETTING RANGE 0.5 S...10 S, AC/DC 90...240 V, ON-DELAY, WITH VARISTOR FOR MOUNTING ONTO CONTACTORS SIZE S0...S3	R 716.00
3RT1926-2FJ31	100119148	1	PD	SOLID-STATE, TIME-DELAYED AUXILIARY SWITCH BLOCK SETTING RANGE 5 S...100 S, AC/DC 24 V, 1NO + 1NC, OFF-DELAY, FOR MOUNTING ONTO CONTACTORS SIZE S0...S12	R 972.00
3RT1926-2FK21	100119150	1	PD	SOLID-STATE, TIME-DELAYED AUXILIARY SWITCH BLOCK SETTING RANGE 0.5 S...10 S, AC/DC 100...127 V, 1NO + 1NC, OFF-DELAY, FOR MOUNTING ONTO CONTACTORS SIZE S0...S12	R 886.00
3RT1926-3AB31	100119156	1	PD	MECHANICAL LATCHING BLOCK FOR MOUNTING ON 3RT1.2. AND 3RT1.3., 24 V AC/DC	R 864.00
3RT1926-4BA31	100119159	1	PD	PARALLEL CONNECTION W/O TERMINAL, 3-POLE FOR 3RT102., SCREW CONNECTION	R 41.00
3RT1934-5AF01	100001084	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 110 V, 50 HZ	R 228.00
3RT1934-5AP01	100119189	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 230 V, 50 HZ	R 228.00
3RT1934-5AQ21	101353979	1	PD	MAGNET COIL FOR CONTACTORS SIRIUS 3R, SIZE S2, SCREW CONNECTION 500 V AC, 50/60 HZ	R 228.00
3RT1934-5AV01	100001085	1	PD	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 400 V, 50 HZ	R 228.00
3RT1934-5BB41	100001086	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION DC 24 V	R 639.00
3RT1934-5BM41	100119212	1	PD	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION DC 220 V	R 639.00
3RT1934-6A	100119218	1	V2	EQUIV. CONTACTS F. CONTACTOR SIZE S2, 3-POLE, AC-3, 15 KW, 3 NO, MAIN CONTACTS, CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 570.00
3RT1935-5AB01	100119219	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 24 V, 50 HZ	R 228.00
3RT1935-5AD01	100119222	1	PD	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 42 V, 50 HZ	R 228.00
3RT1935-5AF01	100001087	1	PD	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 110 V, 50 HZ	R 228.00
3RT1935-5AH01	100119231	1	PD	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 48 V, 50 HZ	R 228.00
3RT1935-5AP01	100119244	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 230 V, 50 HZ	R 228.00
3RT1935-5AQ21	101138869	1	V2	MAGNET COIL FOR CONTACTORS SIRIUS 3R, SIZE S2, SCREW CONNECTION 500 V AC, 50/60 HZ	R 228.00
3RT1935-5AV01	100001089	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S2, SCREW CONNECTION AC 400 V, 50 HZ	R 228.00
3RT1935-6A	100119258	1	PD	EQUIV. CONTACTS F. CONTACTOR SIZE S2, 3-POLE, AC-3, 18.5 KW, 3 NO, MAIN CONTACTS, CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 682.00
3RT1936-1CB00	100001090	1	V2	RC-ELEMENT, AC 24...48 V, DC 24...70 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZE S2 AND S3	R 153.00
3RT1936-1CC00	100119259	1	V2	RC-ELEMENT, AC 48...127 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZE S2 AND S3	R 195.00
3RT1936-1CD00	100001091	1	V2	RC-ELEMENT, AC 127...240 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZE S2 AND S3	R 166.00
3RT1936-1ER00	100001092	1	V2	DIODE ASSEMBLY WITHOUT LED, DC 24 V, SURGE SUPPRESSOR, FOR MOUNTING ONTO CONTACTORS SIZE S2	R 262.00
3RT1936-1TR00	100119262	1	V2	DIODE ASSEMBLY WITHOUT LED, DC 24 V, SURGE SUPPRESSOR, PLUGGABLE FR. BEL., SIZE S2/S3,	R 262.00
3RT1936-4EA2	100119266	1	PD	TERMINAL COVER FOR BOX TERMINALS, FOR CONTACTOR AND OVERLOAD RELAY SIZE S2 AND SOFT STARTER 3RW403.	R 48.00

3RT1936-6A	100001093	1	V2	EQUIV. CONTACTS F. CONTACTOR SIZE S2, 3-POLE, AC-3, 22 KW, 3 NO, MAIN CONTACTS, CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 954.00
3RT1944-5AC01	100418941	1	PD	SOLENOID COIL FOR CONTACTORS SIRIUS SIZE S3, SCREW CONNECTION 32 V AC, 50 HZ	R 361.00
3RT1944-5AF01	100001094	1	PD	COIL FOR CONTACTORS SIRIUS, SIZE S3, SCREW CONNECTION, AC 110 V, 50 HZ	R 281.00
3RT1944-5AP01	100119294	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S3, SCREW CONNECTION, AC 230 V, 50 HZ	R 281.00
3RT1944-5AQ21	101176367	1	PD	MAGNET COIL FOR CONTACTORS SIRIUS 3R, SIZE S3, SCREW CONNECTION, 500 V AC, 50/60 HZ	R 281.00
3RT1944-5AV01	100001095	1	PD	COIL FOR CONTACTORS SIRIUS, SIZE S3, SCREW CONNECTION, AC 400 V, 50 HZ	R 281.00
3RT1944-6A	100001096	1	V2	EQUIV. CONTACTS F. CONTACTOR SIZE S3, 3-POLE, AC-3, 30 KW, 3 NO, MAIN CONTACTS, CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 1,069.00
3RT1945-5AF01	100001097	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S3, SCREW CONNECTION, AC 110 V, 50 HZ	R 587.00
3RT1945-5AP01	100119349	1	V2	COIL FOR CONTACTORS SIRIUS, SIZE S3, SCREW CONNECTION, AC 230 V, 50 HZ	R 587.00
3RT1945-6A	100001100	1	V2	EQUIV. CONTACTS FOR CONTACTOR SIZE S3, 3-POLE, AC-3, 37 KW, 3 NO, MAIN CONTACTS, CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 1,250.00
3RT1946-4BA31	100119363	1	PD	PARALLEL CONNECTION WITHOUT TERMINAL, 3-POLE FOR 3RT104.	R 94.00
3RT1946-4EA2	100119366	1	PD	TERMINAL COVER FOR BOX TERMINALS, FOR CONTACTOR AND OVERLOAD RELAY SIZE S3 AND SOFT STARTER 3RW404.	R 56.00
3RT1946-6A	100001101	1	V2	EQUIV. CONTACTS FOR CONTACTOR SIZE S3, 3-POLE, AC-3, 45 KW, 3 NO, MAIN CONTACTS, CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 1,640.00
3RT1954-6A	100119372	1	V2	SPARE CONTACTS F. MOD. S6 F. CONTACTOR 3RT1054, 55KW/AC-3 CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 2,027.00
3RT1955-4G	100119374	1	V2	FRAME TERMINAL BLOCK FOR CONTACTOR SIZE S6, 3RT1054 FOR OVERLOAD RELAY 3RB105 MAX. CONNECTION APPR. 70MM2	R 312.00
3RT1955-5AB31	100119375	1	V2	WITHDR. COIL FOR MOD. S6 FOR CONTACTORS 3RT105/3RT145 AC/DC ACTUATOR UC23-26V DRIVE: CONVENTIONAL	R 923.00
3RT1955-5AF31	100072956	1	V2	WITHDR. COIL FOR MOD. S6 FOR CONTACTORS 3RT105/3RT145 AC/DC ACTUATOR UC110-127V DRIVE: CONVENTIONAL	R 923.00
3RT1955-5AP31	100119378	1	V2	WITHDR. COIL FOR MOD. S6 FOR CONTACTORS 3RT105/3RT145 AC/DC ACTUATOR UC220-240V DRIVE: CONVENTIONAL	R 923.00
3RT1955-5AS31	101178505	1	PD	WITHDR. COIL FOR MOD. S6 FOR CONTACTORS 3RT105/3RT145 AC/DC ACTUATOR UC500-550V DRIVE: CONVENTIONAL	R 923.00
3RT1955-5AV31	100119383	1	V2	WITHDR. COIL FOR MOD. S6 FOR CONTACTORS 3RT105/3RT145 AC/DC ACTUATOR UC380-420V DRIVE: CONVENTIONAL	R 923.00
3RT1955-6A	100119391	1	PD	SPARE CONTACTS F. MOD.S6 F. CONTACTOR 3RT1055, 75KW/AC-3 CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 2,618.00
3RT1956-1CB00	100119393	1	V2	SURGE SUPPRESSOR./RC ELEMENT FOR CONTACTORS SIZE S6/S10/S12 FOR US = 24-48 V AC/24-70 V DC	R 347.00
3RT1956-1CC00	100119394	1	V2	SURGE SUPPRESSOR./RC ELEMENT FOR CONTACTOR MOD.S6/S10/S12 FOR US = AC 48-127V/DC 70-150V	R 347.00
3RT1956-1CD00	100119395	1	V2	SURGE SUPPRESSOR./RC ELEMENT FOR CONTACTOR MOD.S6/S10/S12 FOR US = AC127-240V/DC150-250V	R 347.00
3RT1956-4BA31	100119400	1	PD	PARALLEL CONNECTION 3-POLE, FOR CONTACTOR MOD. S6, 3RT1.5	R 190.00

3RT1956-4EA1	100084780	1	V2	TERMINAL COVER FOR BAR CONNECTIONS FOR CONTACTOR SIZE S6, 3RT1.5 FOR OVERLOAD RELAY 3RB105 FOR SOFT STARTER 3RW405., 3RW442.,3RW443.	R 172.00
3RT1956-4G	100119403	1	PD	FRAME TERMINAL BLOCK FOR CONTACTOR MOD.S6, 3RT1.5 FOR OVERLOAD RELAY 3RB105 MAX. CONNECTION APPR. 120MM2	R 442.00
3RT1956-4NB00	101137841	1	PD	ADAPTER PLATE FOR CONTACTORS S6 TO EXCHANGE CONTACTORS 3TF52/3TK52 ON SIRIUS 3RT1.5	R 560.00
3RT1956-6A	100119404	1	V2	SPARE CONTACTS F. MOD.S6 F. CONTACTOR 3RT1056, 90KW/AC-3 CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH MOUNTING ACC.	R 3,258.00
3RT1964-6A	100119408	1	V2	SPARE CONTACTS F. SIZE S10 F. CONTACTOR 3RT1064,110KW/AC-3 CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH FIXING PARTS	R 3,836.00
3RT1965-5AB31	100119411	1	V2	WITHDR. COIL FOR SIZE S10 FOR CONTACTORS 3RT106/3RT146 AC/DC OPERATION 23-26V UC DRIVE: CONVENTIONAL	R 1,139.00
3RT1965-5AF31	100072957	1	V2	WITHDR. COIL FOR SIZE S10 FOR CONTACTORS 3RT106/3RT146 AC/DC OPERATION 110-127V UC DRIVE: CONVENTIONAL	R 1,139.00
3RT1965-5AP31	100075828	1	V2	WITHDR. COIL FOR SIZE S10 FOR CONTACTORS 3RT106/3RT146 AC/DC OPERATION 220-240V UC DRIVE: CONVENTIONAL	R 1,139.00
3RT1965-5AV31	100119418	1	V2	WITHDR. COIL FOR SIZE S10 FOR CONTACTORS 3RT106/3RT146 AC/DC OPERATION 380-420V UC DRIVE: CONVENTIONAL	R 1,139.00
3RT1965-6A	100119426	1	V2	SPARE CONTACTS F. SIZE S10 F. CONTACTOR 3RT1065,132KW/AC-3 CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH FIXING PARTS	R 5,029.00
3RT1966-4BA31	100119431	1	PD	PARALLEL CONNECTION 3-POLE, WITHOUT TERMINAL FOR CONTACTORS SIZE S10/S12	R 321.00
3RT1966-4EA1	100084781	1	V2	TERMINAL COVER FOR BAR CONNECTIONS FOR CONTACTORS SIZE S10/S12 FOR OVERLOAD RELAY 3RB106 FOR SOFT START.3RW407.,3RW444.	R 255.00
3RT1966-4G	100119435	1	V2	FRAME TERMINAL BLOCK FOR CONTACTORS SIZE S10/S12 FOR OVERLOAD RELAY 3RB106	R 1,214.00
3RT1966-5AF31	100083996	1	V2	WITHDR. COIL FOR SIZE S10 FOR VAC. CONTACTOR 3RT126 AC/DC OPERATION 110-127V UC DRIVE: CONVENTIONAL	R 1,202.00
3RT1966-5AP31	100785165	1	V2	WITHDR. COIL FOR SIZE S10 FOR VAC. CONTACTOR 3RT126 AC/DC OPERATION 220-240V UC DRIVE: CONVENTIONAL	R 1,202.00
3RT1966-6A	100119448	1	V2	SPARE CONTACTS F. SIZE S10 F. CONTACTOR 3RT1066,160KW/AC-3 CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH FIXING PARTS	R 6,247.00
3RT1975-5AB31	100119453	1	PD	WITHDR. COIL FOR SIZE S12 FOR CONTACTOR 3RT107/3RT127/3RT147 AC/DC OPERATION 23-26V UC DRIVE: CONVENTIONAL	R 1,450.00
3RT1975-5AF31	100083995	1	V2	WITHDR. COIL FOR SIZE S12 FOR CONTACTOR 3RT107/3RT127/3RT147 AC/DC OPERATION 110-127V UC DRIVE: CONVENTIONAL	R 1,450.00
3RT1975-5AP31	100075829	1	V2	WITHDR. COIL FOR SIZE S12 FOR CONTACTOR 3RT107/3RT127/3RT147 AC/DC OPERATION 220-240V UC DRIVE: CONVENTIONAL	R 1,450.00
3RT1975-5AS31	101353981	1	V2	WITHDR. COIL FOR SIZE S12 FOR CONTACTOR 3RT107/3RT127/3RT147 AC/DC OPERATION 500-550V UC DRIVE: CONVENTIONAL	R 1,450.00
3RT1975-5AV31	100119460	1	PD	WITHDR. COIL FOR SIZE S12 FOR CONTACTOR 3RT107/3RT127/3RT147 AC/DC OPERATION 380-420V UC DRIVE: CONVENTIONAL	R 1,450.00
3RT1975-6A	100119468	1	PD	SPARE CONTACTS F. SIZE S12 F. CONTACTOR 3RT1075,200KW/AC-3 CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH FIXING PARTS	R 6,389.00
3RT1976-6A	100119471	1	PD	SPARE CONTACTS F. SIZE S12 F. CONTACTOR 3RT1076,250KW/AC-3 CONSISTS OF 3 MOVABLE AND 6 FIXED CONTACTS WITH FIXING PARTS	R 8,262.00
3RT2015-1AB01	102838052	1	V2	CONTACTOR, AC-3, 3KW/400V, 1NO, AC 24V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 323.00
3RT2015-1AB02	102838057	1	V2	CONTACTOR, AC-3, 3KW/400V, 1NC, AC 24V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 323.00

3RT2015-1AF01	102838062	1	PD	CONTACTOR, AC-3, 3KW/400V, 1NO, AC110V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 323.00
3RT2015-1AP01	102838086	1	V2	CONTACTOR, AC-3, 3KW/400V, 1NO, AC 230V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 323.00
3RT2015-1AP02	102838117	1	V2	CONTACTOR, AC-3, 3KW/400V, 1NC, AC 230V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 323.00
3RT2015-1BB41	102632531	1	V2	CONTACTOR, AC-3, 3KW/400V, 1NO, DC 24V, 3-POLE, SZ S00 SCREW TERMINAL	R 381.00
3RT2015-1BB41-0CC0	102951035	1	V2	CONTACTOR, AC-3, 3KW/400V, 1NO, DC 24V, COM. CAPABILITY 3-POLE, SZ S00 SCREW TERMINAL	R 432.00
3RT2015-1BB42	102533174	1	V2	CONTACTOR, AC-3, 3KW/400V, 1NC, DC 24V, 3-POLE, SZ S00 SCREW TERMINAL	R 396.00
3RT2016-1AF01	102840238	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NO, AC110V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 351.00
3RT2016-1AF02	102841162	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NC, AC110V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 351.00
3RT2016-1AP01	102457762	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NO, AC 230V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 351.00
3RT2016-1AP02	102841231	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NC, AC 230V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 351.00
3RT2016-1AV01	103577097	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NO, AC 400V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 385.00
3RT2016-1BB41	102822579	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NO, DC 24V, 3-POLE, SZ S00 SCREW TERMINAL	R 408.00
3RT2016-1BB42	102840578	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NC, DC 24V, 3-POLE, SZ S00 SCREW TERMINAL	R 408.00
3RT2017-1AB01	102841955	1	V2	CONTACTOR, AC-3, 5.5KW/400V, 1NO, AC 24V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 431.00
3RT2017-1AP01	102529201	1	V2	CONTACTOR, AC-3, 5.5KW/400V, 1NO, AC 230V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 431.00
3RT2017-1AP02	102891194	1	V2	CONTACTOR, AC-3, 5.5KW/400V, 1NC, AC 230V, 50/60 HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 431.00
3RT2017-1BB41	102822605	1	V2	CONTACTOR, AC-3, 5.5KW/400V, 1NO, DC 24V, 3-POLE, SZ S00 SCREW TERMINAL .	R 497.00
3RT2017-1BB42	102968396	1	V2	CONTACTOR, AC-3, 5.5KW/400V, 1NC, DC 24V, 3-POLE, SZ S00 SCREW TERMINAL .	R 497.00
3RT2018-1AB01	102916417	1	V2	CONTACTOR, AC-3, 7.5KW/400V, 1NO, AC 24V 50/60HZ, 3-POLE, SZ S00 SCREW TERMINAL	R 503.00
3RT2018-1BB41	102835881	1	V2	CONTACTOR, AC-3, 7.5KW/400V, 1NO, DC 24V, 3-POLE, SZ S00 SCREW TERMINAL .	R 862.00
3RT2023-1AF00	103741277	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NO+1NC, AC110V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 399.00
3RT2023-1BB40	103578822	1	V2	CONTACTOR, AC-3, 4KW/400V, 1NO+1NC, DC 24V, 3-POLE, SZ S0 SCREW TERMINAL	R 867.00
3RT2024-1AF00	103119658	1	PD	CONTACTOR, AC-3, 5.5KW/400V, 1NO+1NC, AC110V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 478.00
3RT2024-1AP00	102910279	1	V2	CONTACTOR, AC-3, 5.5KW/400V, 1NO+1NC, AC 230V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 478.00
3RT2024-1BB40	102887151	1	V2	CONTACTOR, AC-3, 5.5KW/400V, 1NO+1NC, DC 24V, 3-POLE, SZ S0 SCREW TERMINAL	R 940.00
3RT2024-1BB40-0CC0	102919512	1	PD	CONTACTOR, AC-3, 5.5KW/400V, 1NO+1NC, DC 24V, COM. CAPABILITY, 3-POLE, SZ S0 SCREW TERMINAL	R 1,013.00
3RT2025-1AF00	102939430	1	V2	CONTACTOR, AC-3, 7.5KW/400V, 1NO+1NC, AC110V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 632.00
3RT2025-1AP00	102889541	1	V2	CONTACTOR, AC-3, 7.5KW/400V, 1NO+1NC, AC 230V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 632.00
3RT2025-1AV00	103119662	1	V2	CONTACTOR, AC-3, 7.5KW/400V, 1NO+1NC, AC 400V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 632.00
3RT2025-1BB40	102822606	1	V2	CONTACTOR, AC-3, 7.5KW/400V, 1NO+1NC, DC 24V, 3-POLE, SZ S0 SCREW TERMINAL	R 1,128.00
3RT2025-1BB40-0CC0	102951038	1	PD	CONTACTOR, AC-3, 7.5KW/400V, 1NO+1NC, DC 24V, COM. CAPABILITY, 3-POLE, SZ S0 SCREW TERMINAL	R 1,202.00
3RT2026-1AB00	103119663	1	V2	CONTACTOR, AC-3, 11KW/400V, 1NO+1NC, AC 24V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 842.00
3RT2026-1AF00	103119664	1	V2	CONTACTOR, AC-3, 11KW/400V, 1NO+1NC, AC110V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 842.00
3RT2026-1AP00	102910280	1	V2	CONTACTOR, AC-3, 11KW/400V, 1NO+1NC, AC 230V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 842.00
3RT2026-1BB40	102894251	1	V2	CONTACTOR, AC-3, 11KW/400V, 1NO+1NC, DC 24V, 3-POLE, SZ S0 SCREW TERMINAL	R 1,341.00

3RT2026-1BB40-0CC0	102951042	1	PD	CONTACTOR, AC-3, 11KW/400V, 1NO+1NC, DC 24V, COM. CAPABILITY, 3-POLE, SZ S0 SCREW TERMINAL	R 1,421.00
3RT2027-1AB00	103119667	1	V2	CONTACTOR, AC-3, 15KW/400V, 1NO+1NC, AC 24V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 1,219.00
3RT2027-1AF00	103119668	1	V2	CONTACTOR, AC-3, 15KW/400V, 1NO+1NC, AC 110V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 1,219.00
3RT2027-1AP00	102910281	1	V2	CONTACTOR, AC-3, 15KW/400V, 1NO+1NC, AC 230V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 1,219.00
3RT2027-1BB40	102840579	1	V2	CONTACTOR, AC-3, 15KW/400V, 1NO+1NC, DC 24V, 3-POLE, SZ S0 SCREW TERMINAL	R 1,833.00
3RT2028-1AP00	102910282	1	V2	CONTACTOR, AC-3, 18.5KW/400V, 1NO+1NC, AC 230V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 1,368.00
3RT2028-1AP04	102529200	1	PD	CONTACTOR, AC-3, 18.5KW/400V, 2NO+2NC, AC 230V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL REMOVABLE AUX. SWITCH	R 1,541.00
3RT2028-1AV00	103119673	1	PD	CONTACTOR, AC-3, 18.5KW/400V, 1NO+1NC, AC 400V 50HZ, 3-POLE, SZ S0 SCREW TERMINAL	R 1,368.00
3RT2028-1BB40	102488304	1	V2	CONTACTOR, AC-3, 18.5KW/400V, 1NO+1NC, DC 24V, 3-POLE, SZ S0 SCREW TERMINAL	R 2,006.00
3RT2916-1BB00	102869380	1	V2	SURGE SUPPRESSOR, VARISTOR, AC 24...48V, DC 24...70V, F. CONT. RELAYS A. MOTOR CONT. SZ S00,	R 102.00
3RT2916-1BD00	102464154	1	V2	SURGE SUPPRESSOR, VARISTOR, AC 127...240V, DC 150...250V, F. CONT. RELAYS A. MOTOR CONT. SZ S00,	R 102.00
3RT2916-1DG00	102533184	1	V2	SURGE SUPPRESSOR, SUPPRESSION DIODE DC 12...250V, F. CONT. RELAYS A. MOTOR CONT. SZ S00,	R 102.00
3RT2916-1JL00	103159553	1	PD	SURGE SUPPRESSOR, VARISTOR WITH LED, AC 127...240V, DC 70...150V F. CONT. RELAYS A. MOTOR CONT. SZ S00,	R 134.00
3RT2916-1LM00	103170485	1	V2	SURGE SUPPRESSOR, SUPPRESSION DIODE WITH LED, DC 24...70V, F. CONT. RELAYS A. MOTOR CONT. SZ S00,	R 134.00
3RT2926-1BB00	102901486	1	V2	SURGE SUPPRESSOR, VARISTOR, AC 24...48V, DC 24...70V, FOR MOTOR CONTACTORS SZ S0,	R 124.00
3RT2926-1CD00	102951249	1	V2	SURGE SUPPRESSOR, RC COUPLING, AC 127...240V, DC 150...250V, FOR MOTOR CONTACTORS SZ S0,	R 158.00
3RT2926-1JJ00	103790263	1	PD	SURGE SUPPRESSOR, VARISTOR WITH LED, AC 24...48V, DC 12...24V, FOR MOTOR CONTACTORS SZ S0,	R 164.00
3RU1116-0AB0	100074720	1	V2	OVERLOAD RELAY, 0.11...0.16 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0BB0	100074724	1	PD	OVERLOAD RELAY, 0.14...0.2 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0CB0	100025458	1	PD	OVERLOAD RELAY, 0.18...0.25 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0DB0	100001103	1	V2	OVERLOAD RELAY, 0.22...0.32 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0EB0	100001104	1	PD	OVERLOAD RELAY, 0.28...0.4 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0FB0	100001105	1	V2	OVERLOAD RELAY, 0.35...0.5 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0GB0	100001106	1	V2	OVERLOAD RELAY 0.45...0.63 A FOR MOTOR PROTECTION SIZE S00, CLASS 10 FOR CONTACTOR MOUNTING MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET	R 516.00
3RU1116-0HB0	100001107	1	V2	OVERLOAD RELAY, 0.55...0.8 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0JB0	100001108	1	V2	OVERLOAD RELAY, 0.7...1 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0JB1	100074738	1	PD	OVERLOAD RELAY, 0.7...1 A, 1NO+1NC, SIZE S00, CLASS 10, FOR INDIVID. MOUNTING	R 659.00
3RU1116-0KB0	100001109	1	V2	OVERLOAD RELAY, 0.9...1.25 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-0KB1	100074740	1	PD	OVERLOAD RELAY, 0.9...1.25 A, 1NO+1NC, SIZE S00, CLASS 10, FOR INDIVID. MOUNTING	R 659.00
3RU1116-1AB0	100001110	1	V2	OVERLOAD RELAY, 1.1...1.6 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00

3RU1116-1BB0	100001111	1	V2	OVERLOAD RELAY, 1.4...2 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-1CB0	100001112	1	V2	OVERLOAD RELAY, 1.8...2.5 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-1CB1	100074746	1	PD	OVERLOAD RELAY, 1.8...2.5 A, 1NO+1NC, SIZE S00, CLASS 10, FOR INDIVID. MOUNTING	R 659.00
3RU1116-1DB0	100001113	1	V2	OVERLOAD RELAY, 2.2...3.2 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-1DB1	100074748	1	PD	OVERLOAD RELAY, 2.2...3.2 A 1NO+1NC, SIZE S00, CLASS 10, FOR INDIVID. MOUNTING	R 659.00
3RU1116-1EB0	100001114	1	V2	OVERLOAD RELAY, 2.8...4 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-1FB0	100001115	1	V2	OVERLOAD RELAY, 3.5...5 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-1FB1	100074752	1	PD	OVERLOAD RELAY, 3.5...5 A, 1NO+1NC, SIZE S00, CLASS 10, FOR INDIVID. MOUNTING	R 659.00
3RU1116-1GB0	100001116	1	V2	OVERLOAD RELAY, 4.5...6.3 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-1HB0	100001117	1	V2	OVERLOAD RELAY, 5.5...8 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-1JB0	100001118	1	V2	OVERLOAD RELAY, 7...10 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1116-1KB0	100001120	1	V2	OVERLOAD RELAY, 9...12 A, 1NO+1NC, SIZE S00, CLASS 10, FOR CONTACTOR MOUNTING	R 516.00
3RU1126-1CB0	100001121	1	V2	OVERLOAD RELAY, 1.8...2.5 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-1DB0	100001122	1	V2	OVERLOAD RELAY, 2.2...3.2 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-1EB0	100001123	1	V2	OVERLOAD RELAY, 2.8...4 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-1ED0	101634403	1	PD	OVERLOAD RELAY, 2.8...4 A, 1NO+1NC, SIZE S0, CLASS 10, MAIN CIRCUIT: SCREW CONNECTION, AUXILIARY CIRCUIT: CAGE CLAMP, FOR CONTACTOR MOUNTING	R 608.00
3RU1126-1FB0	100001124	1	V2	OVERLOAD RELAY, 3.5...5 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-1GB0	100001125	1	V2	OVERLOAD RELAY, 4.5...6.3 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-1HB0	100001126	1	V2	OVERLOAD RELAY, 5.5...8 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-1JB0	100001127	1	V2	OVERLOAD RELAY, 7...10 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-1KB0	100001128	1	V2	OVERLOAD RELAY, 9...12.5 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-4AB0	100001129	1	V2	OVERLOAD RELAY, 11...16 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-4AB1	100074769	1	V2	OVERLOAD RELAY, 11...16 A, 1NO+1NC, SIZE S0, CLASS 10, SCREW CONNECTION, FOR INDIVID. MOUNTING	R 762.00
3RU1126-4AD0	100074770	1	PD	OVERLOAD RELAY, 11...16 A, 1NO+1NC, SIZE S0, CLASS 10, MAIN CIRCUIT: SCREW CONNECTION, AUXILIARY CIRCUIT: CAGE CLAMP, FOR CONTACTOR MOUNTING	R 608.00
3RU1126-4BB0	100001130	1	V2	OVERLOAD RELAY, 14...20 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-4BD0	101170008	1	PD	OVERLOAD RELAY, 14...20 A, 1NO+1NC, SIZE S0, CLASS 10, MAIN CIRCUIT: SCREW CONNECTION, AUXILIARY CIRCUIT: CAGE CLAMP, FOR CONTACTOR MOUNTING	R 608.00
3RU1126-4CB0	100001131	1	V2	OVERLOAD RELAY, 17...22 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-4DB0	100001132	1	V2	OVERLOAD RELAY, 20...25 A, 1NO+1NC, SIZE S0, CLASS 10, FOR CONTACTOR MOUNTING	R 597.00
3RU1126-4DB1	100074775	1	PD	OVERLOAD RELAY, 20...25 A, 1NO+1NC, SIZE S0, CLASS 10, SCREW CONNECTION, FOR INDIVID. MOUNTING	R 762.00
3RU1136-1HB0	100074777	1	V2	OVERLOAD RELAY, 5.5...8 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 654.00
3RU1136-1JB0	100074779	1	V2	OVERLOAD RELAY, 7...10 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 654.00
3RU1136-1KB0	100074781	1	V2	OVERLOAD RELAY, 9...12 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 654.00

3RU1136-4AB0	100001133	1	V2	OVERLOAD RELAY, 11...16 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 654.00
3RU1136-4AD0	101634391	1	PD	OVERLOAD RELAY, 11...16 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING, AUXILIARY SWITCH: CAGE CLAMP	R 666.00
3RU1136-4BB0	100001134	1	V2	OVERLOAD RELAY, 14...20 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 654.00
3RU1136-4DB0	100001135	1	V2	OVERLOAD RELAY, 18...25 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 654.00
3RU1136-4EB0	100001136	1	V2	OVERLOAD RELAY, 22...32 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 918.00
3RU1136-4FB0	100001137	1	V2	OVERLOAD RELAY, 28...40 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 918.00
3RU1136-4GB0	100001138	1	V2	OVERLOAD RELAY, 36...45 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 1,038.00
3RU1136-4GB1	100001139	1	PD	OVERLOAD RELAY, 36...45 A, 1NO+1NC, SIZE S2, CLASS 10, SCREW CONNECTION, FOR INDIVID. MOUNTING	R 1,234.00
3RU1136-4HB0	100001140	1	V2	OVERLOAD RELAY, 40...50 A, 1NO+1NC, SIZE S2, CLASS 10, FOR CONTACTOR MOUNTING	R 1,201.00
3RU1146-4DB0	100068777	1	PD	OVERLOAD RELAY 18...25 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR CONTACTOR MOUNTING MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET	R 920.00
3RU1146-4EB0	100074794	1	PD	OVERLOAD RELAY 22...32 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR CONTACTOR MOUNTING MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET	R 920.00
3RU1146-4FB0	100001141	1	V2	OVERLOAD RELAY 28...40 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR CONTACTOR MOUNTING MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET	R 920.00
3RU1146-4HB0	100001142	1	V2	OVERLOAD RELAY 36...50 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR CONTACTOR MOUNTING MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET	R 1,148.00
3RU1146-4JB0	100001143	1	V2	OVERLOAD RELAY, 45...63 A, 1NO+1NC, SIZE S3, CLASS 10, FOR CONTACTOR MOUNTING	R 1,320.00
3RU1146-4JB1	100074798	1	PD	OVERLOAD RELAY 45...63 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR INDIVID. MOUNTING MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET	R 1,589.00
3RU1146-4KB0	100001144	1	V2	OVERLOAD RELAY, 57...75 A, 1NO+1NC, SIZE S3, CLASS 10, FOR CONTACTOR MOUNTING	R 1,320.00
3RU1146-4KB1	100074800	1	PD	OVERLOAD RELAY 57...75 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR INDIVID. MOUNTING MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET	R 1,589.00
3RU1146-4LB0	100001145	1	V2	OVERLOAD RELAY, 70...90 A, 1NO+1NC, SIZE S3, CLASS 10, FOR CONTACTOR MOUNTING	R 1,577.00
3RU1146-4MB0	100001146	1	V2	OVERLOAD RELAY 80...100 A FOR MOTOR PROTECTION SIZE S3, CLASS 10 FOR CONTACTOR MOUNTING MAIN CIRCUIT: SCREW CONN. AUX. CIRCUIT: SCREW CONN. MANUAL-AUTOMATIC-RESET	R 1,955.00
3RU1900-1A	100074806	1	PD	MECHANICAL RESET FOR 3RU11/3RB10/3RB20/3RB21 SIZE S00...S12	R 51.00
3RU1900-1B	100001147	1	PD	CABLE RELEASE WITH HOLDER FOR 3RU11/3RB10/3RB20/3RB21 SIZE S00...S12	R 478.00
3RU1900-1C	100074807	1	V2	CABLE RELEASE WITH HOLDER FOR 3RU11/3RB10/3RB20/3RB21 SIZE S00...S12	R 478.00
3RU1900-2AM71	100073164	1	V2	REMOTE RESET MODULE, ELECTRICAL UC 220...250 FOR 3RU11/3RU21/3RB20/3RB30 SIZE S00...S12	R 434.00

3RU1916-3AA01	100001148	1	V2	HOLDER FOR STAND-ALONE INSTALL. FOR 3RU11/3RB10 SIZE S00 STAND-ALONE INSTALLATION MAIN CIRC.: SCREW TERMINAL AUX.CIRC.: --	R 120.00
3RU1926-3AA01	100001149	1	V2	HOLDER FOR STAND-ALONE INSTALL. FOR 3RU11/3RB10 SIZE S0 STAND-ALONE INSTALLATION MAIN CIRC.: SCREW TERMINAL AUX.CIRC.: --	R 144.00
3RU1936-3AA01	100001150	1	V2	STAND-ALONE INSTALL. SUPPORT FOR 3RU11/3RB10 SZ S2 STAND-ALONE INSTALLATION MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: --	R 188.00
3RU1946-3AA01	100001151	1	V2	STAND-ALONE INSTALL. SUPPORT FOR 3RU11/3RB10 SZ S3 STAND-ALONE INSTALLATION MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: --	R 243.00
3RU2116-0DB0	103180353	1	V2	OVERLOAD RELAY 0.22...0.32 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-0FB0	103159815	1	PD	OVERLOAD RELAY 0.35...0.50 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-0HB0	103119677	1	V2	OVERLOAD RELAY 0.55...0.80 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-0JB0	103119678	1	V2	OVERLOAD RELAY 0.70...1.0 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-0JC1	104885357	1	PD	OVERLOAD RELAY 0.70...1.0 A FOR MOTOR PROTECTION SZ S00, CLASS 10, STAND-ALONE INSTALLATION MAIN CIRCUIT: SPRING TERMINAL AUX. CIRCUIT: SPRING TERMINAL MANUAL-AUTOMATIC-RESET	R 655.00
3RU2116-0KB0	103119679	1	V2	OVERLOAD RELAY 0.90...1.25 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-1BB0	103119681	1	V2	OVERLOAD RELAY 1.4...2.0 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-1CB0	103002149	1	V2	OVERLOAD RELAY 1.8...2.5 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-1DB0	103119682	1	V2	OVERLOAD RELAY 2.2...3.2 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-1EB0	102866040	1	V2	OVERLOAD RELAY 2.8...4.0 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-1FB0	102934151	1	V2	OVERLOAD RELAY 3.5...5.0 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-1GB0	103119683	1	V2	OVERLOAD RELAY 4.5...6.3 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00

3RU2116-1HB0	102919468	1	V2	OVERLOAD RELAY 5.5...8.0 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-1JB0	102464610	1	V2	OVERLOAD RELAY 7.0...10 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-1KB0	103119684	1	V2	OVERLOAD RELAY 9.0...12.5 A FOR MOTOR PROTECTION BGR S00, CLASS 10 FOR MOUNTING ONTO CONTACTORS MAIN CIRCUIT: SCREW TERMINAL AUXILIARY CIRCUIT:SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2116-4AB0	102951262	1	V2	OVERLOAD RELAY 11...16 A FOR MOTOR PROTECTION SZ S00, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 497.00
3RU2126-1CB0	103119685	1	V2	OVERLOAD RELAY 1.8...2.5 A FOR MOTOR PROTECTION SZ S0, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 591.00
3RU2126-1FB0	103119688	1	PD	OVERLOAD RELAY 3.5...5.0 A FOR MOTOR PROTECTION SZ S0, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 591.00
3RU2126-4AB0	103119693	1	V2	OVERLOAD RELAY 11...16 A FOR MOTOR PROTECTION SZ S0, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 591.00
3RU2126-4BB0	103119694	1	V2	OVERLOAD RELAY 14...20 A FOR MOTOR PROTECTION SZ S0, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 591.00
3RU2126-4DB0	102934147	1	V2	OVERLOAD RELAY 20...25 A FOR MOTOR PROTECTION SZ S0, CLASS 10, F. MOUNTING ONTO CONTACTOR MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: SCREW TERMINAL MANUAL-AUTOMATIC-RESET	R 591.00
3RU2916-3AA01	102866210	1	V2	STAND-ALONE INSTALLATION SUPPORT FOR 3RU21/3RB30/3RB31 SZ S00, STAND-ALONE INSTALLATION MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: --	R 123.00
3RU2926-3AA01	102891560	1	V2	STAND-ALONE INSTALLATION SUPPORT FOR 3RU21/3RB30/3RB31 SZ S0, STAND-ALONE INSTALLATION MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: --	R 149.00
3RU2926-3AA01	103119697	1	V2	STAND-ALONE INSTALLATION SUPPORT FOR 3RU21/3RB30/3RB31 SZ S0, STAND-ALONE INSTALLATION MAIN CIRCUIT: SCREW TERMINAL AUX. CIRCUIT: --	R 149.00
3RV1011-0AA10	100025459	1	PD	CIRCUIT-BREAKER, 0.11...0.16A N-RELEASE 2.1 A, SIZE S00 MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 692.00
3RV1011-0BA10	100068726	1	PD	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.0.14...0.2A,N-REL.2.6A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 692.00
3RV1011-0BA15	100444033	1	PD	CIRCUIT-BREAKER, SIZE S00 FOR MOTOR PROTECTION, CLASS 10, A REL.0.14...0.2A, N REL.2.6A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 889.00
3RV1011-0CA10	100001153	1	PD	CIRCUIT-BREAKER 0.18...0.25 N-RELEASE 3,3A, SIZE S00, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 692.00

3RV1011-0DA10	100001155	1	V2	CIRCUIT-BREAKER, 0.22...0.32A N-RELEASE 4.2 A, SIZE S00, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 697.00
3RV1011-0EA10	100001156	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.0.28...0.4A,N-REL.5.2A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 697.00
3RV1011-0EA15	100073212	1	PD	CIRCUIT-BREAKER, SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A REL.0.28...0.40A, N REL.5.2A, SCREW CONNECTION, STANDARD BREAKING CAPACITY, W. TRANSV. AUX. SWITCH 1NO/1NC	R 895.00
3RV1011-0FA10	100001158	1	PD	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.0.35...0.5A, N-REL.6.5A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 697.00
3RV1011-0GA10	100001160	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.0.45...0.63A,N-REL.8.2A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 703.00
3RV1011-0GA20	100235438	1	PD	CIRCUIT-BREAKER, 0.45...0.63A N-RELEASE 8.2 A, SIZE S00 MOTOR PROTECTION, CLASS 10, CAGE CLAMP CONNECTION STANDARD BREAKING CAPACITY	R 715.00
3RV1011-0HA10	100001162	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.0.55...0.8A, N-REL.10 A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 747.00
3RV1011-0HA20	100073712	1	PD	CIRCUIT-BREAKER, 0.55...0.8 A N-RELEASE 10 A, SIZE S00 MOTOR PROTECTION, CLASS 10, CAGE CLAMP CONNECTION	R 767.00
3RV1011-0JA10	100001163	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.7...1A, N-REL. 13A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 747.00
3RV1011-0JA15	100073209	1	PD	CIRCUIT-BREAKER, SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A REL. 0.70...1A, N REL. 13A, SCREW CONNECTION, STANDARD BREAKING CAPACITY, W. TRANSV. AUX. SWITCH 1NO/1NC	R 948.00
3RV1011-0KA10	100001164	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.0.9...1.25A, N-REL.16A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 793.00
3RV1011-1AA10	100001166	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.1.1...1.6A, N-REL. 21A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 793.00
3RV1011-1BA10	100001168	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 1.4...2A, N-REL. 26A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 804.00
3RV1011-1BA15	100001169	1	PD	CIRCUIT-BREAKER, SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A REL. 1.4...2A, N REL. 26A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 993.00
3RV1011-1BA20	100001170	1	PD	CIRCUIT-BREAKER, 1.4...2 A N-RELEASE 26 A, SIZE S00 MOTOR PROTECTION, CLASS 10, CAGE CLAMP CONNECTION STANDARD BREAKING CAPACITY	R 818.00
3RV1011-1CA15	100073207	1	PD	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 1.8...2.5A, N-REL. 33A SCREW TERMINAL, STANDARD SWITCHING CAPACITY, W. TRANSV. AUX. SWITCH 1NO+1NC	R 993.00
3RV1011-1CA20	100073718	1	PD	CIRCUIT-BREAKER, 1.8...2.5 A N-RELEASE 33 A, SIZE S00 MOTOR PROTECTION, CLASS 10, CAGE CLAMP CONNECTION STANDARD BREAKING CAPACITY	R 818.00
3RV1011-1DA10	100001172	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.2.2...3.2A, N-REL. 42A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 804.00

3RV1011-1DA15	100001173	1	PD	CIRCUIT-BREAKER, SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A REL.2.2...3.2A, N REL.42A, 1NO + 1NC TRANSVERSE, SCREW CONN., STANDARD BREAKING CAPAC.	R 993.00
3RV1011-1EA10	100001175	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 2.8...4A, N-REL. 52A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 804.00
3RV1011-1EA15	100001176	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 2.8...4A, N-REL. 52A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY, W. TRANSV. AUX. SWITCH 1NO+1NC	R 993.00
3RV1011-1FA10	100001178	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 3.5...5A, N-REL. 65A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 804.00
3RV1011-1FA15	100072616	1	PD	CIRCUIT-BREAKER, SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A REL.3.5...5A, N REL.65A, 1NO + 1NC TRANSVERSE, SCREW CONN., STANDARD BREAKING CAPAC.	R 993.00
3RV1011-1FA20	100073721	1	PD	CIRCUIT-BREAKER, 3.5...5 A N-RELEASE 65 A, SIZE S00 MOTOR PROTECTION, CLASS 10, CAGE CLAMP CONNECTION STANDARD BREAKING CAPACITY	R 818.00
3RV1011-1GA10	100001179	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 4.5...6.3A, N-REL. 82A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 804.00
3RV1011-1GA15	100073204	1	PD	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 4.5...6.3A, N-REL. 82A SCREW TERMINAL, STANDARD SWITCHING CAPACITY, W. TRANSV. AUX. SWITCH 1NO+1NC	R 993.00
3RV1011-1HA10	100001181	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 5.5...8A, N-REL. 104A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 804.00
3RV1011-1JA10	100001183	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 7...10A, N-REL. 130A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 898.00
3RV1011-1JA20	100073726	1	PD	CIRCUIT-BREAKER, 7...10 A N-RELEASE 130 A, SIZE S00 MOTOR PROTECTION, CLASS 10, CAGE CLAMP CONNECTION STANDARD BREAKING CAPACITY	R 915.00
3RV1011-1KA10	100001185	1	V2	CIRCUIT-BREAKER SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 9...12A, N-REL. 156A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 898.00
3RV1011-1KA15	100001186	1	PD	CIRCUIT-BREAKER, SIZE S00, FOR MOTOR PROTECTION, CLASS 10, A REL.9...12 A, N REL.156 A, 1NO + 1NC TRANSVERSE, SCREW CONN., STANDARD BREAKING CAPAC.	R 1,089.00
3RV1011-1KA20	100073729	1	PD	CIRCUIT-BREAKER, 9...12 A N-RELEASE 156 A, SIZE S00 MOTOR PROTECTION, CLASS 10, CAGE CLAMP CONNECTION STANDARD BREAKING CAPACITY	R 915.00
3RV1021-0AA10	100073731	1	V2	CIRCUIT-BREAKER, 0.11...0.16A N-RELEASE 2.1 A, SIZE S0, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 825.00
3RV1021-0AA15	100073734	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.0.11...0.16A, N REL.2.1A SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,024.00
3RV1021-0BA10	100072766	1	PD	CIRCUIT-BREAKER, 0.14...0.2 A N-RELEASE 2.6 A, SIZE S0, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 825.00
3RV1021-0CA10	100025460	1	PD	CIRCUIT-BREAKER, 0.18...0.25A N-RELEASE 3.3 A, SIZE S0, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 825.00
3RV1021-0DA10	100001188	1	V2	CIRCUIT-BREAKER, 0.22...0.32A N-RELEASE 4.2 A, SIZE S0, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 840.00

3RV1021-0DA15	100463854	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.0.22...0.32A, N REL.4.2A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,037.00
3RV1021-0EA10	100001189	1	V2	CIRCUIT-BREAKER, 0.28...0.40A N-RELEASE 5.2 A, SIZE S0, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 840.00
3RV1021-0EA15	100073747	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.0.28...0.40A, N REL.5.2A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,037.00
3RV1021-0FA10	100001190	1	V2	CIRCUIT-BREAKER, 0.35...0.50A N-RELEASE 6,5 A, SIZE S0, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 840.00
3RV1021-0FA15	100073749	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.0.35...0.50A, N REL.6,5A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,037.00
3RV1021-0GA10	100001191	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL.0.45...0.63A,N-REL.8.2A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 840.00
3RV1021-0GA15	100073752	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.0.45...0.63A, N REL.8.2A SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,037.00
3RV1021-0HA10	100001192	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL.0.55...0.80A,N-REL.10 A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 840.00
3RV1021-0HA15	100073754	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.0.55...0.80A, N REL.10 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,037.00
3RV1021-0JA10	100001193	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.7 ...1A, N-REL. 13A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 897.00
3RV1021-0JA15	100073758	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.0.70...1A, N REL.13A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,092.00
3RV1021-0KA10	100001194	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.9...1.25A, N-REL.16A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 897.00
3RV1021-0KA15	100073760	1	V2	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.0.9...1.25A, N REL.16A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,092.00
3RV1021-1AA10	100001195	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 1.1...1.6A, N-REL. 21A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 897.00
3RV1021-1AA15	100001196	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.1.1...1.6A, N REL.21 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,092.00
3RV1021-1BA10	100001197	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 1.4...2A, N-REL. 26A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 912.00
3RV1021-1BA15	100001198	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.1.4...2 A, N REL.26 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,107.00

3RV1021-1CA10	100001199	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 1.8...2.5A, N-REL.33A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 912.00
3RV1021-1CA15	100001200	1	V2	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.1.8...2.5A, N REL.33A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,107.00
3RV1021-1DA10	100001201	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 2.2...3.2A, N-REL.42A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 912.00
3RV1021-1DA15	100001202	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.2.2...3.2A, N REL. 42A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,107.00
3RV1021-1EA10	100001203	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 2.8...4A, N-REL. 52A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 912.00
3RV1021-1EA15	100073766	1	V2	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.2.8A...4.0A, N REL.52A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,107.00
3RV1021-1FA10	100001204	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 3.5...5A, N-REL. 65A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 912.00
3RV1021-1FA15	100001205	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.3.5...5 A, N REL. 65 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,107.00
3RV1021-1GA10	100001206	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL.4.5A...6.3A, N-REL.82A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 912.00
3RV1021-1GA15	100001207	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.4.5A...6.3A, N REL.82A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,107.00
3RV1021-1GA15	101357434	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.4.5A...6.3A, N REL.82A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,107.00
3RV1021-1HA10	100001208	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 5.5...8A, N-REL. 104A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 912.00
3RV1021-1HA15	100001209	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.5.5...8 A, N REL.104 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY, W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,107.00
3RV1021-1JA10	100001210	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 7...10A, N-REL. 130A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 1,013.00
3RV1021-1JA15	100001211	1	V2	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.7...10 A, N REL.130 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,211.00
3RV1021-1KA10	100001212	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 9...12.5A, N-REL. 163A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 1,013.00

3RV1021-1KA15	100073772	1	V2	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.9...12,5 A, N REL.163 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,211.00
3RV1021-4AA10	100001213	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 11...16A, N-REL. 208A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 1,013.00
3RV1021-4AA15	100001214	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 11...16A,N-REL. 208A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY, W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,211.00
3RV1021-4BA10	100001215	1	V2	CIRCUIT-BREAKER, 14...20 A, N-RELEASE 260 A, SIZE S0, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION STANDARD BREAKING CAPACITY,	R 1,056.00
3RV1021-4BA15	100073774	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 14...20A,N-REL. 260A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY, W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,252.00
3RV1021-4CA10	100001216	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 17...22A, N-REL. 286A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 1,126.00
3RV1021-4CA15	100073776	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.17...22 A, N REL.286 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 1,322.00
3RV1021-4DA10	100001217	1	V2	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 20...25A, N-REL. 325A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 1,225.00
3RV1021-4DA15	100001218	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, A REL.20...25 A, N REL.325 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY, W. TRANSV. AUX. SWITCH 1NO/1NC	R 1,469.00
3RV1031-4AA10	100025461	1	V2	CIRCUIT-BREAKER 11...16 A, N-RELEASE 208 A, SIZE S2, MOTOR PROTECTION CLASS 10 SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,662.00
3RV1031-4BA10	100001220	1	V2	CIRCUIT-BREAKER 14...20 A, N-RELEASE 260 A, SIZE S2, MOTOR PROTECTION CLASS 10 SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,662.00
3RV1031-4DA10	100001221	1	V2	CIRCUIT-BREAKER 18...25 A, N-RELEASE 325 A, SIZE S2, MOTOR PROTECTION CLASS 10 SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,900.00
3RV1031-4EA10	100001222	1	V2	CIRCUIT-BREAKER SIZE S2. FOR MOTOR PROTECTION, CLASS 10, A-REL. 22...32A, N-REL. 416A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 2,158.00
3RV1031-4EA15	100068736	1	PD	CIRCUIT-BREAKER SIZE S2, MOTOR PROTECTION CLASS 10 A-RELEASE 22...32A, N-RELEASE 416A SCREW CONNECTION W. INTEGRATED AUXILIARY SWITCH	R 2,335.00
3RV1031-4EB10	100073781	1	PD	CIRCUIT-BREAKER, SIZE S2, FOR MOTOR PROTECTION, CLASS 20, A-RELEASE 22...32 A, N-RELEASE 416 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 2,687.00
3RV1031-4FA10	100001223	1	V2	CIRCUIT-BREAKER SIZE S2. FOR MOTOR PROTECTION, CLASS 10, A-REL. 28...40A, N-REL. 520A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 2,332.00
3RV1031-4FA15	100073783	1	PD	CIRCUIT-BREAKER 28...40 A, N-RELEASE 480 A, SIZE S2, MOTOR PROTECTION CLASS 10 SCREW CONNECTION	R 2,509.00
3RV1031-4FB10	101285545	1	PD	CIRCUIT-BREAKER, SIZE S2, FOR MOTOR PROTECTION, CLASS 20, A-RELEASE 28...40 A, N-RELEASE 520 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 2,795.00
3RV1031-4GA10	100001224	1	V2	CIRCUIT-BREAKER 36...45 A, N-RELEASE 585 A, SIZE S2, MOTOR PROTECTION CLASS 10 SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,420.00

3RV1031-4HA10	100001225	1	V2	CIRCUIT-BREAKER SIZE S2. FOR MOTOR PROTECTION, CLASS 10, A-REL. 40...50A, N-REL. 650A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 2,682.00
3RV1041-4FA10	100001227	1	V2	CIRCUIT-BREAKER SIZE S3 A-RELEASE 28...40 A, N-RELEASE 520 A, MOTOR PROTECTION, CLASS 10 SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,850.00
3RV1041-4HA10	100001228	1	V2	CIRCUIT-BREAKER SIZE S3, FOR MOTOR PROTECTION, CLASS 10, A-REL. 36...50A, N-REL. 650A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 2,850.00
3RV1041-4JA10	100001229	1	V2	CIRCUIT-BREAKER SIZE S3, FOR MOTOR PROTECTION, CLASS 10, A-REL. 45...63A, N-REL. 819A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 2,686.00
3RV1041-4KA10	100025462	1	V2	CIRCUIT-BREAKER SIZE S3, FOR MOTOR PROTECTION, CLASS 10, A-REL. 57...75A, N-REL. 975A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 3,082.00
3RV1041-4LA10	100001231	1	V2	CIRCUIT-BREAKER SIZE S3 A-RELEASE 70...90 A, N-RELEASE 1170 A MOTOR PROTECTION, CLASS 10 SCREW CONNECTION STANDARD BREAKING CAPACITY	R 3,287.00
3RV1041-4MA10	100001232	1	V2	CIRCUIT-BREAKER SIZE S3, FOR MOTOR PROTECTION, CLASS 10, A-REL. 80...100A, N-REL. 1235A SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 3,640.00
3RV1042-4AA10	100073801	1	PD	CIRCUIT-BREAKER SIZE S3 A-RELEASE 11...16 A, N-RELEASE 208 A, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION, INCREASED BREAKING CAPACITY	R 3,156.00
3RV1042-4DA10	100073803	1	PD	CIRCUIT-BREAKER SIZE S3 A-RELEASE 18...25 A, N-RELEASE 325 A, MOTOR PROTECTION, CLASS 10, SCREW CONNECTION, INCREASED BREAKING CAPACITY	R 3,380.00
3RV1042-4FA10	100073805	1	V2	CIRCUIT-BREAKER SIZE S3 A-RELEASE 28...40 A, N-RELEASE 520A MOTOR PROTECTION UP TO 100 KA, CLASS 10, SCREW CONNECTION INCREASED BREAKING CAPACITY	R 4,344.00
3RV1042-4HA10	100073807	1	V2	CIRCUIT-BREAKER SIZE S3, A-REL.36...50 A, N-REL.650A W. OVERLOAD RELAY FUNCTION, MOTOR PROT. TO 100KA, CL. 10 SCREW TERMINAL INCREASED SWITCHING CAPACITY INCREASED SWITCHING CAPACITY	R 4,344.00
3RV1042-4JA10	100073809	1	V2	CIRCUIT-BREAKER SIZE S3 A-RELEASE 45...63 A, N-RELEASE 819A MOTOR PROTECTION UP TO 100 KA, CLASS 10, SCREW CONNECTION INCREASED BREAKING CAPACITY	R 4,344.00
3RV1042-4KA10	100073811	1	V2	CIRCUIT-BREAKER SIZE S3, MOTOR PROT. TO 100KA, CL. 10 A-REL. 57...75A, N-REL. 975A, SCREW TERMINAL, INCREASED SWITCHING CAPACITY INCREASED SWITCHING CAPACITY	R 4,721.00
3RV1042-4KB10	100562488	1	PD	CIRCUIT-BREAKER SIZE S3, A-REL. 57...75A, N-REL. 975A, MOTOR PROT. TO 100KA, CL. 20 SCREW TERMINAL, INCREASED SWITCHING CAPACITY INCREASED SWITCHING CAPACITY	R 5,057.00
3RV1042-4LA10	100073812	1	V2	CIRCUIT-BREAKER SIZE S3, A-REL.70...90 A, N-REL.1170A MOTOR PROT. TO 100KA, CL. 10, SCREW TERMINAL, INCREASED SWITCHING CAPACITY INCREASED SWITCHING CAPACITY	R 4,945.00
3RV1042-4LB10	100073813	1	PD	CIRCUIT-BREAKER SIZE S3 A-RELEASE 70...90 A, N-RELEASE 1170A, MOTOR PROTECTION UP TO 100 KA, CLASS 20, SCREW CONNECTION INCREASED BREAKING CAPACITY	R 5,210.00
3RV1042-4MA10	100073814	1	PD	CIRCUIT-BREAKER SIZE S3, A-REL.80...100 A, N-REL.1235A MOTOR PROT. TO 100KA, CL. 10, SCREW TERMINAL, INCREASED SWITCHING CAPACITY INCREASED SWITCHING CAPACITY	R 5,154.00

3RV1063-7AL10	101964087	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR MOTOR PROTECTION STANDARD SWITCHING CAPACITY RATED CURRENT IN=100A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 6-13XLN OVERLOAD PROTECTION UEL 0.4-1XLN, CLASS 10A-30 ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL.PHASE BARRIERS	R 9,477.00
3RV1063-7CL10	101964089	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR MOTOR PROTECTION STANDARD SWITCHING CAPACITY RATED CURRENT IN=160A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 6-13XLN OVERLOAD PROTECTION UEL 0.4-1XLN, CLASS 10A-30 ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 11,802.00
3RV1063-7DL10	101964143	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR MOTOR PROTECTION STANDARD SWITCHING CAPACITY RATED CURRENT IN=200A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 6-13XLN OVERLOAD PROTECTION UEL 0.4-1XLN, CLASS 10A-30 ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 14,139.00
3RV1073-7GL10	101964147	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR MOTOR PROTECTION STANDARD SWITCHING CAPACITY RATED CURRENT IN=400A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 6-13XLN OVERLOAD PROTECTION UEL 0.4-1XLN, CLASS 10A-30 ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 17,995.00
3RV1083-7JL10	101964148	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR MOTOR PROTECTION STANDARD SWITCHING CAPACITY RATED CURRENT IN=630A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 6-13XLN OVERLOAD PROTECTION UEL 0.4-1XLN, CLASS 10A-30 ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 35,054.00
3RV1121-0KA10	100073829	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, WITH OVERLOAD RELAY FUNCTION A REL.0.9...1.25A, N REL.16A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 1,407.00
3RV1121-1BA10	100073831	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, WITH OVERLOAD RELAY FUNCTION A REL.1.4...2 A, N REL.26 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 1,462.00
3RV1121-1DA10	100440011	1	PD	CIRCUIT-BREAKER SIZE S0, FOR MOTOR PROTECTION, CLASS 10, WITH OVERLOAD RELAY FUNCTION A-REL. 2.2...3.2A, N-REL.42A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 1,462.00
3RV1121-1GA10	100096873	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, WITH OVERLOAD RELAY FUNCTION A REL.4.5A...6.3A, N REL.82A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 1,462.00
3RV1121-1HA10	100236172	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, WITH OVERLOAD RELAY FUNCTION A REL.5.5...8 A, N REL. 104A, SCREW CONNECTION, STANDARD BREAKING CAPACITY,	R 1,462.00
3RV1121-1KA10	100119487	1	PD	CIRCUIT-BREAKER, SIZE S0, FOR MOTOR PROTECTION, CLASS 10, WITH OVERLOAD RELAY FUNCTION A REL.9...12,5A, N REL.163 A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 1,574.00
3RV1131-4DA10	100087151	1	PD	CIRCUIT-BREAKER, SIZE S2, FOR MOTOR PROTECTION, CLASS 10, WITH OVERLOAD RELAY FUNCTION A REL.18...25A, N REL.325A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 2,571.00
3RV1131-4EA10	100001237	1	PD	CIRCUIT-BREAKER, SIZE S2, FOR MOTOR PROTECTION, CLASS 10, WITH OVERLOAD RELAY FUNCTION A REL. 32A, M REL- 416A, SCREW CONNECTION, STANDARD BREAKING CAPACITY	R 2,771.00
3RV1321-0BC10	100119503	1	PD	CIRCUIT-BREAKER N-RELEASE 2.6 A, SIZE S0 STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 766.00
3RV1321-0DC10	100119505	1	V2	CIRCUIT-BREAKER N-RELEASE 4.2 A, SIZE S0 STARTER PROTECTION, 100 KA SCREW CONNECTION	R 774.00

3RV1321-0EC10	100119506	1	V2	CIRCUIT-BREAKER N-RELEASE 5.2 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 774.00
3RV1321-0GC10	100084420	1	V2	CIRCUIT-BREAKER N-RELEASE 8.2 A, SIZE S0 STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 774.00
3RV1321-0JC10	100082613	1	V2	CIRCUIT-BREAKER N-RELEASE 13 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 825.00
3RV1321-0KC10	100084419	1	V2	CIRCUIT-BREAKER N-RELEASE 16 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 825.00
3RV1321-1AC10	100084366	1	V2	CIRCUIT-BREAKER N-RELEASE 21 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 825.00
3RV1321-1BC10	100082220	1	V2	CIRCUIT-BREAKER N-RELEASE 26 A, SIZE S0 STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 839.00
3RV1321-1CC10	100084385	1	V2	CIRCUIT-BREAKER N-RELEASE 33 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 839.00
3RV1321-1DC10	100082221	1	V2	CIRCUIT-BREAKER N-RELEASE 42 A, SIZE S0 STARTER PROTECTION, 100 KA SCREW CONNECTION	R 839.00
3RV1321-1EC10	100082222	1	V2	CIRCUIT-BREAKER N-RELEASE 52 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 839.00
3RV1321-1FC10	100084384	1	V2	CIRCUIT-BREAKER N-RELEASE 65 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 839.00
3RV1321-1GC10	100001238	1	V2	CIRCUIT-BREAKER N-RELEASE 82 A, SIZE S0, STARTER PROTECTION, 100 KA, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 839.00
3RV1321-1HC10	100076967	1	V2	CIRCUIT-BREAKER N-RELEASE 104A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 839.00
3RV1321-1JC10	100001239	1	V2	CIRCUIT-BREAKER N-RELEASE 130 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 932.00
3RV1321-1KC10	100001240	1	V2	CIRCUIT-BREAKER N-RELEASE 163 A, SIZE S0, STARTER PROTECTION, 100 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 932.00
3RV1321-4AC10	100001241	1	V2	CIRCUIT-BREAKER N-RELEASE 208 A, SIZE S0, STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 932.00
3RV1321-4BC10	100001242	1	V2	CIRCUIT-BREAKER N-RELEASE 260 A, SIZE S0 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 975.00
3RV1321-4CC10	100119509	1	PD	CIRCUIT-BREAKER N-RELEASE 286 A, SIZE S0, STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,031.00
3RV1321-4DC10	100001243	1	V2	CIRCUIT-BREAKER N-RELEASE 325 A, SIZE S0, STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,184.00
3RV1331-4AC10	100119510	1	V2	CIRCUIT-BREAKER N-RELEASE 208 A, SIZE S2 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,612.00
3RV1331-4BC10	100076975	1	V2	CIRCUIT-BREAKER N-RELEASE 260 A, SIZE S2 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,612.00
3RV1331-4DC10	100001244	1	V2	CIRCUIT-BREAKER N-RELEASE 325 A, SIZE S2 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,881.00
3RV1331-4EC10	100001245	1	V2	CIRCUIT-BREAKER N-RELEASE 416 A, SIZE S2 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,008.00
3RV1331-4FC10	100001246	1	V2	CIRCUIT-BREAKER N-RELEASE 520 A, SIZE S2 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,319.00
3RV1331-4GC10	100076978	1	V2	CIRCUIT-BREAKER N-RELEASE 585 A, SIZE S2 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,587.00

3RV1331-4HC10	100001247	1	V2	CIRCUIT-BREAKER N-RELEASE 650 A, SIZE S2 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,659.00
3RV1341-4FC10	100001248	1	V2	CIRCUIT-BREAKER N-RELEASE 520 A, SIZE S3 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,800.00
3RV1341-4HC10	100119511	1	V2	CIRCUIT-BREAKER N-RELEASE 650 A, SIZE S3 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,800.00
3RV1341-4JC10	100001249	1	V2	CIRCUIT-BREAKER N-RELEASE 819 A, SIZE S3 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,800.00
3RV1341-4KC10	100001250	1	V2	CIRCUIT-BREAKER SIZE S3, FOR STARTER COMBINATION, RATED CURRENT 75A, N-REL. 975A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY	R 3,083.00
3RV1341-4LC10	100084381	1	V2	CIRCUIT-BREAKER N-RELEASE 1170 A, SIZE S3 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 3,295.00
3RV1341-4MC10	100076961	1	V2	CIRCUIT-BREAKER, 100 A, N-RELEASE 1235 A, SIZE S3 STARTER PROTECTION, 50 KA SCREW CONNECTION STANDARD BREAKING CAPACITY	R 3,649.00
3RV1342-4FC10	100001251	1	V2	CIRCUIT-BREAKER, 40 A, N-RELEASE 520 A, SIZE S3 STARTER PROTECTION, 100 KA SCREW CONNECTION INCREASED BREAKING CAPACITY	R 4,270.00
3RV1342-4KC10	100084365	1	V2	CIRCUIT-BREAKER SIZE S3, FOR STARTER COMBINATION, RATED CURRENT 75A, N-REL. 975A, SCREW TERMINAL, INCREASED SWITCHING CAPACITY	R 4,666.00
3RV1342-4LC10	100119518	1	V2	CIRCUIT-BREAKER, 90 A, N-RELEASE 1170 A, SIZE S3, STARTER PROTECTION, 100 KA, SCREW CONNECTION INCREASED BREAKING CAPACITY	R 4,836.00
3RV1342-4MC10	100119519	1	PD	CIRCUIT-BREAKER, 100 A, N-RELEASE 1235 A, SIZE S3, STARTER PROTECTION, 100 KA, SCREW CONNECTION INCREASED BREAKING CAPACITY	R 5,078.00
3RV1353-6BP10	102802043	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=1.6A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION NON-ADJUSTABLE 13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6BP10	102802043	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=1.6A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION NON-ADJUSTABLE 13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6DP10	102010095	1	PD	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=3.2A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION NON-ADJUSTABLE 13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6EP10	102010107	1	-	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=4A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION NON-ADJUSTABLE 13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6FP10	102010109	1	-	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=5A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION NON-ADJUSTABLE 13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6HP10	102010116	1	PD	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=8.5A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION NON-ADJUSTABLE 13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00

3RV1353-6JP10	102010117	1	-	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=12.5A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION NON-ADJUSTABLE 13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6JP10	102010117	1	-	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=12.5A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION NON-ADJUSTABLE 13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6LM10	101954269	1	-	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=20A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 6-13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6MM10	102010126	1	PD	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=32A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 6-13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1353-6MM10	102010126	1	PD	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=32A MAGNETIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 6-13XLN ICU =85KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 4,149.00
3RV1363-7AN10	102802051	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=100A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 7,227.00
3RV1363-7AN10	102802051	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=100A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 7,227.00
3RV1363-7CN10	102114337	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=160A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 9,487.00
3RV1363-7EN10	101954283	1	PD	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=250A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 11,610.00
3RV1363-7EN10	101954283	1	PD	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=250A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 11,610.00
3RV1364-7AN10	101964150	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION INCREASED SWITCHING CAPACITY RATED CURRENT IN=100A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =200KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 8,629.00
3RV1373-7GN10	102642821	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=400A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 15,167.00

3RV1373-7GN10	102642821	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=400A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 15,167.00
3RV1373-7JN10	101964155	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=630A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =120KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 19,870.00
3RV1383-7KN10	101964187	1	V2	MOLDED CASE CIRC.BREAKER 3RV1 FOR STARTER COMBINATION STANDARD SWITCHING CAPACITY RATED CURRENT IN=800A ELECTRONIC RELEASE SHORT-CIRCUIT PROTECTION ADJUSTABLE 1-10XLN ICU =100KA AT 400V 3-POLE, SCREW TERMINAL INCL. PHASE BARRIERS	R 29,390.00
3RV1421-0FA10	100119525	1	PD	CIRCUIT-BREAKER, 0.35...0.5 A N-RELEASE 10 A, SIZE S0 TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION	R 889.00
3RV1421-0JA10	100001252	1	PD	CIRCUIT-BREAKER, 0.7...1 A N-RELEASE 21 A, SIZE S0, TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-0KA10	100119528	1	PD	CIRCUIT-BREAKER, 0.9...1.25 A N-RELEASE 26 A, SIZE S0, TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-1AA10	100001253	1	V2	CIRCUIT-BREAKER, 1.1...1.6 A N-RELEASE 33 A, SIZE S0, TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-1BA10	100067806	1	V2	CIRCUIT-BREAKER, 1.4...2 A N-RELEASE 42 A, SIZE S0 TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-1CA10	100001254	1	PD	CIRCUIT-BREAKER, 1.8...2.5 A N-RELEASE 52 A, SIZE S0 TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-1DA10	100001255	1	PD	CIRCUIT-BREAKER, 2.2...3.2 A N-RELEASE 65 A, SIZE S0, TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-1EA10	100001256	1	PD	CIRCUIT-BREAKER, 2.8...4 A N-RELEASE 82 A, SIZE S0 TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-1FA10	100001257	1	V2	CIRCUIT-BREAKER, 3.5...5 A N-RELEASE 104A, SIZE S0, TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-1GA10	100001258	1	V2	CIRCUIT-BREAKER, 4.5...6.3 A N-RELEASE 130 A, SIZE S0, TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 941.00
3RV1421-1JA10	100001260	1	V2	CIRCUIT-BREAKER, 7...10 A N-RELEASE 208 A, SIZE S0 TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,038.00
3RV1421-1KA10	100001261	1	V2	CIRCUIT-BREAKER, 9...12.5 A N-RELEASE 260 A, SIZE S0, TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,038.00
3RV1421-4AA10	100001262	1	V2	CIRCUIT-BREAKER, 11...16 A N-RELEASE 286 A, SIZE S0 TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,038.00
3RV1421-4BA10	100001263	1	PD	CIRCUIT-BREAKER, 14...20 A N-RELEASE 325 A, SIZE S0 TRANSFORMER PROTECTION, CL. 10, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,090.00

3RV1431-4AA10	100001264	1	PD	CIRCUIT-BREAKER, 11...16 A N-RELEASE 325 A, SIZE S2 TRANSFORMER PROTECTION, CL. 10, 50KA, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 1,818.00
3RV1431-4DA10	100001265	1	V2	CIRCUIT-BREAKER, 18...25 A, N-RELEASE 520 A, SIZE S2 TRANSFORMER PROTECTION, CL. 10, 50KA, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,077.00
3RV1431-4EA10	100001266	1	V2	CIRCUIT-BREAKER, 22...32 A, N-RELEASE 660 A, SIZE S2 TRANSFORMER PROTECTION, CL. 10, 50KA, SCREW CONNECTION STANDARD BREAKING CAPACITY	R 2,506.00
3RV1611-0BD10	100119530	1	V2	CIRCUIT-BREAKER SIZE S00, FOR FUSE MONITORING, SCREW TERMINAL, A-REL. 0.2A, N-REL. 1.2A	R 702.00
3RV1611-1AG14	100500943	1	V2	CIRCUIT-BREAKER FOR VOLTAGE TRANSFORMER, 1CO, S00, 1.4A	R 3,693.00
3RV1901-1A	100001267	1	V2	AUXIL. SWITCH, LATERALLY FITT. 1NO + 1NC, F. CIRCUIT-BREAKERS, SIZE S00, SIZE S0, S2, S3	R 117.00
3RV1901-1B	100001268	1	V2	AUXIL. SWITCH, LATERALLY FITT. 2NO, F. CIRCUIT-BREAKER, SIZE S00...S3	R 117.00
3RV1901-1C	100001269	1	PD	AUXIL. SWITCH, LATERALLY FITT. 2NC, F. CIRCUIT-BREAKER, SIZE S00...S3	R 117.00
3RV1901-1D	100001270	1	V2	AUXIL. SWITCH, TRANSVERSE, 1 C, FOR CIRCUIT-BREAKERS, SIZES00	R 97.00
3RV1901-1F	100084784	1	V2	TRANSVERSE AUXILIARY SWITCH WITH SCREW CONNECTION, 2NO	R 117.00
3RV1901-1J	100119535	1	V2	LATERAL AUXILIARY SWITCH WITH SCREW CONNECTION, 2NO+ 2NC	R 267.00
3RV1901-2A	100001272	1	PD	AUXIL. SWITCH, LATERALLY FITT. 1NO + 1NC, CAGE CLAMP CONNECT. F. CIRCUIT-BREAKERS, SIZE S00	R 119.00
3RV1901-2E	100119539	1	PD	TRANSVERSE AUXILIARY SWITCH WITH CAGE CLAMP CONNECTION, 1NO+1NC	R 119.00
3RV1902-1AB0	100119540	1	PD	UNDERVOLTAGE RELEASE 24 V AC, 50 HZ, FOR CIRCUIT-BREAKERS, MODULES S00...S3	R 338.00
3RV1902-1AB4	100119541	1	PD	UNDERVOLTAGE RELEASE, DC 24V, FOR CIRCUIT BREAKER BGR. S00...S3	R 974.00
3RV1902-1AF0	100119542	1	V2	UNDERVOLTAGE RELEASE AC 110V/50HZ, AC 120V/60HZ, FOR CIRCUIT-BREAKER, SIZE S00...S3,	R 338.00
3RV1902-1AP0	100001273	1	PD	UNDERVOLTAGE RELEASE AC 230V/50HZ, AC 240V/60HZ, FOR CIRCUIT-BREAKERS, SIZES00	R 338.00
3RV1902-1AS0	102329717	1	PD	UNDERVOLTAGE RELEASE, AC 500V/50HZ, AC 575V/60HZ, FOR CIRCUIT-BREAKER, SIZE S00...S3	R 338.00
3RV1902-1AV0	100001274	1	PD	UNDERVOLTAGE RELEASE AC 400 V, 50 HZ, FOR CIRCUIT-BREAKERS, SIZES00	R 338.00
3RV1902-1DB0	100119546	1	PD	SHUNT TRIP AC 20...24V, 50/60HZ, 100% ED, AC 20...70V, 50/60HZ, 5SEC ED, DC 20...70V, 5SEC ED,	R 323.00
3RV1902-1DF0	100119547	1	V2	SHUNT TRIP AC 90...10V, 50/60HZ 100% ED, FOR CIRCUIT-BREAKER, SIZE S00...S3	R 323.00
3RV1902-1DP0	100001275	1	V2	SHUNT TRIP AC 210...240V,50/60HZ, 100% ED, DC 190...330V, 5SEC ED, AC 190...330V,50/60HZ, 5SEC ED, FOR S00...S3,	R 323.00
3RV1902-1DS0	101028322	1	V2	SHUNT TRIP AC 500 V, 50 HZ, 100% ED, FOR CIRCUIT-BREAKERS, SIZE S00...S3,	R 323.00
3RV1902-1DV0	100001276	1	V2	SHUNT TRIP AC 350...415V, 50/60HZ, 100% ED FOR CIRCUIT-BREAKERS, SIZE S00...S3,	R 323.00
3RV1913-1CA00	100097106	1	V2	MOULDED-PLASTIC ENCLOSURE FOR WALL MOUNTING, DEGREE OF PROTECTION IP55, WITH N AND PE TERMINAL, 54MM	R 198.00
3RV1913-1DA00	100119557	1	V2	MOULDED-PLASTIC ENCLOSURE FOR WALL MOUNTING, DEGREE OF PROTECTION IP55, WITH N AND PE TERMINAL, 72MM	R 233.00
3RV1915-1AB	100078904	1	V2	3-PHASE BUSBARS MODULAR SPACING 45MM FOR 2 CIRCUIT-BREAKERS	R 118.00
3RV1915-1BB	100077283	1	V2	3-PHASE BUSBARS MODULAR SPACING 45MM FOR 3 CIRCUIT-BREAKERS	R 144.00
3RV1915-1CB	100119567	1	V2	3-PHASE BUSBARS MODULAR SPACING 45MM FOR 4 CIRCUIT-BREAKERS	R 160.00
3RV1915-1DB	100119568	1	V2	3-PHASE BUSBARS MODULAR SPACING 45MM FOR 5 CIRCUIT-BREAKERS	R 178.00

3RV1915-2AB	100119570	1	PD	3-PHASE BUSBARS MODULAR SPACING 55MM FOR 2 CIRCUIT-BREAKERS + ACCESSORIES	R 114.00
3RV1915-2BB	100105044	1	PD	3-PHASE BUSBARS MODULAR SPACING 55MM FOR 3 CIRCUIT-BREAKERS + ACCESSORIES	R 139.00
3RV1915-2DB	100105058	1	PD	3-PHASE BUSBARS MODULAR SPACING 55MM FOR 5 CIRCUIT-BREAKERS + ACCESSORIES	R 173.00
3RV1915-5A	100001284	1	V2	3-PHASE LINE-SIDE TERMINAL 3-PHASE LINE-SIDE TERMINAL, FOR 3-PHASE BUSBARS, FOR SIZE S0 AND S00, CONNECTION FROM ABOVE, PIN-TYPE CONNECTIONS	R 118.00
3RV1915-5B	100119576	1	PD	3-PHASE LINE-SIDE TERMINAL, F. 3-PHASE BUSBAR, CONNECTION FROM BELOW	R 173.00
3RV1915-6AB	100119580	1	V2	COVER FOR TAGS	R 21.00
3RV1921-1B	101353988	1	V2	ALLBRO DOOR COUPLING ROTARY OPER. MECH. S0, , , , ,	R 881.00
3RV1921-1M	100001285	1	V2	SIGNALLING SWITCH FOR SIZE S0...S3	R 234.00
3RV1923-1DA00	100119589	1	V2	MOULDED-PLASTIC ENCLOSURE FOR WALL MOUNTING DEGREE OF PROTECTION IP55, WITH N AND PE TERMINAL LOCKABLE IN 0 POSITION 72MM	R 234.00
3RV1923-1DA01	100119590	1	PD	CAST-ALUMINIUM HOUSING IP 65, MOUNTING WIDTH 72MM, WITH PE-TERMINAL FOR CIRCUIT-BREAKERS, SIZE S0	R 729.00
3RV1923-1FA00	100119592	1	PD	MOULDED-PLASTIC ENCLOSURE FOR WALL MOUNTING WITH EMERGENCY STOP ROTARY OPERATING MECHANISM 54MM	R 231.00
3RV1923-1GA01	101353990	1	V2	CAST-ALUMINIUM HOUSING IP 65 MOUNTING WIDTH 72 MM, WITH PE-TERMINAL, WITH ROTARY ACTUATOR YELLOW/RED	R 750.00
3RV1923-4B	100119600	1	PD	MOULDED PLASTIC FRONT PLATE, IP55, WITH ROTARY OPERATING MECHANISM, LOCKABLE, FOR CIRCUIT-BREAKER S00,S0,S2,S3	R 149.00
3RV1925-5AB	100119603	1	V2	3-PHASE LINE-SIDE TERMINAL SIZE S0, CONNECTION FROM ABOVE	R 125.00
3RV1926-2B	100119606	1	V2	DOOR-COUP. RED. OPER. MECHAN. FOR CIRCUIT-BREAKERS SIZE S0, GREY HANDLE	R 915.00
3RV1928-1A	100119608	1	PD	ISOLATOR MODULE FOR CIRCUIT-BREAKERS SIZE S0	R 498.00
3RV1931-1B	101353992	1	-	ALLBRO DOOR COUPLING ROTARY OPER. MECH. S2, , , , ,	R 881.00
3RV1935-1A	100119613	1	PD	3-PHASE BUSBAR, F. 2 CIRCUIT-BREAKERS, SIZE S2 MODULAR SPACING: 50 MM	R 206.00
3RV1935-5A	100119619	1	V2	3-PHASE LINE-SIDE TERMINAL, F. 3-PHASE BUSBAR, CONNECTION FROM ABOVE	R 179.00
3RV1936-2B	100119621	1	V2	DOOR-COUP. ROT. OPER. MECHAN. FOR CIRCUIT-BREAKERS SIZE S2, GREY HANDLE	R 996.00
3RV1941-1B	101353994	1	V2	ALLBRO DOOR COUPLING ROTARY OPER. MECH. S3, , , , ,	R 881.00
3RV1952-1ED0	101964252	1	V2	SHUNT TRIP UNIT 110...127V AC, 110...125V DC FOR FRAME SIZE 3RV13 5	R 776.00
3RV1952-1EF0	101964341	1	V2	SHUNT TRIP UNIT 220...240V AC, 220...250V DC FOR FRAME SIZE 3RV13 5	R 776.00
3RV1955-5GA0	101964347	1	V2	PHASE BARRIERS 100MM FOR FRAME SIZE 3RV13 5 6 ITEMS	R 205.00
3RV1956-0BA0	101964350	1	V2	ROTARY LEVER OPER.MECHANISM WITH LOCK/DOOR INTERLOCKING FOR FRAME SIZE 3RV13 5	R 832.00
3RV1975-5GA0	101964692	1	V2	PHASE BARRIERS 100MM FOR FRAME SIZE 3RV1. 6, 7 6 ITEMS	R 253.00
3RV1976-0BA0	101965591	1	V2	ROTARY LEVER OPERAT.MECHANISM WITH LOCK/DOOR INTERLOCKING FOR FRAME SIZE 3RV1. 6, 7	R 832.00
3RV1982-1EA0	101965595	1	V2	SHUNT TRIP UNIT 24...30V AC/DC FOR FRAME SIZE 3RV1. 6, 7, 8	R 927.00
3RV1982-1ED0	101965726	1	V2	SHUNT TRIP UNIT 110...127V AC, 110...125V DC FOR FRAME SIZE 3RV1. 6, 7, 8	R 927.00
3RV1982-1EF0	101965727	1	V2	SHUNT TRIP UNIT 220...240V AC, 220...250V DC FOR FRAME SIZE 3RV1. 6, 7, 8	R 927.00
3RV1986-0BA0	101965730	1	V2	ROTARY LEVER OPERAT.MECHANISM WITH LOCK/DOOR INTERLOCKING FOR FRAME SIZE 3RV1. 8	R 1,300.00

3RV1991-1AA0	101965732	1	V2	AUX. SWITCH, 250V AC/DC 1 SIGNALING CHANGEOVER SWITCH 1 TRIPPED MESSAGE FOR FRAME SIZE 3RV1. 5, 6, 7, 8	R 487.00
3RV1991-1BA0	102802219	1	V2	AUX. SWITCH, 250V AC/DC 3 SIGNALING CHANGEOVER SWITCHES 1 TRIPPED MESSAGE FOR FRAME SIZE 3RV1. 5, 6, 7, 8	R 1,121.00
3RV1991-1FA0	101965735	1	V2	CONNECTION CABLE FOR AUX. SWITCH FOR 3RV1. 5- 8 2 M, 6-POLE	R 171.00
3RV1992-1FA0	101965736	1	V2	CONNECTION CABLE FOR SHUNT TRIP UNIT FOR 3RV1. 5-8 2 M, 2-POLE	R 127.00
3RV2011-0AA10	102533186	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 0.11...0.16A, N- RELEASE2.1A SCREW CONNECTION, STANDARD SW. CAPACITY	R 668.00
3RV2011-0BA10	102533188	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.14...0.2A, N- RELEASE2.6A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 668.00
3RV2011-0CA10	102822611	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.18...0.25A, N- RELEASE3.3A SCREW CONNECTION, STANDARD SW. CAPACITY	R 668.00
3RV2011-0CA15	104851273	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.18...0.25A, N- RELEASE3.3A SCREW CONNECTION, STANDARD SW. CAPACITY, W. TRANSVERSE AUX. SWITCH 1NO+1NC	R 851.00
3RV2011-0DA10	102533190	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.22...0.32A, N- RELEASE4.2A SCREW CONNECTION, STANDARD SW. CAPACITY	R 674.00
3RV2011-0DA20	103180415	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.22...0.32A, N- RELEASE4.2A SPRING-L. CONNECTION STANDARD SW. CAPACITY	R 693.00
3RV2011-0EA10	102533191	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.28...0.4A, N- RELEASE5.2A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 674.00
3RV2011-0FA10	102533193	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.35...0.5A, N- RELEASE6.5A SCREW CONNECTION, STANDARD SW. CAPACITY	R 674.00
3RV2011-0FA20	103180423	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.35...0.5A, N- RELEASE 6.5A SPRING-L. CONNECTION STANDARD SW. CAPACITY	R 693.00
3RV2011-0GA10	102468555	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.45...0.63A, N- RELEASE8.2A SCREW CONNECTION, STANDARD SW. CAPACITY	R 680.00
3RV2011-0HA10	102822623	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.55...0.8A, N- RELEASE10 A SCREW CONNECTION, STANDARD SW. CAPACITY	R 723.00
3RV2011-0JA10	102632532	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.7...1A, N-RELEASE 13A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 723.00
3RV2011-0JA20	103179919	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.7...1A, N-RELEASE 13A, SPRING-L. CONNECTION STANDARD SW. CAPACITY	R 745.00
3RV2011-0KA10	102625707	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.9...1.25A, N- RELEASE16A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 767.00
3RV2011-0KA20	103179925	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.9...1.25A, N- RELEASE16A, SPRING-L. CONNECTION STANDARD SW. CAPACITY	R 790.00

3RV2011-1AA10	102932542	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.1.1...1.6A, N-RELEASE 21A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 767.00
3RV2011-1BA10	102632533	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 1.4...2A, N-RELEASE 26A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 801.00
3RV2011-1CA10	102533194	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.1.8...2.5A, N-RELEASE 33A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 801.00
3RV2011-1CA15	103301781	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL. 1.8...2.5A, N-RELEASE 33A SCREW CONNECTION, STANDARD SW. CAPACITY, W. TRANSVERSE AUX. SWITCH 1NO+1NC	R 983.00
3RV2011-1DA10	102533034	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.2.2...3.2A, N-RELEASE 42A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 801.00
3RV2011-1DA20	102863252	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-REL.2.2...3.2A, N-RELEASE 42A, SPRING-L. CONNECTION, STANDARD SW. CAPACITY	R 825.00
3RV2011-1EA10	102637186	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 2.8...4A, N-RELEASE 52A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 801.00
3RV2011-1EA15	102916050	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 2.8...4A, N-RELEASE 52A, SCREW CONNECTION, STANDARD SW. CAPACITY, W. TRANSVERSE AUX. SWITCH 1NO+1NC	R 983.00
3RV2011-1EA20	102863253	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 2.8...4A, N-RELEASE 52A, SPRING-L. CONNECTION, STANDARD SW. CAPACITY	R 825.00
3RV2011-1FA10	102835872	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 3.5...5A, N-RELEASE 65A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 801.00
3RV2011-1GA10	102464571	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 4.5...6.3A, N-RELEASE 82A SCREW CONNECTION, STANDARD SW. CAPACITY	R 801.00
3RV2011-1HA10	102625709	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 5.5...8A, N-RELEASE 104A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 801.00
3RV2011-1HA20	102863254	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 5.5...8A, N-RELEASE 104A, SPRING-L. CONNECTION, STANDARD SW. CAPACITY	R 825.00
3RV2011-1JA10	102598643	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 7...10A, N-RELEASE 130A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 895.00
3RV2011-1JA20	102488991	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 7...10A, N-RELEASE 130A, SPRING-L. CONNECTION, STANDARD SW. CAPACITY	R 923.00
3RV2011-1KA10	102937039	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 9...12.5A, N-RELEASE 163A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 895.00
3RV2011-4AA10	102490243	1	V2	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 11...16A, N-RELEASE 208A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 932.00
3RV2011-4AA20	102488260	1	PD	CIRCUIT-BREAKER SZ S00, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 11...16A, N-RELEASE 208A, SPRING-L. CONNECTION, STANDARD SW. CAPACITY	R 960.00

3RV2021-0JA10	104990123	1	PD	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 0.7...1A, N-RELEASE 13A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 670.00
3RV2021-1AA10	104933446	1	PD	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 1.1...1.6A, N-REL. 21A SCREW CONNECTION, STANDARD SW. CAPACITY	R 711.00
3RV2021-1DA10	105003249	1	-	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 2.2...3.2A, N-REL. 42A SCREW CONNECTION, STANDARD SW. CAPACITY	R 743.00
3RV2021-1EA10	104990120	1	PD	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 2.8...4A, N-REL. 52A SCREW CONNECTION, STANDARD SW. CAPACITY	R 743.00
3RV2021-1HA10	105266940	1	PD	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 5.5...8A, N-REL. 104A SCREW CONNECTION, STANDARD SW. CAPACITY	R 743.00
3RV2021-1JA10	104990124	1	PD	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 7...10A, N-REL. 130A SCREW CONNECTION, STANDARD SW. CAPACITY	R 831.00
3RV2021-1KA10	104392367	1	PD	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-REL. 9..12.5A, N-REL. 163A, SCREW CONNECTION, STANDARD SW. CAPACITY STANDARD SW. CAPACITY	R 831.00
3RV2021-4AA10	102822641	1	V2	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 11...16A, N-RELEASE 208A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 923.00
3RV2021-4BA10	102550735	1	V2	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 14...20A, N-RELEASE 260A, SCREW CONNECTION, STANDARD SW. CAPACITY,	R 963.00
3RV2021-4CA10	102840577	1	V2	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 17...22A, N-RELEASE 286A, SCREW CONNECTION, STANDARD SW. CAPACITY,	R 1,026.00
3RV2021-4DA10	102598645	1	V2	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 20...25A, N-RELEASE 325A, SCREW CONNECTION, STANDARD SW. CAPACITY,	R 1,174.00
3RV2021-4DA20	103179811	1	PD	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 20...25A, N-RELEASE 325A, SPRING-L. CONNECTION, STANDARD SW. CAPACITY,	R 1,208.00
3RV2021-4EA10	103120477	1	V2	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 27...32A, N-RELEASE 400A, SCREW CONNECTION, STANDARD SW. CAPACITY,	R 1,489.00
3RV2021-4FA10	102488303	1	V2	CIRCUIT-BREAKER SZ S0, FOR MOTOR PROTECTION, CLASS 10, A-RELEASE 34...40A, N-RELEASE 480A, SCREW TERMINAL, STANDARD SWITCHING CAPACITY,	R 1,925.00
3RV2311-0CC10	103180471	1	V2	CIRCUIT-BREAKER SZ S00, FOR STARTER COMBINATION, RATED CURRENT 0.25A, N-RELEASE 3.3A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 739.00
3RV2311-1BC10	103161933	1	V2	CIRCUIT-BREAKER SZ S00, FOR STARTER COMBINATION, RATED CURRENT 2 A, N-RELEASE 26A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 811.00
3RV2311-1CC10	102934144	1	V2	CIRCUIT-BREAKER SZ S00, FOR STARTER COMBINATION, RATED CURRENT 2.5A, N-RELEASE 33A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 811.00
3RV2311-1EC10	103161935	1	V2	CIRCUIT-BREAKER SZ S00, FOR STARTER COMBINATION, RATED CURRENT 4A, N-RELEASE 52A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 811.00

3RV2311-1FC10	102934141	1	V2	CIRCUIT-BREAKER SZ S00, FOR STARTER COMBINATION, RATED CURRENT 5A, N-RELEASE 65A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 811.00
3RV2311-1GC10	103161936	1	V2	CIRCUIT-BREAKER SZ S00, FOR STARTER COMBINATION, RATED CURRENT 6.3A, N-RELEASE 82A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 811.00
3RV2311-1JC10	102533199	1	V2	CIRCUIT-BREAKER SZ S00, FOR STARTER COMBINATION, RATED CURRENT 10A, N-RELEASE 130A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 900.00
3RV2311-4AC10	102874208	1	V2	CIRCUIT-BREAKER SZ S00, FOR STARTER COMBINATION, RATED CURRENT 16A, N-RELEASE 208A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 900.00
3RV2321-4AC10	103179812	1	V2	CIRCUIT-BREAKER SZ S0, FOR STARTER COMBINATION, RATED CURRENT 16A, N-RELEASE 208A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 892.00
3RV2321-4BC10	103180305	1	V2	CIRCUIT-BREAKER SZ S0, FOR STARTER COMBINATION, RATED CURRENT 20A, N-RELEASE 260A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 934.00
3RV2321-4CC10	103179813	1	V2	CIRCUIT-BREAKER SZ S0, FOR STARTER COMBINATION, RATED CURRENT 22A, N-RELEASE 286A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 988.00
3RV2321-4DC10	102934134	1	V2	CIRCUIT-BREAKER SZ S0, FOR STARTER COMBINATION, RATED CURRENT 25A, N-RELEASE 325A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 1,134.00
3RV2321-4EC10	103121136	1	V2	CIRCUIT-BREAKER SZ S0, FOR STARTER COMBINATION, RATED CURRENT 32A, N-RELEASE 400A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 1,448.00
3RV2321-4PC10	103179814	1	PD	CIRCUIT-BREAKER SZ S0, FOR STARTER COMBINATION, RATED CURRENT 32A, N-RELEASE 400A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 1,714.00
3RV2411-1KA10	103583677	1	PD	CIRCUIT-BREAKER SZ S00, FOR TRANSFORMER PROT. A-RELEASE 9...12.5A, N-RELEASE 260A SCREW CONNECTION, STANDARD SW. CAPACITY	R 979.00
3RV2421-4DA10	102625238	1	PD	CIRCUIT-BREAKER SZ S0, FOR TRANSFORMER PROT. A-RELEASE 20...25A, N-RELEASE 400A, SCREW CONNECTION, STANDARD SW. CAPACITY	R 1,242.00
3RV2901-1A	102951260	1	V2	LATERAL AUXILIARY SWITCH 1NO+1NC, SCREW CONNECTION, FOR CIRCUIT-BREAKERS, SZ S00/S0	R 113.00
3RV2901-1B	103120478	1	V2	LATERAL AUXILIARY SWITCH 2NO, SCREW CONNECTION, FOR CIRCUIT-BREAKERS, SZ S00/S0	R 113.00
3RV2901-1D	102464155	1	V2	TRANSVERSE AUX. SWITCH, 1CO, SCREW CONNECTION, FOR CIRCUIT-BREAKERS, SZ S00/S0	R 94.00
3RV2901-1E	102488294	1	V2	TRANSVERSE AUX. SWITCH, 1NO+1NC, SCREW CONNECTION, FOR CIRCUIT-BREAKERS, SZ S00/S0	R 113.00
3RV2901-2E	102488295	1	V2	TRANSVERSE AUX. SWITCH, 1NO+1NC, SPRING-L. CONNECTION, FOR CIRCUIT-BREAKERS, SZ S00/S0	R 114.00
3RV2902-1DF0	103180308	1	V2	VOLTAGE RELEASE, AC 90...110V, 50/60HZ, 100% ED, AC 70...190V, 50/60HZ, 5SEC ED, DC 70...190V, 5SEC ED, W. SCREW CONNECTION; FOR CIRCUIT-BREAKERS, SZ S00/S0	R 342.00
3RV2902-1DP0	103180309	1	V2	VOLTAGE RELEASE, AC 210...240V, 50/60HZ, 100% ED, AC 190...330V, 50/60HZ, 5SEC ED, DC 190...330V, 5SEC ED, W. SCREW CONNECTION; FOR CIRCUIT-BREAKERS, SZ S00/S0	R 342.00
3RV2925-5AB	102550737	1	V2	3-PHASE INFEED TERMINAL, FOR 3-PHASE BUSBARS, CONNECTION FROM ABOVE, SIZE S00/S0	R 117.00

3RV2926-0B	102343514	1	V2	DOOR-COUPLING ROTARY OPERATING MECHANISM, IP64, FOR CIRCUIT- BREAKERS SIZE S00...S3 130MM SHAFT BLACK	R 482.00
3RV2926-0K	102328818	1	V2	DOOR-COUPLING ROTARY MECHANISM IP64, FOR CIRCUIT-BREAKER SIZE S00...S3, BLACK, 330 MM SHAFT	R 567.00
3RV2926-2B	102086234	1	V2	DOOR-COUPLING ROTARY OPERATING MECHANISM FOR CIRCUIT-BREAKERS SIZE S00/S0, HANDLE GRAY NEW DESIGN	R 941.00
3RV2926-2C	102086236	1	V2	DOOR-COUPLING ROTARY OPERATING MECHANISM, FOR CIRCUIT-BREAKERS SIZE S00/S0, EMERG. STOP HANDLE NEW DESIGN	R 1,022.00
3RV2928-0B	102933329	100	PD	PUSH-IN LUG	R 388.00
3RV2928-1K	104945787	1	PD	PHASE BARRIERS INCREASED CREEPAGES AND CLEARANCES	R 65.00
3RV2936-2B	102086240	1	V2	DOOR-COUPLING ROTARY OPERATING MECHANISM, FOR CIRCUIT-BREAKERS SIZE S2, HANDLE GRAY NEW DESIGN	R 1,022.00
3RV2936-2C	102086242	1	V2	DOOR-COUPLING ROTARY OPERATING MECHANISM, FOR CIRCUIT-BREAKERS SIZE S2, EMERG. STOP HANDLE NEW DESIGN	R 1,111.00
3RV2946-2B	102086244	1	V2	DOOR-COUPLING ROTARY OPERATING MECHANISM, FOR CIRCUIT-BREAKERS SIZE S3, HANDLE GRAY NEW DESIGN	R 1,111.00
3RW3003-1CB54	100188061	1	PD	SOFT STARTER WIDTH 22.5 MM 3A, 1.1KW/400 V, 40 DEGR.C 200-400V / UC 24-230V SCREW CONNECTION	R 2,119.00
3RW3013-1BB04	102083787	1	PD	SIRIUS SOFT STARTER, SIZE S00, 3.6A, 1.5KW/400V, 40 DEGREES, 200-480V AC, 24V AC/DC, SCREW TERMINALS	R 1,554.00
3RW3013-1BB14	102083792	1	PD	SIRIUS SOFT STARTER, SIZE S00, 3.6A, 1.5KW/400V, 40 DEGREES, 200-480V AC, 110-230V AC/DC, SCREW TERMINALS	R 1,554.00
3RW3014-1BB04	102084213	1	PD	SIRIUS SOFT STARTER, SIZE S00, 6.5A, 3KW/400V, 40 DEGREES, 200-480V AC, 24V AC/DC, SCREW TERMINALS	R 1,798.00
3RW3014-1BB14	102084214	1	PD	SIRIUS SOFT STARTER, SIZE S00, 6.5A, 3KW/400V, 40 DEGREES, 200-480V AC, 110-230V AC/DC, SCREW TERMINALS	R 1,798.00
3RW3018-1BB04	102084225	1	PD	SIRIUS SOFT STARTER, SIZE S00, 17.6A, 7.5KW/400V, 40 DEGREES, 200-480V AC, 24V AC/DC, SCREW TERMINALS	R 2,666.00
3RW3026-1BB14	102084259	1	PD	SIRIUS SOFT STARTER, SIZE S0, 25A, 11KW/400V, 40 DEGREES, 200-480V AC, 110-230V AC/DC, SCREW TERMINALS	R 3,108.00
3RW3027-1BB14	102084262	1	PD	SIRIUS SOFT STARTER, SIZE S0, 32A, 15KW/400V, 40 DEGREES, 200-480V AC, 110-230V AC/DC, SCREW TERMINALS	R 3,626.00
3RW3027-2BB14	102802203	1	PD	SIRIUS SOFT STARTER, SIZE S0, 32A, 15KW/400V, 40 DEGREES, 200-480V AC, 110-230V AC/DC, SPRING-LOADED TERMINALS	R 3,687.00
3RW3036-1BB04	102084293	1	PD	SIRIUS SOFT STARTER, SIZE S2, 45A, 22KW/400V, 40 DEGREES, 200-480V AC, 24V AC/DC, SCREW TERMINALS	R 5,500.00
3RW3037-1BB04	102084298	1	PD	SIRIUS SOFT STARTER, SIZE S2, 63A, 30KW/400V, 40 DEGREES, 200-480V AC, 24V AC/DC, SCREW TERMINALS	R 6,703.00
3RW3047-1BB04	102084313	1	PD	SIRIUS SOFT STARTER, SIZE S3, 106A, 55KW/400V, 40 DEGREES, 200-480V AC, 24V AC/DC, SCREW TERMINALS	R 10,177.00
3RW4024-1BB04	101762861	1	PD	SIRIUS SOFT STARTER, S0, 12.5A, 5.5KW/400V, 40 DEGR., AC 200-480V, AC/DC 24V, SCREW TERMINALS	R 4,017.00
3RW4024-1BB14	101762868	1	V2	SIRIUS SOFT STARTER, S0, 12.5A, 5.5KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 4,017.00
3RW4024-1BB15	102363525	1	PD	SIRIUS SOFT STARTER, S0, 12.5A, 7.5KW/500V, 40 DEGR., AC 400-600V, AC/DC 110-230V, SCREW TERMINALS	R 4,621.00
3RW4026-1BB04	101762863	1	V2	SIRIUS SOFT STARTER, S0, 25A, 11KW/400V, 40 DEGR., AC 200-480V, AC/DC 24V, SCREW TERMINALS	R 4,746.00

3RW4026-1BB14	101762894	1	V2	SIRIUS SOFT STARTER, S0, 25A, 11KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 4,746.00
3RW4026-1BB15	102138514	1	V2	SIRIUS SOFT STARTER, S0, 25A, 15KW/500V, 40 DEGR., AC 400-600V, AC/DC 110-230V, SCREW TERMINALS	R 5,439.00
3RW4026-1BB15	102275978	1	V2	SIRIUS SOFT STARTER, S0, 25A, 15KW/500V, 40 DEGR., AC 400-600V, AC/DC 110-230V, SCREW TERMINALS	R 5,439.00
3RW4027-1BB04	101762896	1	V2	SIRIUS SOFT STARTER, S0, 32A, 15KW/400V, 40 DEGR., AC 200-480V, AC/DC 24V, SCREW TERMINALS	R 5,634.00
3RW4027-1BB14	101762850	1	V2	SIRIUS SOFT STARTER, S0, 32A, 15KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 5,634.00
3RW4028-1BB04	101762870	1	V2	SIRIUS SOFT STARTER, S0, 38A, 18.5KW/400V, 40 DEGR., AC 200-480V, AC/DC 24V, SCREW TERMINALS	R 6,754.00
3RW4028-1BB14	101762890	1	V2	SIRIUS SOFT STARTER, S0, 38A, 18.5KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 6,754.00
3RW4028-1BB15	102275980	1	PD	SIRIUS SOFT STARTER, S0, 38A, 22KW/500V, 40 DEGR., AC 400-600V, AC/DC 110-230V, SCREW TERMINALS	R 7,732.00
3RW4036-1BB04	101762883	1	V2	SIRIUS SOFT STARTER, S2, 45A, 22KW/400V, 40 DEGR., AC 200-480V, AC/DC 24V, SCREW TERMINALS	R 8,052.00
3RW4036-1BB14	101762853	1	V2	SIRIUS SOFT STARTER, S2, 45A, 22KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 8,052.00
3RW4037-1BB04	101762892	1	PD	SIRIUS SOFT STARTER, S2, 63A, 30KW/400V, 40 DEGR., AC 200-480V, AC/DC 24V, SCREW TERMINALS	R 9,545.00
3RW4037-1BB14	101762871	1	V2	SIRIUS SOFT STARTER, S2, 63A, 30KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 9,545.00
3RW4037-1BB15	102138574	1	PD	SIRIUS SOFT STARTER, S2, 63A, 37KW/500V, 40 DEGR., AC 400-600V, AC/DC 110-230V, SCREW TERMINALS	R 10,966.00
3RW4037-1BB15	102275983	1	PD	SIRIUS SOFT STARTER, S2, 63A, 37KW/500V, 40 DEGR., AC 400-600V, AC/DC 110-230V, SCREW TERMINALS	R 10,966.00
3RW4037-1TB04	101762877	1	PD	SIRIUS SOFT STARTER, S2, 63A, 30KW/400V, 40 DEGR., AC 200-480V, AC/DC 24V, SCREW TERMINALS, THERMISTOR MOTOR PROTECTION	R 10,735.00
3RW4038-1BB14	101762897	1	V2	SIRIUS SOFT STARTER, S2, 72A, 37KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 11,073.00
3RW4038-1BB15	102138589	1	PD	SIRIUS SOFT STARTER, S2, 72A, 45KW/500V, 40 DEGR., AC 400-600V, AC/DC 110-230V, SCREW TERMINALS	R 12,691.00
3RW4046-1BB14	101762866	1	V2	SIRIUS SOFT STARTER, S3, 80A, 45KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 12,477.00
3RW4046-1TB05	102802150	1	PD	SIRIUS SOFT STARTER, S3, 80A, 55KW/500V, 40 DEGR., AC 400-600V, AC/DC 24V, SCREW TERMINALS, THERMISTOR MOTOR PROTECTION	R 15,552.00
3RW4046-2BB14	102363537	1	PD	SIRIUS SOFT STARTER, S3, 80A, 45KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SPRING-LOADED TERMINALS	R 12,477.00
3RW4047-1BB04	101762858	1	PD	SIRIUS SOFT STARTER, S3, 106A, 55KW/400V, 40 DEGR., AC 200-480V, AC/DC 24V, SCREW TERMINALS	R 13,597.00
3RW4047-1BB14	101762881	1	V2	SIRIUS SOFT STARTER, S3, 106A, 55KW/400V, 40 DEGR., AC 200-480V, AC/DC 110-230V, SCREW TERMINALS	R 13,597.00
3RW4047-1BB15	102275988	1	V2	SIRIUS SOFT STARTER, S3, 106A, 75KW/500V, 40 DEGR., AC 400-600V, AC/DC 110-230V, SCREW TERMINALS	R 15,605.00
3RW4055-6BB35	101354012	1	V2	SIRIUS SOFT STARTER, S6, 117 A, 100 HP/575 V, 50 DEG., 400-600 V AC, 115 V AC, SCREW TERMINALS	R 16,547.00

3RW4055-6BB44	100637214	1	V2	SIRIUS SOFT STARTER, S6, 134 A, 75 KW/400 V, 40 DEG., 200-460 V AC, 230 V AC, SCREW TERMINALS	R 14,397.00
3RW4055-6BB45	100880202	1	V2	SIRIUS SOFT STARTER, S6, 134 A, 90 KW/500 V, 40 DEG., 400-600 V AC, 230 V AC, SCREW TERMINALS	R 16,547.00
3RW4056-2BB44	100923313	1	PD	SIRIUS SOFT STARTER, S6, 162 A, 90 KW/400 V, 40 DEG., 200-460 V AC, 230 V AC, CAGE CLAMP TERMINALS	R 17,952.00
3RW4056-6BB35	101354013	1	PD	SIRIUS SOFT STARTER, S6, 145 A, 150 HP/575 V, 50 DEG., 400-600 V AC, 115 V AC, SCREW TERMINALS	R 20,440.00
3RW4056-6BB44	100784263	1	V2	SIRIUS SOFT STARTER, S6, 162 A, 90 KW/400 V, 40 DEG., 200-460 V AC, 230 V AC, SCREW TERMINALS	R 17,952.00
3RW4056-6BB45	100643036	1	V2	SIRIUS SOFT STARTER, S6, 162 A, 110 KW/500 V, 40 DEG., 400-600 V AC, 230 V AC, SCREW TERMINALS	R 20,440.00
3RW4073-6BB34	100848397	1	PD	SIRIUS SOFT STARTER, S12, 205 A, 150 HP/460 V, 50 DEG., 200-460 V AC, 115 V AC, SCREW TERMINALS	R 20,084.00
3RW4073-6BB35	101050947	1	PD	SIRIUS SOFT STARTER, S12, 205 A, 200 HP/575 V, 50 DEG., 400-600 V AC, 115 V AC, SCREW TERMINALS	R 23,106.00
3RW4073-6BB44	100848417	1	V2	SIRIUS SOFT STARTER, S12, 230 A, 132 KW/400 V, 40 DEG., 200-460 V AC, 230 V AC, SCREW TERMINALS	R 20,084.00
3RW4073-6BB45	100880201	1	V2	SIRIUS SOFT STARTER, S12, 230 A, 160 KW/500 V, 40 DEG., 400-600 V AC, 230 V AC, SCREW TERMINALS	R 23,106.00
3RW4074-6BB34	100848398	1	V2	SIRIUS SOFT STARTER, S12, 248 A, 200 HP/460 V, 50 DEG., 200-460 V AC, 115 V AC, SCREW TERMINALS	R 22,573.00
3RW4074-6BB35	101354014	1	PD	SIRIUS SOFT STARTER, S12, 248 A, 250 HP/575 V, 50 DEG., 400-600 V AC, 115 V AC, SCREW TERMINALS	R 25,772.00
3RW4074-6BB44	100848418	1	V2	SIRIUS SOFT STARTER, S12, 280 A, 160 KW/400 V, 40 DEG., 200-460 V AC, 230 V AC, SCREW TERMINALS	R 22,573.00
3RW4074-6BB45	100865046	1	V2	SIRIUS SOFT STARTER, S12, 280 A, 200 KW/500 V, 40 DEG., 400-600 V AC, 230 V AC, SCREW TERMINALS	R 25,772.00
3RW4075-6BB35	101354015	1	PD	SIRIUS SOFT STARTER, S12, 315 A, 300 HP/575 V, 50 DEG., 400-600 V AC, 115 V AC, SCREW TERMINALS	R 30,393.00
3RW4075-6BB44	100848419	1	V2	SIRIUS SOFT STARTER, S12, 356 A, 200 KW/400 V, 40 DEG., 200-460 V AC, 230 V AC, SCREW TERMINALS	R 26,305.00
3RW4075-6BB45	100864069	1	PD	SIRIUS SOFT STARTER, S12, 356 A, 250 KW/500 V, 40 DEG., 400-600 V AC, 230 V AC, SCREW TERMINALS	R 30,393.00
3RW4076-6BB34	100848400	1	V2	SIRIUS SOFT STARTER, S12, 385 A, 300 HP/460 V, 50 DEG., 200-460 V AC, 115 V AC, SCREW TERMINALS	R 34,837.00
3RW4076-6BB35	101354016	1	V2	SIRIUS SOFT STARTER, S12, 385 A, 400 HP/575 V, 50 DEG., 400-600 V AC, 115 V AC, SCREW TERMINALS	R 39,636.00
3RW4422-1BC35	101354017	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 26A, 20HP, INSIDE-DELTA CIRCUIT 3: 45A, 40HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 14,860.00
3RW4422-1BC44	100847032	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 29A, 15KW, INSIDE-DELTA CIRCUIT 3: 50A, 22KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 12,944.00
3RW4422-1BC45	101046031	1	V2	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 29A, 18,5KW, INSIDE-DELTA CIRCUIT 3: 50A, 30KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 14,860.00
3RW4423-1BC35	101354019	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 32A, 25HP, INSIDE-DELTA CIRCUIT 3: 55A, 50HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 16,923.00

3RW4423-1BC44	100848422	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 36A, 18,5KW, INSIDE-DELTA CIRCUIT 3: 62A, 30KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 14,601.00
3RW4423-1BC46	101046085	1	PD	SIRIUS SOFT STARTER, VALUES WITH 690 V, 40 DEG., STANDARD: 36A, 37KW, INSIDE-DELTA CIRCUIT 3: ONLY UP TO 600V, 400-690 V AC, 230 V AC, SCREW TERMINALS	R 19,124.00
3RW4424-1BC35	101354021	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 42A, 30HP, INSIDE-DELTA CIRCUIT 3: 73A, 60HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 19,285.00
3RW4424-1BC44	100848423	1	PD	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 47A, 22KW, INSIDE-DELTA CIRCUIT 3: 81A, 45KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 16,920.00
3RW4425-1BC35	101354023	1	PD	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 51A, 40HP, INSIDE-DELTA CIRCUIT 3: 88A, 75HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 21,759.00
3RW4425-1BC44	100848424	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 57A, 30KW, INSIDE-DELTA CIRCUIT 3: 99A, 55KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 18,391.00
3RW4425-1BC45	101046036	1	PD	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 57A, 37KW, INSIDE-DELTA CIRCUIT 3: 99A, 55KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 21,068.00
3RW4425-1BC46	101046087	1	PD	SIRIUS SOFT STARTER, VALUES WITH 690 V, 40 DEG., STANDARD: 57A, 55KW, INSIDE-DELTA CIRCUIT 3: ONLY UP TO 600V, 400-690 V AC, 230 V AC, SCREW TERMINALS	R 24,384.00
3RW4426-1BC34	100848406	1	V2	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 68A, 50HP, INSIDE-DELTA CIRCUIT 3: 118A, 75HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 20,403.00
3RW4426-1BC35	101354025	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 68A, 50HP, INSIDE-DELTA CIRCUIT 3: 118A, 100HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 23,244.00
3RW4426-1BC44	100848428	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 77A, 37KW, INSIDE-DELTA CIRCUIT 3: 133A, 75KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 20,403.00
3RW4426-1BC45	101046037	1	PD	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 77A, 45KW, INSIDE-DELTA CIRCUIT 3: 133A, 90KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 23,244.00
3RW4427-1BC34	100848407	1	PD	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 82A, 60HP, INSIDE-DELTA CIRCUIT 3: 142A, 100HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 22,220.00
3RW4427-1BC35	101354027	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 82A, 75HP, INSIDE-DELTA CIRCUIT 3: 142A, 125HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 25,538.00
3RW4427-1BC44	100784664	1	PD	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 93A, 45KW, INSIDE-DELTA CIRCUIT 3: 161A, 90KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 22,220.00
3RW4427-1BC45	101046038	1	PD	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 93A, 55KW, INSIDE-DELTA CIRCUIT 3: 161A, 110KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 25,538.00
3RW4434-6BC34	100848408	1	V2	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 100A, 75HP, INSIDE-DELTA CIRCUIT 3: 173A, 125HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 24,771.00
3RW4434-6BC35	101354029	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 100A, 75HP, INSIDE-DELTA CIRCUIT 3: 173A, 150HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 28,730.00

3RW4434-6BC44	100848432	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 113A, 55KW, INSIDE-DELTA CIRCUIT 3: 196A, 110KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 24,771.00
3RW4434-6BC45	101046046	1	V2	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 113A, 75KW, INSIDE-DELTA CIRCUIT 3: 196A, 132KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 28,730.00
3RW4434-6BC46	101046090	1	PD	SIRIUS SOFT STARTER, VALUES WITH 690 V, 40 DEG., STANDARD: 113A, 110KW, INSIDE-DELTA CIRCUIT 3: ONLY UP TO 600V, 400-690 V AC, 230 V AC, SCREW TERMINALS	R 32,053.00
3RW4435-6BC34	100848409	1	V2	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 117A, 75HP, INSIDE-DELTA CIRCUIT 3: 203A, 150HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 29,497.00
3RW4435-6BC35	101354031	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 117A, 100HP, INSIDE-DELTA CIRCUIT 3: 203A, 200HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 33,968.00
3RW4435-6BC44	100848435	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 134A, 75KW, INSIDE-DELTA CIRCUIT 3: 232A, 132KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 29,497.00
3RW4435-6BC45	101046073	1	V2	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 134A, 90KW, INSIDE-DELTA CIRCUIT 3: 232A, 160KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 33,968.00
3RW4436-2BC44	101605891	1	PD	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 162A, 90KW, INSIDE-DELTA CIRCUIT 3: 281A, 160KW, 200-460 V AC, 230 V AC, CAGE CLAMP TERMINALS	R 35,372.00
3RW4436-6BC34	100848410	1	V2	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 145A, 100HP, INSIDE-DELTA CIRCUIT 3: 251A, 200HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 35,372.00
3RW4436-6BC35	101354033	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 145A, 125HP, INSIDE-DELTA CIRCUIT 3: 251A, 250HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 40,737.00
3RW4436-6BC44	100848438	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 162A, 90KW, INSIDE-DELTA CIRCUIT 3: 281A, 160KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 35,372.00
3RW4443-6BC35	101354037	1	PD	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 180A, 150HP, INSIDE-DELTA CIRCUIT 3: 312A, 300HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 46,864.00
3RW4443-6BC36	101354038	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 180A, 150HP, INSIDE-DELTA CIRCUIT 3: 312A, 300HP, 400-690 V AC, 115 V AC, SCREW TERMINALS	R 52,870.00
3RW4443-6BC44	100469416	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 203A, 110KW, INSIDE-DELTA CIRCUIT 3: 352A, 200KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 40,482.00
3RW4443-6BC45	101046075	1	V2	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 203A, 132KW, INSIDE-DELTA CIRCUIT 3: 352A, 250KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 46,864.00
3RW4443-6BC46	101046093	1	PD	SIRIUS SOFT STARTER, VALUES WITH 690 V, 40 DEG., STANDARD: 203A, 200KW, INSIDE-DELTA CIRCUIT 3: ONLY UP TO 600V, 400-690 V AC, 230 V AC, SCREW TERMINALS	R 52,870.00
3RW4444-6BC34	100848412	1	V2	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 215A, 150HP, INSIDE-DELTA CIRCUIT 3: 372A, 300HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 46,351.00
3RW4444-6BC35	101354039	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 215A, 200HP, INSIDE-DELTA CIRCUIT 3: 372A, 350HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 53,249.00

3RW4444-6BC36	101354040	1	PD	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 215A, 200HP, INSIDE-DELTA CIRCUIT 3: 372A, 350HP, 400-690 V AC, 115 V AC, SCREW TERMINALS	R 60,146.00
3RW4444-6BC44	100843884	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 250A, 132KW, INSIDE-DELTA CIRCUIT 3: 433A, 250KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 46,351.00
3RW4444-6BC45	101046076	1	V2	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 250A, 160KW, INSIDE-DELTA CIRCUIT 3: 433A, 315KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 53,249.00
3RW4445-2BC45	102103461	1	-	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 313A, 200KW, INSIDE-DELTA CIRCUIT 3: 542A, 355KW, 400-600 V AC, 230 V AC, CAGE CLAMP TERMINALS	R 64,869.00
3RW4445-6BC34	100848413	1	V2	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 280A, 200HP, INSIDE-DELTA CIRCUIT 3: 485A, 400HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 56,315.00
3RW4445-6BC35	101354041	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 280A, 250HP, INSIDE-DELTA CIRCUIT 3: 485A, 500HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 64,869.00
3RW4445-6BC44	100848441	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 313A, 160KW, INSIDE-DELTA CIRCUIT 3: 542A, 315KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 56,315.00
3RW4445-6BC45	101106840	1	V2	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 313A, 200KW, INSIDE-DELTA CIRCUIT 3: 542A, 355KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 64,869.00
3RW4445-6BC46	101046104	1	PD	SIRIUS SOFT STARTER, VALUES WITH 690 V, 40 DEG., STANDARD: 313A, 315KW, INSIDE-DELTA CIRCUIT 3: ONLY UP TO 600V, 400-690 V AC, 230 V AC, SCREW TERMINALS	R 73,297.00
3RW4446-2BC34	102802057	1	PD	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 315A, 250HP, INSIDE-DELTA CIRCUIT 3: 546A, 450HP, 200-460 V AC, 115 V AC, CAGE CLAMP TERMINALS	R 65,893.00
3RW4446-6BC34	100848414	1	PD	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 315A, 250HP, INSIDE-DELTA CIRCUIT 3: 546A, 450HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 65,893.00
3RW4446-6BC35	101354043	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 315A, 300HP, INSIDE-DELTA CIRCUIT 3: 546A, 600HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 75,725.00
3RW4446-6BC44	100848442	1	PD	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 356A, 200KW, INSIDE-DELTA CIRCUIT 3: 617A, 355KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 65,893.00
3RW4447-2BC34	102802062	1	PD	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 385A, 300HP, INSIDE-DELTA CIRCUIT 3: 667A, 600HP, 200-460 V AC, 115 V AC, CAGE CLAMP TERMINALS	R 77,256.00
3RW4447-6BC34	100667949	1	PD	SIRIUS SOFT STARTER, VALUES WITH 460 V, 50 DEG., STANDARD: 385A, 300HP, INSIDE-DELTA CIRCUIT 3: 667A, 600HP, 200-460 V AC, 115 V AC, SCREW TERMINALS	R 77,256.00
3RW4447-6BC35	101354045	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 385A, 400HP, INSIDE-DELTA CIRCUIT 3: 667A, 750HP, 400-600 V AC, 115 V AC, SCREW TERMINALS	R 88,496.00
3RW4447-6BC36	101354046	1	V2	SIRIUS SOFT STARTER, VALUES WITH 575 V, 50 DEG., STANDARD: 385A, 400HP, INSIDE-DELTA CIRCUIT 3: 667A, 750HP, 400-690 V AC, 115 V AC, SCREW TERMINALS	R 100,244.00
3RW4447-6BC44	100848443	1	V2	SIRIUS SOFT STARTER, VALUES WITH 400 V, 40 DEG., STANDARD: 432A, 250KW, INSIDE-DELTA CIRCUIT 3: 748A, 400KW, 200-460 V AC, 230 V AC, SCREW TERMINALS	R 77,256.00

3RW4447-6BC45	101046078	1	V2	SIRIUS SOFT STARTER, VALUES WITH 500 V, 40 DEG., STANDARD: 432A, 315KW, INSIDE-DELTA CIRCUIT 3: 748A, 500KW, 400-600 V AC, 230 V AC, SCREW TERMINALS	R 88,496.00
3RW4447-6BC46	101046108	1	PD	SIRIUS SOFT STARTER, VALUES WITH 690 V, 40 DEG., STANDARD: 432A, 400KW, INSIDE-DELTA CIRCUIT 3: ONLY UP TO 600V, 400-690 V AC, 230 V AC, SCREW TERMINALS	R 100,244.00
3RW4453-2BC45	101687358	1	PD	SIRIUS SOFT STARTER, VALUES AT 500V, 40DEG., STANDARD: 551A, 355KW, INSIDE-DELTA CIRCUIT 3: 954A, 630KW, 400-600V AC, 230V AC, SPRING TERMINALS	R 104,199.00
3RW4453-6BC34	100993060	1	V2	SIRIUS SOFT STARTER, VALUES AT 460V, 50 DEG., STANDARD: 494A, 400HP, INSIDE-DELTA CIRCUIT 3: 856A, 750HP, 200-460V AC, 115V AC, SCREW TERMINALS	R 90,535.00
3RW4453-6BC35	101596160	1	V2	SIRIUS SOFT STARTER, VALUES AT 575V, 50DEG., STANDARD: 494A, 500HP, INSIDE-DELTA CIRCUIT 3: 856A, 950HP, 400-600V AC, 115V AC, SCREW TERMINALS	R 104,199.00
3RW4453-6BC44	100993065	1	V2	SIRIUS SOFT STARTER, VALUES AT 400V, 40DEG., STANDARD: 551A, 315KW, INSIDE-DELTA CIRCUIT 3: 954A, 560KW, 200-460V AC, 230V AC, SCREW TERMINALS	R 90,535.00
3RW4454-6BC35	101687368	1	V2	SIRIUS SOFT STARTER, VALUES AT 575V, 50DEG., STANDARD: 551A, 600HP, INSIDE-DELTA CIRCUIT 3: 954A, 1050HP, 400-600V AC, 115V AC, SCREW TERMINALS	R 121,568.00
3RW4454-6BC44	100993066	1	PD	SIRIUS SOFT STARTER, VALUES AT 400V, 40DEG., STANDARD: 615A, 355KW, INSIDE-DELTA CIRCUIT 3: 1065A, 630KW, 200-460V AC, 230V AC, SCREW TERMINALS	R 105,479.00
3RW4455-6BC45	101046081	1	PD	SIRIUS SOFT STARTER, VALUES AT 500V, 40DEG., STANDARD: 693A, 500KW, INSIDE-DELTA CIRCUIT 3: 1200A, 800KW, 400-600V AC, 230V AC, SCREW TERMINALS	R 136,848.00
3RW4456-6BC44	100993068	1	PD	SIRIUS SOFT STARTER, VALUES AT 400V, 40DEG., STANDARD: 780A, 450KW, INSIDE-DELTA CIRCUIT 3: 1351A, 800KW, 200-460V AC, 230V AC, SCREW TERMINALS	R 128,334.00
3RW4457-6BC46	101046116	1	PD	SIRIUS SOFT STARTER, VALUES AT 690V, 40DEG., STANDARD: 880A, 900KW, INSIDE-DELTA CIRCUIT 3: ONLY UP TO 600V, 400-690V AC, 230V AC, SCREW TERMINALS	R 182,616.00
3RW4900-0AC00	101081430	1	V2	EXTERNAL DISPLAY AND CONTROL UNIT FOR SIRIUS SOFT STARTER 3RW44 CONNECTING CABLE E.G. 2.5M (3UF7933-0BA00-0) NOT INCL. IN SCOPE OF SUPPLY NECESSARY FIRMWARE VERSION 3RW44 >= *E05*.IMPLEMENTED WITH STARTERS 3RW44 AS OF DELIV.DATE 05.2006	R 3,965.00
3RW4900-0KC00	101079937	1	V2	COMMUNICATION BOARD PROFIBUS FOR SIRIUS SOFT STARTER 3RW44 NECESSARY FIRMWARE RELEAS 3RW44 >= *05*.IMPLEMENTED WITH STARTERS 3RW44 AS OF DELIVERY D IMPLEMENTED WITH STARTERS 3RW44 AS OF DELIVERY DATE 05.2006	R 3,965.00
3RW4936-8VX40	100896992	1	PD	FAN FOR SIRIUS SOFT STARTER 3RW405.-.BB4., 3RW442.-.BC4., 3RW443.-.BC4., 230 V AC	R 1,367.00
3RX9010-0AA00	100001402	1	V2	AS-I CABLE, TRAPEZOIDAL YELLOW, RUBBER, 2X1.5 MM2, 100M 1 UNIT = 100M	R 2,750.00
3RX9013-0AA00	100001403	1	PD	AS-I CABLE TRAPEZOIDAL YELLOW, TPE, OIL-RESISTANT, 2 X 1,5QMM, 100M 1 PIECE = 100M	R 3,455.00
3RX9020-0AA00	100001404	1	V2	AS-I CABLE, TRAPEZOIDAL, F. EXTERNAL AUXILIARY VOLTAGE, UP TO 24V, BLACK, RUBBER, 2X 1.5QMM CONSISTS OF 100 M CABLE	R 3,278.00

3RX9023-0AA00	100001405	1	PD	AS-I CABLE TRAPEZOIDAL, F. EXTERNAL AUXILIARY VOLTAGE, UP TO 24V, BLACK, TPE, OIL-RESIST. 2 X 1,5QMM, 100M, 1 PIECE = 100M	R 3,684.00
3RX9306-1AA00	100068731	1	-	AS-INTERFACE COMBINED POWER SUPPLY UNIT IP20, AS-I DC30V, WITH DATA DECOUPLING DC24V, 4A (PRIMARY CLOCKING) INPUT VOLTAGE 115/230V COMMUTABLES	R 10,964.00
3RX9501-0BA00	100854182	1	V2	AS-INTERFACE POWER SUPPLY IP20; OUT: AS-I DC30V, 3A IN: AC 120V/230V W. INTEGR. GROUND FAULT DETECTION W. INTEGR. OVERLOAD DETECTION	R 3,684.00
3RX9501-2BA00	102089236	1	PD	AS-I POWER 2.6A, MAX. 100 W, 120V/230V AC, IP20; AS-INTERFACE POWER SUPPLY, IN: 120V/230V AC, OUT: AS-I, 2.6A (30V DC), LIMITING OF OUTPUT POWER MAX. 100 W, IP20, WITH INTEGRATED GROUND FAULT DETECTION, WITH AS-I DATA DECOUPLING	R 4,125.00
3RX9502-0BA00	100879716	1	V2	AS-INTERFACE POWER SUPPLY IP20; OUT: AS-I DC30V, 5A IN: AC 120V/230V W. INTEGR. GROUND FAULT DETECTION W. INTEGR. OVERLOAD DETECTION	R 4,759.00
3RX9503-0BA00	101074302	1	V2	AS-INTERFACE POWER SUPPLY IP20; OUT: AS-I DC30V, 8A IN: AC 120V/230V-500V W. INTEGR. GROUND FAULT DETECTION W. INTEGR. OVERLOAD DETECTION	R 6,945.00
3RX9801-0AA00	100001409	1	V2	AS-I TRANSITION AS-I LINE ON M12 SOCKET	R 173.00
3RX9802-0AA00	100001410	100	V2	AS-I CAP PLUGS FOR UNUSED M12 SOCKETS OF THE APPLICATION MODULES	R 1,333.00
3RX9807-0AA00	100001411	1	PD	FK CABLE ADAPTER F. THREADED JOINT, HEAVY GAUGE 13.5 F. CONNECTING AS-I LINE TO THE HEAVY-GAUGE THREADED JOINT WITH THE PENETRATION METHOD CONTINUES VIA STANDARD CABLE	R 189.00
3SB1201-7DV01	100001591	1	PD	COORDINATE SWITCH, 22MM, ROUND, PLASTIC, BLACK, PLASTIC FRONT RING BLACK, 2 SWITCH POSITIONS, HORIZ. MOMENTARY CONTACT TYPE, W/O MECHANICAL INTERLOCK IN O POSITION, WITH HOLDER, 1NO PER DIRECTION	R 893.00
3SB1201-7FV20	100001594	1	PD	COORDINATE SWITCH, 22MM, ROUND, PLASTIC, BLACK, METAL FRONT RING, 2 SWITCH POSITIONS, VERTICAL MOMENTARY CONTACT, W/O MECHANICAL INTERLOCK IN O POSITION, WITH HOLDER, 1NO PER DIRECTION	R 921.00
3SB1208-7JV01	100001631	1	PD	COORDINATE SWITCH, 22MM, ROUND, PLASTIC, BLACK, PLASTIC FRONT RING BLACK, 4 SWITCH POSITIONS, MOMENTARY CONTACT, W/O MECHANICAL INTERLOCK IN O POSITION, WITH HOLDER, 1NO PER DIRECTION	R 1,134.00
3SB1208-7JV20	100001632	1	PD	COORDINATE SWITCH, 22MM, ROUND, PLASTIC, BLACK, METAL FRONT RING, 4 SWITCH POSITIONS, MOMENTARY CONTACT, W/O MECHANICAL INTERLOCK IN O POSITION, WITH HOLDER, 1NO PER DIRECTION	R 1,160.00

3SB1208-7JW20	100121068	1	PD	COORDINATE SWITCH, 22MM, ROUND, PLASTIC, BLACK, METAL FRONT RING, 4 SWITCH POSITIONS, MOMENTARY CONTACT, WITH MECHANICAL INTERLOCK IN O POSITION, WITH HOLDER, 1NO PER DIRECTION	R 1,475.00
3SB1400-0A	100001674	1	V2	SWITCHING ELEMENT 22 AND 30MM 1NO+1NC	R 116.00
3SB1901-2AA	100001750	100	V2	INSCRIPTION LABEL FOR GLUING ONTO LABEL HOLDER, LABEL SIZE 12.5 X 27MM, SILVER-COLORED, BLACK LETTERING, W/O INSCRIPTION, FOR SELF-INSCRIPTION	R 812.00
3SB1901-3AA	100001760	100	V2	INSCRIPTION LABEL FOR GLUING ON ENCLOSURE, LABEL SIZE 22 X 22MM, SILVER-COLORED, BLACK LETTERING, W/O INSCRIPTION, FOR SELF-INSCRIPTION SILVER-COLORED, BLACK LETTERING	R 1,068.00
3SB1902-0AK	100001765	1	V2	PROTECTIVE CAP FOR FLAT PUSHBUTTON METAL AND RAISED PUSHBUTTON PLASTIC, TRANSPARENT, MATERIAL SILICONE BUTTON RAISED (PLASTIC) MATERIAL SILICONE TRANSPARENT	R 48.00
3SB1902-0AQ	100001768	1	PD	SEALING PLUG FOR FREE COMMAND POINTS, ALUMINUM-COLORED SEALING PLUG FOR FREE COMMAND POINT ALUMINUM-COLORED	R 47.00
3SB1902-2AF	100001778	1	PD	INCANDESCENT LAMP 2 W, TRANSPARENT, RATED VOLTAGE AC/DC 30V, BASE BA 9S, LENGTH MAX. 28MM, BULB DIAMETER 10MM BULB DIAMETER 10MM RATED VOLTAGE AC/DC 30V TRANSPARENT	R 34.00
3SB1904-2AA	100001789	100	V2	INSCRIPTION LABEL F. SNAPPING ONTO LABEL HOLDER, LABEL SIZE 17.5 X 28MM, SILVER-COLORED, BLACK LETTERING, W/O INSCRIPTION, FOR SELF-INSCRIPTION W/O INSCRIPTION SILVER-COLORED, BLACK LETTERING	R 853.00
3SB1906-2AA	100001792	100	V2	INSCRIPTION LABEL FOR GLUING ONTO LABEL HOLDER, LABEL SIZE 27 X 27MM, SILVER-COLORED, BLACK LETTERING, W/O INSCRIPTION, FOR SELF-INSCRIPTION W/O INSCRIPTION SILVER-COLORED, BLACK LETTERING	R 1,068.00
3SB2000-4LB01	100001818	1	PD	KEYSWITCH, 16MM, ROUND, PLASTIC, CES, 2 SWITCH POSITIONS O-I, LATCHING ACTUATING ANGLE 62 DEGREES KEY REMOVAL O+I	R 564.00
3SB2202-0LB01	100122358	1	PD	PUSHBUTTON, 16MM, ROUND, PLASTIC, BLACK, BUTTON, RAISED, 1NO	R 226.00
3SB2203-1AC01	100001827	1	PD	EMERGENCY-STOP MUSHROOM PUSHBUTTON, 16MM, ROUND, PLASTIC, RED, LATCHING, ROTATE-TO-UNLATCH MECHANISM, 1NC, WITH YELLOW BACKING PLATE, INSCRIPTION EMERGENCY-STOP	R 397.00
3SB2204-6BE06	100001830	1	PD	INDICATOR LIGHT, 16MM, ROUND, PLASTIC, GREEN, LAMPHOLDER W2 X 4.6D, WITHOUT LAMP	R 124.00
3SB2206-0LE01	100122410	1	PD	ILLUMINATED PUSHBUTTON, 16MM, ROUND, PLASTIC, GREEN, BUTTON, RAISED, 1NO, LAMPHOLDER W2 X 4.6D, WITHOUT LAMP	R 287.00
3SB2207-0LC01	100122418	1	PD	ILLUMINATED PUSHBUTTON, 16MM, ROUND, PLASTIC, RED, BUTTON, RAISED, 1NC, LAMPHOLDER W2 X 4.6D, WITHOUT LAMP	R 287.00
3SB2226-0LH01	100122451	1	PD	ILLUMINATED PUSHBUTTON, 16MM, ROUND, PLASTIC, TRANSPARENT, BUTTON, RAISED, 1NO, LAMPHOLDER W2 X 4.6D, WITH INCANDESCENT LAMP 24V	R 304.00
3SB2404-0B	100001839	1	V2	SWITCHING ELEMENT, W. ONE CONTACT ELEMENT, 1NO, PLUG-TYPE TERMINAL	R 81.00
3SB2404-0C	100001840	1	V2	SWITCHING ELEMENT, W. ONE CONTACT ELEMENT, 1NC, PLUG-TYPE TERMINAL	R 81.00
3SB2404-0D	100784058	1	PD	SWITCHING ELEMENT, W. ONE CONTACT ELEMENT, 1NO, W. SAFETY SPRING, PLUG-TYPE TERMINAL	R 86.00
3SB3000-0AA11	100025513	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER BLACK	R 88.00
3SB3000-0AA12	100122659	1	PD	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH RAISED FRONT RING WITH HOLDER BLACK	R 106.00
3SB3000-0AA21	100001856	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER RED	R 88.00

3SB3000-0AA31	100122665	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER YELLOW	R 88.00
3SB3000-0AA41	100001857	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER GREEN	R 88.00
3SB3000-0AA51	100001858	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER BLUE	R 88.00
3SB3000-0AA61	100122674	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER WHITE	R 88.00
3SB3000-0AA71	100001859	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER CLEAR	R 88.00
3SB3000-0BA21	100001861	1	PD	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH RAISED BUTTON WITH HOLDER RED	R 110.00
3SB3000-0BA31	100122681	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH RAISED BUTTON WITH HOLDER YELLOW	R 110.00
3SB3000-0BA61	100122683	1	PD	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON WITH RAISED BUTTON WITH HOLDER WHITE	R 110.00
3SB3000-0EA11	100097220	1	PD	22MM PLASTIC ROUND ACTUATOR: PUSHBUTTON 12MM STROKE WITH RAISED BUTTON WITH HOLDER BLACK	R 198.00
3SB3000-1AA20	100025514	1	V2	22MM PLASTIC ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 60MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH HOLDER RED	R 287.00
3SB3000-1BA20	100122690	1	V2	22MM PLASTIC ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 40MM WITH RONIS KEY-OPER.SWITCH LATCHING WITH KEY-OPER.SWITCH-UNLOCKING LOCK NO SB30 WITH HOLDER RED	R 527.00
3SB3000-1CA11	100122691	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSH-PULL BUTTON 40MM LATCHING W.PULL-TO-UNLOCK MECH. WITH HOLDER BLACK	R 256.00
3SB3000-1CA21	100122692	1	V2	22MM PLASTIC ROUND ACTUATOR: PUSH-PULL BUTTON 40MM LATCHING W.PULL-TO-UNLOCK MECH. WITH HOLDER RED	R 256.00
3SB3000-1DA11	100122694	1	V2	22MM PLASTIC ROUND ACTUATOR: MUSHR.PUSHBUTTON 30MM MOMENTARY CONTACT TYPE WITH HOLDER BLACK	R 153.00
3SB3000-1FA20	100461991	1	PD	22MM PLASTIC ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 32MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH HOLDER RED	R 240.00
3SB3000-1GA11	100122700	1	PD	22MM PLASTIC ROUND ACTUATOR: MUSHR.PUSHBUTTON 40MM MOMENTARY CONTACT TYPE WITH HOLDER BLACK	R 153.00
3SB3000-1HA10	100122702	1	PD	22MM PLASTIC ROUND ACTUATOR: MUSHR.PUSHBUTTON 40MM, BLACK, LATCHING, WITH ROTATE-TO-UNLATCH MECH., WITH HOLDER	R 263.00
3SB3000-1HA20	100001864	1	V2	22MM PLASTIC ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH HOLDER RED	R 262.00
3SB3000-1KA20	100122704	1	V2	22MM PLASTIC ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 40MM WITH CES KEY-OPER.SWITCH LATCHING WITH KEY-OPER.SWITCH- UNLOCKING LOCK NO SSG 10 WITH HOLDER RED	R 822.00
3SB3000-1QA11	100461994	1	PD	22MM PLASTIC ROUND ACTUATOR: MUSHR.PUSHBUTTON 60MM MOMENTARY CONTACT TYPE WITH HOLDER BLACK	R 150.00
3SB3000-2DA11	100001865	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH 3 SWITCH POSITIONS I-O-II LATCHING NON-ILLUMINATED WITH HOLDER BLACK	R 145.00
3SB3000-2EA11	100001866	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH 3 SWITCH POSITIONS I-O-II MOMENTARY CONTACT TYPE NON-ILLUMINATED WITH HOLDER BLACK	R 145.00
3SB3000-2FA11	100001867	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH 3 SWITCH POSITIONS I-O-II LEFT LATCH.,RI.MOMEN.CONT.TYPE NON-ILLUMINATED WITH HOLDER BLACK	R 147.00
3SB3000-2GA11	100001868	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH 3 SWITCH POSITIONS I-O-II RIGHT LATCH.,LE.MOMEN.CONT.TYPE NON-ILLUMINATED WITH HOLDER BLACK	R 147.00

3SB3000-2HA11	100122722	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH 2 SWITCH POSITIONS O-I LATCHING NON-ILLUMINATED WITH HOLDER BLACK	R 147.00
3SB3000-2KA11	100001869	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH 2 SWITCH POSITIONS O-I LATCHING NON-ILLUMINATED WITH HOLDER BLACK	R 145.00
3SB3000-2LA11	100001870	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH 2 SWITCH POSITIONS O-I MOMENTARY CONTACT TYPE NON-ILLUMINATED WITH HOLDER BLACK	R 145.00
3SB3000-4AD01	100082839	1	V2	22MM PLASTIC ROUND ACTUATOR: RONIS LOCK WITH 2 KEYS 2 SWITCH POSITIONS O-I MAINTAINED CONTACT LOCK NUMBER SB 30, REMOVE O WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 321.00
3SB3000-4AD11	100001871	1	V2	22MM PLASTIC ROUND ACTUATOR: RONIS LOCK WITH 2 KEYS 2 SWITCH POSITIONS O-I MAINTAINED CONTACT LOCK NUMBER SB 30, REMOVE O+I WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 321.00
3SB3000-4BD01	100001872	1	PD	22MM PLASTIC ROUND ACTUATOR: RONIS LOCK WITH 2 KEYS 2 SWITCH POSITIONS O-I MOMENTARY CONTACT LOCK NUMBER SB 30, REMOVE O WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 321.00
3SB3000-4DD11	100001873	1	PD	22MM PLASTIC ROUND ACTUATOR: RONIS LOCK WITH 2 KEYS 3 SWITCH POSITIONS I-O-II MAINTAINED CONTACT LOCK NUMBER SB 30, REMOVE I+O+II WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 338.00
3SB3000-4LD01	100001874	1	V2	22MM PLASTIC ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS 2 SWITCH POSITIONS O-I LATCHING LOCK NO SSG 10, REMOVAL POS. O WITH HOLDER	R 663.00
3SB3000-4LD11	100122792	1	V2	22MM PLASTIC ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS 2 SWITCH POSITIONS O-I LATCHING LOCK NO SSG 10, REM. POS. O+I WITH HOLDER	R 663.00
3SB3000-4MD01	100122796	1	V2	22MM PLASTIC ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS 2 SWITCH POSITIONS O-I MOMENTARY CONTACT TYPE LOCK NO SSG 10, REMOVAL POS. O WITH HOLDER	R 663.00
3SB3000-4PD01	100122799	1	V2	22MM PLASTIC ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS 3 SWITCH POSITIONS I-O-II LATCHING LOCK NO SSG 10, REMOVAL POS. O WITH HOLDER	R 663.00
3SB3000-4PD11	100001875	1	V2	22MM PLASTIC ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS 3 SWITCH POSITIONS I-O-II LATCHING LOCK NO SSG 10, REM.POS. I+O+II WITH HOLDER	R 663.00
3SB3000-4PD41	100122802	1	V2	22MM PLASTIC ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS 3 SWITCH POSITIONS I-O-II LATCHING LOCK NO SSG 10, REM. POS. I+II WITH HOLDER	R 663.00
3SB3000-4QD01	100122803	1	V2	22MM PLASTIC ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS 3 SWITCH POSITIONS I-O-II MOMENTARY CONTACT TYPE LOCK NO SSG 10, REMOVAL POS. O WITH HOLDER	R 663.00
3SB3000-5AD01	100122810	1	PD	22MM PLASTIC ROUND ACTUATOR: BKS KEY-OPER.SWITCH WITH 2 KEYS 2 SWITCH POSITIONS O-I LATCHING LOCK NO S1, REMOVAL POS. O WITH HOLDER	R 856.00
3SB3000-5AE31	100122816	1	V2	22MM PLASTIC ROUND ACTUATOR: BKS KEY-OPER.SWITCH WITHOUT KEY 2 SWITCH POSITIONS O-I LATCHING LOCK NO E2 (VW), REMOVAL POS. O WITH HOLDER	R 856.00

3SB3000-5AE41	100122817	1	V2	22MM PLASTIC ROUND ACTUATOR: BKS KEY-OPER.SWITCH WITHOUT KEY 2 SWITCH POSITIONS O-I LATCHING LOCK NO E7 (VW),REM. POS. O+I WITH HOLDER	R 856.00
3SB3000-5AE51	100122818	1	V2	22MM PLASTIC ROUND ACTUATOR: BKS KEY-OPER.SWITCH WITHOUT KEY 2 SWITCH POSITIONS O-I LATCHING LOCK NO E7 (VW), REMOVAL POS. O WITH HOLDER	R 856.00
3SB3000-5BD01	100122821	1	V2	22MM PLASTIC ROUND ACTUATOR: BKS KEY-OPER.SWITCH WITH 2 KEYS 2 SWITCH POSITIONS O-I MOMENTARY CONTACT TYPE LOCK NO S1, REMOVAL POS. O WITH HOLDER	R 856.00
3SB3000-5MD01	100122832	1	PD	22MM PLASTIC ROUND ACTUATOR: IKON KEY-OPER.SWITCH W. 2 KEYS 2 SWITCH POSITIONS O-I MOMENTARY CONTACT TYPE LOCK NO 360012K1,REMOVAL POS. O WITH HOLDER	R 964.00
3SB3001-0AA21	100122837	1	V2	22MM PLASTIC ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER RED	R 103.00
3SB3001-0AA31	100001876	1	V2	22MM PLASTIC ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER YELLOW	R 103.00
3SB3001-0AA41	100001877	1	V2	22MM PLASTIC ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN	R 103.00
3SB3001-0AA51	100078618	1	V2	22MM PLASTIC ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER BLUE	R 103.00
3SB3001-0AA61	100001878	1	V2	22MM PLASTIC ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER WHITE	R 103.00
3SB3001-0AA71	100078619	1	V2	22MM PLASTIC ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER CLEAR	R 103.00
3SB3001-0BA41	100122841	1	PD	22MM PLASTIC ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH RAISED BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN	R 110.00
3SB3001-0DA71	100122847	1	PD	22MM PLASTIC ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON LATCHING, UNLOCKING BY PRESSING AGAIN ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER CLEAR	R 156.00
3SB3001-1DA41	100122851	1	PD	22MM PLASTIC ROUND ACTUATOR: ILLUM. MUSHROOM PUSHBUTTON 30MM MOMENTARY CONTACT TYPE ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN	R 153.00
3SB3001-1EA51	100122856	1	PD	22MM PLASTIC ROUND ACTUATOR: PUSH-PULL BUTTON 30MM LATCHING W.PULL-TO-UNLOCK MECH. INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER BLUE	R 264.00
3SB3001-2DA41	100122863	1	PD	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH LATCHING 3 SWITCH POSITIONS I-O-II ILLUMINATED INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN	R 162.00
3SB3001-2DA71	100001882	1	PD	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH LATCHING 3 SWITCH POSITIONS I-O-II ILLUMINATED INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER CLEAR	R 162.00
3SB3001-2EA71	100122869	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH MOMENTARY CONTACT TYPE 3 SWITCH POSITIONS I-O-II ILLUMINATED INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER CLEAR	R 162.00
3SB3001-2GA41	100122877	1	PD	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH RIGHT LATCH.,LE.MOMEN.CONT.TYPE 3 SWITCH POSITIONS I-O-II ILLUMINATED INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN	R 166.00

3SB3001-2KA41	100122887	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I ILLUMINATED INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN	R 162.00
3SB3001-2LA21	100122890	1	PD	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH MOMENTARY CONTACT TYPE 2 SWITCH POSITIONS O-I ILLUMINATED INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER RED	R 162.00
3SB3001-2LA31	100122891	1	PD	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH MOMENTARY CONTACT TYPE 2 SWITCH POSITIONS O-I ILLUMINATED INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER YELLOW	R 162.00
3SB3001-2LA41	100122892	1	V2	22MM PLASTIC ROUND ACTUATOR: SELECTOR SWITCH MOMENTARY CONTACT TYPE 2 SWITCH POSITIONS O-I ILLUMINATED INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN	R 162.00
3SB3001-6AA20	100001883	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER RED	R 69.00
3SB3001-6AA30	100001884	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER YELLOW	R 69.00
3SB3001-6AA40	100001885	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER GREEN	R 69.00
3SB3001-6AA50	100001886	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER BLUE	R 69.00
3SB3001-6AA60	100001887	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER WHITE	R 69.00
3SB3001-6AA70	100122895	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER CLEAR	R 69.00
3SB3001-6BA20	100122896	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER RED	R 69.00
3SB3001-6BA30	100122897	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER YELLOW	R 69.00
3SB3001-6BA40	100122898	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER GREEN	R 69.00
3SB3001-6BA50	100122899	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER BLUE	R 69.00
3SB3001-6BA60	100122900	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER WHITE	R 69.00
3SB3001-6BA70	100122901	1	V2	22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER CLEAR	R 69.00
3SB3100-8AC21	100122903	1	V2	22MM PLASTIC ROUND ACTUATOR: TWIN PUSHBUTTON WITH FLAT BUTTONS NON-ILLUMINATED WITH HOLDER GREEN-RED INSCRIPTION GREEN: I; RED: O	R 151.00
3SB3101-8BC21	100122909	1	V2	22MM PLASTIC ROUND ACTUATOR WITH INDICATOR: TWIN PUSHBUTTON+INDICATOR LIGHT WITH FLAT BUTTONS ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN-RED INSCRIPTION GREEN: I; RED: O	R 179.00
3SB3101-8DC21	100122910	1	V2	22MM PLASTIC ROUND ACTUATOR WITH INDICATOR: TWIN PUSHBUTTON+INDICATOR LIGHT WITH FLAT + RAISED BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN-RED INSCRIPTION GREEN: I; RED: O	R 189.00
3SB3201-0AA11	100001892	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO+1NC WITH HOLDER BLACK	R 168.00
3SB3201-0AA21	100001893	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO+1NC WITH HOLDER RED	R 168.00

3SB3201-0AA31	100001894	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO+1NC WITH HOLDER YELLOW	R 168.00
3SB3201-0AA41	100001895	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO+1NC WITH HOLDER GREEN	R 168.00
3SB3201-1CA21	100123041	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSH-PULL BUTTON 40MM LATCHING W.PULL-TO-UNLOCK MECH. SCREW TERMINAL, 1NO+1NC WITH HOLDER RED	R 322.00
3SB3201-1HA20	100001898	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SCREW TERMINAL, 1NO+1NC WITH HOLDER RED INSCRIPTION: NOT- HALT	R 342.00
3SB3201-1HR20	100462007	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SCREW TERMINAL, 1NO+1NC WITH HOLDER RED INSCRIPTION: EMERGENCY STOP	R 342.00
3SB3201-2HA11	100001899	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED SCREW TERMINAL, 1NO+1NC WITH HOLDER BLACK	R 235.00
3SB3201-2KA11	100001900	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED SCREW TERMINAL, 1NO+1NC WITH HOLDER BLACK	R 232.00
3SB3201-4AD11	100001901	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: RONIS LOCK WITH 2 KEYS MAINTAINED CONTACT 2 SWITCH POSITIONS O-I SCREW CONNECTION, 1NO+1NC LOCK NUMBER SB 30, REMOVE O+I WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 406.00
3SB3202-0AA11	100001902	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER BLACK	R 143.00
3SB3202-0AA21	100189465	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER RED	R 143.00
3SB3202-0AA31	100073408	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER YELLOW	R 143.00
3SB3202-0AA41	100001903	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER GREEN	R 143.00
3SB3202-0AA51	100001904	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER BLUE	R 143.00
3SB3202-0AA61	100001905	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER WHITE	R 143.00
3SB3202-2KA11	100001906	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED SCREW TERMINAL, 1NO WITH HOLDER BLACK	R 206.00
3SB3202-2KA11-0CC0	101156746	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED SPRING- LOADED TERMINAL, 1NO WITH HOLDER BLACK	R 209.00

3SB3202-4AD11	100001907	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: RONIS LOCK WITH 2 KEYS MAINTAINED CONTACT 2 SWITCH POSITIONS O-I SCREW CONNECTION, 1S LOCK NUMBER SB 30, REMOVE O+I WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 380.00
3SB3203-0AA11	100123044	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NC WITH HOLDER BLACK	R 143.00
3SB3203-0AA21	100001908	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON WITH FLAT BUTTON SCREW TERMINAL, 1NC WITH HOLDER RED	R 143.00
3SB3203-1CA21	100077710	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: PUSH-PULL BUTTON 40MM LATCHING W.PULL-TO-UNLOCK MECH. SCREW TERMINAL, 1NC WITH HOLDER RED	R 303.00
3SB3203-1HA20	100001909	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SCREW TERMINAL, 1NC WITH HOLDER RED INSCRIPTION: NOT-HALT	R 319.00
3SB3203-1HR20	100462009	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SCREW TERMINAL, 1NC WITH HOLDER RED INSCRIPTION: EMERGENCY STOP	R 319.00
3SB3204-6AA20	100001910	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL WITH HOLDER RED	R 128.00
3SB3204-6AA30	100001911	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL WITH HOLDER YELLOW	R 128.00
3SB3204-6AA40	100001912	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL WITH HOLDER GREEN	R 128.00
3SB3204-6AA60	100001914	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL WITH HOLDER WHITE	R 128.00
3SB3204-6BA20	100123046	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL WITH HOLDER RED	R 128.00
3SB3204-6BA30	100123047	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL WITH HOLDER YELLOW	R 128.00
3SB3204-6BA40	100123048	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL WITH HOLDER GREEN	R 128.00
3SB3204-6BA70	100123051	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL WITH HOLDER CLEAR	R 128.00
3SB3205-0AA21	100123052	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL, 1NO+1NC WITH HOLDER RED	R 246.00

3SB3205-0AA71	100629548	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL, 1NO+1NC WITH HOLDER CLEAR	R 246.00
3SB3206-0AA41	100001917	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL, 1NO WITH HOLDER GREEN	R 222.00
3SB3208-2DA11	100001920	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED SCREW TERMINAL, 2X1NO+1NC WITH HOLDER BLACK	R 316.00
3SB3210-2DA11	100001921	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED SCREW TERMINAL, 1NO, 1NO WITH HOLDER BLACK	R 266.00
3SB3212-6AA40	100001924	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 130V AC/DC SCREW TERMINAL OPERATIONAL VOLTAGE 220/230V AC WITH HOLDER GREEN	R 224.00
3SB3217-6AA20	100001935	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL OPERATIONAL VOLTAGE 24V UC WITH HOLDER RED	R 160.00
3SB3217-6AA40	100123067	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL OPERATIONAL VOLTAGE 24V UC WITH HOLDER GREEN	R 160.00
3SB3217-6AA60	100001937	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL OPERATIONAL VOLTAGE 24V UC WITH HOLDER WHITE	R 160.00
3SB3221-0AA21	100123074	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NO+1NC OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER RED	R 271.00
3SB3221-0AA31	100123075	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NO+1NC OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER YELLOW	R 271.00
3SB3221-0AA41	100123076	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NO+1NC OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER GREEN	R 271.00
3SB3233-7BA10	100001940	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ACOUSTIC SIGNALING DEVICE CONTINUOUS TONE 2.4KHZ, IP65 SOUND PRESS. MIN. 80 DB./10CM, WITH LAMP HOLDER BA 9S 24V AC/DC SCREW TERMINAL WITH HOLDER BLACK	R 569.00
3SB3244-6AA20	100074507	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER RED	R 160.00

3SB3244-6AA30	100074509	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER YELLOW	R 160.00
3SB3244-6AA40	100074508	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER GREEN	R 160.00
3SB3244-6AA60	100123082	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER WHITE	R 160.00
3SB3244-6AA70	100123083	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER CLEAR	R 160.00
3SB3244-6BA20	100074513	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER RED	R 160.00
3SB3244-6BA30	100074515	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER YELLOW	R 160.00
3SB3244-6BA40	100074514	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER GREEN	R 160.00
3SB3244-6BA50	100087277	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER BLUE	R 160.00
3SB3244-6BA60	100123084	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL WITH HOLDER WHITE	R 160.00
3SB3245-0AA41	100123086	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO WITH HOLDER GREEN	R 254.00
3SB3245-0AA51	100123087	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO WITH HOLDER BLUE	R 254.00
3SB3245-0AA61	100123088	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO WITH HOLDER WHITE	R 254.00
3SB3246-0AA21	100074516	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NC WITH HOLDER RED	R 254.00
3SB3247-0AA21	100123090	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO+1NC WITH HOLDER RED	R 285.00
3SB3247-0AA31	100123091	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO+1NC WITH HOLDER YELLOW	R 285.00

3SB3247-0AA41	100123092	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO+1NC WITH HOLDER GREEN	R 285.00
3SB3248-6AA20	100083714	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 110V AC SCREW TERMINAL WITH HOLDER RED	R 229.00
3SB3248-6AA30	100123096	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 110V AC SCREW TERMINAL WITH HOLDER YELLOW	R 229.00
3SB3248-6AA40	100083715	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 110V AC SCREW TERMINAL WITH HOLDER GREEN	R 229.00
3SB3248-6AA50	100123097	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 110V AC SCREW TERMINAL WITH HOLDER BLUE	R 229.00
3SB3248-6BA20	100981596	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 110V AC SCREW TERMINAL WITH HOLDER RED	R 229.00
3SB3248-6BA30	100123101	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 110V AC SCREW TERMINAL WITH HOLDER YELLOW	R 229.00
3SB3248-6BA40	100123102	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 110V AC SCREW TERMINAL WITH HOLDER GREEN	R 229.00
3SB3252-6AA20	100123113	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER RED	R 229.00
3SB3252-6AA30	100073413	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER YELLOW	R 229.00
3SB3252-6AA40	100073411	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER GREEN	R 229.00
3SB3252-6AA50	100123114	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER BLUE	R 229.00
3SB3252-6AA60	100073410	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER WHITE	R 229.00
3SB3252-6BA20	100082227	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER RED	R 229.00
3SB3252-6BA30	100123115	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER YELLOW	R 229.00
3SB3252-6BA40	100123116	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER GREEN	R 229.00

3SB3252-6BA50	100123117	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL WITH HOLDER BLUE	R 229.00
3SB3253-0AA41	100123121	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL, 1NO WITH HOLDER GREEN	R 321.00
3SB3254-0AA21	100123125	1	V2	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL, 1NC WITH HOLDER RED	R 321.00
3SB3255-0AA41	100123128	1	PD	22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL, 1NO+1NC WITH HOLDER GREEN	R 351.00
3SB3301-1HA20	100001945	1	PD	26X26MM PLASTIC SQUARE COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SCREW TERMINAL, 1NO+1NC WITH HOLDER RED INSCRIPTION: NOT- HALT	R 342.00
3SB3400-0A	100001955	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 2 CONTACTS SCREW TERMINAL, 1NO+1NC	R 94.00
3SB3400-0B	100001956	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 1 CONTACT ELEMENT SCREW TERMINAL, 1NO	R 62.00
3SB3400-0BA	101053324	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 1 CONTACT ELEMENT GOLD-PLATED CONTACTS SCREW TERMINAL, 1NO	R 88.00
3SB3400-0C	100001957	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 1 CONTACT ELEMENT SCREW TERMINAL, 1NC	R 62.00
3SB3400-0CA	101106806	1	PD	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 1 CONTACT ELEMENT GOLD-PLATED CONTACTS SCREW TERMINAL, 1NC	R 88.00
3SB3400-0D	100001958	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 2 CONTACTS SCREW TERMINAL, 2NO	R 130.00
3SB3400-0E	100001959	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 2 CONTACTS SCREW TERMINAL, 1NC, 1NC	R 130.00
3SB3400-0EA	101117333	1	PD	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 2 CONTACTS GOLD-PLATED CONTACTS SCREW TERMINAL, 1NC, 1NC	R 179.00
3SB3400-0J	100123232	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK, 30DEGR TILTED VL400,VL630,VL800,VL1250,VL1600 ALARM-/AUXILIARY SWITCH WITH 1 CONTACT ELEMENT SCREW TERMINAL, 1NO	R 134.00
3SB3400-0K	100123233	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK, 30DEGR TILTED VL400,VL630,VL800,VL1250,VL1600 ALARM-/AUXILIARY SWITCH WITH 1 CONTACT ELEMENT SCREW TERMINAL, 1NC	R 134.00
3SB3400-0M	101869484	1	PD	CONTACT BLOC WITH 1 CONTACT 1NC FOR FRONT PLATE MOUNTING; W. MOUNTING MONITORING CONTACT SCREW TERMINAL, YELLOW	R 140.00
3SB3400-0Q	102362776	1	PD	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 2 CONTACTS DUST-RESISTANT, INCL. LABEL SCREW TERMINAL, 1NC, 1NC LABEL 3SB3901- 0CH	R 143.00
3SB3400-1A	100001960	1	V2	ACTUATOR-/INDICATOR COMPONENT LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL RATED VOLTAGE ACC.TO LAMP	R 62.00

3SB3400-1B	100001961	1	V2	ACTUATOR-/INDICATOR COMPONENT LAMP HOLDER BA 9S WITH LAMP 130V, 3SX1731 SCREW TERMINAL RATED VOLTAGE 110/130V AC/DC	R 156.00
3SB3400-1C	100001962	1	V2	ACTUATOR-/INDICATOR COMPONENT LAMP HOLDER BA 9S WITH LAMP 130V, 3SX1731 SCREW TERMINAL RATED VOLTAGE 230/240V AC	R 156.00
3SB3400-1D	100001963	1	V2	ACTUATOR-/INDICATOR COMPONENT LAMP HOLDER BA 9S WITH LAMP 24V, 3SX1344 SCREW TERMINAL RATED VOLTAGE 24V AC/DC CLEAR	R 88.00
3SB3400-1G	100123234	1	V2	ACTUATOR-/INDICATOR COMPONENT W. SEPARATE LAMP TEST FUNCTION LAMP HOLDER BA 9S WITHOUT LAMP, FOR LAMP MAX.2.6W SCREW TERMINAL RATED VOLTAGE ACC.TO LAMP SUITABLE F LED 24/48/230V AC/DC	R 162.00
3SB3400-1L	100123235	1	PD	ACTUATOR-/INDICATOR COMPONENT W. SEPARATE LAMP TEST FUNCTION LAMP HOLDER BA 9S WITHOUT LAMP, FOR LAMP MAX.2.6W SCREW TERMINAL RATED VOLTAGE ACC.TO LAMP SUITABLE FOR LED AC OR DC	R 166.00
3SB3400-1PA	100123238	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 24V AC/DC LAMP HOLDER SCREW TERMINAL YELLOW	R 88.00
3SB3400-1PB	100074524	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 24V AC/DC LAMP HOLDER SCREW TERMINAL RED	R 88.00
3SB3400-1PC	100123239	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 24V AC/DC LAMP HOLDER SCREW TERMINAL GREEN	R 88.00
3SB3400-1PD	100074525	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 24V AC/DC LAMP HOLDER SCREW TERMINAL BLUE	R 88.00
3SB3400-1PE	100123240	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 24V AC/DC LAMP HOLDER SCREW TERMINAL WHITE	R 88.00
3SB3400-1QA	100123241	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 110V AC LAMP HOLDER SCREW TERMINAL YELLOW	R 156.00
3SB3400-1QB	100123242	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 110V AC LAMP HOLDER SCREW TERMINAL RED	R 156.00
3SB3400-1QC	100123243	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 110V AC LAMP HOLDER SCREW TERMINAL GREEN	R 156.00
3SB3400-1QE	100123245	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 110V AC LAMP HOLDER SCREW TERMINAL WHITE	R 156.00
3SB3400-1RA	100001965	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 230V AC LAMP HOLDER SCREW TERMINAL YELLOW	R 156.00
3SB3400-1RB	100001966	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 230V AC LAMP HOLDER SCREW TERMINAL RED	R 156.00
3SB3400-1RC	100001967	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 230V AC LAMP HOLDER SCREW TERMINAL GREEN	R 156.00
3SB3400-1RD	100001968	1	PD	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 230V AC LAMP HOLDER SCREW TERMINAL BLUE	R 156.00
3SB3400-1RE	100001969	1	V2	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 230V AC LAMP HOLDER SCREW TERMINAL WHITE	R 156.00
3SB3400-2A	100462012	1	V2	ACTUATOR-/INDICATOR COMPONENT BLOCK W. 2 DIODES; TYPE 1N 4007 SCREW TERMINAL	R 144.00
3SB3400-3C	100123247	1	V2	ACTUATOR-/INDICATOR COMPONENT ON LAMP HOLDER 3SB3400-1A TRANSFORMATORS FOR SNAPPING SCREW TERMINAL RATED VOLTAGE 240/24V AC	R 394.00
3SB3403-0A	100232595	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 2 CONTACTS SPRING-LOADED TERMINAL, 1NO+1NC FOR MOUNTING ON FRONT PLATE	R 103.00

3SB3403-0B	100123252	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 1 CONTACT ELEMENT SPRING-LOADED TERMINAL, 1NO	R 68.00
3SB3403-0C	100123253	1	V2	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 1 CONTACT ELEMENT SPRING-LOADED TERMINAL, 1NC	R 68.00
3SB3403-1PC	100462018	1	PD	ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED 24V AC/DC LAMP HOLDER SPRING-LOADED TERMINAL GREEN FOR MOUNTING ON FRONT PLATE	R 96.00
3SB3411-0B	100123256	1	PD	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 1 CONTACT ELEMENT SOLDER PIN TERMINAL, 1NO	R 68.00
3SB3411-0C	100123257	1	PD	ACTUATOR-/INDICATOR COMPONENT CONTACT BLOCK WITH 1 CONTACT ELEMENT SOLDER PIN TERMINAL, 1NC	R 68.00
3SB3420-0B	100001971	1	V2	COMPONENT FOR ENCLOSURE, 22MM CONTACT BLOCK WITH 1 CONTACT ELEMENT SCREW TERMINAL, 1NO	R 69.00
3SB3420-0C	100001972	1	V2	COMPONENT FOR ENCLOSURE, 22MM CONTACT BLOCK WITH 1 CONTACT ELEMENT SCREW TERMINAL, 1NC	R 69.00
3SB3420-1A	100001973	1	V2	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER BA 9S WITHOUT LAMP RATED VOLTAGE ACC.TO LAMP SCREW TERMINAL	R 65.00
3SB3420-1PA	100462031	1	PD	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 24V AC/DC RATED VOLTAGE 24V AC/DC SCREW TERMINAL YELLOW	R 92.00
3SB3420-1PB	100462032	1	V2	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 24V AC/DC RATED VOLTAGE 24V AC/DC SCREW TERMINAL RED	R 92.00
3SB3420-1PC	100462033	1	V2	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 24V AC/DC RATED VOLTAGE 24V AC/DC SCREW TERMINAL GREEN	R 92.00
3SB3420-1PE	100462035	1	V2	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 24V AC/DC RATED VOLTAGE 24V AC/DC SCREW TERMINAL WHITE	R 92.00
3SB3420-1RB	100462042	1	PD	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 230V AC RATED VOLTAGE 230V AC SCREW TERMINAL RED	R 179.00
3SB3420-1RC	100462043	1	PD	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 230V AC RATED VOLTAGE 230V AC SCREW TERMINAL GREEN	R 179.00
3SB3420-1RE	100462045	1	V2	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 230V AC RATED VOLTAGE 230V AC SCREW TERMINAL WHITE	R 179.00
3SB3423-0B	100460081	1	PD	COMPONENT FOR ENCLOSURE, 22MM CONTACT BLOCK WITH 1 CONTACT ELEMENT SPRING-LOADED TERMINAL, 1NO	R 80.00
3SB3423-0C	100462046	1	V2	COMPONENT FOR ENCLOSURE, 22MM CONTACT BLOCK WITH 1 CONTACT ELEMENT SPRING-LOADED TERMINAL, 1NC	R 80.00
3SB3423-1PC	100462049	1	PD	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 24V AC/DC RATED VOLTAGE 24V AC/DC SPRING-LOADED TERMINAL GREEN	R 98.00
3SB3423-1PD	100462050	1	PD	COMPONENT FOR ENCLOSURE, 22MM LAMP HOLDER WITH INTEGRATED LED 24V AC/DC RATED VOLTAGE 24V AC/DC SPRING-LOADED TERMINAL BLUE	R 98.00
3SB3500-0AA11	100123260	1	V2	22MM METAL ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER BLACK SOLVENT-RESISTANT	R 96.00
3SB3500-0AA21	100123262	1	V2	22MM METAL ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER RED	R 96.00
3SB3500-0AA31	100123264	1	V2	22MM METAL ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER YELLOW	R 96.00
3SB3500-0AA41	100001974	1	V2	22MM METAL ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER GREEN	R 96.00

3SB3500-0AA42	100123266	1	PD	22MM METAL ROUND ACTUATOR: PUSHBUTTON WITH RAISED FRONT RING WITH HOLDER GREEN	R 112.00
3SB3500-0AA71	100123271	1	PD	22MM METAL ROUND ACTUATOR: PUSHBUTTON WITH FLAT BUTTON WITH HOLDER CLEAR	R 96.00
3SB3500-0BA21	100123279	1	PD	22MM METAL ROUND ACTUATOR: PUSHBUTTON WITH RAISED BUTTON WITH HOLDER RED	R 118.00
3SB3500-0DA61	100123289	1	PD	22MM METAL ROUND ACTUATOR: PUSHBUTTON LATCHING, UNLOCKING BY PRESSING AGAIN WITH FLAT BUTTON WITH HOLDER WHITE	R 171.00
3SB3500-1AA20	101185678	1	PD	22MM METAL ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 60MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH HOLDER RED	R 312.00
3SB3500-1DA21	100123297	1	V2	22MM METAL ROUND ACTUATOR: MUSHR.PUSHBUTTON 30MM MOMENTARY CONTACT TYPE WITH HOLDER RED	R 165.00
3SB3500-1DA31	100123298	1	V2	22MM METAL ROUND ACTUATOR: MUSHR.PUSHBUTTON 30MM MOMENTARY CONTACT TYPE WITH HOLDER YELLOW	R 165.00
3SB3500-1DA41	100123299	1	PD	22MM METAL ROUND ACTUATOR: MUSHR.PUSHBUTTON 30MM MOMENTARY CONTACT TYPE WITH HOLDER GREEN	R 165.00
3SB3500-1FA20	100462066	1	V2	22MM METAL ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 32MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH HOLDER RED	R 286.00
3SB3500-1GA11	100123302	1	PD	22MM METAL ROUND ACTUATOR: MUSHR.PUSHBUTTON 40MM MOMENTARY CONTACT TYPE WITH HOLDER BLACK SOLVENT-RESISTANT	R 165.00
3SB3500-1GA31	100123304	1	PD	22MM METAL ROUND ACTUATOR: MUSHR.PUSHBUTTON 40MM MOMENTARY CONTACT TYPE WITH HOLDER YELLOW	R 165.00
3SB3500-1HA20	100123307	1	V2	22MM METAL ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH HOLDER RED	R 284.00
3SB3500-1KA20	100123309	1	PD	22MM METAL ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 40MM WITH CES KEY-OPER.SWITCH LATCHING WITH KEY-OPER.SWITCH- UNLOCKING LOCK NO SSG 10 WITH HOLDER RED	R 893.00
3SB3500-1LA20	100123310	1	PD	22MM METAL ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 40MM WITH BKS KEY-OPER.SWITCH LATCHING WITH KEY-OPER.SWITCH- UNLOCKING LOCK NO S1 WITH HOLDER RED	R 1,179.00
3SB3500-1MA20	100123311	1	PD	22MM METAL ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 40MM WITH OMR KEY-OPER.SWITCH LATCHING WITH KEY-OPER.SWITCH- UNLOCKING LOCK NO 73037 WITH HOLDER RED	R 656.00
3SB3500-1QA41	100123315	1	V2	22MM METAL ROUND ACTUATOR: MUSHR.PUSHBUTTON 60MM MOMENTARY CONTACT TYPE WITH HOLDER GREEN	R 165.00
3SB3500-1TA20	100123318	1	V2	22MM METAL ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCHING W.PULL-TO-UNLOCK MECH. WITH HOLDER RED, SOLVENT-RESISTANT	R 284.00
3SB3500-2DA11	100123321	1	V2	22MM METAL ROUND ACTUATOR: SELECTOR SWITCH LATCHING 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED WITH HOLDER BLACK	R 158.00
3SB3500-2EA11	100123325	1	V2	22MM METAL ROUND ACTUATOR: SELECTOR SWITCH MOMENTARY CONTACT TYPE 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED WITH HOLDER BLACK	R 158.00
3SB3500-2HA11	100123337	1	V2	22MM METAL ROUND ACTUATOR: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED WITH HOLDER BLACK	R 160.00
3SB3500-2KA11	100123341	1	V2	22MM METAL ROUND ACTUATOR: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED WITH HOLDER BLACK	R 158.00
3SB3500-2LA11	100123345	1	V2	22MM METAL ROUND ACTUATOR: SELECTOR SWITCH MOMENTARY CONTACT TYPE 2 SWITCH POSITIONS O-I NON-ILLUMINATED WITH HOLDER BLACK	R 158.00

3SB3500-2PA11	100123349	1	PD	22MM METAL ROUND ACTUATOR: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED WITH HOLDER BLACK SOLVENT-RESISTANT	R 207.00
3SB3500-2SA11	100123357	1	PD	22MM METAL ROUND ACTUATOR: SELECTOR SWITCH LATCHING 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED WITH HOLDER BLACK SOLVENT-RESISTANT	R 207.00
3SB3500-2TA11	100123361	1	PD	22MM METAL ROUND ACTUATOR: SELECTOR SWITCH HEAVY DUTY MOMENTARY CONTACT TYPE 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED WITH HOLDER BLACK SOLVENT-RESISTANT	R 207.00
3SB3500-3AJ11	100123380	1	PD	22MM METAL ROUND ACTUATOR: OMR KEY-OPER.SWITCH W. 2 KEYS LATCHING 2 SWITCH POSITIONS O-I LOCK NO 73034, REMOVAL POS. O+I WITH HOLDER BLACK	R 515.00
3SB3500-4AD11	100123470	1	PD	22MM ROUND METAL ACTUATOR: RONIS LOCK WITH 2 KEYS MAINTAINED CONTACT 2 SWITCH POSITIONS O-I LOCK NUMBER SB 30, REMOVE O+I WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 347.00
3SB3500-4BD01	100123476	1	V2	22MM ROUND METAL ACTUATOR: RONIS LOCK WITH 2 KEYS MOMENTARY CONTACT 2 SWITCH POSITIONS O-I LOCK NUMBER SB 30, REMOVE O WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 347.00
3SB3500-4ED01	100123488	1	PD	22MM ROUND METAL ACTUATOR: RONIS LOCK WITH 2 KEYS MOMENTARY CONTACT 3 SWITCH POSITIONS I-O-II LOCK NUMBER SB 30, REMOVE O WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 347.00
3SB3500-4LD11	100123497	1	V2	22MM METAL ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS LATCHING 2 SWITCH POSITIONS O-I LOCK NO SSG 10, REM. POS. O+I WITH HOLDER	R 723.00
3SB3500-4PD11	100123504	1	PD	22MM METAL ROUND ACTUATOR: CES KEY-OPER.SWITCH WITH 2 KEYS LATCHING 3 SWITCH POSITIONS I-O-II LOCK NO SSG 10,REM.POS. I+O+II WITH HOLDER	R 723.00
3SB3500-5AE31	100123523	1	V2	22MM METAL ROUND ACTUATOR: BKS KEY-OPER.SWITCH WITHOUT KEY LATCHING 2 SWITCH POSITIONS O-I LOCK NO E2 (VW), REMOVAL POS. O WITH HOLDER	R 934.00
3SB3501-0AA21	100123561	1	V2	22MM METAL ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER RED	R 111.00
3SB3501-0AA31	100123562	1	V2	22MM METAL ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER YELLOW	R 111.00
3SB3501-0AA41	100123563	1	V2	22MM METAL ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER GREEN	R 111.00
3SB3501-0AA51	100123564	1	V2	22MM METAL ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER BLUE	R 111.00
3SB3501-0AA61	100123565	1	V2	22MM METAL ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER WHITE	R 111.00
3SB3501-0AA71	100123566	1	PD	22MM METAL ROUND ACTUATOR: ILLUMINATED PUSHBUTTON WITH FLAT BUTTON ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER CLEAR	R 111.00
3SB3501-1CA21	100074523	1	PD	22MM METAL ROUND ACTUATOR: PUSH-PULL BUTTON 40MM LATCHING W.PULL-TO-UNLOCK MECH. ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER RED	R 289.00

3SB3501-1RA21	100123598	1	PD	22MM METAL ROUND ACTUATOR: PUSH-PULL BUTTON 60MM LATCHING W.PULL-TO-UNLOCK MECH. ILLUMINABLE INCL. HOLDER FOR 3 ELEMENTS WITH HOLDER RED	R 289.00
3SB3501-6AA20	100123681	1	V2	22MM METAL ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER RED	R 77.00
3SB3501-6AA40	100123683	1	PD	22MM METAL ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER GREEN	R 77.00
3SB3501-6AA60	100123685	1	PD	22MM METAL ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER WHITE	R 77.00
3SB3501-6BA20	100123687	1	V2	22MM METAL ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER RED	R 77.00
3SB3501-6BA30	100123688	1	V2	22MM METAL ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER YELLOW	R 77.00
3SB3501-6BA40	100001975	1	V2	22MM METAL ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER GREEN	R 77.00
3SB3501-6BA50	100123689	1	PD	22MM METAL ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER BLUE	R 77.00
3SB3501-6BA60	100123690	1	PD	22MM METAL ROUND INDICATOR: INDICATOR LIGHT WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER WHITE	R 77.00
3SB3601-0AA11	100123692	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NO+1NC WITH HOLDER BLACK SOLVENT RESISTANT	R 184.00
3SB3601-0AA31	100123693	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NO+1NC WITH HOLDER YELLOW	R 184.00
3SB3601-0AA41	100084090	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NO+1NC WITH HOLDER GREEN	R 182.00
3SB3601-0AA51	100123694	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NO+1NC WITH HOLDER BLUE	R 184.00
3SB3601-1CA21	100001976	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSH-PULL BUTTON 40MM LATCHING W.PULL-TO-UNLOCK MECH. SCREW TERMINAL, 1NO+1NC WITH HOLDER RED	R 348.00
3SB3601-1HA20	100123696	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SCREW TERMINAL, 1NO+1NC WITH HOLDER RED INSCRIPTION: NOT-HALT	R 370.00
3SB3601-2KA11	100074518	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED SCREW TERMINAL, 1NO+1NC WITH HOLDER BLACK	R 253.00
3SB3601-4AD11	100123701	1	PD	22MM ROUND METAL COMPLETE UNIT COMBINATION: RONIS LOCK WITH 2 KEYS MAINTAINED CONTACT 2 SWITCH POSITIONS O-I SCREW CONNECTION, 1NO+1NC LOCK NUMBER SB 30, REMOVE O-I WITH HOLDER POSSIBLE SPECIAL LOCKS FOR RONIS KEYSWITCHES: SB31, 455, 421	R 449.00
3SB3602-0AA11	100082228	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER BLACK SOLVENT RESISTANT	R 154.00

3SB3602-0AA11-0CC0	101135860	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SPRING-LOADED TERMINAL, 1NO WITH HOLDER BLACK SOLVENT RESISTANT	R 162.00
3SB3602-0AA21	100123702	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER RED	R 154.00
3SB3602-0AA31	100123703	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER YELLOW	R 154.00
3SB3602-0AA41	100123704	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NO WITH HOLDER GREEN	R 154.00
3SB3602-2KA11	100123708	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 2 SWITCH POSITIONS O-I NON-ILLUMINATED SCREW TERMINAL, 1NO WITH HOLDER BLACK	R 222.00
3SB3603-0AA21	100123712	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON SCREW TERMINAL, 1NC WITH HOLDER RED	R 154.00
3SB3603-1CA21	100123713	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: PUSH-PULL BUTTON 40MM LATCHING W.PULL-TO-UNLOCK MECH. SCREW TERMINAL, 1NC WITH HOLDER RED	R 322.00
3SB3603-1HA20	100074521	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SCREW TERMINAL, 1NC WITH HOLDER RED INSCRIPTION: NOT-HALT	R 345.00
3SB3603-1HR20	100462074	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SCREW TERMINAL, 1NC WITH HOLDER RED INSCRIPTION: EMERGENCY STOP	R 345.00
3SB3605-0AA41	100123731	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL, 1NO+1NC WITH HOLDER GREEN	R 262.00
3SB3606-0AA31	100078976	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL, 1NO WITH HOLDER YELLOW	R 240.00
3SB3606-0AA41	100123735	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL, 1NO WITH HOLDER GREEN	R 240.00
3SB3606-0AA61-0CC0	102362609	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SPRING-LOADED TERMINAL, 1NO WITH HOLDER WHITE	R 246.00
3SB3606-0AA71	100123738	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL, 1NO WITH HOLDER CLEAR	R 240.00

3SB3607-0AA21	100123739	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SCREW TERMINAL, 1NC WITH HOLDER RED	R 240.00
3SB3608-2DA11	100123740	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED SCREW TERMINAL, 2X1NO+1NC WITH HOLDER BLACK	R 340.00
3SB3608-2EA11	100123741	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH MOMENTARY CONTACT TYPE 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED SCREW TERMINAL, 2X1NO+1NC WITH HOLDER BLACK	R 340.00
3SB3610-2DA11	100123744	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH LATCHING 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED SCREW TERMINAL, 1NO, 1NO WITH HOLDER BLACK	R 290.00
3SB3610-2EA11	100123745	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH MOMENTARY CONTACT TYPE 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED SCREW TERMINAL, 1NO, 1NO WITH HOLDER BLACK	R 290.00
3SB3610-2TA11	100123747	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: SELECTOR SWITCH HEAVY DUTY MOMENTARY CONTACT TYPE 3 SWITCH POSITIONS I-O-II NON-ILLUMINATED SCREW TERMINAL, 1NO, 1NO WITH HOLDER BLACK SOLVENT-RESISTANT	R 337.00
3SB3611-1HA20-0CC0	102362870	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW BACKING PLATE SPRING-LOADED TERMINAL,1NC+1NC WITH HOLDER RED INSCRIPTION: EMERGEN.-STOP	R 381.00
3SB3618-0AA21	100123784	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NC OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER RED	R 265.00
3SB3620-0AA41	100123786	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NO OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER GREEN	R 265.00
3SB3620-0AA51	100123787	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NO OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER BLUE	R 265.00
3SB3620-0AA71	100123789	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NO OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER CLEAR	R 265.00
3SB3621-0AA21	100123790	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NO+1NC OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER RED	R 295.00

3SB3621-0AA41	100123792	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH LAMP HOLDER BA 9S WITH LAMP 24V AC/DC SCREW TERMINAL, 1NO+1NC OPERATIONAL VOLTAGE 24V AC/DC WITH HOLDER GREEN	R 295.00
3SB3644-6BA20	100074519	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, RED, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC/DC 24V, SCREW CONNECTION	R 168.00
3SB3644-6BA30	100074533	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, YELLOW, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC/DC 24V, SCREW CONNECTION	R 168.00
3SB3644-6BA40	100074520	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, GREEN, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC/DC 24V, SCREW CONNECTION	R 168.00
3SB3644-6BA50	100123796	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, BLUE, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC/DC 24V, SCREW CONNECTION	R 168.00
3SB3644-6BA60	100123797	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, WHITE, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC/DC 24V, SCREW CONNECTION	R 168.00
3SB3645-0AA41	100123800	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO WITH HOLDER GREEN	R 263.00
3SB3645-0AA51	100123801	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO WITH HOLDER BLUE	R 263.00
3SB3646-0AA21	100074517	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NC WITH HOLDER RED	R 263.00
3SB3647-0AA21	100123804	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO+1NC WITH HOLDER RED	R 298.00
3SB3647-0AA31	100123805	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO+1NC WITH HOLDER YELLOW	R 298.00
3SB3647-0AA41	100123806	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO+1NC WITH HOLDER GREEN	R 298.00
3SB3647-0AA61	100123808	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 24V AC/DC SCREW TERMINAL, 1NO+1NC WITH HOLDER WHITE	R 298.00
3SB3648-6BA20	100123810	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, RED, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 110V, SCREW CONNECTION	R 237.00
3SB3648-6BA30	100123811	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, YELLOW, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 110V, SCREW CONNECTION	R 237.00

3SB3648-6BA40	100123812	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, GREEN, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 110V, SCREW CONNECTION	R 237.00
3SB3648-6BA50	100123813	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, BLUE, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 110V, SCREW CONNECTION	R 237.00
3SB3648-6BA60	100123814	1	PD	INDICATOR LIGHT, 22MM, ROUND, METAL, WHITE, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 110V, SCREW CONNECTION	R 237.00
3SB3650-0AA21	100123816	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 110V AC SCREW TERMINAL, 1NC WITH HOLDER RED	R 333.00
3SB3652-6BA20	100123823	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, RED, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 230V, SCREW CONNECTION	R 237.00
3SB3652-6BA30	100123824	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, YELLOW, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 230V, SCREW CONNECTION	R 237.00
3SB3652-6BA40	100123825	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, GREEN, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 230V, SCREW CONNECTION	R 237.00
3SB3652-6BA50	100123826	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, BLUE, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 230V, SCREW CONNECTION	R 237.00
3SB3652-6BA60	100123827	1	V2	INDICATOR LIGHT, 22MM, ROUND, METAL, WHITE, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 230V, SCREW CONNECTION	R 237.00
3SB3652-6BA70	100123828	1	PD	INDICATOR LIGHT, 22MM, ROUND, METAL, CLEAR, LENS, CONCENTRIC RINGS, WITH HOLDER, LAMPHOLDER, WITH INTEGRATED LED AC 230V, SCREW CONNECTION	R 237.00
3SB3653-0AA41	100123830	1	V2	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL, 1NO WITH HOLDER GREEN	R 333.00
3SB3654-0AA21	100123834	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL, 1NC WITH HOLDER RED	R 333.00
3SB3655-0AA21	100123835	1	PD	22MM METAL ROUND COMPLETE UNIT COMBINATION: ILLUMINATED PUSHBUTTON MOMENTARY CONTACT TYPE WITH FLAT BUTTON ILLUMINATED WITH INTEGRATED LED 230V AC SCREW TERMINAL, 1NO+1NC WITH HOLDER RED	R 365.00
3SB3801-0AA3	100123879	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION GRAY TOP PART WITHOUT PROTECTIVE COLLAR	R 165.00
3SB3801-0AB3	100123881	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION YELLOW TOP PART WITHOUT PROTECTIVE COLLAR FOR EMERGEN.-STOP	R 167.00
3SB3801-0AD3	100123883	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR FOR EMERGEN.-STOP	R 341.00
3SB3801-0DB3	100123887	1	PD	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION GRAY TOP PART WITHOUT PROTECTIVE COLLAR A=PUSHBUTTON RED, LABEL "O" 1NC	R 321.00

3SB3801-0DF3	100123892	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR A=EMER.-STOP40MM ROT.-TO-UNLAT. 1NC	R 657.00
3SB3801-0DG3	100123894	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION YELLOW TOP PART WITHOUT PROTECTIVE COLLAR A=EMER.-STOP40MM ROT.-TO-UNLAT. 1NC	R 469.00
3SB3801-0EF3	101135369	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR A=EMER.-STOP40MM ROT.-TO-UNLAT. 2NC	R 727.00
3SB3801-0EG3	101149378	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION YELLOW TOP PART WITHOUT PROTECTIVE COLLAR A=EMER.-STOP40MM ROT.-TO-UNLAT. 2NC	R 539.00
3SB3801-2AA3	100462077	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 1 COMMAND POSITION GRAY TOP PART WITHOUT PROTECTIVE COLLAR	R 364.00
3SB3801-2AD3	101118209	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR FOR EMERGEN.-STOP	R 824.00
3SB3801-2DF3	100462083	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR A=EMER.-STOP40MM ROT.-TO-UNLAT. 1NC	R 1,159.00
3SB3801-2EA30	101114693	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR FOR 5 PADLOCKS A=EMERGEN.-STOP 60MM ROTATE-TO-UNLATCH,SCREW TERMINAL, 2NC	R 1,662.00
3SB3801-2EA30-0CC0	101053521	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR FOR 5 PADLOCKS A=EMERGEN.-STOP 60MM ROTATE-TO-UNLATCH,SPRING-LOADED TERM.,2NC	R 1,662.00
3SB3801-2EF3	101168824	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR A=EMER.-STOP40MM ROT.-TO-UNLAT. 2NC	R 1,229.00
3SB3802-0AA3	100123896	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 2 COMMAND POSITIONS GRAY TOP PART	R 179.00
3SB3802-0DA3	100123898	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 2 COMMAND POSITIONS GRAY TOP PART A=PUSHBUTTON RED, LABEL "O" 1NO+1NC B=PUSHBUTTON GREEN, LABEL "I" 1NO+1NC	R 491.00
3SB3802-2AA3	100462086	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 2 COMMAND POSITIONS GRAY TOP PART	R 435.00
3SB3802-2DA3	100462087	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 2 COMMAND POSITIONS GREY TOP PART A=PUSHBUTTON RED, LABEL "O" 1NO+1NC B=PUSHBUTTON GREEN, LABEL "I" 1NO+1NC	R 792.00
3SB3803-0AA3	100123901	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 3 COMMAND POSITIONS GRAY TOP PART	R 220.00
3SB3803-0DA	100001981	1	PD	ENCAPSULATED PUSHBUTTON ENCLOSED PUSHBUTTON ENCAPSULATED PUSHBUTTON ENCLOSED PUSHBUTTON C=INDICATOR LIGHT CLEAR C= INDICATOR LIGHT CLEAR B=PUSHBUTTON GREEN,PLATE 1 C=PUSHBUTTON RED,PLATE 0 IP65, BA9S, 1NO, 1NC	R 648.00
3SB3803-2AA3	100462089	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 3 COMMAND POSITIONS GRAY TOP PART	R 576.00
3SB3804-0AA3	100123908	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 4 COMMAND POSITIONS GRAY TOP PART	R 305.00
3SB3804-2AA3	100462093	1	V2	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 4 COMMAND POSITIONS GRAY TOP PART	R 767.00

3SB3806-0AA3	100123910	1	V2	ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 6 COMMAND POSITIONS GRAY TOP PART	R 439.00
3SB3806-2AA3	100462094	1	PD	ENCLOSURE FOR 22MM PROGRAM METAL VERSION 6 COMMAND POSITIONS GRAY TOP PART	R 993.00
3SB3901-0AB	100001986	100	V2	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM/SQUARE, 26X26MM: HOLDER FOR PUSHBUTTON AND PUSHBUTTON SWITCH FOR SNAPPING ON 3 BLOCKS	R 441.00
3SB3901-0AC	100097105	100	V2	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM/SQUARE, 26X26MM: HOLDER FOR SELECTOR SWITCH,KEY-OPER.SWITCH A.TWIN PUSHBUT.FOR SNAPPING ON 3 BLOCKS FOR ACTUATING THE CENTRAL CONTACT BLOCKS	R 591.00
3SB3901-0AW	100123929	100	V2	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM/SQUARE, 26X26MM: PRESSURE PLATE F.SELECTOR SW., F.PRIN.CIRC.BOARD-/FLOOR MOUNT. KEY-OPER.SWITCH A.TWIN PUSHB. FOR ACTUATING THE CENTRAL CONTACT BLOCKS	R 527.00
3SB3901-1BA	100001987	1	V2	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 24V AC/DC OPERATIONAL CURRENT MAX. 15 MA YELLOW	R 103.00
3SB3901-1BF	100001988	1	V2	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 230V AC 110-160V DC, IF X1 TO + OPERATIONAL CURRENT MAX. 15 MA YELLOW	R 173.00
3SB3901-1BG	101135695	1	PD	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 230V AC/DC OPERATIONAL CURRENT MAX. 15 MA YELLOW	R 173.00
3SB3901-1CA	100001989	1	V2	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 24V AC/DC OPERATIONAL CURRENT MAX. 15 MA RED	R 103.00
3SB3901-1CF	100001990	1	V2	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 230V AC, 110-160V DC, IF X1 TO + OPERATIONAL CURRENT MAX. 15 MA RED	R 173.00
3SB3901-1DA	100001991	1	PD	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 24V AC/DC OPERATIONAL CURRENT MAX. 15 MA GREEN	R 103.00
3SB3901-1DF	100001992	1	V2	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 230V AC 110-160V DC, IF X1 TO + OPERATIONAL CURRENT MAX. 15 MA GREEN	R 173.00
3SB3901-1QA	100001995	1	V2	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 24V AC/DC OPERATIONAL CURRENT MAX. 15 MA WHITE	R 103.00
3SB3901-1QC	100123947	1	PD	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 48V AC/DC OPERATIONAL CURRENT MAX. 15 MA WHITE	R 106.00
3SB3901-1QF	100001996	1	V2	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, BASE BA 9S BULB DIAMETER 10MM RATED VOLTAGE 230V AC 110-160V DC, IF X1 TO + OPERATIONAL CURRENT MAX. 15 MA WHITE	R 173.00

3SB3901-1UB	100123951	1	PD	ACCESSORY / SPARE PART ROUND, 22MM/SQUARE, 26X26MM: LED SUPER-BRIGHT LAMPS, WEDGE-BASE WEDGE-BASE W2 X 4.6D RATED VOLTAGE 24V AC/DC OPERATIONAL CURRENT 10 MA WHITE	R 102.00
3SB3902-1AA	100001998	100	V2	INSCRIPTION ACTUATOR/INDICATOR ON LABEL HOLDER INSCRIPTION LABEL FOR STICKING = BACKING PLATE LABEL SIZE 12.5 X 27 MM FOR SELF-INSCRIPTION WITHOUT INSCRIPTION BLACK WITH WHITE PRINT	R 627.00
3SB3903-1AA	100124004	100	V2	INSCRIPTION ACTUATOR/INDICATOR ON LABEL HOLDER INSCRIPTION LABEL FOR STICKING = BACKING PLATE LABEL SIZE 27 X 27 MM FOR SELF-INSCRIPTION WITHOUT INSCRIPTION BLACK WITH WHITE PRINT	R 798.00
3SB3906-1AA	100002001	100	V2	INSCRIPTION FOR ENCLOSURE INSCRIPTION LABEL FOR STICKING LABEL SIZE 22 X 22 MM FOR SELF-INSCRIPTION WITHOUT INSCRIPTION BLACK WITH WHITE PRINT	R 798.00
3SB3906-1EP	100124122	1	PD	INSCRIPTION FOR ENCLOSURE INSCRIPTION LABEL FOR STICKING LABEL SIZE 22 X 22 MM WITH INSCRIPTION: OPEN BLACK WITH WHITE PRINT	R 20.00
3SB3906-1EV	100124126	1	PD	INSCRIPTION FOR ENCLOSURE INSCRIPTION LABEL FOR STICKING LABEL SIZE 22 X 22 MM WITH INSCRIPTION: RUNNING BLACK WITH WHITE PRINT	R 20.00
3SB3921-0AA	100002002	1	V2	SEALING PLUG FOR FREE ROUND CONTROL POINTS BLACK, COMPLETE WITH LOCK NUT	R 35.00
3SB3921-0AD	100077708	1	V2	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM: BACKING PLATE FOR EMERGEN.-STOP OUTER/INNER DIAMETER 80/23MM WITH INSCRIPTION: EMERGENCY STOP SELF-ADHESIVE YELLOW	R 44.00
3SB3921-0AE	100124159	1	V2	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM: FOR MOUNTING ON FRONT PLATE ADAPTER FOR MOUNTING HOLE 30.5MM; SUITABLE AS THRUST RING FOR THIN FRONT PLATES SELF-ADHESIVE MATERIAL METAL	R 36.00
3SB3921-0AH	100124161	1	V2	ACCESSORY / SPARE PART FOR THE PLASTIC PROGRAM ROUND, 22MM: PROTECTIVE COVER FOR FLAT BUTTON (PLASTIC) MATERIAL SILICONE CLEAR	R 35.00
3SB3921-0AJ	100124162	1	V2	ACCESSORY / SPARE PART FOR THE PLASTIC PROGRAM ROUND, 22MM: PROTECTIVE COVER FOR FLAT BUTTON (PLASTIC) MATERIAL ELASTOLAN CLEAR	R 35.00
3SB3921-0AK	100002003	1	V2	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM: FOR MOUNTING ON FRONT PLATE PROTECTIVE COLLAR FOR MUSHR.PUSHBUTTON WITHOUT KEY-OPER.SWITCH, YELLOW	R 86.00
3SB3921-0AM	100124163	1	PD	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM: PROTECTIVE COVER FOR RAISED BUTTON (PLASTIC) AND FLAT BUTTON (METAL) MATERIAL ELASTOLAN CLEAR	R 40.00
3SB3921-0AQ	100002004	1	PD	ACCESSORY / SPARE PART FOR THE PLASTIC PROGRAM ROUND, 22MM: PROTECTIVE COVER FOR TWIN PUSHBUTTON MATERIAL SILICONE CLEAR	R 44.00
3SB3921-0AX	100075518	1	V2	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM: PROTECTIVE COLLAR FOR MUSHR.PUSHBUTTON W.KEY-OPER.SW. YELLOW	R 116.00
3SB3921-0CG	101078263	1	V2	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM: PROTECTIVE COLLAR, 5 PADLOCKS FOR EMERGEN.-STOP MUSHR.PUSHB. YELLOW	R 547.00
3SB3921-0CK	102346925	1	V2	ACCESSORIES / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM: NAME PLATE FOR EMERGENCY-STOP OUTER/INNER DIAMETER 80/23MM WITH INSCRIPTION: NOT-AUS SELF-ADHESIVE YELLOW	R 44.00

3SB3921-0DD	102361821	1	PD	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM: BACKING PLATE ILLUMINATED AS SENSOR FOR EMERGEN.-STOP WITH INSCRIPTION: EMERGENCY STOP 5MM THICK YELLOW	R 906.00
3SB3922-0AV	100124186	100	V2	INSCRIPTION ACTUATOR/INDICATOR FLAT LABEL HOLDER FOR INSCRIPTION LABEL FOR STICKING LABEL SIZE 12.5 X 27 MM BLACK	R 782.00
3SB3922-0AY	100002006	100	V2	INSCRIPTION ACTUATOR/INDICATOR TWIN PUSHBUTTON FOR FLAT LABEL HOLDER FOR INSCRIPTION LABEL FOR STICKING LABEL SIZE 12.5 X 27 MM BLACK	R 750.00
3SB3923-0AV	100124214	100	V2	INSCRIPTION ACTUATOR/INDICATOR FLAT LABEL HOLDER FOR INSCRIPTION LABEL FOR STICKING LABEL SIZE 27 X 27 MM BLACK	R 782.00
3SB3925-0AV	100466377	100	V2	INSCRIPTION ACTUATOR/INDICATOR LABEL HOLDER WITH REAR STICKING AREA FOR INSCRIPT.LABEL FOR SNAPPING ON LABEL SIZE 17.5 X 28 MM BLACK	R 782.00
3SB3930-0CA2	100096878	100	PD	ACCESSORY / SPARE PART ROUND, 22MM: FLAT BUTTON FOR ILLUMIN. PUSHBUTTON AND-SWITCH RED	R 860.00
3SB3930-6CA2	100124306	1	PD	ACCESSORY / SPARE PART ROUND, 22MM: LENS, CONCENTRICAL RINGS FOR INDICATOR LIGHT RED	R 20.00
3SB3930-6CA4	100082964	1	PD	ACCESSORY / SPARE PART ROUND, 22MM: LENS, CONCENTRICAL RINGS FOR INDICATOR LIGHT GREEN	R 20.00
3SB3931-0AA	100124310	1	V2	ACCESSORY / SPARE PART FOR THE PLASTIC PROGRAM ROUND, 22MM: HOLDER, DEFAULT 1 - 4 MM BLACK	R 24.00
3SB3931-0AC	100124312	1	V2	ACCESSORY / SPARE PART FOR THE METAL PROGRAM ROUND, 22MM: HOLDER, DEFAULT 1 - 4 MM	R 24.00
3SE5000-0AA01	101829717	1	V2	TWIST LEVER FOR POSITION SWITCH 3SE51 METAL LEVER, FORM A 27MM LONG,STEP 9MM, W. PLASTIC ROLLER 19MM	R 58.00
3SE5000-0AA02	101829718	1	V2	TWIST LEVER FOR POSITION SWITCH 3SE51 METAL LEVER, FORM A 27MM LONG,STEP 9MM, W. STAINLESS STEEL ROLLER 19MM	R 167.00
3SE5000-0AA21	101829723	1	PD	TWIST LEVER FOR POSITION SWITCH 3SE52 METAL LEVER 21MM LONG PLASTIC ROLLER 19MM	R 45.00
3SE5000-0AA22	101829724	1	PD	TWIST LEVER FOR POSITION SWITCH 3SE52 METAL LEVER 21MM LONG STAINLESS STEEL ROLLER 19MM	R 152.00
3SE5000-0AA24	104617855	1	PD	TWIST LEVER FOR POSITION SWITCH 3SE51/52 METAL LEVER 30MM LONG WITH PLASTIC ROLLER 19MM, CAN BE MOUNTED INVERSELY (TURNED BY 180 DEGREES, REAR OF LEVER)	R 65.00
3SE5000-0AA50	101829727	1	V2	LENGTH-ADJUSTABLE TWIST LEVER FOR POSITION SWITCH 3SE51/52 METAL LEVER 100MM LONG PLASTIC ROLLER 19MM	R 96.00
3SE5000-0AA51	101829728	1	V2	LENGTH-ADJUSTABLE TWIST LEVER FOR POSITION SWITCH 3SE51/52 METAL LEVER 100MM LONG STAINLESS STEEL ROLLER 19MM	R 205.00
3SE5000-0AA56	104821025	1	PD	BENT, LENGTH-ADJUSTABLE TWIST LEVER FOR POSITION SWITCH 3SE51 WITH PLASTIC ROLLER 22MM INCL. ADAPTER AND SCREW	R 429.00
3SE5000-0AA60	101829477	1	PD	LENGTH-ADJUSTABLE TWIST LEVER FOR POSITION SWITCH 3SE51/52 METAL LEVER 100MM LONG, POSITIVE FIT (HOLE PITCH) PLASTIC ROLLER 19MM	R 124.00
3SE5000-0AA80	101829734	1	PD	ROD ACTUATOR FOR POSITION SWITCH 3SE51/52 ALUMINUM ROD 200MM, FORM D DIAMETER 6MM W. TERMINAL	R 120.00
3SE5000-0AA82	101829736	1	PD	ROD ACTUATOR FOR POSITION SWITCH 3SE51/52 PLASTIC ROD 200MM, FORM D DIAMETER 6MM W. TERMINAL	R 136.00
3SE5000-0AB01	101829480	1	V2	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 PLAIN STAINLESS STEEL PLUNGER ACC. TO EN50041	R 87.00

3SE5000-0AC02	101829737	1	PD	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 ROUNDED PLUNGER, FORM B STAINLESS STEEL, WITH 3MM OVERTRAVEL, ACC. TO EN50041	R 238.00
3SE5000-0AC03	104834342	1	PD	ACTUATOR HEAD, PLASTIC, FOR POSITION SWITCH 3SE5132 ROUNDED PLUNGER, FORM B, PLASTIC, TO EN50041	R 116.00
3SE5000-0AD02	101829738	1	V2	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 ROLLER PLUNGER, FORM C, WITH STAINLESS STEEL ROLLER 13 MM, TO EN 50041,WITH 3MM OVERTRAVEL	R 305.00
3SE5000-0AD03	101762795	1	PD	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 ROLLER PLUNGER W. PLASTIC ROLLER 10MM	R 66.00
3SE5000-0AD05	104087303	1	PD	ACTUATOR HEAD, PLASTIC, FOR POSITION SWITCH 3SE5132 ROLLER PLUNGER, FORM C, WITH PLASTIC ROLLER 13 MM, TO EN 50041,	R 139.00
3SE5000-0AE01	101829483	1	V2	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 ROLLER LEVER W. METAL LEVER AND PLASTIC ROLLER 22MM	R 209.00
3SE5000-0AE02	101829740	1	V2	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 ROLLER LEVER W. METAL LEVER AND STAINLESS STEEL ROLLER 22MM	R 317.00
3SE5000-0AE10	101686298	1	PD	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 ROLLER LEVER W. METAL LEVER AND PLASTIC ROLLER 13MM	R 109.00
3SE5000-0AE11	101829485	1	PD	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 ROLLER LEVER W. METAL LEVER AND STAINLESS STEEL ROLLER 13MM	R 218.00
3SE5000-0AF01	101829744	1	PD	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 ANGULAR ROLLER LEVER, METAL LEVER WITH PLASTIC ROLLER 22MM	R 209.00
3SE5000-0AH00	101829750	1	V2	ACTUATOR HEAD, METAL (W/O LEVER) RIGHT OR LEFT SWITCHING, ADJUSTABLE FOR ROTARY ACTUATORS FOR POSITION SWITCH 3SE51	R 221.00
3SE5000-0AJ00	103593579	1	PD	ACTUATOR HEAD FOR POSITION SWITCH 3SE5132	R 163.00
3SE5000-0AK00	101829751	1	PD	PART-TURN ACTUATOR, PLASTIC FOR POSITION SWITCH 3SE52, ADJUSTABLE, WITHOUT LEVER	R 77.00
3SE5000-0AR01	101829752	1	V2	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 SPRING ROD TOTAL LENGTH 142.5MM; SPRING=50MM, PLUNGER=50MM PLASTIC	R 207.00
3SE5000-0AR02	101829488	1	PD	ACTUATOR HEAD FOR POSITION SWITCH 3SE51/52 SPRING ROD TOTAL LENGTH 142.5MM; SPRING=50MM, PLUNGER=50MM STAINLESS STEEL	R 321.00
3SE5000-0AT10	101829757	1	V2	ACTUATOR HEAD, METAL (W/O LEVER) RIGHT OR LEFT SWITCHING, ADJUSTABLE FOR FORK LEVER W. TWO PLASTIC ROLLERS FOR 3SE51	R 461.00
3SE5000-0AV01	101686303	1	V2	SEPARATE STANDARD ACTUATOR FOR POS. W. TUMBLER 3SE5312../3SE5322.. AND ASI 3SF13... AND POS. WITH SEPARATE ACTUATOR 3SE51../3SE52.. AND ASI 3SF11../3SF21..	R 69.00
3SE5000-0AV02	101686304	1	V2	SEPARATE ACTUATOR VERTICAL MOUNTING FOR POS. W. TUMBLER 3SE5312../3SE5322.. AND ASI 3SF13... AND POS. WITH SEPARATE ACTUATOR 3SE51../3SE52.. AND ASI 3SF11../3SF21..	R 80.00
3SE5000-0AV03	101686305	1	V2	SEPARATE ACTUATOR HORIZONTAL MOUNTING FOR POS. W. TUMBLER 3SE5312../3SE5322.. AND ASI 3SF13... AND POS. WITH SEPARATE ACTUATOR 3SE51../3SE52.. AND ASI 3SF11../3SF21..	R 80.00
3SE5000-0AV04	101686307	1	PD	SEPARATE ACTUATOR, RADIUS ACTUATOR LEFT FOR POS. W. TUMBLER 3SE5312../3SE5322.. AND ASI 3SF13... AND POS. WITH SEPARATE ACTUATOR 3SE51../3SE52.. AND ASI 3SF11../3SF21..	R 345.00
3SE5000-0AV06	101686313	1	PD	SEPARATE ACTUATOR, RADIUS ACTUATOR RIGHT FOR POS. W. TUMBLER 3SE5312../3SE5322.. AND ASI 3SF13... AND POS. WITH SEPARATE ACTUATOR 3SE51../3SE52.. AND ASI 3SF11../3SF21..	R 345.00

3SE5000-0AV07-1AK2	102361917	1	PD	SEPARATE ACTUATOR, UNIVERSAL RADIUS ACTUATOR 'HEAVY DUTY' VERSION VERTICALLY AND HORIZONTALLY ADJUSTABLE, L= 67 MM FOR POSITION SWITCHES WITH TUMBLER 3SE5312../3SE5322.. AND ASI 3SF13... AND POSITION SWITCHES WITH SEPARATE ACTUATOR 3SE51../3SE52.. AND ASI - WITH SEPARATE ACTUATOR 3SF11../3SF12..	R 798.00
3SE5000-0CA00	101829759	1	PD	CONTACT BLOCK FOR POSITION SWITCH 3SE51/52 1NO/1NC SNAP-ACTION CONTACT	R 188.00
3SE5112-0BA00	101779384	1	V2	BASIC SWITCH FOR POSITION SWITCH 3SE51, METAL ENCLOSURE, TO EN50041 1X(M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS W/O ACTUATOR HEAD	R 383.00
3SE5112-0BC02	101829764	1	PD	SIRIUS POSITION SWITCH, METAL HOUSING 40MM ACC. TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS ROUNDED PLUNGER W. 3MM OVERTRAVEL STAINLESS STEEL	R 620.00
3SE5112-0BD02	101829501	1	PD	SIRIUS POSITION SWITCH, METAL ENCLOSURE 40MM ACC. TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS ROLLER PLUNGER W. STAINLESS STEEL ROLLER 13MM	R 686.00
3SE5112-0BE01	101775272	1	PD	SIRIUS POSITION SWITCH, METAL ENCLOSURE 40MM ACC. TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS METAL ROLLER LEVER AND PLASTIC ROLLER 22MM	R 592.00
3SE5112-0BH01	101829503	1	PD	SIRIUS POSITION SWITCH METAL HOUSING 40MM, TWIST LEVER, TO EN50041, DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS ROTARY ACTUATOR RIGHT/LEFT ADJUSTABLE, METAL LEVER 27MM LONG AND PLASTIC ROLLER 19MM	R 662.00
3SE5112-0BH02	101829765	1	PD	SIRIUS POSITION SWITCH METAL HOUSING 40MM, TO EN50041 DEVICE CONNECTION 1X (M20X1,5) 1NO/1NC SLOW-ACTION CONTACTS ROTARY ACTUATOR RIGHT/LEFT ADJUSTABLE, METAL LEVER 27MM LONG AND STAINL. STEEL ROLLER 19MM	R 770.00
3SE5112-0CA00	101829506	1	V2	BASIC SWITCH FOR POSITION SWITCH 3SE51, METAL ENCLOSURE, ACC. TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS W/O ACTUATOR HEAD	R 367.00
3SE5112-0CA00-1DA0	101829508	1	V2	BASIC SWITCH FOR POSITION SWITCH 3SE5112,ATEX METAL ENCLOSURE 40MM WIDE TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/ 1NC SNAP-ACTION CONTACTS W/O ACTUATOR HEAD	R 461.00
3SE5112-0CC02	101829767	1	PD	SIRIUS POSITION SWITCH METAL ENCLOSURE 40MM ACC. TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS ROUNDED PLUNGER W. 3MM OVER- TRAVEL, STAINLESS STEEL PLUNGER	R 605.00
3SE5112-0CD02	101829769	1	V2	SIRIUS POSITION SWITCH METAL HOUSING 40MM TO EN50041 DEVICE CONNECTION 1X (M20X1,5) 1NO/ 1NC SNAP-ACTION CONTACTS ROLLER PLUNGER W. STAINL. STEEL ROLLER 13MM	R 673.00
3SE5112-0CD02-1DA0	101829770	1	PD	SIRIUS POSITION SWITCH, ATEX METAL ENCLOSURE 40MM TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/ 1NC SNAP-ACTION CONTACTS ROLLER PLUNGER W. STAINLESS STEEL ROLLER 13MM	R 766.00
3SE5112-0CE01	101829771	1	PD	SIRIUS POSITION SWITCH METAL ENCLOSURE 40MM ACC. TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS METAL ROLLER LEVER AND PLASTIC ROLLER 22MM	R 578.00
3SE5112-0CH01	101771785	1	V2	SIRIUS POSITION SWITCH METAL HOUSING 40MM TO EN50041 DEVICE CONNECTION 1X (M20X1,5) 1NO/ 1NC SNAP-ACTION CONTACTS ROTARY ACTUATOR RIGHT/LEFT ADJUSTABLE, METAL LEVER 27MM LONG AND PLASTIC ROLLER 19MM	R 648.00

3SE5112-0CH50	101829513	1	V2	SIRIUS POSITION SWITCH METAL ENCLOSURE 40MM ACC. TO EN50041 DEVICE CONNECTION 1HX (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS ROTARY ACTUATOR RIGHT/LEFT ADJUSTABLE, W. LENGTH ADJUSTABLE METAL LEVER 100MM LONG AND PLASTIC ROLLER 19MM	R 685.00
3SE5112-0CH80	101829514	1	V2	SIRIUS POSITION SWITCH METAL ENCLOSURE 40MM ACC. TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS ROTARY ACTUATOR RIGHT/LEFT ADJUSTABLE, ROD LEVER ALUMINUM 200MM LONG	R 730.00
3SE5112-0CR01	101829776	1	V2	SIRIUS POSITION SWITCH METAL ENCLOSURE 40MM ACC. TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS SPRING ROD ACTUATOR 142.5 MM TOTAL LENGTH, PLASTIC PLUNGER 50MM	R 574.00
3SE5112-0KA00	101829779	1	PD	BASIC SWITCH FOR POSITION SWITCH 3SE51. METAL ENCLOSURE, TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/2NC SLOW-ACTION CONTACTS W/O ACTUATOR HEAD	R 404.00
3SE5112-0LU22-1DA0	101829793	1	PD	HINGED SWITCH FOR EX-ZONE METAL HOUSING, 40MM, 1X(M20X1.5) WITH SOLID SHAFT D=10MM; ACTUATING ANGLE 10 DEG; SNAP-ACTION CONTACTS 2NC/1NO	R 823.00
3SE5112-1QV10	101686317	1	PD	SAFETY POS. SWITCH W. SEPARATE ACTUATOR, METAL HOUSING, 40MM, 1X(M20X1.5) SLOW-ACTION CONTACTS 2NC/1NO; W. 2 LEDS, 24V DC YELLOW/GREEN, 5 DIRECTIONS OF APPROACH	R 1,142.00
3SE5114-0CA00-1AC5	101829533	1	PD	BASIC SWITCH FOR POSITION SWITCH 3SE51, METAL ENCLOSURE 40MM TO EN50041 1NO/1NC SNAP-ACTION CONTACTS W. M12 CONNECTOR, 5-POLE, FIXED PIN ASSIGNMENT: PIN1=21, PIN2=22, PIN3=13, PIN4=14, PIN5=PE W/O ACTUATOR HEAD	R 570.00
3SE5122-0BA00	101829545	1	PD	BASIC SWITCH FOR POSITION SWITCH 3SE51, METAL ENCLOSURE 56MM WIDE DEVICE CONNECTION 3X(M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS W/O ACTUATOR HEAD	R 383.00
3SE5122-0BE01	101764908	1	V2	SIRIUS POSITION SWITCH METAL ENCLOSURE 56MM WIDE DEVICE CONNECTION 3X (M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS METAL ROLLER LEVER AND PLASTIC ROLLER 22MM	R 592.00
3SE5122-0CA00	101779404	1	V2	BASIC SWITCH FOR POSITION SWITCH 3SE51, METAL ENCLOSURE 56MM, DEVICE CONNECTION 3X(M20X1.5), 1NO/1NC SNAP-ACTION CONTACTS W/O ACTUATOR HEAD	R 367.00
3SE5122-0CB01	101829553	1	PD	SIRIUS POSITION SWITCH METAL ENCLOSURE 56MM WIDE DEVICE CONNECTION 3X (M20X1.5) 1NO/ 1NC SNAP-ACTION CONTACTS PLAIN PLUNGER, STAINLESS STEEL	R 454.00
3SE5122-0CE01	101779397	1	V2	SIRIUS POSITION SWITCH METAL ENCLOSURE 56MM WIDE DEVICE CONNECTION 3X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS METAL ROLLER LEVER AND PLASTIC ROLLER 22MM	R 578.00
3SE5122-0CH01	101829812	1	PD	SIRIUS POSITION SWITCH METAL ENCLOSURE 56MM WIDE DEVICE CONNECTION 3X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS ROTARY ACTUATOR RIGHT/LEFT ADJUSTABLE, W. METAL LEVER 27MM LONG AND PLASTIC ROLLER 19MM	R 648.00
3SE5122-0CR01	101829561	1	PD	SIRIUS POSITION SWITCH METAL ENCLOSURE 56MM WIDE DEVICE CONNECTION 3X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS SPRING ROD ACTUATOR 142.5 MM TOTAL LENGTH, PLASTIC PLUNGER	R 574.00
3SE5132-0BA00	103593581	1	PD	BASIC SWITCH FOR POSITION SWITCH 3SE513, PLASTIC ENCLOSURE, TO EN50041 1X(M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS W/O ACTUATOR HEAD	R 282.00
3SE5132-0BE05	104944748	1	PD	SIRIUS POSITION SWITCH PLASTIC ENCLOSURE 40MM TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS METAL ROLLER LEVER AND PLASTIC ROLLER 22MM	R 460.00

3SE5132-0BF05	104944749	1	PD	SIRIUS POSITION SWITCH PLASTIC ENCLOSURE 40MM TO EN50041 DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SLOW-ACTION CONTACTS ANGULAR METAL ROLLER LEVER AND PLASTIC ROLLER 22MM	R 460.00
3SE5132-0CA00	104202373	1	PD	BASIC SWITCH FOR POSITION SWITCH 3SE513, PLASTIC ENCLOSURE, TO EN50041 1X(M20X1.5) 1NO/1NC QUICK-ACTION CONTACTS W/O ACTUATOR HEAD	R 266.00
3SE5132-0CJ50	104203598	1	PD	SIRIUS POSITION SWITCH PLASTIC ENCLOSURE 40MM, TWIST LEVER, LENGTH ADJUSTABLE METAL LEVER WITH PLASTIC ROLLER 19MM TO EN50041, DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC SNAP-ACTION CONTACTS PART-TURN ACTUATOR RIGHT/LEFT ADJUSTABLE	R 513.00
3SE5162-0BA00	102890531	1	PD	BASIC SWITCH FOR POSITION SWITCH 3SE5162, METAL ENCLOSURE XL,56MM WIDE DEVICE CONNECTION 3X(M20X1.5), IP66/IP67 2X (1NO/1NC) SLOW-ACTION CONTACT WITHOUT ACTUATOR HEAD	R 1,053.00
3SE5162-0CA00	102937459	1	V2	BASIC SWITCH FOR POSITION SWITCH 3SE5162, METAL ENCLOSURE XL,56MM WIDE DEVICE CONNECTION 3X(M20X1.5), IP66/IP67 2X (1NO/1NC) QUICK ACTION CONTACTS, WITHOUT ACTUATOR HEAD	R 1,038.00
3SE5162-0CE01	103734462	1	-	SIRIUS POSITION SWITCH 3SE5162, METAL ENCLOSURE XL,56MM WIDE WITH ROLLER LEVER, FROM METAL AND PLASTIC ROLLER 22MM DEVICE CONNECTION 3X(M20X1.5), 2X (1NO/1NC) SNAP-ACTION CONTACTS; IP66/ IP67	R 1,249.00
3SE5232-0BD03	101747137	1	PD	SIRIUS POSITION SWITCH PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/1NC SLOW-ACTION CONTACTS ROLLER PLUNGER W. PLASTIC ROLLER 10MM	R 317.00
3SE5232-0BE10	101719878	1	PD	SIRIUS POSITION SWITCH PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/1NC SLOW-ACTION CONTACTS ROLLER LEVER W. PLASTIC ROLLER 13MM	R 361.00
3SE5232-0CC05-1AJ0	102361435	1	PD	SIRIUS POSITION SWITCH, PLASTIC 31MM, ACC. TO EN 50047 INCREASED CORROSION PROTECTION, DEVICE CONNECTION 1X (M20X1.5) 1NO/1NC QUICK ACTION CONTACTS ROUNDED PLUNGER, FUNCTIONAL AT -40 DEGREES, SHOCK AND VIBRATION TEST ACC. TO EN61373, CATEGORY 1B	R 395.00
3SE5232-0HC05	101802615	1	PD	SIRIUS POSITION SWITCH PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/1NC SNAP-ACTION CONTACTS INTEGRATED (NOT REPLACEABLE) TEFLON PLUNGER	R 237.00
3SE5232-0HD03	101829454	1	PD	SIRIUS POSITION SWITCH PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/1NC SNAP-ACTION CONTACTS INTEGRATED (NOT REPLACEABLE) ROLLER PLUNGER W. PLASTIC ROLLER 10MM	R 304.00
3SE5232-0HD10	101829455	1	PD	SIRIUS POSITION SWITCH PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/1NC SNAP-ACTION CONTACTS INTEGRATED (NOT REPLACEABLE) ROLLER PLUNGER W. CENTRAL FIXING AND PLASTIC ROLLER 10MM	R 380.00
3SE5232-0HE10	101779274	1	PD	SIRIUS POSITION SWITCH PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/1NC SNAP-ACTION CONTACTS INTEGRATED (NOT REPLACEABLE) ROLLER LEVER W. PLASTIC ROLLER 13MM	R 347.00
3SE5232-0HK60	101829458	1	PD	SIRIUS POSITION SWITCH; PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X M20X1.5); 1NO/1NC SNAP-ACTION CONTACTS INTEGRATED (NOT REPLACEABLE) ADJUSTABLE LENGTH OF ROLLER LEVER FORM-FIT (HOLE PITCH) RIGHT/LEFT SIDE ADJUSTABLE W. PLASTIC ROLLER 19MM	R 438.00

3SE5232-0KC05	101829584	1	PD	SIRIUS POSITION SWITCH; PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/2NC SLOW-ACTION CONTACTS TEFLON PLUNGER	R 274.00
3SE5232-0KD03	101829684	1	-	SIRIUS POSITION SWITCH; PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/2NC SLOW-ACTION CONTACTS ROLLER PLUNGER W. PLASTIC ROLLER 10MM	R 339.00
3SE5232-0RV40	101707068	1	V2	SAFETY POS. SWITCH W. SEPARATE ACTUATOR, PLASTIC ENCLOSURE, 31MM; 1X(M20X1.5) SLOW-ACTION CONTACTS 1NO+1NC, 5 DIRECTIONS OF APPROACH, THE MATCHING SEPARATE ACTUATOR 3SE5000-0AV0. IS TO BE ORDERED SEPARATELY	R 509.00
3SE5232-1LC05	101829594	1	PD	SIRIUS POSITION SWITCH; PLASTIC HOUSING ACC. TO EN50047, 31MM DEVICE CONNECTION 1X(M20X1.5); 1NO/2NC SNAP-ACTION CONTACTS TEFLON PLUNGER W. 2 LEDS YELLOW/GREEN, 24V DC	R 476.00
3SE5250-0CC05	101829830	1	V2	SIRIUS POSITION SWITCH; PLASTIC HOUSING OPEN TYPE 30MM 1NO/1NC SNAP-ACTION CONTACTS TEFLON PLUNGER, IP20	R 242.00
3SE5250-0KC05	101829709	1	PD	SIRIUS POSITION SWITCH; PLASTIC HOUSING NOT ENCAPSULATED 30MM 1NO/2NC SLOW-ACTION CONTACTS TEFLON PLUNGER	R 257.00
3SE5312-0SB11	101747420	1	V2	SAFETY POSITION SWITCHES WITH SOLENOID INTERLOCKING LOCK. FORCE 2600N,5 APPR. DIR. METAL HOUSING,3X(M20X1.5) MAGNETIC FIELD LOCKED, MAGNET VOLTAGE 24V DC, MONITORING OF ACTUATOR 2NC/1NO, MONITORING OF MAGNET 2NC/1NO	R 3,563.00
3SE5312-0SD11	101686335	1	PD	SAFETY POSITION SWITCHES WITH SOLENOID INTERLOCKING LOCK. FORCE 2600N,5 APPR. DIR. METAL HOUSING,3X(M20X1.5) SPRING-LOCKED, AUXILIARY RELEASE ON FRONT MAGNET VOLTAGE 24V DC, MONITOR. OF ACTUATOR 2NC/1NO, MONITOR. OF MAGNET 2NC/1NO	R 3,467.00
3SE5312-0SE11	101720603	1	PD	SAFETY POSITION SWITCHES WITH SOLENOID INTERLOCKING LOCK. FORCE 2600N,5 APPR. DIR. METAL HOUSING,3X(M20X1.5) SPRING-LOCKED, AUXILIARY RELEASE W. LOCK MAGNET VOLTAGE 24V DC, MONITOR. OF ACTUATOR 2NC/1NO, MONITOR. OF MAGNET 2NC/1NO	R 3,890.00
3SE5312-1SD11	101686337	1	PD	SAFETY POSITION SWITCHES WITH SOLENOID INTERLOCKING LOCK. FORCE 2600N,5 APPR. DIR. METAL HOUSING,3X(M20X1.5) SPRING-LOCKED, AUXILIARY RELEASE ON FRONT MAGNET VOLTAGE 24V DC, MONITOR. OF ACTUATOR 2NC/1NO, MONITOR. OF MAGNET 2NC/1NO LEDS YELLOW/GREEN	R 3,671.00
3SE5322-0SB21	101829659	1	V2	SAFETY POSITION SWITCHES WITH SOLENOID INTERLOCKING LOCK. FORCE 1300N,5 APPR. DIR. PLASTIC ENCLOSURE,3X(M20X1.5) MAGNETIC FIELD LOCKED, MAGNET VOLTAGE 24V DC, MONITOR. OF ACTUATOR 2NC/1NO, MONITOR. OF MAGNET 2NC/1NO	R 2,706.00
3SE5322-0SD21	101686338	1	PD	SAFETY POSITION SWITCHES WITH SOLENOID INTERLOCKING LOCK. FORCE 1300N,5 APPR. DIR. PLASTIC ENCLOSURE,3X(M20X1.5) SPRING-LOCKED, AUXILIARY RELEASE ON FRONT MAGNET VOLTAGE 24V DC, MONITOR. OF ACTUATOR 2NC/1NO, MONITOR. OF MAGNET 2NC/1NO SUPPLY WITHOUT ACTUATOR. PLEASE ORDER SEPARATELY.	R 2,652.00
3SE5322-0SD22	101829660	1	PD	SAFETY POSITION SWITCHES WITH SOLENOID INTERLOCKING LOCK. FORCE 1300N,5 APPR. DIR. PLASTIC ENCLOSURE,3X(M20X1.5) SPRING-LOCKED, AUXILIARY RELEASE ON FRONT MAGNET VOLTAGE 115V AC, MONITOR. OF ACTUATOR 2NC/1NO, MONITOR. OF MAGNET 2NC/1NO DELIVERY WITHOUT ACTUATOR. PLEASE ORDER SEPARATELY.	R 2,652.00

3SE5413-0CD20-1EA2	103123796	1	PD	COMPACT SWITCH 30MM WIDE W. CONNECTING CABLE 2M SNAP-ACTION CONTACTS 1NO+1NC ROLLER PLUNGER	R 655.00
3SE5413-0CN20-1EA2	103170233	1	PD	COMPACT SWITCH 30MM WIDE W. CONNECTING CABLE 2M SNAP-ACTION CONTACTS 1NO+1NC TWIST LEVER	R 686.00
3SE6020	100125503	1	V2	POSITION SWITCH MAGNETICALLY-OPERATED EXPLOSION-PROOF DESIGN, 1NO WITH CONNECTING CAB. 1M H05RN-F 2X0,75	R 1,700.00
3SE6100	100002126	1	PD	SWITCHING MAGNET MOULDED-PLASTIC HOUSING	R 843.00
3SE6110	100125504	1	V2	SWITCHING MAGNET METAL-CLAD HOUSING	R 993.00
3SE6200	100002127	1	PD	POSITION SWITCH MAGNETICALLY-OPERATED MOULDED-PLASTIC HOUSING 1NO	R 1,374.00
3SE6604-2BA	100197767	1	PD	SIGUARD SWITCHING ELEMENT, 2NC MOULDED PLASTIC HOUSING 5XX88 CONN.CABLE 3M LIYY 4X0,25SQMM (SWITCHING MAGNET REQUIRED: 3SE67042BA)	R 992.00
3SE6604-2BA01	101129796	1	PD	MAGNETIC SWITCH SWITCH BLOCK 25XX88 MM, 2NC, WITH M8 PLUG 4-POLE,	R 1,234.00
3SE6704-2BA	100125512	1	PD	SWITCHING MAGNET, RECTANGULAR, LARGE, AMBER, NO: TK-42-CD	R 240.00
3SE6704-3BA	100125513	1	V2	SWITCHING MAGNET, RECTANGULAR, SMALL, AMBER, NO: TK-52-CD	R 240.00
3SE7141-1EG10	101086272	1	PD	SIRIUS ROPE SWITCH W. EMER-STOP "METAL ENCLOSURE,3XM20X1.5;" 1NO+3NC, LATCHING TO AND TURN-TO-RESET, FOR ROPE LENGTHS UP TO 75M	R 4,392.00
3SE7150-1BD00	100184903	1	PD	SIGUARD CABLE-OPER. SWITCH METAL HOUSING,2X M20X1.5 1NO+1NC, LATCHES ACC. TO EN418 BUTTON RESET FOR CABLES UP TO TO 25M	R 2,190.00
3SE7150-2DD00	100197773	1	PD	SIRIUS CABLE-OPERATED SWITCH METAL HOUSING,2X M20X1.5 1NO+1NC, WITHOUT LATCHING FOR CABLE LENGTHS UP TO 25M	R 1,686.00
3SE7310-1AE00	100197774	1	PD	BELT UNBALANCE PROT.DEV. METAL HOUSING,2X M25X1.5 2NO+2NC, LATCHES ACC. TO EN418 BUTTON RESET	R 7,043.00
3SE7920-1AB	100125539	1	PD	EYEBOLT M8 INCL. NUT	R 108.00
3SE7941-1AC	100125549	1	PD	ROPE CLAMP, OVAL, 4 MM,	R 136.00
3SF5402-1AA03	101583440	1	PD	AS-INTERFACE F-ADAPTER FOR EMERG. STOP ACTUATOR 3SB3, SCREW CONNECTION, 2I	R 2,804.00
3SF5500-0BB	101049267	1	V2	COMPONENT FOR AS-I ENCLOSURE PLASTIC ENCLOSURE AS-I A/B SLAVE 4 INPUTS/3 OUTPUTS FOR 2-6 COMMAND POSITIONS	R 1,811.00
3SF5900-0CA	101007417	1	PD	COMPONENT FOR AS-I ENCLOSURE PLASTIC ENCLOSURE CONNECTION ELEMENT FOR FOR AS-I FLAT CABLE WITH CONNec. INSULATION PIERC.METHOD FOR 1-3 COMMAND POSITIONS, M20	R 133.00
3SY1066	100125650	1	PD	ACCESSORY / SPARE PART FOR PLASTIC-/METAL PROGRAM ROUND, 22MM/SQUARE, 26X26MM: KEY FOR BKS KEY-OPER.SWITCH LOCK NO S 1	R 117.00
3TC4417-0AB4	100025534	1	PD	CONTACTOR, SIZE 2, 2-POLE DC-3 AND 5, 32A AUXILIARY SWITCH 22 (2NO+2NC) DC OPERATION DC 24V WORKING RANGE 0.85 - 1.1 UN	R 2,866.00
3TC4417-0AF4	100002175	1	PD	CONTACTOR, SIZE 2, 2-POLE DC-3 AND 5,RATD.OPERAT.CURR.32A AUXILIARY CONTACTS 22 (2NO+2NC) DC OPERATION DC 110V	R 2,866.00
3TC4417-0AM4	100002177	1	V2	CONTACTOR, SIZE 2, 2-POLE DC-3 AND 5,RATD.OPERAT.CURR.32A AUXILIARY CONTACTS 22 (2NO+2NC) DC OPERATION DC 220V	R 2,866.00
3TC4417-0BP0	100002185	1	V2	CONTACTOR, SIZE 2, 2-POLE DC-3 AND 5,RATD.OPERAT.CURR.32A AUXILIARY CONTACTS 22 (2NO+2NC) AC OPERATION AC 230/220V 50HZ,276/264V 60HZ	R 2,020.00

3TC4817-0AF4	100067853	1	PD	CONTACTOR, SIZE 4, 2-POLE DC-3 AND 5,RATD.OPERAT.CURR.75A AUXILIARY CONTACTS 22 (2NO+2NC) DC OPERATION DC 110V	R 10,290.00
3TC7414-0EM	100140243	1	PD	CONTACTOR SIZE 12, 1-POLE DC-3 AND 5,RATD.OPER.CURR. 400A AUXILIARY CONTACTS 44 (4NO+4NC) DC OPERATION DC 220V	R 23,610.00
3TF2001-0AL2	100002220	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3,4KW/400V,SCREW TERMINALS AUXILIARY CONTACT 01E (1NC) AC OPERATION AC 230V 50/60HZ	R 571.00
3TF2001-0AP0	100002222	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3,4KW/400V,SCREW TERMINALS AUXILIARY CONTACT 01E (1NC) AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 571.00
3TF2001-6AC2	100125898	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3, 4KW/400V,SOLDER-PIN CONN. SCREW MOUNTING (DIAGONAL) AUXILIARY CONTACT 01E (1NC) AC OPERATION AC 24V 50/60HZ	R 552.00
3TF2001-6BB4	100002228	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3, 4KW/400V,SOLDER-PIN CONN. SCREW MOUNTING (DIAGONAL) AUXILIARY CONTACT 01E (1NC) DC SOLENOID SYSTEM DC 24V	R 648.00
3TF2010-0AF0	100506140	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3, 4KW/400V, SCREW TERMINALS AUXILIARY CONTACT 10E (1NO) AC OPERATION AC 110V 50HZ/AC 132V 60HZ	R 571.00
3TF2010-0AP0	100002237	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3, 4KW/400V, SCREW TERMINALS AUXILIARY CONTACT 10E (1NO) AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 571.00
3TF2010-0BB4	100002239	1	V2	CONTACTOR, SIZE 00, 3-POLE AC-3, 4KW/400V, SCREW TERMINALS AUXILIARY CONTACT 10E (1NO) DC SOLENOID SYSTEM DC 24V	R 669.00
3TF2010-6AC2	100864533	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3, 4KW/400V,SOLDER-PIN CONN. SCREW MOUNTING (DIAGONAL) AUXILIARY CONTACT 10E (1NO) AC OPERATION AC 24V 50/60HZ	R 552.00
3TF2010-6BB4	100126016	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3, 4KW/400V,SOLDER-PIN CONN. SCREW MOUNTING (DIAGONAL) AUXILIARY CONTACT 10E (1NO) DC SOLENOID SYSTEM DC 24V	R 648.00
3TF2222-0BB4	100002259	1	PD	CONTACTOR,SIZE 00, 3-POLE AC-3, 4KW/400V,SCREW CONNECTION AUXILIARY CONTACTS 22E(2NO+2NC) WIDTH 45MM DC SOLENOID SYSTEM DC 24V	R 862.00
3TF2801-0AP0	100783987	1	PD	CONTACTOR, SIZE 00, 3-POLE AC-3, 2.2KW/400V,SCREW TERMINAL AUXILIARY CONTACT 01E (1NC) AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 528.00
3TF3000-0XF0	100448210	1	PD	CONTACTOR 3TF AC-3 380V IE: 9A COIL: 50HZ: 110V, 60HZ: 132V	R 234.00
3TF3200-0XP0	100461452	1	PD	CONTACTOR 3TF AC-3 380V IE: 16A COIL: 50HZ: 230V, 60HZ: 277V	R 368.00
3TF3300-0XP0	100448341	1	PD	CONTACTOR 3TF AC-3 380V IE: 22A COIL: 50HZ: 230V, 60HZ: 277V	R 503.00
3TF3400-0XP0	100410742	1	V2	CONTACTOR 3TF AC-3 380V IE: 32A COIL: 50HZ: 230V, 60HZ: 277V	R 745.00
3TF3411-0XP0	100486968	1	PD	CONTACTOR 3TF AC-3 380V IE: 32A COIL: 50HZ: 230V, 60HZ: 277V 1NO+1NC	R 812.00
3TF4022-0XC2	100487198	1	PD	CONTACTOR 3TF AC-3 380V IE: 9A COIL: 50/60HZ: 24V 2NO+2NC	R 345.00
3TF4022-0XF0	100222489	1	PD	CONTACTOR 3TF AC-3 380V IE: 9A COIL: 50HZ: 110V, 60HZ: 132V 2NO+2NC	R 345.00
3TF4022-0XP0	100448953	1	PD	CONTACTOR 3TF AC-3 380V IE: 9A COIL: 50HZ: 230V, 60HZ: 277V 2NO+2NC	R 345.00
3TF4122-0XF0	100448954	1	PD	CONTACTOR 3TF AC-3 380V IE: 12A COIL: 50HZ: 110V, 60HZ: 132V 2NO+2NC	R 377.00
3TF4122-0XP0	100448952	1	PD	CONTACTOR 3TF AC-3 380V IE: 12A COIL: 50HZ: 230V, 60HZ: 277V 2NO+2NC	R 377.00
3TF4222-0XB0	100232135	1	PD	CONTACTOR 3TF AC-3 380V IE: 16A COIL: 50HZ: 24V, 60HZ: 29V 2NO+2NC	R 470.00
3TF4222-0XF0	100448382	1	PD	CONTACTOR 3TF AC-3 380V IE: 16A COIL: 50HZ: 110V, 60HZ: 132V 2NO+2NC	R 470.00

3TF4222-0XP0	100448951	1	PD	CONTACTOR 3TF AC-3 380V IE: 16A COIL: 50HZ: 230V, 60HZ: 277V 2NO+2NC	R 470.00
3TF4222-0XV0	100410954	1	PD	CONTACTOR 3TF AC-3 380V IE: 16A COIL: 50HZ: 400V, 60HZ: 480V 2NO+2NC	R 470.00
3TF4322-0XF0	100448386	1	PD	CONTACTOR 3TF AC-3 380V IE: 22A COIL: 50HZ: 110V, 60HZ: 132V 2NO+2NC	R 598.00
3TF4322-0XP0	100448950	1	PD	CONTACTOR 3TF AC-3 380V IE: 22A COIL: 50HZ: 230V, 60HZ: 277V 2NO+2NC	R 598.00
3TF4411-0XP0	100411009	1	PD	CONTACTOR 3TF AC-3 380V IE: 32A COIL: 50HZ: 230V, 60HZ: 277V 1NO+1NC	R 761.00
3TF4422-0XB0	100448391	1	PD	CONTACTOR 3TF AC-3 380V IE: 32A COIL: 50HZ: 24V, 60HZ: 29V 2NO+2NC	R 754.00
3TF4422-0XF0	100448389	1	V2	CONTACTOR 3TF AC-3 380V IE: 32A COIL: 50HZ: 110V, 60HZ: 132V 2NO+2NC	R 754.00
3TF4422-0XP0	100448393	1	V2	CONTACTOR 3TF AC-3 380V IE: 32A COIL: 50HZ: 230V, 60HZ: 277V 2NO+2NC	R 754.00
3TF4622-0XF0	100368944	1	PD	CONTACTOR 3TF AC-3 380V IE: 45A COIL: 50HZ:110V,60HZ:132V 2NO+2NC	R 1,086.00
3TF4622-0XP0	100368943	1	V2	CONTACTOR 3TF AC-3 380V IE: 45A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 1,086.00
3TF4622-0XV0	100411087	1	PD	CONTACTOR 3TF AC-3 380V IE: 45A COIL: 50HZ:400V,60HZ:480V 2NO+2NC	R 1,086.00
3TF4722-0XF0	100234652	1	PD	CONTACTOR 3TF AC-3 380V IE: 63A COIL: 50HZ:110V,60HZ:132V 2NO+2NC	R 1,504.00
3TF4722-0XP0	100368946	1	V2	CONTACTOR 3TF AC-3 380V IE: 63A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 1,504.00
3TF4722-1XB4	100487935	1	PD	CONTACTOR 3TF AC-3 380V IE: 63A COIL: 24V DC 2NO+2NC	R 2,181.00
3TF4822-0XF0	100448946	1	V2	CONTACTOR 3TF AC-3 380V IE: 75A COIL: 50HZ:110V,60HZ:132V 2NO+2NC	R 1,788.00
3TF4822-0XP0	100368949	1	V2	CONTACTOR 3TF AC-3 380V IE: 75A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 1,788.00
3TF4822-0XV0	100411159	1	V2	CONTACTOR 3TF AC-3 380V IE: 75A COIL: 50HZ:400V,60HZ:480V 2NO+2NC	R 1,788.00
3TF4922-0XP0	100368951	1	V2	CONTACTOR 3TF AC-3 380V IE: 85A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 2,207.00
3TF5022-0XF0	100368955	1	PD	CONTACTOR 3TF AC-3 380V IE: 110A COIL: 50HZ:110V,60HZ:132V 2NO+2NC	R 2,964.00
3TF5022-0XP0	100454978	1	V2	CONTACTOR 3TF AC-3 380V IE: 110A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 2,964.00
3TF5122-0XF0	100424708	1	PD	CONTACTOR 3TF AC-3 380V IE: 140A COIL: 50HZ:110V,60HZ:132V 2NO+2NC	R 3,578.00
3TF5122-0XP0	100368957	1	V2	CONTACTOR 3TF AC-3 380V IE: 140A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 3,578.00
3TF5222-0XP0	100368959	1	V2	CONTACTOR 3TF AC-3 380V IE: 170A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 4,476.00
3TF5322-0XF0	100424710	1	PD	CONTACTOR 3TF AC-3 380V IE: 205A COIL: 50HZ:110V,60HZ:132V 2NO+2NC	R 5,028.00
3TF5322-0XP0	100368961	1	PD	CONTACTOR 3TF AC-3 380V IE: 205A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 5,028.00
3TF5422-0XF0	100368963	1	PD	CONTACTOR 3TF AC-3 380V IE: 250A COIL: 50HZ:110V,60HZ:132V 2NO+2NC	R 7,004.00
3TF5422-0XP0	100368962	1	V2	CONTACTOR 3TF AC-3 380V IE: 250A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 7,004.00
3TF5422-0XV0	100411336	1	PD	CONTACTOR 3TF AC-3 380V IE: 250A COIL: 50HZ:400V,60HZ:480V 2NO+2NC	R 7,004.00
3TF5522-0XP0	100411352	1	V2	CONTACTOR 3TF AC-3 380V IE: 300A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 8,463.00
3TF5622-0XF0	100488463	1	PD	CONTACTOR 3TF AC-3 380V IE: 400A COIL: 50HZ:110V,60HZ:132V 2NO+2NC	R 10,590.00
3TF5622-0XP0	100368966	1	V2	CONTACTOR 3TF AC-3 380V IE: 400A COIL: 50HZ:230V,60HZ:277V 2NO+2NC	R 10,590.00
3TF6844-0CF7	100004512	1	V2	CONTACTOR SIZE 14, 3-POLE AC-3, 335KW, 400/380V (690V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 110 TO 132V 50/60HZ	R 43,437.00
3TF6844-0CM7	100004513	1	V2	CONTACTOR SIZE 14, 3-POLE AC-3, 335KW, 400/380V (690V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 200 TO 240V 50/60HZ	R 43,437.00

3TF6844-0CP7	100128188	1	V2	CONTACTOR SIZE 14, 3-POLE AC-3, 335KW, 400/380V (690V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 230 TO 276V 50/60HZ	R 43,437.00
3TF6844-0CQ7	100004515	1	V2	CONTACTOR SIZE 14, 3-POLE AC-3, 335KW, 400/380V (690V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 380 TO 460V 50/60HZ	R 47,781.00
3TF6933-1DB4	100078467	1	PD	CONTACTOR SIZE 14, 3-POLE AC-3, 450KW, 400/380V (690V) AUXILIARY CONTACTS 33 (3NO+3NC) W.3TC44174A REVERSING CONTACTOR AND SERIES RESISTOR DC ECONOMY CIRCUIT DC 24V	R 62,977.00
3TF6944-0CF7	100004517	1	V2	CONTACTOR SIZE 14, 3-POLE AC-3, 450KW, 400/380V (690V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 110 TO 132V 50/60HZ	R 59,312.00
3TF6944-0CM7	100004518	1	V2	CONTACTOR SIZE 14, 3-POLE AC-3, 450KW, 400/380V (690V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 200 TO 240V 50/60HZ	R 59,312.00
3TF6944-0CP7	100128213	1	V2	CONTACTOR SIZE 14, 3-POLE AC-3, 450KW, 400/380V (690V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 230 TO 276V 50/60HZ	R 59,312.00
3TF6944-0CQ7	100004519	1	PD	CONTACTOR SIZE 14, 3-POLE AC-3, 450KW, 400/380V (690V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 380 TO 460V 50/60HZ	R 59,757.00
3TF6944-8CM7	100670547	1	PD	CONTACTOR SIZE 14, 3-POLE AC-3, 450KW, 400/380V (1000V) AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 200 TO 240V 50/60HZ	R 65,424.00
3TG1001-0AL2	100026004	1	PD	CONTACTOR SCREW TERMINALS, 3NO+1NC FOR SNAPPING ONTO STANDARD MOUNTING RAIL AC OPERATION AC 230V,45...450HZ	R 242.00
3TG1001-1AL2	100186679	1	PD	CONTACTOR TAB CONNECTOR, 3NO+1NC FOR SNAPPING ONTO STANDARD MOUNTING RAIL AC OPERATION AC 230V 45...450HZ	R 199.00
3TG1010-0AL2	100004541	1	PD	CONTACTOR SCREW TERMINALS, 4NO FOR SNAPPING ONTO STANDARD MOUNTING RAIL AC OPERATION AC 230V,45...450HZ	R 242.00
3TH2022-0AF0	100004545	1	PD	CONTACTOR RELAY 22E EN 50 011 2NO+2NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 531.00
3TH2022-0AP0	100004555	1	PD	CONTACTOR RELAY 22E EN 50 011 2NO+2NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 531.00
3TH2022-0BB4	100004558	1	V2	CONTACTOR RELAY 22E EN 50 011 2NO+2NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 601.00
3TH2022-0BD4	101137795	1	PD	CONTACTOR RELAY 22E EN 50 011 2NO+2NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 42V	R 627.00
3TH2022-0BE8	101174115	1	PD	CONT. RELAY 22 E DIN EN 50 011 2NO+2NC, SCREW CONNECTION DC OPERATION DC SOLENOID SYSTEM DC 80 V	R 627.00
3TH2022-0FB4	100004566	1	PD	CONTACTOR RELAY 22E EN 50 011 2NO+2NC, SCREW CONNECT. DIODE OR VARISTOR F. PLUGGING ON DC OPERATION, 1.2W 24 V DC NO ADDIT. AUX. CONTACTS	R 591.00
3TH2031-0AF0	100004571	1	PD	CONTACTOR RELAY 31E EN 50 011 3NO+1NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 531.00
3TH2031-0AG2	100004573	1	PD	CONTACTOR RELAY 31E EN 50 011 3NO+1NC, SCREW TERMINALS AC OPERATION AC 50/60HZ 110V	R 531.00
3TH2031-0AP0	100004579	1	PD	CONTACTOR RELAY 31E EN 50 011 3NO+1NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 531.00
3TH2031-0BB4	100004581	1	PD	CONTACTOR RELAY 31E EN 50 011 3NO+1NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 601.00

3TH2031-0BD4	100128479	1	PD	CONTACTOR RELAY 31E EN 50 011 3NO+1NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 42V	R 627.00
3TH2031-7BB4	100633481	1	PD	CONTACTOR RELAY 31E EN 50 011 3NO+1NC, TAB CONNECTOR SCREW MOUNTING (DIAGONAL) DC OPERATION DC SOLENOID SYSTEM DC 24V	R 521.00
3TH2040-0AF0	100004833	1	PD	CONTACTOR RELAY 40E EN 50 011 4 NO, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 531.00
3TH2040-0BB4	100006649	1	V2	CONTACTOR RELAY 40E EN 50 011 4 NO, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 601.00
3TH2040-7BB4	100624519	1	PD	CONTACTOR RELAY 40E EN 50 011 4NO, TAB CONNECTOR SCREW MOUNTING (DIAGONAL) DC OPERATION DC SOLENOID SYSTEM DC 24V	R 521.00
3TH2081-0GE8	100026008	1	PD	CONT. RELAY 31Z DIN EN 50 011 3NO+1NC, SNAP-ON MOUNTING DIR. CURRENT ACTUATING WITH DIODE (SCHINDLER) 80 V DC	R 792.00
3TH2082-0GU4	100026010	1	PD	CONT. RELAY 22Z DIN EN 50 011 2NO+2NC, SNAP-ON MOUNTING DIR. CURRENT ACTUATING WITH DIODE (SCHINDLER) 21.5 VDC	R 817.00
3TH2162-0BB4	100154804	1	-	CONT. RELAY 62E DIN EN 50 011 6NO+2NC, SCREW CONNECTION WIDTH 90 MM DIR. CURRENT ACTUATION DC MAGNET SYSTEM 24 V DC	R 923.00
3TH2253-0AG2	100007242	1	PD	CONTACTOR RELAY 53E EN 50 011 5NO+3NC, SCREW TERMINALS WIDTH 45MM AC OPERATION AC 50/60HZ 110V	R 741.00
3TH4022-0XP0	100469573	1	PD	CONTACTOR RELAYS 3TH AC-15 380V IE:6A COIL: 50HZ: 230V, 60HZ: 277V 2NO+2NC	R 274.00
3TH4244-0AB0	100784612	1	PD	CONTACTOR RELAY 44E EN 50 011 4NO+4NC, SCREW TERMINALS AC OPERATION AC 50HZ 24V/60HZ 29V	R 730.00
3TH4244-0AD2	100009717	1	PD	CONTACTOR RELAY 44E EN 50 011 4NO+4NC, SCREW TERMINALS AC OPERATION AC 50/60HZ 42V	R 756.00
3TH4244-0AF0	100083238	1	V2	CONTACTOR RELAY 44E EN 50 011 4NO+4NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 730.00
3TH4244-0AP0	100011374	1	V2	CONTACTOR RELAY 44E EN 50 011 4NO+4NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 730.00
3TH4244-0AS0	100129370	1	PD	CONTACTOR RELAY 44E EN 50 011 4NO+4NC, SCREW TERMINALS AC OPERATION AC 50HZ 500V/60HZ 600V	R 756.00
3TH4244-0BB4	100011376	1	V2	CONTACTOR RELAY 44E EN 50 011 4NO+4NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,311.00
3TH4244-0BF4	100026064	1	PD	CONTACTOR RELAY 44E EN 50 011 4NO+4NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 110V	R 1,311.00
3TH4244-0BW4	100129389	1	PD	CONTACTOR RELAY 44E EN 50 011 4NO+4NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 48V	R 1,311.00
3TH4244-0LF4	100082279	1	V2	CONTACTOR RELAY 44E EN 50 011 FOR RAILWAY APPLICATIONS 4NO+4NC, SCREW TERMINAL SETTING RANGE 0.7 TO 1.25X US VARISTOR INCORPORATED DC SOLENOID SYSTEM DC 110V	R 1,401.00
3TH4253-0AF0	100129441	1	PD	CONTACTOR RELAY 53E EN 50 011 5NO+3NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 728.00
3TH4253-0AM0	100835980	1	PD	CONT. RELAY 53 E DIN EN 50011 5NO+3NC, SCREW CONNECTION ALT. CURRENT ACTUATING 220 V AC 50 HZ/264 V AC 60HZ	R 755.00
3TH4253-0AP0	100011382	1	PD	CONTACTOR RELAY 53E EN 50 011 5NO+3NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 728.00
3TH4253-0BB4	100011383	1	PD	CONTACTOR RELAY 53E EN 50 011 5NO+3NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,258.00
3TH4262-0AF0	100129501	1	V2	CONTACTOR RELAY 62E EN 50 011 6NO+2NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 728.00

3TH4262-0AG2	100011387	1	PD	CONTACTOR RELAY 62E EN 50 011 6NO+2NC, SCREW TERMINALS AC OPERATION AC 50/60HZ 110V	R 728.00
3TH4262-0AP0	100011390	1	V2	CONTACTOR RELAY 62E EN 50 011 6NO+2NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 728.00
3TH4262-0BB4	100011391	1	V2	CONTACTOR RELAY 62E EN 50 011 6NO+2NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,258.00
3TH4262-0LB4	100082280	1	PD	CONTACTOR RELAY 62E EN 50 011 FOR RAILWAY APPLICATIONS 6NO+2NC, SCREW TERMINAL SETTING RANGE 0.7 TO 1.25X US VARISTOR INCORPORATED DC SOLENOID SYSTEM DC 24V	R 1,396.00
3TH4271-0BB4	100011399	1	PD	CONTACTOR RELAY 71E EN 50 011 7NO+1NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,258.00
3TH4271-0BP4	102361440	1	PD	CONTACTOR RELAY 71E EN 50 011 7NO+1NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 230V	R 1,304.00
3TH4280-0AP0	100011402	1	PD	CONTACTOR RELAY 80E EN 50 011 8NO, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 728.00
3TH4280-0BB4	100011403	1	PD	CONTACTOR RELAY 80E EN 50 011 8NO, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,258.00
3TH4310-0AF0	100129685	1	PD	CONTACTOR RELAY 100E EN 50 011 10 NO, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 1,013.00
3TH4310-0AP0	100086057	1	PD	CONTACTOR RELAY 100E EN 50 011 10 NO, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 1,013.00
3TH4310-0BB4	100011413	1	PD	CONTACTOR RELAY 100E EN 50 011 10 NO, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,526.00
3TH4310-0BF4	100129703	1	PD	CONTACTOR RELAY 100E EN 50 011 10 NO, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 110V	R 1,526.00
3TH4355-0AF0	100129754	1	V2	CONTACTOR RELAY 55E EN 50 011 5NO+5NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 1,013.00
3TH4355-0AG0	101113890	1	PD	CONTACTOR RELAY 55E EN 50 011 5NO+5NC, SCREW TERMINALS AC OPERATION AC 50HZ 36V/60HZ 42V	R 1,063.00
3TH4355-0AM0	101117419	1	V2	CONT. RELAY 55E DIN EN 50011 5NO+5NC, SCREW CONNECTION ALT. CURRENT ACTUATING 220 V AC 50 HZ/264 V 60 V	R 1,063.00
3TH4355-0AP0	100011424	1	V2	CONTACTOR RELAY 55E EN 50 011 5NO+5NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 1,013.00
3TH4355-0BB4	100011425	1	V2	CONTACTOR RELAY 55E EN 50 011 5NO+5NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,526.00
3TH4355-0BF4	100011426	1	V2	CONTACTOR RELAY 55E EN 50 011 5NO+5NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 110V	R 1,526.00
3TH4364-0AF0	100129817	1	V2	CONTACTOR RELAY 64E EN 50 011 6NO+4NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 1,013.00
3TH4364-0BB4	100077012	1	PD	CONTACTOR RELAY 64E EN 50 011 6NO+4NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,526.00
3TH4373-0AF0	100129855	1	V2	CONTACTOR RELAY 73E EN 50 011 7NO+3NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 1,013.00
3TH4373-0AP0	100011434	1	V2	CONTACTOR RELAY 73E EN 50 011 7NO+3NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 1,013.00
3TH4373-0BB4	100011435	1	PD	CONTACTOR RELAY 73E EN 50 011 7NO+3NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,526.00
3TH4373-0BF4	100011436	1	PD	CONTACTOR RELAY 73E EN 50 011 7NO+3NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 110V	R 1,526.00

3TH4382-0AF0	100011437	1	PD	CONTACTOR RELAY 82E EN 50 011 8NO+2NC, SCREW TERMINALS AC OPERATION AC 50HZ 110V/60HZ 132V	R 1,013.00
3TH4382-0AP0	100011441	1	V2	CONTACTOR RELAY 82E EN 50 011 8NO+2NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 1,013.00
3TH4391-0AB0	100129932	1	PD	EN 50 011 EN 50 011 9NO+1NC, SCREW TERMINALS AC OPERATION AC 50HZ 24V/60HZ 29V	R 1,013.00
3TH4391-0AP0	100129947	1	PD	EN 50 011 EN 50 011 9NO+1NC, SCREW TERMINALS AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 1,013.00
3TH4391-0BB4	100011447	1	PD	EN 50 011 EN 50 011 9NO+1NC, SCREW TERMINALS DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,526.00
3TH4394-0AH0	101354335	1	PD	CONT. RELAY 55E DIN EN 50011 5NO+5NC, 1U, SCREW CONNECTION ALT. CURRENT ACTUATING 48 V AC 50 HZ/58 V AC 60 HZ	R 1,192.00
3TH4394-0AP0	100011451	1	V2	CONTACTOR RELAY 55E EN 50 011 5NO+5NC, 1 O'LAP, SCREW TERMIN. AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 1,144.00
3TH4394-0BB4	100011452	1	PD	CONTACTOR RELAY 55E EN 50 011 5NO+5NC, 1 O'LAP, SCREW TERMIN. DC OPERATION DC SOLENOID SYSTEM DC 24V	R 1,649.00
3TH4454-0AN2	100011455	1	V2	CONTACTOR RELAY 54 EN 50 011 5NO+4NC F.SNAP-ON AND SCREW MOUNTING W.MECHANICAL LATCHING AC OPERATION AC 220V 50/60HZ	R 1,857.00
3TH4454-0AP2	100130003	1	PD	CONTACTOR RELAY 54 EN 50 011 5NO+4NC F.SNAP-ON AND SCREW MOUNTING W.MECHANICAL LATCHING AC OPERATION AC 240V 50/60HZ	R 1,917.00
3TK1442-0AP0	100130035	1	PD	AC-1 CONTACTOR, 4-POLE, 550 A, MAIN CONTACTS 4 NO, AUXILIARY CONTACTS 2NO+2NC, AC OPERATION AC 220...230V 50HZ/AC 240V 60HZ	R 30,195.00
3TK1742-0AP0	100074609	1	PD	AC-1 CONTACTOR, 4-POLE, 1000 A, MAIN CONTACTS 4 NO, AUXILIARY CONTACTS 2NO+2NC, AC OPERATION AC 220...230V 50HZ/AC 240V 60HZ	R 60,015.00
3TK2031-3AN2	100456109	1	PD	MINIATURE POWER RELAY TAB CONNECTOR, 3NO+1NC SNAP-ON MOUNTING ON STANDARD MOUNTING RAIL AC OPERATION AC 220V 50/60HZ	R 386.00
3TK2031-3AP0	101141516	1	PD	MINIATURE POWER RELAY TAB CONNECTOR, 3NO+1NC SNAP-ON MOUNTING ON STANDARD MOUNTING RAIL AC OPERATION AC 230/220V 50HZ, 276/264V 60HZ	R 386.00
3TK2031-6AB0	100232009	1	PD	MINIATURE POWER RELAY SOLDER-PIN CONNECTION, 3NO+1NC SCREW MOUNTING (DIAGONAL) AC OPERATION AC 24V 50HZ/AC 29V 60HZ	R 375.00
3TK2805-0AG2	100130384	1	PD	CONTACTOR COMBINATION FOR SAFETY CIRCUITS ENABLING AND SIGNALLING CIRCUIT 5N0+1NC, AC-OPERATION AC OPERATION AC 110V 50/60HZ	R 7,527.00
3TK2806-0BB4	100011481	1	PD	CONTACTOR COMBINATION FOR SAFETY CIRCUITS ENABLING AND SIGNALLING CIRCUIT 5N0+1NC, AC-OPERATION DC OPERATION DC 24V DC 24V	R 7,292.00
3TK2810-0BA01	101702584	1	V2	SIRIUS SAFETY RELAY FOR SAFETY-ORIENTED STANDSTILL MONITORING, 24V DC, 45.0MM, SCREW TERMINAL, FK INSTANT.: 3NO 1NC, FK DELAYED: 0, MK: 3, AUTO START, BASIC UNIT, MAX. ACHIEV. CAT. EN954-1: 4, MAX. ACHIEV. SIL TO IEC61508:3,	R 10,659.00
3TK2820-1AJ20	102463536	1	-	SIRIUS SAFETY RELAY WITH RELAY ENABLING CIRCUITS, 115 V AC, 22.5MM, SCREW CONNECTION, BASIC UNIT, AUTO START, MONITORED START INSTANTANEOUS: 3S, DELAYED: 0S, SIGNALING CIRCUIT: 1NC, MAX. ERR. CAT. EN954-1: 4 SIL: 3, PL: E SIL: 3, PL: E	R 2,561.00

3TK2820-1AL20	102623357	1	PD	SIRIUS SAFETY RELAY WITH RELAY ENABLING CIRCUITS, 230 V AC, 22.5MM, SCREW CONNECTION, BASIC UNIT, AUTO START, MONITORED START INSTANTANEOUS: 3S, DELAYED: 0S, SIGNALING CIRCUIT: 1NC, MAX. ERR. CAT. EN954-1: 4 SIL: 3, PL: E SIL: 3, PL: E	R 2,561.00
3TK2820-1CB30	102354356	1	V2	SIRIUS SAFETY RELAY WITH RELAY ENABLING CIRCUITS, 24 V AC/DC, 22.5MM, SCREW CONNECTION, BASIC UNIT, AUTO START, MONITORED START INSTANTANEOUS: 3S, DELAYED: 0S, SIGNALING CIRCUIT: 1NC, MAX. ERR. CAT. EN954-1: 4 SIL: 3, PL: E SIL: 3, PL: E	R 2,561.00
3TK2821-1CB30	100011484	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC/DC 24V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 3S, RC DELAYED: 0S, MC: 1NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 1, PL: C,	R 2,450.00
3TK2821-2CB30	100130397	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC/DC 24V, 22.5MM, SPRING-LOADED TERMINAL, RC INSTANT.: 3S, RC DELAYED: 0S, MC: 1NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 1, PL: C,	R 2,587.00
3TK2822-1CB30	100011485	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC/DC 24V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 0S, MC: 0NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3, PL: E	R 2,547.00
3TK2823-1CB30	100130399	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC/DC 24V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 0S, MC: 0NC, MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3, PL: E	R 2,547.00
3TK2824-1AJ20	100442373	1	PD	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC 115V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 0S, MC: 0NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 1, PL: C	R 2,226.00
3TK2824-1AL20	100130404	1	PD	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC 230V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 0S, MC: 0NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 1, PL: C	R 2,226.00
3TK2824-1BB40	100011486	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 0S, MC: 0NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 1, PL: C	R 2,032.00
3TK2824-1CB30	100011487	1	PD	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC/DC 24V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 0S, MC: 0NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 1, PL: C	R 2,170.00
3TK2825-1AB20	100130408	1	PD	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 3S, RC DELAYED: 0S, MK: 2OE, AUTOSTART / MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3, PL: E	R 3,590.00
3TK2825-1AJ20	100130409	1	PD	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC 115V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 3S, RC DELAYED: 0S, MK: 2OE, AUTOSTART / MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3, PL: E	R 3,590.00
3TK2825-1AL20	100079000	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC 230V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 3S, RC DELAYED: 0S, MK: 2OE, AUTOSTART / MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3, PL: E	R 3,590.00
3TK2825-1BB40	100011488	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 3S, RC DELAYED: 0S, MK: 2OE, AUTOSTART / MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3, PL: E	R 3,590.00

3TK2826-1BB40	103172939	1	-	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 4S, RC DELAYED: 0, MK: 3, 8-FUNCTION SWITCH, BASIC DEVICE, MAX. ACHIEVABLE PL TO EN13849-1: E, MAX. ACHIEVABLE SIL TO IEC61508:3,	R 4,215.00
3TK2826-1CW30	101719893	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), UC 24...240V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 4S, RC DELAYED: 0, MK: 2, 8-FUNCTION SWITCH, BASIC DEVICE, MAX. ACHIEVABLE PL TO EN13849-1: E, MAX. ACHIEVABLE SIL TO IEC61508:3,	R 4,369.00
3TK2827-1BB40	100078990	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 2S 0.5...30S, MC: 1NC, MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3/2, PL: E/D	R 5,024.00
3TK2827-1BB41	100130420	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: S 0.05...3S, MC: 1NC, MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3/2, PL: E/D	R 5,024.00
3TK2827-2BB41	100130428	1	PD	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SPRING-LOADED TERMINAL, RC INSTANT.: 2S, RC DELAYED: 2S 0.05...3S, MC: 1NC, MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3/2, PL: E/D	R 5,204.00
3TK2828-1BB40	100130435	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 2S 0.5...30S, MC: 1NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3/2, PL: E/D	R 5,024.00
3TK2828-1BB41	100130436	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 2S, RC DELAYED: 2S 0.05...3S, MC: 1NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3/2, PL: E/D	R 5,024.00
3TK2828-2BB40	100130443	1	PD	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SPRING-LOADED TERMINAL, RC INSTANT.: 2S, RC DELAYED: 2S 0.5...30S, MC: 1NC, AUTOSTART, BASIC DEVICE, MAX. ACHIEVABLE SIL: 3/2, PL: E/D	R 5,204.00
3TK2830-1CB30	100076262	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (FK), 24V AC/DC, 22.5MM, SCREW TERMINAL, FK INSTANT.: 4S, FK DELAYED: 0, MC FOR FEEDBACK: 1, EXPANSION UNIT, MAX. ERR. SIL / PL: AS GG,	R 2,199.00
3TK2834-1AB20	100130446	1	PD	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), AC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 2S, 2OE, RC DELAYED: 0, MK: 0, PRESS CONTROL UNIT, MAX. ACHIEVABLE SIL: 3, PL: E	R 5,635.00
3TK2834-1BB40	100011489	1	V2	SIRIUS SAFETY RELAY WITH RELAY RELEASE CIRCUITS (RC), DC 24V, 45.0MM, SCREW TERMINAL, RC INSTANT.: 2S, 2OE, RC DELAYED: 0, MK: 0, PRESS CONTROL UNIT, MAX. ACHIEVABLE SIL: 3, PL: E	R 5,635.00
3TK2841-1BB40	100130473	1	V2	SIRIUS SAFETY RELAY WITH ELECTRONIC RELEASE CIRCUIT (RC) DC 24V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 2 HL, RC DELAYED: 0, MK: 0, AUTOSTART / MONITORED START, STANDARD DEVICE, MAX. ACHIEVABLE SIL: 3, PL: E	R 2,240.00
3TK2842-1BB41	100130477	1	V2	SIRIUS SAFETY RELAY WITH ELECTRONIC RELEASE CIRCUIT (RC) DC 24V, 22.5MM, SCREW TERMINAL, RC INSTANT.: 1 HL, RC DELAYED: 1HL 0.05...3S, MK: 0, AUTOSTART / MONITORED START, STANDARD DEVICE, MAX. ACHIEVABLE SIL: 3, PL: E	R 2,616.00

3TK2850-2BB40	100130494	1	PD	SIRIUS SAFETY RELAY WITH AUXILIARY CONTACTOR RELEASE CIRCUIT (RC), DC 24V, 90.0MM, SPRING-LOADED TERMINAL, RC INSTANT.: 3S, RC DELAYED: 0, MK: 0, AUTOSTART / MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 2, PL: D	R 2,838.00
3TK2852-1BB40	100130504	1	PD	SIRIUS SAFETY RELAY WITH AUXILIARY CONTACTOR RELEASE CIRCUIT (RC), DC 24V, 90.0MM, SCREW TERMINAL, RC INSTANT.: 6S, RC DELAYED: 0, MC: 1NC, AUTOSTART / MONITORED START, BASIC DEVICE, MAX. ACHIEVABLE SIL: 2, PL: D	R 3,256.00
3TX4001-2A	100232704	1	V2	AUXILIARY CONTACT BLOCK WITHOUT POSITION INDICATION FOR PLUGGING ONTO CONTACTORS 1NC	R 63.00
3TX4010-2A	100232705	1	V2	AUXILIARY CONTACT BLOCK WITHOUT POSITION INDICATION FOR PLUGGING ONTO CONTACTORS 1NO	R 63.00
3TX4090-0C	100011527	1	PD	INTERFACE WITH LED FOR SWITCH POSITION WITHOUT SURGE SUPPRESSION FOR MOUNTING ONTO CONTACTORS: 3TF30 TO 3TF35, 3TF40 TO 3TF45	R 642.00
3TX4090-0D	100011528	1	PD	INTERFACE WITH LED FOR SWITCH POSITION WITH SURGE SUPPRESSION FOR MOUNTING ONTO CONTACTORS: 2TF30 TO 3TF35, 3TF40 TO 3TF45	R 772.00
3TX4091-1A	100011529	1	PD	BLOCKING ELEMENT FOR MECHANICAL INTERLOCKING OF 2 CONTACTORS OF SAME SIZE 3TH3/3TF3	R 156.00
3TX4411-2G	100011540	1	PD	AUXILIARY CONTACT BLOCK WITH SCREW TERMINALS FOR CONTACTOR RELAYS AND MOTOR CONTACTORS ACCORDING TO EN 50005 IDENTIFICATION NUMBER 11 1NO+1NC OVERLAPPING	R 259.00
3TX4412-1A	100011541	1	PD	AUXILIARY CONTACT BLOCK W. SCREW TERMINAL F. MOTOR CONTACTORS ACC. TO DIN EN50012 IDENTIFICAT.NUMBER 22E, 1NO+2NC	R 178.00
3TX4413-0A	100026124	1	PD	AUXILIARY CONTACT BLOCK W. SCREW TERMINAL FOR CONTACTOR RELAYS ACCORDING TO EN 50011 IDENTIFICATION NUMBER 53E, 1NO + 3NC	R 217.00
3TX4422-0A	100011545	1	V2	AUXILIARY CONTACT BLOCK W. SCREW TERMINAL FOR CONTACTOR RELAYS ACCORDING TO EN 50011 IDENTIFICATION NUMBER 62E 2NO + 2NC	R 217.00
3TX4422-1A	100011546	1	PD	AUXILIARY CONTACT BLOCK WITH SCREW TERMINAL F. MOTOR CONTACTORS DIN EN 50012 IDENTIFICAT.NUMBER 32E,2NO+2NC	R 217.00
3TX4422-2A	100011547	1	V2	AUXILIARY CONTACT BLOCK W. SCREW TERMINAL F. CONTACTOR RELAYS AND MOTOR CONTACTORS ACCORDING TO EN 50005 IDENTIFICAT.NUMBER 22, 2NO+2NC	R 217.00
3TX4431-2A	100011549	1	PD	AUXILIARY CONTACT BLOCK FOR CONTACTOR RELAYS AND F. CONTACTOR RELAY AND MOTOR CONTACTORS ACCORDING TO EN 50005 IDENTIFICAT.NUMBER 31, 3NO+1NC	R 217.00
3TX4440-0A	100011550	1	PD	AUXILIARY CONTACT BLOCK W. SCREW TERMINAL F. CONTACTOR RELAYS ACCORDING TO EN 50011 IDENTIFICATION NUMBER 80E, 4NO	R 217.00
3TX4440-2A	100011551	1	V2	AUXILIARY CONTACT BLOCK W. SCREW TERMINAL F. CONTACTOR RELAYS AND ACCORDING TO EN 5000A ACC. TO DIN EN50005, IDENTIFICATION NUMBER 40, 4NO	R 217.00
3TX4490-3A	100011555	1	PD	SURGE SUPPRESSOR SUPPRESSION DIODE DC 12 TO 250V FOR PLUGGING ONTO CONTACTORS WITHOUT/WITH AUXIL.CONT.BLOCKS	R 108.00
3TX4490-3J	100011559	1	PD	SURGE SUPPRESSOR VARISTOR AC 127 TO 240V/DC 150 TO 250V FOR PLUGGING ONTO CONTACTORS WITHOUT/WITH AUX.CONTACT BLOCKS	R 108.00
3TX4490-3R	100011560	1	PD	SURGE SUPPRESSOR RC ELEMENT AC 24 TO 48V/DC 24 TO 70V FOR PLUGGING ONTO CONTACTORS WITHOUT/WITH AUX.CONTACT BLOCKS	R 108.00

3TX6506-3B	100011566	1	V2	TERMINAL COVER, TRANSPARENT F. M 6 THREAD (1 SET = 6 ITEMS)	R 410.00
3TX7002-1AB00	100026125	1	V2	OUTPUT INTERFACE TERMINAL-TYPE COUPLING RELAY 1NO, AC/DC 24V	R 397.00
3TX7002-1AB02	100072036	1	PD	OUTPUT INTERFACE TERMINAL-TYPE COUPLING RELAY 1NO, HARD-GOLD PLATED CONTACTS INPUT AC/DC 24V OUTPUT AC/DC 1 TO 250V	R 422.00
3TX7002-1BB00	100011570	1	V2	OUTPUT COUPLING DEVICE RELAY COUPLER, SCREW-TYPE TERMINALS 1 CHANGEOVER CONTACT, AC/DC 24V	R 488.00
3TX7002-1BF00	100011571	1	V2	OUTPUT INTERFACE TERMINAL-TYPE COUPLING RELAY 1 CHANGEOVER, AC/DC 230V	R 442.00
3TX7002-1CB00	100011572	1	V2	OUTPUT INTERFACE TERMINAL-TYPE COUPLING RELAY 2NO, AC/DC 24V	R 620.00
3TX7002-1FB02	100084017	1	PD	OUTPUT COUPLING DEVICE, RELAY COUPLER IN TERMINAL SHAPE 2 CO CONTACTS, CONTACTS HARD-GOLD PLATED, INPUT 24V AC/DC OUTPUT 1...250V AC/DC	R 514.00
3TX7002-2AB00	100011573	1	V2	INPUT INTERFACE TERMINAL-TYPE COUPLING RELAY 1NO, AC/DC 24V	R 397.00
3TX7002-2AF00	100026126	1	V2	INPUT INTERFACE TERMINAL-TYPE COUPLING RELAY 1NO, AC/DC 230V	R 427.00
3TX7002-3AB01	100011577	1	PD	OUTPUT INTERFACE TERMINAL-TYPE OPTOCOUPLER RELAY 1N0 (TRANSISTOR) INPUT DC 24V OUTPUT AC 24 TO 264V	R 617.00
3TX7002-4AB00	100834717	1	PD	INPUT INTERFACE TERMINAL-TYPE OPTOCOUPLER RELAY 1NO (TRANSISTOR) AC/DC INPUT 24V DC OUTPUT MAX. 30V	R 701.00
3TX7004-1LB00	100011583	1	V2	OUTPUT INTERFACE 1C/O, SCREW TERMINAL 24 V AC/DC HOUSING WIDTH 6.2 MM	R 226.00
3TX7004-1LB02	100130909	1	V2	OUTPUT INTERFACE 1 CO, SCREW CONNECTION AC/DC 24 V, HOUSING WIDTH 6.2 M	R 272.00
3TX7004-1LF00	100072757	1	V2	OUTPUT INTERFACE 1CO, SCREW CONNECTION, AC/DC 230V, HOUSING WIDTH 6.2MM	R 326.00
3TX7004-1MB00	100011584	1	V2	OUTPUT INTERFACE TWO-TIER TERMINAL-TYPE COUPLING RELAY 1N0, DC 24V SCREW TERMINAL WIDTH 6.2MM	R 326.00
3TX7004-2MB02	100011585	1	V2	INPUT INTERFACE TWO-TIER TERMINAL-TYPE COUPLING RELAY 1N0, GOLD-PLATED, AC/DC 24V SCREW TERMINAL WIDTH 6.2MM	R 380.00
3TX7004-2ME02	100130911	1	V2	INPUT INTERFACE TWO-TIER TERMINAL-TYPE COUPLING RELAY 1N0, GOLD-PLATED, AC/DC 110V SCREW TERMINAL WIDTH 6.2MM	R 438.00
3TX7004-3AC03	100897191	1	PD	OUTPUT INTERFACE TWO-TIER TERMINAL-TYPE OPTOCOUPLERS 1N0, TRIAC, AC/DC 24-48V SCREW TERMINAL WIDTH 12.5MM	R 832.00
3TX7004-3AC04	100130914	1	PD	OUTPUT INTERFACE TWO-TIER TERMINAL-TYPE OPTOCOUPLERS 1N0, TRANSISTOR AC/DC 24-48V SCREW TERMINAL WIDTH 12.5MM	R 701.00
3TX7004-3PB74	100667856	1	PD	OUTPUT COUPLING 24 V DC HL - OUTPUT, 3 A, 30 VDC SHORT-CIRC.-PROOF HOUSING WIDTH 6.2 MM	R 591.00
3TX7004-4PG24	100939787	1	V2	INP. COUPL. ELEM. 110 - 230 VAC HL - OUTPUT, 0.1 A, 30 VDC SHORT-CIRCUIT-PROOF HOUSING WIDTH 6.2 MM	R 405.00
3TX7004-8AA00	100784284	1	V2	CONNECTING COMB FOR 3TX7004 INTERFACE WIDTH 6.2MM, BLUE 24 TERMINALS	R 110.00
3TX7005-1LB00	100459887	1	PD	OUTPUT INTERFACE 1C/O, CAGE CLAMP 24 V AC/DC HOUSING WIDTH 6.2 MM START OF DELIVERY OCT. 97	R 231.00
3TX7014-1BB02	101142492	1	PD	INPUT COUPLER WITH PLUG-IN RELAY, 1 CHANGEOVER HARD-GOLDED SCREW TERMINAL 24 V AC/DC HOUSING DIDTH 6.2 MM	R 284.00
3TX7014-1BM00	100980166	1	V2	OUTPUT INTERFACE WITH PLUG-IN RELAY, 1 CHANGEOVER CONTACT SCREW TERMINAL 24 V DC ENCLOSURE WIDTH 6.2 MM	R 204.00
3TX7014-1BM02	100948692	1	PD	INPUT INTERFACE WITH PLUG-IN REL. 1 CH. CON. HARD GOLD-PLAT. SCREW TERMINAL 24 V DC ENCLOSURE WIDTH 6.2 MM	R 252.00
3TX7014-7CE00	101114863	1	PD	POTENTIAL PARTITION	R 30.00
3TX7015-1BB00	101123394	1	PD	OUTPUT COUPLER WITH PLUGGABLE RELAY, 1 CHANGEOVER CONTACT SPRING-LOADED TERMINAL 24 V AC/DC CASING WIDTH 6.2 MM	R 241.00

3TX7402-3A	100011594	1	PD	SURGE SUPPRESSOR SUPPRESSION DIODE WITH WIRE SPACER DC 24 TO 250V F.MOUNTING TO THE COIL TERMINAL FOR CONTACTORS 3TH4	R 116.00
3TX7402-3H	100011597	1	PD	SURGE SUPPRESSOR VARISTOR WITH WIRE SPACER AC 48 TO 127V/DC 70 TO 150V F.MOUNTING TO THE COIL TERMINAL FOR CONTACTOR SIZE 0 TO 2	R 112.00
3TX7402-3J	100011598	1	PD	SURGE SUPPRESSOR VARISTOR WITH LINE SPACER AC 127...240V/DC 150...250V FOR MOUNTING ONTO COIL TERMINAL FOR CONTACTORS SIZE 0...2	R 114.00
3TX7402-3R	100011600	1	PD	SURGE SUPPRESSOR RC ELEMENT WITH WIRE SPACER AC 24 TO 48V/DC 24 TO 70V F.MOUNTING TO THE COIL TERMINAL FOR CONTACTORS SIZE 0 TO 2	R 161.00
3TX7462-3S	100011610	1	PD	SURGE SUPPRESSOR RC ELEMENT FOR SNAPPING ON AC 48 TO 127V FOR CONTACTORS SIZE 3 TO 6	R 224.00
3TX7686-1A	100081271	1	V2	LOCKING DEVICE FOR MECHANICAL INTERLOCK OF 2 CONTACTORS OF IDENTICAL SIZE FOR 3TD68	R 12,763.00
3TY2480-0A	100131116	1	PD	F. 3TC48 CONTACTORS, SIZE 4 MAIN CONTACTS	R 1,126.00
3TY2520-0A	100011728	1	PD	F. 3TC52 CONTACTORS, SIZE 8 MAIN CONTACTS	R 2,739.00
3TY2740-0E	100131121	1	PD	MAIN CONTACTS	R 3,147.00
3TY6440-0A	100011732	1	PD	MAIN CONTACTS F.3TB44 CONTACTOR	R 1,057.00
3TY6460-0A	100011734	1	PD	MAIN CONTACTS F.3TB46 CONTACTOR	R 1,773.00
3TY6470-0A	100131211	1	PD	MAIN CONTACTS F.3TB47	R 1,882.00
3TY6480-0A	100011735	1	V2	MAIN CONTACTS F.3TB48 CONTACTOR	R 2,127.00
3TY6500-0A	100011739	1	V2	MAIN CONTACTS F.3TB50	R 2,020.00
3TY6503-0BF4	101113763	1	PD	COIL F.3TB50 CONTACTOR DC 110V	R 2,864.00
3TY6520-0A	100011744	1	PD	MAIN CONTACTS F.3TB52 CONTACTOR	R 3,573.00
3TY6540-0A	100011747	1	PD	MAIN CONTACTS F.3TB54 CONTACTOR	R 5,500.00
3TY7403-0AB0	100131424	1	PD	COIL FOR CONTACTORS: 3TF30 TO 3TF33, 3TF40 TO 3TF43 3TH3, 3TH4 3TB40 TO 3TB44, 3TC44, 3TH8 AC 24V 50HZ/AC 29V 60HZ REPLACEMENT FOR 3TY48030AB0	R 191.00
3TY7403-0AF0	100011753	1	PD	COIL FOR CONTACTORS: 3TF30 TO 3TF33, 3TF40 TO 3TF43 3TH3, 3TH4 3TB40 TO 3TB44, 3TC44, 3TH8 AC 110V 50HZ/AC 132V 60HZ REPLACEMENT FOR 3TY48030AF0	R 191.00
3TY7403-0AP0	100131443	1	V2	COIL FOR CONTACTORS: 3TF30 TO 3TF33, 3TF40 TO 3TF43 3TH3, 3TH4 3TB40 TO 3TB44, 3TC44, 3TH8 AC 230/220V 50HZ, 276/264V 60HZ REPLACEMENT FOR 3TY48030AP0	R 191.00
3TY7403-0AR0	100131447	1	PD	COIL FOR CONTACTORS: 3TF30 TO 3TF33, 3TF40 TO 3TF43 3TH3, 3TH4 3TB40 TO 3TB44, 3TC44, 3TH8 AC 415V 50HZ/AC 500V 60HZ REPLACEMENT FOR 3TY48030AR0	R 191.00
3TY7403-0AS0	100131450	1	PD	COIL FOR CONTACTORS: 3TF30 TO 3TF33, 3TF40 TO 3TF43 3TH3, 3TH4 3TB40 TO 3TB44, 3TC44, 3TH8 AC 500V 50HZ/AC 600V 60HZ REPLACEMENT FOR 3TY48030AS0	R 191.00
3TY7403-0AU0	100131451	1	PD	COIL FOR CONTACTORS: 3TF30 TO 3TF33, 3TF40 TO 3TF43 3TH3, 3TH4 3TB40 TO 3TB44, 3TC44, 3TH8 AC 240V 50HZ/AC 288V 60HZ REPLACEMENT FOR 3TY48030AU0	R 191.00
3TY7403-0AV0	100611668	1	PD	COIL FOR CONTACTORS: 3TF30 TO 3TF33, 3TF40 TO 3TF43 3TH3, 3TH4 3TB40 TO 3TB44, 3TC44, 3TH8 AC 400/380V 50HZ, 480/460V 60HZ REPLACEMENT FOR 3TY48030AV0	R 191.00
3TY7440-0A	100011759	1	V2	MAIN CONTACTS FOR 3TF44	R 986.00
3TY7443-0AB0	100131453	1	PD	COIL FOR CONTACTORS: 3TF44, 3TF45 AC 24V 50HZ/AC 29V 60HZ	R 359.00
3TY7443-0AF0	100011761	1	V2	COIL FOR CONTACTORS: 3TF44, 3TF45 AC 110V 50HZ/AC 132V 60HZ	R 359.00
3TY7443-0AP0	100131474	1	PD	COIL FOR CONTACTORS: 3TF44, 3TF45 AC 230/220V 50HZ, 276/264V 60HZ	R 359.00
3TY7443-0AU0	100131481	1	PD	COIL FOR CONTACTORS: 3TF44, 3TF45 AC 240V 50HZ/AC 288V 60HZ	R 298.00
3TY7460-0A	100011767	1	V2	MAIN CONTACTS FOR 3TF46	R 1,568.00

3TY7463-0AB0	100131498	1	PD	COIL F.3TF46/47 CONTACTORS AC 24V 50HZ/AC 29V 60HZ	R 430.00
3TY7463-0AF0	100131504	1	PD	COIL F.3TF46/47 CONTACTORS AC 110V 50HZ/AC 132V 60HZ	R 430.00
3TY7463-0AH0	100131507	1	PD	COIL F.3TF46/47 CONTACTORS AC 48V 50HZ/AC 58V 60HZ	R 430.00
3TY7463-0AP0	100011772	1	PD	COIL F.3TF46/47 CONTACTORS AC 230/220V 50HZ, 276/264V 60HZ	R 430.00
3TY7463-0AR0	100131521	1	PD	COIL F.3TF46/47 CONTACTORS AC 415V 50HZ/AC 500V 60HZ	R 359.00
3TY7463-0AU0	100131524	1	PD	COIL F.3TF46/47 CONTACTORS AC 240V 50HZ/AC 288V 60HZ	R 369.00
3TY7463-0AV0	100611671	1	PD	COIL F.3TF46/47 CONTACTORS AC 400/380V 50HZ, 480/460V 60HZ	R 369.00
3TY7470-0A	100011774	1	V2	MAIN CONTACTS FOR 3TF47	R 1,542.00
3TY7480-0A	100011775	1	V2	MAIN CONTACTS FOR 3TF48	R 1,757.00
3TY7483-0AB0	100011779	1	PD	COIL FOR 3TF48/49 AND 3TK48 CONTACTORS AC 24V 50HZ/AC 29V 60HZ	R 812.00
3TY7483-0AF0	100011781	1	PD	COIL FOR 3TF48/49 AND 3TK48 CONTACTORS AC 110V 50HZ/AC 132V 60HZ	R 812.00
3TY7483-0AP0	100084531	1	PD	COIL FOR 3TF48/49 AND 3TK48 CONTACTORS AC 230/220V 50HZ, 276/264V 60HZ	R 812.00
3TY7483-0AR0	100131573	1	PD	COIL FOR 3TF48/49 AND 3TK48 CONTACTORS AC 415V 50HZ/AC 500V 60HZ	R 880.00
3TY7490-0A	100011787	1	V2	MAIN CONTACT FOR 3TF49	R 2,393.00
3TY7500-0A	100011788	1	V2	MAIN CONTACTS FOR 3TF50	R 2,312.00
3TY7503-0AB0	100131589	1	PD	COIL FOR CONTACTORS 3TF50/51 AND 3TK50 AC 24V 50HZ/AC 29V 60HZ	R 763.00
3TY7503-0AF0	100011791	1	PD	COIL FOR CONTACTORS 3TF50/51 AND 3TK50 AC 110V 50HZ/AC 132V 60HZ	R 763.00
3TY7503-0AR0	100011797	1	PD	COIL FOR CONTACTORS 3TF50/51 AND 3TK50 AC 415V 50HZ/AC 500V 60HZ	R 763.00
3TY7503-0AU0	100131615	1	PD	COIL FOR CONTACTORS 3TF50/51 AND 3TK50 AC 240V 50HZ/AC 288V 60HZ	R 763.00
3TY7510-0A	100011800	1	V2	MAIN CONTACTS FOR 3TF51	R 3,070.00
3TY7520-0A	100011801	1	V2	MAIN CONTACTS FOR 3TF52	R 3,799.00
3TY7520-0B	100011802	1	PD	MAIN CONTACTS FOR 3TK52	R 3,799.00
3TY7523-0AB0	102361516	1	PD	COIL FOR CONTACTORS 3TF52/53 AND 3TK52 AC 24V 50HZ/29V 60HZ	R 910.00
3TY7523-0AF0	100131630	1	PD	COIL FOR CONTACTORS 3TF52/53 AND 3TK52 AC 110V 50HZ/AC 132V 60HZ	R 910.00
3TY7523-0AP0	100011806	1	V2	COIL FOR CONTACTORS 3TF52/53 AND 3TK52 AC 230/220V 50HZ, 276/264V 60HZ	R 910.00
3TY7523-0AU0	100131649	1	PD	COIL FOR CONTACTORS 3TF52/53 AND 3TK52 AC 240V 50HZ/AC 288V 60HZ	R 910.00
3TY7530-0A	100011808	1	V2	MAIN CONTACTS FOR 3TF53	R 5,258.00
3TY7540-0A	100011809	1	V2	MAIN CONTACTS FOR 3TF54	R 6,269.00
3TY7540-0B	100086988	1	V2	MAIN CONTACTS FOR 3TK54	R 5,851.00
3TY7542-0A	100011810	1	PD	ARC CHUTE FOR 3TF54	R 2,224.00
3TY7543-0AF0	100131664	1	PD	COIL FOR CONTACTORS 3TF54/55 AND 3TK54 AC 110V 50HZ/AC 132V 60HZ	R 1,260.00
3TY7543-0AS0	101354406	1	PD	COIL FOR CONTACTORS 3TF54/55 AND 3TK54 AC 500V 50HZ/AC 600V 60HZ	R 1,260.00
3TY7543-0AU0	100131680	1	PD	COIL FOR CONTACTORS 3TF54/55 AND 3TK54 AC 240V 50HZ/AC 288V 60HZ	R 1,260.00
3TY7543-0AV0	100131682	1	PD	COIL FOR CONTACTORS 3TF54/55 AND 3TK54 AC 400/380V 50HZ, 480/460V 60HZ	R 1,260.00
3TY7550-0A	100011815	1	V2	MAIN CONTACTS FOR 3TF55	R 7,772.00
3TY7560-0A	100011817	1	V2	MAIN CONTACTS FOR 3TF56	R 8,768.00
3TY7561-1AA00	100469281	1	V2	AUXILIARY CONTACT BLOCK FOR SIZE 2 TO 14	R 220.00
3TY7561-1KA00	100445027	1	PD	AUXILIARY CONTACT BLOCK FOR SIZE 3 TO 12	R 220.00
3TY7561-1UA00	100167249	1	PD	AUX.SWITCHBLOCK ELECTRONICS COMPATIBLE, FOR 3TF44-69, 3TK4/5, 3TC4/5 FOR LEFT/RIGHT CONNECTION (REPLACES 3TY7561-1U/-1V)	R 494.00
3TY7563-0AB0	104087325	1	PD	MAGNET COIL FOR CONTACTORS 3TF56 AND 3TK56 24 V AC 50 HZ/29 V AC 60 HZ	R 1,661.00
3TY7563-0AP0	100415371	1	PD	COIL FOR CONTACTORS 3TF56 AND 3TK56 AC 230/220V 50HZ, 276/264V 60HZ	R 1,574.00
3TY7563-0AR0	100011825	1	PD	COIL FOR CONTACTORS 3TF56 AND 3TK56 AC 415V 50HZ/AC 500V 60HZ	R 1,574.00

3TY7563-0AS0	101354411	1	PD	COIL FOR CONTACTORS 3TF56 AND 3TK56 AC 500V 50HZ/AC 600V 60HZ	R 1,574.00
3TY7563-0AU0	100131717	1	PD	COIL FOR CONTACTORS 3TF56 AND 3TK56 AC 240V 50HZ/AC 288V 60HZ	R 1,574.00
3TY7570-0A	100011826	1	V2	MAIN CONTACT FOR 3TF57	R 10,401.00
3TY7681-1G	100131745	1	PD	VACUUM INTERRUPTER FOR COIL CONNECTION	R 344.00
3TY7683-0CM7	100011830	1	V2	COIL FOR 3TF68 CONTACTOR AC 200 TO 240V 50/60HZ	R 5,304.00
3TY7683-0CQ7	100011831	1	PD	COIL FOR 3TF68 CONTACTOR AC 380 TO 460V 50/60HZ	R 5,304.00
3TY7685-0CM7	100783965	1	PD	SOLENOID OPER. MECHANISM W. COIL FOR 3TF6844- .CM7 FROM MANUF. DATE '93/46.KW AC OPERATION AC 200...240V 50/60HZ	R 16,226.00
3TY7693-0CF7	100131782	1	PD	COIL FOR 3TF69 CONTACTORS AC 110 TO 132V 50/60HZ	R 9,338.00
3TY7693-0CM7	100131783	1	PD	COIL FOR 3TF69 CONTACTORS AC 200 TO 240V 50/60HZ	R 9,338.00
3UA5040-0G	100639521	1	PD	OVERLOAD RELAY 0.4 - 0.63A	R 324.00
3UA5040-0J	100441741	1	V2	OVERLOAD RELAY 0.63 - 1A	R 324.00
3UA5040-0K	100419442	1	PD	OVERLOAD RELAY 0.8 - 1.25A	R 324.00
3UA5040-1A	100222474	1	PD	OVERLOAD RELAY 1 - 1.6A	R 324.00
3UA5040-1C	100224970	1	V2	OVERLOAD RELAY 1.6 - 2.5A	R 324.00
3UA5040-1E	100222574	1	V2	OVERLOAD RELAY 2.5 - 4A	R 324.00
3UA5040-1F	100454956	1	PD	OVERLOAD RELAY 3.2 - 5A	R 324.00
3UA5040-1G	100222575	1	PD	OVERLOAD RELAY 4 - 6.3A	R 324.00
3UA5040-1H	100228563	1	PD	OVERLOAD RELAY 5 - 8A	R 324.00
3UA5040-1J	100424754	1	V2	OVERLOAD RELAY 6.3 - 10A	R 324.00
3UA5040-1K	100236198	1	PD	OVERLOAD RELAY 8 - 12.5A	R 324.00
3UA5040-2S	100222475	1	PD	OVERLOAD RELAY 10 - 14.5A	R 324.00
3UA5240-1A	102198887	1	PD	OVERLOAD RELAY 0.1 - 0.16A	R 324.00
3UA5240-1C	100026219	1	PD	OVERLOAD RELAY 1.6 - 2.5A	R 324.00
3UA5240-1E	102198888	1	V2	OVERLOAD RELAY 2.5 - 4A	R 324.00
3UA5240-1G	100026223	1	PD	OVERLOAD RELAY 4 - 6.3A	R 324.00
3UA5240-1H	100489504	1	PD	OVERLOAD RELAY 5 - 8A	R 324.00
3UA5240-1J	102198882	1	V2	OVERLOAD RELAY 6.3 - 10A	R 324.00
3UA5240-2A	102052889	1	V2	OVERLOAD RELAY 10 - 16A	R 324.00
3UA5240-2C	100222570	1	V2	OVERLOAD RELAY 16 - 25A	R 324.00
3UA5440-2Q	100489508	1	PD	OVERLOAD RELAY 25 - 36A	R 521.00
3UA5540-1J	100639524	1	PD	OVERLOAD RELAY 6.3 - 10A	R 371.00
3UA5540-1K	102355881	1	PD	OVERLOAD RELAY 8 - 12.5A	R 371.00
3UA5540-2B	100469567	1	V2	OVERLOAD RELAY 12.5 - 20A	R 371.00
3UA5540-2B	102198883	1	V2	OVERLOAD RELAY 12.5 - 20A	R 371.00
3UA5540-2D	100234051	1	V2	OVERLOAD RELAY 20 - 32A	R 521.00
3UA5540-2Q	100368877	1	PD	OVERLOAD RELAY 25 - 36A	R 521.00
3UA5540-8M	100026250	1	V2	OVERLOAD RELAY 36 - 45A	R 588.00
3UA5840-2C	100026252	1	V2	OVERLOAD RELAY 16 - 25A	R 572.00
3UA5840-2C	102198885	1	V2	OVERLOAD RELAY 16 - 25A	R 572.00
3UA5840-2D	100639530	1	PD	OVERLOAD RELAY 20 - 32A	R 572.00
3UA5840-2E	100222561	1	PD	OVERLOAD RELAY 25 - 40A	R 572.00
3UA5840-2F	100234657	1	V2	OVERLOAD RELAY 32 - 50A	R 716.00
3UA5840-2P	100424758	1	PD	OVERLOAD RELAY 50 - 63A	R 716.00
3UA5840-2T	100222573	1	V2	OVERLOAD RELAY 40 - 57A	R 716.00
3UA5840-2V	100424759	1	V2	OVERLOAD RELAY 57 - 70A	R 716.00
3UA5940-1E	100489513	1	PD	OVERLOAD RELAY 2.5 - 4A	R 413.00
3UA5940-1J	100639536	1	PD	OVERLOAD RELAY 6.3 - 10A	R 413.00
3UA5940-2A	100489515	1	PD	OVERLOAD RELAY 10 - 16A	R 413.00
3UA5940-2B	100489516	1	PD	OVERLOAD RELAY 12.5 - 20A	R 413.00
3UA5940-2C	100413606	1	PD	OVERLOAD RELAY 16 - 25A	R 413.00
3UA5940-2D	100232938	1	PD	OVERLOAD RELAY 20 - 32A	R 635.00
3UA5940-2M	100925257	1	PD	OVERLOAD RELAY 32 - 45A	R 701.00
3UA6001-2W	100011916	1	PD	OVERLOAD RELAY FOR MOUNTING ONTO CONT.S/STARTERS 63...90A, 1NO+1NC 3TB50/52 ONLY FOR INDIVID. MOUNTING	R 2,877.00
3UA6040-2W	100424761	1	PD	OVERLOAD RELAY 63 - 90A	R 999.00
3UA6240-2H	100627580	1	PD	OVERLOAD RELAY 55 - 80A	R 1,337.00
3UA6240-3K	100925260	1	PD	OVERLOAD RELAY 120 - 150A	R 1,337.00

3UA6640-3B	100638713	1	PD	OVERLOAD RELAY 125 - 200A	R 1,378.00
3UA6640-3D	100489521	1	PD	OVERLOAD RELAY 200 - 320A	R 2,682.00
3UA6640-3E	100424770	1	PD	OVERLOAD RELAY 250 - 400A	R 2,682.00
3UF1852-3BA00	100410377	1	PD	CURRENT TRANSFORMER, 3-PHASE FOR MOUNTING ONTO CONTACTOR AND INSTALLING AS A SINGLE UNIT 200A / 1A, 0.1VA	R 5,881.00
3UF1868-3GA00	101076079	1	PD	CURRENT TRANSFORMER, 3-PHASE FOR MOUNTING ONTO CONTACTOR AND INSTALLING AS A SINGLE UNIT 820A / 1A, 0.1VA	R 11,223.00
3UF1900-1EA00	100011957	1	V2	CONNECTION CABLE TO 3UF12 OPERATOR PANEL 9-POLE, 1M LONG SCREENED PLUGS	R 1,049.00
3UF1900-1KA00	100131953	1	PD	BUS TERMINATION MODULE FOR SINEC L2-RS 485 AND PROFIBUS RS 485 FOR BUS TERMINATION AFTER THE LAST DEVICE OF THE BUS LINE AC 24V, AC 110/115/120V, AC 220/230/240V, AC 380/400/415V	R 2,057.00
3UF1900-1MA00	101537328	1	PD	CONNECTION TO EXPANSION BLOCK 3UF51 OR TO CONTROL BLOCK 3UF52 9-POLE, 0.5 M LONG SHIELDED CONNECTOR ANGLED AT 45 DEG.	R 561.00
3UF1900-1NA00	101354484	1	PD	CONNECTION TO EXPANSION BLOCK 3UF51 OR TO CONTROL BLOCK 3UF52 9-POLE, 2 M LONG SHIELDED CONNECTOR ANGLED AT 45 DEG.	R 744.00
3UF5001-3AJ00-1	100011958	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 1.25-6.3A, WIDTH 70MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5001-3AN00-1	100082609	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 1.25-6.3A, WIDTH 70MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5001-3BJ00-1	100625914	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 1.25-6.3A, WIDTH 70MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5001-3BN00-1	100131961	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 1.25-6.3A, WIDTH 70MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5011-3AJ00-1	100011960	1	V2	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 6.3A - 25A, WIDTH 70MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 15,817.00

3UF5011-3AN00-1	100131965	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 6.3A - 25A, WIDTH 70MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5011-3BJ00-1	100783967	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 6.3A - 25A, WIDTH 70MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5011-3BN00-1	100843621	1	V2	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 6.3A - 25A, WIDTH 70MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5021-3AJ00-1	100011961	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 25 - 100A, WIDTH 70MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5021-3AN00-1	100131976	1	V2	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 25 - 100A, WIDTH 70MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5021-3BJ00-1	100783968	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 25 - 100A, WIDTH 70MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5021-3BN00-1	100131982	1	V2	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 25 - 100A, WIDTH 70MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 15,817.00
3UF5031-3AB00-1	100857955	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: DC 24V 50 - 205A, WIDTH 120MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 22,379.00

3UF5031-3AJ00-1	100079025	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 50 - 205A, WIDTH 120MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 19,990.00
3UF5031-3AN00-1	100131987	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 50 - 205A, WIDTH 120MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 19,990.00
3UF5031-3BJ00-1	100783969	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 50 - 205A, WIDTH 120MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 19,990.00
3UF5031-3BN00-1	100784712	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 50 - 205A, WIDTH 120MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 19,990.00
3UF5031-3BN00-1	104259650	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 50 - 205A, WIDTH 120MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 19,990.00
3UF5041-3AJ00-1	101084062	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 125 - 500A, WIDTH 145MM, INPUT THERMISTOR MOTOR PROTECTION OUTPUTS MONOSTABLE	R 21,637.00
3UF5041-3AN00-1	100131999	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 125 - 500A, WIDTH 145MM, INPUT THERMISTOR MOTOR PROTECTION F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 21,637.00
3UF5041-3BJ00-1	100783960	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 125 - 500A, WIDTH 145MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 21,637.00

3UF5041-3BN00-1	100668013	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 230V, 50/60HZ 125 - 500A, WIDTH 145MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 21,637.00
3UF5051-3BJ00-1	101111215	1	PD	SIMOCODE-DP BASIC UNIT PROFIBUS-DP INTERFACE 1.5 MBAUD, RS485 4I/4O FREELY PARAMETERIZABLE US: AC 115V, 50/60HZ 200 - 820A, WIDTH 230MM, INPUT SUMMATION CURRENT TRANSFORMER F. EARTH-FAULT DETECTION OUTPUTS MONOSTABLE	R 21,637.00
3UF5100-0AJ00	100011962	1	PD	EXTENSION MODULE 8 INPUTS AND 4 OUTPUTS INPUT VOLTAGE 115V AC MONOSTABLE OUTPUTS ACTIVE WITH MONOSTABLE BASIC UNIT BISTABLE OUTPUTS ACTIVE WITH BISTABLE BASIC UNIT WITH BISTABLE BASIC UNIT	R 9,391.00
3UF5100-0AN00	100132019	1	PD	EXTENSION MODULE 8 INPUTS AND 4 OUTPUTS INPUT VOLTAGE 230V AC MONOSTABLE OUTPUTS ACTIVE WITH BISTABLE BASIC UNIT WITH MONOSTABLE BASIC UNIT BISTABLE OUTPUTS ACTIVE WITH BISTABLE BASIC UNIT	R 9,391.00
3UF5202-1AA00-1	100011963	1	PD	CONNECTION MODULE F. SIMOCODE F. MOUNTING IN CONTROL CABINET CAN BE PLUGGED ONTO 3UF50 8 LEDS FOR STATUS DISPLAY AND KEYS FOR MANUAL CONTROL AND BUTTONS F. MANUAL CONTROL	R 5,546.00
3UF7000-1AB00-0	100856096	1	V2	BASIC UNIT 1 SIMOCODE PRO C; PROFIBUS DP- INTERFACE 12 MBIT/S, RS485; 4I/3O FREELY PARAMETERIZABLE; US: DC 24V; THERMISTOR MOTOR PROTECTION; OUTPUTS MONOSTABLE	R 6,767.00
3UF7000-1AU00-0	100880321	1	V2	BASIC UNIT 1 SIMOCODE PRO C; PROFIBUS DP- INTERFACE 12 MBIT/S, RS485; 4I/3O FREELY PARAMETERIZABLE; US: AC/DC 110-240V; THERMISTOR MOTOR PROTECTION; OUTPUTS MONOSTABLE	R 5,590.00
3UF7010-1AB00-0	100856075	1	V2	BASIC UNIT 2 SIMOCODE PRO V; PROFIBUS DP INTERFACE 12 MBIT/S, RS485; 4I/3O FREELY PARAMETERIZABLE; US: DC 24V; THERMISTOR MOTOR PROTECTION; RELAY OUTPUTS MONOSTABLE; EXPANDABLE BY EXPANSION MODULES	R 8,569.00
3UF7010-1AU00-0	100862029	1	V2	BASIC UNIT 2 SIMOCODE PRO V; PROFIBUS DP INTERFACE 12 MBIT/S, RS485; 4I/3O FREELY PARAMETERIZABLE; US: AC/DC 110-240V; INPUT F. THERMISTOR MOTOR PROTECTION; RELAY OUTPUTS MONOSTABLE; EXPANDABLE BY EXPANSION MODULES	R 7,549.00
3UF7011-1AB00-0	-	1	PD	BASIC UNIT 3 SIMOCODE PRO V; ETHERNET / PROFINET IO; OPC UA SERVER / WEB SERVER; TRANSMISSION RATE 100MBIT/S; 2 X BUS CONNECTION VIA RJ45 4E/3A FREELY PARAMETERIZABLE; US: DC 24V; INPUT F. THERMISTOR CONNECTION; MONOSTABLE RELAY OUTPUTS; EXPANDABLE WITH EXPANSION MODULE	R 9,382.00

3UF7011-1AU00-0	-	1	PD	BASIC UNIT 3 SIMOCODE PRO PN; ETHERNET / PROFINET IO; OPC UA SERVER / WEB SERVER; TRANSMISSION RATE 100MBIT/S; 2 X BUS CONNECTION VIA RJ45 4E/3A FREELY PARAMETERIZABLE; US: AC/DC 110-24V; INPUT F. THERMISTOR CONNECTION; MONOSTABLE RELAY OUTPUTS; EXPANDABLE WITH EXPANSION MODULE	R 8,269.00
3UF7100-1AA00-0	100856085	1	V2	CURRENT MEASURING MODULE; SET CURRENT 0,3...3A; OVERALL WIDTH 45MM; STRAIGHT-THROUGH CT	R 1,575.00
3UF7101-1AA00-0	100861245	1	V2	CURRENT MEASURING MODULE; SET CURRENT 2,4...25A; OVERALL WIDTH 45MM; STRAIGHT-THROUGH CT	R 1,662.00
3UF7102-1AA00-0	100861248	1	V2	CURRENT MEASURING MODULE; SET CURRENT 10...100A; OVERALL WIDTH 55MM; STRAIGHT-THROUGH CT	R 1,822.00
3UF7103-1AA00-0	100861249	1	V2	CURRENT MEASURING MODULE; SET CURRENT 20...200A; OVERALL WIDTH 120MM; STRAIGHT-THROUGH CT	R 3,513.00
3UF7103-1BA00-0	100880334	1	V2	CURRENT MEASURING MODULE; SET CURRENT 20...200A; OVERALL WIDTH 120MM; BUS BAR CONNECTION	R 3,513.00
3UF7104-1BA00-0	100861250	1	V2	CURRENT MEASURING MODULE; SET CURRENT 63...630A; OVERALL WIDTH 145MM; BUS BAR CONNECTION	R 4,058.00
3UF7110-1AA00-0	100856086	1	V2	CURRENT/VOLTAGE MEASUR. MODULE; SET CURRENT 0,3...3A; VOLTAGE DETECTION UP TO 690V; OVERALL WIDTH 45MM; STRAIGHT-THROUGH CT	R 3,218.00
3UF7111-1AA00-0	100880338	1	V2	CURRENT/VOLTAGE MEASUR. MODULE; SET CURRENT 2,4...25A; VOLTAGE DETECTION UP TO 690V; OVERALL WIDTH 45MM; STRAIGHT-THROUGH CT	R 3,264.00
3UF7112-1AA00-0	100879690	1	V2	CURRENT/VOLTAGE MEASUR. MODULE; SET CURRENT 10...100A; VOLTAGE DETECTION UP TO 690V; OVERALL WIDTH 55MM; STRAIGHT-THROUGH CT	R 3,331.00
3UF7113-1AA00-0	100880344	1	V2	CURRENT/VOLTAGE MEASUR. MODULE; SET CURRENT 20...200A; VOLTAGE DETECTION UP TO 690V; OVERALL WIDTH 120MM; STRAIGHT-THROUGH CT	R 5,078.00
3UF7113-1BA00-0	100880346	1	V2	CURRENT/VOLTAGE MEASUR. MODULE; SET CURRENT 20...200A; VOLTAGE DETECTION UP TO 690V; OVERALL WIDTH 120MM; BUS BAR CONNECTION	R 5,078.00
3UF7114-1BA00-0	100879688	1	V2	CURRENT/VOLTAGE MEASUR. MODULE; SET CURRENT 63...630A; VOLTAGE DETECTION UP TO 690V; OVERALL WIDTH 145MM; BUS BAR CONNECTION	R 5,621.00
3UF7200-1AA00-0	100856095	1	V2	OPERATOR PANEL; INSTALLATION INTO CONTROL CABINET DOOR OR FRONT PLATE; CAN BE PLUGGED ONTO THE BASIC UNIT OR EXPANSION MODULE; 10 LEDS FOR STATUS DISPLAY AND 5 USER-ASSIGNABLE KEYS FOR MANUAL CONTROL	R 3,151.00
3UF7210-1AA00-0	101575063	1	V2	OPERATOR PANEL WITH DISPLAY; FOR SIMOCODE PRO V; INSTALLED IN CONTROL CABINET DOOR OR FRONT PLATE; CAN BE PLUGGED ONTO BASIC UNIT 2 OR EXPANSION MODULE; 7 LEDS FOR STATUS DISPLAY AND 4 USER-ASSIGNABLE KEYS FOR MANUAL CONTROL	R 5,214.00
3UF7300-1AB00-0	100861252	1	V2	DIGITAL MODULE; 4 INPUTS AND 2 RELAY OUTPUTS; INPUT VOLTAGE DC 24V; MONOSTABLE RELAY OUTPUTS; MAXIMUM 2 DIGITAL MODULES PER BASIC UNIT 2	R 2,425.00
3UF7300-1AU00-0	100888671	1	V2	DIGITAL MODULE; 4 INPUTS AND 2 RELAY OUTPUTS; INPUT VOLTAGE AC/DC 110-240V MONOSTABLE RELAY OUTPUTS; MAXIMUM 2 DIGITAL MODULES PER BASIC UNIT 2	R 2,425.00

3UF7310-1AU00-0	100856078	1	V2	DIGITAL MODULE; 4 INPUTS AND 2 RELAY OUTPUTS; INPUT VOLTAGE AC/DC 110-240V; BISTABLE RELAY OUTPUTS; MAXIMUM 2 DIGITAL MODULES PER BASIC UNIT 2	R 2,834.00
3UF7330-1AU00-0	103778242	1	PD	FAIL-SAFE DIGITAL MODULE DM-F PROFISAFE; FOR FAIL-SAFE SWITCH-OFF VIA BUS / PROFISAFE; UV: 110..240 V AC/DC, 2 RELAY ENABLING CIRCUITS; 2 RELAY OUTPUTS; 3 INPUTS; MAX. ERR. SIL (IEC 61508): 3; MAX. ERR. PL (ISO 13849-1): E;	R 6,494.00
3UF7400-1AA00-0	100856079	1	V2	ANALOG MODULE; 2 INPUTS AND 1 OUTPUT FOR ANALOG SIGNALS 0/4...20MA; MAXIMAL 1 ANALOG MODULE PER BASE UNIT 2	R 4,035.00
3UF7500-1AA00-0	100856080	1	V2	EARTH FAULT MODULE; 1 INPUT TO CONNECT A SUMMATION CURR. TRANSF. 3UL22 ;MAX. 1 EARTH FAULT MODULE PER BASE UNIT 2	R 1,559.00
3UF7700-1AA00-0	100856082	1	V2	TEMPERATURE MODULE; 3 INPUTS TO CONNECT UP TO 3 TEMPERATURE SENSORS; MAX. 1 TEMPERATURE MODULE PER BASE UNIT 2	R 3,401.00
3UF7900-0AA00-0	100856088	1	V2	MEMORY MODULE, FOR PARAMETERIZING OF SIMOCODE PRO W/O PC/PG	R 456.00
3UF7910-0AA00-0	100856089	1	V2	ADDRESSING PLUG, FOR ASSIGNING THE PROFIBUS ADDRESS TO A BASIC UNIT W/O PC/PG TO SIMOCODE PRO W/O PC/PG	R 916.00
3UF7920-0AA00-0	100856090	1	V2	DOOR ADAPTER FOR MOUNTING IN CUBICLE DOOR; MAKES THE SYSTEM INTERFACE EASILY ACCESSABLE AT THE CUBICLE DOOR	R 321.00
3UF7925-0AA00-0	101692275	100	PD	LABELING STRIP, FOR OPERATOR PANEL 3UF720, FOR LABELING THE BUTTONS	R 546.00
3UF7930-0AA00-0	100856091	1	V2	CONNECTION CABLE; LENGTH 0,025M; FLAT; CONNECTION OF BASIC UNIT TO EXPANSION MODULES VIA SYSTEM INTERFACE	R 163.00
3UF7931-0AA00-0	100856099	1	V2	CONNECTION CABLE; LENGTH 0,1M; FLAT; CONNECTION OF BASIC UNIT TO CURRENT MEASURING MODULE, CURRENT/VOLTAGE MEASUR. MODULE, OPERATOR PANEL OR TO EXPANSION MODULES VIA SYSTEM INTERFACE	R 163.00
3UF7932-0AA00-0	100856093	1	V2	CONNECTION CABLE; LENGTH 0,5M; FLAT; CONNECTION OF BASIC UNIT TO CURRENT MEASURING MODULE, CURRENT/VOLTAGE MEASUR. MODULE, OPERATOR PANEL OR TO EXPANSION MODULES VIA SYSTEM INTERFACE	R 250.00
3UF7933-0BA00-0	101049309	1	V2	CONNECTION CABLE; LENGTH 2,5M; ROUND; CONNECTION OF BASIC UNIT TO CURRENT MEASURING MODULE, CURRENT/VOLTAGE MEASUR. MODULE, OPERATOR PANEL OR TO EXPANSION MODULES VIA SYSTEM INTERFACE	R 591.00
3UF7935-0AA00-0	101140206	1	V2	CONNECTION CABLE; LENGTH 0,3M; FLAT; CONNECTION OF BASIC UNIT TO CURRENT MEASURING MODULE, CURRENT/VOLTAGE MEASUR. MODULE, OPERATOR PANEL OR TO EXPANSION MODULES VIA SYSTEM INTERFACE	R 212.00
3UF7937-0BA00-0	101048301	1	V2	CONNECTION CABLE; LENGTH 1,0M; ROUND; CONNECTION OF BASIC UNIT TO CURRENT MEASURING MODULE, CURRENT/VOLTAGE MEASUR. MODULE, OPERATOR PANEL OR TO EXPANSION MODULES VIA SYSTEM INTERFACE	R 536.00
3UF7940-0AA00-0	100856094	1	V2	PC CABLE, FOR PC/PG COMMUNICATION WITH SIMOCODE PRO OR SIRIUS 3RW44 SOFT STARTER OR MODULAR SAFETY SYSTEM 3RK3 VIA THE SYSTEM INTERFACE	R 1,042.00
3UF7941-0AA00-0	105371457	1	V2	PC CABLE, FOR PC/PG COMMUNICATION WITH SIMOCODE PRO OR SIRIUS 3RW44 SOFT STARTER OR MODULAR SAFETY SYSTEM 3RK3 VIA THE SYSTEM INTERFACE	R 1,713.00
3UF7946-0AA00-0	102058597	1	V2	USB-TO-SERIAL ADAPTER, FOR CONNECTING A RS232 PC-CABLE TO THE USB INTERFACE OF A PC RECOMMENDED FOR USAGE IN CONNECTION WITH 3UF5 / 3UF7 OR MSS 3RK3 OR 3RW44 OR MOTOR STARTER ET 200S / ECOFAST / ET 200PRO OR AS-I SAFETY MONITOR, AS-I ANALYSER	R 909.00

3UF7970-0AA00-0	100856101	1	PD	SYSTEM MANUAL FOR SIRIUS MOTOR MANAGEMENT SIMOCODE PRO (ENGLISH) NOMINAL CHARGE	R 321.00
3UF7982-0AA10-0	101745762	1	PD	PCS 7 BLOCK LIBRARY, SIMOCODE PRO V7.0; AS BLOCKS AND FACEPLATES FOR INTEGRATION OF SIMOCODE PRO IN PCS 7 PROCESS CONTROL SYST. FOR THE PCS 7 VERSION V7.0; ENGINEERING SOFTWARE FOR AN ENGINEERING STATION (SINGLE LICENSE) INCL. RUNTIME SOFTWARE FOR EXECUTING THE AS BLOCK IN AN AUTOMATION SYSTEM (SINGLE LICENSE); GERMAN/ENGLISH/FRENCH; SUPPLIED ON CD	R 20,420.00
3UG4501-1AW30	101576935	1	V2	ANALOG MONITORING RELAY FILL LEVEL MONITORING RESISTANCE MONITORING FROM 2 TO 200 KOHM OVERSHOOT AND UNDERSHOOT AC/DC 24 TO 240V DC AND AC 50 TO 60 HZ 2-POINT OR 1-POINT CONTROL TRIPPING DELAYED 0.5 TO 10S 1 CHANGEOVER CONTACT SCREW TERMINAL REPLACEMENT PRODUCT F. 3UG3501	R 1,069.00
3UG4511-1AP20	101089806	1	V2	ANALOG MONITORING RELAY PHASE SEQUENCE MONITORING 3X 360 TO 520V AC 50 TO 60 HZ 1 CHANGEOVER CONTACT SCREW TERMINAL REPLACEMENT PRODUCT FOR 3UG3511-1AQ50	R 945.00
3UG4511-1AQ20	101126316	1	PD	ANALOG MONITORING RELAY PHASE SEQUENCE MONITORING 3X 420 TO 690V AC 50 TO 60 HZ 1 CHANGEOVER CONTACT SCREW TERMINAL	R 945.00
3UG4511-1BQ20	101126317	1	V2	ANALOG MONITORING RELAY PHASE SEQUENCE MONITORING 3X 420 TO 690V AC 50 TO 60 HZ 2 CHANGEOVER CONTACTS SCREW TERMINAL	R 1,085.00
3UG4512-1AR20	101086339	1	V2	ANALOG MONITORING RELAY PHASE FAILURE AND - SEQUENCE 3X 160 TO 690V AC 50 TO 60 HZ 1 CHANGEOVER CONTACT SCREW TERMINAL	R 1,042.00
3UG4512-1BR20	101086271	1	V2	ANALOG MONITORING RELAY PHASE FAILURE AND - SEQUENCE 3X 160 TO 690V AC 50 TO 60 HZ 2 CHANGEOVER CONTACTS SCREW TERMINAL REPLACEMENT PRODUCT FOR 3UG3513-1BL50 OR 3UG3513-1PB50	R 1,208.00
3UG4512-2BR20	101473031	1	PD	ANALOG MONITORING RELAY PHASE FAILURE AND - SEQUENCE 3X 160 TO 690V AC 50 TO 60 HZ 2 CHANGEOVER CONTACTS SPRING LOADED CONNECTION	R 1,280.00
3UG4513-1BR20	100851329	1	V2	ANALOG MONITORING RELAY PHASE FAILURE AND - SEQUENCE ADJUSTABLE UNDERVOLTAGE UNBALANCE 20% FIXED 3X 160 TO 690V AC 50 TO 60 HZ HYSTERESIS 5% FIXED DELAY TIME 0-20S 2 CHANGEOVER CONTACTS SCREW TERMINAL REPLACEMENT PRODUCT FOR 3UG3013-1B...	R 1,375.00
3UG4513-2BR20	101692635	1	PD	ANALOG MONITORING RELAY PHASE FAILURE AND - SEQUENCE ADJUSTABLE UNDERVOLTAGE UNBALANCE 20% FIXED 3X 160 TO 690V AC 50 TO 60 HZ HYSTERESIS 5% FIXED DELAY TIME 0-20S 2 CHANGEOVER CONTACTS SPRING LOADED CONNECTION	R 1,447.00
3UG4614-1BR20	101126318	1	PD	DIGITAL MONITORING RELAY UNBALANCE 0-20% REVERSIBLE PHASE SEQUENCE PHASE FAILURE 3X 160 TO 690V AC 50 TO 60 HZ UNDERVOLTAGE 160-690V HYSTERESIS 1-20V ON AND OFF DELAY 0-20S 2 CHANGEOVER CONTACTS SCREW TERMINAL REPLACEMENT PRODUCT FOR 3UG3012-1A...	R 1,555.00
3UG4615-1CR20	100929942	1	V2	DIGITAL MONITORING RELAY FOR THREE-PHASE LINE VOLTAGE REVERSIBLE PHASE SEQUENCE PHASE FAILURE 3X 160 TO 690V AC 50 TO 60 HZ UNDERVOLT. AND OVERVOLT. 160-690V HYSTERESIS 1-20V 0-20S EACH FOR UMIN AND UMAX 1 W FOR UMIN 1W FOR UMAX SCREW TERMINAL REPLACEMENT PRODUCT F. 3UG3041-1BP50	R 2,009.00

3UG4617-1CR20	101126319	1	V2	DIGITAL MONITORING RELAY FOR THREE-PHASE LINE VOLTAGE AUT. CORRECTION OF PHASE SEQUENCE PHASE FAILURE 3X 160 TO 690V AC 50 TO 60 HZ UNDERVOLT. AND OVERVOLT. 160-690V HYSTERESIS 1-20V OFF DELAY 0-20S 1 W FOR POWER SYSTEM FAULTS 1W FOR PHASE CORRECTION SCREW TERMINAL	R 2,308.00
3UG4621-1AA30	101126328	1	PD	DIGITAL MONITORING RELAY CURRENT MONITORING, 22.5MM FROM 2 TO 500MA AC/DC OVERSHOOT AND UNDERSHOOT SUPPLY VOLTAGE: AC/DC 24V DC AND AC 50 TO 60 HZ NO GALVANIC ISOLATION FROM MEASURING CIRCUIT STARTUP AND INTERF. PEAK DELAY 0.1 TO 20S HYSTERESIS 0.1 TO 250MA 1 CO CONTACT W. OR W/O ERROR LOG SCREW TERMINAL REPLACEMENT PRODUCT FOR 3UG3521-1AC..	R 1,447.00
3UG4621-1AW30	101126331	1	PD	DIGITAL MONITORING RELAY CURRENT MONITORING, 22.5MM FROM 2 TO 500MA AC/DC OVERSHOOT A. UNDERSHOOT AC/DC 24 TO 240V DC AND AC 50 TO 60 HZ ON AND SPIKE DELAY 0.1 TO 20S HYSTERESIS 0.1 TO 250MA 1 CO CONTACT W. OR W/O ERROR MEMORY SCREW CONNECTION REPLACEMENT PRODUCT FOR 3UG3521-1AL20, 3UG3521-1AG20 AND 3UG3521-1AC48-0AA1	R 1,579.00
3UG4622-1AA30	101056193	1	V2	DIGITAL MONITORING RELAY CURRENT MONITORING, 22.5MM FROM 0.05 TO 10A AC/DC OVERSHOOT AND UNDERSHOOT SUPPLY VOLTAGE: AC/DC 24V DC AND AC 50 TO 60 HZ NO GALVANIC ISOLATION FROM MEASURING CIRCUIT STARTUP AND INTERF. PEAK DELAY 0.1 TO 20S HYSTERESIS 0.01 TO 5A 1 CO CONTACT W. OR W/O ERROR LOG SCREW TERMINAL REPLACEMENT PRODUCT FOR 3UG3522-1AC..	R 1,447.00
3UG4622-1AW30	101083398	1	V2	DIGITAL MONITORING RELAY CURRENT MONITORING, 22.5MM FROM 0.05 TO 10A AC/DC OVERSHOOT A. UNDERSHOOT AC/DC 24 TO 240V DC AND AC 50 TO 60 HZ ON AND SPIKE DELAY 0.1 TO 20S HYSTERESIS 0.01 TO 5A 1 CO CONTACT W. OR W/O ERROR MEMORY SCREW CONNECTION REPLACEMENT PRODUCT FOR 3UG3522-1AL20, 3UG3522-1AG20 AND 3UG3522-1AC48-0AA1	R 1,579.00
3UG4624-1CS20	101584885	1	V2	DIGITAL MONITORING RELAY FOR FAULT CURRENT MONITORING (W. CO CONTACT 3UL22) SETTING RANGE 10 TO 100% OF CO CONTACT NOM. VALUE SEPARATE FOR ALARM THRESHOLD AND SWITCH-OFF VALUE AC 90 TO 690V AC 50 TO 60 HZ STARTUP AND TRIPPING DELAYED 0.1 TO 20S SWITCH-OFF HYSTERESIS TO 50% ALARM HYSTERESIS 5% FIXED 2 CHANGEOVER CONTACTS W. OR W/O ERROR LOG SCREW TERMINAL REPLACEMENT PRODUCT F. 3UL21	R 1,770.00
3UG4631-1AW30	101126327	1	V2	DIGITAL MONITORING RELAY VOLTAGE MONITORING, 22.5MM FROM 0.1 TO 60V AC/DC OVERSHOOT AND UNDERSHOOT AC/DC 24 TO 240V DC AND AC 50 TO 60 HZ SPIKE DELAY 0.1 TO 20S HYSTERESIS 0.1 TO 30V 1 CHANGEOVER CONTACT W. OR W/O ERROR LOG SCREW TERMINAL REPLACEMENT PRODUCT F. 3UG3531-1AL20, 3UG3531-1AG20	R 1,579.00
3UG4632-1AW30	101122569	1	PD	DIGITAL MONITORING RELAY VOLTAGE MONITORING, 22.5MM FROM 10 TO 600V AC/DC OVERSHOOT AND UNDERSHOOT AC/DC 24 TO 240V DC AND AC 50 TO 60 HZ SPIKE DELAY 0.1 TO 20S HYSTERESIS 0.1 TO 300V 1 CHANGEOVER CONTACT W. OR W/O ERROR LOG SCREW TERMINAL REPLACEMENT PRODUCT F. 3UG3532-1AL20, 3UG3532-1AG20	R 1,579.00

3UG4633-1AL30	101050162	1	PD	DIGITAL MONITORING RELAY VOLTAGE MONITORING, 22.5MM FROM 17 TO 275V AC/DC OVERSHOOT AND UNDERSHOOT INTERNAL POWER SUPPLY DC AND AC 50 TO 60 HZ SPIKE DELAY 0.1 TO 20S HYSTERESIS 0.1 TO 150V 1 CHANGEOVER CONTACT W. OR W/O ERROR LOG SCREW TERMINAL REPLACEMENT PRODUCT F. 3UG3534, 3UG3535	R 1,507.00
3UL2201-1A	100012078	1	V2	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 40MM RTD.FAULT CURRENT 0.3A	R 2,293.00
3UL2201-1AM00	101833325	1	PD	RESIDUAL-CURRENT PROT. DEVICE COMP. SUMMATION CURRENT TRANSF. WITHOUT RESPONSE DELAY BUSHING OPENING 40 MM NOM. FAULT-CURRENT 0:3 A KLOECKNER-MOELLER VERSION	R 2,221.00
3UL2201-2A	100012079	1	V2	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 40MM RTD.FAULT CURRENT 0.5A	R 2,293.00
3UL2201-3A	100012080	1	V2	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 40MM RTD.FAULT CURRENT 1A	R 2,293.00
3UL2202-1A	100132067	1	V2	RESIDUAL CURRENT DEVICE COMPON. SUMMATION CURR. TRANSF. W/O PICK-UP DELAY WINDOW 65 MM RATED FAULT CURRENT 0.3 A	R 2,971.00
3UL2202-2A	100132069	1	V2	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 65MM RTD.FAULT CURRENT 0.5A	R 2,971.00
3UL2202-2B	100012081	1	PD	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 65MM RTD.FAULT CURRENT 10A	R 3,856.00
3UL2202-3A	100012082	1	PD	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 65MM RTD.FAULT CURRENT 1A	R 2,971.00
3UL2203-1A	100132073	1	V2	RESIDUAL CURRENT DEVICE COMPON. SUMMATION CURR. TRANSF. W/O PICK-UP DELAY WINDOW 120 MM RATED FAULT CURRENT 0.3 A	R 7,890.00
3UL2203-1B	100132074	1	PD	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 120MM RTD.FAULT CURRENT 6A	R 8,376.00
3UL2203-2A	100132075	1	V2	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 120MM RTD.FAULT CURRENT 0.5A	R 7,890.00
3UL2203-3A	100132076	1	V2	RESIDUAL-CURRENT DEVICE COMPON.SUMMATION CURR.TRANSF. W/O PICK-UP DELAY WINDOW 120MM RTD.FAULT CURRENT 1A	R 7,890.00
3UX1011	100132088	1	PD	ACCESSOR.F.OVERLOAD RELAY RESETTING PLUNGER	R 40.00
3VL1702-1DD33-0AA0	100066303	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,002.00
3VL1702-1DD36-0AA0	100821514	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,002.00
3VL1702-2DA33-0AA0	100111519	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,213.00
3VL1702-2DD33-0AA0	100111520	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,310.00

3VL1703-1DA33-0AA0	100078922	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 1,906.00
3VL1703-1DA36-0AA0	100828572	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 1,906.00
3VL1703-1DD33-0AA0	100066304	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,002.00
3VL1703-1DD36-0AA0	100821516	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,002.00
3VL1703-1EA43-0AA0	100875475	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,473.00
3VL1703-2DA33-0AA0	100111525	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,213.00
3VL1703-2DD33-0AA0	100111526	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,310.00
3VL1703-2DD36-0AA0	100821518	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,310.00
3VL1704-1DD33-0AA0	100074252	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,002.00
3VL1704-1DD33-0AA0	101710025	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,002.00
3VL1704-1EA43-0AA0	101719539	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,473.00
3VL1704-2DD33-0AA0	100111532	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,310.00
3VL1705-1DD33-0AA0	100077194	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,002.00
3VL1705-2DA33-0AA0	100111538	1	-	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,213.00
3VL1705-2DD33-0AA0	100111539	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,310.00
3VL1706-1DA33-0AA0	100078920	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 1,906.00
3VL1706-1DD33-0AA0	100074253	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,002.00
3VL1706-2DA33-0AA0	100111544	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,213.00
3VL1706-2DD33-0AA0	100074967	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,310.00
3VL1708-1DA33-0AA0	100111547	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,022.00

3VL1708-1DA33-0AA0	101709963	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,022.00
3VL1708-1DD33-0AA0	100074254	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,126.00
3VL1708-1EA43-0AA0	101719540	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,628.00
3VL1708-1EH43-0AA0	100111549	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,504.00
3VL1708-2DA33-0AA0	100111550	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,320.00
3VL1708-2DD33-0AA0	100111551	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,455.00
3VL1710-1DA33-0AA0	100082816	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,357.00
3VL1710-1DD33-0AA0	100026384	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,504.00
3VL1710-1DD33-0AA0	103013518	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,504.00
3VL1710-1DE33-0AA0	100896952	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 1,935.00
3VL1710-1EA43-0AA0	101354734	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 3,090.00
3VL1710-2DA33-0AA0	100111558	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,724.00
3VL1710-2DD33-0AA0	100084898	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,868.00
3VL1712-1DA33-0AA0	100022542	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 3,507.00
3VL1712-1DD33-0AA0	100074971	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 3,706.00
3VL1712-1DD33-0AA0	104785189	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 3,706.00
3VL1712-2DD33-0AA0	100111565	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,256.00
3VL1712-2DD33-0AA0	103310683	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,256.00
3VL1712-2EH43-0AA0	100635480	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,998.00
3VL1716-1DA33-0AA0	100084051	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,222.00

3VL1716-1DA33-0AA0	101709960	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,222.00
3VL1716-1DD33-0AA0	100022543	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,439.00
3VL1716-1DE33-0AA0	100111568	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 3,206.00
3VL1716-1EH43-0AA0	100111311	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,248.00
3VL1716-1EL43-0AA0	101917787	1	PD	CIRCUIT-BREAKER VL 160X N STANDARD BREAKING CAPACITY ICU= 55KA, 415V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI IN= 160A, RATED CURRENT	R 5,515.00
3VL1716-2DA33-0AA0	100111571	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,869.00
3VL1716-2DD33-0AA0	100075758	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,317.00
3VL1716-2DD36-0AA0	100785156	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,317.00
3VL1725-1DA33-0AA0	100111576	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 1,906.00
3VL1725-1EA43-0AA0	101691361	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,473.00
3VL1725-2DA33-0AA0	100111579	1	V2	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,213.00
3VL1796-1DA33-0AA0	100066306	1	V2	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 1,906.00
3VL1796-1EA43-0AA0	101056802	1	PD	CIRCUIT-BREAKER VL160X N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,473.00
3VL1796-2DA33-0AA0	100111584	1	PD	CIRCUIT-BREAKER VL160X H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,213.00
3VL2705-1DC33-0AA0	100066308	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,233.00
3VL2705-1DC36-0AA0	100508387	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,233.00
3VL2705-2DC33-0AA0	100111589	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,772.00
3VL2705-3DC33-0AA0	100228478	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 3,917.00
3VL2706-1DC33-0AA0	100111599	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,233.00
3VL2706-1DC36-0AA0	100969258	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,233.00
3VL2706-1DK33-0AA0	100111600	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 2,041.00

3VL2706-1EJ43-0AA0	100111601	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,879.00
3VL2706-1SE33-0AA0	102137731	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 4,342.00
3VL2706-1SE36-0AA0	102290801	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 4,342.00
3VL2706-1UM36-0AA0	104866347	1	-	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT LCD ETU42, LSI	R 10,195.00
3VL2706-2DC33-0AA0	100111605	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,772.00
3VL2706-2DK33-0AA0	100897212	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 2,608.00
3VL2706-2DK36-0AA0	100866159	1	PD	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 2,608.00
3VL2706-2SE33-0AA0	102176681	1	PD	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 4,881.00
3VL2706-3DC33-0AA0	100629862	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 3,917.00
3VL2706-3DK33-0AA0	100897218	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 3,812.00
3VL2706-3DK36-0AA0	101919664	1	PD	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 3,812.00
3VL2706-3EM43-0AA0	101134457	1	-	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,169.00
3VL2706-3SB33-0AA0	102253522	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU10, LI	R 5,805.00
3VL2706-3SE33-0AA0	102220972	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 6,073.00
3VL2706-3TE43-0AA0	102253540	1	-	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 4 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 7,864.00
3VL2708-1DC33-0AA0	100111617	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,349.00
3VL2708-2DC33-0AA0	100111620	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,879.00
3VL2708-3DC33-0AA0	100897012	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,071.00
3VL2710-1DC33-0AA0	100022544	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,792.00
3VL2710-1DC36-0AA0	100851246	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 2,792.00
3VL2710-1DE33-0AA0	100897015	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 2,060.00
3VL2710-1DK33-0AA0	100897016	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 2,580.00

3VL2710-1EJ43-0AA0	100111631	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 3,620.00
3VL2710-1SB33-0AA0	102219973	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU10, LI	R 4,100.00
3VL2710-1SB36-0AA0	102253591	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU10, LI	R 4,100.00
3VL2710-1SE33-0AA0	102191637	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 4,342.00
3VL2710-1SE36-0AA0	102269054	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 4,342.00
3VL2710-1UL36-0AA0	104799521	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT LCD ETU42, LSI	R 10,195.00
3VL2710-2DC33-0AA0	100111636	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 3,301.00
3VL2710-2DE33-0AA0	100897021	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 2,349.00
3VL2710-2DK33-0AA0	100640641	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 3,119.00
3VL2710-2DK36-0AA0	100866143	1	PD	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 3,119.00
3VL2710-3DC33-0AA0	100629855	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,495.00
3VL2710-3DC33-0AA0	102132451	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,495.00
3VL2710-3DE33-0AA0	100897027	1	PD	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 2,965.00
3VL2710-3DK33-0AA0	100640643	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 4,283.00
3VL2710-3SE33-0AA0	102192143	1	PD	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 6,073.00
3VL2712-1DC33-0AA0	100066311	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,087.00
3VL2712-1EJ43-0AA0	100111649	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,290.00
3VL2712-2DC33-0AA0	100111650	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,547.00
3VL2712-2DC36-0AA0	101181709	1	PD	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,547.00
3VL2712-3DC33-0AA0	100897031	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,597.00
3VL2716-1AA43-0AA0	101115665	1	PD	CIRCUIT-BREAKER VL 160N WITHOUT ELECTRONIC TRIP UNIT STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC, 4-POLE IN= < 160 A, RATED CURRENT	R 2,431.00
3VL2716-1DC33-0AA0	100111661	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 4,727.00

3VL2716-1DE33-0AA0	100897038	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 3,464.00
3VL2716-1DK33-0AA0	100897039	1	V2	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 4,513.00
3VL2716-1EJ43-0AA0	100068690	1	-	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 6,134.00
3VL2716-1SE33-0AA0	102174497	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 6,117.00
3VL2716-1SE36-0AA0	102269109	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 6,117.00
3VL2716-1SP33-0AA0	102174495	1	PD	CIRCUIT-BREAKER VL 160N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, MOTOR/ GENERATOR PROTECTION ELECTRONIC TRIP UNIT	R 5,204.00
3VL2716-2AA33-0AA0	101719447	1	-	CIRCUIT-BREAKER VL 160H WITHOUT ELECTRONIC TRIP UNIT HIGH BREAKING CAPACITY ICU= 70 KA / 415 V AC, 3-POLE IN= < 160 A, RATED CURRENT	R 2,213.00
3VL2716-2DC33-0AA0	100111672	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,196.00
3VL2716-2DC36-0AA0	101181715	1	PD	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,196.00
3VL2716-2DE33-0AA0	100897043	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 3,942.00
3VL2716-2DK33-0AA0	100640645	1	V2	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 4,957.00
3VL2716-2DK36-0AA0	100881543	1	PD	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 4,957.00
3VL2716-2SP33-0AA0	102173403	1	PD	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, MOTOR/ GENERATOR PROTECTION ELECTRONIC TRIP UNIT	R 5,665.00
3VL2716-2SP36-0AA0	102269136	1	PD	CIRCUIT-BREAKER VL 160H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, MOTOR/ GENERATOR PROTECTION ELECTRONIC TRIP UNIT	R 5,665.00
3VL2716-3DC33-0AA0	100228479	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 6,228.00
3VL2716-3DE33-0AA0	100897050	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 4,974.00
3VL2716-3DK33-0AA0	100897051	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 6,015.00
3VL2716-3DK36-0AA0	101708641	1	PD	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 6,015.00
3VL2716-3EM46-0AA0	101909129	1	-	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 8,702.00
3VL2716-3SE33-0AA0	102192148	1	V2	CIRCUIT-BREAKER VL 160L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 7,627.00
3VL3720-1DC36-0AA0	100022545	1	V2	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 5,588.00

3VL3720-1EM46-0AA0	101907278	1	PD	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU= 55KA, 415V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI IN= 200A, RATED CURRENT	R 7,832.00
3VL3720-1SE36-0AA0	102277894	1	PD	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 7,824.00
3VL3720-2DC36-0AA0	100111698	1	V2	CIRCUIT-BREAKER VL 250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 6,415.00
3VL3720-3DC36-0AA0	100897062	1	V2	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 8,003.00
3VL3720-3EM46-0AA0	101840140	1	-	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU= 100KA, 415V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI IN= 200A, RATED CURRENT	R 10,921.00
3VL3720-3SE36-0AA0	102192152	1	PD	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 10,324.00
3VL3720-3SL33-0AA0	104583805	1	PD	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU12, LIG	R 11,689.00
3VL3725-1DC33-0AA0	101904959	1	PD	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 6,373.00
3VL3725-1DC36-0AA0	100022546	1	V2	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 6,373.00
3VL3725-1DE33-0AA0	101700744	1	PD	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 4,283.00
3VL3725-1DE36-0AA0	100111712	1	V2	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 4,283.00
3VL3725-1DK36-0AA0	100424598	1	V2	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 5,751.00
3VL3725-1EJ46-0AA0	100074943	1	V2	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 8,318.00
3VL3725-1SB36-0AA0	102176712	1	-	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU10, LI	R 7,405.00
3VL3725-1SE36-0AA0	102219754	1	V2	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 7,824.00
3VL3725-1UM36-0AA0	103795431	1	PD	CIRCUIT-BREAKER VL 250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT LCD ETU42, LSIG	R 14,782.00
3VL3725-2DC36-0AA0	100111722	1	V2	CIRCUIT-BREAKER VL 250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 7,235.00
3VL3725-2DE36-0AA0	100897068	1	PD	CIRCUIT-BREAKER VL 250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 5,137.00
3VL3725-2DK33-0AA0	101752700	1	PD	CIRCUIT-BREAKER VL 250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 6,586.00

3VL3725-2DK36-0AA0	100640647	1	V2	CIRCUIT-BREAKER VL 250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 6,586.00
3VL3725-2SE36-0AA0	102206950	1	PD	CIRCUIT-BREAKER VL 250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 8,702.00
3VL3725-2SP33-0AA0	102619680	1	PD	CIRCUIT-BREAKER VL 250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, MOTOR/ GENERATOR PROTECTION ELECTRONIC TRIP UNIT	R 8,446.00
3VL3725-2SP36-0AA0	102221185	1	PD	CIRCUIT-BREAKER VL 250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, MOTOR/ GENERATOR PROTECTION ELECTRONIC TRIP UNIT	R 8,446.00
3VL3725-3DC33-0AA0	101913604	1	PD	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 8,788.00
3VL3725-3DC36-0AA0	100097110	1	V2	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 8,788.00
3VL3725-3DK33-0AA0	101913612	1	V2	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 8,174.00
3VL3725-3DK36-0AA0	100640648	1	V2	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 8,174.00
3VL3725-3SE33-0AA0	103165365	1	PD	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 10,324.00
3VL3725-3SE36-0AA0	102192119	1	V2	CIRCUIT-BREAKER VL 250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 10,324.00
3VL4720-1DC36-0AA0	100084095	1	PD	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 9,328.00
3VL4720-2DC36-0AA0	100505499	1	PD	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 10,324.00
3VL4720-2DK36-0AA0	100897076	1	PD	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 9,479.00
3VL4725-1DC36-0AA0	100066313	1	PD	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 9,328.00
3VL4725-2DC36-0AA0	100228486	1	PD	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 10,324.00
3VL4725-2DK36-0AA0	100640654	1	PD	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 9,479.00
3VL4731-1DC36-0AA0	100066314	1	V2	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 8,481.00
3VL4731-1DC36-0AA0	102486567	1	V2	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 8,481.00
3VL4731-1DK36-0AA0	101152076	1	PD	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 8,446.00
3VL4731-1SE36-0AA0	102277895	1	PD	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 11,177.00

3VL4731-2DC36-0AA0	100436988	1	V2	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 9,385.00
3VL4731-2DC36-0AA0	101710030	1	V2	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 9,385.00
3VL4731-2DK36-0AA0	100640657	1	V2	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 9,299.00
3VL4731-2SP36-0AA0	102863246	1	PD	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, MOTOR/ GENERATOR PROTECTION ELECTRONIC TRIP UNIT	R 11,689.00
3VL4731-3DC36-0AA0	100614299	1	V2	CIRCUIT-BREAKER VL 400L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 12,372.00
3VL4731-3DK36-0AA0	100640661	1	V2	CIRCUIT-BREAKER VL 400L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 12,372.00
3VL4740-1DC36-0AA0	100066316	1	V2	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 9,214.00
3VL4740-1DE36-0AA0	100496936	1	V2	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 5,640.00
3VL4740-1EJ46-0AA0	100463847	1	V2	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 11,945.00
3VL4740-1SE36-0AA0	102172074	1	V2	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 11,177.00
3VL4740-1SG36-0AA0	102193482	1	PD	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU22, LSIG	R 13,479.00
3VL4740-1UM36-0AA0	104589351	1	PD	CIRCUIT-BREAKER VL 400N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT LCD ETU42, LSIG	R 18,266.00
3VL4740-2DC36-0AA0	100436989	1	V2	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 10,067.00
3VL4740-2DC36-0AA0	101710038	1	V2	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 10,067.00
3VL4740-2DE36-0AA0	100853726	1	PD	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 6,501.00
3VL4740-2SE36-0AA0	102457355	1	PD	CIRCUIT-BREAKER VL 400H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 12,201.00
3VL4740-3DC36-0AA0	100614294	1	V2	CIRCUIT-BREAKER VL 400L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 13,224.00
3VL4740-3DE36-0AA0	100896966	1	PD	CIRCUIT-BREAKER VL 400L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 8,114.00
3VL4740-3SE36-0AA0	102192157	1	PD	CIRCUIT-BREAKER VL 400L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 15,101.00
3VL5740-1DC36-0AA0	100074247	1	PD	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 13,045.00
3VL5740-1EJ46-0AA0	100111816	1	PD	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 16,893.00
3VL5750-1DC36-0AA0	100075153	1	V2	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 11,859.00

3VL5750-1DK36-0AA0	101092512	1	V2	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 10,921.00
3VL5750-1SP36-0AA0	102925000	1	PD	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, MOTOR/ GENERATOR PROTECTION ELECTRONIC TRIP UNIT	R 15,016.00
3VL5750-2DC36-0AA0	100111825	1	V2	CIRCUIT-BREAKER VL 630H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 13,822.00
3VL5750-2DK36-0AA0	100875019	1	V2	CIRCUIT-BREAKER VL 630H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 12,968.00
3VL5750-3DC36-0AA0	100614289	1	V2	CIRCUIT-BREAKER VL 630L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 17,235.00
3VL5750-3DK36-0AA0	101045781	1	V2	CIRCUIT-BREAKER VL 630L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, STARTER COMBINATION PROTECTION OVERCURRENT RELEASE	R 16,211.00
3VL5763-1DC36-0AA0	100022547	1	V2	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 12,372.00
3VL5763-1DE36-0AA0	100629007	1	V2	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 7,543.00
3VL5763-1EJ46-0AA0	100111308	1	PD	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 4 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 16,211.00
3VL5763-1SE36-0AA0	102226824	1	V2	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 15,443.00
3VL5763-1SL36-0AA0	102184263	1	PD	CIRCUIT-BREAKER VL 630N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU12, LIG	R 17,662.00
3VL5763-2DC36-0AA0	100111847	1	V2	CIRCUIT-BREAKER VL 630H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 14,163.00
3VL5763-2DC36-0AA0	101710548	1	V2	CIRCUIT-BREAKER VL 630H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 14,163.00
3VL5763-2DE36-0AA0	100882084	1	V2	CIRCUIT-BREAKER VL 630H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 8,702.00
3VL5763-2SE36-0AA0	102277896	1	V2	CIRCUIT-BREAKER VL 630H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 17,491.00
3VL5763-3DC36-0AA0	100228490	1	V2	CIRCUIT-BREAKER VL 630L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION OVERCURRENT RELEASE TM, LI	R 17,662.00
3VL5763-3DE36-0AA0	100897108	1	PD	CIRCUIT-BREAKER VL 630L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 10,835.00
3VL5763-3SE36-0AA0	102910814	1	V2	CIRCUIT-BREAKER VL 630L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 20,732.00
3VL6780-1SB36-0AA0	102221047	1	PD	CIRCUIT-BREAKER VL 800N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU10, LI	R 19,571.00
3VL6780-1SE36-0AA0	102202440	1	PD	CIRCUIT-BREAKER VL 800N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 20,485.00
3VL6780-2DE36-0AA0	100467139	1	PD	CIRCUIT-BREAKER VL 800H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 19,267.00
3VL6780-2SE36-0AA0	102223454	1	V2	CIRCUIT-BREAKER VL 800H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 22,312.00

3VL6780-3DE36-0AA0	100897112	1	PD	CIRCUIT-BREAKER VL 800L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 22,312.00
3VL6780-3EE46-0AA0	100897113	1	PD	CIRCUIT-BREAKER VL 800L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 4 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 28,633.00
3VL6780-3SB36-0AA0	103917113	1	PD	CIRCUIT-BREAKER VL 800L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU10, LI	R 24,750.00
3VL6780-3SE36-0AA0	102220386	1	V2	CIRCUIT-BREAKER VL 800L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 25,892.00
3VL7710-1ME36-0AA0	103365094	1	PD	CIRCUIT-BREAKER VL 1250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 28,024.00
3VL7710-1SE36-0AA0	102191995	1	PD	CIRCUIT-BREAKER VL 1250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 27,491.00
3VL7710-2SE36-0AA0	102849792	1	V2	CIRCUIT-BREAKER VL 1250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 29,472.00
3VL7712-1DE36-0AA0	100496938	1	PD	CIRCUIT-BREAKER VL 1250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 26,679.00
3VL7712-1SB36-0AA0	102273557	1	PD	CIRCUIT-BREAKER VL 1250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU10, LI	R 28,210.00
3VL7712-1SE36-0AA0	102210254	1	PD	CIRCUIT-BREAKER VL 1250N STANDARD BREAKING CAPACITY ICU=55KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 29,434.00
3VL7712-2DE36-0AA0	100855037	1	PD	CIRCUIT-BREAKER VL 1250H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 28,365.00
3VL7712-3DE36-0AA0	100897118	1	PD	CIRCUIT-BREAKER VL 1250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 31,737.00
3VL7712-3SE36-0AA0	102220401	1	PD	CIRCUIT-BREAKER VL 1250L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 35,030.00
3VL8716-2DE30-0AA0	100865992	1	PD	CIRCUIT-BREAKER VL 1600H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 39,672.00
3VL8716-2ME30-0AA0	102253045	1	-	CIRCUIT-BREAKER VL 1600H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 44,774.00
3VL8716-2SE30-0AA0	102639952	1	PD	CIRCUIT-BREAKER VL 1600H HIGH BREAKING CAPACITY ICU=70KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 44,366.00
3VL8716-3DE30-0AA0	100897123	1	PD	CIRCUIT-BREAKER VL 1600L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC	R 45,100.00
3VL8716-3SE30-0AA0	102221553	1	PD	CIRCUIT-BREAKER VL 1600L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 3 POLE, LINE PROTECTION ELECTRONIC TRIP UNIT ETU20, LSI	R 49,148.00
3VL9000-8LH10	100152897	1	V2	ACCESSORY FOR VL160X, VL160, VL250, CONNECTING CABLE 0,5M	R 389.00
3VL9000-8LH20	100022548	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, VL630, VL800, CONNECTING CABLE 1,0M	R 622.00
3VL9000-8LH30	100152900	1	PD	ACCESSORY FOR VL160X - VL1600, CONNECTING CABLE 1,5M	R 854.00

3VL9200-3TN00	101838393	1	PD	3VL1 AUX. CONDUCTOR TERMINAL 1 SET = 10 UNITS	R 715.00
3VL9208-7DC30	101492880	1	PD	OVERCURRENT RELEASE VL 160 3-POLE, SYSTEM PROTECTION THERMO-MAGNETIC, LI IR= 63...80 A, OVERLOAD PROTECTION	R 539.00
3VL9216-5GD30	100897747	1	V2	ACCESSORY FOR VL160, RCD MODULE IN=160A UE=230...690V 3 POLE	R 9,849.00
3VL9300-3AS10	100228591	1	PD	ACCESSORY FOR VL160X, VL160, VL250, KIT F. LEADING AUXILIARY SWITCHES 1 CO CONTACT, FROM OFF TO ON 1.5 METER CONNECTING CABLE	R 180.00
3VL9300-3AT10	100897771	1	PD	ACCESSORY FOR VL160X, VL160, VL250, KIT F. LEADING AUXILIARY SWITCHES 2 CO CONTACTS, FROM OFF TO ON 1.5 METER CONNECTING CABLE	R 319.00
3VL9300-3HA00	100068697	1	V2	ACCESSORY FOR VL160X, VL160, VL250 FRONT ROTARY DRIVE STANDARD	R 616.00
3VL9300-3HE00	100153115	1	PD	ACCESSORY FOR VL160X, VL160, VL250, ROTARY DRIVE, DIRECT SHAFT STUB/ NO KNOB USE WITH 8UC6262-6BD22 OR 8UC6272-8BD22	R 555.00
3VL9300-3HF05	101054568	1	V2	ACCESSORY FOR VL160X, VL160, VL250 DOOR-COUPLING OPERAT. MECHANISM FOR INSTALLAT. IN DOORS, COMPL. STANDARD DOOR DRIVE 8UC7	R 872.00
3VL9300-3HF05	101705786	1	V2	ACCESSORY FOR VL160X, VL160, VL250 DOOR-COUPLING OPERAT. MECHANISM FOR INSTALLAT. IN DOORS, COMPL. STANDARD DOOR DRIVE 8UC7	R 872.00
3VL9300-3HG05	101718656	1	PD	ACCESSORY FOR VL160X, VL160, VL250 FOR INSTALLAT. IN DOORS, COMPL. DOOR DRIVE 8UC7 HANDLE RED, MASKING FRAME YELLOW	R 966.00
3VL9300-3HL00	100068707	1	PD	ACCESSORY FOR VL160X, VL160, VL250, HANDLE PAD-LOCKING DEV.	R 430.00
3VL9300-3MD10	103164212	1	PD	ACCESSORY FOR VL160; VL250 MOTOR OPERATOR 110-127 V AC/DC	R 4,246.00
3VL9300-4ED30	100022556	1	V2	ACCESSORY FOR VL250, FRONT BUS-BAR CONNECTION (FLARED) SET OF 3 PCS 3 POLE	R 562.00
3VL9300-4TC30	100068705	1	V2	ACCESSORY FOR VL250, STEEL WRAP-AROUND TERMINAL SET OF 3 PCS 3 POLE	R 208.00
3VL9300-8CA30	100153206	1	V2	ACCESSORY FOR VL160X, VL160, VL250, TERMINAL COVER EXTENDED 1 PIECE = 2 COVERS 3 POLE	R 312.00
3VL9300-8CB30	100068706	1	V2	ACCESSORY FOR VL160X, VL160, VL250, TERMINAL COVER STANDARD 1 PIECE = 2 COVERS 3 POLE	R 245.00
3VL9300-8CE00	100144506	1	V2	ACCESSORY FOR VL160X, VL160, VL250, INTERPHASE BARRIERS 1SET=2PIECES	R 203.00
3VL9300-8LA00	100022559	1	V2	ACCESSORY FOR VL160X, VL160, VL250, CABLE INTERLOCK SYSTEM	R 506.00
3VL9300-8LD00	100881948	1	-	ACCESSORY FOR VL160X, VL160, VL250, WALKING-BEAM INTERLOCK DRAW-OUT/ PLUG-IN	R 4,620.00
3VL9300-9HF04	101354887	1	-	ALLBRO DOOR COUPLING ROTARY OPER. MECH. VL160 & VL250	R 881.00
3VL9320-7DC30	100903961	1	PD	OVERCURRENT RELEASE VL 250 3-POLE, SYSTEM PROTECTION THERMO-MAGNETIC, LI IR= 160...200A, OVERLOAD PROTECTION	R 4,111.00
3VL9325-5GE40	100111963	1	PD	ACCESSORY FOR VL250, RCD MODULE IN=250A UE=127...480V 4 POLE	R 11,106.00
3VL9325-5GF30	101763904	1	V2	ACCESSORY FOR VL250, RCD MODULE IN=250A UE=230...690V 3 POLE	R 10,517.00
3VL9400-1SC00	100153298	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, SHUNT RELEASE 24 V DC RIGHT POLE ONLY	R 938.00
3VL9400-1SK00	100153302	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, SHUNT RELEASE 110 - 127 V DC RIGHT POLE ONLY	R 938.00
3VL9400-1SR00	100111967	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, SHUNT RELEASE 110 - 127 V AC RIGHT POLE ONLY	R 938.00
3VL9400-1ST00	100022562	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, SHUNT RELEASE 208 - 277 V AC RIGHT POLE ONLY	R 938.00

3VL9400-1ST00	102021714	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, SHUNT RELEASE 208 - 277 V AC RIGHT POLE ONLY	R 938.00
3VL9400-1SV00	100153309	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, SHUNT RELEASE 380 - 600 V AC RIGHT POLE ONLY	R 938.00
3VL9400-1SV00	101711460	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, SHUNT RELEASE 380 - 600 V AC RIGHT POLE ONLY	R 938.00
3VL9400-1UG00	100144508	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, UNDERVOLTAGE RELEASE 110...127 V AC FOR MOUNTING ON THE RIGHT	R 1,245.00
3VL9400-1UG01	101879696	1	PD	ACCESSORY FOR VL150XUL, VL150UL, VL250UL, VL400UL, VL400XUL (CG-FRAME - LG-FRAME) UNDERVOLTAGE RELEASE 110...127V AC FOR INSTALLATION ON THE RIGHT	R 1,542.00
3VL9400-1UH00	100022563	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, UNDERVOLTAGE RELEASE 220 - 250 V AC RIGHT POLE ONLY	R 1,245.00
3VL9400-1UJ00	100077200	1	PD	ACCESSORY FOR VL160X, VL160, VL250, VL400, UNDERVOLTAGE RELEASE 380 - 415 V AC RIGHT POLE ONLY	R 1,245.00
3VL9400-1UL00	100897171	1	PD	ACCESSORY FOR VL160X, VL160, VL250, VL400, UNDERVOLTAGE RELEASE 500...525V AC RIGHT POLE ONLY	R 1,245.00
3VL9400-1UP00	100153322	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, UNDERVOLTAGE RELEASE 24 V DC RIGHT POLE ONLY	R 1,245.00
3VL9400-2AB00	100022564	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, AUXILIARY SWITCH KIT 2HS(1NO+1NC) N, LEFT(1), RIGHT	R 468.00
3VL9400-2AB00	101710216	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, AUXILIARY SWITCH KIT 2HS(1NO+1NC) N, LEFT(1), RIGHT	R 468.00
3VL9400-2AD00	100022565	1	V2	ACCESSORY FOR VL160X, VL160, VL250, VL400, AUXILIARY/ALARM SWITCH KIT 2HS(1NO+1NC)+1AS(1NO) N, LEFT(1), RIGHT	R 622.00
3VL9400-2AH00	100144510	1	PD	ACCESSORY FOR VL160X, VL160, VL250, VL400, MOUNTING BRACKET UP TO 3HS N, LEFT(1), RIGHT	R 279.00
3VL9400-2AJ10	100153338	1	PD	ACCESSORY FOR VL160X, VL160, VL250, VL400, MOUNTING BRACKET 2HS+1AS ONLY LEFT(1)	R 336.00
3VL9400-3AS10	100228593	1	PD	ACCESSORY FOR VL400, KIT F. LEADING AUXILIARY SWITCHES 1 CO CONTACT, FROM OFF TO ON 1.5 METER CONNECTING CABLE	R 219.00
3VL9400-3AT10	100633298	1	-	ACCESSORY FOR VL400, KIT F. LEADING AUXILIARY SWITCHES 2 CO CONTACTS, FROM OFF TO ON 1.5 METER CONNECTING CABLE	R 393.00
3VL9400-3HE00	100448731	1	PD	ACCESSORY FOR VL400, ROTARY DRIVE, DIRECT SHAFT STUB/ NO KNOB USE WITH 8UC6314-6BD44 OR 8UC6324-8BD44	R 625.00
3VL9400-3HF05	101718650	1	V2	ACCESSORY FOR VL400, FOR INSTALLAT. IN DOORS, COMPL. DOOR DRIVE 8UC7 HANDLE TI-GREY, MASKING FRAME LIGHT GRAY	R 1,415.00
3VL9400-3HG05	101719272	1	PD	ACCESSORY FOR VL400, FOR INSTALLAT. IN DOORS, COMPL. DOOR DRIVE 8UC7 HANDLE RED, MASKING FRAME YELLOW	R 1,529.00
3VL9400-3MN00	100888385	1	PD	ACCESSORY FOR VL400, STORED ENERGY OPERATOR 110-127V AC/DC	R 8,572.00
3VL9400-4EC30	100228532	1	PD	ACCESSORY FOR VL400, FRONT BUS-BAR CONNECTION SET OF 3 PCS 3 POLE	R 555.00
3VL9400-4ED30	100082252	1	V2	ACCESSORY FOR VL400, FRONT BUS-BAR CONNECTION (FLARED) SET OF 3 PCS 3 POLE	R 913.00
3VL9400-8LA00	100228581	1	PD	ACCESSORY FOR VL400, CABLE INTERLOCK SYSTEM	R 682.00
3VL9400-9HF04	101354889	1	-	ALLBRO DOOR COUPLING ROTARY OPER. MECH. VL400	R 1,507.00
3VL9440-7DC30	100903786	1	PD	OVERCURRENT RELEASE VL 400 3-POLE, SYSTEM PROTECTION THERMO-MAGNETIC, LI IR= 320...400A, OVERLOAD PROTECTION II= 2000...4000A,	R 5,548.00

3VL9500-4ED30	100082253	1	V2	ACCESSORY FOR VL630, FRONT CONNECTION BARS INCREASED POLE SPACING COMPRISES 3 TERMINALS 3-POLE	R 913.00
3VL9600-3AS10	100228595	1	PD	ACCESSORY FOR VL630, VL800, KIT F. LEADING AUXILIARY SWITCHES 1 CO CONTACT, FROM OFF TO ON 1.5 METER CONNECTING CABLE	R 214.00
3VL9600-3AT10	100633299	1	PD	ACCESSORY FOR VL630, VL800, KIT F. LEADING AUXILIARY SWITCHES 2 CO CONTACTS, FROM OFF TO ON 1.5 METER CONNECTING CABLE	R 385.00
3VL9600-3HA00	100072414	1	PD	ACCESSORY FOR VL630, VL800, FRONT ROTARY DRIVE STANDARD	R 997.00
3VL9600-3HE00	100444844	1	PD	ACCESSORY FOR VL630, VL800, ROTARY DRIVE, DIRECT SHAFT STUB/ NO KNOB USE WITH 8UC6314-6BD44 OR 8UC6324-8BD44	R 872.00
3VL9600-3HF05	101718653	1	V2	ACCESSORY FOR VL630, VL800, DOOR OP.MECH. 8UC7 - NEW DESIGN HANDLE TI-GREY, MASKING FRAME LIGHT GREY FOR INSTALL.IN DOORS, COMPL.	R 1,574.00
3VL9600-3HG05	101719279	1	PD	ACCESSORY FOR VL630, VL800, FOR INSTALLAT. IN DOORS, COMPL. DOOR DRIVE 8UC7 HANDLE RED, MASKING FRAME YELLOW	R 1,755.00
3VL9600-3MQ00	100022567	1	V2	ACCESSORY FOR VL630, VL800, STORED ENERGY OPERATOR 220-250V AC/DC	R 11,775.00
3VL9600-8CA30	100228576	1	PD	ACCESSORY FOR VL630, VL800, TERMINAL COVER EXTENDED 1 PIECE = 2 COVERS 3 POLE	R 851.00
3VL9600-8CB30	100228577	1	PD	ACCESSORY FOR VL630, VL800, TERMINAL COVER STANDARD 1 PIECE = 2 COVERS 3 POLE	R 714.00
3VL9600-8CE00	100144513	1	V2	ACCESSORY FOR VL400, VL630, VL800, INTERPHASE BARRIERS 1SET=2PIECES	R 234.00
3VL9600-8LA00	100153708	1	V2	ACCESSORY FOR VL630, VL800, CABLE INTERLOCK SYSTEM	R 818.00
3VL9600-9HF04	101354892	1	-	ALLBRO DOOR COUPLING ROTARY OPER. MECH. VL630	R 1,507.00
3VL9680-6SE30	102192191	1	-	ELECTRONIC TRIP UNIT VL 800 3 POLE, LINE PROTECTION ETU20, LSI IR=320-800A, OVERLOAD ISD=1,5TO7XIR, II=8XIN SHORT CIRCUIT	R 12,454.00
3VL9800-1SR00	100111995	1	V2	ACCESSORY FOR VL630, VL800, VL1250, VL1600, SHUNT RELEASE 110 - 127 V AC RIGHT POLE ONLY	R 1,393.00
3VL9800-1ST00	100022569	1	V2	ACCESSORY FOR VL630, VL800, VL1250, VL1600, SHUNT RELEASE 208 - 277 V AC RIGHT POLE ONLY	R 1,393.00
3VL9800-1SV00	100228601	1	V2	ACCESSORY FOR VL630, VL800, VL1250, VL1600, SHUNT RELEASE 380 - 600 V AC RIGHT POLE ONLY	R 1,393.00
3VL9800-1UG00	100228607	1	V2	ACCESSORY FOR VL630, VL800, VL1250, VL1600, UNDERVOLTAGE RELEASE 110 - 127 V AC RIGHT POLE ONLY	R 1,551.00
3VL9800-1UJ00	100077199	1	PD	ACCESSORY FOR VL630, VL800, VL1250, VL1600, UNDERVOLTAGE RELEASE 380 - 415 V AC RIGHT POLE ONLY	R 1,551.00
3VL9800-2AC00	100077203	1	V2	ACCESSORY FOR VL630, VL800, VL1250, VL1600, AUXILIARY SWITCH KIT 4HS(2NO+2NC) N, LEFT(1), RIGHT	R 854.00
3VL9800-2AC00	101710212	1	V2	ACCESSORY FOR VL630, VL800, VL1250, VL1600, AUXILIARY SWITCH KIT 4HS(2NO+2NC) N, LEFT(1), RIGHT	R 854.00
3VL9800-2AE00	100022571	1	V2	ACCESSORY FOR VL630, VL800, VL1250, VL1600, AUXILIARY/ALARM SWITCH KIT 2HS(1NO+1NC)+1AS(1NO) N, LEFT(1), RIGHT	R 741.00
3VL9800-3HF05	101719282	1	V2	ACCESSORY FOR VL1250, VL1600, DOOR OP.MECH.8UC7 - NEW DESIGN HANDLE TI-GREY, MASKING FRAME LIGHT GREY FOR INSTALL. IN DOORS, COMPL.	R 2,219.00
3VL9800-3MQ00	100153876	1	PD	ACCESSORY FOR VL1250, VL1600, MOTOR OPERATOR 220-250V AC/DC	R 16,077.00
3VL9800-4WC30	100495890	1	PD	ACCESSORY FOR VL1250, VL1600, DRAW OUT ASSEMBLY, ASSEMBLY KIT FRONT CONNECTOR 3-POLES	R 17,323.00
3VL9800-8CE00	100153910	1	V2	ACCESSORY FOR VL1250, VL1600, INTERPHASE BARRIERS 1SET=2PIECES	R 281.00
3VL9800-8LA00	100505528	1	PD	ACCESSORY FOR VL1250, VL1600, CABLE INTERLOCK SYSTEM	R 2,887.00

3VT1701-2EJ46-0AA0	102953639	1	PD	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 4-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LIN	R 1,751.00
3VT1702-2EJ46-0AA0	102632696	1	PD	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 4-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LIN	R 1,751.00
3VT1703-2DC36-0AA0	102029425	1	V2	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 1,326.00
3VT1704-2DC36-0AA0	102012075	1	V2	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 1,326.00
3VT1706-2DC36-0AA0	101887840	1	V2	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 1,326.00
3VT1708-2DC36-0AA0	102061275	1	V2	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 1,407.00
3VT1710-2DC36-0AA0	101980922	1	V2	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 1,662.00
3VT1710-2DM36-0AA0	102010311	1	PD	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, MOTOR PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 1,486.00
3VT1712-2DA36-0AA0	101985540	1	-	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 2,330.00
3VT1712-2DC36-0AA0	102012131	1	V2	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 2,740.00
3VT1716-2DC36-0AA0	101887841	1	V2	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 3-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LI	R 3,172.00
3VT1792-2EJ46-0AA0	102632694	1	PD	CIRCUIT BREAKER 3VT1 STANDARD BREAKING CAPACITY ICU=25KA, 415V AC 4-POLE, SYSTEM PROTECTION ELECTRONIC TRIP UNIT TM, LIN	R 1,751.00
3VT2725-2AA36-0AA0	101887845	1	-	CIRCUIT BREAKER 3VT2 STANDARD BREAKING CAPACITY ICU=36KA, 415V AC 3-POLE; CIRCUIT BREAKER W/O ELECTRONIC TRIP UNIT W/O AUXILIARY TRIP UNIT	R 1,707.00
3VT2725-3AA36-0AA0	101887934	1	-	CIRCUIT BREAKER 3VT2 HIGH BREAKING CAPACITY ICU=65KA, 415V AC 3-POLE; CIRCUIT BREAKER W/O ELECTRONIC TRIP UNIT W/O AUXILIARY TRIP UNIT	R 2,270.00
3VT3763-2AA36-0AA0	101887835	1	-	CIRCUIT BREAKER 3VT3 STANDARD BREAKING CAPACITY ICU=36KA, 415V AC 3-POLE; CIRCUIT BREAKER W/O ELECTRONIC TRIP UNIT W/O AUXILIARY TRIP UNIT	R 5,443.00
3VT3763-3AA36-0AA0	101980924	1	-	CIRCUIT BREAKER 3VT3 HIGH BREAKING CAPACITY ICU=65KA, 415V AC 3-POLE; CIRCUIT BREAKER W/O ELECTRONIC TRIP UNIT WITHOUT AUXILIARY RELEASE	R 6,695.00
3VT4710-3AA30-0AA0	101887847	1	V2	CIRCUIT BREAKER 3VT4 HIGH BREAKING CAPACITY ICU=65KA, 415V AC 3-POLE; CIRCUIT BREAKER W/O ELECTRONIC TRIP UNIT W/O AUXILIARY TRIP UNIT	R 8,191.00
3VT5716-3AA30-0AA0	101945113	1	V2	CIRCUIT BREAKER 3VT5 HIGH BREAKING CAPACITY ICU=55KA, 415V AC 3-POLE; CIRCUIT BREAKER W/O ELECTRONIC TRIP UNIT WITHOUT AUXILIARY RELEASE	R 10,521.00
3VT9100-2AB10	101887957	1	V2	ACCESSORY FOR VT160 AUX. SWITCH 1CO VT160 60 - 250V AC/DC	R 136.00
3VT9100-2AH10	101887956	1	PD	ACCESSORY FOR VT160 ALARM SWITCH 1CO VT160 60 - 250V AC/DC	R 144.00
3VT9100-3HA10	101958694	1	V2	ACCESSORY FOR VT160 FRONT-OP.ROT.OP.MECH. W/O PLUG W/SHAFT END W/O SELECTOR SWITCH ADDIT.SHAFT, MASKING FRAME AND SELECTOR SWITCH REQUIRED	R 252.00
3VT9100-3HA20	102012121	1	V2	ACCESSORY FOR VT160 FRONT-OP.ROT.OP.MECHAN.W/PLUG W/SHAFT END W/O SELECTOR SWITCH ADDIT.SHAFT, MASKING FRAME AND SELECTOR SWITCH REQUIRED	R 289.00

3VT9100-3HD10	102262457	1	PD	ACCESSORY FOR VT160 LATERAL ROT. OP. MECHANISM W/O PLUG W/SHAFT END W/O SELECTOR SWITCH ADDIT.SHAFT, MASKING FRAME AND SELECTOR SWITCH REQUIRED	R 340.00
3VT9100-3HE20	102012862	1	V2	ACCESSORY FOR VT160 ACTUATOR WITH PLUG BLACK	R 65.00
3VT9100-3HG10	101958682	1	V2	ACCESSORY FOR VT160 FRONT MASKING FRAME F. ACTUATOR BLACK DEGREE OF PROTECTION IP 40	R 91.00
3VT9100-3HG20	102029475	1	V2	ACCESSORY FOR VT160 FRONT MASKING FRAME F. ACTUATOR BLACK DEGREE OF PROTECTION IP 66	R 113.00
3VT9100-3HJ10	101958684	1	V2	ACCESSORY FOR VT160 SHAFT FIXED LENGTH 350MM	R 54.00
3VT9100-8CE30	102079332	1	V2	ACCESSORY FOR VT160 PHASE BARRIER COMPRISES 2 BARRIERS	R 119.00
3VT9100-8LA00	102029478	1	PD	ACCESSORY FOR VT160 INTERLOCK WITH BAR FOR DOOR COUPLING ROT.OP.MECH.	R 748.00
3VT9100-8LB00	102322986	1	PD	ACCESSORY FOR VT160 LINK FOR PARALLELING WITH BAR FOR DOOR COUPLING ROT.OP.MECH.	R 415.00
3VT9200-3HA20	101887970	1	V2	ACCESSORY FOR VT250 FRONT- OP.ROT.OP.MECHAN.W/PLUG W/SHAFT END W/O SELECTOR SWITCH ADDIT.SHAFT, MASKING FRAME AND SELECTOR SWITCH REQUIRED	R 407.00
3VT9200-3MQ00	101961166	1	PD	ACCESSORY FOR VT250 MOTORIZED OP. MECHANISM WITH SPRING FORCE STORAGE 230V AC/220V DC	R 2,567.00
3VT9216-6AC00	102012854	1	PD	ELECTRONIC TRIP UNIT VT250 3-POLE, SYSTEM PROTECTION ETU DP, LI IR= 63...160A, OVERLOAD PROTECTION IRM= 4... 8KA SHORT-CIRCUIT PROTECTION,	R 3,377.00
3VT9216-6AP00	102066245	1	PD	ELECTRONIC TRIP UNIT VT250 3-POLE,MOTOR/TRANSF.PROTECT. ETU MP, LI IR= 63...160A, OVERLOAD PROTECTION IRM= 0.2... 2 KA SHORT-CIRCUIT PROTECTION,	R 2,888.00
3VT9225-6AC00	101887854	1	V2	ELECTRONIC TRIP UNIT VT250 3-POLE, SYSTEM PROTECTION ETU DP, LI IR= 100...250A, OVERLOAD PROTECTION IRM= 4... 8KA SHORT-CIRCUIT PROTECTION,	R 3,377.00
3VT9225-6AP00	101887939	1	PD	ELECTRONIC TRIP UNIT VT250 3-POLE,MOTOR/TRANSF.PROTECT. ETU MP, LI IR= 100...250A, OVERLOAD PROTECTION IRM= 0.2... 2 KA SHORT-CIRCUIT PROTECTION,	R 3,243.00
3VT9300-2AF10	102012151	1	V2	ACCESSORY FOR VT250, VT630 AUX. SWITCH 1NC + 1NO 60 - 250V AC/DC	R 181.00
3VT9300-3HA20	102058986	1	V2	ACCESSORY FOR VT630 FRONT- OP.ROT.OP.MECHAN.W/PLUG W/SHAFT END W/O SELECTOR SWITCH ADDIT.SHAFT, MASKING FRAME AND SELECTOR SWITCH REQUIRED	R 552.00
3VT9300-3HE20	101887969	1	V2	ACCESSORY FOR VT250, VT630 ACTUATOR WITH PLUG BLACK	R 91.00
3VT9300-3HF20	101985806	1	PD	ACCESSORY FOR VT250, VT630 ACTUATOR WITH PLUG RED/YELLOW	R 91.00
3VT9300-3HG20	102076880	1	V2	ACCESSORY FOR VT250, VT630 FRONT MASKING FRAME F. ACTUATOR BLACK DEGREE OF PROTECTION IP 66	R 128.00
3VT9300-3HJ10	101887968	1	V2	ACCESSORY FOR VT250, VT630 SHAFT FIXED LENGTH 365MM	R 61.00
3VT9300-3HL00	102079051	1	V2	ACCESSORY FOR VT630 TOGGLE LEVER INTERLOCK	R 573.00
3VT9300-4EE30	102192964	1	PD	ACCESSORY FOR VT630 FRONT CONNECTION BARS INCREASED POLE SPACING COMPRISES 3 TERMINALS LONG 3-POLE	R 537.00
3VT9300-8CE30	102047854	1	V2	ACCESSORY FOR VT630 PHASE BARRIER COMPRISES 2 BARRIERS	R 119.00
3VT9340-6AC00	101887855	1	V2	ELECTRONIC TRIP UNIT VT630 3-POLE, SYSTEM PROTECTION ETU DP, LI IR= 160... 400A, OVERLOAD PROTECTION IRM= 4 TO 12.5X IR, SHORT-CIRCUIT PROTECTION,	R 3,922.00
3VT9363-6AC00	101887912	1	V2	ELECTRONIC TRIP UNIT VT630 3-POLE, SYSTEM PROTECTION ETU DP, LI IR= 250... 630A, OVERLOAD PROTECTION IRM= 4 TO 12.5X IR, SHORT-CIRCUIT PROTECTION,	R 4,769.00

3VT9363-6AP00	102066249	1	PD	ELECTRONIC TRIP UNIT VT630 3-POLE, MOTOR/TRANSF. PROTECTION ETU MP, LI IR= 250... 630A, OVERLOAD PROTECTION IRM= 0.5... 6 KA SHORT-CIRCUIT PROTECTION,	R 5,657.00
3VT9363-6DT00	102056315	1	PD	SWITCH DISCONN. MODULE VT630 3-/4-POLE, W/O PROTECTION W/O OVERLOAD PROTECTION W/O SHORT-CIRCUIT PROTECTION SCREW TERMINAL CONNECTIONS IN SCOPE OF SUPPLY OF	R 756.00
3VT9410-6AC00	101945112	1	PD	ELECTRONIC TRIP UNIT VT1000 3-POLE, SYSTEM PROTECTION ETU DP, LI IR= 400... 1000A, OVERLOAD PROTECTION IRM= 1.25... 14KA, SHORT-CIRCUIT PROTECTION,	R 9,020.00
3VT9480-6AC00	101887914	1	V2	ELECTRONIC TRIP UNIT VT1000 3-POLE, SYSTEM PROTECTION ETU DP, LI IR= 315... 800A, OVERLOAD PROTECTION IRM= 1... 12KA, SHORT-CIRCUIT PROTECTION,	R 5,153.00
3VT9500-1SJ00	101924356	1	PD	ACCESSORY FOR VT1000, VT1600 SHUNT TRIP UNIT FOR 230V AC/DC FOR MOUNTING ON THE LEFT	R 657.00
3VT9500-2AF10	102012145	1	V2	ACCESSORY FOR VT1000, VT1600 AUX. SWITCH 2NC + 2NO 60 - 250V AC/DC	R 181.00
3VT9500-3HA10	101887974	1	V2	ACCESSORY FOR VT1000, VT1600 FRONT-OP. ROT. OP. MECH. W/O PLUG W/SHAFT END W/O SELECTOR SWITCH ADDIT. SHAFT, MASKING FRAME AND SELECTOR SWITCH REQUIRED	R 916.00
3VT9500-3HE10	101887973	1	V2	ACCESSORY FOR VT1000, VT1600 ACTUATOR WITHOUT PLUG BLACK	R 150.00
3VT9500-3HG10	102012863	1	PD	ACCESSORY FOR VT1000, VT1600 FRONT MASKING FRAME F. ACTUATOR BLACK DEGREE OF PROTECTION IP 40	R 188.00
3VT9500-3HG20	102058987	1	V2	ACCESSORY FOR VT1000, VT1600 FRONT MASKING FRAME F. ACTUATOR BLACK DEGREE OF PROTECTION IP 66	R 227.00
3VT9500-3HJ10	101887971	1	V2	ACCESSORY FOR VT1000, VT1600 SHAFT FIXED LENGTH 365MM	R 113.00
3VT9512-6AC00	101985548	1	PD	ELECTRONIC TRIP UNIT VT1600 3-POLE, SYSTEM PROTECTION ETU DP, LI IR= 500... 1250A, OVERLOAD PROTECTION IRM= 1.5... 18 KA, SHORT-CIRCUIT PROTECTION,	R 11,048.00
3VU1340-1MD00	100496088	1	PD	3VU13 CIRCUIT BREAKER SETTING RANGE: 0.24-0.4A 1NO+1NC	R 659.00
3VU1340-1ME00	100224973	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 0.4-0.6A 1NO+1NC	R 659.00
3VU1340-1MF00	100224461	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 0.6-1A 1NO+1NC	R 766.00
3VU1340-1MG00	100224974	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 1-1.6A 1NO+1NC	R 694.00
3VU1340-1MH00	100222581	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 1.6-2.4A 1NO+1NC	R 702.00
3VU1340-1MJ00	100437533	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 2.2-4A 1NO+1NC	R 702.00
3VU1340-1MK00	100222582	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 4-6A 1NO+1NC	R 702.00
3VU1340-1ML00	100232956	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 6-10A 1NO+1NC	R 766.00
3VU1340-1MM00	100224464	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 10-16A 1NO+1NC	R 766.00
3VU1340-1MN00	100224975	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 14-20A 1NO+1NC	R 794.00
3VU1340-1MP00	100222583	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 18-25A 1NO+1NC	R 837.00
3VU1340-2MM00	100505398	1	PD	3VU13 CIRCUIT BREAKER SETTING RANGE: 10-16A 2NO	R 766.00
3VU1640-1MM00	100496089	1	PD	3VU13 CIRCUIT BREAKER SETTING RANGE: 10-16A 1NO+1NC	R 687.00

3VU1640-1MN00	100424775	1	PD	3VU13 CIRCUIT BREAKER SETTING RANGE: 14-20A 1NO+1NC	R 1,291.00
3VU1640-1MP00	100231329	1	V2	3VU13 CIRCUIT BREAKER SETTING RANGE: 18-25A 1NO+1NC	R 1,386.00
3VU9131-3AA00	100022630	1	PD	ACCESSORIES FOR SWITCH 3VU13/16 AUXILIARY SWITCH 1NO+1 NC (WIDTH 0.5 MW)	R 83.00
3VU9135-1AB05	100022653	1	V2	ACCESSORIES FOR SWITCH 3VU13 FOR BUSBAR SYSTEM 3-PHASE-BUSBAR FOR 5 SWITCHES 3VU13 MODULAR WIDTH: 3MW	R 264.00
3VU9135-1BB01	100022655	1	PD	ACCESSORY F.3VU13 CIRC.-BREAKER FOR BUSBAR SYSTEM 3-PHASE FEED-IN TERMINAL RAISED DESIGN	R 159.00
3WL1108-3..31-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE I, IEC IN=800A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION VERTICAL	R 22,214.00
3WL1108-3..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=800A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 29,948.00
3WL1110-2..31-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE I, IEC IN=1000A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION VERTICAL	R 19,235.00
3WL1110-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=1000A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION	R 26,805.00
3WL1110-2..38-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=1000A TO 690V, AC50/60HZ ICU=55KA AT 500V W. CONNECTION	R 26,805.00
3WL1112-2..31-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE I, IEC IN=1250A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION VERTICAL	R 24,364.00
3WL1112-2..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE I, IEC IN=1250A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION HORIZONTAL	R 22,089.00
3WL1112-2..34-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE I, IEC IN=1250A TO 690V, AC50/60HZ ICU=55KA AT 500V FRNT.CONN. TOP/BOT. DUAL-HOLE	R 24,364.00
3WL1112-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=1250A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION	R 30,446.00
3WL1112-2..38-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=1250A TO 690V, AC50/60HZ ICU=55KA AT 500V W. CONNECTION	R 30,446.00
3WL1112-2..46-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 4-POLE, SIZE I, IEC IN=1250A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION	R 48,604.00
3WL1112-3..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=1250A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 35,492.00
3WL1112-3..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=1250A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 35,492.00
3WL1116-2..31-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE I, IEC IN=1600A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION VERTICAL	R 45,066.00
3WL1116-2..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE I, IEC IN=1600A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION HORIZONTAL	R 42,662.00
3WL1116-2..34-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE I, IEC IN=1600A TO 690V, AC50/60HZ ICU=55KA AT 500V FRNT.CONN. TOP/BOT. DUAL-HOLE	R 45,066.00
3WL1116-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=1600A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION	R 56,472.00
3WL1116-3..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=1600A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 59,619.00
3WL1120-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE I, IEC IN=2000A TO 690V, AC50/60HZ ICU=55KA AT 500V REAR CONNECTION	R 65,649.00

3WL1212-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=1250A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 37,726.00
3WL1212-4..34-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=1250A TO 690V, AC50/60HZ ICU=100KA AT 500V FRNT.CONN. TOP/BOT. DUAL-HOLE	R 33,547.00
3WL1216-2..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=1600A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION HORIZONTAL	R 48,867.00
3WL1216-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=1600A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 62,155.00
3WL1216-3..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=1600A TO 690V, AC50/60HZ ICU=80KA AT 500V REAR CONNECTION HORIZONTAL	R 49,218.00
3WL1220-2..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=2000A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION HORIZONTAL	R 52,888.00
3WL1220-2..34-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=2000A TO 690V, AC50/60HZ ICU=66KA AT 500V FRNT.CONN. TOP/BOT. DUAL-HOLE	R 55,852.00
3WL1220-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=2000A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 70,634.00
3WL1220-2..46-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 4-POLE, SIZE II, IEC IN=2000A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 93,013.00
3WL1220-3..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=2000A TO 690V, AC50/60HZ ICU=80KA AT 500V REAR CONNECTION HORIZONTAL	R 59,357.00
3WL1220-4..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=2000A TO 690V, AC50/60HZ ICU=100KA AT 500V REAR CONNECTION	R 79,638.00
3WL1225-2..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=2500A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION HORIZONTAL	R 74,743.00
3WL1225-2..34-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=2500A TO 690V, AC50/60HZ ICU=66KA AT 500V FRNT.CONN. TOP/BOT. DUAL-HOLE	R 78,276.00
3WL1225-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=2500A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 93,277.00
3WL1225-2..38-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=2500A TO 690V, AC50/60HZ ICU=66KA AT 500V W. CONNECTION	R 93,277.00
3WL1225-3..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=2500A TO 690V, AC50/60HZ ICU=80KA AT 500V REAR CONNECTION	R 100,881.00
3WL1232-2..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=3200A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION HORIZONTAL	R 89,780.00
3WL1232-2..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=3200A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 116,443.00
3WL1232-2..38-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=3200A TO 690V, AC50/60HZ ICU=66KA AT 500V W. CONNECTION	R 116,443.00
3WL1232-2..46-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 4-POLE, SIZE II, IEC IN=3200A TO 690V, AC50/60HZ ICU=66KA AT 500V REAR CONNECTION	R 154,207.00
3WL1232-3..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE II, IEC IN=3200A TO 690V, AC50/60HZ ICU=80KA AT 500V REAR CONNECTION HORIZONTAL	R 92,402.00
3WL1232-3..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=3200A TO 690V, AC50/60HZ ICU=80KA AT 500V REAR CONNECTION	R 122,299.00
3WL1232-4..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE II, IEC IN=3200A TO 690V, AC50/60HZ ICU=100KA AT 500V REAR CONNECTION	R 126,146.00
3WL1340-4..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE III, IEC IN=4000A TO 690V, AC50/60HZ ICU=100KA AT 500V REAR CONNECTION	R 192,059.00

3WL1340-4..46-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 4-POLE, SIZE III, IEC IN=4000A TO 690V, AC50/60HZ ICU=100KA AT 500V REAR CONNECTION	R 274,495.00
3WL1350-4..32-1AA2	-	1	-	FIXED-MOUNTED CIRCUIT BREAKER 3-POLE, SIZE III, IEC IN=5000A TO 690V, AC50/60HZ ICU=100KA AT 500V REAR CONNECTION HORIZONTAL	R 243,549.00
3WL1350-4..36-1AA2	-	1	-	WITHDRAWABLE CIRCUIT BREAKER WITH GUIDE FRAME 3-POLE, SIZE III, IEC IN=5000A TO 690V, AC50/60HZ ICU=100KA AT 500V REAR CONNECTION	R 293,029.00
BB	-	1	-	ETU15B	R 10,557.00
CB	-	1	-	ETU25B	R 11,673.00
EB	-	1	-	ETU45B	R 14,249.00
FB	-	1	-	ETU45B Display	R 16,479.00
NB	-	1	-	ETU76B	R 30,128.00
DG	-	1	-	ETU27B Ground	R 17,509.00
FG	-	1	-	ETU45B Ground Display	R 23,638.00
EG	-	1	-	ETU45B Ground	R 21,407.00
NG	-	1	-	ETU76B Ground	R 37,286.00
2...	-	1	-	Closing Solenoid 110v	R 1,983.00
3...	-	1	-	Closing Solenoid 220v	R 1,983.00
5...	-	1	-	Motorized Operator 110v	R 11,081.00
.B..	-	1	-	1st Aux Trip Shunt 24vdc	R 1,983.00
.C..	-	1	-	1st Aux Trip Shunt 30vdc	R 2,086.00
.D..	-	1	-	1st Aux Trip Shunt 48vdc	R 2,086.00
.F..	-	1	-	1st Aux Trip Shunt 110vac	R 1,983.00
.G..	-	1	-	1st Aux Trip Shunt 220vac	R 1,983.00
..B.	-	1	-	2nd Aux Trip Shunt 24vdc	R 1,983.00
..D.	-	1	-	2nd Aux Trip Shunt 48vdc	R 2,086.00
..F.	-	1	-	2nd Aux Trip Shunt 110vac	R 1,983.00
..G.	-	1	-	2nd Aux Trip Shunt 220vac	R 1,983.00
..J.	-	1	-	2nd Aux Trip Undervoltage 24vdc	R 2,352.00
..L.	-	1	-	2nd Aux Trip Undervoltage 48vdc	R 2,584.00
..M.	-	1	-	2nd Aux Trip Undervoltage 110vac	R 2,352.00
..N.	-	1	-	2nd Aux Trip Undervoltage 220vac	R 2,352.00
..P.	-	1	-	2nd Aux Trip Undervoltage 400vac	R 2,584.00
...2	1	1	-	Aux Switch 2no 2nc	R 2,026.00
...4	-	1	-	Aux Switch 4no 4nc	R 2,026.00
...7	-	1	-	Aux Switch 6no 2nc	R 2,043.00
...8	-	1	-	Aux Switch 5no 3nc	R 2,043.00
A08	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, TINNED COPPER BARS	R 1,131.00
C01	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, 5-DIGIT MECHANICAL, OPERATIONS COUNTER	R 2,524.00
C11	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, ELECTR. ON-PUSHBUT. IN OP.PANEL, WITH SEALING CAPE, INCL. CONNECTION CABLES	R 918.00
C12	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, ELECTR. ON-PUSHBUT. IN OP.PANEL, WITH CES LOCK, INCL. CONNECTION CABLES	R 1,553.00
C20	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, SIGNAL SWITCH FOR, SPRING STORAGE STATE	R 778.00
C22	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, READY TO RUN MESSAGE, S20	R 1,116.00
F01	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, BREAKER-STATUS-SENSOR	R 4,275.00
F02	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, UPGRADE WITH COM15 PROFIBUS, MODULE, BREAKER-STATUS-SENSOR,, CABLE SET F. ETU45, 55, 75, 76	R 11,501.00
F05	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, MEAS. FUNCTION PLUS UPGRADABLE, WITHOUT VOLTAGE TRANSF., MEASURM. OF HARMONICS & DIST.F., FOR ETU RELEASE 2	R 11,245.00
K07	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, 1ST TRIP SIGNALLING SWITCH, 1CO; S24	R 678.00
R15	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, POSITION SIGNAL SWITCH F., GUIDE FRAME, 1ST BLOCK, 3 MICRO-SWITCHES	R 1,553.00

R16	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, POSITION SIGNAL SWITCH F., GUIDE FRAME, 2ND BLOCK, 6 MICRO-SWITCHES	R 2,694.00
R21 I	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, SHUTTER FOR GUIDE FRAME 3P, SZ I, WITH LOCKING DEVICE	R 2,344.00
R21 II	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, SHUTTER FOR GUIDE FRAME 3P, SIZE II, WITH LOCKING DEVICE	R 2,652.00
R21 III	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, SHUTTER FOR GUIDE FRAME 3P, SIZE III, WITH LOCKING DEVICE	R 4,566.00
R30	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE AGAINST OPENING, THE CABINET DOOR, (OUTWITTABLE)	R 1,528.00
R55	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, MUTUAL MECHANICAL INTERLOCK, W. C.PULL 2M FOR WITHD.CIR.BR., WITH GUIDE FRAME	R 5,459.00
R56	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, MUTUAL MECHANICAL INTERLOCK, W. CABLE PULL 2M FOR, GUIDE FRAME	R 4,850.00
R57	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, MUTUAL MECHANICAL INTERLOCK, COMP. FOR WITHDR. CIRC.BR., WITHOUT FRAME	R 734.00
R60	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE F. INSERT, AGAINST UNAUTH. SWITCHING ON W., LOCK IN CABINET DOOR, AND LOCKING COMPONENT, EFFECTIVE IN OPERATING POS., MAKE: PROFALUX	R 5,433.00
R61	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE F. INSERT, AGAINST UNAUTH. SWITCHING ON W., LOCK IN CABINET DOOR, AND LOCKING COMPONENT, EFFECTIVE IN OPERATING POS., MAKE: CES	R 3,922.00
R68	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE F. INSERT, AGAINST UNAUTH. SWITCHING ON W., LOCK IN CABINET DOOR, AND LOCKING COMPONENT, EFFECTIVE IN OPERATING POS., MAKE: RONIS	R 4,446.00
S01	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE OFF-POSITION, CES LOCK IN OPER.PANEL, FUNCTION SAFE OFF, SEPARATOR OPER. IEC 60947-2	R 1,786.00
S03	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE OFF-POSITION, IKON LOCK IN OPER.PANEL, FUNCTION SAFE OFF, SEPARATOR OPER. IEC 60947-2	R 2,352.00
S05	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE OFF-POSITION, CASTELL- LOCK IN OPER.PANEL, FUNCTION SAFE OFF, SEPARATOR OPER. IEC 60947-2	R 1,176.00
S07	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE OFF-POSITION, PADLOCK F. OPER.PANEL, FUNCTION SAFE OFF, SEPARATOR OPER. IEC 60947-2	R 824.00
S08	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL LOCKING DEVICE OFF-POSITION RONIS LOCK IN OPER.PANEL FUNCTION SAFE OFF SEPARATOR OPER. IEC 60947-2	R 1,942.00
S09	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE OFF-POSITION, PROFALUX LOCK IN OPER.PANEL, FUNCTION SAFE OFF, SEPARATOR OPER. IEC 60947-2	R 1,966.00
S24	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, MUSHR.BUTTON EMERG.OFF	R 2,412.00
S30	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE AGAINST OPENING, THE CABINET DOOR IN, SETTING (OUTWITTABLE)	R 1,528.00
S33	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE F., MANUAL DRIVE LEVER	R 1,390.00
S55	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, MUTUAL MECHANICAL INTERLOCK, W. CABLE PULL 2M FOR FIXED-, MOUNT. SWITCH	R 5,459.00

S71	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE AGAINST, TRAVERSING OF CIRC. BREAKER, SAFETY LOCK AT, CRANK HOLE CES LOCK	R 3,922.00
S75	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE AGAINST, TRAVERSING OF CIRC. BREAKER, SAFETY LOCK AT, CRANK HOLE PROFALUX LOCK	R 4,918.00
S76	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, LOCKING DEVICE AGAINST, TRAVERSING OF CIRC. BREAKER, SAFETY LOCK AT, CRANK HOLE RONIS LOCK	R 4,798.00
T40	-	1	-	ACCESSORIES CIRCUIT BREAKER 3WL, DOOR SEALING FRAME IP41, FOR INST. IN CONTR.CABINET DOOR	R 1,673.00
3WL9111-0AA22-0AA0	100188469	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL EXT. CURRENT TRANSFORMERS SZ.II F. N-COND.PROT. ROGOWSKI CONVRTR. WITHOUT COPPER BAR	R 3,859.00
3WL9111-0AB01-0AA0	100170148	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL KNIFE STRIP	R 664.00
3WL9111-0AB03-0AA0	100082686	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL MANUAL PLUG SIGUT	R 553.00
3WL9111-0AB07-0AA0	100764714	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL COD.SET F. FIXED-MOUNT CIRC.BR.	R 444.00
3WL9111-0AB08-0AA0	100170146	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL WIPER CONTACT MODULE F. WITHDRAWABLE CIRC.BREAKER	R 664.00
3WL9111-0AD05-0AA0	100082672	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL SHUNT TRIP AC 50/60HZ 110V/ DC 110V 100% ED	R 1,960.00
3WL9111-0AD06-0AA0	100082671	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL SHUNT TRIP AC 50/60HZ 208-240V/ DC 220V 100% ED	R 1,960.00
3WL9111-0AD13-0AA0	100508929	1	-	ACCESSORIES CIRCUIT BREAKER 3WL SHUNT TRIP, OVER-EXCITED 5% ED (NOT F. CONTIN. OPER.) 5% ED	R 2,080.00
3WL9111-0AE04-0AA0	100444840	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL UNDERVOLTAGE RELEASE, NON-DEL. AC 50/60HZ 110-127V/DC 110-125V	R 2,324.00
3WL9111-0AE05-0AA0	100082673	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL UNDERVOLTAGE RELEASE, NON-DEL. AC 50/60HZ 208-240V/DC 220-250V	R 2,324.00
3WL9111-0AF03-0AA0	100441982	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL MOTOR DRIVE AC 50/60HZ 110-125V/DC110-127V	R 8,992.00
3WL9111-0AF04-0AA0	100082678	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL MOTOR DRIVE AC 50/60HZ 208-240V/DC 220-250	R 8,992.00
3WL9111-0AG01-0AA0	100082687	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL AUX.SWITCH BLOCK 2NO +2NC	R 2,002.00
3WL9111-0AG03-0AA0	100541642	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL AUX.SWITCH BLOCK 1NO+1NC	R 1,009.00
3WL9111-0AH01-0AA0	100082680	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL READY TO RUN MESSAGE S20	R 1,102.00
3WL9111-0AH08-0AA0	100455213	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL SIGNAL SWITCH FOR SPRING STORAGE STATE	R 770.00
3WL9111-0AH12-0AA0	100183050	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL POSITION SIGNAL SWITCH F. GUIDE FRAME, 2ND BLOCK 6 MICRO-SWITCHES	R 2,663.00
3WL9111-0AH14-0AA0	100879455	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL 1ST TRIP SIGNALLING SWITCH 1CO; S24	R 670.00
3WL9111-0AP01-0AA0	100082684	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL DOOR SEALING FRAME IP41 FOR INST. IN CONTR.CABINET DOOR	R 1,654.00
3WL9111-0AP02-0AA0	100082685	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL PERSPEX COVER IP55, TRANSP. FOR MOUNT. ON CONTR.CAB. DOOR	R 3,469.00
3WL9111-0AP04-0AA0	100505535	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL SHUTTER FOR GUIDE FRAME 3P SZ I, WITH LOCKING DEVICE	R 2,315.00
3WL9111-0AP06-0AA0	100189223	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL SHUTTER FOR GUIDE FRAME 3P SIZE II, WITH LOCKING DEVICE	R 2,620.00

3WL9111-0AT04-0AA0	101937489	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL MEAS. FUNCTION PLUS UPGRADABLE WITHOUT VOLTAGE TRANSF. MEASURM. OF HARMONICS & DIST.F. FOR ETU RELEASE 2	R 11,112.00
3WL9111-0AT12-0AA0	100097267	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL UPGRADE WITH COM15 PROFIBUS MODULE, BREAKER-STATUS-SENSOR, CABLE SET F. ETU45B, 76B	R 11,366.00
3WL9111-0AT15-0AA0	100197885	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL PROFIBUS GATEWAY WITH COM15 MODULE	R 7,295.00
3WL9111-0AT45-0AA0	100097259	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL SEALING DISC FOR ETU25-75 FOR PROT. AGAINST UNAUTHOR. OPERATION	R 332.00
3WL9111-0AT53-0AA0	100636395	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL EARTH-FAULT PROT.MODULE CUSTOMER-UPGRADABLE FOR ETU 45 W. DISPLAY ALARM & ACTIVATION	R 7,074.00
3WL9111-0AT81-0AA0	100678772	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL LCD DISPLAY, 4-ROW FOR ETU45 WITH DISPLAY ILLUM. CUSTOMER-UPGRADABLE	R 2,206.00
3WL9111-0BA21-0AA0	100097256	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL PROT.COVER F. MECH. ON/OFF LOCK MOUNT F. SAFETY LOCK	R 1,246.00
3WL9111-0BA31-0AA0	100082683	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL LOCKING DEVICE OFF-POSITION CASTELL- LOCK IN OPER.PANEL FUNCTION SAFE OFF SEPARATOR OPER. IEC 60947-2	R 1,162.00
3WL9111-0BA33-0AA0	100863034	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL LOCKING DEVICE OFF-POSITION RONIS LOCK IN OPER.PANEL FUNCTION SAFE OFF SEPARATOR OPER. IEC 60947-2	R 1,942.00
3WL9111-0BA41-0AA0	100097258	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL LOCKING DEVICE OFF-POSITION PADLOCK F. OPER.PANEL FUNCTION SAFE OFF SEPARATOR OPER. IEC 60947-2	R 814.00
3WL9111-0BA43-0AA0	101875342	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL LOCKING DEVICE OFF-POSITION CES LOCK IN OPER.PANEL FUNCTION SAFE OFF ISOLATION COND. IEC 60947-2 INTERLOCK SYSTEM 2 IDENTICAL	R 4,708.00
3WL9111-0BB21-0AA0	100082689	1	V2	ACCESSORIES CIRCUIT BREAKER 3WL MUTUAL MECHANICAL INTERLOCK W. CABLE PULL 2M FOR FIXED- MOUNT. SWITCH	R 5,394.00
3WL9111-0BB22-0AA0	100678770	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL MUTUAL MECHANICAL INTERLOCK W. CABLE PULL 2M FOR GUIDE FRAME	R 4,793.00
3WL9111-0BB23-0AA0	100461965	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL MUTUAL MECHANICAL INTERLOCK COMP. FOR WITHDR. CIRC.BR. WITHOUT FRAME	R 725.00
3WL9111-0BB24-0AA0	100082690	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL MUTUAL MECHANICAL INTERLOCK W. C.PULL 2M FOR WITHD.CIR.BR. WITH GUIDE FRAME	R 5,394.00
3WL9111-0BB27-0AA0	100508678	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL BOWDEN WIRE F. MUTUAL MECH. INTERLOCKINGS, 4.5M, THREAD M5	R 1,976.00
3WL9111-0BB45-0AA0	101873745	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL BOWDEN WIRE F. MUTUAL MECH. INTERLOCKINGS, 2M, THREAD M8X1	R 1,095.00
3WL9111-0BB46-0AA0	101873459	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL BOWDEN WIRE F. MUTUAL MECH. INTERLOCKINGS, 3M, THREAD M8X1	R 1,424.00
3WL9111-0BB47-0AA0	101479120	1	PD	ACCESSORIES CIRCUIT BREAKER 3WL BOWDEN WIRE F. MUTUAL MECH. INTERLOCKINGS,4.5M, THREAD M8X1	R 1,976.00
3WL9111-0BB68-0AA0	100883355	1	PD	CIRCUIT-BREAKER ACCESSOR. 3WL VOLTAGE TRANSFORMER 3-POLE FOR MEAS.FUNCTION AND MEAS.F. PLUS 380-690V/100V CLASS 0.5	R 3,070.00
3WL9111-0BC11-0AA0	100097275	1	PD	ACCESSORIES CIRCUIT-BREAKER 3WL KIT FOR CONV. FIXED-MOUNTED TO WITHDRAWABLE SIZE 1 3-POLE (AUX.CURRENT SHIFT MODULES AND GUIDE FRAMES ARE TO BE ORDERED INDIVIDUALLY)	R 3,453.00

3WL9111-0BC12-0AA0	100687961	1	PD	ACCESSORIES CIRCUIT-BREAKER 3WL KIT FOR CONV. FIXED-MOUNTED TO WITHDRAWABLE SIZE 2 3-POLE (AUX.CURRENT SHIFT MODULES AND GUIDE FRAMES ARE TO BE ORDERED INDIVIDUALLY)	R 4,579.00
3WL9312-5AA00-0AA2	101748481	1	PD	ACCESSORIES CIRCUIT-BREAKER 3WL OVERCURRENT RELEASE ETU25B LSI PROTECTION OPTION W/O RATED CURRENT ID MODULE	R 11,536.00
3WL9314-5AA20-0AA2	101748487	1	PD	ACCESSORIES CIRCUIT-BREAKER 3WL OVERCURRENT RELEASE ETU45B LSIN PROTECTION OPTION W. MEAS. FUNCT. U,I,P,W,Q,F,COS HARMONICS AND HARM. DISTORTION W/O DISPLAY	R 24,514.00
3WT9821-1DA01	101137325	1	PD	ACCESSORIES FOR 3WT8 SWITCH CONN. MOUNTING RAILS FOR FRONT MOUNTING FOR FIXED MOUNTING VERTICAL DOUBLE-HOLE BAR 3/4 POLE, IN =2000A, 1 PIECE	R 595.00
3WT9832-1JK00	100946224	1	V2	ACCESSORY F. 3WT8 CIRC.-BREAKER MOTORIZED OPERATING MECHANISM AC 220 TO 240V / DC 220 TO 250V	R 4,750.00
3WT9833-1JH00	100880705	1	PD	ACCESSORY F. 3WT8 CIRC.-BREAKER ELECTRICAL CLOSING AC 110 TO 127V / DC 110 TO 125V	R 1,084.00
3WT9851-1JH00	100861509	1	PD	ACCESSORY F. 3WT8 CIRC.-BREAKER SHUNT RELEASE FOR 1ST, 2ND AUX. REL. (F1, F2) AND CLOSING SOLENOID (Y1) RATED CONTROL SUPPLY VOLTAGE AC 50/60HZ 110 TO 127V	R 1,084.00
3WT9851-1JK00	100857580	1	PD	ACCESSORY F. 3WT8 CIRC.-BREAKER SHUNT RELEASE FOR 1ST, 2ND AUX. REL. (F1, F2) AND CLOSING SOLENOID (Y1) RATED CONTROL SUPPLY VOLTAGE AC 50/60HZ 220 TO 240V	R 1,084.00
3WT9863-6JE00	101007807	1	PD	ACCESSORY F. 3WT8 CIRC.-BREAKER MOUNTING KIT FOR CASTELL LOCK OR FORTRESS LOCK TI-GREY FROM 15TH OF APRIL 2009 THIS COMPONENT WITH BLUE GREEN BASIC PLASTIC PARTS	R 4,369.00
3ZS1312-4CC10-0YA5	101924782	1	V2	SIRIUS; SIMOCODE ES 2007 BASIC FLOATING LICENSE F. ONE USER E-SW, SW AND DOCUM. ON CD LICENSE KEY ON USB ST.;CLASS A 3 LANGUAGES (GER,ENG,FR) EXECUTES UNDER: MS WINDOWS XP PROF MS WINDOWS 7 32 BIT PROF/ ULTIMATE/ENTERPRISE REFERENCE HW: SIRIUS SIMOCODE PRO 3UF7*; COMMUNICATION THROUGH SYSTEM INTERFACE	R 1,113.00
3ZS1312-5CC10-0YA5	101924795	1	V2	SIRIUS; SIMOCODE ES 2007 STANDARD FLOATING LICENSE F. ONE USER E-SW, SW AND DOCUM. ON CD LICENSE KEY ON USB ST.;CLASS A 3 LANGUAGES (GER,ENG,FR) EXECUTES UNDER: MS WINDOWS XP PROF MS WINDOWS 7 32/64 BIT PROF/ ULTIMATE/ENTERPRISE REFERENCE HW: SIRIUS SIMOCODE PRO 3UF7*; COMMUNICATION THROUGH SYSTEM INTERFACE	R 11,025.00
3ZS1312-6CC10-0YA5	101924824	1	V2	SIRIUS; SIMOCODE ES 2007 PREMIUM FLOATING LICENSE F. ONE USER E-SW, SW AND DOCUM. ON CD LICENSE KEY ON USB ST.;CLASS A 3 LANGUAGES (GER,ENG,FR) EXECUTES UNDER: MS WINDOWS XP PROF MS WINDOWS 7 32/64 BIT PROF/ ULTIMATE/ENTERPRISE REFERENCE HW: SIRIUS SIMOCODE PRO 3UF7*; COMMUNICATION THROUGH SYSTEM INTERFACE OR PROFIBUS DP INTERFACE	R 18,367.00
3ZS1312-6CC10-0YE5	101924826	1	PD	SIRIUS; SIMOCODE ES 2007 PREMIUM UPGR F. SIMOCODE ES FROM 2004 FLOATING LICENSE F. ONE USER E-SW, SW AND DOCUM. ON CD LICENSE KEY ON USB ST.;CLASS A 3 LANGUAGES (GER,ENG,FR) EXECUTES UNDER: MS WINDOWS XP PROF MS WINDOWS 7 32/64 BIT PROF/ ULTIMATE/ENTERPRISE REFERENCE HW: SIRIUS SIMOCODE PRO 3UF7*; COMMUNICATION THROUGH SYSTEM INTERFACE OR PROFIBUS DP INTERFACE	R 4,591.00

3ZS1313-1CC10-0YA0	100946977	1	V2	SIRIUS, SOFT STARTER ES 2006 SMART SINGLE-LICENSE F. ONE INSTALLATION E-SW, SW ON CD CLASS A 2 LANGUAGES (ENG, GER) EXECUTES UNDER: WIN2000/WINXPPROF REFERENCE HW: SIRIUS SOFT STARTER 3RW44, COMMUNICATION OVER SYSTEM INTERFACE, REQUIRED FIRMWARE VERSION >=*E04* USED IN DEVICES WITH START OF DELIVERY DEC.2005 OR L	R 1,452.00
3ZS1313-5CC10-0YA5	101925006	1	PD	SIRIUS; SOFT STARTER ES 2007 STANDARD FLOATING-LICENSE F. ONE USER E-SW, SW AND DOCUM. ON CD LICENSE KEY ON USB ST;CLASS A 3 LANGUAGES (G,EN,FR) EXECUTES UNDER: WINXPPROF/WIN7 REFERENCE HW: SIRIUS SOFT STARTER 3RW44; COMMUNICATION THROUGH SYSTEM INTERFACE	R 2,917.00
3ZS1313-6CC10-0YA5	101925009	1	V2	SIRIUS; SOFT STARTER ES 2007 PREMIUM FLOATING-LICENSE F. ONE USER E-SW, SW AND DOCUM ON CD LICENSE KEY ON USB ST;CLASS A 3 LANGUAGES (G,EN,FR) EXECUTES UNDER: WINXPPROF/WIN7 REFERENCE HW: SIRIUS SOFT STARTER 3RW44; COMMUNICATION THROUGH SYSTEM INTERFACE AND OPTIONAL PROFIBUS DP INTERFACE	R 7,994.00
3ZS1630-1XX00-0YA0	104221145	1	PD	t.b.a	R 6,173.00
3ZS1630-2XX00-0YB0	104221151	1	PD	t.b.a	R 4,121.00
3ZS1635-1XX01-0YA0	103013572	1	PD	AS-INTERFACE PCS 7 BLOCK LIBRARY V7.1 SINGLE LICENSE 1 INSTALLATION ENGINEERING-SW, RUNTIME-SW AS-BLOCKS AND FACEPLATES GERMAN/ENGLISH DELIVERY FORM: CD FOR SIMATIC PCS 7 V6.1 FOR SIMATIC PCS 7 V7.0 FOR SIMATIC PCS 7 V7.1 SUPPORTS CP343-2, CP343-2P AND DP	R 2,891.00
4NC5112-0BC20	100134831	1	PD	WINDOW-TYPE CURRENT TRANSFORMER, CLASS 3 50A/1A, 2,5VA PRIMARY CURRENT 50A, 2.5VA	R 820.00
4NC5113-0BC20	100134832	1	PD	WINDOW-TYPE CURRENT TRANSFORMER, CLASS 3 60A/1A, 2,5VA PRIMARY CURRENT 60A, 2.5VA	R 820.00
4NC5113-2BC20	100023003	1	PD	WINDOW-TYPE CURRENT TRANSFORMER, CLASS 3 60A/5A, 2,5VA PRIMARY CURRENT 60A, 2.5VA	R 757.00
4NC5117-0CC20	100023005	1	PD	WINDOW-TYPE CURRENT TRANSFORMER, CLASS 1 100A/1A, 2,5VA PRIMARY CURRENT 100A, 2.5VA	R 715.00
4NC5121-0CC20	100508309	1	PD	WINDOW-TYPE CURRENT TRANSFORMER, CLASS 1 150A/1A, 2,5VA PRIMARY CURRENT 150A, 2.5VA	R 715.00
4NC5434-2CH20	100023015	1	PD	WINDOW-TYPE CURRENT TRANSFORMER, CLASS 1 1500A/5A, 10VA PRIMARY CURRENT 1500A, 10VA	R 1,182.00
5SA121	100026584	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE , NDZ SERIES SIZE DII, THREAD E16, 4A	R 38.00
5SA131	100023017	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE , NDZ SERIES SIZE DII, THREAD E16, 6A	R 38.00
5SA151	100023018	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE , NDZ SERIES SIZE DII, THREAD E16, 10A	R 38.00
5SA221	100023023	1	PD	DIAZED FUSE LINK 500V TIME-LAG TNDZ SERIES SIZE DII, THREAD E16, 4A	R 38.00
5SA231	100023024	1	V2	DIAZED FUSE LINK 500V TIME-LAG TNDZ SERIES SIZE DII, THREAD E16, 6A	R 38.00
5SA251	100023025	1	V2	DIAZED FUSE LINK 500V TIME-LAG TNDZ SERIES SIZE DII, THREAD E16, 10A	R 38.00
5SA261	100023026	1	V2	DIAZED FUSE LINK 500V TIME-LAG TNDZ SERIES SIZE DII, THREAD E16, 16A	R 38.00
5SA281	100023028	1	V2	DIAZED FUSE LINK 500V TIME-LAG TNDZ SERIES SIZE DII, THREAD E16, 25A	R 38.00
5SB111	100023029	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE SIZE DII, THREAD E27, 2A	R 25.00
5SB121	100023030	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE SIZE DII, THREAD E27, 4A	R 25.00
5SB131	100023031	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE SIZE DII, THREAD E27, 6A	R 25.00

5SB151	100023033	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE SIZE DII, THREAD E27, 10A	R 18.00
5SB161	100023034	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE	R 18.00
5SB171	100023035	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE SIZE DII, THREAD E27, 20A	R 20.00
5SB181	100023036	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE SIZE DII, THREAD E27, 25A	R 20.00
5SB211	100023037	1	V2	DIAZED FUSE LINK 500V F.CABLE AND LINE PROTECTION OP.CL.GL,SZ.DII,THREAD E27,2A	R 17.00
5SB221	100023038	1	V2	DIAZED FUSE LINK 500V F.CABLE AND LINE PROTECTION OP.CL.GL,SZ.DII,THREAD E27,4A	R 17.00
5SB231	100023039	1	V2	DIAZED FUSE LINK 500V F.CABLE AND LINE PROTECTION	R 17.00
5SB251	100023040	1	V2	DIAZED FUSE LINK 500V F.CABLE AND LINE PROTECTION OP.CL.GL,SZ.DII,THREAD E27,10A	R 11.00
5SB261	100023041	1	V2	DIAZED FUSE LINK 500V F.CABLE AND LINE PROTECTION OP.CL.GL,SZ.DII,THREAD E27,16A	R 11.00
5SB271	100023042	1	V2	DIAZED FUSE LINK 500V F.CABLE AND LINE PROTECTION OP.CL.GL,SZ.DII,THREAD E27,20A	R 14.00
5SB281	100023043	1	V2	DIAZED FUSE LINK 500V F.CABLE AND LINE PROTECTION OP.CL.GL,SZ.DII,THREAD E27,25A	R 14.00
5SB311	100023044	1	V2	DIAZED FUSE LINK 500V QUICK-RESPONSE,SZ.DIII THREAD E33, 35A	R 38.00
5SB411	100023047	1	V2	DIAZED FUSE LINK 500V F.CABLE AND LINE PROTECTION OP.CL.GL,SIZE DIII THREAD E33, 35A	R 38.00
5SD420	100023052	1	V2	SILIZED FUSE LINK 500V F.SEMICONDUCTOR PROTECTION EXTRA FAST, SIZE DII THREAD E27, 16A	R 42.00
5SD430	100023053	1	V2	SILIZED FUSE LINK 500V F.SEMICONDUCTOR PROTECTION EXTRA FAST, SIZE DII THREAD E27, 20A	R 45.00
5SD440	100023054	1	V2	SILIZED FUSE LINK 500V F.SEMICONDUCTOR PROTECTION EXTRA FAST, SIZE DII THREAD E27, 25A	R 47.00
5SD450	100023055	1	V2	SILIZED FUSE LINK 500V F.SEMICONDUCTOR PROTECTION EXTRA FAST, SIZE DIII THREAD E33, 35A	R 62.00
5SD460	100023056	1	PD	SILIZED FUSE LINK 500V F.SEMICONDUCTOR PROTECTION EXTRA FAST, SIZE DIII THREAD E33, 50A	R 78.00
5SD470	100023057	1	PD	SILIZED FUSE LINK 500V F.SEMICONDUCTOR PROTECTION EXTRA FAST, SIZE DIII THREAD E33, 63A	R 88.00
5SD480	100023058	1	V2	SILIZED FUSE LINK 500V F.SEMICONDUCTOR PROTECTION EXTRA FAST, SIZE DII THREAD E27, 30A	R 48.00
5SD8004	100023068	1	PD	DIAZED FUSE-LINK 690V FOR CABLE AND LINE PROTECTION UTILIZATION CATEGORY GG SIZE DIII, E33, 4A	R 265.00
5SD8010	100023070	1	V2	DIAZED FUSE-LINK 690V FOR CABLE AND LINE PROTECTION UTILIZATION CATEGORY GG SIZE DIII, E33, 10A	R 300.00
5SE2302	100069172	1	V2	NEOZED FUSE LINK 400V GL, SIZE D01, 2A IN FOLDING BOX	R 17.00
5SE2304	100069173	1	V2	NEOZED FUSE LINK 400V GL, SIZE D01, 4A IN FOLDING BOX	R 17.00
5SE2306	100069174	1	V2	NEOZED FUSE LINK 400V GL, SIZE D01, 6A IN FOLDING BOX	R 17.00
5SE2310	100069175	1	V2	NEOZED FUSE LINK 400V GL, SIZE D01, 10A IN FOLDING BOX	R 11.00
5SE2316	100069176	1	V2	NEOZED FUSE LINK 400V GL, SIZE D01, 16A IN FOLDING BOX	R 11.00
5SE2320	100069177	1	PD	NEOZED FUSE LINK 400V GL, SIZE D02, 20A IN FOLDING BOX	R 16.00
5SE2325	100069178	1	V2	NEOZED FUSE LINK 400V GL, SIZE D02, 25A IN FOLDING BOX	R 16.00
5SE2335	100069179	1	V2	NEOZED FUSE LINK 400V GL, SIZE D02, 35A IN FOLDING BOX	R 21.00
5SE2350	100069181	1	PD	NEOZED FUSE LINK 400V GL, SIZE D02, 50A IN FOLDING BOX	R 21.00
5SE2363	100069182	1	V2	NEOZED FUSE LINK 400V GL, SIZE D02, 63A IN FOLDING BOX	R 21.00

5SF1005	100023087	1	V2	DIAZED-BASE DII 25A AC DC 500V SREWHEAD/CLAMP TYPE TERMINAL	R 125.00
5SF101	100023088	1	PD	DIAZED-BASE NDZ 25A AC DC 500V SREWHEAD/SREWHEAD TERMINAL SCREW TYPE	R 137.00
5SF1024	100023089	1	V2	DIAZED-BASE DII 25A AC DC 500V SREWHEAD/CLAMP TYPE TERMINAL SCREW TYPE	R 94.00
5SF1060	101851107	1	PD	DIAZED FUSE-BASE SIZE DII MOULDED, 1-POLE SHOCK-HAZARD-PROTECTED (BGV A2) ENTRY: DOUBLE FUNCTION TERMINAL OUTLET: BOX TERMINAL 25 A 500 V AC	R 165.00
5SF1205	100023090	1	V2	DIAZED-BASE DIII 63A AC690V DC500V CLAMP TYPE/SADDLE TERMINAL	R 161.00
5SF1224	100023092	1	PD	DIAZED-BASE DIII 63A AC690V DC500V CLAMP TYPE/SADDLE TERMINAL SCREW TYPE	R 192.00
5SF5236	100023094	1	PD	DIAZED-BASE DIII 63A 3POLE AC690V DC500V WITH COVER AND N TERMINAL SCREW TYPE	R 730.00
5SF5268	101537698	1	PD	DIAZED FUSE-BASE SIZE III MOULDED, 3-POLE SHOCK-HAZARD-PROTECTED (BGV A2) ENTRY: DOUBLE FUNCTION TERMINAL OUTLET: BOX TERMINAL 63 A 500 V AC	R 608.00
5SF6214	100442671	1	PD	SR60-BASE DIAZED DIII 3 POLS AC690V DC500V FOR RING SLEEVES FOR 5/10MM BUSBAR THICKNESS WITH CLAMP-TYPE TERMINAL	R 457.00
5SG1301	101635817	1	PD	NEOZED-FLUSH MOUNTING FUSE BASE MOLDED PLASTIC, D01 1-POLE TOUCH PROTECTION (BGV A2) ACCESS: ELEVATOR TERMINAL OUTGOING: ELEVATOR TERMINAL 16A, AC 400V/DC 250V	R 162.00
5SG5701	101959776	1	PD	NEOZED-FLUSH MOUNTING FUSE BASE MOLDED PLASTIC, D02 3-POLE TOUCH PROTECTION (BGV A2) ACCESS: ELEVATOR TERMINAL OUTGOING: ELEVATOR TERMINAL 63A, AC 400V/DC 250V	R 531.00
5SG7620	100506771	1	PD	NEOZED-FUSE SWITCH FOR NEOZED FUSE LINK 2-16A D01/16A, 2POLE, D=70MM	R 841.00
5SH1112	102914347	1	PD	D-SCREW-CAP NDZ E16 500V 16A MADE OF PLASTIC MATERIAL	R 38.00
5SH112	100023112	1	V2	DIAZED-SCREW CAP DII 25A AC DC 500V CERAMIKS	R 19.00
5SH113	100023113	1	V2	DIAZED-SCREW CAP DIII 63A AC DC 500V CERAMIKS	R 29.00
5SH123	100235958	1	V2	DIAZED-SCREW CAP DIII 63A AC DC 500V CERAMIKS WITH TEST HOLE	R 51.00
5SH1231	100415822	1	PD	DIAZED-SCREW CAP DIII 63A AC DC 500V MOULDED PLASTIC WITH TEST HOLE	R 53.00
5SH202	100023118	1	V2	DIAZED MOULDED-PLASTIC CAP SIZE DII/25A THREAD E27	R 93.00
5SH222	100023120	1	V2	DIAZED MOULDED-PLASTIC CAP SIZE DIII/63A, THREAD E33	R 140.00
5SH2242	100415821	1	PD	PROTECTIVE COVER ISO FOR REITER FUSE BASE 3POLE FOR 60 MM BUSBAR SYSTEM DIII/63A 1FOLD	R 56.00
5SH310	100023122	1	PD	D-TYPE ADAPTER SCREW SIZE DII/THREAD E27, 2A	R 12.00
5SH313	100023125	1	V2	D-TYPE ADAPTER SCREW SIZE DII/THREAD E27, 10A	R 12.00
5SH314	100023126	1	PD	D-TYPE ADAPTER SCREW SIZE DII/THREAD E27, 16A	R 12.00
5SH316	100023128	1	V2	D-TYPE ADAPTER SCREW SIZE DII/THREAD E27, 25A	R 15.00
5SH317	100023129	1	V2	D-TYPE ADAPTER SCREW SIZE DIII/THREAD E33, 35A	R 25.00
5SH318	100023130	1	PD	D-TYPE ADAPTOR SCREW SIZE DIII/THREAD E33, 50A	R 25.00
5SH320	100023131	1	V2	D-TYPE ADAPTER SCREW SIZE DIII/THREAD E33, 63A	R 25.00
5SH332	100023135	1	PD	DIAZED COVERING COLLAR, PORCELAIN, SIZE DII, THREAD E27	R 25.00
5SH334	100023136	1	PD	DIAZED COVERING COLLAR PORCELAIN, SIZE DIII, THREAD E33	R 36.00
5SH3536	100225184	1	V2	HOLDER FOR UNUSED PANELS SR FOR BUS BAR SYSTEM 60MM	R 158.00
5SH3540	102222104	1	V2	N / PE BUSBAR SUPPORT FOR FLAT COPPER PROFILES FOR 5/10 MM BUSBARS	R 163.00

5SH4163	100023140	1	PD	NEOZED SCREW CAP MOULDED-PLASTIC SIZE D02, 63A	R 23.00
5SH4362	100445504	1	PD	NEOZED SCREW CAP PORCELAIN SIZE D02, 63A WITH INSPECTION HOLE	R 23.00
5SH5235	100023148	1	PD	NEOZED COVERING CAP MOULD.PLAST SIZES D01/D02	R 73.00
5SH5400	100023149	1	V2	NEOZED RETAINING SPRING	R 9.00
5SH5402	100489804	1	PD	NEOZED SPECIAL ADAPTER D02 2 A	R 9.00
5SH5406	100069348	1	PD	NEOZED SPECIAL ADAPTER D02 6 A	R 9.00
5SH5410	100023152	1	PD	NEOZED SPECIAL ADAPTER D02 10 A	R 9.00
5SJ4106-7HG40	101181875	1	PD	CIRCUIT BREAKER 240V 14KA, 1-POLE, C, 6A, D=70MM ACC. TO UL 489, SAME POLARITY	R 512.00
5SJ4116-7HG41	102374116	1	PD	CIRCUIT BREAKER 240V 14KA, 1-POLE, C, 16A, D=70MM ACC. TO UL 489	R 487.00
5SJ4120-7HG40	102072639	1	PD	CIRCUIT BREAKER 240V 14KA, 1-POLE, C, 20A, D=70MM ACC. TO UL 489, SAME POLARITY	R 426.00
5SJ4125-7HG41	102374145	1	PD	CIRCUIT BREAKER 240V 14KA, 1-POLE, C, 25A, D=70MM ACC. TO UL 489	R 487.00
5SJ4130-7HG40	101473575	1	PD	CIRCUIT BREAKER 240V 14KA, 1-POLE, C, 30A, D=70MM ACC. TO UL 489, SAME POLARITY	R 512.00
5SJ4140-7HG40	102284817	1	PD	CIRCUIT BREAKER 240V 14KA, 1-POLE, C, 40A, D=70MM ACC. TO UL 489, SAME POLARITY	R 639.00
5SJ4204-7HG41	102096712	1	PD	CIRCUIT BREAKER 240V 14KA, 2-POLE, C, 4A, D=70MM ACC. TO UL 489	R 1,634.00
5SJ5101-7CC20	104181234	1	-	MCB,1A,SP	R 558.00
5SJ5102-7CC20	104181235	1	-	MCB,2A,SP	R 558.00
5SJ5104-7CC20	104181247	1	-	MCB,4A,SP	R 558.00
5SJ5106-7CC20	104181249	1	-	MCB,6A,SP	R 494.00
5SJ5110-7CC20	104181250	1	-	MCB,10A,SP	R 494.00
5SJ5116-7CC20	104181252	1	-	MCB,16A,SP	R 494.00
5SJ5120-7CC20	104181253	1	-	MCB,20A,SP	R 494.00
5SJ5125-7CC20	104181254	1	-	MCB,25A,SP	R 494.00
5SJ5132-7CC20	104181255	1	-	MCB,32A,SP	R 494.00
5SJ5140-7CC20	104181257	1	-	MCB,40A,SP	R 945.00
5SJ5150-7CC20	104181258	1	-	MCB,50A,SP	R 945.00
5SJ5163-7CC20	104181259	1	-	MCB,63A,SP	R 945.00
5SJ5201-7CC20	104181264	1	-	MCB,1A, DP	R 1,312.00
5SJ5202-7CC20	104181267	1	-	MCB,2A, DP	R 1,312.00
5SJ5206-7CC20	104181274	1	-	MCB,6A, DP	R 1,233.00
5SJ5210-7CC20	104181279	1	-	MCB,10A, DP	R 1,233.00
5SJ5216-7CC20	104181280	1	-	MCB,16A, DP	R 1,233.00
5SJ5220-7CC20	104181281	1	-	MCB,20A, DP	R 1,233.00
5SJ5225-7CC20	104181282	1	-	MCB,25A, DP	R 1,233.00
5SJ5232-7CC20	104181283	1	-	MCB,32A, DP	R 1,233.00
5SJ5240-7CC20	104181284	1	-	MCB,40A, DP	R 2,012.00
5SJ5250-7CC20	104181285	1	-	MCB,50A, DP	R 2,012.00
5SJ5263-7CC20	104181286	1	-	MCB,63A, DP	R 2,012.00
5SJ6101-7	102622670	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 1A, D=70MM	R 357.00
5SJ6163-7	102373292	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 63A, D=70MM	R 622.00
5SJ6201-7	103542737	1	-	CIRCUIT BREAKER 400V 6KA, 2-POLE, C, 1A, D=70MM	R 993.00
5SJ6263-7	100501067	1	PD	CIRCUIT BREAKER 400V 6KA, 2-POLE, C, 63A, D=70MM	R 1,734.00
5SJ6406-7	102455745	1	PD	CIRCUIT BREAKER 400V 6KA, 4-POLE, C, 6A, D=70MM	R 1,993.00
5SJ6463-7	101674811	1	PD	CIRCUIT BREAKER 400V 6KA, 4-POLE, C, 63A, D=70MM	R 3,483.00
5SJ7101-7CC20	104086287	1	-	MCB,1A,SP	R 120.00
5SJ7101-8CC20	104180599	1	-	MCB,1A,SP, D	R 131.00
5SJ7102-7CC20	104086312	1	-	MCB,2A,SP	R 120.00
5SJ7102-8CC20	104180605	1	-	MCB,2A,SP, D	R 131.00
5SJ7104-7CC20	104086325	1	-	MCB,4A,SP	R 120.00
5SJ7104-8CC20	104180624	1	-	MCB,4A,SP, D	R 131.00
5SJ7106-7CC20	104086332	1	V2	MCB,6A,SP	R 83.00
5SJ7106-8CC20	104180636	1	-	MCB,6A,SP, D	R 109.00

5SJ7110-7CC20	104086341	1	V2	MCB,10A,SP	R 83.00
5SJ7110-8CC20	104180936	1	-	MCB,10A,SP, D	R 109.00
5SJ7116-7CC20	104086352	1	V2	MCB,16A,SP	R 83.00
5SJ7116-8CC20	104180946	1	-	MCB,16A,SP, D	R 109.00
5SJ7120-7CC20	104086356	1	-	MCB,20A,SP	R 83.00
5SJ7120-8CC20	104180953	1	-	MCB,20A,SP, D	R 109.00
5SJ7125-7CC20	104086360	1	-	MCB,25A,SP	R 83.00
5SJ7125-8CC20	104180956	1	-	MCB,25A,SP, D	R 109.00
5SJ7132-7CC20	104086377	1	-	MCB,32A,SP	R 83.00
5SJ7132-8CC20	104180960	1	-	MCB,32A,SP, D	R 109.00
5SJ7140-7CC20	104086386	1	-	MCB,40A,SP	R 120.00
5SJ7140-8CC20	104180961	1	-	MCB,40A,SP, D	R 264.00
5SJ7150-7CC20	104086395	1	-	MCB,50A,SP	R 130.00
5SJ7150-8CC20	104180967	1	-	MCB,50A,SP, D	R 284.00
5SJ7163-7CC20	104086401	1	-	MCB,63A,SP	R 136.00
5SJ7163-8CC20	104180975	1	-	MCB,63A,SP, D	R 308.00
5SJ7201-7CC20	104086829	1	-	MCB,1A,DP	R 259.00
5SJ7201-8CC20	104181092	1	-	MCB,1A,DP, D	R 304.00
5SJ7202-7CC20	104086834	1	-	MCB,2A,DP	R 259.00
5SJ7202-8CC20	104181094	1	-	MCB,2A,DP, D	R 304.00
5SJ7204-7CC20	104086838	1	V2	MCB,4A,DP	R 259.00
5SJ7204-8CC20	104181098	1	-	MCB,4A,DP, D	R 304.00
5SJ7206-7CC20	104086878	1	V2	MCB,6A,DP	R 239.00
5SJ7206-8CC20	104181112	1	-	MCB,6A,DP, D	R 267.00
5SJ7210-7CC20	104086881	1	V2	MCB,10A,DP	R 239.00
5SJ7216-7CC20	104086882	1	-	MCB,16A,DP	R 239.00
5SJ7216-8CC20	104181117	1	-	MCB,16A,DP, D	R 267.00
5SJ7220-7CC20	104086884	1	-	MCB,20A,DP	R 239.00
5SJ7220-8CC20	104181120	1	-	MCB,20A,DP, D	R 267.00
5SJ7225-7CC20	104086886	1	-	MCB,25A,DP	R 239.00
5SJ7225-8CC20	104181127	1	-	MCB,25A,DP, D	R 267.00
5SJ7232-7CC20	104086891	1	V2	MCB,32A,DP	R 239.00
5SJ7232-8CC20	104181130	1	-	MCB,32A,DP, D	R 267.00
5SJ7240-7CC20	104086896	1	-	MCB,40A,DP	R 295.00
5SJ7240-8CC20	104181132	1	-	MCB,40A,DP, D	R 599.00
5SJ7250-7CC20	104086900	1	-	MCB,50A,DP	R 315.00
5SJ7250-8CC20	104181136	1	-	MCB,50A,DP, D	R 640.00
5SJ7263-7CC20	104086903	1	-	MCB,63A,DP	R 365.00
5SJ7263-8CC20	104181147	1	-	MCB,63A,DP, D	R 762.00
5SJ7301-7CC20	104086989	1	-	MCB,1A,TP	R 390.00
5SJ7301-8CC20	104181151	1	-	MCB,1A,TP, D	R 469.00
5SJ7302-7CC20	104086997	1	-	MCB,2A,TP	R 390.00
5SJ7302-8CC20	104181174	1	-	MCB,2A,TP, D	R 469.00
5SJ7304-7CC20	104087004	1	-	MCB,4A,TP	R 390.00
5SJ7304-8CC20	104181181	1	-	MCB,4A,TP, D	R 469.00
5SJ7306-7CC20	104087011	1	-	MCB,6A,TP	R 378.00
5SJ7306-8CC20	104181182	1	-	MCB,6A,TP, D	R 406.00
5SJ7310-7CC20	104087019	1	-	MCB,10A,TP	R 378.00
5SJ7310-8CC20	104181184	1	-	MCB,10A,TP, D	R 406.00
5SJ7316-7CC20	104087027	1	V2	MCB,16A,TP	R 378.00
5SJ7316-8CC20	104181186	1	-	MCB,16A,TP, D	R 406.00
5SJ7320-7CC20	104087039	1	-	MCB,20A,TP	R 378.00
5SJ7320-8CC20	104181190	1	-	MCB,20A,TP, D	R 406.00
5SJ7325-7CC20	104087044	1	V2	MCB,25A,TP	R 378.00
5SJ7325-8CC20	104181191	1	-	MCB,25A,TP, D	R 406.00
5SJ7332-7CC20	104087055	1	-	MCB,32A,TP	R 378.00
5SJ7332-8CC20	104181194	1	-	MCB,32A,TP, D	R 406.00
5SJ7340-7CC20	104087062	1	-	MCB,40A,TP	R 450.00
5SJ7340-8CC20	104181203	1	-	MCB,40A,TP, D	R 785.00
5SJ7350-7CC20	104087067	1	-	MCB,50A,TP	R 479.00
5SJ7350-8CC20	104181211	1	-	MCB,50A,TP, D	R 851.00
5SJ7363-7CC20	104087071	1	-	MCB,63A,TP	R 529.00
5SJ7363-8CC20	104181217	1	-	MCB,63A,TP, D	R 931.00

5SJ7401-7CC20	104087168	1	-	MCB,1A,FP	R 689.00
5SJ7402-7CC20	104087180	1	-	MCB,2A,FP	R 689.00
5SJ7404-7CC20	104087184	1	-	MCB,4A,FP	R 689.00
5SJ7406-7CC20	104180527	1	-	MCB,6A,FP	R 593.00
5SJ7410-7CC20	104180534	1	-	MCB,10A,FP	R 593.00
5SJ7416-7CC20	104180579	1	-	MCB,16A,FP	R 593.00
5SJ7420-7CC20	104180580	1	-	MCB,20A,FP	R 593.00
5SJ7425-7CC20	104180583	1	-	MCB,25A,FP	R 593.00
5SJ7432-7CC20	104180585	1	-	MCB,32A,FP	R 593.00
5SJ7432-8CC20	104220467	1	-	MCB,32A,FP, D	R 616.00
5SJ7440-7CC20	104180588	1	-	MCB,40A,FP	R 730.00
5SJ7450-7CC20	104180592	1	-	MCB,50A,FP	R 760.00
5SJ7463-7CC20	104180595	1	-	MCB,63A,FP	R 827.00
5SJ7501-7CC20	104086413	1	-	MCB,1A,SPN	R 210.00
5SJ7502-7CC20	104086425	1	-	MCB,2A,SPN	R 210.00
5SJ7502-8CC20	104181051	1	-	MCB,2A,SPN, D	R 261.00
5SJ7504-7CC20	104086509	1	-	MCB,4A,SPN	R 210.00
5SJ7504-8CC20	104181062	1	-	MCB,4A,SPN, D	R 261.00
5SJ7506-7CC20	104086587	1	-	MCB,6A,SPN	R 205.00
5SJ7506-8CC20	104181066	1	-	MCB,6A,SPN, D	R 218.00
5SJ7510-7CC20	104086593	1	-	MCB,10A,SPN	R 194.00
5SJ7510-8CC20	104181070	1	-	MCB,10A,SPN, D	R 218.00
5SJ7516-7CC20	104086596	1	-	MCB,16A,SPN	R 194.00
5SJ7516-8CC20	104181071	1	-	MCB,16A,SPN, D	R 218.00
5SJ7520-7CC20	104086597	1	-	MCB,20A,SPN	R 194.00
5SJ7520-8CC20	104181074	1	-	MCB,20A,SPN, D	R 218.00
5SJ7525-7CC20	104086621	1	-	MCB,25A,SPN	R 194.00
5SJ7532-7CC20	104086624	1	-	MCB,32A,SPN	R 194.00
5SJ7532-8CC20	104181081	1	-	MCB,32A,SPN, D	R 218.00
5SJ7540-7CC20	104086625	1	-	MCB,40A,SPN	R 233.00
5SJ7550-7CC20	104086627	1	-	MCB,50A,SPN	R 249.00
5SJ7563-7CC20	104086628	1	-	MCB,63A,SPN	R 295.00
5SJ7563-8CC20	104181089	1	-	MCB,63A,SPN, D	R 617.00
5SK9011-8KK26	102118652	1	PD	CIRCUIT BREAKER FOR AUXILIARY CIRCUITS +OVERLOAD+SHORT CIRCUIT RELEASE AUXILIARY CURRENT SWITCH 1NO+1NC 1POLE, 4A	R 1,233.00
5SK9011-8KK27	104246427	1	PD	CIRCUIT BREAKER FOR AUXILIARY CIRCUITS +OVERLOAD+SHORT CIRCUIT RELEASE AUXILIARY CURRENT SWITCH 1NO+1NC 1POLE, 6A	R 1,233.00
5SL6102-7	103543025	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1POLE, C, 2A	R 357.00
5SL6106-7	103683884	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1POLE, C, 6A	R 357.00
5SL6202-7	103482795	1	PD	CIRCUIT BREAKER 400V 6KA, 2POLE, C, 2A	R 993.00
5SL6206-7	103482796	1	PD	CIRCUIT BREAKER 400V 6KA, 2POLE, C, 6A	R 993.00
5SL6210-7	103589620	1	PD	CIRCUIT BREAKER 400V 6KA, 2POLE, C, 10A	R 828.00
5SL6316-7	103522929	1	PD	CIRCUIT BREAKER 400V 6KA, 3POLE, C, 16A	R 1,182.00
5SM2642-6	100499277	1	PD	FI-BLOCK F.LS-SWITCH 5SY TYPE A (PSE/SSF), T=70MM 6-40A 4POLE IFN 0,3A 400V	R 1,372.00
5SM3111-0	101472649	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 16A 1+N-POL IFN 10MA 230V 2MW	R 2,012.00
5SM3111-6	101188244	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 16A 1+N-POL IFN 10MA 230V 2MW	R 1,640.00
5SM3311-OKL	103787021	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS, N- LEFT 16A 2POLIG IFN 30MA 230V 2MW	R 2,012.00
5SM3311-6	100465817	1	V2	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 16A 1+N-POL IFN 30MA 230V 2MW	R 1,640.00
5SM3312-0	100071836	1	V2	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 25A 1+N-POL IFN 30MA 230V 2MW	R 1,588.00
5SM3312-6	100633872	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 25A 1+N-POL IFN 30MA 230V 2MW	R 1,296.00
5SM3314-0	100071838	1	V2	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 40A 1+N-POL IFN 30MA 230V 2MW	R 1,634.00
5SM3314-6	100448675	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 40A 1+N-POL IFN 30MA 230V 2MW	R 1,334.00
5SM3316-0	100071840	1	V2	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 63A 1+N-POL IFN 30MA 230V 2,5MW	R 4,437.00

5SM3316-6	100639897	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 63A 1+N-POL IFN 30MA 230V 2,5MW	R 3,617.00
5SM3342-0	101372485	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 25A 3+N-POL IFN 30MA 400V 4MW	R 1,683.00
5SM3342-6	100071845	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 25A 3+N-POL IFN 30MA 400V 4MW	R 1,372.00
5SM3344-0	100071848	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 40A 3+N-POL IFN 30MA 400V 4MW	R 1,754.00
5SM3344-6	100448677	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 40A 3+N-POL IFN 30MA 400V 4MW	R 1,429.00
5SM3346-0	100071854	1	V2	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 63A 3+N-POL IFN 30MA 400V 4MW	R 5,352.00
5SM3346-6	100460213	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 63A 3+N-POL IFN 30MA 400V 4MW	R 4,343.00
5SM3347-6	100897864	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 80A 3+N-POL IFN 30MA 400V 4MW	R 10,954.00
5SM3444-0	100071870	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 40A 3+N-POL IFN 100MA 400V 4MW	R 2,713.00
5SM3612-6	100667181	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE A PSE/SSF 25A 1+N-POL IFN 300MA 230V 2MW	R 1,277.00
5SM3642-0	101048356	1	V2	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 25A 3+N-POL IFN 300MA 400V 4MW	R 1,614.00
5SM3644-0	100071888	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 40A 3+N-POL IFN 300MA 400V 4MW	R 1,634.00
5SM3646-0	100071894	1	PD	RES.CURRENT OP.CIRCUIT BREAKER TYPE AC WS 63A 3+N-POL IFN 300MA 400V 4MW	R 2,478.00
5SP4291-7	100071813	1	PD	CIRCUIT BREAKER 400V 10KA, 2-POLE, C, 100A, D=70MM	R 3,114.00
5SP4292-7	100235224	1	PD	CIRCUIT BREAKER 400V 10KA, 2-POLE, C, 125A, D=70MM	R 3,456.00
5SP4380-7	100071818	1	PD	CIRCUIT BREAKER 400V 10KA, 3-POLE, C, 80A, D=70MM	R 3,769.00
5SP4391-7	100071821	1	PD	CIRCUIT BREAKER 400V 10KA, 3-POLE, C, 100A, D=70MM	R 4,231.00
5SP4392-7	100228270	1	PD	CIRCUIT BREAKER 400V 10KA, 3-POLE, C, 125A, D=70MM	R 4,708.00
5SQ2170-0KA02	100023194	1	-	CIRCUIT BREAKER T55 230/400V, 3KA, 1-POLE, C, 2A	R 196.00
5SQ2170-0KA06	100023198	1	-	CIRCUIT BREAKER T55 230/400V, 3KA, 1-POLE, C, 6A	R 196.00
5SQ2170-0KA10	100023200	1	-	CIRCUIT BREAKER T55 230/400V, 3KA, 1-POLE, C, 10A	R 175.00
5SQ2170-0KA16	100023202	1	-	CIRCUIT BREAKER T55 230/400V, 3KA, 1-POLE, C, 16A	R 166.00
5SQ2170-0KA25	100023204	1	-	CIRCUIT BREAKER T55 230/400V, 3KA, 1-POLE, C, 25A	R 196.00
5SQ2260-0KA06	100069410	1	-	CIRCUIT BREAKER T55 400V, 3KA, 2-POLE, B, 6A	R 395.00
5SQ2270-0KA01	100023210	1	-	CIRCUIT BREAKER T55 400V, 3KA, 2-POLE, C, 1A	R 555.00
5SQ2270-0KA04	100023213	1	-	CIRCUIT BREAKER T55 400V, 3KA, 2-POLE, C, 4A	R 555.00
5SQ2270-0KA05	100489844	1	-	CIRCUIT BREAKER T55 400V, 3KA, 2-POLE, C, 0.5A	R 555.00
5SQ2270-0KA06	100023214	1	-	CIRCUIT BREAKER T55 400V, 3KA, 2-POLE, C, 6A	R 555.00
5SQ2270-0KA32	100023221	1	-	CIRCUIT BREAKER T55 400V, 3KA, 2-POLE, C, 32A	R 604.00
5SQ2270-0KA40	100023222	1	-	CIRCUIT BREAKER T55 400V, 3KA, 2-POLE, C, 40A	R 904.00
5SQ2270-0KA63	100023224	1	-	CIRCUIT BREAKER T55 400V, 3KA, 2-POLE, C, 63A	R 1,297.00
5SQ2370-0KA10	100023228	1	-	CIRCUIT BREAKER T55 400V, 3KA, 3-POLE, C, 10A	R 724.00
5SQ2370-0KA40	100023233	1	-	CIRCUIT BREAKER T55 400V, 3KA, 3-POLE, C, 40A	R 1,199.00
5SQ2370-0KA50	100023234	1	-	CIRCUIT BREAKER T55 400V, 3KA, 3-POLE, C, 50A	R 1,762.00
5ST1141	100026661	1	PD	STANDARD MOUNTING RAIL 35X27X7.3X1MM, 2000MM LONG	R 101.00
5ST1142	100419099	1	V2	STANDARD MOUNTING RAIL 35X27X15X1.5MM, 2000MM LONG	R 237.00
5ST2144	100489920	1	V2	BUSBAR, SHOCK-PROOF F.5SX N-TYPE MINIAT.CIRC.- BREAK	R 287.00
5ST2145	100489921	1	PD	ACCESSORIES FOR SWITCHES EJEC. L=210MM 3- PHASE +N 16MM	R 395.00
5ST3010	100071911	1	PD	AUXILIARY SWITCH MOUNT. 1S+1OE, F. LS-SWITCH T=70MM	R 337.00
5ST3010-OCC	104194558	1	PD	1NO+1NC Aux sw.	R 294.00
5ST3013	100897410	1	PD	AUXILIARY CIRCUIT SWITCH MOUNT. 1MC+1BC, FOR SMALL POWER FOR CIRCUIT-BREAKER D=70MM	R 680.00

5ST3020	100071914	1	PD	FAULT SIGNALL. SWICHT MOUNT. 1S+1OE, F. LS-SWITCH T=70MM	R 522.00
5ST3030	100071917	1	PD	SHUNT RELEASE MOUNT. AC110-415V,F. LS-SWITCH T=70MM	R 996.00
5ST3030	104193939	1	PD	SHUNT RELEASE MOUNT. AC110-415V,F. LS-SWITCH T=70MM	R 996.00
5ST3031	100442072	1	PD	SHUNT RELEASE MOUNT. DC 24-48V, F. LS-SWITCH T=70MM	R 996.00
5ST3703	100148768	1	PD	PIN BUS BAR SHOCKHAZARD SAFETY, 16QMM 1 PHASE, L= 1016MM WITHOUT END CAPS	R 529.00
5ST3705	100925770	1	PD	PIN BUS BAR SHOCKHAZARD SAFETY, 16QMM 2 PHASE, L= 1016MM WITHOUT END CAPS	R 1,090.00
5ST3707	100460138	1	PD	PIN BUS BAR SHOCKHAZARD SAFETY, 16QMM 2 PHASE+HS, L= 1016MM WITHOUT END CAPS	R 1,356.00
5ST3717	104548056	1	PD	PIN BUS BAR SHOCKHAZARD, 16QMM 3PHASE, 214MM FOR 1 FI-SWITCH 5SM3 4POLE AND 8 LS-SWITCH 5SY..	R 258.00
5ST3730	100897414	1	PD	PIN BUSBAR SHOCKPROOF, 10 SQMM 1-PHASE, 214 MM LONG FULLY INSULATED	R 119.00
5ST3736	100897457	1	PD	PIN BUSBAR SHOCKPROOF, 10 SQMM 2-PHASE+HS, 214 MM LONG FULLY INSULATED	R 215.00
5ST3748	101006770	1	PD	END CAP FOR PIN BUSBARS 1-PHASE	R 18.00
5ST3750	100860610	1	PD	END CAP FOR PIN BUSBARS 2/3-PHASE	R 18.00
5ST3801	100436005	1	PD	BLOCKING FOR HANDLE FOR LS-SWITCH DEPTH=70MM	R 237.00
5SU1353-1KK16	101762917	1	PD	FI/LS-PROTECTOR TYPE AC (WS), D=70MM IFN 30MA, 4.5KA, 1+N-POLE C 16A	R 2,316.00
5SU1353-1KK32	101762920	1	PD	FI/LS-PROTECTOR TYPE AC (WS), D=70MM IFN 30MA, 4.5KA, 1+N-POLE C 32A	R 2,316.00
5SU1356-0KK06	101638557	1	PD	FI/LS-PROTECTOR TYPE AC (WS), D=70MM IFN 30MA, 6KA, 1+N-POLEE B 6A	R 2,663.00
5SU1356-7KK10	101694935	1	PD	FI/LS-PROTECTOR TYPE A (PSE/SSF), D=70MM IFN 30MA,6KA, 1+N-POLEE C 10A	R 2,663.00
5SU1356-7KK16	100879474	1	PD	FI/LS-PROTECTOR TYPE A (PSE/SSF), D=70MM IFN 30MA,6KA, 1+N-POLEE C 16A	R 2,663.00
5SW3000	100023289	1	PD	AUXILIARY SWITCH ATTACHABLE F. RES.CUR OP.CIRCUIT BR. 5SM1 T=55MM, 1NO+1NC	R 678.00
5SW3300	100148782	1	PD	AUXILIARY SWITCH ATTACHABLE F. RES.CURRENT OP.CIRC. BREAKER F. 16 TO 80A, 1NO+1NC	R 678.00
5SY4102-5	100626519	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, A, 2A, D=70MM	R 1,013.00
5SY4104-5	100832968	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, A, 4A, D=70MM	R 1,013.00
5SY4104-7	100148804	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, C, 4A, D=70MM	R 438.00
5SY4105-7	100507205	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, C, 0.5A, D=70MM	R 438.00
5SY4106-5	100832970	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, A, 6A, D=70MM	R 1,013.00
5SY4106-7	100076222	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, C, 6A, D=70MM	R 438.00
5SY4108-5	102373524	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, A, 8A, D=70MM	R 1,013.00
5SY4110-7	100076220	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, C, 10A, D=70MM	R 438.00
5SY4111-7	100896999	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, C, 5A, D=70MM	R 438.00
5SY4115-7	100897245	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, C, 1.6A, D=70MM	R 438.00
5SY4118-7	100897000	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, C, 15A, D=70MM	R 364.00
5SY4120-7	100076221	1	PD	CIRCUIT BREAKER 230/400V 10KA, 1-POLE, C, 20A, D=70MM	R 364.00
5SY4205-8	100233833	1	PD	CIRCUIT BREAKER 400V 10KA, 2-POLE, D, 0.5A, D=70MM	R 2,844.00
5SY4210-6	100444113	1	PD	CIRCUIT BREAKER 400V 10KA, 2-POLE, B, 10A, D=70MM	R 1,543.00
5SY4220-7	100233639	1	PD	CIRCUIT BREAKER 400V 10KA, 2-POLE, C, 20A, D=70MM	R 1,019.00
5SY4304-7	100447525	1	PD	CIRCUIT BREAKER 400V 10KA, 3-POLE, C, 4A, D=70MM	R 1,653.00

5SY4310-8	100897271	1	PD	CIRCUIT BREAKER 400V 10KA, 3-POLE, D, 10A, D=70MM	R 3,377.00
5SY4332-7	100082341	1	PD	CIRCUIT BREAKER 400V 10KA, 3-POLE, C, 32A, D=70MM	R 1,653.00
5SY4380-7	100897462	1	PD	CIRCUIT BREAKER 400V 10KA, 3-POLE, C, 80A, D=70MM	R 3,306.00
5SY5110-7	101576448	1	PD	CIRCUIT BREAKER CURR. SENS DC 220V AC 230/400V 10KA, 1-POLE, C, 10A	R 671.00
5SY5216-7	100460270	1	PD	CIRCUIT BREAKER CURR. SENS DC 440V AC 400V 10KA, 2-POLE, C, 16A	R 1,882.00
5SY6002-7	102118986	1	PD	CIRCUIT BREAKER 230V 6KA, 1+N POLES/1TE, C 2A	R 844.00
5SY6102-7	100185632	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 2A, D=70MM	R 390.00
5SY6103-7	100185389	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 3A, D=70MM	R 390.00
5SY6104-7	100185390	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 4A, D=70MM	R 390.00
5SY6105-7	100200621	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 0.5A, D=70MM	R 390.00
5SY6106-6	100187037	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, B, 6A, D=70MM	R 561.00
5SY6106-7	100149764	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 6A, D=70MM	R 390.00
5SY6110-6	100436125	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, B, 10A, D=70MM	R 468.00
5SY6110-7	100168096	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 10A, D=70MM	R 328.00
5SY6116-7	100168097	1	PD	CIRCUIT BREAKER 230/400V 6KA, 1-POLE, C, 16A, D=70MM	R 328.00
5SY6203-7	100185391	1	PD	CIRCUIT BREAKER 400V 6KA, 2-POLE, C, 3A, D=70MM	R 1,093.00
5SY6206-7	100167515	1	PD	CIRCUIT BREAKER 400V 6KA, 2-POLE, C, 6A, D=70MM	R 1,093.00
5SY6208-7	100625917	1	PD	CIRCUIT BREAKER 400V 6KA, 2-POLE, C,8A, D=70MM	R 1,093.00
5SY6504-7	100933804	1	PD	CIRCUIT BREAKER 230V 6KA,1+N-POLE C, 4A, D=70MM	R 742.00
5SY7110-6	101385330	1	PD	CIRCUIT BREAKER 230/400V 15KA, 1-POLE, B, 10A, D=70MM	R 639.00
5SY7116-6	100448688	1	PD	CIRCUIT BREAKER 230/400V 15KA, 1-POLE, B, 16A, D=70MM	R 639.00
5SY7510-6	100160077	1	PD	CIRCUIT BREAKER 230V 15KA, 1+N-POLE, B, 10A, D=70MM	R 1,208.00
5SY7525-6	102373455	1	PD	CIRCUIT BREAKER 230V 15KA, 1+N-POLE, B, 25A, D=70MM	R 1,208.00
5TC8900	101092192	1	PD	I-SYSTEM, TITANIUM WHITE COVER PLATE F. DIMMER W. ROTARY BUTTON 55X55MM	R 149.00
5TE1610	100490454	1	PD	DISCONNECTOR, 92MM 100A 3POLE+FIXED N TRANSPARENT	R 3,434.00
5TE5800	101741183	1	PD	LIGHT SIGNALL., D=70MM 1 LAMP 230V ROT	R 427.00
5TE6800	101041995	1	PD	SCHUKO SOCKET 16A ACCORDING TO DIN VDE 0620 FOR INSTALL. IN DISTRIB. BOARDS	R 395.00
5TE8212	101720137	1	PD	SWITCH, D=70MM 32A 2NC, TERMINAL 6QMM	R 976.00
5TE9006	100490483	1	PD	AUXIL. CONTACT SWITCH, 92MM 6A 2CO CONTACT	R 1,111.00
5TE9010	100490484	1	PD	ROTARY DRIVE 200MM BLACK	R 951.00
5TG2551-0	100183715	1	PD	DELTA LINE, TITANIUM WHITE FRAME, 1FOLD, 80X80MM	R 57.00
5TT3170	100491498	1	PD	N-TYPE FUSE MONITOR 3AC 380 TO 415V	R 1,283.00
5TT3196	100491506	1	PD	VOLTAGE MONITOR, N-TYPE DC 24V 1NO+1NC	R 1,610.00
5TT3806	100023694	1	PD	CONTACTOR, N-TYPE AC 230 DC 220V 40A 4NO	R 1,162.00
5TT5532	100023699	1	PD	REMOTE SWITCH, N-TYPE ACDC 230V 16A 2NO	R 624.00
5TT5730-0	100667316	1	PD	INSTA CONTACTOR WITH 4 NO CONT. CONTACT FOR 230, 400 V AC 24 A ACTIVATION 230 V AC 220 V DC	R 550.00
5TT5740-0	100848383	1	PD	INSTA CONTACTOR WITH 4 NO CONT. CONTACT FOR 230, 400 V AC 40 A ACTIVATION 230 V AC 220 V DC	R 1,265.00
5TT5820-0	104536504	1	PD	INSTA CONTACTOR W. 4 NO CONTACTS CONTACT F. AC 230,400V 25A CONTROL 230V FOR HIGH CAPACITIVE LOADS 150 MIKROFARAD	R 649.00

5TT5840-0	101355522	1	PD	INSTA CONTACTOR WITH 4 MAKE CONTACTS CONTACT FOR 230, 400 V AC, 40 A TRIGGERING 230 V AC	R 1,123.00
5UB4741	104834249	1	PD	DELTA FLAT IP44, SM DARK GRAY/LIGHT GRAY SOCKET OUTLET 10/16A 250V W. GROUNDING PIN 2-POLE ACC. TO CEE7, 66X75MM	R 343.00
6GK1415-2AA10	102245313	1	V2	SIMATIC NET, DP/AS-INTERFACE LINK 20 E ; NETWORK TRANSITION PROFIBUS-DP / AS-INTERFACE ACC. TO AS-INTERFACE SPECIFIC. V3.0 IN PROTECTION MODE IP20.	R 7,897.00
6GK1415-2BA10	101185427	1	V2	SIMATIC NET, DP/AS-INTERFACE LINK ADVANCED; NETWORK TRANSITION PROFIBUS DP/AS-INTERFACE WITH MASTER PROFILE M3, M4 ACC. TO EXTENDED AS-I SPEC. V3.0 FOR INTEGRATION IN PROFIBUS DP; SINGLE MASTER WITH DISPLAY; DEGREE OF PROTECTION IP20.	R 10,241.00
6GK1415-2BA20	101118322	1	V2	SIMATIC NET, DP/AS-INTERFACE LINK ADVANCED; NETWORK TRANSITION PROFIBUS DP/AS-INTERFACE WITH MASTER PROFILE M3, M4 ACC. TO EXTENDED AS-I SPEC. V3.0 FOR INTEGRATION IN PROFIBUS DP; DOUBLE MASTER WITH DISPLAY; DEGREE OF PROTECTION IP20.	R 13,325.00
6GK7243-2AX01-0XA0	100077535	1	V2	SIMATIC NET, CP 243-2 COMMUNICATIONS PROCESSOR FOR CONNECTION OF A SIMATIC S7-22X TO AN ASI-INTERFACE WITH MASTER PROFILE M0E/M1E ACC. EXTENDED ASI-SPECIFICATION V2.11	R 5,306.00
6GK7343-2AH01-0XA0	102091042	1	V2	SIMATIC NET, CP 343-2 COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S7-300 AND ET200M TO AS-INTERFACE ACCOR. AS-INTERFACE SPEC. V3.0	R 9,553.00
6GK7343-2AH11-0XA0	102089364	1	PD	SIMATIC NET, CP 343-2P COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S7-300 AND ET200M TO AS-INTERFACE CONFIGURABLE WITH STEP 7 ACCOR. AS-INTERFACE SPEC. V3.0	R 9,553.00
7KM2111-1BA00-3AA0	102088083	1	V2	SENTRON PAC3200; LCD; 96X96MM POWER MONITORING DEVICE PANEL MOUNT TYPE FOR MEASUREMENT OF ELECTR. VALUES VAUX: 22-65VDC VIN: MAX. 500/289V; 45-65HZ	R 7,844.00
7KM2112-0BA00-2AA0	102088084	1	PD	SENTRON PAC3200; LCD; 96X96MM POWER MONITORING DEVICE PANEL MOUNT TYPE FOR MEASUREMENT OF ELECTR. VALUES VAUX: 110-340VDC / 95-240VAC VIN: MAX.690/400V; 45-65HZ	R 7,844.00
7KM2112-0BA00-3AA0	101766868	1	V2	SENTRON PAC3200; LCD; 96X96MM POWER MONITORING DEVICE PANEL MOUNT TYPE FOR MEASUREMENT OF ELECTR. VALUES VAUX: 110-340VDC / 95-240VAC VIN: MAX.690/400V; 45-65HZ	R 7,844.00
7KM3133-0BA00-3AA0	102317053	1	V2	SENTRON PAC3100; LCD; 96X96MM POWER MONITORING DEVICE PANEL MOUNT TYPE FOR MEASUREMENT OF ELECTR. VALUES UC: 110-250VDC / 100-240VAC UE: MAX.480/277V; 45-65HZ	R 4,828.00
7KM4212-0BA00-2AA0	102224781	1	PD	SENTRON PAC4200; LCD; 96X96MM POWER MONITORING DEVICE PANEL MOUNT TYPE FOR MEASUREMENT OF ELECTR. VALUES VAUX: 110-340VDC / 95-240VAC VIN: MAX.690/400V; 45-65HZ	R 18,394.00
7KM4212-0BA00-3AA0	102206797	1	V2	SENTRON PAC4200; LCD; 96X96MM POWER MONITORING DEVICE PANEL MOUNT TYPE FOR MEASUREMENT OF ELECTR. VALUES VAUX: 110-340VDC / 95-240VAC VIN: MAX.690/400V; 45-65HZ	R 18,394.00
7KM9200-0AB00-0AA0	102879272	1	PD	PLUG-IN EXPANSION MODULE PAC 4DI/2DO	R 2,420.00
7KM9300-0AB00-0AA0	101766869	1	V2	PLUG-IN COMMUNICATIONS MODULE PROFIBUS DP V1	R 2,470.00

7KM9300-0AE00-0AA0	103632034	1	V2	PLUG-IN COMMUNICATIONS MODULE SWITCHED ETHERNET PROFINET	R 5,509.00
7KM9300-0AM00-0AA0	101999095	1	PD	PLUG-IN COMMUNICATIONS MODULE PAC RS485	R 1,815.00
7KM9900-0XA00-0AA0	103794045	1	PD	ADAPTER FOR RAIL-MOUNTING SENTRON PAC TMP2 SUITABLE FOR PAC3100, PAC3200, PAC4200	R 695.00
7KT1202	102206585	1	PD	CURRENT TRANSFORMER AC 3X150/5A, DEPTH=70MM	R 2,258.00
7KT5502	100067894	1	V2	TIME COUNTER 48X48MM AC 230V 50HZ WITHOUT BLIND 55X55MM	R 500.00
7KT5602	100071742	1	PD	TIME COUNTER 72 X 72 MM AC 230V 50HZ WITHOUT TERMINAL COVER	R 702.00
7KT5801	100667160	1	PD	MECHANICAL TIME COUNTER 10-27 V DC	R 1,055.00
7KT9020	100071765	1	PD	SHADE 55X55MM FOR TIME COUNT. 7KT55.	R 22.00
7LF4491-0	101190950	1	V2	DIGITAL TIME SWITCH TOP 1 CHANNEL WEEK 230V 2 TE FOR N-DISTRIBUTION-BOARDS	R 2,134.00
7LF6114	100925599	1	PD	LIGHTING TIME-DELAY SWITCH ADJUSTABLE 5 TO 20 MIN BY KEY PRESSURE DURATION FOR 230 V CONTACT 2000 W	R 1,062.00
8HP1203	101356931	1	V2	COVER, NON-TRANSPARENT SIZE 3, MOUNTING DEPTH 147MM	R 1,221.00
8HP1223	101356934	1	V2	COVER, TRANSPARENT SIZE 3, MOUNTING DEPTH 147MM	R 1,288.00
8HP1224	101356935	1	PD	COVER, TRANSPARENT SIZE 4, MOUNTING DEPTH 147MM	R 2,485.00
8HP1232	101356936	1	V2	COVER, TRANSPARENT SIZE 2, MOUNTING DEPTH 212MM	R 1,034.00
8HP1283	101356937	1	V2	INTERMED. FRAME F. INCREASING MOUNTING DEPTH BY 92.5 MM FOR ENCLOSURE SIZE 3	R 1,278.00
8HP2023	100404780	1	PD	EMPTY ENCLOSURE W. MOUNT. PLATE AND COVER, TRANSPARENT SIZE 3, MOUNTING DEPTH 147 MM COMPRISES 8HP1103+8HP1223+8HP6303	R 5,087.00
8HP2047	102440326	1	PD	EMPTY ENCLOSURE W. MOUNT. PLATE AND COVER, TRANSPARENT SIZE 2.5, MOUNTING DEPTH 185 MM COMPRISES 8HP1107+8HP1247+8HP6307	R 4,494.00
8HP2047	104523132	1	PD	EMPTY ENCLOSURE W. MOUNT. PLATE AND COVER, TRANSPARENT SIZE 2.5, MOUNTING DEPTH 185 MM COMPRISES 8HP1107+8HP1247+8HP6307	R 4,494.00
8HP6302	101356960	1	PD	MOUNTING PLATE F. ENCL. S22	R 375.00
8MR2170-1A	100167470	1	PD	THERMOSTAT FOR CUBICLE-HEATER UNITE AC/DC 110-265V, 50/60HZ	R 688.00
8MR2170-1CA	102808482	1	PD	SMALL THERMOSTAT BREAK CONTACT, -10 TO 50 DEG. C KTO 01140 01142.0-00	R 358.00
8MR3101-0MA	102808115	1	PD	FILTERFAN SIZE 1 AC 230V, STANDARD FILTER MAT	R 2,746.00
8MR3111-0AA	102808122	1	PD	OUTLET FILTER WITH STANDARD FILTER MAT FOR FILTERFAN, SIZE 1	R 705.00
8UC3KL50	101356981	1	-	ALLBRO MCC MECHANISM FOR 3KL48 & 3KL50, , , , ,	R 606.00
8UC3KL52	101356982	1	-	ALLBRO MCC MECHANISM FOR 3KL52 & 3KL53, , , , ,	R 606.00
8UC3KL55	101356984	1	-	ALLBRO MCC MECHANISM FOR 3KL55	R 606.00
8UC6011	100141140	1	V2	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 COUPLING DRIVE FOR SHAFT 6MM	R 320.00
8UC6013	100141141	1	V2	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 COUPLING DRIVE FOR SHAFT 10MM	R 638.00
8UC6014	100141142	1	V2	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 COUPLING DRIVE FOR SHAFT 12MM	R 724.00
8UC6017-2AA	100882188	1	PD	COUPLING DRIVER FOR 8UC62 WITH REDUCED TOLERANCE BALANCE FOR 3VL	R 320.00
8UC6021	100633944	1	V2	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 COUPLING PIECE FOR SHAFT 6MM ONTO 6MM	R 122.00
8UC6022	100072391	1	PD	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 COUPLING PIECE FOR SHAFT 8MM ONTO 8MM	R 122.00

8UC6024	100141147	1	PD	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 COUPLING PIECE FOR SHAFT 12MM ONTO 12MM	R 336.00
8UC6031	100501007	1	V2	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 EXTENSION SHAFT 300MM LONG 6 X 6MM	R 101.00
8UC6032	100027719	1	V2	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 EXTENSION SHAFT 300MM LONG 8 X 8MM	R 122.00
8UC6034	100141150	1	V2	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 EXTENSION SHAFT 300MM LONG 12 X 12MM	R 178.00
8UC6082	100141154	1	V2	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 EXTENSION SHAFT 600MM LONG 8 X 8MM	R 191.00
8UC6083	100141155	1	PD	SPARE PART FOR ROTARY OPERATING MECHANISM 8UC6 EXTENSION SHAFT 600MM LONG 10 X 10MM	R 263.00
8UC6262-6BD22	100445313	1	PD	DOOR COUPLING ROTARY ACTUATOR COMPLETE, BLACK, FOR 3VL FOR GM PROJECTS ACCORDING GCCL MLFB 8UC6262-6BD22 IS MANDATORY TO ORDER!	R 1,350.00
8UC7110-1BB	101718674	1	V2	HANDLE 8UC7 WITH MASKING FRAME HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY SPARE PART FOR 8UC7111-1BB10/8UC7161-1BB10	R 505.00
8UC7111-1BB10	101696524	1	V2	DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY FOR 3-POLE SWITCH DISCONNECTOR 3KL50, 3KM50, 3KA50, 3KA51 FOR ACTUATING SHAFTS 6X6MM	R 562.00
8UC7120-8BD	101718882	1	-	HANDLE 8UC7 HANDLE RED, MASKING FRAME YELLOW SPARE PART FOR 8UC7121-8BD15	R 809.00
8UC7210-1BB	101718683	1	V2	SPARE PART FOR 8UC7212-1BB20/8UC7262-1BB20 8UC7 DESIGN HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY	R 605.00
8UC7210-6BD	101718689	1	-	SPARE PART FOR 8UC7212-6BD26 FOR DOOR-COUPLING ROTARY DRIVE FOR CIRCUIT-BREAKER 3VL 8UC7 DESIGN HANDLE TI-GREY, MASKING FRAME LIGHT GRAY	R 1,109.00
8UC7212-1BB20	101696528	1	V2	FOR SWITCH DISCONNECTOR 3KL52, 3KM52, 3KL53, 3KM53, 3KA FOR SWITCH DISCONNECTOR FOR ACTUATING SHAFTS 8X8MM HANDLE TI-GREY/BL.GREEN BASIC	R 928.00
8UC7222-3BB20	101718694	1	PD	DOOR DRIVE 8UC7 HANDLE RED/BLUE GREEN BASIC MASKING FRAME YELLOW FOR SWITCH DISCONNECTOR 3KL52, 3KM52, 3KL53, 3KM53, 3KA FOR ACTUATING SHAFTS 8X8MM	R 964.00
8UC7310-1BB	101718699	1	PD	HANDLE TI-GREY/BLUE GREEN BASIC MASKING FRAME LIGHT GRAY SPARE PART FOR DOOR DRIVE 8UC7313-1BB30/8UC7314-1BB44	R 964.00
8UC7310-6BD	101718702	1	PD	HANDLE TI-GREY, MASKING FRAME LIGHT GRAY HANDLE IN 8UC7 DESIGN SPARE PART FOR 8UC7314-6BD44	R 1,731.00
8UC7313-1BB30	101718705	1	V2	DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY FOR SWITCH DISCONNECTOR 3KL55, 3KM55, 3KL57, 3KM57, 3KA FOR ACTUATING SHAFTS 10X10MM	R 1,407.00
8UC7314-1BB44	101718929	1	V2	DOOR DRIVE 8UC7 HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY FOR SWITCH DISCONNECTOR 3KE42, 3KE43, 3KE44, 3KE45 FOR ACTUATING SHAFTS 12X12MM	R 1,449.00
8UC7323-3BB30	101718951	1	PD	DOOR DRIVE 8UC7 HANDLE RED/BLUE GREEN BASIC MASKING FRAME YELLOW FOR SWITCH DISCONNECTOR 3KL55, 3KL57, 3KM55, 3KM57 3KA55, 3KA57, 3KA58	R 1,529.00
8UC7324-3BB44	101718958	1	PD	DOOR DRIVE 8UC7 HANDLE RED/BLUE GREEN BASIC MASKING FRAME YELLOW FOR SWITCH DISCONNECTOR 3KE42, 3KE43, 3KE44, 3KE45	R 1,542.00
8UC7414-1BB44	101718978	1	V2	DOOR OPERATING MECHANISM 8UC7 HANDLE TI-GREY/BL.GREEN BASIC MASKING FRAME LIGHT GRAY FOR CIRCUIT-BREAKER 3VF7, 3VF8	R 2,421.00
8UC9253	100141211	1	V2	COUPLING PIECE FOR SHAFT PROFILES 12 X 12MM FOR OPERATING MECHANISMS 8UC6	R 156.00

8UC9374	101356989	1	PD	OPERATING MECHANISM FOR FIXED MOUNTING ONTO 3KE44, 3KE45 DISCONNECTORS ACTUATING SHAFT 12X12MM SIZE 4, BLACK HANDLE	R 419.00
8US1051-5DJ07	100141244	1	PD	BUSBAR ADAPTER SYSTEM BUSBAR ADAPTER, WIDTH 45MM 40MM SYSTEM, 5+10MM RAIL STR. WITH 1 MOUNTING RAIL 35MM, UP TO 25A FOR CIRCUIT-BREAKER 3RV10,	R 185.00
8US1111-4SM00	100025068	1	PD	BUSBAR ADAPTER SYSTEM BUSBAR ADAPTER, WIDTH 70MM F. CIRCUIT-BREAKER 40/60MM SYSTEM, FOR SINGLE UNITS OF MOTOR FEEDERS 3RV1, 3RT1, 3RA1	R 731.00
8US1211-4SL01	100419097	1	V2	BUSBAR ADAPTER 60 MM BUSBAR SYSTEM FOR CIRCUIT-BREAKERS 3VL1/2 UP TO 160A WITH TERMINAL COVER WIDTH: 108 MM, LENGTH: 175 MM	R 1,021.00
8US1211-4TR00	101842158	1	PD	BUSBAR ADAPTER SYSTEM UL508A/IE BUSBAR ADAPTER SYSTEM 60MM BUSBAR WIDTH: 5/10MM/TT-PROFILE UL RATING 80A/600V APPLICABLE IN FEEDER CIRCUITS IEC RATING 100A/690V	R 1,255.00
8US1250-5AS10	103580807	1	PD	DEVICE HOLDER,45X200MM FOR 60MM BUSBAR SYSTEM SPACER ENCLOSED 2 CONNECTING ELEMENTS ENCLOSED MOUNTING RAIL SCREWED ON	R 258.00
8US1251-5DM07	100025069	1	V2	BUSBAR SYSTEM BUSBAR CENTER-TO-CENTER CLEARANCE 60 MM DEVICE ADAPTER, WIDTH: 45 MM BUSBAR THICKNESS 5.10MM+TT PROFILE	R 318.00
8US1251-5DS10	103159471	1	PD	DEVICE ADAPTER S00/0, 25A, FOR 60MM BUSBAR SYSTEM 45X200MM LONG SPECIAL CABLES WELDED ON, AWG 12, 99 MM	R 334.00
8US1251-5DT11	104609184	1	PD	DEVICE ADAPTER S00/O, 25A, FOR 60MM BUSBAR SYSTEM 45X260MM LONG, SPECIAL CABLES WELDED ON, AWG 12 167MM LONG	R 613.00
8US1251-5NT10	103580805	1	PD	DEVICE ADAPTER S00/0, 32A, FOR 60MM BUSBAR SYSTEM, 45X260MM LONG SPECIAL CABLES WELDED ON AWG 10, 99 MM SPACER INCLUDED	R 375.00
8US1251-5NT11	104609185	1	PD	DEVICE ADAPTER S00/0, 32A, FOR 60MM BUSBAR SYSTEM, 45X260MM LONG SPECIAL CABLES WELDED ON AWG 10, 167 MM LONG SPACER INCLUDED	R 626.00
8US1260-5AP00	100141277	1	PD	BUSBAR ADAPTER SYSTEM DEVICE HOLDER SPACER AND SHEET METAL SCREW ENCLOSED, F. LATERAL MOUNTING ONTO ADAPTER 8US12 LENGTH 242MM	R 341.00
8US1261-5FM08	100141278	1	V2	BUSBAR ADAPTER SYSTEM DEVICE HOLDER, 60MM SYSTEM, WITH 1 MOUNTING RAIL 35MM, UP TO 56A FOR 1 CONTACTOR WITH OVERLOAD RELAY 3R SIZE S2, LENGTH 182MM	R 408.00
8US1261-5FP08	100141279	1	PD	BUSBAR ADAPTER SYSTEM BUSBAR ADAPTER, WIDTH 55MM 60MM SYSTEM, 5+10MM RAIL STR. WITH 1 MOUNTING RAIL 35MM, UP TO 56A FOR 1 CIRCUIT-BREAKER	R 450.00
8US1903-3AB00	100450415	1	PD	BUSBAR HOLDER 40 MM SYSTEM 1 X 12 X 5 MM, 2 X 12 X 5 MM EN END AND INTERMEDIATE HOLDER CONSISTS OF 2 HOLDERS	R 298.00
8US1921-1AA00	100141290	1	PD	BUSBAR ADAPTER SYSTEM CONNECTION TERMINAL PLATE WITH COVER,84MM WIDE 60MM SYSTEM, 5 + 10MM BUSBAR THICKNESS 3 X 35-120MM, WITH COVER	R 511.00
8US1921-1BA00	101473249	1	PD	TERMINAL BOARD 3-POLE WITH COVER FOR BUS BAR 12X5 MM-30X10 MM AND DOUBLE T-PROFILE	R 422.00
8US1921-2AD00	100141293	1	PD	BUSBAR ADAPTER SYSTEM TERMINALS FOR 5MM BUSBAR THICKNESS 16-70MM2	R 26.00
8US1921-2BD00	100141297	1	V2	BUSBAR ADAPTER SYSTEM TERMINALS FOR 10MM BUSBAR THICKNESS 16-70Q AS WELL AS FOR T- AND DOUBLE-T-PROFILE	R 50.00
8US1922-1AB00	101356995	1	PD	BUSBAR ADAPTER SYSTEM END COVER FOR BUSBAR ENDS, FOR BUSBAR HOLDER 8US1 923 4-POLE CONSISTS OF 2 PIECES	R 126.00
8US1922-1AC00	100141299	1	V2	BUSBAR ADAPTER SYSTEM END COVER FOR BUSBAR ENDS ON HOLDER 8US1923- 3-POLE	R 57.00

8US1922-1GA00	100141305	1	PD	BUSBAR ADAPTER SYSTEM COVER, 84MM WIDE 40 + 60MM SYSTEM FOR TERMINALS UP TO 3 X 120MM2	R 182.00
8US1922-1GA02	100141306	1	PD	BUSBAR ADAPTER SYSTEM COVER, 270MM WIDE FOR TERMINALS UP TO 300MM2	R 376.00
8US1922-2AA00	100141308	1	PD	BUSBAR ADAPTER SYSTEM COVER PROFILE, 1000MM LONG FOR BUSBARS UP TO 30MM WIDTH AND 5MM THICKNESS	R 204.00
8US1922-2BA00	100141309	1	PD	BUSBAR ADAPTER SYSTEM COVER PROFILE, 1000MM LONG FOR BUSBARS UP TO 30MM WIDTH AND 10MM THICKNESS	R 218.00
8US1922-2CA00	101473250	1	PD	BUSBAR SYSTEM, ACCESSORIES CENTER-CENTER DISTANCE 40.60 MM COVER PROFILE FOR BUSBAR LENGTH: 1000 MM RAIL THICKNESS: 5 MM	R 36.00
8US1922-2EB00	104814070	1	PD	HOLDER FOR UNUSED PANEL 195X700X63MM FOR BUSBAR SYSTEM 60MM FOR INSTALLATION ON HOLDER FOR UNUSED PANEL	R 423.00
8US1923-1AA01	102938574	1	PD	BUSBAR SYSTEM, ACCESSORIES CENTER-CENTER DISTANCE 60 MM EXTERNAL MOUNTING	R 112.00
8US1923-2AA01	100942212	1	V2	BUSBAR SYSTEM, ACCESSORIES CENTER-CENTER DISTANCE 60 MM BUSBAR HOLDER 3-POLE FOR RAILS 12X5(10)-30X5(10) EXTERNAL MOUNTING	R 216.00
8US1923-3AA01	101055613	1	V2	BUSBAR SYSTEM, ACCESSORIES CENTER-CENTER DISTANCE 60 MM BUSBAR HOLDER 3-POLE FOR RAILS 12X5(10)-30X5(10) EXTERNAL MOUNTING	R 183.00
8US1941-2AA02	100248330	1	PD	BUSBAR ADAPTER SYSTEM TERMINAL 150-300MM2 FOR BUSBARS 20 X 5-30 X 10MM AS WELL AS FOR T- AND DOUBLE-T-PROFILE	R 266.00
8US1998-2BJ10	102283241	1	PD	SIDE MODULE 9 MM WIDE, 200 MM LONG, 63 MM DEEP. CENTER-TO-CENTER SPACING 60 MM FOR BUSBAR ADAPTER BUSBAR SYSTEM, ACCESSORIES BASIC BODY HALOGEN-FREE	R 101.00
8US1998-4AA00	100141335	1	PD	BUSBAR ADAPTER SYSTEM SUPPORTING RAIL 35MM, PLASTIC 72MM LONG, WITH FIXING SCREWS PACKAGE OF 10 ITEMS, FOR ADAPTER AND RACK OF 72MM WIDTH	R 34.00
8WA1011-1DF11	100025083	1	PD	THROUGH-TYPE TERMINAL THERMOPL. SCREW TERMINAL ON BOTH ENDS SINGLE TERM., 6MM, SZ 2.5	R 12.00
8WA1011-1DG11	100025084	1	V2	THROUGH-TYPE TERMINAL THERMOPL. SCREW TERMINAL ON BOTH ENDS SINGLE TERM., 6.5MM SZ 4	R 16.00
8WA1011-1PF00	100025093	1	PD	PE TERMINAL 2 SCREW TERMINALS GREEN-YELLOW, 6MM, SZ 2.5	R 42.00
8WA1011-1PG00	100025096	1	PD	PE TERMINAL 2 SCREW TERMINALS GREEN-YELLOW, 7.2MM, SZ 4	R 43.00
8WA1011-1PK00	100025101	1	PD	PEN TERM. THERMOPLASTIC PA6.6 SCREW TERMINAL ON BOTH ENDS GREEN-YELLOW, 12MM, SZ16	R 64.00
8WA1011-1SF12	100025103	1	V2	FUSE TERMINAL THERMOPLASTIC SCREW TERMINAL ON BOTH ENDS 10MM SZ1.5	R 66.00
8WA1011-3DH21	100025108	1	PD	THROUGH-TYPE TERMINAL THERMOPL. SCREW TERMINAL ON BOTH ENDS TERMINAL BLOCK 3-POLE, BEIGE 24.5MM, SZ. 6	R 59.00
8WA1205	100025118	1	PD	THROUGH-TYPE TERMINAL THERMOPL. SCREW TERMINAL ON BOTH ENDS SINGLE TERM. 16MM, SZ 35	R 63.00
8WA1304	100134951	1	PD	THROUGH-TYPE TERMINAL THERMOPL. SCREW TERMINAL ON BOTH ENDS BLOCK 3 TERMINALS 30.2MM, SZ16	R 84.00
8WA2842	100135165	1	PD	N-BUSBAR TINNED	R 295.00
8WA2868	100025164	1	PD	FEEDER TERMINAL TO 25SQMM FOR 10X3MM AND 6X6MM N-BUSBAR, BLANK	R 25.00
8WC5053	101719376	1	PD	FLAT COPPER BAR 20 X 5MM APPROX. 2 METERS LONG TINNED	R 1,290.00
8WC5121	101718844	1	PD	FLAT COPPER BAR 15 X 5MM APPROX. 2,4 METERS LONG PLAIN	R 723.00
8WC5123	101718908	1	PD	FLAT COPPER BAR 12 X 5MM APPROX. 2,4 METERS LONG PLAIN	R 628.00

8WC5126	101718848	1	PD	FLAT COPPER BAR 20 X 5MM APPROX. 2,4 METERS LONG PLAIN	R 859.00
8WC5133	101718912	1	PD	FLAT COPPER BAR 30 X 5MM APPROX. 2,4 METERS LONG PLAIN	R 1,188.00
8WC5134	101702136	1	PD	FLAT COPPER BAR 30 X 10MM APPROX. 2,4 METERS LONG PLAIN	R 2,203.00
8WD4200-1AC	100025216	1	PD	STEADY-LIGHT ELEMENTS, GREEN 12V - 230V	R 453.00
8WD4200-1AE	100135953	1	PD	STEADY-LIGHT ELEMENTS, CLEAR 12V - 230V	R 453.00
8WD4200-1AF	100135954	1	PD	STEADY-LIGHT ELEMENTS, BLUE 12V - 230V	R 453.00
8WD4208-0AA	100025218	1	V2	CONNECTION ELEMENT WITH COVER FOR MOUNTING ON PIPES, FLOOR AND BRACKETS	R 548.00
8WD4208-0CD	102425086	1	PD	BRACKET FOR WALL MOUNTING, FOR SINGLE-SIDED MOUNTING, ACCESS.FOR 8WD42, SIGN.COLUMNS, DIAMETER 50MM, PLASTIC VERSION	R 223.00
8WD4208-0DE	100857319	1	PD	BASE, PLASTIC, FOR FLOOR MOUNTING	R 408.00
8WD4208-0EF	100025220	1	PD	PIPE, 10CM	R 319.00
8WD4220-0FA	100025221	1	V2	BUZZER ELEMENT 24V UC (PULSAT./CONTIN. TONE ADJUST.)	R 915.00
8WD4220-5AB	100025225	1	PD	ST.-LIGHT ELEMENTS LED, 24V UC, RED	R 1,133.00
8WD4220-5AC	100025226	1	PD	ST.-LIGHT ELEMENTS LED, 24V UC, GREEN	R 1,133.00
8WD4220-5AD	100025227	1	PD	ST.-LIGHT ELEMENTS LED, 24V UC, YELLOW	R 1,133.00
8WD4220-5BB	100942230	1	PD	SIGNAL COLUMN DIAMETER 50 MM; SINGLE ELEMENT IP54; FLASHING LIGHT ELEMENT, LED RED 24 V AC/DC	R 1,147.00
8WD4220-5BD	100942232	1	V2	SIGNAL COLUMN DIAMETER 50 MM; SINGLE ELEMENT IP54; FLASHING LIGHT ELEMENT, LED YELLOW 24 V AC/DC	R 1,147.00
8WD4308-0DA	100025234	1	V2	SIGNAL COLUMNS, DIAMETER 70MM ACCESSORIES BASE WITH TUBE (100MM)	R 479.00
8WD4308-0DB	100025235	1	V2	SIGNAL COLUMNS, DIAMETER 70MM ACCESSORIES BASE (SINGLE), PLASTICS	R 271.00
8WD4308-0DD	100135981	1	PD	ADAPTER FOR BASE, CABLE OUTLET Laterally	R 427.00
8WD4308-0EA	100084077	1	PD	SIGNAL COLUMNS, DIAMETER 70MM ACCESSORIES PIPE, 250MM	R 303.00
8WD4328-1XX	100025247	1	V2	SIGNAL COLUMNS, DIAMETER 70MM ACCESSORIES INCANDESCENT LAMPS 24V, BA 15D, 5W	R 58.00
8WD4400-1AB	100136022	1	PD	SIGNALLING COLUMN STEADY LIGHT RED, 12...240V AC/DC	R 449.00
8WD4400-1AC	100136023	1	PD	SIGNALLING COLUMN STEADY LIGHT GREEN, 12...240V AC/DC	R 449.00
8WD4400-1AE	100136025	1	PD	SIGNALLING COLUMN STEADY LIGHT TRANSP., 12...240V AC/DC	R 449.00
8WD4400-1AF	100136026	1	PD	SIGNALLING COLUMN STEADY LIGHT BLUE, 12...240V AC/DC	R 449.00
8WD4408-0AA	100025253	1	V2	SIGNALLING COLUMN CONNECT. ELEMENT FOR WITH PIPE MOUNTING COVER LID	R 540.00
8WD4408-0AB	100136027	1	V2	SIGNALLING COLUMN CONNECT. ELEMENT FOR WITH BASE MOUNT./ANGLE MOUNT. COVER LID AND SEAL FOR SCREW CONNECTION	R 531.00
8WD4408-0AD	100136028	1	V2	SIGNALLING COLUMN CONNECT. ELEMENT FOR WITH PIPE MOUNTING COVER LID, CAGE CLAMP	R 540.00
8WD4408-0AE	100087278	1	PD	SIGNALLING COLUMN CONNECT. ELEMENT FOR WITH BASE MOUNT./ANGLE MOUNT. COVER LID AND SEAL, CAGE CLAMP	R 531.00
8WD4408-0CC	100441930	1	PD	SIGNALLING COLUMNS, DIAM. 70 MM ACCESSORIES ANGLE FOR FOOT MOUNTING	R 231.00
8WD4408-0CD	100136030	1	PD	SIGNALLING COLUMNS, DIAM. 70 MM ACCESSORIES ANGLE FOR SOCKET MOUNTING	R 231.00
8WD4420-0EA	100136037	1	V2	SIGNALLING COLUMN SIREN ELEMENT CONTINUOUS SOUND , ALTERNATING, 24V DC	R 921.00
8WD4420-0EA2	100025254	1	V2	SIGNALLING COLUMN MULTI-FUNCTION SIREN ELEMENT DIFFERENT SOUNDS SETTABLE 24V AC/DC	R 1,320.00
8WD4420-0FA	100136038	1	V2	SIGNALLING COLUMN BUZZER ELEMENT CONTINUOUS SOUND OR PULSED ADJUSTABLE, 24V AC/DC	R 908.00
8WD4420-5AB	100136044	1	V2	SIGNALLING COLUMN STEADY LIGHT LED RED, 24V AC/DC	R 913.00
8WD4420-5AC	100025255	1	V2	SIGNALLING COLUMN STEADY LIGHT LED GREEN, 24V AC/DC	R 913.00

8WD4420-5AD	100136045	1	V2	SIGNALLING COLUMN STEADY LIGHT LED YELLOW, 24V AC/DC	R 913.00
8WD4420-5AE	100136046	1	PD	SIGNALLING COLUMN STEADY LIGHT LED TRANSP., 24V AC/DC	R 978.00
8WD4420-5AF	100136047	1	V2	SIGNALLING COLUMN STEADY LIGHT LED BLUE, 24V AC/DC	R 978.00
8WD4428-0BD	101878280	1	PD	SIGNALING COLUMN AS-INTERFACE ELEMENT, IP65 A/B TECHNIK, 18,5...31,6V AC/DC, MANUAL SWITCHOVER ON EXTERNAL AUXIL. SUPPLY MAX.3 SIGNAL ELEMENTS, LED STATUS INDIC.,ADDRESS JACK ,LOAD TENSION 20...30V DC	R 2,566.00
8WD4428-6XE	100136056	1	PD	SIGNALLING COLUMNS, ACCESSORIES LED 24V UC, BA 15D, TRANSP.	R 653.00
8WD4450-0CB	100136080	1	PD	SIGNALLING COLUMN SINGLE-FLASH LIGHT ELEMENT RED, 230V AC	R 1,569.00
8WD4450-0CD	100136082	1	PD	SIGNALLING COLUMN SINGLE-FLASH LIGHT ELEMENT YELLOW, 230V AC	R 1,569.00
8WD4450-0EA2	100136085	1	PD	SIGNALLING COLUMN SIREN ELEMENT, MULTI-FUNCTION DIFFERENT SOUNDS SETTABLE 230V AC	R 1,462.00
8WD4450-0FA	100136086	1	PD	SIGNALLING COLUMN BUZZER ELEMENT CONTINUOUS SOUND OR PULSED ADJUSTABLE, 230V AC	R 1,026.00
8WD5300-1AB	100136102	1	V2	BUILT-IN LUMINAIRE STEADY BURNING LIGHT, 12 - 230V UC, RED	R 631.00
8WD5300-1AD	100025258	1	PD	BUILT-IN LUMINAIRE STEADY BURNING LIGHT, 12 - 230V UC, YELLOW	R 631.00
8WD5300-1AF	100136105	1	PD	BUILT-IN LUMINAIRE STEADY BURNING LIGHT, 12...230 V UC, BLUE	R 631.00
LZS:MT28800	101763279	1	V2	FIXING BRACKET	R 15.00
LZS:MT78750	101704154	1	V2	PLUG-IN BASE FOR MOUNTING ON DIN RAIL, 11-POLE ROUND WIDTH 38 MM	R 69.00
LZS:PT17021	101856050	100	V2	FIXING/EJECTOR BRACKET FOR PLUG-IN RELAY SERIES PT AND PT SCREW TERMINALS LOGICAL AND PT SPRING-LOADED TERMINAL BASE LOGICAL DISCONNECTION LOGICAL DISCONNECTION	R 414.00
LZS:PT17024	101762782	100	V2	FIXING/EJECTOR BRACKET FOR PLUG-IN RELAY SERIES PT AND PT SCREW TERMINAL BASE NOT LOGICAL	R 420.00
LZS:PT3A5L24	101763280	1	PD	PLUG-IN RELAY, COMPLETE UNIT 24 V DC, 3 CO CONTACT LED MODULE RED STANDARD PLUG-IN SOCKET SCREW TERMINAL 3.5 MM PINNING	R 194.00
LZS:PT5A5L24	101682908	1	V2	PLUG-IN RELAY COMPLETE UNIT DC 24V, 4 CO CONTACT LED MODULE RED STANDARD PLUG-IN SOCKET SCREW TERMINAL 3.5 MM PINNING	R 194.00
LZS:PT5B5L24	101681830	1	V2	PLUG-IN RELAY COMPLETE UNIT DC 24V, 4 CO CONTACT LED MODULE RED SOCKET W. LOGIC ISOLATION SCREW TERMINAL 3.5 MM PINNING	R 194.00
LZS:PT5B5T30	101700301	1	V2	PLUG-IN RELAY COMPLETE UNIT AC 230V, 4 CO CONTACT LED MODULE RED SOCKET W. LOGIC ISOLATION SCREW TERMINAL 3.5 MM PINNING	R 208.00
LZS:PT5D5T30	102361767	1	PD	PLUG-IN RELAY COMPACT UNIT 230V AC, 4 CO LED MODULE RED SOCKET W. LOGIC ISOLATION PLUG-IN TERMINAL (PUSH-IN)	R 217.00
LZS:PT78720	101751081	1	V2	PLUG-IN BASE FOR MOUNTING ON DIN RAIL FOR 2 CHANGEOVER CONTACTS	R 58.00
LZS:PT78730	101762786	1	V2	BASE FOR RELAY, WITH 3 CHANGEOVER CONTACTS	R 58.00
LZS:PT78740	101704493	1	V2	BASE FOR RELAY WITH 4 CHANGEOVER CONTACTS	R 58.00
LZS:PTML0730	101762769	1	V2	LED MODULE,RED FOR PLUG-IN RELAY, SERIES PT AND RT, FOR 230V AC, W.OUT FREE-WHEELING DIODE	R 38.00
LZS:PTMT00A0	101762770	1	V2	FREE-WHEELING DIODE WITH CONNECTION TO A1 DC 6 TO 230V	R 25.00
LZS:PTMU0524	101762789	1	PD	RC ELEMENT, AC 24 TO 48V	R 61.00
LZS:RT3A4L24	101682075	1	V2	PLUG-IN RELAY COMPACT UNIT DC 24V, 1 CO CONTACT LED MODULE RED STANDARD PLUG-IN SOCKET 5 MM PINNING	R 199.00

LZS:RT3A4T30	101762791	1	V2	PLUG-IN RELAY COMPACT UNIT AC 230V, 1 CO CONTACT LED MODULE RED STANDARD PLUG-IN SOCKET 5 MM PINNING	R 231.00
LZS:RT4A4L24	101688592	1	V2	PLUG-IN RELAY COMPACT UNIT DC 24V, 2 CO CONTACT LED MODULE RED STANDARD PLUG-IN SOCKET SCREW TERMINAL	R 210.00
LZS:RT4A4S15	101688590	1	V2	PLUG-IN RELAY COMPACT UNIT AC 115V, 2 CO CONTACT LED MODULE RED STANDARD PLUG-IN SOCKET SCREW TERMINAL	R 240.00
LZS:RT78725	101762781	1	V2	PLUG-IN RELAY, BASE 15MM	R 69.00
LZX:MT323024	100019137	1	V2	PLUG-IN RELAY 3CO RELAY WITH LED 28MM, 24V DC	R 293.00
LZX:MT328115	100197649	1	V2	PLUG-IN RELAY, 3 CO CONTACTS, WITH LED, 115V AC, 10A, WIDTH 38MM, MT RANGE	R 363.00
LZX:MT328230	100019138	1	V2	PLUG-IN RELAY 3CO RELAY WITH LED 38MM, 230V AC	R 363.00
LZX:PT270024	100439731	1	V2	PLUG-IN RELAY 2 CHANGEOVER CONT. DC 24V	R 81.00
LZX:PT270615	100439711	1	V2	PLUG-IN RELAY 2 CHANGEOVER CONT. AC 115V	R 94.00
LZX:PT270730	100248326	1	V2	PLUG-IN RELAY 2 CHANGEOVER CONT. AC 230V	R 94.00
LZX:PT370024	100072416	1	V2	PLUG-IN RELAY, 3 CO CONTACTS, 24V DC, 10A, WIDTH 22.5MM	R 81.00
LZX:PT370615	101357342	1	V2	PLUG-IN RELAY, 3 CO CONTACTS, 115V AC, 10A, WIDTH 22.5MM	R 94.00
LZX:PT370730	100072475	1	V2	PLUG-IN RELAY, 3 CO CONTACTS, 230V AC, 10A, WIDTH 22.5MM	R 94.00
LZX:PT570024	100019140	1	V2	PLUG-IN RELAY, 4 CO CONTACTS, 24V DC, 6A, WIDTH 22.5MM	R 81.00
LZX:PT570524	100075158	1	V2	PLUG-IN RELAY, 4 CO CONTACTS, 24V AC, 6A, WIDTH 22.5MM	R 81.00
LZX:PT570615	100164680	1	V2	PLUG-IN RELAY, 4 CO CONTACTS, 115V AC, 6A, WIDTH 22.5MM	R 94.00
LZX:PT570730	100019141	1	V2	PLUG-IN RELAY, 4 CO CONTACTS, 230V AC, 6A, WIDTH 22.5MM	R 94.00
LZX:RT314024	100197652	1	V2	PLUG-IN RELAY 1CO RELAY 15MM, 24V DC	R 55.00
LZX:RT424024	100097097	1	V2	PLUG-IN RELAY 2CO RELAY 15MM, 24V DC	R 65.00
LZX:RT424615	100078745	1	PD	PLUG-IN RELAY, 2 CO CONTACTS, 115V AC, 16A, WIDTH 15.5MM, PT RANGE	R 102.00
LZX:RT424730	100086056	1	V2	PLUG-IN RELAY 2CO RELAY 15MM, 230V AC	R 102.00

SIEMENS

General Terms and Conditions for the Supply of Goods

I. Definitions

1.1 "Contract" shall mean the terms and conditions agreed upon between the Parties in writing and in particular the terms of the Siemens tender for the supply of goods, Special Conditions, specifications, drawings and the terms and conditions contained herein which shall be deemed to be incorporated in the Contract entered into between the Parties;

1.2 "Date of Delivery" shall mean the date stipulated in the Contract or otherwise agreed to in writing by the Parties;

1.3 "Defects" shall mean latent and patent Defects;

1.4 "Delivery" shall mean Delivery in compliance with the terms of the Contract on or before the Date of Delivery;

1.5 "Goods" shall mean the machinery, plant, equipment, apparatus, products, materials, labour and service to be delivered or to be provided for the work to be performed as specified;

1.6 "Party" shall mean Siemens or the Purchaser as the context requires and "Parties" means both of them;

1.7 "Purchaser" shall mean the natural person or juristic entity with whom Siemens has contracted with for the supply of the Goods;

1.8 "Siemens" shall mean Siemens Limited (Reg. No. 1923/007514/06), acting on its own behalf;

1.9 "Special Conditions" shall mean other conditions of Siemens annexed to or issued with these conditions.

II. The Tender

2.1 If Siemens makes a tender for the supply of goods, the tender shall be valid for a period of 60 days from the date thereof, unless withdrawn at any time within the 30 days prior to receipt of written acceptance from the Purchaser.

2.2 The quoted price is based upon the scope referred to in the tender. Should there be any variation in the total quantity of Goods ordered, Siemens reserves the right to amend the price.

2.3 In the event of a contradiction between the conditions of tender and these conditions, the conditions of tender shall prevail. In the event that the

conditions of tender are silent on any aspect, these conditions shall prevail.

III. Modifications and Amendments

3.1 Any modifications and amendments to the Contract shall not be binding unless reduced to writing and signed by the Parties.

3.2 Notwithstanding any acceptance by Siemens of any order from the Purchaser that may contain any provision inconsistent with or purporting to vary or reject any of the conditions of the Contract, such acceptance of the order or any payment/s should not be construed as acceptance by Siemens of any such provision unless Siemens expressly agrees in writing to such provision. Siemens is only bound to the general terms and conditions of the Purchaser to the extent that such general terms and conditions are in accordance with Siemens' own general terms and conditions.

IV. Prices

4.1 All quoted prices are net and are valid ex works, excluding packing. On any imported Goods, prices are subject to any fluctuation in the applicable foreign exchange rate between time of order and time of delivery.

4.2 The price tendered is exclusive of any applicable Value Added Tax or other governmental imposts, for which the Purchaser shall be additionally liable to Siemens.

4.3 If manufacture or Delivery of Goods are delayed or varied by an act or omission of the Purchaser, his agent, or contractor for whom the Purchaser is responsible, Siemens shall notify the Purchaser of any additional costs which may be incurred as a result of such delay or variation. Such additional costs shall be for the Purchaser's account at actual costs.

V. Payment

5.1 Payment in full shall be made by the Purchaser on or before the 15th day of the month following date of invoice, unless otherwise agreed with Siemens in writing. Payment shall only be regarded as being received once Siemens has beneficial use of the payment. All bank charges and commissions will be for the account of the Purchaser. If Delivery is delayed by instructions or lack of instructions from the Purchaser, then payment of the full contract price or item thereof shall be made within thirty (30) days after notification by Siemens that the Goods are ready for Delivery. If Delivery is delayed as a result of circumstances beyond the control of Siemens, then fourteen (14) days after notification by Siemens that the Goods are ready for Delivery, payment of 90% of the contract price applicable to the Goods referred to in the notice shall fall due and be paid, the balance becoming payable on Delivery or within three (3) months of the date of such notification whichever is the earlier.

5.2 Payments shall not be set-off against or withheld on account of any counterclaims of the

Purchaser, unless same are agreed by Siemens in writing.

5.3. Should the Purchaser delay in respect of any payment due to Siemens then Siemens shall have the right, in addition to all other rights and remedies to which Siemens is entitled under the Contract and at law, to charge interest on the overdue amount at the rate of 3% per annum in excess of the interest rate prescribed by Standard Bank of South Africa's, lending rate for overdrafts above R100 000.00 calculated from the date of invoice to the actual date of full and final payment. Any payment by the Purchaser shall be credited first against any interest so accrued and the balance of payment, if any, shall be applied in reduction of the outstanding balance of the contract price. In the event of delay in any payment due to Siemens, Siemens may defer manufacture or Delivery or cancel any outstanding balance of the order. Any costs incurred by Siemens in the deferment of manufacture or Delivery or the cancellation of the outstanding balance of any order will be for the account of the Purchaser.

5.4 Siemens reserves the right to demand an irrevocable and unconditional letter of credit acceptable by a South African bank as payment before Delivery is made.

5.5 Notwithstanding the provisions hereof, full payment shall become due immediately upon the Purchaser (being a natural person) committing any act of bankruptcy or if the Purchaser (being a juristic person) commits any act which entitles any person to apply to wind up the Purchaser or if a liquidator, administrator, controller, mortgagee in possession, receiver or like officer is appointed over part or all of the Purchaser's assets.

5.6 The Purchaser shall be liable to and shall reimburse Siemens for all costs, including attorney and client costs, incurred by Siemens in the collection of any outstanding payments, and does further hereby absolve and hold Siemens blameless for any loss or damage sustained in or by reason of the collection of the said outstanding payments.

VI. Reservation of Ownership

6.1. Notwithstanding that the risk in the Goods sold shall pass to the Purchaser as provided in clause 11.1 hereof title and property in the Goods sold shall remain with Siemens until such time as full payment is made to Siemens for all amounts owing by the Purchaser and so that the Purchaser's total indebtedness to Siemens under the terms and conditions of sale is discharged. If any of the Goods are incorporated into or used by the Purchaser as parts, components or materials in respect of any other product of the Purchaser before payment in full has been made for the Goods then the property in the whole of the product into which the parts, components or materials have been incorporated shall be and become that of Siemens and remain the property of Siemens until such time as payment in full has been made by the Purchaser.

6.2. For the duration of reservation of ownership, the Purchaser is prohibited from giving the Goods in

pledge or as security and resale shall be permissible only in the Purchaser's ordinary course of business and only on the condition that the Purchaser receives payment from its customer or retains title so that the property is transferred to Purchaser's customer only after fulfilment of Purchaser's obligation to pay Siemens.

6.3. In cases of breach of contractual obligations by the Purchaser, including a delay of payment, Siemens shall be entitled, in addition to any or all of its rights under the Contract or at law, to recover the Goods following a demand for payment. The Purchaser shall be obliged to return the Goods at its own cost, to Siemens. The taking back, the assertion of the reservation of ownership or the seizure of the Goods by Siemens does not mean a termination of the Contract except if explicitly stated by Siemens in writing. Siemens may also, in its sole and absolute discretion, without terminating the Contract, suspend compliance with its obligations in terms of the Contract and Siemens shall not be held liable for any loss or damage sustained by the Purchaser in the event that Siemens suspends compliance with its obligations by reason of the Purchaser failing to remedy a breach of its contractual obligations.

6.4 The Purchaser acknowledges that until his total indebtedness to Siemens is discharged, the Goods shall not be subject to a lien and or encumbered in any way, it holds the Goods sold as bailee of Siemens and that a fiduciary relationship exists between Siemens and the Purchaser.

6.5 In the event that the Purchaser sells the Goods to the Purchaser's customers before payment in full for the Goods has been made to Siemens then the Purchaser in a position of fiduciary shall:

(a) assign to Siemens the benefit of any claim against such customer(s);

(b) account fully to Siemens for the proceeds of the sale of the Goods sold or any part thereof until the Purchaser's total indebtedness to Siemens is discharged.

VII. Intellectual Property Rights

7.1 In the event of any claim or claims in respect of an infringement of any intellectual property rights, relating to any part of the Goods supplied by Siemens (other than a part based on a design specified by the Purchaser) Siemens may in its sole and absolute discretion and at its expense either replace or modify such part with a non-infringing part or procure for the Purchaser the right to use such a part provided Siemens is given the full opportunity to conduct all negotiations in respect of such claim and such claim shall not be accepted by the Purchaser without prior written consent of Siemens. The Purchaser warrants that any design or instructions furnished or given by him shall not be such as to cause Siemens to infringe any intellectual property rights in the execution of the order.

7.2 The Purchaser shall have no claim of whatsoever nature against Siemens arising out of or flowing from any damages suffered by the Purchaser or its customers as a result of any intellectual property right relating to any of the Goods sold, being

infringed, cancelled voided, breached or otherwise set aside or declared invalid.

7.3 The intellectual property rights held by Siemens, its affiliates and its licensors relating to Goods tendered or supplied by Siemens shall remain the absolute property of Siemens and its licensors. Siemens' designs and drawings shall not be reproduced or disclosed without Siemens' prior written consent. The Purchaser will not, without Siemens' prior written consent, copy or allow others to copy any drawings, Goods or part thereof supplied by Siemens.

VIII. Software

8.1 Siemens grants the Purchaser a non-exclusive, non-transferable licence to use the software and related software documentation supplied in conjunction with the Goods, only on the designated hardware of the Goods.

8.2 Except as stated above, the Purchaser is not granted any other right with regard to the software and the software documentation. Without limiting the foregoing, the license in particular does not include the right to modify, create derivative works, disassemble, reverse engineer, de-compile or otherwise use the software and/or software documentation.

8.3 All copyright and other proprietary notices and legends placed on the software supplied by Siemens shall be maintained by the Purchaser.

IX. Drawings and Specifications

9.1 Unless expressly incorporated in the tender, all descriptive and shipping specifications, drawings, dimensions and weights submitted with the tender are approximate only. In any event descriptions, illustrations and data contained in catalogues, price lists and other advertising matter are intended only to present a general idea of the work described therein and none of these shall form part of the Contract. Any performance figures given by Siemens are based on Siemens' experience and are such as Siemens expects to obtain on test. Subject to recognised tolerances applicable to such figures, Siemens shall be under no liability for damages for failure to attain such figures unless Siemens specifically guaranteed them in writing. Where Siemens has agreed to performance figures but fails to achieve such figures, Siemens shall make good such failure as provided for in clause 12 hereof. Siemens liability, if any, shall in any case be limited as provided for in clause 17 hereof.

9.2 All drawings, specifications, other oral and written information, samples and the like provided by Siemens shall remain the property and are the copyright of Siemens and shall be regarded as confidential and shall not be disclosed to a third party except with the prior written consent of Siemens.

9.3 The Purchaser shall be responsible for and bear the cost of any alteration to the Goods arising from any discrepancy, error or omission in any drawings, specification or other information supplied or approved by him.

X. Terms of Delivery

10.1. (a) Where the Contract does not include installation, any period quoted for Delivery shall be reckoned from the date of receipt by Siemens of a written order which is in accordance with the conditions of the Contract and which provides Siemens with all the necessary technical and commercial information, drawings, permits, licenses, etc. to enable Siemens to commence with the work.

(b) Where the Contract does include installation, Special Conditions for "Erection and Installation" shall apply in addition to those referred to in clause (a) above.

10.2. Notwithstanding any specific additional agreement as mentioned in clause 10.3 below, the completion/Delivery date or period shall be extended in respect of any delay caused by the Purchaser, by industrial dispute including strikes and lockouts, circumstances such as fire, war, mobilisation, requisition, embargo, currency restrictions, insurrection, import restrictions, shortage of transport, general shortage of materials, restrictions in the use of power or by any cause beyond the reasonable control of either Siemens or any of Siemens' subcontractors or as provided for in these conditions.

10.3 All Dates of Delivery shall be treated as approximate dates only and the Purchaser shall not be entitled to cancel the Contract nor have any claim of whatsoever nature against Siemens arising or flowing from delays in Delivery, howsoever caused. If agreed upon to the contrary, in writing, in advance and in the event of delay caused by reasons other than those covered in clause 10.2 hereof and if as a result of such delay the Purchaser suffers loss, the Purchaser is entitled for each complete week of delay to a refund of the consideration payable at the rate of 0.1% per week, but not more in aggregate than a total of 3% of the contract price of that portion of the Goods which in consequence of such delay cannot be commercially and effectively used. Such payment shall be in full satisfaction of any loss suffered by the Purchaser due to such delay and shall be in lieu of any other right the Purchaser may have against Siemens arising out of or in connection with the delay in Delivery.

10.4 Unless otherwise stated in the tender the Goods are supplied ex works and Delivery to a carrier, including loading, shall constitute Delivery to the Purchaser. The carrier's vehicle shall be of a type allowing vertical or horizontal access for loading as required by Siemens. Where the Contract includes installation, Delivery shall be deemed to take place upon completion of the installation.

10.5 If Delivery is required other than ex works, Siemens may, in its sole and absolute discretion, agree to act as agent for the Purchaser in this matter and all costs for carriage and insurance will be for the Purchaser's account.

10.6 Claims for shortages in a Delivery shall only be accepted, if Siemens is notified in writing within ten (10) days of receipt of the Goods and Siemens notifies the Purchaser in writing of its acceptance of the claim/s.

10.7 If after a period of fourteen (14) days from the date of notification that the Goods are ready for Delivery, Delivery is delayed for any reason beyond Siemens' reasonable control, Siemens shall be entitled at Siemens' option to arrange suitable storage at Siemens' premises or elsewhere and shall take reasonable measures to protect the Purchaser's interest in the Goods. The Purchaser shall accept costs of storage, insurance, demurrage, handling and other charges at the rate of 0.5 % of the price for the Goods and any other costs Siemens might incur, payable monthly in arrears. Where the Contract includes installation the Purchaser shall be liable for all extra costs, including salaries and wages and travelling expenses, caused by such delay.

10.8 Siemens reserves the right to make partial Deliveries and to separately invoice same.

10.9 Goods showing minor faults may not be rejected by the Purchaser.

10.10 Unless otherwise stated in the tender the Goods will be packed in accordance with Siemens' customary standard of packing, and the cost thereof will be for the Purchaser's account. Any special packing required by the Purchaser will likewise be for the Purchaser's account.

10.11 Notwithstanding the above and anything to the contrary anywhere else in these conditions, the Purchaser agrees that delivery dates in respect of any products and/or components, which are to be manufactured and/or assembled in Japan shall be non-binding. The delivery of such products and/or components are subject to the correct and punctual supply to Siemens by its supplier in Japan and Siemens have the right to postpone and/or effect partial delivery in respect of such goods.

XI. Passing of Risk and Title

The risk in the Goods shall pass to the Purchaser as follows:

11.1 Where the Goods supplied does not include installation, when the Goods leave the works. At the written request and expense of the Purchaser, Siemens will insure Goods despatched against breakages, and damage in transit or through fire. In any event Siemens' liability shall be limited to the extent of such insurance.

11.2 Where the Goods offered includes installation, on the day the Goods are taken over by the Purchaser. Where a trial run has been agreed upon, risk passes after this has been satisfactorily completed. This presupposes that the trial run or the taking over in the Purchaser's own plant will take place immediately following installation ready for operation. If either the trial run or taking over is delayed for more than (fourteen) 14 days, the risk for the period of delay shall be transferred to the Purchaser.

11.3 If despatch or Delivery is delayed at the request of the Purchaser, the risk for the period of delay will be transferred to the Purchaser from the day of readiness for despatch. Siemens shall affect insurance if so requested by the Purchaser in writing, at the latter's expense.

XII. Warranty

12.1. Siemens warrants for a period of twelve (12) months from the date of delivery that all Goods manufactured by it and sold in terms hereof, shall be free from Defects in material and workmanship under proper and normal use and service. Defects arising out of 'wear and tear 'are excluded

12.2. Siemens records that its obligations under the abovementioned warranty is limited to repairing at its option any part or parts thereof, which shall be returned to Siemens within (twelve) 12 months after the Date of Delivery, for examination and which examination shall disclose to Siemens' satisfaction to have been thus defective. Siemens will make the repair or replacement of defective parts in terms hereof without charge for the parts and labour. Where in accordance with subclause 12.3 (a) hereof, the Purchaser has notified Siemens of an alleged defect, he shall, if Siemens so requires, promptly, and at his own expense and risk return the defective part(s) to the factory (as specified by Siemens) free-of-charge for repair. The removal of the defective part and the installation of any repaired or replacement part shall be performed by the Purchaser at his own expense. Where any defective part(s) has been replaced, such part(s) shall become the property of Siemens.

12.3. The provisions of the abovementioned warranty shall not be applicable if any of the following events occur:

(a) if the Purchaser fails to report the defect in writing within seven (7) days of the alleged defect occurring; and

(b) if the Purchaser fails to grant to Siemens adequate time and opportunity to carry out all work which Siemens may deem necessary;

(c) if the Purchaser has failed to fulfil any of its obligations in terms of the Contract;

(d) if the defect is due to fair wear and tear or to misuse of the Goods, or chemical and electrochemical influences beyond Siemens' control;

(e) such Goods have not been properly handled and used and has not been operated and maintained in accordance with instructions issued by Siemens; and

(f) such Defects are not caused by incorrect use of operating material or lubricants, faulty civil or mechanical work, unsuitable soil conditions and all other electrical influences which have not been provided for in the Contract and

(e) if any repairs or alterations were carried out by the Purchaser or third parties.

12.4. The onus of proving that the warranty conditions have been complied with shall rest on the Purchaser.

12.5. The warranty period stated above, shall be extended by Siemens by such a period as is necessary for executing the repair or replacement of a faulty part, which could not be taken into useful operation as a result of such interruption.

12.6. In the case of Goods not manufactured by Siemens, the Purchaser is exclusively entitled to the benefits and guarantees given by Siemens's subcontractors or suppliers.

12.7. Siemens warrants that the Goods comply with the Occupational Health and Safety Act (OHSA) requirements for certain electrical products as specified in SABS 0142. Upon request authorisation certificates can be provided to the Purchaser. By accepting Delivery, the Purchaser hereby accepts that in terms of Section 10 (4) of the OHSA, the Goods, when properly used, will comply with prescribed requirements and will be safe and without risks to health.

12.8. Save as otherwise contained herein, no guarantees, representations or warranties of any nature whatsoever have been given by Siemens or any other person purporting to act on behalf of Siemens.

XIII. Transfer of Contract Rights

13.1. Siemens shall be entitled to cede, assign and transfer any or all its rights and obligations in terms of this Contract to any other person and by concluding this Contract the Purchaser gives its consent to any such cession or assignment. The Purchaser shall not be entitled to cede, assign and transfer any of its rights and obligations in terms hereof without the prior written consent of Siemens.

XIV. Cancellation

14.1 A Contract may be cancelled, varied or suspended only by notice in writing and only if Siemens accepts such notice in writing. In the event of such cancellation, variation or suspension the Purchaser shall compensate Siemens for any costs or loss incurred including but not limited to loss of profit.

14.2 Notwithstanding anything hereinbefore contained, should the Purchaser breach any of the terms and conditions of the Contract (whether material or not) and fail to remedy such breach within 10 days of despatch of written notice requiring it to do so or should a provisional order of sequestration or liquidation or should default judgement be obtained against the Purchaser, Siemens shall have the right, notwithstanding any previous waiver, to claim payment of the full balance then owing by the Purchaser or to cancel the Contract, retain all monies paid, take possession of all Goods delivered without prejudice to any claim for damages.

14.3. Notwithstanding anything to the contrary, Siemens has the right to terminate this Contract at any stage for any reason whatsoever by providing (thirty) 30 days written notice to the Purchaser without incurring liability for compensation for damages.

XV. Legal Interpretation, Venue

15.1. The construction and interpretation of this Contract and all rights and obligations flowing therefrom or arising out of breach thereof shall be in accordance with the law in the Republic of South Africa and the Parties hereby consent to the jurisdiction of the Witwatersrand Local Division of the High Court of South Africa or any other Court having jurisdiction, in regard to any dispute that may arise out of or flow from this Contract.

XVI. Invalid Conditions; Other Terms and Conditions

16.1 In the event of one or more clauses of these conditions or any included in the Siemens' tender for the supply of goods being held by a court of law to be legally invalid or unenforceable, the remainder of such conditions shall be in no way affected.

16.2 Goods will be accepted for credit only by prior written agreement or to the extent that they have been wrongly or over supplied. Returned Goods shall be delivered to Siemens free of charge, in good order and condition, unused and in the original packaging, accompanied by a despatch note stating the original invoice number, date of supply and reason for return. Except where Goods have been wrongly or over supplied, a charge as determined by Siemens will be made for handling costs. Goods made or imported to special order cannot be returned or credited unless they are not to specifications or otherwise not in accordance with any expressed or implied terms of the Contract.

XVII. Liability

17.1. Siemens, its directors or any of its employees, agents or servants, shall not be liable whether in contract, delict or otherwise arising from any cause whatsoever, whether occasioned by negligence or otherwise, for any injury, damage or loss, for any indirect or consequential damage or loss including but not limited to loss of production, loss of revenue, loss of profit, finance, expenses, loss of information or data, loss of use or cost of replacement, arising out of or in connection with this Contract, the Goods supplied pursuant hereto including any Defects therein or anything connected herewith or any other work related hereto.

17.2. Notwithstanding the above, in the event that Siemens is found to be liable for direct damages, Siemens shall not be liable to the Purchaser for loss or damage to Purchaser's property for any event in excess of the Purchaser's insurance deductibles or 10% (ten percent) of the contract price of the Goods, in such event Siemens shall be liable for the lesser of the two.

17.2. Siemens' aggregate liability to the Purchaser howsoever arising under or in connection with the Contract shall not exceed 10% (ten percent) of the contract price of the Goods.

XVIII. Wassenaar Arrangement

18.1 This Contract is fully conditional upon the Goods end use being in South Africa. Should the Goods be destined for export or re-export then:

(a) Siemens shall be notified in writing in each case and

(b) Goods shall only be exported or re-exported if there are no impediments regarding export from South Africa imposed by South African, German or United States export regulations.

18.2 Any breach or alleged breach of this condition gives Siemens the right to immediately suspend, postpone or cancel, at its sole discretion, the order or any undelivered portion thereof.

XIX. Bankruptcy, Liquidation

If the Purchaser

19.1 being a person, dies or commits an act of bankruptcy or

19.2 being a company, takes or shall have taken against it any action for the winding up of the company or the placing of the company under official management or receivership other than for purposes of reconstruction of if a receiver, manager, controller, liquidator, administrator, mortgagee in possession or like officer is appointed over part or all of the Purchaser's assets:

Then Siemens, at its option and without prejudice to any other rights it may have under the Contract or in Law, shall give notice in writing to the Purchaser and after fourteen (14) days from such notice may, unless otherwise provided by law,

(a) terminate the Contract or suspend manufacture or Delivery of any Goods then outstanding

(b) retain any security given or moneys paid by the Purchaser and apply this against the assessed loss and damages incurred by Siemens in the performance of the Contract.

XX. Insurance

20.1. The Purchaser is obliged to procure and maintain for the duration of the Contract, the insurance as determined by Siemens from time to time.

20.2. The Purchaser is obliged to note Siemens' interest on each insurance policy.

20.3. The Purchaser shall upon written request from Siemens, provide Siemens with satisfactory documentary proof of the insurance procured, payment of required premiums and where applicable proof of renewals.

XXI. Anti corruption

21.1. The Parties shall not be entitled to claim or receive any benefits or rewards, other than specifically provided for in this Contract.

21.2. The Parties confirm that they or any of their employees, associates or agents have not given or received any benefit of any nature whatsoever, nor shall they give any benefit of any nature whatsoever, which can be construed as an unlawful inducement to enter into this Contract or any other agreement emanating from this Contract and that they have ensured that all anti corruption laws, internal processes and anti- corruption preventative measures have been complied with, prior to signature of this Contract. The Parties will further ensure that all such anti corruption laws, internal processes and anti- corruption preventative measures which may apply to either Party under any law or company policy will continue to be complied with for the duration hereof.

XXII. Indulgence

22.1. No act of relaxation, indulgence or grace on the part of Siemens shall in any way operate as or be deemed to be a waiver by Siemens of any of its rights in terms of the Contract or a novation thereof.

XXIII. Arbitration Clause

23.1. If the Parties are unable to resolve any dispute arising from the Contract by means of joint co-operation or discussion between the individuals directly involved in the execution of the Contract within 7 (seven) days after a dispute arises or such extended time period as the Parties may in writing allow, then such dispute shall be submitted to the senior managers of the Parties immediately who will endeavour to resolve this dispute within 30 (thirty) days after it was referred to them. Should the dispute not be resolved in the aforesaid manner or within the timeframes specified, then unless the Parties otherwise agree in writing prior to the expiration of the aforesaid 30 (thirty) day period, it shall be resolved by way of mediation, the process of which shall be agreed upon by the Parties at that time. If the Parties fail to resolve the dispute by mediation, the dispute shall be finally be resolved by referring it to arbitration.

23.2. Apart from urgent and interim relief which either Party is at liberty to pursue in an appropriate court of law, all disputes arising in the connection with this Contract which have not been resolved through mediation, if arbitrable in law, shall be finally settled under the Rules of the Arbitration Foundation of Southern Africa ("AFSA") by an arbitrator appointed in accordance with the said rules. The arbitration shall be conducted in Johannesburg and may be made an order of an appropriate court of law. The language of the arbitration shall be English. The arbitration shall be conducted on an expedited basis and the contents any determination made thereafter shall be kept confidential. The arbitration award shall be final and binding on both parties and either party may proceed to make the arbitration award an order of court.

XIV Reservation Clause

24.1. Siemens' obligation to fulfil this Contract is subject to the proviso that the fulfillment is not prevented by any impediments arising out of national and international foreign trade and customs requirements or any embargos or other sanctions. The Purchaser shall not be entitled to hold Siemens liable for any loss or damage arising out of Siemens being prevented from fulfilling its obligations under the Contract.