

CABLOFIL® Wire Cable Tray

The World's Most Specified Wire Cable Tray

ablofil is the wire cable tray market leader with more than 80,000 miles installed worldwide. For over 30 years engineers and contractors around the world have found Cablofil to be the solution to any installation, large or small.

Cablofil Wire Cable Tray installs faster than traditional cable management methods. Every component of our product line has been designed to reduce installation time and costs. It can be configured to any installation, with simple tools, on the job site. Our Fast Installation System (FAS) line of mounting accessories can make installation even faster.

Cablofil products are available in a wide variety of tray sizes and finishes to meet any application need, from telecommunication systems to supporting power cables in harsh environments. To see the complete line of Cablofil products, visit our updated website at **www.cablofil.com**.





Telecommunications Installation



Electrical Power Cable Support



Instrumentation for Industry

THE WORLD'S MOST SPECIFIED WIRE CABLE TRAY

Ever since we invented the wire cable tray industry more than 30 years ago, we have focused on developing products that **save both time and money**. To support this effort Cablofil offers engineering services and are dedicated to helping our customers design the most efficient cable management system possible.

Visit our website to download Cablofil "CSI Three Part" specifications in word or pdf format.

Cablofil® Wire Cable Tray

Available in 10' straight sections, Cablofil wire cable tray is available in a variety of sizes and finishes to suit any application. Our unique Safe-T-Edge design eliminates frayed cables.

CF 30 - CABLOFIL CABLE TRAY



	H]		W		L			
	INCHES	ММ	INCHES	MM	FEET	М	LBS	KG
ZF 30/50*	1"	30	2"	50	10'	3	3.3	1.5
CF 30/100	1"	30	4"	100	10'	3	4.5	2.0
CF 30/150	1"	30	6"	150	10'	3	5.7	2.6
CF 30/200	1"	30	8"	200	10'	3	7.4	3.3
CF 30/300	1"	30	12"	300	10'	3	9.4	4.3

CF 54 - CABLOFIL CABLE TRAY



	HÌ		W		L			
	INCHES	MM	INCHES	ММ	FEET	M	LBS	KG
CF 54/50	2"	54	2"	50	10'	3	5.3	2.4
CF 54/100	2"	54	4"	100	10'	3	6.5	3.0
CF 54/150	2"	54	6"	150	10'	3	7.8	3.5
CF 54/200	2"	54	8"	200	10'	3	9.0	4.1
CF 54/300	2"	54	12"	300	10'	3	13.4	6.1
CF 54/450	2"	54	18"	450	10'	3	22.8	10.3
CF 54/500	2"	54	20"	500	10'	3	24.4	11.0
CF 54/600	2"	54	24"	600	10'	3	27.5	12.5

CF 105 - CABLOFIL CABLE TRAY



	'	"	.⊻	<u>v</u>	-	- .		
	INCHES	MM	INCHES	MM	FEET	M	LBS	KG
CF 105/100	4"	105	4"	100	10'	3	9.0	4.1
CF 105/150	4"	105	6"	150	10'	3	10.2	4.6
CF 105/200	4"	105	8"	200	10'	3	13.4	6.1
CF 105/300	4"	105	12"	300	10'	3	21.2	9.6
CF 105/450	4"	105	18"	450	10'	3	25.9	11.8
CF 105/500	4"	105	20"	500	10'	3	27.5	12.5
CF 105/600	4"	105	24"	600	10'	3	30.4	13.8

 $(\Lambda \Lambda \Lambda)$

CF 150 - CABLOFIL CABLE TRAY



	- 1 '				-			
	INCHES	MM	INCHES	MM	FEET	M	LBS	KG
CF150/300	6"	150	12"	300	10'	3	24.4	11.0
CF150/450	6"	150	18"	450	10'	3	26.5	12.0
CF150/500	6"	150	20"	500	10'	3	27.8	12.6
ZF150/600	6"	150	24"	600	10'	3	29.5	13.4

()

All trays are offered in the following finishes: **EZ GC 304L BL PE**




Hi

Hi



Cablofil® Wire Cable Tray Connectors & Mounting Hardware

Cablofil has designed a wide range of easy-to-use connectors and supports including our Fast Assembly System (FAS) that simplify installations and reduce overall costs. To see the complete line of Cablofil products, visit our updated website at www.cablofil.com.



Cablofil® Wire Cable Tray Connectors & Mounting Hardware (continued) **FAS PCH - CENTER HANGER** • Only one threaded rod is FASPCH 200 8" 194 0.7 0.3 needed to suspend tray. FASPCH 300 12" 294 0.9 0.4 Suspension tube protects FASPCH 400 16" 394 1.1 0.5 cables. FASPCH 450 18' 444 1.3 0.6 • 18" Center Hanger has FASPCH 500 494 0.6 20' 1.3 offset suspension tube to FASPCH 600 avoid center wire. 24" 594 1.5 0.7 Threaded rod, nuts and PG GC 316L BL washers sold separately. AS - TRAPEZE HANGING CLIP 6.6 AS 50 3.0 PG GC 316L BL OPTIONAL PLACEMENT • Tray can be detached on one side to add cables. • Use pliers to lock tabs and secure tray to threaded rod. Threaded rods, nuts, and washers sold separately. **UFC** – UNDER FLOOR SUPPORT CLAMP **UFC** 0.3 PG BL Attaches FAS L Brackets to access floor posts through one side of U-Bolt. • Unique support plate works with square or round posts.

For information on additional Cablofil Products: www.cablofil.com • 800-658-4641 or 618-566-3230 • fax: 618-566-3250 • info@cablofil.com


FINISHES

Cablofil wire cable tray and accessories are available in a variety of finishes to meet any industry need, from decorative to extreme environments. Use this color code to help you to determine the best finish for your application and its availability.



Pre-Galvanized -

Continuous Galvanization Before Fabrication



Hot Dipped Galvanized -

304L

Stainless Steel 304L -

Stainless Steel 316L -



• Clamp Kit contains: U Bolt, 2 flange nuts, and support plate.

Black Painted -



Black Powder Coated

Custom Painted -Custom Color Powder Coated





Dacromet - Zinc and Aluminum Protection Equivalent to Hot Dip Galvanization

TESTED

Cablofil products have been independently evaluated to meet applicable standards and requirements.



























INNOVATORS IN CABLE MANAGEMENT 8319 State Route 4 • Mascoutah, IL 62258

1-800-658-4641 • 618-566-2320 • FAX 618-566-3250

