

# CRIMPERS



## GREENLEE® UTILITY DOUBLE DIE HEAD BATTERY CRIMPING TOOL EK425L

- 18V Lithium-Ion Battery; Up to 325 crimps per charge; 4 second cycle time
- 6-Ton Crimping Force
- Can be used with all industry "W" style crimping dies
- Intellicrimp Crimp Force Monitoring- beeps if tool not producing proper force
- LED work light illuminates dark work areas
- Rotates 350° to fit in tight places
- Two batteries, battery charger, and convenient bucket pouch included

### AVAILABLE MODELS (CALL FOR CURRENT PRICING)

- 79MM CJD3O Jaws- D<sub>3</sub> and O Die grooves w/ 120 volt Battery Charger EK425LD011
- 79PP CJD3O Jaws- D<sub>3</sub> and O Die grooves w/ 12 volt Battery Charger EK425LD012
- 79QQ CJD3BG Jaws- D<sub>3</sub> and BG Die grooves w/ 120 volt Battery Charger EK425LDBG11
- 79RR CJD3BG Jaws- D<sub>3</sub> and BG Die grooves w/ 12 volt Battery Charger EK425LDBG12
- 99AA Replacement 18V Lithium-Ion Battery \$99.90
- 99XX 12V Charger CALL FOR PRICE
- 95UU 120V Charger CALL FOR PRICE



## 18V Lithium-Ion Burndy® Patriot® In-Line® 6 ton Battery Actuated Tool

- can be operated with one hand allowing for advance, retract, and hold functions for easier operation
- uses "W" style dies in the permanent D<sub>3</sub> groove
- supplied with vinyl tool bag, 120V battery charger and 2 batteries
- high capacity 3.0 AH batteries provide more crimps per charge

- 1Q PATMD6-LI with "BG" and D<sub>3</sub> GROOVES- CALL FOR PRICE
- 1R PATMD6-8-LI with "O" and D<sub>3</sub> GROOVES- CALL FOR PRICE



## Burndy® Hand Operated Crimping Tool

- Hickory Handles
- D<sub>3</sub> Groove accommodates "W-" die inserts
- Installs full range of connectors: #14 through 4/0

- 1A MD6 with "BG" and D<sub>3</sub> Grooves \$278.90
- 1B MD6-8 with "O" and D<sub>3</sub> Grooves \$278.90



## Burndy® Hand Operated Crimping Tool

- Composite polymer handle that requires no adjustment for the life of the tool
- D<sub>3</sub> Groove accommodates "W-" die inserts
- Installs full range of connectors: #14 through 4/0

- 1F MD7 with "BG" and D<sub>3</sub> Grooves \$278.90
- 1C MD7-8 with "O" and D<sub>3</sub> Grooves \$278.90



1S

**Burndy® PAT600-LI**  
**6-Ton Battery Actuated Crimping Tool**  
 - 18V Lithium-Ion

- permanent "D<sub>3</sub>" groove accepts all "W" dies
- Completes a crimp in approximately 3 seconds
- 180° Head Rotation
- Comes equipped with carrying case, battery charger and two batteries

PLEASE CALL FOR PRICING



1W

**Burndy® PAT750-LI**  
**12-Ton Battery Actuated Crimping Tool**  
 - 18V Lithium-Ion

- Capable of using all "U" style dies
- High speed hydraulic pump
- 360° Head Rotation
- Comes equipped with carrying case, battery charger and two batteries

PLEASE CALL FOR PRICING



1M

**Burndy® Y750BHXT**  
**12 Ton Hypress™**  
**Remote Power**  
**Operated Hydraulic**  
**Tool**

- #14-750 kcmil AL/CU
- #4-556.5 kcmil ACSR
- Wide mouth (1.65")
- C-shaped head
- Rotatable Head
- Uses all standard U-dies
- Operating Pressure: 10,000 PSI

PLEASE CALL FOR PRICING



1J

**Burndy® Y35 Hand Operated Hydraulic Tool**  
**12 Ton Crimp Force**

- Uses Burndy "U" style Dies
- Incorporates a C-shaped, 180° rotatable head for overhead line work and compression grounding applications

CALL FOR PRICE



79S

**CJB CUTTER JAWS FOR**  
**GREENLEE® UTILITY**  
**EK425L**

- Cuts the hasps of one-time disposable locks. Can also be used to cut ACSR up to 1/0 AWG.

\$329.90



99W

**Burndy® PUADP-1**  
**"U" Die Adapter**

- Allows use of "U" dies in tools equipped with "P" die slot

PLEASE CALL FOR PRICING



95X


**FAIRMONT 12-TON CRIMPING TOOL**

- 1.65" Jaw
  - Crimps up to 750MCM Copper and Aluminum
- Specifications:**  
 Flow Rate- 3-9 gpm  
 Pressure Port- 3/4" 16 SAE O-Ring  
 Return Port- 3/4" 16 SAE O-Ring

CALL FOR PRICING

LPK1240

# ACCESSORIES



Below you will find the Burndy® W, and U Dies that we stock. If there is another Burndy die that you need please contact us for pricing and availability.



79T

## BURNDY® W-28K CUTTING DIE

- #4-4/0 ACSR, AL, CU

\$62.90



79V

**BURNDY® W-DIE TREE**  
For Convenient Storage of W Style Dies  
\$32.90

<b>BURNDY® W-DIES</b>			
<b>Aluminum</b>			
W-BG	\$42.90	W-166	\$42.90
W-0	\$42.90	W-237	\$42.90
W-KK	\$42.90	W-239	\$42.90
W-C	\$42.90	W-241	\$42.90
W-K840	\$42.90	W-243	\$42.90
W-161	\$42.90	W-245	\$42.90
W-162	\$42.90	W-247	\$42.90
W-163	\$42.90	W-249	\$42.90
W-164	\$42.90	W-31ART	\$42.90
W-165	\$42.90	W-660	\$42.90
<b>Copper</b>			
W-4CRT	\$42.90	W-27RT	\$42.90
W-2CRT	\$42.90	W-28RT	\$42.90
W-1CRT1	\$42.90	W-29RT	\$42.90
W-25RT	\$42.90	W-31RT	\$42.90
W-26RT	\$42.90	W-34RT	\$42.90

<b>BURNDY® U-DIES</b>			
<b>Aluminum</b>			
U-2CABT	\$79.90	U-28ART	\$79.90
		U-29ART	\$79.90
U-25ART	\$79.90	U-31ART	\$79.90
U-26ART	\$79.90	U-34ART	\$79.90
U-27ART	\$79.90	U-39ART2	\$79.90
<b>Copper</b>			
U-2CRT	\$79.90	U-28RT	\$79.90
U-1CRT	\$79.90	U-29RT	\$79.90
U-25RT	\$79.90	U-31RT	\$79.90
U-26RT	\$79.90	U-34RT	\$79.90
U-27RT	\$79.90	U-39RT	\$79.90



**BURNDY® DIE CASE**

- 98E W- Die Case(Plastic)- fits 12 dies \$39.90
- 98N U-Die Case- fits 15 dies \$76.90



**Chargers for Burndy® Battery Operated Tools**

- 98J 120V AC Charger for 12V Battery used with BCC1000CUAL  
PLEASE CALL FOR PRICING

- 95UU 120V AC Charger 3.0Ah 18V Lithium-Ion Batteries  
PLEASE CALL FOR PRICING

- 99XX 12V DC Charger for 3.0Ah 18V Lithium-Ion Batteries  
PLEASE CALL FOR PRICING



**Batteries for Burndy® Battery Operated Tools**

- 98K 12V Battery used with BCC1000CUAL  
PLEASE CALL FOR PRICING

- 99AA 3.0Ah Lithium-Ion Battery used with Burndy 18V Lithium-Ion Tools  
**\$99.90**



1T

**Burndy® PATCUT245-LI  
Battery Actuated Cutter  
- 18V Lithium-Ion**

- Compact, fast, and easy to use
- 180° Head Rotation
- Latch style head for mid-span cuts
- For up to 2.45" O.D. AL/CU
- Comes with case, charger and 2 batteries
- NOT FOR USE ON STEEL, GROUND ROD, REBAR, OR GUY WIRE

**PLEASE CALL FOR PRICING**



1U

**Burndy® PATCUT129-LI  
Battery Actuated Cutter  
-18V Lithium-Ion**

- Compact, fast, and easy to use
- 180° Head Rotation
- Capable of cutting 1.29" AL/CU, 1113 ACSR, 5/8" Ground Rod, 1/2" Rebar, 5/8" diameter soft steel bolts, up to 1/2" standard guy strand and up to 3/8" EHS guy strand
- Comes with case, charger and 2 batteries

**PLEASE CALL FOR PRICING**



1Y

**Burndy® BCC1000CUAL  
Battery Actuated Cable Cutter**

- 12V cable cutter capable of cutting up to 750 kcmil hard drawn copper and 1000 kcmil soft drawn copper and up to 2" O.D. aluminum cable
- Comes with charger and carrying case
- NOT FOR STEEL OR ACSR

**PLEASE CALL FOR PRICING**



99S

HP2HV

**Burndy® 2" Submersible Pump**

- Totally submersible
- Pump Capacity: 340 GPM
- FLOW 4-9 GPM; PRESSURE 1000-2000 PSI; OPERATION: OPEN/CLOSED CENTER; WEIGHT 13 LBS; MAX LIFT: 80 GPM @ 70FT

**PLEASE CALL FOR PRICING**



98F

HOSE2

**2" Hose for Burndy®  
HP2HV Pump  
\$94.90**



H4635

44K

**GREENLEE UTILITY HYDRAULIC  
3" SUBMERSIBLE TRASH PUMP**

- All aluminum body is lightweight and durable
- Compact, under 12" diameter to easily fit into small diameters
- Open- and Closed- Center operation

**Specifications:**

Hydraulic Pressure Port- 1/2" Male NPTF  
Hydraulic Return Port- 1/2" Male NPTF  
Weight- 28lbs. Width- 11.87" Height- 14.18"  
Trash Diameter 3"; Pump Inlet Port 3.125"; Pump Discharge Port 3"

Recommended Flow 8-10 gpm

Couplers and Discharge Hose Assembly on Page 59

**CALL FOR PRICING**



99T

**Burndy® HPSO/C5B16  
Hydraulic Pole Chain Saw**

- 88" Overall Length, 15 1/2" Bar Length, 60" Handle, 13" Cutting Capacity, 9 1/2 lbs
- FLOW 5-8 GPM; PRESSURE 1000-2000 PSI; OPERATION: OPEN/ CLOSED CENTER

**PLEASE CALL FOR PRICING**

# TAMPS AND DRILLS



44F

## HYDRAULIC POLE TAMPER- HOSE END VALVE

- Makes quick work of setting poles
- Reversible on/off valve for Open- and Closed-Center hydraulic systems
- Standard with kidney-shaped foot

### Specifications:

**System-** Open- and Closed Center

**Valve Location-** End of hose

**Length-** 60"

**Flow Range-** 4-6 gpm

**Operating Pressure-** 1,000-2,000 psi

**Pressure Port Thread-** 9/16- 18 SAE O-Ring

**Return Port Thread-** 3/4- 16 SAE O-Ring

Couplers on page 59

**CALL FOR PRICING**

H4802

## HYDRAULIC POLE TAMPER- VALVE ON TUBE

- Makes quick work of setting poles
- Rotate trigger spool for Open- and Closed-Center hydraulic systems
- Standard with kidney-shaped foot

44G

### Specifications:

**System-** Open- and Closed Center

**Valve Location-** End of Tamper

**Length-** 72"

**Flow Range-** 4-6 gpm

**Operating Pressure-** 1,000-2,000 psi

**Pressure Port Thread-** 9/16- 18 SAE O-Ring

**Return Port Thread-** 3/4- 16 SAE O-Ring

Couplers on page 59

**CALL FOR PRICING**

H4802-3



79Z

## Tanaka Gas Powered Drill with Reverse

- 27cc, 1.4 h.p. PureFire two-stroke engine
  - powered reversing feature
  - optional chuck shown allows drill to become 7/16" quick change
- \$549.00



55P

## Threaded Quick Change Chuck

- chuck allows for use of 7/16" quick change bits and adapters
- \$56.90



NEW

79X

## BOSCH 18V HIGH TORQUE IMPACT WRENCH WITH 7/16 HEX

- Heavy duty all-metal motor made to hold up in tough environments
  - LED light- adds visibility
  - Ergonomic Soft-Grip Handle
  - 500 (ft.-lbs) max torque
  - Includes case, 2 batteries, and charger
- \$499.90

### Replacement Batteries

80A 18V Battery 2.6Ah \$94.90

80E 18V Battery 3.0Ah with fuel gauge \$106.90

# HYDRAULIC IMPACT WRENCHES



79A

H8508-1

## Fairmont® High Torque 1/2" Impact Wrench with 7/16" Hex Quick Change Chuck

- Super Spool™ for use on Open- and Closed- Center hydraulic systems
- Reversible operation
- Comes with Heavy Duty 7/16" hex by 1/2" square drive shank

**\$829.00**



79B

H8508-1V

## Fairmont® High Torque 1/2" Impact Wrench with 7/16" Hex Quick Change Chuck with FLOW CONTROL

- Flow control allows user to adjust the speed
- Super Spool™ for use on Open- and Closed- Center hydraulic systems
- 400 ft.-lb @ 8 gpm Maximum Torque
- Reversible operation

**\$979.00**



NEW

79E

## Greenlee® Utility HW1 Hydraulic Impact Wrench

- 7/16 hex quick change hex and heavy-duty adapter
  - New style replaceable grip that reduces heat transfer, reduces weight, improves balance and increases expected service life
  - 500 ft-lbs Maximum Torque
  - Weight 6.5 lbs.
- \$919.00**



NEW

79K

## Greenlee® Utility HW1V Hydraulic Impact Wrench with 3 position Torque Adjustment

- 7/16 hex quick change hex and heavy-duty adapter
  - New style replaceable grip that reduces heat transfer, reduces weight, improves balance and increases expected service life
  - 500 ft-lbs Maximum Torque;
  - 160 ft-lbs Minimum Torque
  - Weight 6.6 lbs.
- \$1039.00**



99R

## Burndy® HIW716ENF Enforcer Hydraulic Impact Wrench with Variable Torque

- Dual torque selector spool allows users to switch between 200 and 515 ft lb torque settings
  - Weight 5.95 lbs.
- CHUCK TYPE: 7/16" QUICK CHANGE; OPTIMAL PRESSURE: 750-2000 PSI; FLOW RANGE: 4-12 GPM; OPERATION: OPEN/ CLOSED OPTION; TORQUE 515 FT-LBS
- PLEASE CALL FOR PRICING**

# DRILL BITS



Available in 18" or 24"

**28C 18" QUICK CHANGE UTILITY POLE IMPACT WRENCH AUGER BITS**  
**28C 7/16 HEX SIZE**

DIAMETER	18" Length	Price
9/16"	02806	\$18.90
11/16"	02808	\$20.90
13/16"	02810	\$22.90
15/16"	02812	\$24.90
1 1/16"	02814	\$28.90

**28T 18" TEFLON DEEP CUT QUICK CHANGE UTILITY POLE IMPACT WRENCH AUGER BITS**  
**28T 7/16 HEX SIZE**

DIAMETER	18" Length	Price
9/16"	08806	\$24.90
11/16"	08808	\$26.90
13/16"	08810	\$28.90
15/16"	08812	\$30.90
1 1/16"	08814	\$36.90

**28W 24" TEFLON DEEP CUT QUICK CHANGE UTILITY POLE IMPACT WRENCH AUGER BITS**  
**28W 7/16 HEX SIZE**

DIAMETER	24" Length	Price
9/16"	01006	\$29.90
11/16"	01008	\$34.90
13/16"	01010	\$37.90
15/16"	01012	\$42.90
1 1/16"	01014	\$52.90



**18" Nail Chipper TRI- CUT® Auger Bit- 7/16 Quick Change Shank**  
 - TRI- CUT® design with 3 precision ground edges for fast, smooth cutting without resistance  
 - Reduces nails to chips without grabbing and leaves a clean hole with minimal "blowout."

DIAMETER	18" Length	Price
9/16"	03806	\$19.90
11/16"	03808	\$20.90
13/16"	03810	\$22.90
15/16"	03812	\$24.90

## IRWIN BITS



**28A UTILITY POLE AUGER BITS**

DIAMETER	18" length	Price
9/16"	46609	\$27.90
11/16"	46611	\$29.90
13/16"	46613	\$32.90

When Ordering Pole Auger Bits for 1/2", 5/8", 3/4", 7/8" or 1" hardware increase size by 1/16".  
 (i.e. 1/2"=9/16", 5/8=11/16, 3/4"=13/16", 7/8"=15/16" 1"=1 1/16")



## Nut Runner Socket Wrench

For use with Impact Wrench for installing and tightening pole hardware.  
Hollow so that bolts that extend up to 6" beyond nut can be accommodated.

### COMES IN 2 MODELS

**25X NR1-** Fits 5/8", 3/4", 13/16", 1" Nut Sizes for 3/8", 1/2", 5/8" Bolt Diameters  
\$144.90

**25Y NR2-** Fits 1 1/8", 1 5/16", 1 1/2" Nut Sizes for 3/4", 7/8", 1" Bolt Diameters  
\$169.90

**79C** Replacement Adapter for NR1 \$49.90

**79D** Replacement Adapter for NR2 \$68.90



Extra Deep Lineman Sockets for Pole Hardware Installation and Removal  
1/2" Drive, 5" Overall Length, 8 Point

**79F** 3/4" Socket \$18.90

**79G** 13/16" Socket \$19.90

**79H** 1" Socket \$21.90

**95R** 1 1/16" Socket \$22.90

**79J** 1 1/8" Socket \$23.90

**79L** 1/2" Male Square x 7/16" Hex Shank \$8.90

**Klein NRHD 3-in-1 Impact Socket**

- 3 sizes in 1 (3/4", 1", and 1 1/8" square sizes)
- 13/16" diameter, 6" long hollow shaft allows use on long threaded bolts
- 7/16" hex quick-change adapter included

**\$114.90**

**89FA** Adapter Only \$38.90

**Pole Step Driver**

- Rapidly places or removes a standard 1/2" step in a wood pole
- Fits 1/2" Drive Wrenches

**\$124.90**



**55S**

### Drill Chuck

Converts your 1/2" Square Drive Drill into 7/16" Quick Change Hex  
\$49.90



**28X**

Ratchet Bit Brace  
\$96.90



# HYDRAULIC ACCESSORIES



## FAIRMONT® RUBBER LOW PRESSURE HOSE SET

- Certified nonconductive orange rubber
- Double rayon braid
- Working pressure 2,250 psi tested to 75 kV/ft. for 5 minutes

**80B** 3/8" x 8' I.D. Hoses with 3/8" NPTF male fittings 40887 \$122.90

**80C** 3/8" x 10' I.D. Hoses with 3/8" NPTF male fittings 40888 \$152.90



**80H**


## FAIRMONT® SUBMERSIBLE TRASH PUMP 3" x 25' DISCHARGE HOSE ASSEMBLY

**\$209.90**


## HTMA COUPLERS: 3,000 psi maximum operating pressure



HTMA Male Coupler  
3/8" NPTF  
internal thread  
\$19.90



HTMA Male Coupler  
1/2" NPTF  
internal thread  
\$20.90



HTMA Female Coupler  
3/8" NPTF  
internal thread  
\$36.90



HTMA Female Coupler  
1/2" NPTF  
internal thread  
\$39.90



HTMA Female Coupler  
3/4-16 SAE  
O-ring external thread  
\$55.90



HTMA Female Coupler  
9/16-18 SAE  
O-ring external thread  
\$54.90



HTMA Male Coupler  
3/4-16 SAE  
O-ring external thread  
\$24.90



HTMA Male Coupler  
9/16-18 SAE  
O-ring external thread  
\$23.90

## Swivel Adapters



Adapter 3/8" NPSM x  
9/16 - 18 Straight Thread  
\$8.90



Adapter 3/8" NPSM x  
3/4 - 16 Straight Thread  
\$8.90



Adapter 1/2" NPSM x  
3/4 - 16 Straight Thread  
\$8.90



- Helps reduce injuries
- Keeps the work site clean
- Transport fill without a hassle
- Keep tools and personnel out of mud and snow
- Ergonomically correct tool that solves difficult situations

**4 Sizes to Choose From:**

**88K 6' x 6' (700# lift capacity) \$179.00**

**88L 7' x 7' (1100# lift capacity) \$279.00**

**88P 8' x 8' (1400# lift capacity) \$389.00**

**88Q 10' x 10' (1600# lift capacity) \$489.00**



"Rite in the Rain" is a truly amazing patented paper created specifically for writing field notes in all weather conditions. From the torrential downpours in the Pacific Northwest to the blistering heat and humidity of a Florida summer day, "Rite in the Rain" sheds water, so you can continue to write on it, even in a downpour.



**88J**



**ALL-WEATHER  
POCKET NOTEBOOK**  
- 100 pages (50 Sheets)

**88D 3" x 5" \$42.90(12 Pack)**

**88E 4" x 6" \$52.90 (12 Pack)**



**88F ALL-WEATHER  
JOB HAZARD ANALYSIS  
NOTEBOOK**

- Helps protect your company from liability and your crew from hazards by establishing an easy Job Hazard Analysis procedure.  
4" x 6" \$52.90(12 Pack)



**88H ALL-WEATHER  
JOB BRIEFING NOTEBOOK**

- Create and accountability record of Job Briefings. Includes 8 step process plus room for notes and signatures.  
4" x 6" \$52.90(12 Pack)

**ALL-WEATHER  
BLACK CLICKER PEN**  
- While a pencil works great on the all-weather notebooks, sometimes you just need a pen. Writes on wet paper and upside down.  
\$9.90 ea

# ELECTRICAL TEST EQUIPMENT

32A



50102-G-01



## STB 72kV VOLTAGE SENSOR

- Used to detect the presence of voltage or capacitance on overhead or underground cabling or on switchgear and MCC panels
- Low Sensitivity and a high capability range
- Shielded tester reads only the contacted test point; no stray fields will be indicated
- Includes carrying case, probe tip, and universal connector

\$1029.00

32B



50101-G-02



## STB 0-25kV PHASING VOLTMETER

- Meters can be used for voltage detection and phasing at capacitance test points, or for voltage detection and phasing on bare energized conductors (overhead and underground)
- Has a coiled cable that extends 25 feet
- Includes carrying case, probe tip, and shepherd's hook

\$1429.00

32C



50107-G-01



## STB AC CLAMP-ON AMMETER/ GROUND FAULT MODEL

- 1/2/5/10/20/50 Amps
- Ideal for preventative maintenance
- Will indicate ground faults and electrical leakage while the equipment is in operation
- Measures leakage current directly and located faults
- Convenient one-hand operation
- Choice of Jaw Opening (3 1/2", 4 1/2", 6", or 9")

\$829.00

51W

## PHASE ROTATION TESTER

- self powered via the measurement inputs
- operating voltage: 40 to 850VAC between phases
- 600V CAT III
- Comes with carrying case and leads

\$72.00



51S



## NON-CONTACT HIGH VOLTAGE DETECTOR

- Universal Spline
- 8 switch-selectable voltage sensitivity ranges
- Once range threshold is reached, the buzzer sounds and a bright red warning light warns the operator of live conductors
- Self Test Position
- Finds 80V to 275kV

\$369.00

## STB PHASE ROTATION METER

110/220/440/ 550 VOLT  
\$289.00

32F



50109-D-01

## SALISBURY SELF TESTING VOLTAGE DETECTOR KIT

Used to Verify live or de-energized conductors. May be used with insulating rubber gloves or hot stocks using splined universal end fitting. Comes with tester, shotgun adapter, batteries, and case.

**2 MODELS AVAILABLE**

81F 240V to 230kV <sup>4556</sup> \$629.90

81G 240V to 69kV w/ URD  
Test Point Setting 15, 25, 35kV <sup>4769</sup> \$679.90

# ELECTRICAL TEST EQUIPMENT

32M



**NEW**

32D



32E



32H



32K



## Klein CL2500 Clamp Meter

- 1000A AC/DC Current
- 750 AC Voltage and 1000V DC Voltage
- 60MΩ Resistance
- 6000μF Capacitance
- Audible Continuity
- CAT IV 600V Rating
- Worklight and Backlit Display
- Includes test leads, batteries, and case

\$169.90

## Klein CL100 Clamp Meter

- 600A AC Current
- 600V AC and DC Voltage
- 20MΩ Resistance
- Continuity
- CAT III 600V Rating
- Jaw Size 1"
- Includes test leads, batteries, and case

\$49.90

## Klein CL1000 Clamp Meter

- 400A AC Current
- 750V AC Voltage and 1000V DC Voltage
- 40MΩ Resistance
- Continuity
- Jaw Size 1.25"
- Non Contact Voltage
- CAT III 600V Rating
- Includes test leads, batteries, and case

\$89.90

## Klein CL2000 Clamp Meter

- 400A AC/DC Current
- TRMS Clamp Meter
- 750V AC Voltage and 1000V DC Voltage
- 40MΩ Resistance
- Continuity
- Jaw Size 1.25"
- Non Contact Voltage
- CAT III 600V Rating
- Includes test leads, batteries, and case

\$136.90

## Klein MM1000 Multimeter

- 10A AC/DC Current
- 1000V AC and 1000V DC Voltage
- 40MΩ Resistance
- CAT IV 600V Rating
- Includes test leads, batteries, thermocouple

\$72.90



81A

## GREENLEE® 1000A AC CLAMP METER

AC amperage, AC/DC Voltage, frequency and resistance measuring capability. Batteries, test leads, and carrying case included.

Jaw Opening 1.85"  
CAT IV, 600V  
CAT III, 750V AC/  
1000V DC

\$192.90

CM-1300



81B

## GREENLEE® 1000A AC/DC CLAMP METER

AC/DC amperage, AC/DC Voltage, frequency and resistance measuring capability. Battery, test leads, and carrying case included.

Jaw Opening 2"  
CAT IV, 600V  
CAT III, 750V AC/  
1000V DC

\$217.90

CM-1500



81C

## GREENLEE® AVERAGING DIGITAL MULTIMETER

Use to measure voltage, resistance, current and continuity. AC/DC voltage, AC/DC amperage measurement. Non-contact voltage detection for identifying live lines without contacting conductors.

\$89.90

DM-310



32L

## Klein ET100 Electronic Voltage Tester

- Measures AC and DC Voltage at 9 common levels up to 600V
- Bright LEDs indicate voltage reading without batteries installed
- Permanently secured test leads
- CAT IV 600V Rating

\$25.90

32Q



NCVT-1

## Klein Non-Contact Voltage Tester

- Voltage Range- 50-1000 Volts AC
- Frequency Range- 50-500 Hz
- CAT Rating- CAT IV 1000V
- when voltage is detected, a high intensity, bright red LED illuminates and a warning tone sounds

\$13.90

81D



GT-12

## GREENLEE® FAST AND EASY NON-CONTACT VOLTAGE DETECTOR

Use to detect the presence of voltage at circuit breakers, wires and cables or to find a break in the wire  
AC V 50-1000; CAT IV 1000V

\$15.90