




The introduction of the Long Range Identification and Tracking (LRIT) amendment to SOLAS V/19 requires all operators of ships engaged on international voyages, including passenger ships, cargo ships of 300 gross tonnage and above, and Mobile Offshore Drilling Units (MODUs) to provide tested and certified shipborne equipment for the transmission of LRIT information. For full details see www.lrit.com.



What do I have to do?

Compliance to LRIT is important. Some Governments have indicated that they may not grant entry to their territorial waters, or to their ports, for ships that do not comply with LRIT.

You should arrange to test your equipment as soon as possible. LRIT Conformance Test Reports (CTRs) are required for radio surveys and inspection from 31 December 2008.

Ship operators are required to provide shipborne equipment which complies with the LRIT regulation, pass a conformance test and obtain a CTR. All shipborne LRIT equipment must be tested and certified by an Authorised Testing ASP appointed by your Flag. Authorised Testing ASPs will also, on behalf of most Flags, be able to issue CTRs for transceivers that pass the test.

LRIT system architecture The ship operator's obligation under the LRIT regulation is to ensure provision of compliant equipment to transmit the identity of the ship, the position and date and time of the position to the Data Centre nominated by the Flag Administration / Ship Registry. In addition, the transceiver must be able to respond to polling for an on-demand position report and be able to immediately respond to instructions to modify the automatic Inmarsat C reporting interval to a frequency of a maximum of once every 15 minutes. Automatic Position Reports will be transmitted at a minimum four times per day to your Flag's National Data Centre. Vessel **Land Earth** Application Flag state Station (LES) Service Provider (ASP)

Why test with Pole Star?

We understand the LRIT system and what is required. We attend and contribute to the relevant IMO COMSAR, NAV, MSC, Engineering and Working Group meetings. We work with all the major satellite equipment manufacturers, communications service providers, land earth station operators, Inmarsat and other satellite communication network providers to ensure that the LRIT system works end-to-end. Pole Star is an LRIT Data Centre Administrator and an Authorised Testing ASP for over 90 Flags. See www.lrit.com for the latest information.

Pole Star's system manages all aspects of the test, including: terminal commissioning, satellite communications network management, post-test de-commissioning, production of a detailed test result and provision of a conformance test certificate if required. Testing of shipborne Inmarsat C equipment began in July 2008 and we have conducted over 25,000 tests since then.

Our technical capability is backed up by a professional, multi-lingual customer support team with offices in both Hong Kong and the United Kingdom. Ship operators who test their LRIT transceivers with Pole Star will also be offered a free trial of our commercial Fleet Management product.

Why test now?

The vessel shows its compliance to the regulation by having on board a valid CTR, issued on behalf of their flag, in accordance with the provisions of MSC.1/Circ.1307 on Guidance on the survey and certification of compliance of ships with the requirement to transmit LRIT information.


A vessel must show compliance by the date of its first survey after 31 December 2008 or at change of flag (considered the first survey after 31 December 2008).

Although a number of Flag States are still to implement their operational LRIT Data Centre as required by Regulation V/19-1, in order to prevent Port State Controls from penalizing ships of these flags, the IMOs Maritime Safety Committee approved transitional arrangements for the compliance of vessels.


This means that as long as the vessel has complied with its LRIT obligation (provided a tested and certified transceiver in advance of the radio survey date) within the deadline, it cannot be sanctioned for matters outside its control. With this in mind, ship operators are advised to test their transceivers in good time.

How to test

We provide a web based system where ship operators have their own account. From your account you can initiate tests at any time and review the progress and status of your tests. The system provides error messages and suggests corrective action on failed equipment.



Our simple user-friendly interface gives you a secure testing account. With this, you can initiate your tests at any time, allowing you to fit your testing around your operational schedule. Once you've gathered your fleet information, our intuitive application allows you to upload your entire fleet with one click. With your testing account, you can overview the progress and status of testing of your fleet. Your results are emailed to you within 48 hours.



	ne requirement to transmit LRIT info	rmation
	ar Space Applications Limited of THE GOVERNMENT OF	 ⑤ POLE STAF
Name of ship		
Port of registry		
Distinctive number or letters		*
IMO Number		
Maritime Mobile Service Identity		/
Gross tonnage		
Sea areas in which the ship is certified to operate		
Sea areas for which this report is valid		
standards and functional requirements for the . *range		
and: 1 is of a type approved by the dmin. If no in acco. 2 is of a type approved by the Admin. If no in a world a second and a second	a rule attion and tracking of ships add ince with the provisions of regulation V/ ance with the provisions of regulation IV/ he requirements of IEC 60945 (2002-08 tradiocommunication equipment and syst	and of the Revised performance pted by resolution MSC.263(84) 19-1;
standards and functional requirements for the and and: .1 is of a type approved by the admin. If in in acco. .2 is of a type approved by the Administration in accordance and a second a second and a second a second and a second a second and a second a	ation and tracking of ships ado ince with the provisions of regulation V/ ance with the provisions of regulation IV/ he requirements of IEC 60945 (2002.06 nadocommunication equipment and syst red test results; (with the provisions of regulation X3.2/6 darks for a ship accently also the system?)	and of the Revised performance prietd by resolution MSC.263(84) 191;
standards and functional requirements for the "emprandic". Is of a type approved by the dim. "I'm in acco." 2 is of a type approved by the Armonia I'm in acco. "Since I'm in a second of the I'm	ation and tracking of ships ado noce with the provisions of regulation IV, ance with the provisions of regulation IV, the requirements of EC 60945 (2002.06 and adocommunication equipment and syst red text results; which is the provisions of regulation X2/6 details for a ship security alert sys- e standards for a ship security alert sys- the procedures and provisions set out in the procedures and provisions set out in	and of the Revised performance project by resolution MSC_203(94) 19.4;
standards and functional requirements for the "energy and." Is of a type approved by the dime. "I'm in sect. 2 is of a type approved by the dime." I'm in sect. 3 has been certified by the Affirmise, on as meeting it 60045. "I 1000" "" " " " " " " " " " " " " " " "	Storm and tracking of ships add acce with the provisions of regulation IV, show the provisions of regulation IV, show the requirements of IEC 60045 (2002 60 shadocommunication equipment and system of the cate tracking; (with the provisions of regulation X0-2/6 deaths for a ship accounty altert system IV and the procedures and provisions set out in of the acceptance criteria stated in the	and of the Revised performance project by resolution MSC_203(94) 19.4;
standards and functional requirements for the "sengi and: 1 is of a type aproved by the "dist" "I'm in acco. 2 is of a type aproved by the "ref" jude in acco. 3 is of a type aproved by the Abronia, I not an executing 160045, 11200" "I'm judipation and controlled by the Abronia, I not an executing 160045, 11200" "I'm "I'm judipation and General ric III. III. I'm "I'm "I'm "I'm "I'm "I'm "I'm "I'm	sition and tracking of ships ado more with the provisions of regulation IV, ance with the provisions of regulation IV, the requirements of IEC 60945 (2002.06 addicommunication requirement and spit additional to the results; usin the provisions of regulation 33.2/6 destandands for a ship security alert sys- te standands for a ship security alert sys- te procedures and provisions set out in of the acceptance criteria stated in the id on	and of the Revised performance project by resolution MSC_203(94) 19.4;

The equipment automatically transmits LRIT information via the CSP to the ASP in a relia

How do I get a certificate?

Pole Star can issue LRIT CTRs on behalf of most flags. Your LRIT CTRs will be dispatched as a scan by email, and as a hard copy by courier within 3 days of receipt of payment. You can refer to www.lrit.com/testing_asp. html to find the latest list of flags we certify for.

If your Flag is issuing CTRs directly, Pole Star will forward all successful test results directly to your Flag.

What should I do if my equipment fails the test?

If your shipborne equipment is non-conformant, Pole Star offers a dedicated LRIT equipment package that includes an LRIT conformance test. The SkyWave DMR-800LRIT transceiver is delivered directly to your ship pre-configured and ready for immediate test, providing a cost effective LRIT compliance option where existing equipment is not suitable or where a stand-alone LRIT solution is required.

Information on survey and certification

It is important to note that an existing ship safety radio certificate does not confer LRIT compliance on the ship. MSC.1/Circ.1307 regarding Guidance on the survey and certification of compliance of ships with requirement to transmit LRIT information states that compliance of the shipborne equipment with the regulation should be demonstrated by the equipment being:

- 1. of a type approved by the Administration in accordance with the provisions of regulation V/19-1 and section 4 of the revised performance standards; or
- 2. certified by the Administration as meeting the requirements of regulation IV/14 and satisfactorily completing a conformance test; or
- 3. certified by the Administration as meeting the requirements of IEC 60945 (2002-08) and IEC 60945 Corr.1 (2008-04) on Maritime navigation and radiocommunications equipment and systems – General Requirements - Methods of testing and required test results and satisfactorily completing a conformance test.