




1800±30



MARKING:
 THE MARKING OF THE CORDS:
 VDE H05VV-F 3 × 0.75mm²
 Ningbo Jiangfeng Plastics &
 Chemical Industry Co., Ltd
 THE MARKING OF THE PLUG:
 B-03 JF 16A 250V[~]
 B-04 JF 10A 250V[~]

THE MARKING OF THE CONNECTOR:
 B-04 JF 10A 250V[~]



OK
 JWS
 Aug-07-2012

DIMENSIONS AND CHARACTERISTICS OF 0.75mm² CORD
 RATED VOLTAGE 300/500V
 NUMBER OF CORE 3
 CONDUCTIONS 24/0.2
 CONSTRUCTION


Item	Quantity	Title/Name, designation, material, dimension etc	Article No./Reference
3	1	B-04	
2	1	Cable H05VV-F 3 × 0.75mm (BLACK) ²	
1	1	B-03	

Designed by	Checked by	APPROVED BY DATE	File name	Date	Scale
DESIGNED_BY	CHECKED_BY	APPROVED_BY DATE	FILENAME	2011-10-31	SCALE

300148

IC INTRACDM Asia Co.,L.td.

Edition SHEET



VDE Prüf- und Zertifizierungsinstitut GmbH · Merianstraße 28 · 63069 Offenbach

VDE Electronic Product Technical
Consulting Services (Shanghai)
Mrs. Adele Cai
902 Century Financial Tower
No. 1 Suhua Road, Suzhou Ind. Park
215021 SUZHOU
Jiangsu
CHINA

Offenbach, 2009-04-20

Ihr Zeichen
Your ref.

Ihr Schreiben
Your letter
2009-04-14

Unser Zeichen - bitte angeben
Our ref. - please indicate
2471100-5140-0005

Bearbeiter(in) kaufm.:
Contact (order d.):
Bauer Patricia
Tel: + 49(0)698306-356
Fax: -784

Auftrag Nr.
Order No.
117619

Zeichengenehmigung Nr. 40027127
Marks Approval No.

Sehr geehrte Damen und Herren,

wir übersenden Ihnen den Zeichengenehmigungsausweis Nr. 40027127 zum Benutzen des auf Blatt 1 angegebenen Zeichens und bitten Sie, die auf dem Informationsblatt abgedruckten Hinweise sorgfältig zu beachten. Wegen weiterer Einzelheiten verweisen wir auf unsere Prüf- und Zertifizierungsordnung PM 102.

Ladies and Gentlemen.

Please find enclosed the Marks Approval No. 40027127 for the use of the certification mark as shown on page 1. Please observe carefully the instructions printed on the information sheet. For further details, see the Testing and Certification Procedure PM 102.

Remark:

For the further production, please use the trademark: "Ningbo Jiangfeng Plastic & Chemistry Co., Ltd", as declared with the declaration form 131.

Mit freundlichen Grüßen
Yours sincerely

VDE Prüf- und Zertifizierungsinstitut GmbH
Testing and Certification Institute
Fachgebiet FG42
Section FG42

A COMPANY OF THE VDE ASSOCIATION FOR ELECTRICAL, ELECTRONIC & INFORMATION TECHNOLOGIES

Managing Director
Dipl.-Ing./Dipl.-Kfm. Wilfried Jäger
Merianstrasse 28
D-63069 Offenbach
Phone: + 49 (0) 69 83 06-0
Fax: + 49 (0) 69 83 06-555
e-mail: vde-institut@vde.com
http://www.vde.com

Venue:
Offenbach am Main
HRB 43618
VAT-IDNo.: DE261922990
Tax No.: 04425092566

Make Payments to
Dresdner Bank Frankfurt
BLZ 500 800 00
Account-No.: 198 027 000
S.W.I.F.T.-Code:
DRES DE FF
IBAN
DE 91500800000198027000

Notified Body according to the Equipment and Product Safety Act (GPSG) for technical work equipment and consumer products. Notified body according to the EMC Directive 2004/108/EG for Electromagnetic Compatibility (EMC). Accredited by DAR accreditation bodies according to DIN EN ISO/IEC 17020, 17021, 17025 and DIN EN 45011. Accredited by: IEC - International Electrotechnical Commission - IECEE/CB, IECQ and CENELEC - European Committee for Electrotechnical Standardization - CCA, HAR, ENEC.


ZEICHENGENEHMIGUNG MARKS APPROVAL

Ningbo Jiangfeng
Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibel Village
Simen Town
315472 YUYAO
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product


Flexible Leitung
Flexible cable (cord)

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN VDE 0281-5 (VDE 0281 Teil 5):2002-09; HD 21.5 S3:1994 + A1:1999 + A2:2001



VDE Prüf- und Zertifizierungsinstitut GmbH
Testing and Certification Institute
Zertifizierungsstelle / Certification

Aktenzeichen: 2471100-5140-0005 / 117619

File ref.:

Ausweis-Nr. 40027127

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2009-04-20

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>
<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Ningbo Jiangfeng Plastic & Chemistry Co. Ltd., Sihai Avenue, Sibeil Village, Simen Town, 315472
YUYAO, Zhejiang, CHINA

Aktenzeichen / *File ref.*

2471100-5140-0005 / 117619 / FG42 / STR

Datum / *Date*

2009-04-20

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40027127.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40027127.

Flexible Leitung
Flexible cable (cord)

Typ(en) / *Type(s)*:

H03VV-F 2...3 x 0,5...0,75 mm ²	+
H03VVH2-F 2 x 0,5...0,75 mm ²	+
H05VV-F 2...3 x 0,75...1,5 mm ²	+
H05VVH2-F 2 x 0,75...1,0 mm ²	+

Firmenzeichen
Trademark

Ningbo Jiangfeng Plastic & Chemistry Co.,Ltd

PAK

Das Produkt entspricht den Anforderungen gemäß PAK-Dokument
ZEK 01.2-08.

PAH

*The product is in accordance with the requirements of
PAH-document ZEK 01.2-08.*

Dieser Zeichengenehmigungs-Ausweis bildet die Grundlage für die EG-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten und bescheinigt die Konformität mit den genannten Normen im Sinne der **EG-Niederspannungsrichtlinie 2006/95/EG**.

*This Marks Approval is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the said standards as defined by the **EC Low-Voltage Directive 2006/95/EC**.*

VDE Prüf- und Zertifizierungsinstitut GmbH
Testing and Certification Institute
Fachgebiet FG42
Section FG42

VDE Prüf- und Zertifizierungsinstitut
Zeichengenehmigung

Ausweis-Nr. / Beiblatt /
Certificate No. Supplement
40027127

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Ningbo Jiangfeng Plastic & Chemistry Co. Ltd., Sihai Avenue, Sibeil Village, Simen Town, 315472
YUYAO, Zhejiang, CHINA

Aktenzeichen / *File ref.*

2471100-5140-0005 / 117619 / FG42 / STR

Datum / *Date*

2009-04-20

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40027127.
This supplement is part of the Certificate No. 40027127.

Flexible Leitung
Flexible cable (cord)

Fertigungsstätte(n)
Place(s) of manufacture

Referenz/ <i>Reference</i>	Ningbo Jiangfeng
30005114	Plastic & Chemistry Co. Ltd.
	Sihai Avenue, Sibeil Village
	Simen Town
	315472 YUYAO
	Zhejiang
	CHINA

VDE Prüf- und Zertifizierungsinstitut GmbH
Testing and Certification Institute
Fachgebiet FG42
Section FG42

VDE Prüf- und Zertifizierungsinstitut

Zeichengenehmigung

Ausweis-Nr. / Infoblatt /
Certificate No. Info sheet
40027127

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Ningbo Jiangfeng Plastic & Chemistry Co. Ltd., Sihai Avenue, Sibeil Village, Simen Town, 315472
YUYAO, Zhejiang, CHINA

Aktenzeichen / *File ref.*

2471100-5140-0005 / 117619 / FG42 / STR

Datum / *Date*

2009-04-20

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40027127.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40027127.

Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) des VDE Prüf- und Zertifizierungsinstitut GmbH. Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE-Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE-GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE-GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Der VDE-Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

Approval to use the legally protected Mark of the VDE as shown on the first page:

Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute. The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.

The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to other provisions of the Testing and Certification Procedure (PM102).

The validity period of a VDE-GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE-GS-Mark Approval may be shortened.

The approval is solely signed on the first page

EG-Konformitätserklärung

Name/Anschrift des Ausstellers:

Ningbo Jiangfeng
Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibeil Village
Simen Town
315472 YUYAO
Zhejiang
CHINA

Produktbezeichnung: Flexible Leitung

Typenbezeichnung: H05VV-F 2...3 x 0,75...1,5 mm²; H03VV-F 2...3 x 0,5...0,75 mm²; H03VVH2-F 2 x 0,5...0,75 mm²; H05VVH2-F 2 x 0,75...1,0 mm²

Das bezeichnete Produkt erfüllt die Bestimmungen der Richtlinie:

2006/95/EG

"Richtlinie des Rates zur Angleichung der Rechtsvorschriften der Mitgliedstaaten betreffend elektrische Betriebsmittel zur Verwendung innerhalb bestimmter Spannungsgrenzen".

Die Übereinstimmung des bezeichneten Produktes mit den Bestimmungen der Richtlinie wird durch die vollständige Einhaltung folgender Normen nachgewiesen:

DIN VDE 0281-5 (VDE 0281 Teil 5):2002-09; HD 21.5 S3:1994 + A1:1999 + A2:2001

Das VDE Prüf- und Zertifizierungsinstitut GmbH (EU-Kenn-Nr. 0366), Merianstr. 28, D-63069 Offenbach, hat das Produkt geprüft und zertifiziert. Der Zeichengenehmigungsausweis berechtigt zum Führen des untenstehenden Zeichens des VDE.



Zeichengenehmigungsausweis Nr. 40027127

Aktenzeichen

2471100-5140-0005 / 117619 FG42 / STR

(Ort, Datum)

(Rechtsverbindliche Unterschrift des Ausstellers)

EC Declaration of Conformity

Issuer's name and address:

Ningbo Jiangfeng
Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibeil Village
Simen Town
315472 YUYAO
Zhejiang
CHINA

Product: Flexible cable (cord)

Type designation: H05VV-F 2...3 x 0,75...1,5 mm²; H03VV-F 2...3 x 0,5...0,75 mm²; H03VVH2-F 2 x 0,5...0,75 mm²; H05VVH2-F 2 x 0,75...1,0 mm²

The designated product is in conformity with the European Directive:

2006/95/EC

"Council Directive on the harmonization of the laws of the Member States relating to electrical equipment designed for use within certain voltage limits".


Full compliance with the standards listed below proves the conformity of the designated product with the provisions of the above-mentioned EC Directive:

DIN VDE 0281-5 (VDE 0281 Teil 5):2002-09; HD 21.5 S3:1994 + A1:1999 + A2:2001


The VDE Testing and Certification Institute GmbH (EU Identification No.0366), Merianstr. 28, D-63069 Offenbach, has tested and certified the product granting the VDE Approval for the mark(s) as displayed.



oder/or



oder/or



Certificate No.
File Reference

40027127
2471100-5140-0005 / 117619 FG42 / STR

(Place, Date)

(Legally binding signature of the issuer)

ZEICHENGENEHMIGUNG MARKS APPROVAL

Ningbo Jiangfeng
Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibeil Village
Simen Town
315472 YUYAO
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN EN 60320-1 (VDE 0625-1):2008-05; EN 60320-1:2001 + A1:2007



VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

Dr. Schipper

Aktenzeichen: 2471100-1550-0001 / 107909

File ref.:

Ausweis-Nr. 40029431

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2010-02-16

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>
<http://www.vde.com/certificate>

VDE Prüf- und Zertifizierungsinstitut

Aktenzeichen: **2471100-1550-0001/107909**
 File reference: **2471100-1550-0001/107909**

Ausweis-Nr.: **40029431**
 Certificate No.: **40029431**

Anlage Nr.: **300**
 Appendix No.: **300**

Seite: **1 / 1**
 Page: **1 / 1**

Datum: **2010-02-16**
 Date: **2010-02-16**

Diese Anlage ist Bestandteil des Genehmigungsausweises. This appendix is part of the certificate.

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

2-polig mit Schutzkontakt
2-pole with earthing contact

zentrale Leitungseinführung
straight cable entry

Fertigungsstätte / Place of manufacture:

30005114 : Kennzeichnung / Identification : none

Werkstoff der Umspritzung:
 Material of the moulding:

Typ: Farbe
 Type: colour
 PVC; alle Farben / all colours

Werkstoff der Trägereile:
 Material of the base:

Typ: Hersteller; Farbe
 Type: manufacturer; colour
 PBT Type(e) 4830G-202
 Chang Chun Plastics; schwarz / black

Inneneinsatz:
 Insert:

Typ: Hersteller
 Type: manufacturer
 8741PL-3P; GEM

Position im VDE-Ausweis Position in VDE-licence	Typ(en) Type(s)	Leitungsaufdruck Marking on cable	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd	X	H05VV-F 3G 0,75 mm ² (max. 2 m)	X	H05VV-F 3G 1,0 mm ²	X	H05VV-F 3G 1,5 mm ²	---	H05RR-F 3G 0,75 mm ² (max. 2 m)	---	H05RR-F 3G 1,0 mm ²	---	H05RR-F 3G 1,5 mm ²	---	H05RN-F 3G 0,75 mm ² (max. 2 m)	---	H05RN-F 3G 1,0 mm ²	---	H03RT-H 3G 0,75 mm ² (max. 2 m)	---	H03RT-H 3G 1,0 mm ²	---	H05V2V2-F 3G 0,75 mm ² (max. 2 m)	---	H05V2V2-F 3G 1,0 mm ²	---	---	---	---	---	---	---											
				X	Δ genehmigte Ausführung / approved version																				---	Δ nicht genehmigt / not approved																			

VDE

VDE Prüf- und Zertifizierungsinstitut GmbH Fachbereich F3
 VDE Testing and Certification Institute Department F3



VDE Prüf- und Zertifizierungsinstitut
Zeichengenehmigung

Ausweis-Nr. / Blatt /
Certificate No. page
40029431 2

Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Certificate holder

Ningbo Jiangfeng Plastic & Chemistry Co. Ltd., Sihai Avenue, Sibeil Village, Simen Town, 315472
YUYAO, Zhejiang, CHINA

Aktenzeichen / File ref.

2471100-1550-0001 / 107909 / FG31 / E

Datum / Date

2010-02-16

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029431.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40029431.

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

Typ(en) / Type(s):

B-04

Bemessungsspannung
Rated voltage

AC 250 V

Bemessungsstrom
Rated current

10A

Polzahl
Number of poles

2-polig mit Schutzkontakt
2-pole with earthing contact

Bauart
Kind of construction

Normblatt C13
standard sheet C13


Produktinformation
Product information

siehe Anlage Nr. 300 + 900
see Appendix No. 300 + 900

Dieser Zeichengenehmigungs-Ausweis bildet die Grundlage für die EG-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten und bescheinigt die Konformität mit den Schutzanforderungen der **EG-Niederspannungsrichtlinie 2006/95/EG** mit ihren Änderungen.

This Marks Approval is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the safety requirements of the EC Low-Voltage Directive 2006/95/EC including amendments.

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Fachgebiet FG31
Section FG31

Product	Connector for Class I equipment for cold condition
Applicant	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd Sihai Avenue, Sibeil Village Simen Town Yuyao, P.R. China 315472
Manufacturer	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd Sihai Avenue, Sibeil Village Simen Town Yuyao, P.R. China 315472
Factory	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd Sihai Avenue, Sibeil Village Simen Town Yuyao, P.R. China 315472 <input type="checkbox"/> See next page(s)
Ratings	10A 250V AC
Trade mark	
Model / Type Ref.	B-04
Principal characteristics	Non-rewirable, with longitudinal cord entry. With cord H05VV-F 3G0.75-1.5mm ² . Cord length max 2m for 0.75mm ² . Standard sheet C13. IP20 <input type="checkbox"/> See next page(s)
A sample of the product was tested and found to be in conformity with	INST EN 60320-1:2001;A1
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	<input type="checkbox"/> See next page(s)
Additional model(s)	<input type="checkbox"/> See next page(s)

Date of issue 12-07-2011



Signature

Skule Moe

Certification Department

Certificate




for European Product Safety

Reference No. 1116016

Connector for Class I equipment for cold condition

Type designation	B-04
Certificate holder	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd. Sihai Avenue, Sibeil Village Simen Town, 315472 Yuyao, P.R.China
The product complies with the standard(s)	EN 60320-1: 2001 + A1: 2007
Date of expiry	08 June 2016
EU Directive information	<i>The product satisfies the provisions for CE marking according to the Low Voltage Directive 2006/95/EC.</i>


Additional information in Appendix.

Certification Body	Intertek Semko AB, Product Certification	Place	Shanghai
Signed	 Wolfram Zeitz	Date	08 June 2011 Page 1 of 2

**Intertek**
Appendix

Reference No. 1116016

Technical data


Type designation	B-04
Rated Voltage (V)	250~
Rated Current (A)	10
IP-Class	20
Type of cord	H05VV-F 3G 0,75-1,5mm ²
Class	I
Standard Sheet:	C13
BRAND Name:	
Product information	Non-rewirable, with longitudinal cord entry. Cord length Max. 2m for 0,75mm ²

Manufacturing site(s) Ningbo Jiangfeng Plastic & Chemistry Co., Ltd.
Sihai Avenue, Sibeil Village Simen Town,
315472 Yuyao,
P.R.China

Safety related parts of the user instructions shall be written in a language acceptable to the country where the product is to be used.

This certification is based on CB certificate with ref. No. VDE CB / DE1-42728 Dated on 16 Feb 2006, issued by VDE Testing & Certification Institute.

This certificate, which includes production control, is considered to constitute sufficient support for an EC Declaration of Conformity and CE marking of the product according to the Low Voltage Directive 2006/95/EC.

<i>Certification Body</i>	Intertek Semko AB, Product Certification	<i>Place</i>	Shanghai
<i>Signed</i>	 Wolfram Zeitz	<i>Date</i>	08 June 2011

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

DEMKO CERTIFICATE

Certificate No.	D-00415
Page	1/3
Date of Issue	2011-07-14
Certificate Holder	NINGBO JIANGFENG PLASTIC & CHEMISTRY CO LTD SIHAI AVENUE, SIBEI VILLAGE SIMEN TOWN YUYAO, 315472 China
Manufacturer	NINGBO JIANGFENG PLASTIC & CHEMISTRY CO LTD SIHAI AVENUE, SIBEI VILLAGE SIMEN TOWN YUYAO, 315472 China
Production site	NINGBO JIANGFENG PLASTIC & CHEMISTRY CO LTD SIHAI AVENUE, SIBEI VILLAGE SIMEN TOWN YUYAO, 315472 China
Certified Product	Connector for Class I equipment for cold condition
Model	B-04
Trademark	
Rated Voltage / Frequency	250V~
Rated Current / Power	10A
Insulation Class	
Degree of protection (IP)	20
Tested acc. to	EN 60320-1:2001, EN 60320-1:2001/A1:2007
Test Report No.	1116016 issued on 2011-06-08
Additional	See Page 2
Expire date	2016-06-08

Certification Manager

Jan-Erik Storgaard

Certification Body

UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65, info.dk@dk.ul.com
www.ul-europe.com

The product and production sites listed on the certificate comply with the D-mark requirements and the UL Global Service Agreement, with reference to Terms and Conditions for the D mark. The Owner of the certificate is entitled to use the d. or for cables <DEMKO>, for the products listed on the certificate and manufactured at the production sites listed. UL has to be informed in writing about any changes to the product or production site in accordance with the Term and Conditions of the D mark. The validity of the certificate is shortened if the EU legislation require re-testing and re-certification due to new standards or amendments coming into force before the expiry date.

Appendix DEMKO CERTIFICATE

Certificate No. D-00415
Page 2/3
Date of Issue 2011-07-14

External Certification Information:

1116016, issued 2011-06-08 by Intertek Semko AB

Additional Information:

For Class I appliance

Type of cord: H05VV-F 3G 0,75-1,5mm²

Standard Sheet: C13

Product information: Non-rewirable, with longitudinal cord entry. Cord length Max. 2m for 0,75mm²

Certification Body

**UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com**

Appendix DEMKO Certificate

Certification Mark

D-mark

Certificate No.


D-00415

Page

3/3

Date of Issue

2011-07-14



Certification Body

UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com



the standard in safety


Underwriters
Laboratories

SGS



CERTIFICATE FI 26926

Our Ref. 264667

Product Connector, non-rewirable
Type B-04, with cord H05VV-F 3G0,75-1-1,5
Trade mark 
Certificate Holder Ningbo Jiangfeng Plastic & Chemistry Co., Ltd.
Sihai Avenue, Sibeil Village, Simen Town, 315472 YUYAO, CHINA
Manufacturer Ningbo Jiangfeng Plastic & Chemistry Co., Ltd.
Sihai Avenue, Sibeil Village, Simen Town, 315472 YUYAO, CHINA
Technical information 10A, 250V~
Other information Standard Sheet C13. With longitudinal cord entry. Cord length Max. 2m for 0,75mm²
The product is certified according to the following standard(s) EN 60320-1:2001 + A1:2007

Validity This certificate is valid until 08 August 2016 unless the standard in question has been amended or superseded with significant changes in requirements, in which case, SGS Fimko has the right to shorten the validity of the certificate based on the legislation of the European Union. This certificate includes the right to use the FI mark under the condition that changes (if any) will be checked at SGS Fimko before the product is brought onto market and that the conditions for FI certification are met.

Directive information The product(s) fulfils the essential safety requirements for CE conformity marking according to the Low Voltage Directive (2006/95/EC) at the date of issue of the certificate.

Date of issue 08 August 2011

SGS Fimko Ltd

Signature


Osmo Väyrynen
Certification Manager

This certificate has 1 appendix



This certificate is issued by the company under its General Conditions for Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability defined therein and in the Test Report here above mentioned which findings are reflected in this certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Fimko Ltd.

Särkiniementie 3 P.O.Box 30 FI-00211 Helsinki, Finland
t. +358 9 696 361 f. +358 9 692 5474 www.fi.sgs.com

Business ID 0978538-5

Member of the SGS Group (SGS SA)

graphic design atelier roger ploued printed by arell käästi security printing ltd vuokralaud

Appendix to Certificate: 26926

Manufacturing sites	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd. Sihai Avenue, Sibeil Village, Simen Town, 315472 YUYAO, CHINA
Additional information	The product has certificate 1116016 issued by Intertek Semko AB in accordance with the Nordic Certification Service system.
Our ref.	264667

ZEICHENGENEHMIGUNG MARKS APPROVAL

Ningbo Jiangfeng
Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibel Village
Simen Town
315472 YUYAO
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Stecker mit Schutzkontakt, nicht wiederanschließbar, umspritzt
Plug, with earthing contact, non-rewirable, moulded

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN VDE 0620-1 (VDE 0620-1):2010-02



VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

Aktenzeichen: 2471100-1560-0011 / 107760

File ref.:

Ausweis-Nr. 40030460

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2010-07-07

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>

<http://www.vde.com/certificate>



ZEICHENGENEHMIGUNG
MARKS APPROVAL

Aktenzeichen:
File ref.:
2471100-1560-0011/ 107760

Ausweis-Nr.:
Approval No.:
40030460

Datum
Date
2010-07-07

Stecker 2-polig mit Schutzkontakt
Plug 2-pole with earthing contact

Ausführung: abgewinkelte Leitungseinführung
Construction: angled cable entry

Anlage-Nr.: 400A
Appendix No.:

Position im VDE-Ausweis Position in VDE-approval			
Typ(en) Type(s)	Leitungsaufdruck Marking on cable		
B-03	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd NINGBO QIAOPU	X	H03VV-F 3G 0,5 mm ² (max. 2 m)
		X	H03VV-F 3G 0,75 mm ²
		X	H05VV-F 3G 0,75 mm ²
		X	H05VV-F 3G 1,0 mm ²
		X	H05VV-F 3G 1,5 mm ²
		--	H05RR-F 3G 0,75 mm ²
		--	H05RR-F 3G 1,0 mm ²
		--	H05RR-F 3G 1,5 mm ²
		X	H05RN-F 3G 0,75 mm ²
		X	H05RN-F 3G 1,0 mm ²
		--	H07RN-F 3G 1,0 mm ²
		--	H07RN-F 3G 1,5 mm ²
		--	H03RT-H 3G 0,75 mm ²
		--	H03RT-H 3G 1,0 mm ²
		--	H05V2V2-F 3G 0,75 mm ²
		--	H05V2V2-F 3G 1,0 mm ²
		--	
		--	
		--	
		--	
		--	
		--	
		--	

X Δ genehmigte Ausführung / approved version

-- Δ nicht genehmigt / not approved

Werkstoff der Umspritzung: Material of the moulding:	Typ: Farbe Type: colour	PVC: H-70: alle Farben / all colours Ningbo Jiangfeng Plastic & Chemistry Co., Ltd
Werkstoff der Trägerteile: Material of the base:	Typ: Hersteller, Farbe Type: manufacturer, colour	PBT: 4830-BK: black Chang Chun Plastic
Inneneinsatz: Insert:	Typ: Hersteller Type: manufacturer	986511-VDE Suzhou GEM

VDE Prüf- und Zertifizierungsinstitut GmbH

Diese Anlage gilt nur in Verbindung mit Blatt 1 der Zeichengenehmigung
This Appendix is only valid in conjunction with page 1 of the marks approval

VDE Prüf- und Zertifizierungsinstitut
Zeichengenehmigung

Ausweis-Nr. / Blatt /
Certificate No. page
40030460 2

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*
Ningbo Jiangfeng Plastic & Chemistry Co. Ltd., Sihai Avenue, Sibeil Village, Simen Town, 315472
YUYAO, Zhejiang, CHINA

Aktenzeichen / *File ref.*
2471100-1560-0011 / 107760 / FG45 / SHA

Datum / *Date*
2010-07-07

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40030460.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40030460.

Stecker mit Schutzkontakt, nicht wiederanschließbar, umspritzt
Plug, with earthing contact, non-rewirable, moulded

Typ(en) / *Type(s)*:

B-03

Bemessungsspannung <i>Rated voltage</i>	AC 250 V
Bemessungsstrom <i>Rated current</i>	16 A
Polzahl <i>Number of poles</i>	2-polig mit zwei Schutzkontaktsystemen <i>2-pole with dual earthing contact system</i>
Bauart <i>Kind of construction</i>	Normblatt: DIN 49441-R2 <i>standard sheet: DIN 49441-R2</i>
Schutzart <i>Degree of protection</i>	IP 20
Produktinformation <i>Product information</i>	siehe Anlage Nr. 400A und 900A <i>see Appendix No. 400A and 900A</i>

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Fachgebiet FG45
Section FG45



ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **62441-003-00**

Valid from: 2011 07 15
until: 2013 07 15

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **Ningbo Jiangfeng Plastic & Chemistry Co.Ltd.**
Sihai Avenue, Sibeil Village Simen Town
315472 Yuyao
China

Product: **Non rewirable two pole plug with dual earthing system**

Basis for this given right is the conformity of the products with the requirements of the technical standards listed in this certificate as stated in the file(s) Ref.-No(s). **2791-1594/11**.

This certificate establishes the conformity of the tested specimen and of all products manufactured strictly identical to the submitted one.

Österreichischer Verband für Elektrotechnik
Head of Testing & Certification

Digitally signed by W. Martin
Email=w.martin@ove.at

Vienna, 2011 07 15

Dipl.-Ing. W. Martin



OVE – Testing & Certification

Accredited by the Austrian Ministry of Economy, Family and Youth as Certification Body for products and processes in the field of electrical and electronic engineering, including safety and EMC





Manufacturer:

Ningbo Jiangfeng Plastic & Chemistry Co.Ltd.
Sihai Avenue, Sibeil Village Simen Town
315472 Yuyao
China

Factory location(s):

Ningbo Jiangfeng Plastic & Chemistry Co.Ltd.
Sihai Avenue, Sibeil Village Simen Town
315472 Yuyao
China

Tested and certified according to:

ÖVE/ÖNORM IEC 60884-1:2005-09-01
ÖVE/ÖNORM E 8684-1:2010-03-01

Product: Non rewirable two pole plug with dual earthing system

Type designation:

Rating:

Trademark:

B-03

Rated voltage: AC 250 V
Rated current: 16 A
H03VV-F 3 G 0,5

JF-Logo

B-03

Rated voltage: AC 250 V
Rated current: 16 A
H03VV-F 3 G 0,75

JF-Logo

B-03

Rated voltage: AC 250 V
Rated current: 16 A
H05VV-F 3 G 0,75

JF-Logo

B-03

Rated voltage: AC 250 V
Rated current: 16 A
H05VV-F 3 G 1

JF-Logo

B-03

Rated voltage: AC 250 V
Rated current: 16 A
H05VV-F 3 G 1,5

JF-Logo

OVE – Testing & Certification

Accredited by the Austrian Ministry of Economy, Family and Youth as Certification Body for products and processes in the field of electrical and electronic engineering, including safety and EMC





Österreichischer Verband
für Elektrotechnik

Certificate No.: 62441-003-00
Date: 2011 07 15
Page 3 of 3

B-03

Rated voltage: AC 250 V
Rated current: 16 A
H05RN-F 3 G 0,75

JF-Logo

B-03

Rated voltage: AC 250 V
Rated current: 16 A
H05RN-F 3 G 1

JF-Logo

OVE – Testing & Certification

Accredited by the Austrian Ministry of Economy, Family and Youth as Certification Body for products and processes in the field of electrical and electronic engineering, including safety and EMC





LICENCE

No. 17250

Issued to:
Applicant:
Ningbo Jiangfeng Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibeil Village, Simen Town
315472 Yuyao
China



Licensee:
Ningbo Jiangfeng Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibeil Village, Simen Town
315472 Yuyao
China



Product : plugs (2-pole) for household purposes
Trade name(s) : JF (LOGO)
Type(s)/model(s) : B-03

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 1459

SGS CEBEC hereby grants the right to use the CEBEC certification mark

The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on: 09/06/2011

ir. C. Lana,
Certification Manager

© Only integral publication of this certificate, including the annex, is allowed
This certificate is only valid combined with the publication on the following web address: www.sgs.com/ee



SGS Belgium NV-Division SGS CEBEC
Business Riverside Park
Bld Internationalelaan 55 Build. D
B-1070 Brussels
Tel.+32(0)2 556 00 20 Fax.+32(0)2 556 00 36

This certificate is issued by the company under its General Conditions for Certification Services accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability defined therein and in the Test Report herein mentioned which findings are reflected in this Certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Product	:	plugs (2-pole) for household purposes
Trade name(s)	:	JF (LOGO)
Type(s)/Model(s)	:	B-03
rated current (In)	:	16 A
rated voltage (Un)	:	250 V~
class	:	for class I appliances
earthing	:	with dual earthing system
design	:	non-rewirable angled cable entry
standard sheet	:	VII
applied flexible cord(s)	:	H03VV-F 3G0.5-0.75 mm ² H05VV-F 3G0.75-1.5 mm ² H05RN-F 3G0.75-1.0 mm ²
certification mark	:	complies with the requirements
cord(s) termination	:	crimped connection
description	:	body of thermoplastic material
markings	:	are shown on the body

Additional information

Insert material: PBT4830-BK, black, Chang Chun Plastic

Insert type: 98651L-VDE, Suzhou GEM

Enclosure: PVC, type H-70, all colours, Ningbo Jiangfeng Plastic Chemistry Co., Ltd.

TESTS

Test requirements

NBN C 61-112-1 based on IEC 60884-1:2002 + A1:2006

Test results

The test results are laid down in certification file ref.590630/03

Remarks

This certificate is based on certificate ref. CB DE1-46732 and test report(s) ref. 2471100-1560-0011/107760


Conclusion

The examination proved that all test requirements were met.

Checked by, project leader : Zanutto Luigi - 09/06/2011

Department Manager,
Product Certification :

Certification Manager :

A handwritten signature in black ink, which appears to be 'Luigi Zanutto', followed by the date '2011-06-09' written in a similar cursive style.

FACTORY LOCATION(S)

Ningbo Jiangfeng Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibeï Village, Simen Town
315472 Yuyao
China

CERTIFICATE

Issued to:

Applicant:

Ningbo Jiangfeng Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibeil Village, Simen Town,
315472, Yuyao City Zhejiang Prov., China

Manufacturer/Licensee:

Ningbo Jiangfeng Plastic & Chemistry Co. Ltd.
Sihai Avenue, Sibeil Village, Simen Town,
315472, Yuyao City Zhejiang Prov., China

Product(s) : plugs, (2-pole)
Trade name(s) : JF
Type(s)/model(s) : B-03

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard IEC 60884-1:2002 + A2: 2006, NEN 1020:1987 + A2: 2004
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 3118435


DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.


This certificate is issued on: 24 June 2011 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 2145725.03

DEKRA Certification B.V.



drs. G.J. Zoetbrood
Managing Director



F.S. Strikwerda
Certification Manager

© Integral publication of this certificate is allowed

All testing, inspection, auditing and certification activities of the former KEMA Quality are an integral part of the DEKRA Certification Group.

ACCREDITED BY
THE DUTCH COUNCIL
FOR ACCREDITATION



SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

product	:	plugs, (2-pole)
trade name	:	JF
type	:	B-03
rated current	:	16 A
rated voltage	:	250 V~
design	:	non-rewirable; angled type
standard sheet	:	VII
earthing	:	with dual earthing contacts
applied flexible cords	:	H03VV-F 3G0,5 mm ² (max. 2 meter) H03VV-F 3G0,75 mm ² H05VV-F 3G0,75, 3G1,0 and 3G1,5 mm ² H05RN-F 3G0,75 and 3G1,0 mm ²
certification mark	:	complies with the requirements
cord termination	:	crimped connection
description	:	body of thermoplastic material as part of an incomplete or complete cors set for class II appliances
markings	:	are shown on the body

TESTS**Test requirements**

IEC 60884-1:2002 + A1:2006
NEN 1020:1987 + A2:2004

Test result

The test results are laid down in DEKRA test file 2145725.03.

Remarks

This certificate is based on the VDE CB Test Certificate DE1-46732.

Conclusion

The examination proved that all test requirements were met.

Tested by : VDE

Checked by : H.R.M. Barends

**Factory locations**

Ningbo Jiangfeng Plastic & Chemistry, Co. Ltd.
Sihai Avenue, Sibeil Village, Simen Town, 315472, Yuyao City Zhejiang Prov.
China

SGS




CERTIFICATE FI 26928

Our Ref. 264677

Product Plug, non-rewirable

Type B-03, with cord H03VV-F 3G0,5-0,75
B-03, with cord H05VV-F 3G0,75-1-1,5
B-03, with cord H05RN-F 3G0,75-1

Trade mark 

Certificate Holder Ningbo Jiangfeng Plastic & Chemistry Co., Ltd.
Sihai Avenue, Sibeil Village, Simen Town, 315472 YUYAO, CHINA

Manufacturer Ningbo Jiangfeng Plastic & Chemistry Co., Ltd.
Sihai Avenue, Sibeil Village, Simen Town, 315472 YUYAO, CHINA

Technical information 16A, 250V~

Other information Standard Sheet CEE7/VII. For class I equipment.
With solid pins, with lateral cord entry.
Cord length max. 2m for H03VV-F 3G0,5mm²

The product is certified according to the following standard(s) IEC 60884-1:2002 (Ed 3) + A1:2006
SFS 5610:2004 + A1:2008

Validity This certificate is valid until 08 August 2016 unless the standard in question has been amended or superseded with significant changes in requirements, in which case, SGS Fimko has the right to shorten the validity of the certificate based on the legislation of the European Union. This certificate includes the right to use the FI mark under the condition that changes (if any) will be checked at SGS Fimko before the product is brought onto market and that the conditions for FI certification are met.

Date of issue 08 August 2011

SGS Fimko Ltd

Signature


Osmo Väyrynen
Certification Manager

This certificate has 1 appendix



This certificate is issued by the company under its General Conditions for Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability defined therein and in the Test Report here above mentioned which findings are reflected in this certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Fimko Ltd.

Särkiniementie 3 P.O.Box 30 FI-00211 Helsinki, Finland
t. +358 9 696 361 f. +358 9 692 5474 www.fi.sgs.com

Business ID 0978538-5

Member of the SGS Group (SGS SA)

graphic design atelier roger pfund printed by arell fibesli security printing ltd switzerland


Appendix to Certificate: 26928

Manufacturing sites Ningbo Jiangfeng Plastic & Chemistry Co., Ltd.
Sihai Avenue, Sibeil Village, Simen Town, 315472 YUYAO, CHINA

Additional information The product has certificate 1115934 issued by Intertek Semko AB in accordance with the Nordic Certification Service system.

The manufacturer of cord type H05RN-F 3G0,75-1mm²:
Ningbo Qiaopu Electric Co., Ltd.

Our ref. 264677

Product	Plugs
Applicant	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd Sihai Avenue, Sibeil Village Simen Town Yuyao, P.R. China 315472
Manufacturer	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd Sihai Avenue, Sibeil Village Simen Town Yuyao, P.R. China 315472
Factory	Ningbo Jiangfeng Plastic & Chemistry Co., Ltd Sihai Avenue, Sibeil Village Simen Town Yuyao, P.R. China 315472 <input type="checkbox"/> See next page(s)
Ratings	16A 250V AC
Trade mark	
Model / Type Ref.	B-03
Principal characteristics	Non-rewirable, with solid pins, with lateral cordy entry, for class I equipment. With cord H03VV-F 3G0.5-0.75mm ² . Cord length max. 2m for 3G0.5mm ² . Standard sheet VII. IP20 <input type="checkbox"/> See next page(s)
A sample of the product was tested and found to be in conformity with	INST NEK-IEC 60884-1:2002;am1 and NEK 502:2006
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	<input type="checkbox"/> See next page(s)
Additional model(s)	<input checked="" type="checkbox"/> See next page(s)

Date of issue 12-07-2011



Signature

Skule Moe

Certification Department

Product	Plugs
Pos. No	1
Model / Type Ref.	B-03
Trade mark (if different from page 1)	
Rating	16A 250V AC
Principal characteristics	Non-rewirable, with solid pins, with lateral cordy entry. With cord H05VV-F 3G0.75-1.5mm ² . Standard sheet VII. IP20
Product	Plugs
Pos. No	2
Model / Type Ref.	B-03
Trade mark (if different from page 1)	
Rating	16A 250V AC
Principal characteristics	Non-rewirable, with solid pins, with lateral cordy entry. With cord H05RN-F 3G0.75-1.0mm ² . Standard sheet VII. IP20

Date of issue 12-07-2011



Signature

Skule Moe

Certification Department

Certificate



for European Product Safety

Reference No. 1115934

Plug, non-rewirable

Type designation B-03

Certificate holder **Ningbo Jiangfeng Plastic & Chemistry Co., Ltd.**
Sihai Avenue, Sibeil Village Simen Town,
315472 Yuyao,
P.R.China

The product complies with the standard(s) SS 428 08 34: 2004 / IEC 60884-1: 2002
NEK 502: 2006 / IEC 60884-1: 2002
SB 107-2-D1 5th edition / IEC 60884-1: 2002 + A1: 2006
SFS 5610: 2004+A1 / IEC 60884-1: 2002 + A1: 2006


Date of expiry 07 June 2016

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification

Place Shanghai

Signed


Wolfram Zeitz


Date 07 June 2011

Page 1 of 2

**Intertek
Appendix**

Reference No. 1115934

Technical data


Type designation	B-03
Rated voltage (V)	250~
Rated current (A)	16
Class	I
IP-Class	20
Type of cord	H03VV-F, H05VV-F, H05RN-F
Number of conductors	3
Conductor area	0,5-0,75mm ² ; 0,75-1,5mm ² ; 0,75-1,0mm ²
Standard sheet	CEE7/VII
BRAND name:	
Product information	Non-rewirable, with solid pins, with lateral cord entry Cord length Max. 2m for H03VV-F 3G0,5mm ²

Manufacturing site(s) Ningbo Jiangfeng Plastic & Chemistry Co., Ltd.
Sihai Avenue, Sibeil Village Simen Town,
315472 Yuyao,
P.R.China

Safety related parts of the user instructions shall be written in a language acceptable to the country where the product is to be used.

The certificate applies for countries that have sanctioned the use of plugs/outlets according to subject standard sheet and component standard.

This certification is based on CB certificate with ref. No. VDE CB / DE1-46732 dated on 07 Jul 2010, issued by VDE Testing & Certification Institute.

<i>Certification Body</i>	Intertek Semko AB, Product Certification	<i>Place</i>	Shanghai
<i>Signed</i>	 Wolfram Zeitz	<i>Date</i>	07 June 2011

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

DEMKO CERTIFICATE

Certificate No. D-00390
Page 1/3
Date of Issue 2011-07-07

Certificate Holder NINGBO JIANGFENG PLASTIC & CHEMISTRY CO LTD
SIMEN INDUSTRIAL PARK
XIAOLUXIA
SIMEN TOWN
YUYAO, 315472 ZHEJIANG China

Manufacturer NINGBO JIANGFENG PLASTIC & CHEMISTRY CO LTD
SIMEN INDUSTRIAL PARK
XIAOLUXIA
SIMEN TOWN
YUYAO, 315472 ZHEJIANG China

Production site NINGBO JIANGFENG PLASTIC & CHEMISTRY CO LTD
SIMEN INDUSTRIAL PARK
XIAOLUXIA
SIMEN TOWN
YUYAO, 315472 ZHEJIANG China

Certified Product Plug, non-rewirable
Model B-03
Trademark LOGO

Rated Voltage / Frequency 250V~
Rated Current / Power 16A
Insulation Class -
Degree of protection (IP) 20
Tested acc. to IEC 60884-1(ed.3), IEC 60884-1(ed.3);am1, SB 107-2-D1(ed.5)
Test Report No. 1115934 issued on 2011-06-07
Additional
Expire date 2016-06-07



Certification Manager
Jan-Erik Storgaard

The product and production sites listed on the certificate comply with the D-mark requirements and the UL Global Service Agreement, with reference to Terms and Conditions for the D mark. The Owner of the certificate is entitled to use the d or for cables <DEMKO>, for the products listed on the certificate and manufactured at the production sites listed. UL has to be informed in writing about any changes to the product or production site in accordance with the Term and Conditions of the D mark. The validity of the certificate is shortened if the EU legislation require re-testing and re-certification due to new standards or amendments coming into force before the expiry date.

Certification Body UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com

Appendix DEMKO CERTIFICATE

Certificate No. D-00390
Page 2/3
Date of Issue 2011-07-07

External Certification Information:

Intertek certificate No. 1115934 dated 2011-06-07

Additional Information:

Type of cord: H03VV-F 3X0,5-0,75mm², H05VV-F 3X0,75-1,5mm², H05RN-F 3X0,75-1,0mm². Standard sheet: CEE7/VII.
Non-rewirable for Class I equipment, with solid pins, with lateral cord entry. Cord length Max. 2m for H03VV-F 3G0,5mm².

Certification Body

UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com

Appendix DEMKO Certificate

Certification Mark	D-mark
Certificate No.	D-00390
Page	3/3
Date of Issue	2011-07-07



Certification Body

UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com