

Powerful colour performance for your workgroup.

Lexmark X950 Series

Power up your office and increase productivity with the Lexmark X950 Series, featuring high-performance A3 colour functionality, flexible features, easy-to-use workflow solutions and advanced security.



























Lexmark X950 Series Key Features



Features to optimise your work



1) Intuitive colour touch screen

The extra large 25.9-cm (10.2-inch) colour touch screen allows you to operate your MFP with ease through intuitive navigation and easy access to workflow solutions and shortcuts.



2) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



3) Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning, and is compatible with most printable image file formats.



4) Flexible input capacity

Choose the configuration that best fits your needs, up to a maximum of 5,140 sheets.



5) Exceptional media handling

Ultra-reliable paper feeding lets you load up to six different types of media, including sizes up to $32 \times 122 \text{ cm}$ (12.6 x 48 inch) and weights up to 300 gsm.



6) Advanced finishing options

Easily create professional output in-house with flexible finishing options, including multi-position stapling, hole punch, expanded output stacking and booklet capability.

Lexmark X950 Series Overview



Outstanding Colour Output

Make a lasting impression on your customers and do more printing in-house with vibrant, professional-quality output on a wide variety of media. With the advanced technology of the X950 Series, you'll get high-performance A3 (tabloid) multifunction capability that produces consistent colour from the first page to the last.

- 1200 x 1200 print resolution for rich vibrant colours and crisp black text.
- PANTONE® calibration for consistent colour tones.
- Named Colour Replacement for easy colour matching.
- Lexmark Colour Care Technology to manage colour use and control costs.
- Create professional collateral materials ranging from saddle stitch booklets to folded brochures on media up to A3 (tabloid).



Productive and Intuitive

The Lexmark X950 Series combines high-performance printing, copying, scanning and faxing with time-saving workflow applications designed to boost your productivity.

- Print and copy at speeds up to 55 ppm black and 50 ppm colour, and scan at speeds up to 70 images per minute; time to first print as guick as 5.2 seconds.
- Extra large, easy to navigate 25.9 cm (10.2-inch) colour touch screen provides audible and tactile feedback to make completing tasks intuitive.
- Preloaded applications help you drive greater efficiency in your workflow.
- Scan to multiple destinations, including scan to email, scan to FTP, scan to fax, scan to network, scan to USB drive and more.
- Print Preview and Post Process Job Changes allow you to duplex, add finishing or select individual pages for printing.
- Advanced copy functions let you interrupt long print runs to make a quick copy or proof the first copy set before completing your copy job.



Built for Business

The Lexmark X950 Series features a robust print engine designed to handle the most demanding workloads with the advanced features and flexibility you need to run your business.

- Robust connectivity makes it easy to integrate into almost any network environment.
- Simplify device monitoring and administration through the embedded web server, Lexmark Universal Print Driver and Lexmark MarkVision Enterprise.
- High-capacity hard disk, 1.2 GHz processor and up to 2GB RAM.
- Inner Tray 2 is standard, allowing you to separate print, copy or fax output into two bins.
- Choose from multiple input options to expand capacity up to 5,140 sheets.
- Easy-to-replace aftermarket cartridges provide yields of up to 38,000² pages black and up to 24,000² pages colour.



True. Image. Always.

Lexmark is dedicated to designing and manufacturing products that deliver exceptional quality and reliability. Maximise the return on your investment, optimise the performance of your Lexmark printing equipment and make a lasting impression by always insisting on Lexmark Genuine Supplies, Service and Parts. The X950 Series is backed by Lexmark's 1-Year Limited Warranty; extended warranty plans are also available.

Lexmark X950 Series Productivity Made Easy

The right touch

The Lexmark e-Task colour touch screen is a key access point to your MFP. The extra large customisable 25.9 cm (10.2-inch) interface gives you the ability to preview thumbnails of documents prior to printing, as well as to change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Easy-to-use, intuitive navigation provides fast access to the functions, shortcuts and workflows you use most. New interactive sensory features provide both tactile and audible feedback, helping to guide you through each operation, confirming a touch has registered and indicating an action is transpiring.



Solutions

Save time and money through solutions

The Lexmark X950 Series features the Lexmark Embedded Solutions Framework, our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

The following solutions are preloaded on the X950 Series:

The following are just a few examples of solutions available to you through Lexmark authorised partners and dealers, or through a Lexmark Professional Services engagement:



Forms and Favourites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Scan to Network Premium

This enhanced version of Scan to Network offers advanced functionality to preview, modify, enhance and index scanned documents before routing them to a shared network folder.



Scan to Network

Scan a hardcopy document and route the image to one of 30 predefined personal or public shared network folders.



Showroom

Display a customisable, scrolling slideshow on the colour touch screen to promote your business or products, or to communicate important messages to your customers or employees.



Change Language³

Easily switch the language displayed on the touch screen – 18 languages are supported.



Card Copy

Save time and effort in copying identification cards, licences and insurance cards by automatically scanning, enlarging and printing both sides of a two-sided card on to one side of a sheet of paper.

Lexmark X950 Series Highlights

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.



Desired colour PANTONE 346 C



With Named Colour Replacement



Consistent colour, every time

Produce professional documents confidently in-house knowing that the named colours of your company's brand and logo will print accurately and consistently every time. Through Lexmark Named Colour Replacement, included standard with your device, users can enter specific colour values for easy colour matching, including PANTONE® Colour and colours in the DIC Colour Guide.



Easy device management

Manage your output environment effectively with Lexmark MarkVision Enterprise. This free browser-based software gives you complete visibility into your entire fleet of network printers and MFPs regardless of manufacturer. MarkVision Enterprise makes it easy for administrators to configure, track, view, troubleshoot and proactively manage your devices throughout their lifecycle, from the moment you connect them to the network until the day you retire them.




Protecting your information

From the data travelling through your network to the pages being printed, multilayered security features and built-in capabilities help you protect your devices, documents, data and network.

- Supports a variety of user authentication and authorisation controls.
- Card reader option allows users to authenticate with proximity or swipe cards.
- Advanced hard disk encryption protects sensitive data on the MFP's disk drive.
- Automatic, scheduled or manual disk wiping removes latent data.
- IPSec, SNMPv3 and 802.1x network security are supported.
- Security-audit logging tracks and identifies security risks.

Lexmark X950 Series Ordering Information

Lexmark X950de



Compatible on the complete X950 Series

| Part # | Laser Toner/Print Cartridge | 57X9000 | Lexmark PrintCryption Card |
|--|---|--|--|
| X950X2KG X950X2CG X950X2MG X950X2YG C950X71G C950X73G C950X76G | X950, X952, X954 Black Extra High Yield Toner Cartridge (24K) X950, X952, X954 Cyan Extra High Yield Toner Cartridge (24K) X950, X952, X954 Magenta Extra High Yield Toner Cartridge (24K) X950, X952, X954 Hollow Extra High Yield Toner Cartridge (24K) C950, X950/2/4 Photoconductor Unit 1-Pack C950, X950/2/4 Photoconductor Unit 3-Pack C950, X950/2/4 Waste Toner Bottle | Part # 27X0030 14F0037 14F0042 14T0220 1021294 14F0000 | Connectivity MarkNet N8250 802.11b/g/n Wireless Print Server MarkNet N8120 Gigabit Ethernet Print Server MarkNet N8130 Fibre Ethernet 100BaseFX, 10BaseFL Print Server MarkNet N7020e Gigabit Ethernet Print Server USB (2 Meter) Cable Parallel 1284-B Interface Card |
| 25A0013 21Z0357 Part # | Staple Cartridges (3 pack) Saddle Staple Cartridges (4 pack) Memory Options | 1021231 14F0100 Part # | Parallel (10") Cable RS-232C Serial Interface Card User Replaceable Parts |
| 1025041 1025042 1025043 14F0245 | 256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Flash Card | 40X7569 40X7540 40X7530 | C950, X95x Fuser Maintenance Kit, 320K, 220-240V C950, X95x 160K Maintenance Kit X95x ADF Maintenance Kit |
| Part # 22Z0186 22Z0187 22Z0185 | Application Solutions X950, X952, X954 Card for IPDS X950, X952, Y994 Card for PRESCRIBE Emulation X950, X952, X954 Forms and Bar Code Card | | |

 Part #
 Available Models:

 22Z0092
 Lexmark X950de

 22Z0093
 Lexmark X952de

 22Z0094
 Lexmark X954de



Eco-responsible printing

The X950 Series makes it easy for you to print responsibly. Features include duplex to save paper, Eco-Mode to reduce paper and toner consumption and a Sleep Button with hibernate mode to save energy. The X950 Series also helps you save energy through its instant warm-up fuser and specially designed toner, which fuses at a low temperature.

Lexmark X950 Series Ordering Information

Lexmark X950de

| Part # | Model |
|--|---|
| 22Z0092 | Lexmark X950de |
| Part # | Paper Handling |
| 22Z0014 22Z0013 22Z0012 22Z0015 22Z0175 22Z0176 | C950, X95x 2520-Sheet Tandem Tray Module C950, X95x 3x520-Sheet Drawer Stand C950, X95x 520-Sheet Drawer Stand C950, X95x 2000-Sheet High Capacity Feeder C950, X95x 2500-Sheet Finisher (4-Hole) C950, X95x Booklet Finisher (4-Hole) |
| Part # | Extended Warranties |
| 2354235P 2354236P 2354237P | X950 2-Years Total Onsite Service, Next Business Day X950 3-Years Total Onsite Service, Next Business Day X950 4-Years Total Onsite Service, Next Business Day |

| 2354239P | X950 1-Year Onsite Service Renewal, Next Business Day |
|----------|---|
| Part # | NC |
| 2354242 | Y050 Installation Carvica |

Other available models: Lexmark X952de: Includes: 32 x 48 cm (12.6 x 19 inch) media support and print speed up to 50 ppm, Part #22Z0093 Lexmark X954de: Includes: 32 x 48 cm (12.6 x 19

inch) media support, print speed up to 55 ppm and 2GB RAM standard, Part #22Z0094

In the box

Lexmark X950de colour multifunction printer, Up to 12,000*-page colour (CMY) toner cartridges, Up to 19,000*-page black toner cartridge, Black, cyan, nagenta, and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark X952de

| Part # | Model |
|----------|--|
| 22Z0093 | Lexmark X952de |
| Part # | Paper Handling |
| 22Z0014 | C950, X95x 2520-Sheet Tandem Tray Module |
| 22Z0013 | C950, X95x 3x520-Sheet Drawer Stand |
| 22Z0012 | C950, X95x 520-Sheet Drawer Stand |
| 22Z0015 | C950, X95x 2000-Sheet High Capacity Feeder |
| 22Z0175 | C950, X95x 3500-Sheet Finisher (4-Hole) |
| 22Z0176 | C950, X95x Booklet Finisher (4-Hole) |
| Part # | Extended Warranties |
| 2354263P | X952 2-Years Total Onsite Service, Next Business Day |
| 2354264P | X952 3-Years Total Onsite Service, Next Business Day |
| 2354265P | X952 4-Years Total Onsite Service, Next Business Day |

| 2354267P | X952 1-Year Onsite Service Renewal, Next Business Day |
|----------|---|
| Part # | NC |
| 2354270 | X952 Installation Service |

Other available models:

Lexmark X950de: Includes: 32 x 48 cm (12.6 x 19 inch) media support and print speed up to 45 ppm, Part #22Z0092

Lexmark X954de: Includes: 32 x 48 cm (12.6 x 19 inch) media support, print speed up to 55 ppm and 2GR RAM standard Part #2270094

In the box Lexmark X952de colour multifunction printer. Up to Lexmark x952de colour multirunction printer, up to 12,000°-page colour (CMY) toner cartridges, Up to 19,000°-page black toner cartridge, Black, cyan, magenta, and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark X954de

| Part # | Model |
|--|---|
| 22Z0094 | Lexmark X954de |
| Part # | Paper Handling |
| 22Z0014 22Z0013 22Z0012 22Z0015 22Z0175 22Z0176 | C950, X95x 2520-Sheet Tandem Tray Module C950, X95x 3x520-Sheet Drawer Stand C950, X95x 520-Sheet Drawer Stand C950, X95x 2000-Sheet High Capacity Feeder C950, X95x 3500-Sheet High Capacity Feeder C950, X95x 8500-Sheet Finisher (4-Hole) |
| Part # | Extended Warranties |
| 2354291P 2354292P 2354293P | X954 2-Years Total Onsite Service, Next Business Day X954 3-Years Total Onsite Service, Next Business Day X954 4-Years Total Onsite Service, Next Business Day |

| 354295P | X954 1-Year Onsite Service Renewal, Next Business Day |
|---------|---|
| art # | NC |
| 354298 | X954 Installation Service |

Other available models:

Lexmark X950de: Includes: 32 x 48 cm (12.6 x 19 inch) media support and print speed up to 45 ppm, Part #22Z0092

Lexmark X952de: Includes: 32 x 48 cm (12.6 x 19 inch) media support and print speed up to 50 ppm, Part #22Z0093

In the box Lexmark X954de colour multifunction printer, Up to Lexinar x954ue colour induirulation primer, up to 19,000°-page colour (CMY) toner cartridges, Up to 19,000°-page black toner cartridge, Black, cyan, magenta, and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark X950 Series Product Specifications

| | Lexmark X950de | Lexmark X952de | Lexmark X954de | |
|---------------------------------------|---|--|--|--|
| Printing | | 1 | 1 | |
| Print Technology | | Colour LED | | |
| Print Speed (A4 mono): Up to | 45 ppm | 50 ppm | 55 ppm | |
| Print Speed (A4 colour): Up to | 40 ppm | 45 ppm | 50 ppm | |
| Time to First Page (Black) | As fast as 5.5 seconds | As fast as 5.2 seconds | As fast as 5.0 seconds | |
| Time to First Page (Colour) | as fast as 7.7 seconds | as fast as 7.7 seconds | as fast as 7.2 seconds | |
| Print Resolution, Black | 1200 x 1200 dpi, 2400 Image Quality | | | |
| Print Resolution, Colour | | 1200 x 1200 dpi, 2400 Image Quality | | |
| Memory, standard | 1024 MB | 1024 MB | 2048 MB | |
| Memory, maximum | | 2048 MB | | |
| Hard Disk | | as standard | | |
| Print Noise Level, Operating | 52 dBA | 52 dBA | 53 dBA | |
| Noise Level, Idle | | 24 dBA | <u> </u> | |
| Maximum Monthly Duty Cycle: Up to | 200000 pages per month | 225000 pages per month | 250000 pages per month | |
| Recommended Monthly Page Volume | | 5000 - 33000 Pages | | |
| Supplies | 5555 | | | |
| Supplies Yield | Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798., 24,000*-page Colour (CMY) Toner Cartridges, 38,000*-page Black Toner Cartridge | | | |
| Copying | | | | |
| Copy Speed (A4, Black): Up to | 45 cpm | 50 cpm | 55 cpm | |
| Copy Speed (A4, Colour): Up to | 40 cpm | 45 cpm | 50 cpm | |
| Scanning | | | | |
| ADF Scan | | RADF (reversing Duplex) | | |
| Scanning Resolution | | 600 x 600 dpi | | |
| Reduce / Enlarge Range | | 25 - 400 % | | |
| Faxing | | | | |
| Modem Speed | | 33.6 Kbps | | |
| Paper Handling | | | | |
| Paper Handling Standard | 500-Sheet Out | out Bin, Integrated Duplex, 100-Sheet Multipurpose I | Feeder, 520-Sheet Input Tray | |
| Paper Handling Optional | 2,000-Sheet High Capacity Feeder, 3,500-Sheet F | Finisher, 3 x 520-Sheet Drawer Stand, Booklet Finish | er, 2,520-Sheet Tandem Tray Module, 520-Sheet Drawer Stand | |
| Paper Input Capacity, Standard: Up to | | 620 pages 75 gsm bond | | |
| Paper Input Capacity, Maximum: Up to | | 5140 pages 75 gsm bond | | |
| ADF Paper Input Capacity : Up to | 110 pages 75 gsm bond | | | |
| Media Types Supported | Card Stock, Envelopes, Glossy paper, Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide | | | |
| General | | | | |
| Function | Colour Copy | ng, Colour Faxing, Colour Printing, Colour Scanning, | Colour Network Scanning | |
| Product Guarantee | | 1-Year Onsite Service, Next Business Da | ay . | |
| Product Certifications | www.lexmark.co.uk | | | |
| Size (mm - H x W x D) | 762 x 640 x 685 mm | | | |
| Weight (kg) | 116.0 kg | | | |
| Specified Operating Environment | Temperature: 10 to 32°C (50 to 90°F), Humidity: 20 to 80% Relative Humidity, Altitude: 0 - 2300 Meters (7,545 Feet) | | | |

Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer

Maximum Monthly Duty Cycle
«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month
using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark
printers and MFPs.

Footnotes

- Footnotes

 Source: InfoTrends/CapVentures., «Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service», August, 2008

 Average continuous black or continuous composite CMY declared cartridge yield in accordance with ISO/IEC 19798.

 Change Language is an option during installation.

 Illustration shows enlarged description of touch screen.



Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE® is a registered trademark of Pantone, Inc. This product features Adobe® Flash® technology. For further information, visit http://www.adobe.com/software/flash/about/

