

INSTALLATION



EM2400
Light Duty Wall Mount



C267M-D (1/08)

IMPORTANT SAFETY INSTRUCTIONS

1. Installation and servicing should only be done by qualified service personnel and conform to all local codes.
2. Installation shall be done in accordance with all local and national electrical and mechanical codes utilizing only approved materials.
3. Use only installation methods and materials capable of supporting four times the maximum specified load.

DESCRIPTION

The EM2400 light duty wall mount has been engineered for use with light- to medium-weight cameras and EH4010/EH4014/EH4018 enclosures. It is designed for mounting indoors on any wall or vertical surface and is capable of supporting loads up to 20 lb (9 kg).

The EM2400 has an adjustable head that allows mechanical positioning of the camera/enclosure. In addition to the removable front end cap, there is also a half-inch diameter cable feedthrough hole and an opening in the mounting plate for concealing the wiring.

MODEL

EM2400 Light duty indoor wall mount, gray.

INSTALLATION

To install the EM2400 enclosure mount, perform the following steps.

1. Drill holes in the mounting surface using the mount as a template, and attach the mount securely with the recommended fasteners. Fasteners to secure the mount to the desired mounting surface are not supplied.




WARNINGS:

- This mount is intended for use in indoor applications only. Do not mount outdoors.
- Make certain that the mounting surface is able to support the full load of the mount, enclosure, and camera.

2. Attach the enclosure or camera securely with the two 1/4-20 hex head screws provided.
3. Loosen the hex head bolts on the swivel head and adjust for pan rotation (360 degrees) and tilt angle (90 degrees up or down). Tighten bolts and lock into place.

SPECIFICATIONS

Pan Adjustment	360°
Tilt Adjustment	± 90°
Construction	Welded steel
Enclosure Mounting	Two 1/4-20 x 0.625 hex head machine screws (supplied)
Suggested Mounting Method	Secure to solid surface with three 1/4-inch or one 5/16-inch and one 1/4-inch diameter fasteners (not supplied) for applications where wall studs are encountered
Maximum Load	20 lb (9 kg)
Unit Weight	2.75 lb (1.25 kg)



NOTE: VALUES IN PARENTHESES ARE CENTIMETERS; ALL OTHERS ARE INCHES.

 The materials used in the manufacture of this document and its components are compliant to the requirements of Directive 2002/95/EC.

REVISION HISTORY

Manual #	Date	Comments
C267M-C	3/99	Revised to new format.
C267M-D	1/08	Replaced dimension drawing to illustrate new mounting head hole pattern per ECO 07-17992. Updated to new format.

Pelco, the Pelco logo, Camclosure, DigitalSENTRY, Endura, Esprit, ExSite, Genex, Intelli-M, Legacy, and Spectra are registered trademarks of Pelco, Inc. Spectra III is a trademark of Pelco, Inc. DLP is a registered trademark of Texas Instruments Incorporated.

© Copyright 2008, Pelco, Inc.
All rights reserved.

PRODUCT WARRANTY AND RETURN INFORMATION

WARRANTY

Pelco will repair or replace, without charge, any merchandise proved defective in material or workmanship **for a period of one year** after the date of shipment.

Exceptions to this warranty are as noted below:

- Five years on fiber optic products and TW3000 Series unshielded twisted pair (UTP) transmission products.
- Three years on Spectra® IV products.
- Three years on Genex® Series products (multiplexers, server, and keyboard).
- Three years on DX Series digital video recorders, DVR5100 Series digital video recorders, DigitalSENTRY® Series hardware products, DVX Series digital video recorders, NVR300 Series network video recorders, and Endura® Series distributed network-based video products.
- Three years on Camclosure® and Pelco-branded fixed camera models, except the CC3701H-2, CC3701H-2X, CC3751H-2, CC3651H-2X, MC3651H-2, and MC3651H-2X camera models, which have a five-year warranty.
- Three years on PML200/300/400 Series LCD monitors.
- Two years on standard motorized or fixed focal length lenses.
- Two years on Legacy®, CM6700/CM6800/CM9700 Series matrix, and DF5/DF8 Series fixed dome products.
- Two years on Spectra III®, Spectra Mini, Esprit®, ExSite®, and PS20 scanners, including when used in continuous motion applications.
- Two years on Esprit and WWS5700 Series window wiper (excluding wiper blades).
- Two years (except lamp and color wheel) on Digital Light Processing (DLP®) displays. The lamp and color wheel will be covered for a period of 90 days. The air filter is not covered under warranty.
- Two years on Intelli-M® eIDC controllers.
- One year (except video heads) on video cassette recorders (VCRs). Video heads will be covered for a period of six months.
- Six months on all pan and tilts, scanners, or preset lenses used in continuous motion applications (preset scan, tour, and auto scan modes).

Pelco will warrant all replacement parts and repairs for 90 days from the date of Pelco shipment. All goods requiring warranty repair shall be sent freight prepaid to a Pelco designated location. Repairs made necessary by reason of misuse, alteration, normal wear, or accident are not covered under this warranty.

Pelco assumes no risk and shall be subject to no liability for damages or loss resulting from the specific use or application made of the Products. Pelco's liability for any claim, whether based on breach of contract, negligence, infringement of any rights of any party or product liability, relating to the Products shall not exceed the price paid by the Dealer to Pelco for such Products. In no event will Pelco be liable for any special, incidental, or consequential damages (including loss of use, loss of profit, and claims of third parties) however caused, whether by the negligence of Pelco or otherwise.

The above warranty provides the Dealer with specific legal rights. The Dealer may also have additional rights, which are subject to variation from state to state.

If a warranty repair is required, the Dealer must contact Pelco at (800) 289-9100 or (559) 292-1981 to obtain a Repair Authorization number (RA), and provide the following information:

1. Model and serial number
2. Date of shipment, P.O. number, sales order number, or Pelco invoice number
3. Details of the defect or problem

If there is a dispute regarding the warranty of a product that does not fall under the warranty conditions stated above, please include a written explanation with the product when returned.

Method of return shipment shall be the same or equal to the method by which the item was received by Pelco.

RETURNS

To expedite parts returned for repair or credit, please call Pelco at (800) 289-9100 or (559) 292-1981 to obtain an authorization number (CA number if returned for credit, and RA number if returned for repair) and designated return location.

All merchandise returned for credit may be subject to a 20 percent restocking and refurbishing charge.

Goods returned for repair or credit should be clearly identified with the assigned CA or RA number and freight should be prepaid.



Worldwide Headquarters • 3500 Pelco Way • Clovis, California 93612 USA • www.pelco.com

USA & Canada • Tel: 800/289-9100 • Fax: 800/289-9150

International • Tel: 1-559/292-1981 • Fax: 1-559/348-1120