


### RECO List Page



Beacon Names, UUID, Major, Minor, RSSI can be checked on the RECO List Page.

RECO can be configured to have a iBeacon signal range between 3 to 70 meters. To change the setting of a specific RECO, the RECO need to be near to the configuration app. Blue colored RECO name means that it can be configured.

### **RECO** iBeacon

UUID= 24DDF411-8CF1-440C-87CD-E368DAF9C93E
Major= 17987
Minor= 17985

RSSI:-67dbm

When the RECO is too far, configuration is not possible but iBeacon data will be displayed only.

### RECO iBeacon


UUID= 24DDF411-8CF1-440C-87CD-E368DAF9C93E

RSSI:-74dbm


Major= 18501 Minor= 16963

too far to connect


### Connecting to RECO









# Connected RECO Page





## Changing RECO Data (1)






### Changing RECO Data (2)





## Changing RECO Data (3)



제 3자가 설정값을 변경하는 것을 방지하기 위해, RECO는 고유의 비밀번호를 가지고 있습니다. 비밀번호를 입력하면 RECO의 설정값이 변경됩니다.

RECO member center (<a href="http://member.reco2.me">http://member.reco2.me</a>) will provide a password after the registeration of your RECO.

### **FCC Notice**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:



- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

(FCC Part 15.21) Caution: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.



- •Only batteries of the same or equivalent type as recommended are to be used.
- •Insert batteries with the correct polarity as indicated on the product.
- •Remove batteries during long periods of non-use. Remove exhausted batteries promptly.
- ●This product requires two AAA(UM-4) batteries
- •Dispose of batteries safety, Batteries may explode or leak if disposed of in a fire.
- •Protect the environment by not disposing of the batteries or this product with houhold waste (2002/96/EC) Check you local authority for recycling advice and facilities



KEEP PACKING FOR FUTURE REFERENCE.

MADE IN KORFA