



Philips Series 2000
Air humidifier

Hygienic humidification

Spreads less bacteria*
Automatic humidity settings
Auto shut-off



HU4804/40

Hygienic humidification

Better air starts with your humidifier

Breathe easier with the assistance of the Philips Humidifier Series 2000. NanoCloud evaporative technology spreads 99% less bacteria* vs. leading ultrasonic humidifiers and prevents wet spots and white dust.* Perfect for bedroom or nursery.

NanoCloud technology

- Natural evaporation process
- Prevents the spreading of bacteria
- Prevents wet spots and white dust
- No hot water

Smart controls

- Automatic humidity settings
- Quiet sleep mode
- Timer
- 2 fan speeds

Easy to Maintain

- Easy-to-fill tank
- Easy-clean design

PHILIPS

Air humidifier

Hygienic humidification Spreads less bacteria*, Automatic humidity settings, Auto shut-off

HU4804/40

Highlights

Natural evaporation process



NanoCloud technology uses a natural evaporation process, which draws in dry air, adds water molecules to the air, and emits humidified air into the room.

Spreads less bacteria*



Once the water is evaporated, the water mist becomes invisible and the smaller molecules are less able to carry bacteria into the air. Our laboratory testing confirms that NanoCloud technology spreads 99% less bacteria than leading ultrasonic humidifiers.

Prevents wet spots&white dust*




With its 360° design, the humidifier distributes the humidified air evenly throughout the room, preventing wet spots on the floor or surface. The NanoCloud technology also reduces the risk of spreading minerals into the air, thereby preventing white dust on furniture and surfaces.

No hot water

NanoCloud technology does not heat water, preventing the risk of burns from hot water or warm steam.

Automatic humidity settings



Maintain a constant humidity level with the automatic humidity settings. Choose 40%, 50%, or 60% as your target humidity level, and the humidifier will automatically turn on or off to

reach the desired humidity level. The Smart Humidity sensor enables the appliance to manage the humidity level. The numerical display also shows you the current humidity level in the room.

Quiet sleep mode



In sleep mode, the humidifier runs at minimum noise level and all lights are off except for the speed indicator. This setting ensures you can maintain your desired humidity level even when you are sleeping.

Timer



When using the timer, the humidifier operates for a set number of hours and automatically switches off when the set time has elapsed. Set the humidifier for 1, 4 or 8 hours.

Air humidifier

Hygienic humidification Spreads less bacteria*, Automatic humidity settings, Auto shut-off

HU4804/40

Specifications

Design and finishing

- Air quality sensor(s): Humidity sensor
- Color of control panel: White and black
- Control panel type: Button
- Fan speed indicators: Sleep, 1, 2
- Material of main body: Plastic
- Color(s): White and oyster metallic

Performance

- Humidification rate: 1.43 Gallons/24hrs or 225.52 ml/h

Technical specifications

- Cord length: 5.25 ft/1.6 m
- Effective area: 269sq ft/25 m²
- Sound level: 34 dB(A)
- Voltage: 110 V
- Water tank capacity: 2 L

Country of origin

- Country of origin: China

Replacement

- Humidification wick: Replace wick filter once every 3 working months

Service

- 2-year warranty

Sustainability

- Packaging: > 90% recycled materials
- User manual: 100% recycled paper

Weight and dimensions

- Dimensions of product (LxWxH): 9.8*9.8*13.3 inch/ 249*249*339 mm



Issue date 2016-12-31

Version: 8.9.1

© 2016 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com

* Prevents wet spots and white dust: Independent third-party test
Determination of deposition of minerals from liquid droplets on
furniture according to DIN 44973, IUTA e.V. To determine mineral
deposits onto furniture from airborne liquid droplets over a period of
3 hours.
* Up to 269 sq ft/25 m²: Room size is calculated based on humication
rate tested by third party lab, following AHAM HU-1-2006 (R2011)
* Results are based on emission of the bacterium Pseudomonas Fragi
from clean units and filters, after 1,6 and 24 hours of continuous use,
varying in water consumption from 30-120ml/hr, using sterilized water
spiked with said bacterium, conducted in a 1m³(35cuft) chamber
refreshed at 560L/min (148gpm)