

- Black Line
- Scart
- 24 Hours on/off timer
- Sharpness Control
- **Teletext** (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore









- Black Line
- Scart
- 24 Hours on/off timer
- · Sharpness Control
- Teletext (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore












- Black Line
- Scart
- 24 Hours on/off timer
- · Sharpness Control
- **Teletext** (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore











- Black Line
- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 21PT1653)
- Headphone Socket
- 70 Pre-selections
- Autostore









- Black Line
- Scart
- 24 Hours on/off timer
- · Sharpness Control
- Teletext (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore











- Black Line
- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore









- Black Line
- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore



Let's make things better.



**PHILIPS** 




- Black Line
- Scart
- 24 Hours on/off timer
- · Sharpness Control
- Teletext (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore











- Black Line
- Scart
- 24 Hours on/off timer
- · Sharpness Control
- Teletext (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore





As κάνουμε τον κόσμο μας καλύτερο.










- Black Line
- Scart
- 24 Hours on/off timer

- **Autostore**


















- 70 Pre-selections



- Black Line
- Scart
- 24 Hours on/off timer
- · Sharpness Control
- Teletext (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore












- Black Line
- Scart
- 24 Hours on/off timer
- · Sharpness Control
- Teletext (only for 21PT1653)
- · Headphone Socket
- 70 Pre-selections
- Autostore











Black Line

Modern tube with superb colours and superior daytime viewing.

1 Scart

To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible

24 Hours on/off timer

The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.

**Sharpness Control** 

8 steps Sharpness control for images with better

Teletext (only for 21PT1653)

**Product Information** 

Easy computer controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

: 162

#### Supporting features

- · Headphone Socket
- 70 Pre-selections
- Autostore
- · Automatic switch-off
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- · Hyperband Reception Optional

# 70 fold VST

**Picture** 

Type

Chassis

Screen Diameter 21" Visual Screen : 51 cm

Sound

RMS output :

· Loudspeakers: 4" full range front firing

Operation

 Remote control RC8201 (21PT1353)

RC8205 (21PT1653)

· Settings via OSD of Volume

**Brightness** Contrast Colour **Sharpness** Timer

Timer 24 hours on/off 70 pre-selections · Programs

Teletext (only for 21PT1653)

· Reception standards : Memories 1-page

/00, /01, /05, /11 Western Eu.TXT /15 Greek TXT

Cyrillic TXT /58 Eastern Eu.TXT Reception

Tuning system

· Transmission system :

PAL B/G /00 /11 /01 PAL BG SECAM LL'

/15, /60, /58 PAL BG DK SECAM BG DK

PAL I

· Channel selections:

VHF, UHF, S /01,/11,/15,/60,/58 VHF, UHF, S, H

UHF NTSC Playback : 4.43 MHz

Connections

 Rear : Euro A/V connector

(Cenelec Specified) Aerial input: 75 Ohm (Coax) Headphone

 Front (3.5 mm jack)

Miscellaneous

 Mains AC220-240V ±10%

 Power consumption 45W Stand-by power 5W · Weight (excl. pack.) 17 kg Weight (incl. pack.) 20 kg 25 kg Weight (incl. stand)

• TV Dimensions (whd): 51.7 x 47.3 x 48.2 cm • Packaging Dim. (whd): 60.8 x 56.8 x 58.8 cm • Dim. with stand (whd): 60.8 x 65.1 x 58.8 cm



RC8201



RC8205

: August 1997 Release date 21PT135B, 21PT165B Predecessor Date of issue December 1998







#### · Black Line

Modern tube with superb colours and superior daytime viewing.

#### 1 Scart

To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.

#### · 24 Hours on/off timer

The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.

#### · Sharpness Control

8 steps Sharpness control for images with better details.

• Teletext (only for 21PT1653)

Easy computer controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

#### Supporting features

- · Headphone Socket
- 70 Pre-selections
- · Autostore
- · Automatic switch-off
- · Low standby power 5 watts
- · Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- · Hyperband Reception Optional

## 

#### **Product Information**

#### Chassis

• Type : L6.2

#### **Picture**

Screen Diameter : 21"Visual Screen : 51 cm

#### Sound

• RMS output : 3 W

Loudspeakers: 4" full range front firing

#### Operation

Remote control : RC8201 (21PT1353)

RC8205 (21PT1653)

• Settings via OSD of : Volume

Brightness Contrast Colour Sharpness Timer

Timer : 24 hours on/off Programs : 70 pre-selections

#### **Teletext** (only for 21PT1653)

Reception standards : WSTMemories : 1-page

/00, /01, /05, /11 Western Eu.TXT
/15 Greek TXT
/60 Cyrillic TXT
/58 Eastern Eu.TXT

#### Reception

• Tuning system : 70 fold VST

· Transmission system :

/00,/11 PAL B/G
/01 PAL BG
SECAM LL'
/15,/60,/58 PAL BG DK

/15, /60, /58 PAL BG DK SECAM BG DK

95 PAL I

· Channel selections :

/00 VHF, UHF, S /01,/11,/15,/60,/58 VHF, UHF, S, H /05 UHF

• NTSC Playback : 4.43 MHz

#### Connections

• Rear : Euro A/V connector

(Cenelec Specified)
Aerial input:
75 Ohm (Coax)
Headphone

• Front : Headphone (3.5 mm jack)

#### Miscellaneous

• Mains : AC220-240V ±10%

Power consumption : 45W
Stand-by power : 5W
Weight (excl. pack.) : 17 kg
Weight (incl. pack.) : 20 kg
Weight (incl. stand) : 25 kg

TV Dimensions (whd): 51.7 x 47.3 x 48.2 cm
 Packaging Dim. (whd): 60.8 x 56.8 x 58.8 cm
 Dim. with stand (whd): 60.8 x 65.1 x 58.8 cm



RC8205

- Menu +

1-11

Release date : August 1997
Predecessor : 21PT135B, 21PT165B
Date of issue : December 1998







#### Black Line

Modern tube with superb colours and superior daytime viewing.

#### 1 Scart

To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible

#### 24 Hours on/off timer

The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.

#### **Sharpness Control**

8 steps Sharpness control for images with better

Teletext (only for 21PT1653)

Easy computer controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

#### Supporting features

- · Headphone Socket
- 70 Pre-selections
- Autostore
- · Automatic switch-off
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- · Hyperband Reception Optional

## 2 3 5 6 7 8 9 <del>(0)-(3)</del>

RC8201

#### **Product Information**

#### Chassis

: L6.2 Type

#### **Picture**

Screen Diameter 21" Visual Screen : 51 cm

#### Sound

• RMS output :

· Loudspeakers: 4" full range front firing

#### Operation

 Remote control RC8201 (21PT1353)

RC8205 (21PT1653)

· Settings via OSD of Volume

**Brightness** Contrast Colour **Sharpness** Timer

Timer 24 hours on/off 70 pre-selections · Programs

#### Teletext (only for 21PT1653)

· Reception standards : Memories 1-page

/00, /01, /05, /11 Western Eu.TXT /15 Greek TXT Cyrillic TXT /58 Eastern Eu.TXT

#### Reception

 Tuning system 70 fold VST

· Transmission system :

PAL B/G /00 /11 /01 PAL BG SECAM LL' /15, /60, /58 PAL BG DK

SECAM BG DK

PAL I

· Channel selections:

VHF, UHF, S /01,/11,/15,/60,/58 VHF, UHF, S, H UHF

 NTSC Playback : 4.43 MHz

#### Connections

 Rear : Euro A/V connector

(Cenelec Specified) Aerial input: 75 Ohm (Coax) Headphone

 Front (3.5 mm jack)

#### Miscellaneous

 Mains AC220-240V ±10%

 Power consumption 45W Stand-by power 5W · Weight (excl. pack.) 17 kg Weight (incl. pack.) 20 kg 25 kg Weight (incl. stand)

• TV Dimensions (whd): 51.7 x 47.3 x 48.2 cm • Packaging Dim. (whd): 60.8 x 56.8 x 58.8 cm • Dim. with stand (whd): 60.8 x 65.1 x 58.8 cm





RC8205

: August 1997 Release date 21PT135B, 21PT165B Predecessor Date of issue December 1998







#### Black Line

Modern tube with superb colours and superior daytime viewing.

#### 1 Scart

To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.

#### · 24 Hours on/off timer

The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.

#### · Sharpness Control

8 steps Sharpness control for images with better details.

• Teletext (only for 21PT1653)

Easy computer controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

#### Supporting features

- · Headphone Socket
- 70 Pre-selections
- Autostore
- · Automatic switch-off
- · Low standby power 5 watts
- · Remote control for installation and operation
- · Menu driven operation
- Multistandard Reception Optional
- · Hyperband Reception Optional

### **Product Information**

#### Chassis

• Type : L6.2

#### **Picture**

Screen Diameter : 21"Visual Screen : 51 cm

#### Sound

• RMS output : 3 W

Loudspeakers: 4" full range front firing

#### Operation

Remote control : RC

RC8201 (21PT1353) RC8205 (21PT1653)

• Settings via OSD of :

Volume Brightness Contrast Colour Sharpness Timer

Timer : 24 hours on/off Programs : 70 pre-selections

#### **Teletext** (only for 21PT1653)

Reception standards : WSTMemories : 1-page

/00, /01, /05, /11 Western Eu.TXT
/15 Greek TXT
/60 Cyrillic TXT
/58 Eastern Eu.TXT

#### Reception

• Tuning system : 70 fold VST

· Transmission system :

/00,/11 PAL B/G /01 PAL BG SECAM LL'

/15, /60, /58 PAL BG DK SECAM BG DK

D5 PAL I

· Channel selections :

/00 VHF, UHF, S /01,/11,/15,/60,/58 VHF, UHF, S, H /05 UHF

• NTSC Playback : 4.43 MHz

#### Connections

• Rear : Euro A/V connector

(Cenelec Specified)
Aerial input:
75 Ohm (Coax)
Headphone

• Front : Headphone (3.5 mm jack)

#### Miscellaneous

• Mains : AC220-240V ±10%

Power consumption : 45W
Stand-by power : 5W
Weight (excl. pack.) : 17 kg
Weight (incl. pack.) : 20 kg
Weight (incl. stand) : 25 kg

TV Dimensions (whd): 51.7 x 47.3 x 48.2 cm
 Packaging Dim. (whd): 60.8 x 56.8 x 58.8 cm
 Dim. with stand (whd): 60.8 x 65.1 x 58.8 cm



RC8201



RC8205

Release date : August 1997
Predecessor : 21PT135B, 21PT165B
Date of issue : December 1998







Black Line

Modern tube with superb colours and superior daytime viewing.

1 Scart

To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible

24 Hours on/off timer

The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.

**Sharpness Control** 

8 steps Sharpness control for images with better details.

Teletext (only for 21PT1653)

Easy computer controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

#### Supporting features

- · Headphone Socket
- 70 Pre-selections
- Autostore
- · Automatic switch-off
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- · Hyperband Reception Optional

## 2 3 5 6 7 8 9 <del>(0)-(3)</del>

RC8201

#### **Product Information**

Chassis

: 162 Type

**Picture** 

Screen Diameter : 21" Visual Screen : 51 cm

Sound

• RMS output :

· Loudspeakers: 4" full range front firing

Operation

Remote control

RC8201 (21PT1353) RC8205 (21PT1653)

· Settings via OSD of Volume

**Brightness** Contrast Colour **Sharpness** Timer

Timer 24 hours on/off 70 pre-selections · Programs

Teletext (only for 21PT1653)

· Reception standards : WST Memories 1-page

/00, /01, /05, /11 Western Eu.TXT

/15 Greek TXT Cyrillic TXT /58 Eastern Eu.TXT Reception

 Tuning system 70 fold VST

· Transmission system :

PAL B/G /00 /11 /01 PAL BG SECAM LL'

/15, /60, /58 PAL BG DK SECAM BG DK

PAL I

· Channel selections:

VHF, UHF, S /01,/11,/15,/60,/58 VHF, UHF, S, H /05

UHF

 NTSC Playback : 4.43 MHz

Connections

 Rear : Euro A/V connector

(Cenelec Specified) Aerial input: 75 Ohm (Coax) Headphone

 Front (3.5 mm jack)

Miscellaneous

 Mains AC220-240V ±10%

 Power consumption 45W Stand-by power 5W · Weight (excl. pack.) 17 kg Weight (incl. pack.) 20 kg 25 kg Weight (incl. stand)

• TV Dimensions (whd): 51.7 x 47.3 x 48.2 cm • Packaging Dim. (whd): 60.8 x 56.8 x 58.8 cm • Dim. with stand (whd): 60.8 x 65.1 x 58.8 cm





RC8205

Release date : August 1997 21PT135B, 21PT165B Predecessor Date of issue December 1998







#### · Black Line

Modern tube with superb colours and superior daytime viewing.

#### 1 Scart

To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.

#### · 24 Hours on/off timer

The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.

#### · Sharpness Control

8 steps Sharpness control for images with better details.

• Teletext (only for 21PT1653)

Easy computer controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

#### Supporting features

- · Headphone Socket
- 70 Pre-selections
- Autostore
- · Automatic switch-off
- · Low standby power 5 watts
- · Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- · Hyperband Reception Optional

## 

#### **Product Information**

#### Chassis

• Type : L6.2

#### **Picture**

Screen Diameter : 21"Visual Screen : 51 cm

#### Sound

• RMS output : 3 W

Loudspeakers: 4" full range front firing

#### Operation

Remote control : RC8201 (21PT1353)

RC8205 (21PT1653)

• Settings via OSD of : Volume

Brightness Contrast Colour Sharpness Timer

Timer : 24 hours on/off Programs : 70 pre-selections

#### **Teletext** (only for 21PT1653)

Reception standards : WSTMemories : 1-page

/00, /01, /05, /11 Western Eu.TXT
/15 Greek TXT
/60 Cyrillic TXT
/58 Eastern Eu.TXT

#### Reception

• Tuning system : 70 fold VST

• Transmission system :

/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/15, /60, /58 PAL BG DK

/15, /60, /58 PAL BG DK SECAM BG DK

D5 PAL I

· Channel selections :

/00 VHF, UHF, S /01,/11,/15,/60,/58 VHF, UHF, S, H /05 UHF

• NTSC Playback : 4.43 MHz

#### Connections

• Rear : Euro A/V connector

(Cenelec Specified) Aerial input: 75 Ohm (Coax) Headphone

• Front : Headphone (3.5 mm jack)

#### Miscellaneous

• Mains : AC220-240V ±10%

Power consumption : 45W
Stand-by power : 5W
Weight (excl. pack.) : 17 kg
Weight (incl. pack.) : 20 kg
Weight (incl. stand) : 25 kg

TV Dimensions (whd): 51.7 x 47.3 x 48.2 cm
 Packaging Dim. (whd): 60.8 x 56.8 x 58.8 cm
 Dim. with stand (whd): 60.8 x 65.1 x 58.8 cm



RC8205

4 5 6

7 8 9

PP-(1-E

□ • ? •

- Menu +

1-11

Release date : August 1997
Predecessor : 21PT135B, 21PT165B
Date of issue : December 1998













21PT1653\_FTL1.EPS