



# Poly Trio Solution

## Contents

<b>UC Software 5.9.2AB Supported Products .....</b>	<b>2</b>
<b>What's New for UC Software 5.9.2AB .....</b>	<b>3</b>
<b>Poly Experimental Features .....</b>	<b>3</b>
<b>Security Updates.....</b>	<b>4</b>
<b>Release History .....</b>	<b>4</b>
<b>Resolved Issues.....</b>	<b>11</b>
<b>Known Issues.....</b>	<b>11</b>
<b>UC Software Distributed Files .....</b>	<b>12</b>
<b>Limitations.....</b>	<b>14</b>
<b>Interoperability .....</b>	<b>18</b>
<b>Getting Help and Copyright Information .....</b>	<b>27</b>

# UC Software 5.9.2AB Supported Products

UC Software 5.9.2AB for the Poly Trio solution supports the following Poly products and peripherals.

## Supported Poly Products and Peripherals

<i>Supported Poly Product</i>	<i>Supported Product Peripherals</i>
Poly Trio 8800 and Poly Trio 8500	Poly Trio Visual+ accessory Poly Trio VisualPro system Poly Trio Expansion Microphone accessory
Poly Trio 8300	Poly Trio Visual+ accessory Poly Trio Expansion Microphone accessory
Poly Trio Visual+ accessory	Polycom EagleEye IV USB camera (Poly Trio 8500 and 8800 only) Polycom EagleEye Mini USB camera Polycom EagleEye Cube USB camera
Poly Trio VisualPro system  (Poly Trio 8500 and 8800 only)	Polycom EagleEye IV 4x and 12x cameras Polycom EagleEye Director II camera system Polycom EagleEye Producer camera system Polycom EagleEye Acoustic camera Polycom EagleEye Cube HDCI camera
Polycom RealPresence Group Series system  (Poly Trio 8500 and 8800 only)	Polycom EagleEye IV 4x and 12x cameras Polycom EagleEye Director II camera system Polycom EagleEye Producer camera system Polycom EagleEye Acoustic camera Polycom EagleEye Cube HDCI camera
Poly Trio 8500 and 8800 systems when connected by USB to Microsoft Teams Rooms, Skype Room Systems, or Microsoft Surface Hub	Polycom EagleEye Director II camera system

Some things to note about hardware versions and compatibility:

- When using a Polycom RealPresence Group Series system with a Poly Trio 8500 or 8800 system, you must:
  - Use RealPresence Group Series Group 310 or Group 500 hardware models
  - Use RealPresence Group Series system software version 6.2.0 or later
  - Use RealPresence Group Series system hardware version 20 or later
  - Configure your RealPresence Group Series system to run in Trio Pairing mode

- Some hardware revisions of the Poly Trio Visual+ accessory may not be compatible with earlier hardware revisions of the Poly EagleEye Cube USB camera. Refer to the “Camera Compatibility” section of Limitations for more details.

## What’s New for UC Software 5.9.2AB

This release of Polycom Unified Communications (UC) Software 5.9.2AB for the Poly Trio solution is for Open SIP, Microsoft Skype for Business, Microsoft Teams, and Zoom Room deployments and includes all the features of previous releases and important fixes.

Poly frequently provides software updates with new features and recommends that you regularly update the software on your Poly Trio devices for the best performance and experience.

## Poly Experimental Features

Poly sometimes releases experimental features that administrators can enable and evaluate in non-production environments.

---

**Note:** Experimental features are neither tested nor supported. These features might, or might not, become official features in a future release. For more information about experimental features or to provide feedback on your experience, visit the [Polycom Support Community](#).

---

### *Poly Studio USB Video Bar*

This release provides experimental support for the Poly Studio USB video bar as a USB camera when connected to a Poly Trio Visual+ accessory paired with a Poly Trio 8500 or 8800 system. However, the Poly Trio system doesn’t use the microphones and speakers of the Poly Studio USB video bar for audio.

### *Multiple Cameras with Poly Trio Visual+*

You can connect more than one camera to a Poly Trio system paired with one or more Poly Trio Visual+ accessories. Users can choose which camera to use during a call using the Camera Controls option. You can also save presets for each connected camera and use the presets to switch between cameras; however, selecting the Home preset option will only reset the currently selected camera.

## Configure Multi-Camera Support



Set the following parameter values to enable support for multiple cameras with Poly Trio Visual+.

- `video.camera.multiCamera.enabled="1"`
- (Optional) `mr.pair.maxDevices=<integer equal to 1 + (the number of Visual+ and VisualPro devices paired with the Poly Trio system)>`

## Switch Between Cameras

You can switch between two or more cameras connected to a Poly Trio system with a paired Poly Trio Visual+ accessory.

You can also save presets for each connected camera and use the presets to switch between cameras; however, selecting the Home preset option will only reset the currently selected camera.

- 1 Do one of the following:
  - During a call, select **Camera** .
  - Select **Menu**  and select **Camera**.
- 2 On the **Camera Controls** screen, do one of the following:
  - Tap the Switch Camera icon .
  - Select a preset saved for the camera.

## Security Updates

Please refer to the [Polycom Security Center](#) for information about known and resolved security vulnerabilities.

## Release History

This following table shows the release history of the Poly Trio solution.

### Release History

<i>Release</i>	<i>Release Date</i>	<i>Features</i>
5.9.2AB	February 2020	This release includes important field fixes and: <ul style="list-style-type: none"> <li>• 5GHz-based Wi-Fi connectivity is no longer supported for Indonesia systems.</li> </ul>
5.9.2AA	December 2019	This release includes support for: <ul style="list-style-type: none"> <li>• FIPS 140-2 Compliance Support</li> <li>• California SB-327 Compliance</li> <li>• USB Pass-through for Windows 10</li> <li>• Exchange Impersonation for Calendaring</li> <li>• Processing Non-English Polycom RealConnect Invites</li> <li>• Default SNTP Server for Microsoft Teams Base Profile</li> <li>• Bluetooth Device Audio Settings</li> <li>• Limit for Paired Bluetooth Devices</li> <li>• Click-to-Join Support for Cisco WebEx Meetings</li> <li>• Exchange Server Credentials via System Web Interface on Poly Trio 8300</li> </ul>

<i>Release</i>	<i>Release Date</i>	<i>Features</i>
5.9.1AC	November 2019	This release includes important field fixes and support for: <ul style="list-style-type: none"> <li>• Allow OTD Exchange services to use basic authentication</li> </ul>
5.9.1AB	October 2019	This release includes important field fixes.
5.9.1AA	September 2019	This release includes support for: <ul style="list-style-type: none"> <li>• Introducing Poly Trio 8300</li> <li>• Third-Party Application ID Implementation on Skype for Business Phones</li> <li>• Camera tracking on the Poly EagleEye Cube USB camera</li> <li>• Camera Recalibration</li> <li>• Removal of the Restart feature</li> <li>• Wi-Fi Settings in Basic Settings</li> <li>• H.323 Protocol</li> <li>• Daisy-chaining up to three Poly Trio systems</li> <li>• Global Camera Tracking Parameters</li> <li>• Bluetooth Device Name Parameter</li> <li>• Microsoft Teams IP Phone Policy</li> <li>• Dimmed Custom Background Image</li> <li>• Documentation Updates</li> </ul>
5.9.0AD	July 2019	This release includes important field fixes.
5.9.0AB	June 2019	This release includes support for: <ul style="list-style-type: none"> <li>• Zoom Rooms Base Profile Enhancements</li> <li>• Polycom EagleEye Cube USB Camera Support</li> <li>• Important field fixes</li> </ul>
5.9.0AA	April 2019	This release includes support for: <ul style="list-style-type: none"> <li>• Amazon Alexa for Business Integration</li> <li>• Microsoft Teams Certification</li> <li>• Polycom RealConnect Click-To-Join</li> <li>• Polycom EagleEye Cube HDCI Camera Support</li> <li>• On-Premises Web Sign-in</li> <li>• Remote Web Sign-In</li> <li>• Outlook Contact Photo Integration</li> <li>• Video Call Overlays</li> <li>• Video and Content Layouts</li> <li>• Answer Incoming Calls with Mute buttons</li> <li>• Calendar Display on the Idle Screen</li> <li>• Display Avatars in Voice Calls</li> <li>• Automatic Content Display when Idle</li> <li>• Automatic HDMI Content Display</li> <li>• Reboot Network Devices</li> </ul>

<i>Release</i>	<i>Release Date</i>	<i>Features</i>
		<ul style="list-style-type: none"> <li>• Default In-Call Screen Options</li> <li>• Custom Call Options</li> </ul>
5.7.2AD	February 2019	This release includes important field fixes.
5.7.1AF	February 2019	This release includes important field fixes.
5.8.0AC	February 2019	This release includes important field fixes.
5.8.0AA	January 2019	<p>This release includes support for:</p> <ul style="list-style-type: none"> <li>• Polycom EagleEye IV USB Camera with Polycom Trio 8500</li> <li>• Bluetooth Discovery on Polycom Trio with the Polycom Content Application</li> <li>• Custom Icons for Contacts and Line Registrations</li> <li>• Reverse Name Lookup</li> <li>• PSTN Gateway on Failover</li> <li>• Upload Logs to a USB Flash Drive</li> <li>• Daisy-Chaining Polycom Trio Systems</li> </ul>
5.7.2AB	November 2018	<p>This release includes the following enhancements:</p> <ul style="list-style-type: none"> <li>• Microphone Synchronization Between Paired Systems</li> <li>• Audio from an HDMI Connection</li> <li>• Click-to-Join Support for Polycom RealConnect Services</li> </ul>
5.7.2AA	October 2018	<p>This release includes support for:</p> <ul style="list-style-type: none"> <li>• Cisco WebEx</li> <li>• Simple Certificate Enrollment Protocol (SCEP)</li> </ul>
5.7.1AC	September 2018	This release for the Polycom Trio solution includes several important field fixes.
5.7.1AB	August 2018	<p>This release for the Polycom Trio Solution includes support for the following:</p> <ul style="list-style-type: none"> <li>• Polycom Trio solution integration with RealPresence Group Series systems</li> <li>• Polycom Trio system integration with Zoom Rooms</li> </ul>

<i>Release</i>	<i>Release Date</i>	<i>Features</i>
5.7.1AA	July 2018	<p>This release for the Polycom Trio Solution includes support for the following:</p> <ul style="list-style-type: none"> <li>• Polycom EagleEye Mini USB camera support</li> <li>• Pairing with the Polycom EagleEye Director II camera system</li> <li>• Firmware updates for Polycom EagleEye IV USB camera</li> <li>• Scheduled Reboot</li> <li>• Two-Way Active Measurement Protocol (TWAP)</li> <li>• Assured Services - Session Initiation Protocol (AS-SIP)</li> <li>• Enhanced 911 (E.911)</li> <li>• Reset Polycom Trio system to default settings</li> <li>• Remote Party Caller ID from SIP Messages</li> <li>• Calling Line Identification</li> <li>• Static DNS Cache</li> <li>• Direct Inward Dialing Number</li> <li>• Storing Images to a Sub-Directory</li> <li>• Resetting the phone without an admin password</li> <li>• Forwarding incoming Skype for Business calls</li> <li>• Multiple Emergency Number Dial Plan</li> <li>• Siren7 Audio Codec</li> <li>• Skype for Business Device Lock</li> <li>• Microsoft Exchange Integration</li> <li>• Direct Inward Dialing Number</li> <li>• Web Proxy Auto Discovery</li> </ul>
5.5.4AA	April 2018	<p>This release for the Polycom Trio Solution includes support for the following:</p> <ul style="list-style-type: none"> <li>• Localization of virtual keyboard in sync with phone language</li> <li>• Two server redundancy parameters added</li> <li>• Per-camera video configurations</li> <li>• Camera controls and presets</li> <li>• Session header parameter updates</li> <li>• Polycom interoperability with BlueJeans</li> <li>• Changes to the display of scheduled meetings</li> </ul>
5.5.3AB	February 2018	<p>This release for the Polycom Trio solution includes several important field fixes.</p>

<i>Release</i>	<i>Release Date</i>	<i>Features</i>
5.5.3AA	December 2017	<p>This release for the Polycom Trio Solution includes support for the following:</p> <ul style="list-style-type: none"> <li>• Transport Layer Security (TLS) version 1.2</li> <li>• Skype for Business Video-Based Screen Sharing</li> <li>• Polycom EagleEye IV USB camera</li> <li>• Polycom Trio 8500 system with the Polycom Trio Visual+ accessory</li> <li>• SILK audio codec</li> <li>• Airplay discovery over Bluetooth on Polycom Trio 8800 system</li> </ul>
5.5.2AE	December 2017	<p>This release for the Polycom Trio 8500 and 8800 systems includes several important fixes.</p>
5.5.2AC	September 2017	<p>This release for the Polycom Trio 8500 and 8800 systems includes the following:</p> <ul style="list-style-type: none"> <li>• Screen Mirroring on Polycom Trio Solution</li> <li>• Software Update using Windows Server</li> <li>• Trio 8800 System Media Keepalive</li> <li>• Toggle Content and People Video Streams</li> <li>• Skype for Business User Experience Enhancements</li> <li>• Viewing a Different Calendar in Skype for Business Mode</li> <li>• Dynamic Port Ranges for Video and Content</li> <li>• Adding a PSTN Participant to a Call</li> <li>• Displaying Multiple Calendar Meetings on Connected Monitor</li> <li>• Web Sign in for Skype for Business Online</li> <li>• Secure Single Sign-On (SSO) with Third-Party Supporting Solutions</li> <li>• Managing Skype for Business Conference Participant Level in the Call Roster Screen</li> <li>• Device Lock</li> <li>• Client Media Port Ranges for Quality of Experience (QoE)</li> <li>• Microsoft Quality of Experience Monitoring Server Protocol (MS-QoE)</li> <li>• Exchange Web Services Discovery</li> <li>• Unified Contact Store</li> <li>• Alert Tones for Mute Status</li> <li>• Dial Plan Normalization</li> <li>• Dial Plan for SIP URI Dialing</li> <li>• Join a Meeting using SIP URI</li> <li>• Hybrid Line Registration</li> <li>• User Log Upload</li> </ul>



Release	Release Date	Features
		<ul style="list-style-type: none"> <li>• Audio, Video, and Content Port Ranges</li> <li>• Media Transport Ports for audio, video, and content</li> <li>• Experimental: Support for SILK Audio Codec</li> </ul>
5.4.5AG	July 2017	This release includes important field fixes and introduces support for compliance of the Polycom® Trio™ 8800 system with the Radio Equipment Directive ( <a href="#">2014/53/EU</a> ) applicable to the European Economic Area (EEA).
5.4.5AC	May 2017	This release addresses the following issues: <ul style="list-style-type: none"> <li>• Large Skype for Business Meetings with 100+ participants</li> <li>• Connectivity with Gigabit Ethernet switches</li> <li>• Microsoft Exchange Online authentication failure</li> </ul>
5.4.5AA	March 2017	This release includes support for the following features: <ul style="list-style-type: none"> <li>• Enhancements to the Polycom Trio 8800 and Trio Visual+ system interfaces</li> <li>• Enhancements to the Polycom Trio solution diagnostics</li> <li>• Set the display language from the Polycom Trio 8800 system menu</li> <li>• Experimental hybrid and dual-line registration</li> </ul>
5.4.4 AB   AD	December   January 2016	This release includes support for the following features: <ul style="list-style-type: none"> <li>• Hide Meeting Details</li> </ul> This release Includes important field fixes.
5.4.4AA	November 2016	This release includes support for the following features: <ul style="list-style-type: none"> <li>• New Skype for Business UI Design</li> <li>• Skype for Business optimized USB Audio Device Base Profile</li> <li>• Picture-in-Picture and Picture-in-Content</li> <li>• Skype for Business Gallery View-like layouts</li> <li>• Calendar improvements</li> <li>• Customization and configuration Options</li> <li>• This release resolves several known issues</li> </ul>
5.4.3AB	August 2016	This release includes support for the following features: <ul style="list-style-type: none"> <li>• Reset Video Mute</li> <li>• Synchronized volume control with a USB-connected computer</li> <li>• Trio 8800 system as a USB audio speakerphone for Mac computers</li> <li>• Dialpad shows digits entered during a call</li> <li>• Join future Skype for Business Meetings</li> </ul>

<i>Release</i>	<i>Release Date</i>	<i>Features</i>
5.4.3AA	May 2016	<p>This release includes support for the following features:</p> <ul style="list-style-type: none"> <li>• Simulcast of two video streams in Skype for Business AVMCU meetings</li> <li>• FEC improvements</li> <li>• Share a Mac® Computer Desktop at 1080p Resolution with Polycom® People + Content™ IP</li> <li>• Hide USB Connection from phone menu</li> <li>• Mute video to transmit a still image</li> <li>• Display number/extension or custom label on phone's home screen</li> <li>• Wi-Fi country code settings for India, Indonesia, Saudi Arabia, Singapore, South Africa and South Korea.</li> </ul>
5.4.2AB	April 2016	<p>This release replaces 5.4.2AA and addresses the following issue:</p> <ul style="list-style-type: none"> <li>• Powering Polycom Trio with Cisco PoE (Power over Ethernet) switches using the Cisco Discovery Protocol (CDP)</li> </ul>
5.4.2AA	March 2016	<p>This release includes support for the following features:</p> <ul style="list-style-type: none"> <li>• Forward Error Correction (FEC)</li> <li>• Customize the system interface</li> <li>• 1080p content input from People + Content IP / USB</li> </ul> <p>This release resolves several known issues.</p>
5.4.1AA	February 2016	<p>This release includes support for the following features:</p> <ul style="list-style-type: none"> <li>• Microsoft Office 365 and Skype for Business Online</li> <li>• Office 365 and Skype for Business Provisioning and Manageability</li> <li>• Time and Date Initial Setup</li> <li>• People + Content over USB for Windows®</li> <li>• USB Skype for Business or Lync 2013 audio calls with user interface controls</li> </ul> <p>This release also resolved some known issues.</p>
5.4.0AB	December 2015	Resolved some known issues
5.4.0AA	December 2015	<p>Added feature to hide Sign Out option</p> <p>Added an avatar that displays during a conference call when an audio-only participant is the active speaker.</p> <p>Resolved some known issues</p>
5.4.0.12197	November 2015	Resolved some known issues
5.4.0.12107	November 2015	Initial release for Polycom Trio 8800 and Polycom Trio Visual+

## Resolved Issues

The following table lists resolved issues in this release for Poly Trio systems. This release also includes several other user experience and performance fixes and enhancements not listed below.

### Resolved Issues

<i>Issue</i>	<i>Release</i>	<i>Description</i>
EN-164559	5.9.2AA	Poly Trio systems fail to build a full SIP URI for meeting dial-in with non-English RealConnect for Teams meetings.
EN-164285	5.9.1AC	Add to Call feature results in the original caller remaining on hold when the conference call begins.
EN-162416	5.9.1AB	Poly Trio systems, when utilizing Autodiscover and deployed with a proxy server, intermittently disconnect from Exchange Online services.
EN-161358	5.9.1AA	Content shared from Poly Trio VisualPro HDMI input can become blurry for all participants whenever a Skype for Business mobile client joins the conference. The parameter, <code>content.vbssPush.bitRateMinimum</code> was introduced to mitigate this issue.

## Known Issues

The following table lists all known issues and suggested workarounds for Poly Trio systems.

Upgrade the Poly Trio system with the latest software before contacting Polycom Support to ensure the issue has not already been addressed by software updates.

---

**Note:** These release notes do not provide a complete listing of all known issues that are included in the software. Issues not expected to significantly impact customers with standard voice and video conferencing environments may not be included. In addition, the information in these release notes is provided as-is at the time of release and is subject to change without notice.

---

### Known Issues

<i>Issue</i>	<i>Release</i>	<i>Description</i>	<i>Workaround</i>
EN-167612	5.9.2AA	Skype for Business video calls from Poly Trio systems to VVX phones paired with BToE can fail to connect.	No workaround.

<i>Issue</i>	<i>Release</i>	<i>Description</i>	<i>Workaround</i>
EN-165265	5.9.1AC, 5.9.2AA	When a meeting in the calendar has a description that is plain text (rather than HTML), dial-able numbers in the description that are immediately preceded by or followed by a new line may not be found and associated with the Join button or listed in the "More Actions" pane.	No workaround.
EN-163846	5.9.1AA	When the Poly Trio system is set up for One Touch Dial, it does not display a meeting reminder pop-up for users to join the meetings on their calendar.	Manually join the meeting from the Calendar view.
EN-162048	5.9.0AC	Poly Trio 8500 and 8800 systems display meeting reminders every 15 seconds after a meeting starts.	No workaround.
EN-150819	5.9.0AC	Poor call quality on the far end of a call occurs when the Poly Trio system uses its built-in microphone in conjunction with a separate microphone, and a physical audio obstruction (such as a laptop computer) is placed between the speaker and the Poly Trio system.	Avoid placing audio obstructions between the speakers and the Poly Trio system.

## UC Software Distributed Files

You can download the software package for Poly Trio solution in ZIP file format and place the package on a provisioning server to provision your devices. Each software package contains configuration files and a sip.ld file for each Poly Trio device.

The sip.ld files are model-specific and are as follows:

- Trio 8300: 3111-66800-001.sip.ld
- Trio 8500: 3111-66700-001.sip.ld
- Trio 8800: 3111-65290-001.sip.ld

---

**Note:** The Poly Trio Visual+ accessory is provisioned and updated automatically from the Poly Trio 8500 or Poly Trio 8800 it is paired with – user interaction and manual provisioning and software updates are typically not required. The UC Software for Poly Trio 8500 and Poly Trio 8800 download does not include a dedicated executable file for the Poly Trio Visual+. To provision the Trio Visual+, delete the part number from the Poly Trio sip.ld file and do one of the following:

- Use the renamed sip.ld file for both the Poly Trio and Visual+.
  - Copy the Poly Trio file and rename it using the Visual+ part number 3111-66420-001.sip.ld.
  - The Poly Trio 8300 does not currently manage the Visual+ software, and must be set up differently. Information on this pairing is described below.
- 

If you are provisioning your phones centrally using configuration files, download the corresponding resource file and extract the configuration files to the provisioning server, maintaining the folder hierarchy in the ZIP file.

The UC Software for the 5.9.2AB build ID for the sip.ld and resource files are:

- Poly Trio 8300: **5.9.2.7724**.
- Poly Trio 8500 & Poly Trio 8800: **5.9.2.7727**

The Poly Trio Pass-through application build ID is: **1.0.0.0067**. This version of the application supports use with UC software version 5.9.2AB for Poly Trio systems and Windows 10.

## ***Installing UC Software***

Administrators can install UC software for the Poly Trio system using a provisioning server. UC software can be installed on Poly Trio 8500 and Poly Trio 8800 using a USB flash drive as well. Administrators can configure features for the system using configuration files on a provisioning server, using the Web Configuration Utility, or on the phone. See the *Poly Trio Solution Administrator Guide* for more information on configuring features.

## ***Installing Poly Trio Visual+ Software for Poly Trio 8300***

You **MUST** provision and update the Poly Trio Visual+ accessory when it is paired with the Poly Trio 8300 system. You are required to configure the Trio 8300 and stage the software for the Poly Trio Visual+ using a supported provisioning or boot server. The standard UC Software for Poly Trio 8300 download does not include a dedicated executable file for the Poly Trio Visual+. For your convenience, you can download an enhanced UC Software for Poly Trio 8300 archive (.zip) file that contains the Poly Trio Visual+ software executable files that you can unpack and copy into the same location as the UC Software for Poly Trio 8300.

## **Provisioning and Updating Poly Trio Visual+ with a USB Device**

You can store configuration files and settings on a USB flash memory device and provision or update Poly Trio Visual+ during normal functioning or in recovery mode. Recovery mode enables you to recover the Poly Trio Visual+ to a normal provisioning state when other methods are not working or not available.

Poly Trio Visual+ supports only File Allocation Table (FAT) file systems, and Poly recommends using FAT32. If other USB devices are attached to Poly Trio Visual+ system, you must remove them and ensure that the Poly Trio Visual+ system correctly recognizes the USB device you want to install from.

If you use a USB device to provision while a centralized provisioning server is in use, the USB configuration files override server settings. When you remove the USB device, the device returns to settings you configured on the server. Note, however, that the original server settings are subject to device parameter changes initiated by the USB device. The device parameter changes can alter parameters on the provisioning server and change basic provisioning settings.

You can upgrade the software of the Poly Trio Visual+ accessory when paired with a Poly Trio 8300 system in the following ways:

- Manual update via USB

- Via Poly Trio 8300 as a proxy using a provisioning or boot server. Download an enhanced UC Software for Poly Trio 8300 archive (.zip) file that contains the Poly Trio Visual+ software executable files then unpack and copy the files into the same location as the UC Software for Poly Trio 8300.

## ***Provision or Update Software Manually with a USB Device***

You can manually provision the Poly Trio Visual+ system, one at a time, with a USB during normal phone functioning.

### **To provision or update software manually with a USB device:**

- 1 Format a USB flash drive as FAT32. Poly recommends that you use a USB 2.0 flash drive.  
If you are using a drive that is already formatted, ensure that previous files are deleted from the flash drive.
- 2 Download the `Poly_UC_Software_<version ID>_Trio8300_with_Visual+_release.zip` file from the Poly Trio 8300 Support site.
- 3 Unpack the .zip file and move the contents to the root of the USB device. The minimum required configuration files are:
  - The master configuration file: `000000000000.cfg`
  - The Poly Trio Visual+ sip.id: `3111-66420-001.sip.id`
- 4 Insert the USB drive into the Poly Trio Visual+, follow the prompt for the Administrator password, and power cycle the device. Allow time for the devices to reboot.

## ***Pairing the Poly Trio Visual+ via Poly Trio 8300 Configuration***

You can pair a Poly Trio Visual+ to a Poly Trio 8300 system by setting the `mr.pair.uid.` parameter to the MAC address of the Poly Trio Visual+.

## **Limitations**

The following sections provide information on limitations when using the Poly Trio 8300, 8500, and 8800 systems, and Poly Trio Visual+ systems.

## ***Simulcast Video Streams in Skype for Business AVMCU Meetings on Poly Trio 8500 and 8800***

The Skype for Business AVMCU collects all the participant VSRs from endpoint requests and sends an aggregated VSR to each participating endpoint. Each endpoint receiving the aggregated VSR evaluates the video resolutions requested and determines what video resolution(s) to send.

For one stream, the Poly Trio 8500 or 8800 system sends the lowest common resolution requested to ensure that all endpoints can display the Poly Trio system video. The resolution of the lower quality stream cannot be higher than 360p. The video simulcast feature allows Poly Trio system to send a second higher resolution video stream when there are multiple resolutions requested. The resolution of

the higher quality stream depends on the number of endpoints requesting specific resolutions and an algorithm determines the video resolution that best serves all the endpoints. As a result, some endpoints receive a lower resolution stream than the resolution requested.

## ***Power over Ethernet Negotiation in CDP Environments***

The Poly Trio 8500 and 8800 systems do not support power negotiation over Cisco Discovery Protocol (CDP) with Cisco switches using CDP. CDP is supported for VLAN negotiation.

If you are powering your Poly Trio 8500 or 8800 system using an IEEE 802.3af Power over Ethernet compliant switch, power budget is negotiated by a hardware handshake at power up - CDP is not used.

If powering the Poly Trio 8800 system using an IEEE 802.3af Power over Ethernet Plus (PoE+) switch, the Poly Trio 8800 power budget is negotiated through a combination of hardware handshake and LLDP.

## ***Skype for Business and Lync 2013***

The following is a list of constraints and limitations when using the Poly Trio 8500 or 8800 system in a Microsoft Skype for Business or Lync 2013 environment:

- Skype for Business (online and on-premises) federation not tested with Skype for consumer.
- Poly Trio systems with Skype for Business Online and Exchange Online-based voicemail is not supported for use in Russia, Belarus, and Kazakhstan. Poly Trio with Skype for Business and Exchange on-premises-based voicemail with media encryption disabled is not tested for use in Russia, Belarus, and Kazakhstan.
- Trio systems are unable to join Skype for Business meeting broadcasts.
- The Poly Trio system does not support content and video for Lync for Mac 2011 desktop client.
- The Poly Trio system does not receive content sent from supported Skype for Business and Lync clients using Present PowerPoint Files and Whiteboard.
- The Poly Trio cannot join remote Skype for Business meetings scheduled by third parties that are not configured for Federation.

## ***Microsoft Skype Room System and Surface Hub***

When the Poly Trio 8500 and 8800 system Base Profile is set to **SkypeUSB** and connected via USB cable with a Microsoft Teams Room, Skype Room System, or Microsoft Surface Hub, the following limitations apply:

- When the Poly Trio 8500 or 8800 systems is connected to a Microsoft Surface Hub via USB, the Surface Hub performs Automatic Gain Control (AGC) and not the Poly Trio 8500 and 8800 systems.
- When connected to a Microsoft Teams Room or Skype Room System via USB, the Poly Trio 8500 or 8800 system performs Acoustic Echo Cancellation (AEC).

- The Web Configuration Utility of the Poly Trio 8500 and 8800 systems is disabled by default. The Web Configuration Utility can be enabled by an administrator from the phone menu at **Settings > Advanced > Administration Settings > Web Server Configuration** or using the configuration parameters `httpd.enabled=1` and `httpd.cfg.enabled=1`.

## ***Audio***

By default, audio from the far-site plays only on the Poly Trio 8500 and 8800 system speakers.

Administrators can enable far-site audio to play on the monitor speakers connected to the Poly Trio Visual+ accessory by HDMI or external speakers connected to the 3.5 mm port on the Poly Trio Visual+.

When a Bluetooth-capable device is paired with the Poly Trio 8500 and 8800 systems, audio quality that plays through the system's speaker is lower for the far-side.

## ***Video and Content***

The Poly Trio system's embedded Poly People + Content IP application is supported on Microsoft Windows® and Mac computers to a maximum of 1080p with up to 30fps.

In Open SIP and Binary Floor Control Protocol (BFCP)-compliant environments, the Poly Trio system cannot send or receive content on the content video channel in a conference held on Collaboration Server that has content protocol set to **H.264 Cascade Optimized** and **H.264 High Profile** enabled.

## ***Third-Party Cables***

Using a third-party HDMI cable may inhibit the Poly Trio Visual+ from properly executing video settings during video calls. This may occur due to the cable being broken or the cable does not meet general HDMI requirements.

The following behaviors may occur if the Poly Trio Visual+ fails to properly execute video settings:

- A portion of the video or content displays off screen.
- When the system is idle, black spaces or white boxes display on the monitor.

If either of these behaviors occurs, replace the HDMI cable with a Poly-supplied HDMI cable recommended for use with the Poly Trio system.

## ***Screen Mirroring with Miracast***

Poly cannot guarantee connectivity between the Poly Trio 8800 solution and all Miracast-certified devices due to variances in the implementation of the Miracast technology on vendors' devices.

Some devices can't establish direct connection to a Poly Trio 8800 solution if they are already connected to a 5GHz-only Wi-Fi Access Point. If experiencing this issue, disconnect the device from the Access Point while sharing content or by reconfiguring the Access Point to operate on 2.4GHz-only or 2.4Ghz + 5GHz bands.



## ***Video Color Reproduction***

When a Poly Trio system is paired with a Poly Trio VisualPro, the color reproduction accuracy can vary depending on environmental conditions and camera sensor capabilities.

## ***H.323 Support and Audio-Only Trio Systems***

H.323 works best between two or more video-enabled Poly Trio systems with a paired Poly Trio Visual+ or VisualPro accessory. H.323 is not supported when Poly Trio systems are joined in with a Poly Trio system that is not video-enabled.

## ***Camera Compatibility***

Early versions of the Poly Trio Visual+ accessory may be incompatible with early versions of the Poly EagleEye Cube USB camera. If you have an early version of the EagleEye Cube USB camera, revision A-D, use it with a Poly Trio Visual+ accessory manufactured in 2018 or later with hardware revision C or later. Later versions of the EagleEye Cube USB camera are supported with any Visual+ accessory hardware version.

## ***Content Sharing on Poly Trio 8300***

The following limitations apply when sharing content:

- USB-hosted People + Content over IP (PPCIP) executable is not supported – use the Polycom Content App instead.
- Content Sharing via USB with Polycom Content App is not supported – share content via IP instead.

## ***USB Provisioning and Upgrade on Poly Trio 8300***

Currently, you cannot provision or upgrade a Poly Trio 8300 system using a USB drive. You must provision the phone using a central provisioning server, the Admin Settings options on the phone, or the Web Configuration Utility.

## ***Polycom RealPresence Resource Manager***

You can use the Polycom RealPresence Resource Manager 10.7 or later to manage a Poly Trio 8300 with the following limitations:

- RealPresence Resource Manager incorrectly shows the device name for Poly Trio 8300 as “RealPresence Trio 8300”.

## ***Pass-through Application Support***

Poly does not support the ASUS X750J laptop computer for use with Poly Trio Pass-through.

---

## ***Software Downgrade with FIPS Enabled***

Before you downgrade your Poly Trio system to a software version without FIPS support, you must disable the FIPS feature if it's enabled. Once you ensure the feature is disabled, you can perform the software downgrade.

## ***Wi-Fi Support***

On Poly Trio 8800 systems using Wi-Fi-based connections in Indonesia, only the 2.4 – 2.4835 GHz frequency band in compliance IEEE 802.11b, 802.11g, 802.11n HT-20 are supported for UC Software for Poly Trio Systems 5.9.2AB onward.

Support of 5GHz-based Wi-Fi connectivity in compliance with IEEE 802.11a, 802.11n is no longer supported.

## **Interoperability**

This section includes products tested with this release and Poly Trio system server interoperability.

## ***Poly Trio Optimized for Zoom Rooms***

The Poly Trio 8800 and Poly Trio 8500 systems optimized for Zoom Rooms provides a reliable, high-quality meeting experience in the conference room for subscribers of Zoom Rooms in an affordable, consolidated solution. The Poly Trio system acts as a controller for Zoom Rooms via the system's touch user interface and provides audio for Zoom Room meetings through the built-in speakers and microphones.

This software release runs Zoom Rooms Controller software **4.5.2 (40541.0929)** as embedded software.

For the latest setup instructions, see the *Integrating Poly Trio Systems with Zoom Rooms Solution Guide* at [Poly Solutions for Zoom Environments](#).

## Poly Partner Solution Support

The following table lists solution partners supported by Poly Trio and the UC Software version required to support each partner solution. For documentation, see [Strategic Partner Solutions](#) on Polycom Support.

### Poly Trio Partner Solutions

<i>Partner Solution</i>	<i>Poly Trio UC Software Version</i>
Cisco Webex	UC Software 5.7.2AA or later
BlueJeans	UC Software 5.5.3 or later
BroadSoft	UC Software 5.4.0 or later
Microsoft	UC Software 5.4.0 or later
Zoom	UC Software 5.7.1 or later

## Products Tested with This Release

The Poly Trio systems and Poly Trio Visual+ systems are tested with other products. The following list indicates products that have been tested for compatibility with this release and is not a complete inventory of compatible equipment.

Update all your Poly systems with the latest software before contacting Poly support to ensure the issue has not already been addressed by software updates. To view the latest software for your product, see the Current Poly Interoperability Matrix at [Polycom Support Service Policies](#).

---

**Note:** If you are using Poly Trio systems with Polycom RealPresence DMA system, Poly recommends setting the parameter `voIPProt.SIP.supportFor100rel="1"`. For parameter details, see the *Poly Trio Solution Administrator Guide* on [Poly Trio Support](#).

---

### Products Tested with this Release

<i>Product</i>	<i>Tested Versions</i>
Logitech C930e USB Webcam	8.0.875
Poly EagleEye™ Cube HDCI camera	1.0.0.187 1.0.0.827
Poly EagleEye™ Cube USB camera	1.0.0.187 1.0.0.827 1.1.0.996

<i>Product</i>	<i>Tested Versions</i>
Poly Trio VisualPro system	6.2.2
Poly Virtual USB Connector for Zoom Rooms	1.0.0.54
Polycom Studio	1.1
Polycom® Content App	1.3.0.70888
Polycom® EagleEye™ Acoustic camera	1.7
Polycom® EagleEye™ Director II camera	2.1.0.1 2.2.0.39
Polycom® EagleEye™ IV 4x/12x camera	1.2.0-462
Polycom® EagleEye™ IV USB camera	1.2.1-467
Polycom® EagleEye™ Mini USB camera	9.0.21 9.0.22
Polycom® EagleEye™ Producer camera	1.2.2.2 1.2.2
Polycom® HDX®	3.1.12
Polycom® People + Content IP	1.4.2
Polycom® RealPresence® Collaboration Server (RMX)	8.8.1 8.7.4
Polycom RealPresence Resource Manager	10.7
Polycom® RealPresence® Desktop	3.9.1.70422 3.10.0
Polycom® RealPresence® DMA 7000	9.0.1 10.0.0.4
Polycom® RealPresence® Group Series	6.2.1 6.2.2
Polycom® RealPresence® Mobile for Tablets	3.9.0 3.10.0
Polycom® VVX® Business Media Phones	UC Software 5.9.0 and 6.1.0

## Recommended Third-Party USB Cable Extenders

The following USB Extenders have successfully been tested with Poly Trio 8800 and Poly Trio 8500.

### Third-Party USB Extenders Tested with Trio 8800 and Trio 8500

Product	Additional Information
Icron USB 2.0 Ranger® 2301	<a href="http://www.icron.com/products/icron-brand/usb-extendenders/cat5/usb-2-0-ranger-2301/">http://www.icron.com/products/icron-brand/usb-extendenders/cat5/usb-2-0-ranger-2301/</a>

## Poly Trio System Server Interoperability

The following table lists the server interoperability supported on the Poly Trio systems and the feature capabilities supported for each server.

For complete and up-to-date details on Poly Trio solution compatibility, see [Poly Trio and SoundStation IP Platform Compatibility](#).

### Trio Solution Server Interoperability

	Microsoft Skype for Business, Lync 2013 (8500/8800 only)	BroadSoft R20 and R21	Polycom® RealPresence® Platform	Cisco Unified Communications Manager 12.0, 10.5 and 9.1	Avaya Aura Communication Manager 8 and 7
Basic SIP Telephony	●	●	SIP Trunk to a supported call platform	●	●
Advanced Telephony	●	◐	SIP Trunk to a supported call platform	○	○
Provisioning	●	●	● <sup>1</sup>	◐ <sup>1</sup>	◐ <sup>3</sup>
Video (H.264 AVC)	◐ (SVC)	●	●	◐ <sup>2</sup>	◐
Content	●	◐ <sup>3</sup>	●	◐	◐

● - Mature interoperable

◐ - Interoperable with limitations

○ - Not supported

<sup>1</sup> Requires Polycom® RealPresence® Resource Manager software version 9.0+ (10.7 recommended)

<sup>2</sup> Poly Trio 8500 and 8800 systems do not support Cisco's Telepresence Interoperability Protocol (TIP).

<sup>3</sup> Polycom® RealPresence® Platform required; BroadSoft UC-One client and server not supported

---

**Note:** Poly supports SIP telephony feature interoperability with Avaya Aura Communication Manager and Avaya Aura Session Manager following published standards, including IETF Requests for Comments (RFCs) and Internet drafts last validated by Avaya in March 2019 contingent on Avaya allowing SIP compliant 3rd-party endpoints to register and interoperate with its call platforms.

---

## Microsoft Support

Poly support for Microsoft features varies by product.

---

**Note:** The Poly Trio 8800 Collaboration Kits, Trio 8500 Collaboration Kits, the Poly Trio VisualPro system, and the Poly Trio Visual+ system are not supported or qualified by Microsoft. As determined by Microsoft and Poly, the only supported way to connect Poly Trio 8800 Collaboration Kits, Poly Trio 8500 Collaboration Kits, Poly Trio Visual+ systems, or Poly Trio VisualPro systems with Microsoft Teams or Skype for Business is through Poly RealConnect.

---

## Microsoft Environment Interoperability

The following table lists Microsoft environments supported by the Poly Trio 8500 and 8800 systems and the Poly Trio 8500 or 8800 Collaboration Kits that include the Poly Trio Visual+ system and a supported camera. This also applies to Poly Trio 8500 and 8800 systems when paired with a Poly Trio VisualPro accessory and a supported camera.

### Supported Microsoft Environments

<i>Microsoft Environment</i>	<i>Poly Trio 8800 / 8500</i>	<i>Poly Trio 8500 / 8800 Collaboration Kit</i>
Skype for Business on-premises	Microsoft qualified	Poly supported. Not Microsoft qualified.
Office 365 / Skype for Business online	Microsoft qualified	Poly supported (sustaining). Not Microsoft qualified.
Office 365D	Microsoft qualified	Poly supported (sustaining). Not Microsoft qualified.
Lync 2013 on-premises	Microsoft qualified	Poly supported. Not Microsoft qualified.
Lync 2010 on-premises	Microsoft qualified	N/A

## Microsoft Client Feature Support

The following table lists the features supported by the Poly Trio 8500 and 8800 systems using the Microsoft client versions listed.

Note that Poly Trio systems do not support Present PowerPoint and Whiteboard content sharing.

---

**Note:** Support for Lync 2010 is limited to testing of basic call scenarios. Microsoft support of Lync and Skype for Business is documented on Microsoft's website. For information, see [Microsoft Support](#).

---

### Microsoft Client Feature Support

<i>Feature / Capability</i>	<i>Audio</i>	<i>Video</i>	<i>Content Sharing</i>	<i>Instant Messaging</i>
Skype for Business 2016	Yes	Yes	Yes	No
Skype for Business 2016 on Mac	Yes	Yes	Yes	No
Skype for Business Mobile	Yes	Yes	Yes	No
Skype for Business 2015	Yes	Yes	Yes	No
Microsoft Surface Hub	Yes	Yes	Yes	No
Microsoft Skype Room System v2	Yes	Yes	Yes	No
Microsoft Teams Room System (requires Polycom RealConnect)	Yes	Yes	Yes	No
Skype for Business Web Application	Yes	Yes	Yes	No
Lync 2013	Yes	Yes	Yes	No
Lync 2013 Mobile	Yes	Yes	No	No

## Skype for Business Feature Support

Poly Trio 8500 and 8800 systems support all features documented in the *Poly Trio Solution in Microsoft Environments Administrator Guide* available on [Poly Trio Support](#). All supported features are Microsoft qualified.

For the latest qualification status, see [Skype for Business and Teams Certified Phones and Devices](#).

### Poly Trio with Skype for Business Online and On-Premises Feature Support

<i>Feature</i>	<i>On-Premises Support</i>	<i>Online Support (sustaining)</i>
Attendant Console	Yes	No
BToE Manual Pairing	Not Applicable	Not Applicable
Call Admission Control	Yes	No
Call Forward	Yes	Yes
Call Handling	Yes	Yes
Call Park	Yes	Yes
Call Transfer	Yes	Yes
Common Area Phone (CAP)	Not Applicable	Not Applicable
Conference Calls	Yes	Yes
Cross Pool	Yes	No
Delegates	Not Applicable	Not Applicable
Device Lock	Yes	Yes
Device Update	Yes	Yes
Distribution Lists	Not Applicable	Not Applicable
Dual Tone Multi Frequency	Yes	Yes
Emergency 911	Yes	Yes
Enhanced 911 (E.911)	Yes	Yes
Enhanced Feature Line Key (EFLK)	Not Applicable	Not Applicable
Exchange Calendar	Yes	Yes
Exchange Call Logs	Yes	Yes
Exchange Integration	Yes	Yes
Extended Presence	Yes	Yes



<i>Feature</i>	<i>On-Premises Support</i>	<i>Online Support (sustaining)</i>
Federated Calls	Yes	Yes
Host Desking	Not Applicable	Not Applicable
In-band Provisioning	Yes	Yes
Local Call Logs	Yes	Yes
Media Bypass	Yes	No
Message Waiting Indicator	Yes	Yes
Monitoring (Device Inventory)	Yes	Yes
Multiple Emergency Number	Yes	Yes
Photo Integration	Yes	Yes
PIN Authentication	Yes	No
Private Line	Yes	No
PSTN Failover Fail-Back	Yes	Yes
Quality of Experience (QoE)	Yes	Yes
Quality of Service for Audio Calls	Yes	Yes
Resiliency - Branch Office	Yes	No
Resiliency - Data Center Outage	Yes	No
Response Groups	Yes	No
Reverse Name Lookup	Yes	Yes
Separate Sign-in	Yes	Yes
Simultaneous Ring	Yes	Yes
Team Call	Yes	Yes
User Log Upload	Yes	Yes
Visual Voicemail	Yes	Yes
Web Proxy Auto Discovery	Yes	Yes
Web Sign In	Yes	Yes

## Poly Trio System Support for Skype for Business Video and Content

The following table indicates Skype for Business video and content features supported by the Poly Trio 8500 and 8800 systems. Supported video and content features listed in this table are not Microsoft qualified.

### Skype for Business Video and Content Support

<i>Video or Content Feature</i>	<i>Skype for Business On-premises</i>	<i>Skype for Business Online / O365 / Cloud PBX (sustaining)</i>
Receive Video-based Screen Sharing (VbSS) format	Yes	Yes
Receive single-stream video	Yes	Yes
Point-to-point video calls	Yes	Yes
Multiparty video calls	Yes	Yes
Active speaker only video	Yes	Yes
Gallery View	Yes	Yes
Remote Desktop Protocol (RDP) content receive	Yes	Yes
Present Desktop	Yes	Yes
Present Programs	Yes	Yes
Present PowerPoint Files	No	No
Present Whiteboard	No	No

# Getting Help and Copyright Information

## GETTING HELP

For more information about installing, configuring, and administering Poly products or services, go to [Polycom Support](#).

Plantronics, Inc. (Poly – formerly Plantronics and Polycom)  
345 Encinal Street  
Santa Cruz, California  
95060

© 2020 Plantronics, Inc. All rights reserved. Poly, the propeller design, and the Poly logo are trademarks of Plantronics, Inc. All other trademarks are the property of their respective owners.

## ***Patent Information***

The accompanying product may be protected by one or more U.S. or foreign patents and/or pending patent applications held by Polycom, Inc.

## ***Disclaimer***

This software is provided 'as is' with no explicit or implied warranties in respect of its properties, including, but not limited to, correctness and fitness for purpose.