

TECHNOLOGY FOR MOTORSPORT

Reinternational Journal Research Langing Sering

AOL Keyword: Racecar Engineering



FUEL CELLS
THINK TANK
A look at what fuel
containment technology
can contribute



F1-POWERED HILLCLIMBER New Martin Ogilviedesigned Predator





Contents

Features

Cover story

32 Hot rubber

Thermal cameras could change the science of taking tyre temperatures. We test the theory

38 The science of ambition

Graeme Wight junior's hillclimb car shows reality need never get in the way of a good idea

48 Ecotec friendly

An all aluminium, four-cylinder, DOHC engine from GM aimed directly at motorsport

54 Aero bite size

The minutiae of aerodynamics. How the most insignificant component can have an effect

62 Cushioning the blow


AP Racing's new clutch system aims to take the strain out of getting off the line

Raceworld

- 05 Write line Does a competitor's death prove the current rally format is unsustainable?
- 06 Debrief Red Bull takes over at Minardi, FIA gets into CFD and LMP900 gets a reprieve
- 18 Race people Geoff Goddard of Geoff Goddard Engines Ltd is On The Gas
- 23 V-Angles Paul Van Valkenburgh remembers how tyre testing used to be
- 27 Column Mike Breslin on the rise and fall of motor racing circuits
- 31 Forum More feedback on Formula Student and a dressing down for an Autocad fan

Raceshop


- 69 Buyers' insight Fuel cells, their development, manufacture and application
- 75 Tech spotlight 3D-connexion makes light work of CAD with its new, intelligent controller
- 77 Racegear All the latest products
- 83 Database Full motorsport supplier listings
- 93 Aerobytes Simon McBeath examines how to make the most of waste exhaust gases
- 97 The Consultant Is there ever such a thing as too much left percentage in oval racing?







48




Subscriptions

FOR SUBSCRIPTION DETAILS TURN TO

PAGE 67

Or visit www.racecar-engineering.com





Write Line

veryone in the Racecar Engineering office was stunned to hear of the death of Michael Park, Markko Martin's co-driver, on the Rally GB. Thankfully we have not lost a World Rally competitor since the death of Henri Toivonen and Sergio Cresto in 1986. However, events over recent seasons have exhibited a number of alarmingly heavy accidents. Fortunately the crews have all survived, most without serious injury, but each incident has left an uneasy feeling that things could have been worse. Tragically that has now happened.

Why these accidents are happening is something I have pondered on before in this column [V₁₃N₂], but the subject is probably worth revisiting.

The last time there was a fatality, world rallying was in the grip of Group B, the rules that allowed enormous freedom for constructors. Low production requirements to achieve homologation opened the door for very powerful, fast cars. However, they also proved dangerous and were banned following the Toivonen crash. But the cars competing today are at least as quick over a stage mile,

even if they are more predictable and forgiving.

But speed is not the only issue. Rally stages are not like racing circuits. They lack run-



off area, crash barriers or gravel traps. Instead they have ditches, banks, long drops and, worst of all, trees. Even at a relatively modest speed, the concentration of force a tree generates on a rally car 'shell is considerable. It is impossible to make the car strong enough to resist this force in all cases because if the car doesn't deform then the sudden deceleration will prove fatal. Nor is it practical to remove all the trees or wrap them in crash barriers. Apart from the logistics, the trees are an intrinsic part of what makes a forest a forest. Take them away and you change the nature of the event.

The alternatives are to take the cars out of the forests and put them in a more controlled environment. We already do that and call it Rallycross. Or, we change the emphasis of the sport of rallying. At the risk of sounding like an old git, years ago world rallies were very different events. Lasting for four or five days, going through the night on occasions, they had punishing schedules and covered hundreds of miles between stages. They had a strong endurance element and gaining results called for an ability to keep going and avoid trouble. They forced a degree of caution and margin for safety in both the teams and the crews. Today's events are more like sprints, always run in daylight and with very limited road mileage.

Consequently, all resources can be channelled into producing the best possible stage times. Crews drive on the absolute limit with no margin and the crashes, when they happen, are huge.

Rallies are not races, they can never deliver a neatly packaged three hours of entertainment on a Sunday afternoon. Let them return to being endurance events and promote them in the same way as Le Mans or the rallies of the 1960s and '70s. That way the emphasis will shift away from pure speed, the events will survive the regulators and, most importantly, more lives will not be lost.

> **Editor** Charles Armstrong-Wilson





Pit Crew

Vol 15 No.11

Editor Charles Armstrong-V

Deputy Editor

Art Editor

arbara Stanley Borr Chief Sub Editor

Editorial Assistant

Contributing Editors

Technical Consultant

Group Art Editor

Contributors

George Bolt Jr, Mike Breslin, Dan Carney, Charles Clarke, Simon McBeath, Mark Ortiz, Martin Sharp, Ian Wagstaff

Photography

LAI, lony lobias

Business Development Manager

Tony Tobias +44 (0) 20 8726 8328 Mobile 07768 244880 Fax +44 (0) 20 8726 8399 tony_tobias@ipcmedia.com

Advertisement Sales Executive

Andy King +44 (0) 20 8726 8329 andy king@ipcmedia.com

Group Advertisement Manager

Publisher

General Manager

Managing Director

Editorial & Advertising

cecar Engineering, Focus Netw Leon House, 233 High Street, Croydon, Surrey CR9 1HZ, UK
Tel +44 (0)20 8726 8364
Fax +44 (0)20 8726 8399

E-mail racecar@ipcmedia.com

Back Numbers John Denton Services Unit 1 A1 Parkway. South Gate Way, Orton South Gate, Peterborough PE2 6YN, UK Tel +44 (0)1733 370800

Fax +44 (0)1733 239356

Worldwide News Trade Distribution

Marketforce (UK) 5th Floor, Low Rise, Kings Rea Tower, Stamford Street, London SE1 9LS, UK **Tel** +44 (0)20 7633 3300

Worldwide Subscriptions Racecar Engineering Subscriptions, PO Box 272, Hayward's Heath, West Sussey RH16 3ES LIK

Typesetting & Repro Planart Ltd Print Text Benham Goodhead Print Cover BR Hubbard Printers Printed in England ISSN No 0961-1096 USPS No 007-969

Racecar Engineering is a Focus Network publication, published by IPC Country & Leisure Media Ltd

A part of IPC Media, a TimeWarner company Racecar Engineering, incorporating Cars & Car Conversions and Rallysport,

is published 12 times per annum and is available on subscription. Although due care has been taken to ensure that the content of this publication is accurate and up-to-date, the publisher can ccept no liability for errors and omissions. Unle-otherwise stated, this publication has not tested products or services that are described herein, and their inclusion does not imply any form of endorsement. By accepting advertisements in this publication, the publisher does not warrant their accuracy, nor accept responsibility for their contents. The publisher welcomes unsolicited manuscripts and illustrations but can accept no liability for their safe return

© 2005 IPC Media. All rights reserved.

Reproduction (in whole or in part) of any text, photograph or illustration contained in this publication without the written permission of the publisher is strictly prohibited. Racear Engineering (USPS 007-969) is published 12 times per year by IPC Media Ltd in England. Periodicals postage paid at Green Brook NJ 08812. US subscriptions cost \$79.00 from EWA, 205 US Highway 22, Green Brook, NJ 08812, tel: 800 272 2670. Postmaster send address changes to *Racecar Engineering*, 205 US Hwy 22, Green Brook NJ 08812 USA

www.racecar-engineering.com

IMechE at ASI

January's Autosport International show will host the inaugural International Motorsport **Engineering Conference, organised** by the Institution of Mechanical **Engineers on 11 and 12 January** next year. The new event will cover the full range of motorsport engineering and will consist of 24 lectures split into one-hour sessions. Subjects confirmed so far are design, analysis, development, simulation and testing of engines, transmission, chassis. aerodynamics and control systems. IMechE also hopes to showcase a Formula Student car.

If you would like to receive more information please contact:
Stephanie Love, IMechE, 1 Birdcage Walk, London SW1H 9JJ, UK.
Tel: +44 (0) 20 7973 1312,
Email: s love@imeche.org.uk

Red Bull Minardi

Red Bull, the Austrian energy drink firm that took over Jaguar in 2004, announced after the qualifying for the Belgium Grand Prix that it will obtain 100 per cent of Minardi's shares, therefore becoming solely responsible for the team.

The takeover of the Italian team has come about from Red Bull's constant backing of young driving talent. Yet, with too many drivers and not enough cockpits, the winning solution was to buy a second team, as opposed to sending drivers to the opposition.

Although the 2006 season will now see two Red Bull teams on the track, the team has announced that both will compete completely independently of each other. The second team, which at present is still waiting to be named, will be seen as the 'rookie' team in order to bring in more drivers from feeder series.

ing in more arivers from feeder series Despite claims, Dietrich Mateschitz



First Jaquar, now Minardi. Red Bull does indeed give young drivers wings...

has given his assurances that the Minardi takeover is not part of an elaborate plan to gain political power. However, a definite shake up between the teams siding with Bernie Ecclestone and the FIA is predicted, as Red Bull will now receive two votes in any decision making process within Formula 1.

Speaking at the Spa-Francorchamps circuit, Minardi owner Paul Stoddart commented that although he will be very sad to leave the sport he is convinced that Red Bull has the sufficient funds and commitment to take over the team, ensuring a stable future for the majority of Minardi's current employees.

Williams tyred out

Williams has modified some of its bodywork after a succession of right rear tyre failures at the Turkish Grand Prix. The team reduced the size of the cars' diffusers and wing end plates after the problem appeared in practice, but failed to prevent a spate of failures during the

race. The cause of the problems is rumoured to be linked with the fitment of new brake parts.

It has also been revealed that in 2006 Williams will be supplied by Bridgestone tyres, along with current Michelin runners Toyota.

SEAT Leon WTCC unveiled

SEAT's new WTCC challenger was revealed to the world last month.

Pictured here is the car in BTCC colours at the British launch.



Second test success for A1 Grand Prix



Paul Ricard hosted the second A1GP group test, now with an even bigger field

Russia, Ireland, Germany, Indonesia and the Czech Republic joined motorsport's inaugural world cup shortly before its second group test at Paul Ricard in France.

Germany's franchise is owned by driver/manager Willi Weber and will

be run by Super Nova.

The first grand prix of nations at England's Brands Hatch circuit was being heavily advertised in the UK and, as RE closed for press, a large crowd was expected at the Motor Sport Vision-owned venue.


F1 to undertake CFD aero study

Following the results of the FIA's fan survey, AMD has been appointed as 'official technical partner' of the governing body.

One of the very first joint projects that this new partnership will undertake is a CFD study into vehicle aerodynamics, particularly focussed on developing aerodynamic regulations that promote overtaking.

This comes in the wake of research done last year by Advantage CFD and published by Racecar, looking into the effects of two-car airflow.

For more information see V14N10.



Racecar shows the way again -F1 at last committing to a full CFD programme, initially concentrating on airflow behaviour during overtaking

GM confirms IRL withdrawal




Badge engineering - rule changes could allow Cosworth to supply IRL engines under its own name in the future, now that GM has confirmed it is pulling out

GM has confirmed its withdrawal from the Indy Racing League. Currently Cosworth's IRL powerplant is badged Chevrolet and, if the Cosworth units were withdrawn from the series, it would leave teams with only one engine choice as Toyota has already announced its

withdrawal at the end of 2006. Honda. who now stands to be the series' sole engine supplier, has committed to the series for the foreseeable future.

However, it looks possible that the rule may be altered to allow Cosworth to continue to supply engines to the series.

2006 Lola B06/51 Formula Nippon



British steam challenge shows its metal

The British attempt on the steam car world record is gathering momentum as the team unveiled its completed chassis in September. Since last mentioned in Racecar in 2000 (V10N6) many changes have been made, including turning the car's steam turbine through 90 degrees from transverse to longitudinal. The turbine has been specially designed and built for the job after a suitable off-theshelf unit couldn't be found.

Chief engineer Glynne Bowsher and

engineering logistics coordinator Frank Swanston are also confident that the challenge of designing suitable boilers is nearly finished. Testing of the gas-fired units has demonstrated their potential to produce super-heated steam at temperatures in excess of 700degC. This should provide the power to push the 127.66mph world record to 200mph+.

The team is aiming to take outright world records, Bonneville records and womens' world records next year.

CvO delay LMP2

Christian Van Oost's Le Mans Technoparc-based CvO team has delayed its LMP2 plans until 'after 2006', due to sales of its 'LMP3'type baby prototype not being as good as expected. CvO had initially planned to try and get an entry for the 2006 Le Mans 24 Hours race.

Talk to us and win cash

Racecar Engineering would like you to give us feedback on the magazine and the chance to win £150/\$270 in the process. All you have to do is to visit the magazine's website at www.racecarengineering.com and complete the simple online questionnaire. It only takes a few minutes and your feedback will help us make sure that Racecar Engineering gives you the information you really want every month.

Chiron blow over

Chiron's LMP3-05 (V15N9) suffered a 'blow over' incident during a BritSports race at Oulton Park just days after the risk of such an event was highlighted by RE.

The no.6 car had just exited the fast uphill left hand sweep of Clay Hill when its front lifted off the ground. The resulting flip shocked **Chiron staff member Bill Nickless:** 'It was airborne for about 50 to 60 metres and landed right way up on the barrier.' It is the first blow over for an LMP3-type car and has the manufacturers worried, 'It's a warning. It can happen again, these cars are going quicker every race,' said Nickless. The problem could spread further to many of the flatbottom prototypes in competition around the world.

ALMS extend LMP900 regulations

IMSA, the governing body of the ALMS, has extended the life of LMP900 and LMP675 cars until the end of 2006. This move allows the dominant Audi R8s to continue to compete for another year. So-called hybrid cars will be allowed to compete in the US-based series until the end of 2007. 'The prototype field is going through an important transition, and this opens the field up to a wide variety of cars,' explained IMSA's Tim Mayer.

In the possible event of an LMP900 car performing well enough to finish in a position that would normally warrant an automatic entry into the 24 Hours of Le



Audi's all-conquering R8 gets a years further lifespan under new regulations

Mans they would effectively be ignored in favour of the next highest placed full LMP1 chassis.

Old spec cars such as the R8 will be required to run 50kg of ballast and a smaller restrictor.

IMSA light headed as the ALMS heads for Utah

In the wake of RE V15N9's LMP3 cover story it has been rumoured that a new sports racing series will be supporting the ALMS in 2006.

IMSA Light is said to be a tightly controlled lower budget formula with restrictions on chassis options and car spec.

IMSA has revealed that the



New 'small' prototypes could soon have a series of their own

ALMS will have a round at the brand new Miller Motorsports Park in

2006. The Tooele. Utah circuit is the longest in the USA at 4.5 miles.

Lotus Circuit Car debut

Lotus's 'Circuit Car' made its debut at Shelsley Walsh in August. According to vehicle development manager Nick Adams, Lotus has initially targeted two markets for the car - track days and driver training. The Shelsley run indicated that the new car will also be suitable for outright competition although Lotus has no intention of running a series itself. Lotus believes it will be suitable for series such as the AMOC mid-engined championship and that there could eventually be others, both in Europe and in the USA.

The prototype performed 'faultlessly',

despite only having been run briefly at Hethel the week before. A number of changes will now be made to the front geometry and the air intakes.

Significantly, the Elise-based 'Circuit

Car' will be the first 'racecar' to come off the Lotus production line. The first customer cars will be available by the middle of next year.

Ian Wagstaff



The Circuit Car is a first for Lotus, being the only purpose-built racecar to be constructed on the company's production line



Racing

Motorsport Matrix Systems.

"If I'm pushing the envelope I don't need limits."

For optimum performance you need components as perfect as your driving. Our proposal: Sachs Racing Clutch System RCS, a modular system of clutch building blocks. And the Racing Damper System RDS: no-compromise contact with the grid in extreme racing situations. ZF Sachs Race Engineering. Now introducing Triple Eight Performance Vehicles, the only UK distributor of Sachs racing and performance products. Driving technology to win.







World leaders in the manufacture of driveline components The only manufacturer to specialise in both motorcycle and car transmissions



For FREE brochure and info: Tel 0845 1307400 info@quaife.co.uk • www.quaife.co.uk

Quality Accredited ISO 9001-2000 and ISO QS9000-TS16949



See us at SEMA Booth # 24287



- Sealed to IP67 (operational)
- · Contacting and non-contacting technologies
- · Shock and vibration resistant
- · Single or dual output
- · Wide temperature range
- Excellent linearity
- Custom designs

NEWS IN BRIEF

- Williams has confirmed that it will be using Cosworth V8 engines throughout the 2006 Formula 1 season.
- Houston will return to the Champ Car calendar in 2006, bringing the series to 15 rounds in total.
- SEAT's BTCC Toledo Cupra Rs have been given a 15kg weight reduction to move the super 2000 spec base weight to 1085kg. The move comes as part of the attempts to equalise the performance of British and World spec touring cars.
- Panoz Esperante GTLM customer cars will be competing in LMES next year, most likely with Team LNT. Courage Competition has been involved with the cars European sales.
- Historic Russian marque Russo-Baltique looks set to return to the track, with A-Level Engineering boss Vladimir Raikhlin planning to revive the company.
- Circuit de Catalunya is planning to increase its seating capacity by 8000 for the Spanish Grand Prix next year.
- Antonio Ferrari's Euro International team will take part in a number of Champ Car races next season. The team has already equipped for the campaign.
- GP2 cars will have fully reworked aero next vear, along with slick tyres. Bridgestone is likely to continue as the single tyre supplier.

MoTeC and Rouelle go on tour

The European leg of the ever-popular Racecar Dynamics and Data Acquisition Seminars, presented by Claude Rouelle, begins this November, with courses in Italy, France, Germany and the UK, The final '06 seminar will be held in Orlando. USA after the December PRI show.

November dates are: 5-7 USA; 11-13 Italy; 15-17 France; 19-21 Germany; 23-25 and 26-28 UK (the second UK date being a Formula Student special).

New FSAE announced

Formula SAE has a new event in 2006. FSAE West is to be held at the California Speedway in June next year. The event will sit alongside the traditional Formula SAE event which will run from 17-21 May 2006. FSAE West is scheduled to take place between 14-17 June.

'Formula SAE West is being opened to meet the growing demand of university teams to compete in North America. For the past three years all 140 slots at Formula SAE were sold out,' explained Steve Daum, the SAE's collegiate manager. 'Registration for FSAE 2005 filled up in just 73 minutes and we know of over 30 teams that couldn't get a slot. With a second competition there should be space available for every team that



California Speedway is to host the new event in 2006

wants to compete,' he continued.

Recruiting of event captains, judges. technical inspectors (scrutineers) and other volunteers necessary to the successful running of the event will start soon. Anyone based in the Los Angeles area with knowledge of motorsport engineering and design who might be interested in becoming involved are asked to step forward and volunteer.

'We picked California Speedway because it's a great site where we can lay out challenging and exciting courses, and it is also a site that provides excellent pits and support facilities. Locating the second competition in California will make Formula SAE more accessible to, and lower the travel costs of, universities on the West coast and around the Pacific Rim.'

Aussie rules spreads its wings

Aussie V8s will rumble their way to the Middle East next year with a round at the Bahrain International Circuit during November. The 2006 calendar also sees China make a return after the first races took place there this year.



V8 Supercars return to China and head to the Middle East in 2006

2006 V8 Supercar Championship Series calendar

Clipsal 500 23-26 March **Australian Grand Prix** 30 March-2 April Placemakers V8 International 21-23 April 12-14 May V8 300 Shanghai Round 9-11 June 30 June-2 July **Sky City Triple Crown** Queensland 300 21-23 July 11-13 August Oran Park 8-10 September **Betta Electrical 500** 5-8 October Super Cheap Auto 1000 19-22 October **V8 Supercar Challenge** 10-12 November Ferodo Triple Challenge 22-24 November **Bahrain International Circuit** 8-10 December **Grand Finale**

*Denotes non-championship event

**Denotes date subject to final FIA and FASC approvals

***Denotes provisional

Adelaide Melbourne* New Zealand Perth China** Darwin **Ipswich** Sydney Melbourne **Bathurst Gold Coast** Launceston Bahrain

Phillip Island***

Motor racing Bajan-style

Barbados's biggest and most spectacular circuit racing event - the Internationals Showdown attracted an impressive 69 entries this year, mostly domestic and from Guyana, but the organisers are pushing for the event to expand further. See future issues of Racecar for more details.



Softly, softly

In one of the most serious NASCAR rule infractions in recent years **NASCAR** suspended Busch Series crew chief Brian Pattie and tyre specialist Brandon Stafford for six races, while the Ganassi team was deducted 50 car-owner points and Pattie was fined \$35,000 when they were caught applying a tyre softening compound to the tyres of a Ganassi Dodge at Bristol.

The Ganassi car was not allowed to qualify for the race and started at the rear of the field after the team was forced to buy new tyres and the original three sets were confiscated by NASCAR. Ganassi did not appeal the fine or issue a statement.

'06 rules

NASCAR officials met with all Nextel Cup crew chiefs on 23 August this year to explain possible rule changes for 2006, including reducing testing to six manufacturer-specific tests each year at Daytona, Indianapolis, Charlotte, Richmond, Texas and Homestead.

Currently teams can only test at NASCAR tracks five times for two days and four times for one day each year, but many teams test at non-Cup tracks like Kentucky Speedway, which the governing body hopes to halt by introducing a tyre leasing policy at the races where teams will have to return all tyres after each event. 2006 will also see 31 of the 36 races be impound races so only minimal changes can be made to the car post qualifying, with zero track time after timed laps.

NFL into NASCAR

Two former NFL superstars, Roger Staubach and Troy Aikman, have teamed up with Trans-Am driver Bill Saunders and Texas Instruments to sponsor their 2006 Nextel Cup venture, now with Joe Gibbs Racing, not Hendrick Motorsports.

Curbing the blow outs

In an effort to curb the tyre blow out problems at Pocono - the first Michigan event - and Indianapolis, NASCAR mandated a maximum front wheel camber angle of eight degrees, both positive and negative, starting at the second Michigan event.

Aggressive negative camber to help the cars stick in the turns, coupled with unusually high temperatures, low tyre pressures and poor track conditions have been blamed for the high number of cut tyres seen so far this season. At the second Michigan event rear tyres blew on four cars.

For several years now NASCAR has implemented a rear camber rule, so the emphasis was placed on air pressure

and a new procedure at the track where an inspector logs the front tyre pressures of each team prior to the start of the national anthem, NASCAR said the pressure information gathered at each race would not be shared between teams and stated post race that all the rear tyre issues were brought about by cuts and not camber or air issues.



An increase in blow-outs is causing NASCAR officials to implement new tyre control procedures

Old Wood, new tricks

Despite losing some of the backing from Motorcraft, Wood **Bros is expanding** by joining forces with ST Motorsport



The 55-year veteran Wood Bros team is planning an expansion with the announcement at Michigan that is has formed a partnership with long time Busch Series operation ST Motorsports to become Wood Bros/

JTG Racing. ST will continue to field two Busch teams while the pairing works to put together a second Cup team and eventually a programme for two trucks, too. A second truck team is planned for 2007, or sooner

if suitable backing is secured.

The joint venture will receive backing from Ford Racing, although Motorcraft (a Ford owned company) is apparently cutting back its support of the Woods next season.

12 November 2005 Racecar Engineering



UNIQUE FEATURES: ADJUSTMENT • In bump and rebound independently • In high and low speed independently • No needle valves • 8 distinct and repeatable steps. DAMPING FORCES • In bump and rebound generated by piston area • Not effected by rod displacement • Negligible phase lag • Low speed in 2 stages • Wide range, in equal steps.

OTHER FEATURES: No need for external reservoir • Adjustable spring platform • Matches 2'/4" springs • Works in any position • Light weight • Hard anodised parts • Tailor made, individually tested • Highest quality standards.

KONI carry a wide range of competition dampers being built on half a century of successful motorsport experience, up to Official Supplier in Formula One. The new KONI 2822 series offer the ultimate tuneability for maximum control. Please ask your local KONI race distributor for further information.

FORMORE CONTROL DRIVE KONI

SPORTSLINE SUSPENSION LTD
Koni Technical Centre +44 (0) 1280 702633



Group N rules WR Cars out sharp in 2006



Banned - WR Cars no longer welcome

Sweeping changes are planned for the 2006 British Rally Championship. Six rounds are proposed next year – three gravel and three asphalt – a drop of two rallies from this year's eight, with Wales Rally GB as the final event.

The technical rules are aimed at adopting the proposed FIA class structures due for implementation in 2007.

World Rally Cars will no longer be eligible to contest the championship, and the main focus will be on Group N cars which comply with the proposed rulings for the R1, R2, R3 and R4 categories. Super 1600 and Kit Variant A6 cars will also be able to compete for British honours, and it is expected that Super 2000 cars will be allowed by invitation only.

On yer 'bike

The UK's governing motorsport body, the Motor Sports Association, has 'clarified' its ruling on the use of motorcycle-engined cars in rallies.

It deems that this comparatively reliable and economical method of providing the necessary power for competition machines is now unacceptable in rallying.

However, it has also been decided that competition car log books for vehicles already existing with this configuration will not be withdrawn, although any new applications to register motorbike-engined rally cars will be rejected.

Peugeot still troubled by damper demands

Further development by team Peugeot saw the cars returned to inhouse dampers for Rally Deutschland



The true cause of the Peugeot 307 WRC's failure to inspire confidence in its works drivers continues to evade its engineers, although progress has been made through positive developments in the way its shock absorbers operate.

One car was equipped with hybrid Peugeot/Öhlins dampers for Rally Finland. The driver found the now more conventional shim pack-restricted Swedish damper inserts to be more predictable in their operation than the Peugeot units. It was also noted that the opportunity for these to be adjusted for rate through the simple expedient of 'a few clicks', rather than the more lengthy and intensive dismantling procedure required by the valve-equipped in-house shocks, offered greater flexibility.

For Rally Deutschland, continued development was deemed to have reduced friction in the Peugeot dampers and both works Peugeot drivers were returned to these.

Like Peugeot, the works Mitsubishi rally team has also invested heavily in an in-house damper development facility and has designed its own valve-type shock absorbers which have been run on the works Lancer WRCs since the beginning of the 2005 WRC season. It is said that the Japanese team has also investigated Öhlins dampers as an alternative. Öhlins units were used on Mitsubishi works rally cars before the team developed its own-brand dampers.

Skoda slides revised five

A revised five-speed gearbox was used in two of the three official works Skoda Fabia WRCs on Rally Deutschland. Designed and manufactured by Xtrac in the UK, these gearboxes will be available as an option to the originally homologated, Xtrac designed and built, six-speed unit until the end of this year.

The official Skoda team will know whether it can continue world championship rallying into 2006 after a board meeting being held in mid-September.



Choice of either the five- or six-speed gearbox will be down to driver discretion



10 Percent Off

Del West design and manufacturing excellence has made our titanium valves legendary for their light weight. Now, we've made them even lighter – 10 percent lighter – by gun-drilling the stems to produce a new generation of hollow-stem valves.

The result? The ability to run more radical cams for higher peak engine speeds or broader, more 'driveable' torque curves, and increased valve train durability.

Only Del West's proprietary technology allows us to manufacture hollow-stem valves with tips mated to the stems without additional joints, eliminating a potential failure point. This technology allows our hollow-stem valves to meet the durability we and our customers demand.

Del West hollow-stem titanium valves are also available with a sodium insert, which liquefies at operating temperature. The sodium remains within the valve guide area, promoting additional heat transfer to the guide, and increasing valve life.

Available now, in stem diameters from 6mm to 11/32-inch, Del West hollow-stem valves have already been proven in NASCAR Cup racing and NHRA Pro Stock. Call us today, and we'll tell you how to maximize their benefits in your next engine.

Del West USA

Sales/Tech Support 800-990-2779 28128 W. Livingston Avenue Valencia, CA 91355 (661) 295-5700 Fax (661) 295-8300 www.delwestusa.com



Lightweight valve train components. Because nothing else even comes close.

Del West Europe

ZI Les Vernes 1852 Roche, Switzerland 0041 21 967 21 21 Fax 0041 21 967 21 27 www.delwesteurope.com







Now in our 48th year as one of the world's leading race car manufacturers, Lola are proud to play a prominent role in the success of teams and drivers around the globe.



Lola have dominated Champ Car competition for the past three years, and were commissioned to create the one-make chassis for the exciting new A1 Grand Prix series. Our all-new LMP2 design has claimed ALMS, LMES, and Le Mans 24 Hours class wins in its debut season, and will be joined by an LMP1 customer model in 2006.

But you don't have to buy a Lola chassis to take advantage of our industry-leading facilities and expertise.

Our world-class 50% scale rolling road wind tunnel (used by Formula 1 teams) and 7-post vehicle dynamics test rig with full circuit simulation capability are among the motorsport industry's most advanced – and most accessible.

Lola's state-of-the-art composites operation supply components to half the F1 field, and have built chassis and bodywork for five of the last 10 Le Mans winners.

So whether you're looking for a turn-key project solution or a critical design and development resource, contact us today.







Rules of attraction

In an attempt to attract more manufacturers into world rallying, Super 2000 is reducing costs by simplifying the cars themselves

BY MARTIN SHARP



Could the new, less technically complex Super 2000 series replace the current breed of International Rally Cars, be they Group N, Super 1600 or WRC?

Manufacturer teams are following the South African lead and readying rally cars built to the new Super 2000 regulations, which come into force for world rallying next year. The South African Motor Sport Federation has already sanctioned the use of Super 2000 cars in rallying this year and examples from the South African wings of Toyota and Volkswagen – the Run-X RSi and Polo Playa respectively – made their rallying debuts in May.

Renault's new Super 2000 rally car, based on the Logan 'world car', will be badged as a Dacia. Simon Jean-Joseph has already tested the prototype Dacia. Additionally, Peugeot Sport has said that it is working on a Super 2000 development of the new 207 road car, which is due out next year. While Peugeot Sport leaves the World Rally Championship in its official capacity next year, the rally car derivative of the 207 will be aimed at customers

Conceived as an alternative to Group N, the Super 2000–Rallies' rules aim to attract more manufacturers to the world rallying party through reduced costs.

Under these rules cars are based on Group N, as opposed to the Group A basis of World Rally Cars, with three exceptions. Group A variant options, or 'VOs', are not allowed in Super 2000, nor are any sporting and type evolutions or WRC rules eligible.

Titanium, magnesium, ceramics, composites and reinforced fibre materials are not allowed unless they are already in use on certain parts on the production car. Single-layer Kevlar is allowed, however, only so long as it coats the visible face of a component.

The wheelarch design, transmission tunnel, rear suspension and differential 'box' are identical to the specification laid down by the World Rally Car rules and all dimensions remain the same.

Body material specifications for World Rally Cars also apply. As a means of creating an identifiable difference between a World Rally Car and a Super

their turbocharged maximum power figures at around 320/340bhp, but the important urge from a turbocharged WR Car engine comes from its wide spread of torque – between 500 and 600Nm. Super 2000 rally engines on the other hand only produce around 270bhp, with a maximum torque of some 250Nm. The power is produced higher up the rpm range, too, typically at around 7500rpm.

Only MacPherson strut-type suspension is allowed. All uprights must be interchangeable front-to-rear and Any electronic driving aid system, such as launch control, stability control – and any sensors which contribute to such – is outlawed, as is any ground speed sensor anywhere on the car.

In addition to the Volkswagen South Africa Super 2000 project it is rumoured that VW Motor Sport in Germany is also preparing a Super 2000 car.

Most advanced of the main manufacturer projects so far however is Fiat's Super 2000, based on the next generation Punto, while Lada has

44 ROAD CAR MANUFACTURERS SEE THE NEW SUPER 2000 RALLY RULES AS AN OPPORTUNITY # 7

2000 rally car, the rear spoiler and front bumper must comply with the Super 1600 regulations. Super 2000 cars must also have no more than 1200cm² of cooling holes in their front ends.

Engines must be wet sump 2.0-litre units with no turbo or supercharger, rpm limited to 8500, a maximum compression ratio of 11:1, with standard valve sizes, a maximum 11mm valve lift and a 64mm-diameter single throttle butterfly. 'Fly-by-wire' throttles are banned, as are variable geometry intake and exhaust manifolds. An ignition and/or injection cut system for gear changes is allowed and the regulations specify a very similar unit to that of a WTC engine. World Rally Cars' 34mm restrictors keep

left-to-right and either cast in aluminium or fabricated from steel. Spherical 'uniball' joints may be used, as may reinforcement bars and reinforced pick-up points.

Only one type of – non-ceramic – wheel bearing is allowed and just 6.5in \times 15in rims are allowed on dirt rallies (8in \times 18in for asphalt) while mousse and run-flat option are expressly banned.

Anti-roll bars must be mechanical and must not be adjustable from the cockpit, although spring specifications (so long as they are of the same type as homologated) are free. There must only be one shock absorber per wheel, and adjustments to damper and spring settings from the cockpit is forbidden.

already exhibited a Super 2000 car based on its 112 model.

It seems as though road car manufacturers see the new super 2000 rally rules as an opportunity. With WR cars banned from at least one country's premier championship, how long is it before Super 2000 becomes the world's premier rally class?



Race people



Mo Nunn

- Bill Pappas separated from Chip Ganassi Racing shortly before the Chicagoland Speedway round of the IRL. Mo **Nunn** stepped in to help the team shortly after auctioning off his team's equipment, some of which was purchased by Ganassi.
- Former Sports Car Club of America president **Steve Johnson** has become the new president of Champ Car. Johnson had been the first person to serve as both president and CEO of the club and professional wings of the SCCA.
- Meanwhile, former Champ Car president Dick Eidswick will take on the new role of CEO and chairman of the organisation after



Willi Weber

having helped select Johnson for his old role.

- David Williams, the 'voice of British. rallying', died suddenly last month aged 43. Over 300 people attended the funeral of David 'Deke' Williams in early September, and words about him were read out by three of his closest friends. Williams was a founder director of the essential website worldrallynews.com and was also rally correspondent for The Guardian newspaper in the UK, as well as magazines in Italy, Japan, Australia and many other countries. David is survived by his brothers, Richard and Julian, and his mother Lindsay.
- Willi Weber has been announced as the



Dietrich Mateschitz

head of A1 Team Germany. Weber also manages drivers, including the Schumacher brothers. Meanwhile, former Jaguar and Jordan F1 staffer Mark Gallagher will head up the Irish entry.

- In Austria, new Minardi owner **Dietrich** Mateschitz has teamed up with Niki Lauda to create Austria's A1 Grand Prix entry. In doing so Mateschitz's Red Bull brand looks to become one of the most widely spread in the motorsport arena.
- Gordon Murray is reported to be eyeing



Gordon Murray

a return to motor racing with a new firm. GT cars are more likely than prototypes but neither is impossible.

- Long time Stack Ltd staff member **Steve** Crabtree has moved to Zica Consultancy. Crabtree, who had been at Stack for eight years, joins the technical consultancy firm as business development manager
- Grand Prix Masters has announced that former Champ Car chief medical officer Steve Olvey will assume the same position with the new series.

Send your company and personnel news direct to the *Racecar Engineering* team: tel: +44 (0)20 8726 8363; fax: +44 (0)20 8726 8399 or email racecar@ipcmedia.com

ON THE GAS...

GEOFF GODDARD Geoff Goddard Engines Ltd

Geoff Goddard is an engine design and development consultant and also lectures at Oxford Brookes University

How did you first get involved in motorsport?

I knocked on Keith Duckworth's door at Cosworth and asked him for a job. He gave me an extended interview and I benefited, along with several other young engineers including Paul Morgan and John Hancock, from the best post graduate training experience in the world.

What's the most interesting project you've ever worked on?

They've all been interesting as every project adds to the knowledge and understanding of engines. Typical projects have covered everything from designing and delivering a



running 800cc flat twin prototype production engine to VW in five weeks to dominating an F1 World Championship season.

What achievements are you most proud of?

During the early 1990s as chief designer of Cosworth I ensured our name was synonymous with winning, or competing with honour, in every major championship we participated in.

The successful Aston Martin DB7, and the Oldsmobile Aurora Indy Racing League engine programmes demonstrated that the name of TWR Engines could also become synonymous with the pursuit of excellence and winning.

This confirmed that the original magic of Cosworth could be bottled and exported by the leading engineers to found or expand other successful companies such as Ilmor, TWR Engines, TRD etc. Note: In 2003 Renault F1 bought most of TWR Engines division to capture this essence that creates success...

Can you name your favourite racing cars of all time?

Perhaps the Lotus 49C. Watching it being hurled around Monaco in 1970 by Jochen Rindt demonstrating the ultimate limits of a racing car with inadequate downforce. Closely followed, for obvious reasons, by the 1994 Championship-winning Benetton.

Who do you most admire in racecar engineering and why?

Too many to list here, but historically going from BC to AD (Before Cosworth to After Duckworth) I would have to say the founders of Cosworth, together with Colin Chapman, Gordon Murray, Patrick Head, Ross Brawn and Rory Byrne, who have all moved the technical goal posts forwards further and faster than their contemporaries over extended periods.

What racing era/formula would you have liked to work in and why?

I thought the DTM series in the mid-'90s was the most entertaining series to work in, as all the teams and drivers were committed to hard racing, great communal parties for everybody involved were hosted by each team in turn, and the fans had the freedom of the paddock.

What tool/instrument could you not work without?

An HP 45 calculator - still the fastest and hest ever with its reverse Polish notation etc.

What engineering innovation do you most admire?


The attention to detail epitomised by the second compound gear set Keith Duckworth created to overcome the stab torque and torsional problems affecting the valve gear train of the early DFV.

Is motorsport about engineering or entertainment?

Both in equal measures to ensure that the best team can win, but acknowledging that the audience want to see close racing.




NO COMPROMISES



CarbonMetallic®















RACECAR DYNAMICS & DATA ACQUISITION SEMINARS

presented by Claude Rouelle and If I | III | III | III

The more you know, the less time and money you will spend on the track struggling to find the best setup, but even within racing teams, the most educated and experienced engineers are reluctant to share their knowledge. How can engineers improve their skills under these circumstances?

If you want to make smarter decisions and improve your team's performance, understanding racecar behaviour is the key. In just 3 days and for less than the price of a set of tyres, world renown racecar engineer, Claude Rouelle, will teach you how to get the most from your car, driver and data acquisition system. Visit the website/s below and read the Testimonials - you might be surprised to see who has been before. You'll find FAQs, 101 Things You Can Learn and all the registration details.

LAS VEGAS: NOV 5-7

ITALY: NOV 11-13

FRANCE: NOV 15-17

GERMANY: NOV 19-21

UK: NOV 23-25

ORLANDO: DEC 4-6 (POST PRI)

 FORMULA STUDENT UK: **NOV 26-28**



FULL 2005 SCHEDULE ONLINE - LIMITED SEATS, BOOK EARLY REGISTER ONLINE. BY EMAIL OR PHONE

Visit: www.motec.com.au/rouelle.htm or www.optimumg.com Email: training@motec.com.au or Tel Australia: +613 9761 5050 Tel UK: +44 8700 119 100 or USA: +1 714 895 7001

SUPPORTED BY motec.com.au







News

Autosport International 2006 is set to be the host of the F1 in Schools National and International Finals.

Over 30 UK secondary schools, colleges and organised youth teams are due to take part in the two-day event where they will reveal stimulating new engineering projects and portfolios to the automotive industry.

The finals will also include an against-the-clock challenge where competitors will race cars they have manufactured at speeds of up to 80mph.

Nolan O'Connor, marketing manager at Haymarket
Exhibitions Ltd, commented on the event saying: 'The CAD/
CAM Design Challenge brings engineering, science and technology to life by creating a fun and exciting learning environment for students to make informed career choices'.

Radical will also be adding to the showcase of engineering developments, exhibiting two of its new projects at next year's show. Radical will have a total of three stands at the event, one being in the engineering sector. It will use its international stands to present the new, lowcost Le Mans Prototype SR9. The Radical SR8 will also be on display on Racecar Engineering's own show stand, enabling visitors to inspect the car at close quarters.

To make sure you secure a ticket of your own and to find out more information about the event visit www.autosport-international.com.

Talk to TT

If you are thinking of exhibiting at the show and would like to speak to someone about how to go about it, then contact Racecar's Tony Tobias. Email: expo@tonytobias.com or call him direct on: 07768 244 880.

Norton capabilities

A bespoke component manufacturer, also capable of offering a range of services to the motorsport industry

Words Katie Power

he 2006 Autosport Engineering show will be host to manufacturing engineer Norton Motorsport, now making its fourth appearance at the event.

The self-proclaimed 'new kid on the block' has successfully grown to establish itself as a quality, bespoke machined parts company within the industry. It provides customers with in-depth individual services on all sizes of projects, working closely with them to meet their exact

needs Norton Motorsport's history stems back to a company called TG Can Technology, originally formed in 1998 by Ian Williams, with the aim of supplying precision engineering solutions to the packaging industry. Since then the company has expanded rapidly. In 2000 it relocated its business to Milton Keynes to enlarge its manufacturing base and to be more conveniently positioned to supply the UK

motorsport industry.

The company then gained a vital asset with the recruitment of present director Peter Norton. This signified a key milestone in the company's history as his arrival brought a vast and detailed knowledge of the industry to the business. The company's expansion continued to develop and in 2003 Norton Motorsport emerged as a limited company, with Peter Norton officially appointed as director.

Last year Ian Williams successfully created a new branch to the company with the partnership of Fine-Line Developments. This joint venture with a mechanical engineering design company enabled Norton Motorsport to provide its customers with a larger spectrum of manufacturing, design and engineering solutions Although the company is relatively small in size, currently consisting of just 18 employees, its list of clients has grown to include some of the biggest names in motorsport. It currently supplies to a broad range of racing series, including Formula 1 and the World Rally Championship. More recently racecar manufacturer Lola Cars International contacted Peter Norton for help with the manufacture of a bell housing for its Judd-engined GT LMP2 project.

Norton Motorsport primarily concerns itself with manufacturing bespoke parts for individual teams or companies but

also offers

services
including
CAD/CAM, CNC
milling and turning and
wire and spark erosion, as well
as producing a line of its own products

varying from engine, chassis, steering and suspension parts to gearbox and transmission products.

In order to maintain the tight relationship it has with its customers, Norton Motorsport carefully chooses the companies it works with, but it still views the Autosport Engineering Show as an excellent opportunity to strike up relationships with prospective customers and pursue its aim of increasing the industry's awareness of the company.

Highprecision engineering of bespoke components is the mainstay of Norton's work but far from all the company has to offer

Contact

Address: Norton Motorsports

34 Burners Lane

Kiln Farm

Milton Keynes

MK113HB

Tel: +44 1908 561444 Fax: +44 1908 307519

Email: peter@nortonmotorsports.co.uk



ecialist Supplier of Driveline Products for the Enthusiast through to the Professional Team

For more information contact us on: Tel: 0121 313 6253 Fax: 0121 313 2074 GKN Motorsport, Minworth, Sutton Coldfield, B76 9DL E-Mail: r.tyler@gkndriveline.co.uk


STRENGTH ENDURANCE PERFORMANCE



V-ANGLES

By Paul Van Valkenburgh

Tyre testing – indoors



Tyre testing has been done for over half a century but still surprisingly few understand what the results mean

henever we engineers hear the words 'tyre test,' our first thought is probably of race tyres on a racecar on a racetrack.

And that has to be the ultimate proof of the suitability and tuning of tyres in competition.

However, for real engineering sophistication and precision, there's no way to beat a modern laboratory tyre test.

When I was in college in the early '6os, I came across an amazing collection of prescient papers from the British Institution of Mechanical Engineers, called 'Research in Automobile Stability and Control and in

Tyre performance,' by Bill Milliken and others at Cornell. One paper described a sophisticated tyre test rig mounted to the back of a cargo truck, which was the first to measure all six forces and moments on a tyre running on pavement. It was sponsored by the US Air Force, but was soon applied to passenger car tyres.

When Chevrolet started on its racing research programme in the late '6os, we developed the first racetrack computer simulations, in collaboration with Bill Milliken at Cornell. But there was no race tyre data to use in them, except for some walking-speed data from a flat-bed tester at GM Research. So R&D built its own rig, a one-tyre skidpad. It consisted of a boom pivoting around a fixed anchor in the middle of a ring of concrete pavement about 8oft in diameter. At the outer end was a Corvair engine and transaxle, driving

THOSE
MINISCULE
DIFFERENCES
ARE WHAT
WINS RACES
IN THESE
DAYS OF
OTHERWISE
NEARLY
IDENTICAL
CARS



THERE ARE FEW PLACES YOU'LL FIND RACING ENGINEERS WHO UNDERSTAND THIS SORT OF TYRE DATA

cornering force. At the pivot point of the boom was an operator's seat, engine controls, and an analogue strip chart recorder. It was relatively crude and, I can confirm, a nauseating job for the test operator.

Subsequently, Cornell Aero Labs (now called Calspan) took its truck-mounted tyre measuring experience into the lab, creating a high-speed surface made up of a textured steel belt running on an airbearing platen between two huge rollers. My exposure to the Calspan tyre test data came again in the late '70s, while working on vehicle overturn simulations for the US DoT, at a place called Systems Technology We sent dozens of tyres off to Calspan for the extreme limit data we needed. After studying the results for a few days, however, it didn't seem to make sense. Ultimately, I discovered that our procedure was too abusive, and didn't control for the abuse, and during a single run the tyre would wear and overheat so badly, as the slip angle and load was increased, that by the end of the run it was essentially a different tyre. We rapidly learned the importance of the A-B-A controlled test, in which you frequently return to the baseline, to see if it has shifted. This is still true in track testing and even more so, as the track is probably changing as much as the tyre is.

You may wonder just how valid racing tyre data is, when taken on a steel belt in a laboratory. But consider how 'noisy' real track data is. It takes a lot of signal filtering to eliminate all the track irregularities from surface contamination and other surface coefficient variations, while the high-speed belt is self-cleaning. I have seen load cell hubs designed to isolate the lateral force component on racecar suspensions. But that still doesn't allow you to accurately control the camber or slip angle during a test.

And that brings us up to today, and why the topic came up. Except for Fi, Formula SAE and Formula Student, there are few places you'll find racing engineers who understand this sort of tyre data. That's why Denny Trimble (University of Washington), Dr. Bob Woods (University of Texas at Arlington), and Edward Kasprzak (University of Buffalo) formed a consortium of teams, and contacted Calspan about running comparison tests on their tyres. Since the cost is astronomical, Calspan agreed to a student discount.

Doug Milliken volunteered to handle the money, he and Mike Stackpole volunteered to analyse the data into Matlab and Pacejka formats, and Goodyear and Hoosier donated tyres. Ultimately, over 30 schools joined the consortium, at \$500 each, to have access to all the data.

Most of the rest of the schools felt that their students weren't ready for that degree of sophistication — although anyone can buy the data later.

Dr. Woods developed the test plan, with feedback from Calspan's test operator, Dave Gentz. Based on a survey of member teams, they decided on seven tyres: a comparison of two diameters (on 10 and 13in wheels) of the same width, a comparison of two widths (6 and 7in) at the same diameter, all from both Goodyear and Hoosier, plus one tyre from Avon. The standard test procedure is to fix the pressure, load, camber angle and speed, then during a run, sweep through continuously varying slip angles, while recording six components of force and moment, plus three infra-red tyre temps, followed by a needle probe at the end. In this case, the upper limits were 450lb load, four degrees camber, and 15-degree slip angle, even though the tyres seem to reach their peak at about six degrees. A slip angle sweep starts slightly offset, passes through zero to peak cornering force one direction, passes through zero to a peak in the other direction, than back past zero again. Five increments of load and camber were taken to define a curve.

At press time, five of the tyres had been tested in two days, and none of the raw data had been reduced. Kasprzak was the attending test representative, and some of his comments were '...they act like real race tyres...very sticky...the test wasn't too abusive...' And their budget affords one more day to test the other two tyres, and to resolve any other questions in the data. I asked him if there were any surprises in the data that he could share, and he said he had been more concerned with making sure the data was complete and the runs were consistent. But he admitted he was surprised that these tyres seemed relatively insensitive to camber. That would be a revelation, considering how much time engineers spend using camber to balance a racecar.

This was a groundbreaking event for racecar engineering students. The combined efforts to get this data will make their modelling a lot more accurate. And yet the data selected was primarily for design or simulation engineers, and not much use for track or development engineers, who more likely need to know how tyre characteristics vary with temperature. When I use a skidpad to study tyres, I record speed or gs or Cf while watching infra-red temperatures (the control variable), to resolve which tyres have the best Cf at what temperatures. Then, you find the optimum pressure and camber by running them in steps through that temperature. This should be very easy to run at Calspan also – just find the peak force slip angle, then run there at a constant speed until the temperature rises through the optimum. Maybe they'll try that on the remaining day.

As Kasprzak said, differences appeared small. However, those miniscule differences are what wins races in these days of otherwise nearly identical cars. Next year we may see some of the teams running different tyres depending on manoeuvre and ambient temperature, or pre-heating tyres for short runs.





Worldwide distributor for many famous manufacturers. Discover our ranges of high performance engine parts and don't hesitate to contact us for further informations.



Visit our web site!!





















JE Forged Pistons Cars - Bikes



Forged Rods SAENZ



Forged & Titanium Valves MPI



Fasteners ARP



Camshafts **KENT CAMS**





Forged Pistons IASA **Throttle bodies**



Headgaskets COMETIC



Insulating Products COOL-IT



Valves Springs EIBACH



Pistons rings

JACQUEMIN TUNING 233, Avenue de La République 59110 La Madeleine

France

Tél: 00 33 [0]3 20 74 64 80 Fax: 00 33 [0]3 20 74 64 89

Please Visit us at PRi Orlando Booth # 2138

www.jacquemintuning.com

MANUFACTURERS OF HIGH PERFORMANCE SILICONE HOSE





SFS Performance is one of the world's leading hose manufacturing companies for Motorsport applications.

We cater for the ultra-high specification and time-sensitive demands of race teams which enables us to provide unique services and bespoke products with low tooling costs for our customers.

One of our greatest assets is our ability to offer bespoke hoses, designed to meet your exact requirements, with low-cost tooling, and rapid turn-around from conception through to production.

We produce elbows, reducers, straight lengths and hump hoses, in a range which is so comprehensive our customers are able to plumb in any configuration.

Our products have been proven at the highest levels of racing, and are used by some of the most prestigious teams and manufacturers including:

- PEUGEOT WRC FORD MOTORSPORT ROUSH
- PRODRIVE TICKFORD RALLIART NOBLE AUTOMOTIVE







T: 44 (0)1582 488040 F: 44 (0)1582 412277

E: sales@sfsperformance.co.uk W: www.sfsperformance.co.uk

nit E, Kingsway Industrial Estate, Kingsway, Luton, Beds LU1 1LP UK



For further details please call or email us, or visit our website: www.sfsperformance.co.uk



By Mike Breslin

The tracks of my tears



Are the new generation of Hermann Tilke-inspired Formula 1 race circuits robbing the sport of its very essence?

ormula I was once so much more than a series of races. It was a great adventure too, an epic journey of technical discovery. From the 'green hell' of the Nürburgring to the concrete chutes of Longbeach, with every variation on the theme of twisting ribbon of asphalt in between, the world championship was a constantly changing challenge to both drivers and engineers.

Granted, we had a few duffers, particularly events like Vegas (the car park GP) and the American street races of the 1980s, but even they threw up their own peculiar engineering and driving challenges, and they also sometimes threw up damned dramatic races too, such as Phoenix 1990, or Detroit 1982.

And then, of course, there were always the 'classic' tracks - the aforementioned Nürburgring Nordschleife, the super-fast Osterreichring, or even Brands Hatch. Just to mention these names evokes images of Clark on take-off at the Flugplatz, Villeneuve snr shaving the rail at Rindtkurve, or Reutemann outfumbling Lauda at Clearways.

All gone now though. In their place we have more grands prix then ever before, 19 this year, and yet we also have less variety than ever before, too. I for one have difficulty in telling many of the new circuits apart. Indeed, if they didn't have sand and camels at Sakhir it could just as well be the new Hockenheim. Time was when I could look at a picture of an Fi car on any given corner and tell you the name of the circuit and the corner. Not now. And that's not just because I'm getting out more.

Hockenheim is a good case in point. Not so very long ago the high summer of an Fi season would see the circus arrive in Germany in August with a completely new set of challenges to address: flat out blasts through the forests, a few chicanes, and the twisty infield stadium section. This was a track that was all about highly stressed engines and aerodynamic compromises, where low drag set-ups for the outfield section would often mean high drama



in the stadium as the cars scrabbled for grip, while long bouts of full throttle would put the engines under immense strain. Because of this it was also a track that sometimes threw up the odd result against the run of form. But best of all, it was a bit different.

Now it's been Tilked. If you're not familiar with the verb, to Tilke, (Tilkering about, Tilked-up, completely Tilked...) it means to either build or modify a circuit to the extent that it looks pretty much like every other track on the calendar. Tilke refers to Hermman of course, the architect behind Shanghai, Sepang, Sakhir, Istanbul, Ar Ring and the new Fuji. All of them, along with Hockenheim, clones of each other: bent paper clip circuits with highly artificial complexes of slow corners and Saharan expanses of paved run off - by the way, slow corners mean the track-side

Bahrain International Circuit. Sakhir - one of the new breed of highly artificial F1 circuits designed with safety in mind but, according to some, a lack of soul

Inset: Hermann Tilke, the designer behind many of the lacklustre, modern tracks

44 IF THEY DIDN'T HAVE SAND AND CAMELS AT **SAKHIR IT COULD JUST AS WELL BE THE NEW HOCKENHEIM**



Classic overtaking manoeuvres like this – Montoya outbraking and ducking inside Schumacher on the rumble strip coming into the Bus Stop at Spa Francorchamps in 2004 – are a rarity on today's smooth, ultra-safe F1 racetracks advertising is on camera for longer, but that's surely just a coincidence... Isn't it?

To be fair to Herr Tilke, he's just following a brief, and perhaps the reason why these circuits tend to look the same is because, by and large, they do actually allow for more overtaking, and some of the dicing at Sakhir, Sepang and Hockenheim has in fact been pretty good stuff. And yet, there's something missing. It all seems so artificial.

Why? Well, think about the most memorable overtaking moves of recent times: Montoya on Schumacher at Interlagos. Hakkinen on Schumacher at Spa. Barrichello on Raikkonen at Silverstone. What have they in common? They all happened on *real* circuits. In fact, I reckon one pass at Spa is equal to about five at Sepang or the like. It's because the moves you remember best take place at tracks where to overtake is still a huge challenge, but most

44 I RECKON ONE PASS AT SPA IS EQUAL TO ABOUT FIVE AT SEPANG OR THE LIKE

importantly perhaps, at circuits where there is an element of jeopardy if the move should go amiss. And that's important. At this year's Bahrain Grand Prix Mark Webber made a mistake and went sailing off the track — I forget which corner, they all look the same. He didn't seem to fight the car, he just let it go, to save the tyres I guess and that's fair enough. But the point is, nothing happened. The car just switched from one ultra smooth surface to another — paved run-off — and in the course of his 'incident' Webber almost explored as much of the Arabian peninsula as Wilfred Thesiger. There was not even a gravel trap to ruin his day.

Now to me this seems wrong. Drivers at the highest level should be punished if they make a mistake, because it's the treading of the thin line between success and disaster that is the very essence of our sport. A car on opposite lock through The Swimming Pool Complex at Monaco is 10 times more exciting than the same at some anonymous Tilke turn with an empty lorry park for run-off.

Some people don't agree though. The other day I was reading a report that said Formula I should even re-brand itself as the 'safest extreme sport in the world.' Only a sport as out of touch with the real world as FI could ever come up with something as ridiculous as that. Why would anyone want to watch an extreme sport that wasn't extreme? That's just *extremely* dull.

I'm not saying we should make all the circuits more dangerous here, and there's no way FI would or could for very many reasons, not least involving the legal implications should the worst happen. But just maybe we have gone far enough, just maybe it's time to stop building new circuits and to start looking after what's left of Fi's once proud heritage of challenging autodromes and differing engineering challenges from track to track. After all, in these days of increasing prerace simulation - some of the teams have finished the race before they get to the track - the older, real tracks, particularly impermanent facilities like Monaco and Montreal, offer something a baby's-behind smooth Tilke-drome can't – bumpy surfaces that can change in character year on year. Which surely must add to the challenge from an engineering standpoint?

So then, with all that in mind, what's my 2006 calendar? Melbourne, Imola, Monaco, Nürburgring (funny isn't it, we used to think that place was bad), Silverstone, Montreal, Indy (it's different at least), Spa, Monza, Suzuka, Interlagos, Jerez, Estoril, Donington (please!) and just a couple of those Tilke go-kart tracks — Sepang and Hockenheim perhaps, but with gravel traps instead of hard aprons.

Just a dream, of course, for the cigarette money says we have to head east, and chances are that each new GP will be on a purpose-built track cut from the same cloth as all the others. Actually, some think this suits the little big man in charge of F1 perfectly. For there is nothing Bernie Ecclestone likes better than order and uniformity — so maybe this is all part of his master plan to make F1 fit the Bernie mould? If that's the case, here's a cheaper way: what about 20 races, all held at Shanghai? And maybe we could have the exact same race each time, too — that would save us the bother of having to tune in.

With friendly assistance

Bosch Motorsport DDUs.



X-ray your race car! You want to know more about what's going on inside your Bosch Motorsport-equipped race car? Come on and have a look on our brand new DDUs, which are the optimum for your requests. The different extension modules for our displays guarantee the highest possible flexibility and overview. The high-tech contrast colour displays are freely configurable and the comfortable steering wheel mount ease the handling extremely. Find more information on our homepage:


www.bosch-motorsport.com



Designer and Manufacturer of Wiring Harness assemblies and components to Motor Sport.

www.zica.uk.com








- Fully ISO 9001-2000 compliant Quality System with state of the art inspection and automated testing procedures. latest material and component technology.
- For further information or to receive a quotation please contact Steve Crabtree, Business Development Manager. E-mail steve.crabtree@zica.uk.com Tel +44 (0) 8700 272089.
- Zica Consultancy Limited, 21 Angelvale, Top Angel, Buckingham, Buckinghamshire MK18 1TH.
- Tel +44 (0) 8700 272072, e-mail sales@zica.uk.com, Fax +44 (0) 8700 272042







WWW.KAITENPRODUCTS.COM



Forum

Formula stupid?

Just some thoughts on the Formula Student report in V15N9. Firstly, I built two FStudent cars in my final two years at University. I did the suspension on both and was in charge of overall vehicle concept on the second. I now work in motorsport and was an FS design judge this year and judged Lulea amongst others. As such, I feel my opinion is well informed.

I hate to use individual cases, but Lulea got a stack load of undeserved credit in that article. The MR dampers did not have any learning capacity and did not in any way, shape or form use vehicle acceleration inputs to adjust vehicle balance. None of the telemetry had actually been used and they could show us no data acquisition plots. Data acquisition is meant to be used to make the car go faster, right?

All the trick stuff is great, but when I asked them about the difference between strength, weight and stiffness and weight in relation to upright design, they just looked confused. I ask you stiffness to weight or Bluetooth gear shifting, which is more important for a racecar engineer/ designer to know about?

I thought the comment about 'dumbing down', in relation to chassis construction techniques was unfair. The idea that a spaceframe is inappropriately low tech is wrong.

Finally, yes Ewan Baldry from Juno works at UCLAN, but this doesn't mean its ridiculous approach of building a massively overweight and poor car because

Email the Editor: racecar@ipcmedia.com

or send your letters to: The Editor, Racecar Engineering, IPC Media, Leon House, 233 High Street, Croydon, CR9 1HZ, England Fax: +44 (0)20 8726 8399 Visit www.racecar-engineering.com and submit your project for a feature online



UCLAN's class one FS entry - tank or innovative challenger?

'we can take it sprinting' should be given more credit than many of the other better engineered cars. UCLAN again: 'We decided we didn't like the rules...' Well don't build a car then. FSAE is based on Solo II autocross in the States. The only thing you will hit head on is a cone, hence the rules are perfectly appropriate. If I turned up to Le Mans with a Chieftain tank because I thought the LMP1 roll hoop regs were inadequate should I be entitled to race? No, I'd be told I'd built an inappropriate car and then told politely to leave.

Ian Allen, by email

CAD amusement

I received my copy today of Vol 15N10 and got stuck in. I got to the Forum section and started to laugh at the 'CADs or bounders' letter. Where has this guy been hiding or

living recently? He is obviously fixated by AutoCAD by the amount of times he mentions it, which probably indicates that this is the only system he can actually use!

I'm not being disrespectful but he needs a reality check. Even as long ago as 1996 I was using a system for low pressure, die cast mould designing and producing high speed CNC programs from the surface of solids models. All we were given were certain design constraints, dimensions and pre-supplied combustion chamber and port geometry values and the rest was up to us! I could visualise in my mind and reproduce it at will. Even nowadays, the software is amazing and there are plenty more 2D and 3D designers out there who will agree that if you can dream it or think it up you can make it. How does he think Fi bodywork or aircraft wing

contours are made? Presumably by hand as a model and then somehow copied like we did all those years ago. He is right in saying that they are tools but the old saying still stands, 'a bad workman blames his tools!'

Chris Cudlip, by email

Dear Lee...

We understand that Radical has not won the SCCA Run-offs but the Radical is a two seater designed to fit many classes, while the Stohr is a single seater optimized for SCCA. DSR and CSR classes. This does not mean that the Stohr is not a wonderful car, just that it is optimised for classes not found elsewhere. If I were going to race one of these classes I would have a Stohr!


Peter Lott, Texas, USA



Now at your fingertips

acecar gineering digital edition

Go to www.racecar-engineering.com/digital for details



With thermal imaging cameras now affordable, could they herald a breakthrough in understanding how a racecar performs?

Racecar puts one to the test to find out



Words	Sam Collins
Images	Collins; Woodvine/IRISYS


ow many tyre temperatures should you take per tyre? The man from RML said three across the tyre — 'outside edge, middle and inside edge.' Would any more tyre temperature information help, asked *Racecar*? 'It's not relevant because you simply can't get round four tyres and get any more than three good readings in time before the tyres have cooled.' That is the perceived wisdom and little has come along that can change that. Until now. Maybe.

The IRISYS low-cost thermal imager could allow teams to record tyre temperatures in seconds, without the scramble round all four corners to record 12 spot temperatures. With the thermal images, each tyre instantly gets 10 spot temperatures that can be determined later on a laptop.

The usefulness of this technology was illustrated during a recent club race meeting at Silverstone, where a Speads single seater showed a strange cold spot on its right rear tyre — chances are a pyrometer could easily have missed it. Other trials were conducted on the day on a variety of racecars and objects hot and cold, including a shot of the engine bay of Rod Birley's Ford Escort WRC taken immediately after a race which revealed the turbocharger was over 100 degrees hotter (325degC) than anything else around it. Even inadequately heated cups of tea were captured, but more serious tests were required.


French outfit Driot Associates Motor Sport (DAMS) offered to trial the

Andy Woodvine
of IRISYS
demonstrating
the thermal
imager at
Silverstone.
Above, taking
readings from
the A1 Team
France car



Right rear tyre of A1 Team Mexico's Lola just after removal of tyre blankets. Uneven heating is clearly evident, with nearly 10 degrees of fluctuation. Particularly of note are the hot and cold spots left on the tyre


Right rear tyre of a Speads RM05 taken in parc ferme after a 10-lap club race on Silverstone's National circuit. Note the cool stripe on the left running the entire circumference of the tyre. Although it was only a two-degree difference it could point to a number of problems, including a tyre defect. Interference from the engine and exhaust is unlikely as the problem did not manifest on two other identical cars racing at the same event



96.0 40.2°C 83.4 45.6 33.0

Getting the right emissivity value for a surface is key to obtaining an accurate reading. The IRISYS thermal imager comes with a number of preset values but currently none specifically for motorsport applications

Taking 10 temperatures across a tyre is easy with the thermal imager. But spot tyre temperatures are perhaps redundant with an overall visual image



EMISSIVITY IS THE RATIO OF RADIATION EMITTED BY A SURFACE

technology on the tyres and brakes of its GP2 and AIGP Cars, offering a direct comparison with the usual probe-type pyrometers. One of the team engineers commented: 'It is good because when you have images you can instantly view the situation. With a probe you must look at just the numbers.' The competitive spirit was soon present as it became clear that the imager could be used to establish what the competition is up to as well. 'It would be great in a series like GP2 because you can see what your competitors' tyres are doing without touching them or even being that near to the car.' Something Racecar put to the test earlier in the day, walking in the back of one team's garage and taking temperature readings from several metres away without being challenged. IRISYS representative (and Formula Vee racer) Andy Woodvine claims 'it's accurate from -iodegC to 300degC, so it quickly gives you a snap shot of the whole temperature range

Head-to-head testing started on the AI Team France car run by DAMS. AP Racing's Nic Olsen used a traditional tyre probe to take readings from the car's brake discs, registering a spot temperature of 26odegC, while the thermal imager only recorded a temperature of 16odegC, around 10odegC out. It seemed Woodvine's claims were somewhat optimistic, but Olsen had the answer: 'On carbon discs it would work fine because they are a black body, but once you get a shiny steel disc it can be a couple of hundred



IT COULD ALLOW TEAMS TO **RECORD TYRE TEMPERATURES** IN SECONDS 77

Race smart.



ADL2 = NEW ADVANCED DASH LOGGER

- USB. Super Fast Download
- * 8Mb Logging Memory Standard (16Mb optional)
- FASTER PROCESSOR!
- * More CAN templates
- * Increased resolution on inputs
- Uses Molec's Interpreter Analysis Softmare
 (as used by championship winners wouldwide)




* FREE Software


* worldwide support

* 2 year warranty







Due to the shiny, reflective nature of the steel surface the camera struggled with brake disc temperatures, but could be adjusted to suit the surface under scrutiny. However, black carbon discs present no such problem



How the camera 'sees' the image – as a series of temperature readings. It then uses built-in software to translate the readings into a more user-friendly image. It will take up to 256 data points per image with 10 spot temperatures





Colours can be adjusted to suit the user and the amount of colour change to temperature can also be adjusted. Racecar found the default setting to be the best



Left: in a headto-head test with Nic Olsen's probe on the AP Racing calipers, the thermal imager performed well

Right: A1 Team Mexico car with tyre blankets fitted just before tyre temp test was run with thermal imager

degrees off, and this is why I go back to my old probe,' said the AP Racing man. 'The problem is the emissivity - it's fine with a black surface but on shiny surfaces, depending if there's any pad smear or similar, what you are getting reflected back can change by 200 degrees just by moving around on the disc. With a probe, although it's a bit basic, it is not upset by emissivity,

In case you are wondering, emissivity is the ratio of radiation emitted by a surface, and varies with how reflective that surface is. A very shiny surface may **WHEN YOU HAVE IMAGES YOU CAN** INSTANTLY **VIEW THE** SITUATION 77

reflect 98 per cent of energy and only absorb two per cent whilst a dull black surface (like a tyre for instance) may absorb 98 per cent of the energy and reflect only two per cent of it.

Olsen then went on to show that the camera wasn't as unreliable as it had first appeared. 'The caliper will be fine. You'll probably get good results from it because it's a fairly dull grey body. What we have to do with ours is change the emissivity according to the surface we are trying to measure. I don't know if you can do that on

Thermal imaging





Covert temperature readings are easy to gain using the imager, as Woodvine demonstrates without getting too close to the cars. Here the team did not know who he was or what he was doing, nor did they question it

your camera?' queried Olsen, before continuing. 'On the caliper we use a value of i.i, which is weird because there is not meant to be an emissivity of more than i. I got hold of the Raytech guys and asked how it is possible to have an emissivity of greater than one. They replied that i.i was a great value. It's not an emissivity value, it's more a fiddle factor.'

In response to this Woodvine demonstrated that it was possible and in fact quite easy to adjust the emissivity on the camera, and then proved its reliability on the car's calipers.

Olsen's pyrometer gave a temperature reading on the caliper of 78degC while the camera showed a peak temperature of 8idegC. Pretty much spot on considering the camera under test has a quoted accuracy of +/- two degC. More accurate versions are available, but at a cost.

Tyres, however, are distinctly non reflective, and that is where the imager could really come into its own. A quick head-to-head with Olsen's probe showed that the Ai Team France right rear tyre was around 34degC, while the camera image showed the temperature in that area as being around 33degC. Accuracy then is not an issue on a tyre, and also it will store every image you take — after all it is effectively just a digital camera.

In a head-to-head test on the AI Team Mexico car (also run by DAMS) the thermal imager worked equally well, giving accurate temperatures faster than a pyrometer and in a far more informative way. As the car's tyre blankets were removed Woodvine took an image of the rear tyres. The result showed the edges of the tyres were evenly heated but there was inconsistency with the middle portions, suggesting perhaps that the blanket



Readings can be taken quickly and easily in a pit garage or trackside, working around other team members and, at the same time, keeping out of the way

was not in consistent contact with the tyre surface. After a three-lap run the car showed relatively even heat distribution across both rear tyres, the camera again out performing the probe.

Of course the issue of capturing rivals' tyre temperatures is a very relevant one in series like AI Grand Prix, GP2 or even FI, and it's not surprising that a number of Formula I teams expressed an interest in the imager when *Racecar* approached them. However, equally unsurprisingly, they were not happy with the results being published. After all, imagine if a rival team could stand at the front of your team's garage and take your tyre temperatures without ever going near the car...


IT MUST SURELY BE THE NEXT ESSENTIAL ADDITION TO A GOOD TEAM'S KIT

'The imagers use a fixed focus lens, so the field of view increases as the distance increases. At five metres the 'hot spot' — that is one pixel — is IICM of the surface you are measuring, but the area within the pixel gets smaller and more accurate as you get closer,' explains Woodvine. 'And it can see differences in temperature of as little as half a degree.'

The imager we tried out in tests at Silverstone did show a lot of potential, but the engineers and software developers at IRISYS could really benefit from working with a racing team to develop a set of emissivity readings for commonly found surfaces in motorsport. Having said that, even in its current form, a clued-up race engineer could still use the thermal imager to find real benefits.

One thing remains to be asked then — why doesn't everyone use them? Quite simply because accurate thermal imagers have always been out of what many would consider a realistic price range, but the IRISYS imager similar to the one we tested can be bought for around £1000 (\$1800). More than a very good quality probe certainly but, as with most things, you get what you pay for — in the case of the thermal imager, what you get is increased functionality, faster, more in-depth readings, instant analysis and, of course, the potential to spy on your rivals. Other than the cost issue it must surely be the next essential addition to a good team's kit.

In the meantime *Racecar* is going to continue to test the device and possibly to work with racecar manufacturers to develop a specific motorsport spec version.





...Quality Thermal Imaging for less than the price of a laptop

- · Real time thermal imaging
- Temperature measurement
- One or two hand operation.
- Laser pointer
- Multiple image storage
- . European Electronics Industry Product of the Year

IntraFled Integrated Systems Ltd Towcester Mill, Towcester, Northants NN12 GAD T: +44 (011327 357824 F: +44 (011327 357825

www.irisys.com





nutomotive Racing products America's Leading Performance Bolls and Fixings Now available for Japanese and European cars - at far less than you may think!

Don't Risk That Expensive Engine! Insist on only the VERY BEST!

Rod Bolts • Head Studs & Bolts • Main Studs & Bolts • Rocker Arm Studs & Adjusters • Valve Cover Studs & Bolts Exhaust Manifold Studs & Bolts • Inlet Manifold Studs & Bolts • Cam & Engine Component Fixings Engine Fixing Kits · Flywheel & Driveline Studs & Bolts · Bulk Metric Fasteners · Piston Ring Compressors & other tools

*	Liigine I ixing Kits	Tiy Willow	i
ç	CONROD BOLT	KITS	
	BMC A Series, 3/8"	£62.64	ļ
	BMC A/B Series, 11/32"	£54.82	2
	BMC B Series. 3/8"Cap		
	BMC K Series		
ı	Cosworth Sierra/Escort		
	Ford BDA, Pro series	£38.98	3
á	Ford CVH		
	Ford Pinto		
	Ford Zetec1.6 8mm		
	Mitsubishi 3000GT	£44.98	3
	Mitsubishi Evolution	£47.20	j
	Opel 1.4/1.6 8v		
	Opel 2litre 16v XE	£42.31	ı
	Opel 9mm Pro Wave		
	Nissan SR20 DET	£40.91	ł
	Peugeot 205/306/309/406	£63.61	ı
	Porsche 944		
	Renault Clio16v 9mm	£50.85	5
	Toyota 4AGE 16v	£35.80	J
	Toyota Supra 2JZA80	£54.45	j
	VW 1.8 water cooled		
	VW 1.6 air cooled		
	Formula Vee 9mm can		

NAME OF TAXABLE PARTY.	HEAD S	TUD KITS	
BMC A Series 9 stud	£85.54	Mitsubishi V6 6G72	£269.68
BMC A Series 11stud	£93.65	Opel 2litre 16v XE	£89.90
A Series 11 stud, shaved	£65.99	Porsche 911/930T	£422.04
BMC B Series	£87.66	Subaru Impreza	£145.42
BMW2002/320i/318i	£111.00	Toyota Supra	£96.39
BMW M3/E46/S54	£118.70	Toyota 4AG 16v	£105.54
Cosworth Sierra/Escort	£96.50	Toyota 3SGTE	£105.54
Ford Escort 1600cc 10mm	£81.10	Triumph Spitfire	£41.91
Honda H22A4 VTec	£114.56	TR4	£83.47
Mitsubishi Evolution	£95.61	TR7	£50.44
Mitsubishi Evo.Undercut	£99.13	VW Golf/Jetta 2.0/1.8 16v	£91.58
	TO EDIN	1 (1 to 1 to 1 to 1	25500

Mitsubishi Evo.Undercut. £99.13	VW Golf/Jetta 2.0/1.8 16v £91.58
MAIN STUD KITS	FLYWHEEL BOLT SETS
Ford Pinto 2000 £76.32	Ford 2000cc £8.82
Mitsubishi Evolution £76.52	Ford 1.8/2.0 Duratec £27.95
Opel 2litre 16v £75.73	Ford 2.0 Zetec £16.19
Toyota 3SGTE £71.71	Opel 2litre
Toyota 4AG 16v £69.41	Toyota 3SGTE
AND	Toyota 4AG £19.75

Metric bolt packs, assembly lube and special tools also available, call for details All prices are plus VAT

> Fax: 01384 216109 e-mail: sales@coordsport.com www.coordsport.com

Telephone: 01384 216102

An Appointed ARP Distributor

New stockists required - Export Enquires Welcome - Large range for Japanese & European vehicle applications Massive stocks of ARP products held in the UK - ready for next day delivery *For orders received before 11.00am - subject to performance of courier, which is beyond our contr



Words & images

Simon McBeath

eeing him drive a racecar, no one would doubt the commitment of the 2001/02 British Hillclimb champion, Aberdeenshire's Graeme Wight junior. But this commitment was tested when the driver turned constructor decided to install a Vio Formula I engine into his new creation. Plenty of 'expert' advice warned against constructing a car, never mind using a virtually current F1 engine. But undeterred, Wight Inr can now bask in the glow of satisfaction as he receives plaudits for a fine job done, even though the stunning GWR Predator is far from sorted yet.

Completed literally on the eve of its first event, and at the time of writing after just six closelypacked events of the 2005 British Hillclimb Championship (and zero testing), the car has demonstrated teething problems aplenty, and some paddock cynicism regarding the basic concept remains. But assuredly, potential is beginning to show...

Wight jnr's 2001/02 championships were attained in a Gould GR51 powered by a 2.5-litre,

ex-DTM Richardson Cosworth V6 (see Racecar VioNio). But in 2003 the GR55 emerged from Gould Engineering, with 3.3-litre Nicholson McLaren NME V8 power (based on the Cosworth XB CART engine of 1992, see V14N10). Adam Fleetwood pedalled one such car to the next two titles. In 2003 only Wight Junior's GR51 could keep in touch on a regular basis, but it was now clearly underpowered. For 2004 the NME V8 was enlarged to 3.5-litres, increasing the power deficit to over 150bhp. By then Wight jnr had commenced his own project.

But why build an entirely new car? Why not fit a bigger engine to his Gould, the champion manufacturer since 1998? 'It was something we'd toyed with for a long time,' said Wight jnr, whose father Graeme (the boss) also drives, 'partly to be

[MARTIN OGILVIE'S] **PCD SAXON BASICALLY** DID IT FOR ME

fully in control. But I also enjoy working on the cars I drive so we thought we'd design our own. And we also felt we could market something up here in Scotland.'

Our old car had great handling but it was underpowered for its weight. So our first concept was to build a smaller, more nimble package using the same V6 engine. We'd talked with various hillclimb car manufacturers, including Gould, but none of them had what we envisioned. Even an F3 car has lots of intrinsic deficiencies compared to what you could build. Then we spoke with [former Team Lotus Fi chief designer] Martin Ogilvie at Prototype Car Designs. His PCD Saxon basically did it for me. It was a great advert, so we hired Martin to take control of the design.'

Readers will recall the Ogilvie-designed 1100cc PCD Saxon profiled in VIIN7 that weighed just 208kg and which subsequently became a class record holder. For his part Ogilvie was 'excited and pleased to be asked, in preference to the established manufacturers, by the then current champion to design a car.'

Woodwork

Ogilvie proceeded to scheme out the car in 2D on Autocad. Prior to that, on Ogilvie's first visit to the GW Racing workshops, a wooden mock-up of a fairly reclined seating position was built to establish the shape and dimensions of the driver cell. This defined a very small, low chassis [Wight inr is about 5ft 9in and under 70kg] that required a plain rear bulkhead to mate with various other engines later. A former RTN colleague of Ogilvie's, Rick Simpson of EVO Design, then modelled the chassis, which was to be moulded in carbon composite, in 3D using Pro/ENGINEER.

The CAD software produced transverse section templates every 25mm along the length of the chassis, which were used to CNC cut 25mm thick MDF panels. Upper and lower chassis patterns, which could be dowelled together, were then built up from these panels. The 'stepped' surface was then blocked down by hand, Wight jnr doing all this graft.

The raw shape was painted with high-build acrylic primer/surfacer so that paint rather than wood was being sanded to get the required finish. The same primer was used for the final finish too, applied with a roller, and then blocked down progressively and polished before release agent was applied.

Moulds were then made using an epoxy wet lay-up system before chassis manufacture was done in carbon pre-preg and honeycomb core using oven and vacuum consolidated cure by PPS of Inverurie, close to the GWR base. 'There are very few composites companies in our area but PPS has for years been doing racecar glass fibre parts, and a few carbon parts, but nothing really structural like a chassis. So to keep ourselves right we used a former Team Lotus colleague of Martin's, Barry Koerbernick, now a composite design consultant, to provide guidance on the lay up for the chassis. Again we wanted to hire the correct intelligence to prevent making expensive mistakes' said Wight jnr.

The general chassis construction is 17mm honeycomb core between 2.5mm carbon skins 'but there are different materials in different places' reported Wight jnr. 'Based on Barry's experience, everything's been done to improve rigidity and safety. For example, we've got a thick ring of Kevlar rope around the return lip of the cockpit surround, purely for a multiple impact protection so the cockpit won't split.'

Low line suspension

One particularly interesting feature is the pull rod-actuated monoshock front suspension. 'I mentioned to Martin that I would like to use the damper mounted vertically on the front of the car, operated by a pushrod rocker system,' commented Wight jnr, 'so we could reduce the height and lower the centre of gravity. Martin





Top: front suspension uses unequal length wishbones; middle: pullrod front monoshock enabled a very low line chassis; below: rear suspension is also conventional design while rear brakes use motorbike calipers

















Because Every Part is Critical...

In racing, you should never rest on past accomplishments. What worked yesterday may not be what wins tomorrow. From F1 and LeMans to World Rally, CART, IRL, GP2, BTCC, DTM, World Superbike, Moto GP and more — leading teams from across Europe and around the world are making the switch to Xceldyne Technologies.

Short Run Production is Our Specialty

· World class manufacturing facility utilizing automation, robotics and computerized controls for maximum quality and repeatability

Quick turnaround times through dedicated manufacturing cells for optimal process specialization

- Proprietary coating technologies for wear and impact resistance - thermal spray, PVD, and CVD technologies
- Environmentally controlled, metrology lab with sub micron measuring capabilities
- Superior Materials All mil. spec aerospace certified -Optimized by in-house heat treating



xceldyne.com 42 High Tech Boulevard Thomasville, NC 27360 USA 888.481.2310 (Inside USA) (01) 336.472.8281 (01) 336.472.2405 Fax

apid Prototype



For more than 50 years, Eibach Springs has dedicated itself to one simple quest: building the finest springs in the world. When other springs sag, or need frequent replacement, top race teams, from F1 to WRC, from Le Mans to NASCAR, inevitably turn to Eibach. And, also inevitably, wonder why they didn't choose Eibach in the first place.

- **Ultra-Lightweight for Reduced Unsprung Mass**
- **Maximum Deflection in Combination with Smallest Block Heights**
- **Exceptional Block Resistance and Durability**
- **Lowest Side Loads with Load Center Ideally Located Relative to Spring Axis**
- **Guaranteed Rate Consistency and Linearity**

Performance Perfected.

See us at SEMA Booth # 22085

Eibach Federn Am Lennedamm 1 57413 Finnentrop 49 (0) 2721 / 511-0 49 (0) 2721 / 511-111 @ eibach@eibach.de

ISO 9001 QS 9000

Eibach Springs, Inc. 264 Mariah Circle Corona, CA 92879 (1) 909-256-8300 (1) 909-256-8333

Eibach Suspension Technology Ltd. Unit 25, Swannington Rd. Broughton Astley Leicestershire LE9 6TU 44 (0) 1455-286524 44 (0) 1455-285853 @ eibach@eibach.co.uk

Japan Eibach Japan Co., Ltd. 14-1 Kamiikedai 2-chome, Ohta-ku, Tokyo, 145-0064 81 (0) 3-5499-6342 81 (0) 3-3726-7605

trading1@eibach.uec-group.com eibach.com

Australia

Hostiana Elibach Suspension Technology P.T.Y. Ltd. 3-4 Prosperity Parade Warriewood 2102 NSW 61 (0) 2-9999-3655 61 (0) 2-9999-3855 @ eibach@eibach.com.au

came back and suggested a pull rod. That way we could mount the rocker underneath the car and the heaviest items of the monoshock system would be underneath instead of on top of the chassis. This meant that the chassis only needed to be the height of your feet, which let us lower the line of the car dramatically, and also meant we didn't need a separate top damper cover. There is still a little bulge shaped-deflector to be made to clean up the airflow around the bottom of the damper though."

Martin Ogilvie remarked: 'I don't know whether the pull-rod monoshock is novel, nothing is new in motor racing so doubtless others have done something similar. It's not ideal though because it angles forward, so all the loads are angled and the effective torsional length of the car is increased. But with the relatively low spring rates on hillclimb cars I thought we could get away with it. Installation wasn't easy, the rockers and damper getting mixed up with the master cylinders and rack, but that's the sort of challenge I enjoy!'

Indeed, in order to put the damper on the front bulkhead the steering rack was located inside the chassis, just forward of the pedals. To allow for left foot braking the column comes up vertically and into a transfer box before running horizontally to the steering wheel. Most of these components are from a Formula Renault but the rack bars, the rack housing and the transfer box housing are bespoke.

Suspension geometry is what Ogilvie calls 'very pure, with good roll centre control, no anti-dive or anti-squat and traditional kpi, caster and Ackermann. So, if the car has a handling problem we won't have to step back and wonder if some

THE V10 RUNS ON TO 15,000RPM SO THE EXTRA POWER IS AT THE TOP END

pet theory that has been included has actually caused the problem.' This approach was vindicated during the early events when a handling problem was easily diagnosed and solved with rising rate rear rockers and revalving of the dampers.

From V6 to V10

Although Wight jnr's previous V6 had potential for uprating, it could only be semi-stressed and would always be less powerful than the now commonplace 3.5-litre NME and 4.0-litre Judd V8s. Then the option of a 2000-spec, ex-Arrows Formula 13.0-litre Hart Vio, complete with pneumatic valve gear arose. Even rpm restricted for longevity this would be lighter, lower and potentially more powerful than the V8s. Furthermore, the original John Barnard-designed carbon and titanium cased transmission was also available, all 'at an attractive price.' A shrewd move or was this asking for trouble?

There have certainly been issues. Unexpected problems with the oil system occurred because of piston blow by – a symptom of the designers' quest for reduced friction at high rpm - and required solutions involving crankcase breathing and increased tank capacity. And there have been low voltage problems, exacerbated by running

generally at lower rpm than the charging system was originally designed for.

But that's all with the benefit of hindsight, and it would have been unrealistic not to expect teething problems. So consider the logic that swayed the team from an off-the-peg V8 to the Vio, explained by Wight jnr: 'Basically it's a torque issue. Watching the big V8-powered cars last year, they were short shifting their first three gears. It was obviously hard to get them to handle in the lower gears because they had so much torque – they were traction limited. We thought that the V6 car handled its power really quite well; it just didn't have enough of it. So we thought with the Vio we'd have everything and more up to the 11,500rpm limit of the V6, but the Vio runs on to 15,000rpm (as currently limited) so the extra power is at the top end.

And as Wight jnr reminds us, 'we've built a car as light as a 2.0-litre class car, and in any part of the rev range we've either got more than 2.0-litre power or completely mental power! We can also programme the shift lights to come on at different pre-selected rpm levels depending on the gear we're in. That was one of the beauties of the EFi engine management, and later we'll be able to programme the engine's characteristics according to what gear we're in.' Another unexpected problem has been the extreme heat the engine produces. 'When the engine starts up it's just like standing next to a space heater. That plus voltage issues have caused most of our initial bugs.'

Operating the Vio involves particular methods, as explained by engine builder Neil Peters of Pride Race Engineering: 'It has to be pre-heated to 70degC before you even start cranking it. And ->



The Predator's ex-**Arrows Hart V10** powertrain - longer but with more forward weight distribution than the competition

you have to evacuate the sump every time you start it so you don't seize the scavenge pumps and shear the drive to the pressure pump, which would lose oil pressure and break the engine.

'We aren't using a fly-by-wire throttle so making that work nicely with a good mechanical rising rate linkage was important. One of the biggest things is the lack of inertia in the engine. The engine will rev at 14,000rpm on 17-18 per cent throttle but there's no power there, so popping the clutch drops it to about 2000rpm, and if you've still got light throttle it'll just stop. We can't add a flywheel because of potential torsional vibration problems, but a basic form of launch control now helps in getting the car off the start line successfully.

'The engine responds very well to mapping — it needs large amounts of ignition advance, lots more in some parts of the rev range than you'd expect.' The exhaust primaries are about an inch (25mm) longer than the originals, and the tailpipes, incorporating silencers, are 'a lot longer but that had quite a beneficial effect.

'Original engine life was about 350km (220 miles) but reducing maximum rpm to 15,000 will hopefully raise this to around 1600km (1000 miles),' continued Peters. 'Different camshaft profiles have been manufactured for increased tractability and once rolling the car has been pulling from under 4000rpm and it accelerates well from that, too. It starts really thinking about it at about 8000rpm but to make it sing it needs to be above 10,000rpm. There's about 180lb.ft at 8000rpm but it really takes off when you hit 10,000. In that 2000rpm it produces another 100lb.ft of torque, and then torque hangs on 100 nicely to generate the horsepower.

'We're keeping an eye on what F1 are doing with cams at the moment because they're getting ever-wider power bands. But they also have fly-

Tech spe	cs: Predator				
Chassis:	carbon/honeycomb composite				
Bodywork:	'glass/honeycomb composite				
Aerodynamics:	profiled underbody, dual-element front wing, two triple-element rear wing tiers				
Suspension:	front and rear unequal length wishbones, front pull-rod monoshock with anti-roll shuttle, rear pushrod double spring/dampers, Penske dampers				
Brakes:	AP four-piston calipers front, two-piston rear, drilled & skimmed discs, Questmeed pads				
Wheels:	10.5×13in front, 14×13in rear				
Tyres:	Avon, 225/600-13 front, 315/660-13 rear				
Transmission:	Arrows/Xtrac six-speed, longitudinal, Jack Knight cam and pawl differential, AP multi-				
	plate 4.5in carbon clutch, MIL electro-pneumatic paddle-operated assisted gearshift				
Engine:	Arrows Hart V10, 2998cc, four valve per cylinder, bore 91mm, stroke 46mm, pneumatic				
	valves, four camshafts to bespoke profile, 13:1 compression ratio, EFi EMS,				
	TAG coils and single injectors				
Power:	650bhp at 14,500rpm, torque: 280lb.ft at 10,000rpm, weight 115kg including				
	ancillaries and oil tank				
Data acquisition:	EFi with 2D dash display				
Dimensions	Wheelbase: 104.3in(2649.2mm)				
	Front track: 57.5in(1460.5mm)				
	Rear track: 54.0in (1371.6mm)				
	O/A length: 177in (4495.8mm)				
	0/A width: 68.5in (1739.9mm)				
	Weight: 924lb (420kg) including fluids				

by-wire throttle which helps modulate the throttle for improved control. It's very difficult for the driver to do that.'

Weighty issues

The Wight's V6-engined Gould used an ex-Arrows




A14 transverse gearbox, and original thoughts for the new car centred on the same unit, but the longitudinal transmission that came with the Vio ultimately selected itself. 'This gave a longer wheelbase, but also a slightly further forward weight-bias, which is what I was looking to achieve,' commented Wight jnr, while declining to be specific on the actual weight bias. 'This is different thinking really, and there are sceptics. There is going to be that initial problem off the startline because the weight is not hanging over the rear wheels but, as we found with the V6



The John Barnarddesigned carbon/ titanium cased transmission extended the wheelbase but reduced the polar moment of inertia






Electrical Problems?

Need a Custom Made Wiring Harness?

We can provide competitively priced hardware for all leading manufacturers of data acquisition and engine management systems



Specialists in:

- Carbon Control Panels
- Electronic Power Steering
- LED Rain lights

Custom made wiring looms for all of our products can be provided.

- Mobile Workshop
- Track-side Support

Designers and Manufacturers of **Professional Electrical Systems for** all type of Motorsport Vehicles

Unit 1, Quayside Industrial Park, Maldon, Essex CM9 5FA Tel: +44(0)1621 856451 Fax: +44(0)1621 842237 E-mail: sales@wiringlooms.com


MoTeC





www.wiringlooms.com





Upright pick ups were dictated by the chosen geometry and the original gearbox pick up locations



Gould, a more forward weight distribution enabled higher cornering speeds, especially on corner entry. The car also had a lower polar moment so now we've taken that a step further.

'Getting off the line was not a priority. We can use the car's electronics to aid that (and other aspects) later. The main thing was to get good mechanical balance. Just about every hillclimb car understeers, but that's not a bad thing, depending on what stage it's at, but quite often with my previous cars I've sacrificed traction to make them loose to help the front end. With this car we tried to not create an understeerer - and we haven't! Even from the limited running so far we know we're going in the right direction. In fact we're actually working the other way, shifting grip from the front to the back.'

Gear selection

It seemed to onlookers during early running that the car's paddle shift-operated, electropneumatic assisted gear change mechanism was misbehaving causing some missed runs. Wight jnr corrects this misconception: 'Although I've been frustrated at not being able to drive as much as I should, the issues have not been with the gear system itself – that works without problems. The car's installation of the gear system has been the problem. There have been difficulties getting the engine control unit to allow the gearbox control unit to do its job, but the electrics have been working fine. Ian Haley of MIL who supplied the shift system and controls has been frustrated too when people have erroneously blamed his system. Also the incredible heat build up from the engine was causing the gear selection mechanism to drag and not change properly. That hopefully

THE MAIN THING **WAS TO GET GOOD MECHANICAL BALANCE**

has been resolved now [with larger radiators and more ducting out of the engine cover].'

The bulk of the Xtrac-manufactured gearbox internals have been retained, complete with the final drive. The drop from the original 18,000rpm maximum to the chosen limit of 15,000rpm has effectively lowered the gearing to suit the hillclimbing environment without needing a different final drive or different gear ratios. But the differential has been swapped to a cam and

pawl unit supplied by Jack Knight Developments. 'We bought the Moog valve control systems for the engine and the original active differential as well but couldn't afford the software side of things just now. We intend to install the systems at some point though,' commented Wight jnr.

Aerodynamics

Targeting the smallest, tightest, smoothest package achievable, the Predator nevertheless has an aggressive look to it, mainly because of its wing package. But appropriately Martin Ogilvie describes the aerodynamics as 'very much a finger in the air design.' The underbody reflects the freedom in the technical regulations - no flat floors mandated in hillclimbing – and though the Predator's underbody owes much to long outlawed, ground effect single seater concepts ->



it also incorporates current thinking: 'our system is meant to work better than a flat floor because it can never be choked completely. The shape we've gone for should allow more pitch change without sensitivity coming in.'

The wing package was obviously chosen to try and generate as much downforce as possible. The emphasis was clearly placed on the rear, given that the car could still be traction limited at relatively high speed. However, with its large chord mainplane and flaps at the front, early running suggests the aerodynamic balance may well be biased to the front. At the time of writing an experiment with a new bump stop arrangement to prevent excess front compression as speed builds was due to be tried, spring rate changes already seeing the front stiffer than originally envisaged. Revisions to the front flap cut-outs are also on the development list.

Just reward

So, a challenging project all round? Martin Ogilvie nicely sums up from his viewpoint: 'The client had the funds to make a car, not to analyse it, CFD it, FEA it, or wind tunnel test it, so the biggest challenge has been to design and assist with the manufacture of a state-of-the-art car with limited resources at a location far away from 'motor racing valley.' This has required some imaginative design and construction techniques, cost efficiency and simplicity, while attempting to achieve an aesthetically elegant, effective engineering design.' On the face of it, the partnership has achieved its aims.

44FROM THE OUTSET THE PLAN WAS TO **MANUFACTURE 'REPLICAS' OF THE** PREDATOR ""

From the project outset the plan was to manufacture 'replicas' of the Predator, with options to fit just about any 2.0-litre plus 'automotive' motor, and also smaller capacity motorbike-engined versions. Graeme Wight jnr always said that he would not take any deposits until the basic concept had been thoroughly proven, but he is hoping shortly to embark on the first customer car. With refreshing honesty he admits, 'although I knew what I wanted to do, at the beginning of this project I had no idea what I was getting myself into. I haven't looked at the hours I've put in – all I know is that there have been lots. But it's been a labour of love - it's the most rewarding thing I've ever done. We're aiming to win with the car of course, but in a sense wins will just be a bonus.'



Sidepod and underbody inlets - designed so that airflow under the car can never be choked off



Complex twin tier rear wing assembly. The lower tier does not extend into the wake of the rear wheels



The diffuser tunnels at the back of the car integrate aerodynamically with the rear wing assembly

At the heart of the world's most powerful engines...



Here's what some of our customers have said about us

"These rods give us the ability to win championships"

Peugeot Sport Engineering

"Arrow Precision take winning as seriously as us!"

Hawk Kawasaki

"Without Arrow rods we could not achieve the performance required" willPower Racing

"the thought of a rod failing in a 72yr old engine is too big a risk"

Classic Car Storage Ltd

"Manufactured to the highest quality"

Radical Sportscars Ltd

"Simply the best aftermarket con rod's we've ever used"

Graham Goode Racing

"Superb Followers, head and shoulders above the rest" Kenny McInstry, Rally Driver

"The service and quality of the product is perfect" Muhlner Motorsport SPRL



Arrow Precision Engineering Ltd

Tel: 0044 1455 234200

Fax: 0044 1455 233545

Web: www.arrowprecision.com

e-mail: enquiries@arrowprecision.com





General Motors chose two very different motorsport arenas in which to showcase its new four-cylinder world engine, programmes designed with racers firmly in mind

Words	Mike Pye
Photos	GM; Pye

Recipe for success

eneral Motors Corporation, as well as being the world's largest vehicle manufacturer is also one of the most successful competitors in the worldwide motorsports arena. So when it set its collective minds to producing a new production car engine that would be equally well suited to motorsport applications, it knew it had to come up with something special, and an equally special strategy for getting the engine worldwide exposure.

Oard Kirble

GM cites five 'pillars' to its motorsport strategy: a dynamic training ground for its engineers; technology transfer; employee enthusiasm; a marketing platform and high performance parts sales. And in a world dominated by marketeers, motorsport is big business, affording a valuable in-road to a market of millions that attend motorsport events across the world and billions that view it on TV

It also wanted a real return to the philosophy of its founders – to win on the track and win in the marketplace – and the huge sums of money GM is currently pouring into its racing programmes is doing just that, with the results already filtering down into its production models with beneficial results for the buying public.

Ever since GM debuted its quintessential small block V8 engine in 1955, it has been aware of this fact and has provided for it through its

performance parts divisions. But times have changed, and growing levels of environmental awareness led GM engineers to develop a new engine – an engine that was suitable, not only for the future, but for more widespread use outside the United States of America as well – a truly 'global' engine. With the company in partnership with Fiat, Isuzu, Suzuki, Subaru, Daewoo, as well as in technological collaboration with Toyota, BMW and Renault, and with facilities in Europe. Asia, Latin America, the Middle East and Africa, the global market was where it focussed its view.

44THE GLOBAL MARKET **WAS WHERE IT** FOCUSSED ITS VIEW

'In today's business world, the expenditure of any amount of money requires a solid business case,' said Doug Duchardt, former director of GM Racing. 'It is important for both marketing and engineering reasons to have strong links between the products that we race and the products that we sell to the customers. Racing is a sport, but ultimately it's about business.'

GM therefore had to design and build a new engine that would fulfil all these criteria. An

engine that would be suitable in a wide range of vehicles across its brands, one which was a sound investment and would last long into the future, and yet one that would also enable it to race successfully, both to promote the product and to continue its long history in motorsport.

The next big thing?

Already being likened to the small block V8 for its simplicity, versatility, reliability and unlimited potential, GM's four-cylinder Ecotec engine features lightweight, all-aluminium construction, a four-valve-per-cylinder head and dual overhead camshafts. Nothing new in that perhaps but, using 'recipes' from the GM Sport Compact Performance Build Book (GM part no. 88958646), power output can be raised from the 140bhp it produces in stock form up to a prodigious 1100bhp+ in drag racing spec. Better still, all this can be achieved with products available directly off GM's parts shelf. 'The Ecotec was designed with many technologies in mind from the beginning – turbocharging, supercharging, variable valve timing and direct injection were all thought of when it was originally designed instead of an afterthought,' said Tom Read of GM Powertrain Communications.

Its design, too, was to be a truly global affair, involving over 200 engineers from Opel's



(Grand Am, Sunfire, G6 and upcoming Solstice), Chevrolet (Malibu, Cobalt, Cavalier and HHR), Saab (9-3 and 9-3 Aero), Opel and Vauxhall (Astra, Zafira, Vectra and Signum) models.

Initially offered in either 2.0 or 2.2-litre naturally aspirated and supercharged formats with power outputs ranging between 140 and 210bhp the range has now been expanded to include a 2.4-litre version with variable valve timing (available in 2005 Chevrolet Cobalt and HHR models, as well as Pontiac's G6 and Solstice).

The basis of the engine is a one-piece block, lost-foam cast from A₃56-T6 aluminium with flanged, cast iron liners press-fit into a semifloating support structure. This is supported by a die-cast aluminium girdle with five main bearing caps and a structural cast aluminium oil pan. Each main cap structure has six fasteners and is deliberately thick to resist the differential


the aluminium block (turbo and supercharged versions use a steel crank). All blocks come ready cast with passages for piston cooling jets and for an oil cooler used in higher output variants.

The 16-valve, twin-cam cylinder head is again lost-foam cast from A356-T6 aluminium and uses matched pairs of steel valves (35.18mm (1.385in) intake and 30.1mm (1.185in) exhaust). Pent-roof combustion chambers have centrally-mounted spark plugs for fast, efficient combustion. Dual overhead camshafts are chain driven directly off the crank and actuate the valves through hydraulic roller finger followers, with provision made for upgrading to variable valve timing.

The 205bhp SC Eaton M62 supercharged version benefits further from a block-mounted oil cooler, heavy duty pistons, forged steel connecting rods, a forged steel crankshaft, a larger sump and sodium filled steel exhaust valves.

Engine management is a sequential electronic port fuel injection design with an integral compression-sensing ignition module.

While competition versions of the engine, either in 2.0-litre or 2.2-litre specification, utilise a vast array of modified and aftermarket GM parts, the production block, main bearing girdle, cylinder head and chain drive are all retained. In the words of Russ O'Blenes, Ecotec race engine developer, 'it's simply amazing what can be done with the basic engine package.' Combined with the engine handbooks, written by GM engineers based on experience already gained in competition with the Ecotec, there's everything you need to know to build a 1000+bhp four cylinder engine just a 'phone call away at your local GM dealer.







Taking it to the track

To prove the performance potential of its new engine, GM went racing with it, taking it both to the drag strips in the then fledgling Sport Compact drag racing series and to the Bonneville salt flats in Utah to try for existing land speed records – two dichotomous motorsport environments chosen to test the engine to its absolute limits, and of course to prove it could win at both.

Conceived in 2001 to showcase the growing Sport Compact industry in the USA, and with national TV coverage of every round it's no wonder GM saw the NHRA Summit Sport Compact drag race series as a worthwhile market to promote the Ecotec engine in.

With a Pontiac Sunfire in FWD Hot Rod, driven by GM Racing's Marty Ladwig, and a Chevrolet Cavalier in Pro FWD, driven by Nelson Hoyos – both cars running in 2002 under the Bothwell Motorsports banner – its assault team was in place. Both used turbocharged, methanolburning, 2.0-litre Ecotec engines producing over 1000bhp without nitrous oxide injection, specifically because GM wanted to prove that the Ecotec engine can reliably make over 1000bhp without recourse to gas. And it worked.

By the close of the 2003 series, Ecotec-powered cars were the ones to beat. Ladwig's Sunfire went on to win outright four out of the 10 events entered and to win the '03 series overall, in the process becoming the first US-built car in Hot Rod to run an eight-second quarter mile. In Pro FWD Hoyos made the finals in all 10 events, winning seven and finishing runner-up in the remaining three, along the way becoming the first front-

wheel drive competitor to reach 190mph. Ladwig later went on to become the first to run a sevensecond guarter in a monocoque front-wheel drive car and the first to break the elusive 200mph barrier. As Ladwig put it, 'When you look at the amount of horsepower we are producing on the dyno, there's no question that the Ecotec is the choice for power.

Returning in 2004 under the expansive wing of GM Racing both teams won five events and finished runner-up in at least three. 'We're extremely pleased with the progress we made with the programme in a year's time,' said Hoyos. 'It all boils down to the GM engineers, the team and their dedication to this sport. They want us to succeed and to show the world the power of the Ecotec.' At the time of writing, Ecotec-powered cars continue to dominate the Hot Rod category in Sport Compact drag racing.

Having proved its point and, more importantly, proved the Ecotec engine, GM then went on to unveil at the Specialty Equipment Market Association show (SEMA) in Las Vegas in November 2004 a new generation of purposebuilt racecar aimed squarely at this now allimportant market. Based on the new Chevrolet Cobalt coupe, the Cobalt Phase 5 dragster features a 2.2-litre, turbocharged, 535bhp, race-prepared Ecotec engine, as well as chassis and safety components by GM. The package uses 65 per cent production engine parts and was, according to Doug Duchardt, designed as an 'example of what Sport Compact performance enthusiasts can do to create their own Cobalt race cars.'

And this is the essence of the entire Ecotec

programme, not just to produce a world beating global engine, but to make it available as an offthe-shelf racing motor, suitable for a wide range of motorsport applications. 'GM is opening the door for [tuners] to race with Chevy by offering easily installed components specifically engineered for racing,' said Fred Simmonds, GM's drag racing group manager.

Land speed racing

On the other side of the racing spectrum is GM's Bonneville programme, aimed at showcasing the 205bhp supercharged and 210bhp turbocharged variants of the 2.0-litre Ecotec to a whole new audience in an entirely different environment.

Mark Reuss, executive director of GM Performance Division, might like to say GM's assault on the 2004 World Finals at Bonneville was a 'classic grass roots effort', but really it was far from it. Tony Thacker, vice president marketing at the So Cal Speed Shop in California – the company chosen to prepare the vehicles and provide logistical support for the Bonneville programme – put it succinctly: 'It's a collaboration. GM was happy to use So Cal's history as probably the best known Bonneville racing company. They provide the powertrain and support."

In October 2003, under the watchful eye of GM Racing Division, a front-wheel drive, turbocharged, 700bhp, 2.0-litre, Ecotec-engined Saturn ION Red Line Coupe, driven by GM engineer Jim Minneker, set a new record of 212.684mph in the G/Blown Fuel Altered class (1.5-2.o-litre engine category).

Internal wrangling at GM meant the Saturn project was prematurely shelved, replaced with a new programme for 2004, now under the wing of GM Performance Division and involving Chevrolet instead. The focus was Chevrolet's new Cobalt SS Coupe. According to Thacker, 'It's a development exercise for them, a different extreme form of motorsport. Drag racing is a short blast, this is a long blast at full throttle – it's a different kind of development for the engine.'

In Sport Compact drag racing spec the 2.0-litre Ecotec is boosted to 1100+ bhp and dominated the NHRA Hot Rod championship in 2003 and 2004



44 DEMONSTRATING THE ULTIMATE PERFORMANCE CAPABILITIES OF THE ECOTEC ""

entry was chosen to illustrate the variety of applications for the Ecotec engine package



The Ecotec Lakester - a stroke of marketing genius and a class record holder at Bonneville, having reached a best of 189mph with stock 2.0-litre SC Ecotec power

While these projects were certainly successful, the combination of GM and the So Cal Speed Shop pulled a worldwide media coup with the unveiling of a stunning 21st century rendition of the postwar Bonneville belly tank lakesters. Dubbed the Ecotec Lakester, the project was so successful that GM decided to build a second generation Lakester for 2004, but this time one more designed for racing than for show. It would again feature a 2.0-litre version of the Ecotec motor, this time mounted longitudinally and supercharged, rather than turbocharged.

And recognising the potential for winning the hearts of American motorsport enthusiasts across the board, GM also provided powertrain and support to two other projects at Bonneville that year — the Haas family's '34 Ford roadster and Ron Main's re-named Ecofire Streamliner, now running with an 800+bhp, 2.0-litre Ecotec engine in place of its supercharged Ford flathead, and aiming for the 300mph barrier.

Shaver Racing Engines in Torrance, California, were commissioned to build the blown, intercooled race motors and, backed by GM 4T65 Hydra-Matic transmissions, the engines acquitted themselves admirably, revving to 9500rpm without problems and, in the Cobalt, recording a speed of 243.127mph, some 30mph higher than that attained by the Saturn in 2003. According to Bobby Waldren, former Cobalt crew chief for So Cal Speed Shop, 'The Cobalt SS Bonneville speedster is really very close to a production car. It's just a straightforward approach to Bonneville racing that a guy could build in his garage.'

While these were pure competition versions of GM's Ecotec, the 2004 Lakester, debuting with a production 205bhp, supercharged and intercooled 'crate' motor beneath its composite body set a new record of 179.381mph in the G/Blown Gas Lakester class. At the 2005 Speed Week the team pushed this higher still to 189.205mph.

The cars chosen by GM to represent it and its latest generation engine pay tribute to the versatility of the Ecotec powerplant, featuring all

While these projects were certainly successful, e combination of GM and the So Cal Speed Shop alled a worldwide media coup with the unveiling a stunning 21st century rendition of the post-

configurations from front-mounted, transverse-engined, front-wheel drive, to front-mounted, real-wheel drive, longitudinally-mounted, rear-wheel drive and rear-mounted, rear-wheel drive. As a mark of its durability, in all the runs made during GM's four visits to Bonneville between 2003 and 2005, there were only two failures — and one of those was put down to human error.

What these programmes have proved beyond any doubt is that GM's Ecotec engine is a force to be reckoned with in today's performance

orientated, yet ecologically concerned market. Choosing the Sport Compact drag race series and the Bonneville land speed record events as proving grounds were shrewd moves — one is the fastest growing youth sector of the market, the other is steeped in American history and appeals to the old guard and young performance enthusiasts alike. In the words of Mark Reuss, 'We're showcasing the Ecotec in a distinctly American way that our Japanese competitors simply can't match. The Bonneville programme is a return to the roots of American high performance — but we're doing it with a technically advanced, four-cylinder engine.'

Is it the engine of the future? Only time will tell but, in some motorsport circles, it certainly seems to be being considered the engine of the now.

'A cookbook for racing

The Sport Compact Performance Build Book contains comprehensive information on preparing Ecotec engines for competition. Like a recipe book for racing enthusiasts, it is a step-by-step guide to modifying Ecotec engines, based on GM Racing's experience

Stage 1 stock (140bhp) - 250bhp

Adjustable cam gears 75bhp nitrous oxide injection kit GM/Eaton supercharger kit

Control module recalibration

Stage 2 - 250-400bhp

H-beam forged steel connecting rods
Forged aluminium pistons
Replacement head gasket and head bolts
Uprated valve springs
150bhp nitrous oxide injection kit
Hahn Racecraft turbocharger/intercooler kit, with

Stage 3 – 400-600bhp OE block with high strength liners (stock bore size)

recalibrated fuel management unit

Eagle forged steel crankshaft (over 550bhp only)
Eagle connecting rods
Wiseco forged aluminium pistons
CNC ported Sportsman cylinder head (OE casting)
GM high performance cams

Fabricated sheet metal intake manifold

Stage 4 - 600-1000bhp

GM Racing prepared OE engine block H11 ¹/2in 13 head studs H11 ⁷/1sin 14 main studs Fabricated sheet steel oil pan (if necessary)

GM Racing prepared billet steel crank
H-beam billet connecting rods

GM Racing prepared JE aluminium forged pistons

GM Racing prepared OE cylinder head

Copper head gasket with stainless sealing rings

Investment cast rocker arms

Fabricated intake manifold with 5.3-litre V8 throttle body (75mm)

Stage 5 - 1000-1400bhp

GM Racing prepared OE engine block with 3.5in bore
Heavy duty flywheel bolts
GM Racing sand cast LSJ cylinder head and matching cover
Dual valve springs and titanium retainers
Jesel roller rockers
Competition Cams race camshafts

Fabricated intake manifold with 90mm Acufab throttle body Meziere high flow electric water pump









Smooth operators

There's a lot more to aerodynamics than just wings and underbodies and overlooking even minute details can cause dramatic losses of aerodynamic efficiency

Words	Simon McBeath
Images	Advantage CFD; McBeath

ecent correspondence in our 'Forum' pages spotlighted the human-powered speed record attempt vehicle, and in particular how dust that sticks to an oily fingerprint could cause transition from lamina to turbulent airflow over the vehicle's surface. On such a vehicle great effort is paid to maintaining lamina flow in order to minimise skin friction drag (also known as viscous drag), but details like this are not generally the dominant sources of drag on a racecar. In rough, though not strict order of influence, the major drag sources on a racecar are: its basic shape; wheels (and wheel housings); wings and spoilers; internal flows (cooling, ventilation) and details like handles, mirrors, window seals, panel fit, surface finish etc.

Individually, small details would appear to be low priority when it comes to racecar performance but cumulatively their effect can be significant. And details don't only affect drag — they can also lead to a loss of downforce, and occasionally to a loss of engine power...

The transition from laminar to turbulent flow occurs over distance as viscous effects near the vehicle's surface remove energy from the flow, and the swirling and mixing of turbulent flow takes the place of laminar flow. With racecars the flow usually goes turbulent pretty soon over the vehicle, partly because speeds are considerably higher than those attained by human-powered vehicles. We generally tend to be less concerned about this transition because viscous drag is a

small contributor to the overall drag that a racecar creates. But we should be concerned about details that cause flow separations, adding to the form drag (also known as pressure drag), a major contributor to overall drag. The other particularly significant type of drag acting on a racecar is induced drag, also known as vortex drag, which results from the generation of lift (or downforce), but this is more about set-up choice than attention to the kind of details we're looking at here. Let's look at some examples where overlooked details can cause aerodynamic deficiencies, and where common sense often provides a solution.

A paper published in 1963 and cited in Milliken and Milliken looked at several aspects of surface




Figure 11: the Lola B1/00 ChampCar had a nicely radiused radiator inlet duct insert – shown here being taped in place – for blanking off some of the intake area

details in relation to their drag contributions. One topic examined was called 'permissible roughness', in which the maximum size of surface particles that would affect the so-called boundary layer sufficiently to cause additional skin friction drag was plotted against vehicle speed (reproduced in figure 1). Note the boundary layer is the layer of static or slow moving air close to a body's surface that is held back by viscous interaction with the surface. The first and most obvious conclusion from this plot is that at racecar speeds a rougher surface appears to be more tolerable than at land speed record velocities. Secondly, at the upper end of the racecar speed regime a decent finish would still seem to be necessary.

As already stated though, we are not usually overly concerned with skin friction drag, so why is surface finish important here? Well, it's a matter of degree. Figure 1 implies that protruding surface 'imperfections' as small as o.ooiin or 0.0254mm might affect the boundary layer at around 100mph (160km/h). So how thick is the tape you use to cover over details? And how thick is the vinyl from which your decals are made?

But can details this small actually make a noticeable difference? Practically speaking, it probably depends on where they're located. Take an aerodynamically sensitive area of a racecar the underside of its wings, and more especially towards their trailing edges for example. As regular Aerobytes readers will know, in this region the airflow is 'climbing' an adverse pressure gradient, where the static pressure is gradually increasing from its lowest value, generated further forwards under the wing, back up towards ambient pressure again as it nears the trailing edge. If the wing is being run anywhere near its maximum angle, or if speed is too slow, it is all too easy for the airflow to separate (and ultimately stall) in this region as the gradient becomes too steep for the air to 'climb'. What a layer of vinyl (or paint, or dirt) can do, especially in these more marginal circumstances, is to 'trip up' that airflow and cause it to separate prematurely. The likely result being more drag, less downforce and therefore worse performance. So if it's necessary to put decals on the rearwardfacing surface of your wing or flaps, maybe consider spraying the whole area with clear varnish that can be polished as smooth and flat as a good paint job. Surface treatments can also be applied to areas where separation is likely to occur which actually delay its onset. So-called 'turbulators' are sometimes applied to a wing suction surface to trigger transition to turbulent flow in an effort to reduce the likelihood of, or delay, separation.

Staying with wings for a while, another avoidable surface 'imperfection' that can occasionally be seen is the attachment of the






Figure 1: 'permissible roughness' varies with speed regime

Below left - figure 2: Gurneys should be attached to the upper surface, not the lower



Gurney flap, or wicker bill, to the wrong surface (see figure 2). These simple, effective aero-tuning aids usually comprise thin (approx. imm or 0.04in) carbon or aluminium right angle strips


44 IT'S NOT JUST THE DRAG OF THE **FASTENER THEMSELVES THAT MATTERS**



stuck, bolted or riveted to the trailing edge. They should be attached to the upper surface. If they are attached to the lower surface there will be an edge protruding into the airflow that will cause early separation once again. This will negate some of the benefit the Gurney would have achieved, which in part is to delay separation and permit more downforce to be generated.

Small-scale errors

This leads us onto two related areas – fasteners. and protruding edges generally. Carroll Smith told us about these in Tune to Win in 1978, but looking around paddocks nowadays it appears that not everyone paid attention. Hopefully Carroll wouldn't mind us repeating his words of wisdom. Figure 3 comes from that esteemed title and shows the drag coefficients for various types of fasteners, data that came originally from that same 1963 reference cited above. Figure 4 shows similar information as portrayed in Milliken and Milliken, with relative drag values indicated. Both figures make it abundantly clear that we should make fasteners as unobtrusive as possible, and although the drag forces involved per fastener will obviously be small because of the small size of the items involved, every little helps.



Left - figure 3: drag coefficients of a variety of surface mounted fasteners; Above - figure 4: relative drag of the same types of components

But, as Carroll Smith also pointed out, it's not just the drag of the fastener themselves that matters, but the wakes extending rearwards from them. Just think about the shape of a wake you can see easily, such as that from a boat moving through water. Depending on the exact circumstances, the wake spreads out downstream and potentially affects the flow to other parts of the racecar, as well as causing drag and local flow separation. So to really offend an aerodynamicist, just attach your Gurney to the underside of your wing and use hex headed bolts to hold the thing in place! If you do use nuts and bolts to hold a Gurney on, at least use the dome-headed type (wing trailing edges are generally too thin for countersunk or flush fasteners) with the heads on the underside, and the more obtrusive nut and bolt shank on the upper surface where they sit ahead of the vertical portion of the Gurney and have minimal influence.

Moving on to protruding edges, borrowing once more from Carroll Smith and Tune to Win. Figure 5 shows the drag coefficients of various sheet metal joints, and again the conclusions are pretty obvious. Yet the occurrence of forward facing edge overlaps is all too frequent, especially so on the flat aluminium sheets used to panel in the underside of racecars. Panelling in the underside is aerodynamically a good thing to do (providing cooling has also been carefully considered), but leaving forward facing protruding edges clearly negates some of the effort. The designs in figure 5 point at the most aerodynamically efficient ways of joining such panels, and the small amount of extra effort will surely be worthwhile.

There's a tale told of a well-known racecar




Figure 5: drag coefficients of all the major joint types between sheet metal bodywork sections




Figure 6: relative drag caused by different shaped gaps in panels



Figure 7: thin tape over gaps in bodywork can help reduce drag


Below – figure 8: relative drag caused by scratches and ridges on bodywork

manufacturer's managing director who had the habit of running his thumbnail across the joins in bodywork after initial assembly to ensure they were as tight fitting and smooth as possible — not very scientific perhaps, but a valid inspection technique nevertheless. And you can see his reasoning — with all the effort put into CFD and wind tunnel development programmes, it was vital that there were no major tolerance problems on the finished product. But a good fit between body panels is vital whether or not you've

CERTAIN GAP SHAPES CREATE APPALLING DRAG 77

developed your car on a computer or in a wind tunnel. Figure 6 once again appears in Milliken and Milliken, and originates in that 1963 paper. Although this time the drag numbers are relative to the third example from the top, we can see from the second example from the bottom of figure 5 that if a simple, shallow gap creates significant drag, then it is probably fair to assume that wider and deeper gaps will be worse. And figure 6 tells us that certain gap shapes create appalling drag.

An easy and frequently used way of improving



body fit at the track is to tape over the joins, preferably with very thin tape. This at least will be better than leaving large gaps. Similarly, where body cut outs have been made, to clear suspension legs for example, these can be taped over to bridge the gap (see photo figure 7). Body fasteners may beneficially be taped over, too.

Scratches and ridges have also been examined to see their effect on skin friction drag, and figure 8 illustrates, this also coming from that 1963 paper via Milliken and Milliken. Although actual dimensions are missing in this figure, we can at



Backbone of the world's best engines.

A great engine needs the support of a great crankshaft. The world's leading motor manufacturers, tuners and engine builders choose DKE crankshafts for their high performance engines and the results stand up for themselves.

The Brabus E V12 set the new world record for a street legal saloon at 350.1 kph, the Radical SR3 Turbo smashed the lap record at Germany's infamous Nürburgring by 13 seconds and at this year's Le Mans the Judd powered cars came first at LM2 and second at LM1. To make sure your high performance engine isn't spineless, fit a DKE crankshaft – the power behind the world's best. For more details call Tim Moss on +44(0)1455 27 37 38 or email dkecrankshafts@aol.com



We are Manufacturers and Suppliers of High Performance Aluminium Cooling Products to the Racing Industry and High Performance Fast Road and Rally.




Supplying Racers, Race Teams and Manufacturers throughout the U.K and Worldwide.

We even build and restore historic, copper brass units for classic and vintage racing.

Our product ranges from

- aluminium radiators
- intercoolers
- Serck Speed oil coolers
- Setrab oil coolers
- header tanks
- fuel tanks
- swirl pots



We can adapt your design request to suit your specific requirements including all bracketry and pipework. We build to patterns or drawings so please give us a call!

We are also now the Official UK distributor for SETRAB Oil Coolers


Tel 020 8813 7470 Fax 020 8813 7499




LIGC

Mob 07831 327 654 Email ss.motorsport@unipart.co.uk Web www.serckservicesmotorsport.co.uk YOU CAN ALSO MAKE YOUR ENQUIRY ON-LINE!





413.256.0861 Fax: 413.253.0936



least conclude that ridges, especially square ones, are a lot worse than grooves when aligned perpendicularly to the airflow. A significant example where a small ridge can have undesirable effects relates to the rear wing on a 2005 Formula 3 car spotted in a paddock recently. Running fingers around the leading edge it was apparent that the joint between the wing's upper and lower halves had not been finished off, and a small ridge of perhaps 0.5mm (0.02in) could be felt on the main element's leading edge. Figure 9 (from Advantage CFD) shows pressure coloured streamlines around a single element and a dual element wing, and both demonstrate that the stagnation point - where the flow divides to go above or below the wing – is above the leading edge. Air can be seen flowing around the leading edge, so this is not a good place to encounter a ridge jutting into the airstream, albeit a small one. Fortunately, the fix is quick and simple: a

44 LEADING EDGES **SHOULD BE GENEROUSLY** RADIUSED 77

bit of work with a medium grit sanding block would remove the offending ridge and polish would go some way to restoring a nice surface.

Large-scale errors

Other oft-ignored details are slightly larger scale. A guiding generalisation in racecar aerodynamics is that the leading edges to all parts of the 'wetted' bodywork should be generously radiused, within the regulations of course. This rule of thumb applies particularly to inlets, such as to radiators, engine airboxes, underbodies and any other ducts. A frequently missed detail is the required radius on the forward-facing rear lip of the opening to a NACA duct – if this edge is left sharp then separation will occur and the duct will function inefficiently. Interestingly, the other corners of a NACA duct need to be left sharp. It appears that many moulded 'NACA ducts' available from catalogues have ignored at least the well-established radiused lip rule.

The entrance to radiator ducts, engine airboxes and underbodies need a generous radius so that at whatever angle the air approaches (a moveable target with dynamic changes in yaw particularly) separation is not triggered. Figure 10 shows that this F₃ Dallara has nicely radiused radiator inlet duct edges, and the airbox on the Mugen engine has certainly been thought about. But the tape over the radiator inlet is a typical trackside tweak that must make the designers cringe with frustration. Having said that, moulded inserts




Figure 9: pressure coloured streamlines show the flow going around the leading edge of a single and dual element wing (Advantage CFD)



Figure 10: this Dallara F305 demonstrates nicely rounded duct inlets, and a taped-over radiator duct...



Figure 12: a less sophisticated attempt at adding a radius to an underbody inlet...

could be offered, such as Lola provided for its ChampCar customers, shown being taped in place on the car in figure II. Only the corners between the insert and the original duct surround are left 'sharp', the rest of the reduced area duct is provided with the correct form of radius this way.

Some trackside modifications leave even more to be desired, and in fairness the one in figure 12 was done tongue-in-cheek after it was suggested that the inlet to the venturi-profile underbody on this hillclimbing Ralt would be better if radiused. It's doubtful that even the product branding could

help in this case, though it can be reported that at least the weight had been drained from the cans...

Occasionally the location of one item relative to another can be the cause of problems. For example, there have been instances where engine inlets have been positioned in the wake of rear view mirrors. Figure 13, a CFD streamline plot on the Prodrive-built, Advantage CFD-optimised Ferrari F550 GTS racecar, illustrates how far downstream the effects of the disturbance to the airflow caused by a mirror actually extends. Figure 14 is a front view of the Dallara F305,



Above – figure 14: it might look like the wake from the mirror on this Dallara F305 could reach the airbox inlet, however, it was tested and does not

Right – figure 13: the disturbance caused by a mirror can travel well downstream though, as CFD streamlines of a Ferrari 550 show (Advantage CFD)

and at first glance it might appear that the mirror's wake could affect the engine inlet. However, F3 support engineer Jos Claes reports with typical thoroughness that wind tunnel tests revealed the mirror's wake to extend 500mm. The distance to the airbox inlet is 700—800mm, depending on engine, and the airflow at the inlet is actually said to be 'back to what it would be without a mirror.'

A detail that has frustrated F₃ designers and race engineers alike in 2005 is that it is no longer permitted to shroud the wheel tethers, so that the aerofoil-section wishbones now have the cables, clearly seen in figure 7, taped in place on their leading edges. The safety angle — shrouds may have had the potential for severing the tethers in an accident — is evident though. It is perhaps worth noting here that the wider section tube

used on the wishbones of the Dallara F₃05 was apparently adopted for increased rigidity rather than any benefit to the airflow.

And finally, another topic discussed by Carroll Smith in *Tune to Win* was wing mounts, and their potential for flow disturbance on the wing's crucial suction surface. Benefiting from the clarity that CFD visualisation now offers, we can see what he was getting at. Figure 15 shows the effect

THE LOCATION OF ONE ITEM RELATIVE TO ANOTHER CAN BE THE CAUSE OF PROBLEMS



Flow Separation

Figure 15: ineffective wing mounting plate design can disturb the airflow over a significant area of the wing's suction surface (Advantage CFD)



Figure 16: a modified mounting design created less disturbance to the airflow (Advantage CFD)

of the supports on the original wing assembly used on the Prodrive Ferrari F550. Even these relatively sleek-looking plates were causing marked regions of separation, and their effect became worse when yaw angle was introduced. Figure 16 shows the modified mounting system on the re-profiled wing developed by Advantage CFD. The reduction in the separation caused by the slimmer mounts is clear, and these mounts also created less disturbance when the car was in yaw. The separation zone at the rear of the new wing was eliminated with a 6mm Gurney. Modifications to the profile and the mounts produced a 2.5 per cent reduction in drag for a similar level of downforce – significant on this type of racecar. For real life confirmation that the effect of apparently 'aerodynamically clean' wing mounts can be significant, look at figure 17, where oil was used to visualise flow on the rear wing. The effects of the mounting plates are clear to see.

And so it can be seen that small things, cumulatively and even individually, can and do make a genuine difference.

References

C Smith — *Tune to Win* — Aero Publishers Inc, 1978 WF Milliken and DL Milliken — *Racecar Vehicle Dynamics* — SAE, 1995

K Kelly and H Holcombe — Aerodynamics for Body
Engineers — SAE paper no. 640050, 1963

J Katz — Race Car Aerodynamics — Robert Bentley, 1995

S McBeath — Competition Car Downforce — Haynes, 1998

S McBeath — Competition Car Aerodynamics — Haynes, publication due 2006

Figure 17: oil streak marks on this real wing show the effects of the mounting plates



Chemical Analysis
Metallography
Fatigue and Fracture Mechanics
Physical Testing
Mechanical Testing
Pilot Scale Vacuum Melting
Creep and Stress Rupture Tests
Corrosion Testing
Test Piece Manufacture
Thermocouple Calibration
High Temperature Adaptors
Hydrogen Embrittlement Test
Specialists

Approvals include: CAA, Rolls-Royce Pratt & Whitney, GE, Nadcap, SNECMA

IncoTest

Holmer Road, Hereford HR4 9SL. UK

Tel: (0)1432 352230 Fax: (0)1432 353545

Email: info@incotest.co.uk Web: www.incotest.co.uk













uccessfully transferring large amounts of kinetic energy from the engine to the driven wheels via a manual transmission has always been one of the purest measures of a racing drivers' skill. At no point is this more true than during a standing start from the grid or pit lane – an event that places enormous stress on both car and driver and which can often decide the outcome of an entire race.

At the heart of the mechanical maelstrom that gets a static car up to full race velocity is the clutch. While the well-established interplay of primary clutch components has not changed significantly over recent decades, many leading suppliers have made huge strides in reducing weight and the critical dimensions. The resulting changes have been dramatic. For example, AP Racing – which supplies the upper echelons of most major international formulae, including

In an effort to ease the immense strain on clutches during standing starts, AP Racing has developed a new, patented cushion system to lighten the load

Words Peter Cox					
Photos	AP Racing; LAT				

nine of the current 10 Formula 1 outfits - has seen the weight of its grand prix car clutches fall from over 4kg in the mid-1960s to around 1kg in 2005.

As well as reducing the weight and size of its clutches (where regulations allow), Coventrybased AP Racing has also been actively devising new ways of providing the driver with a greater level of modulation and 'feel' during those crucial standing starts. This effort first resulted in the company's Cushion Flywheel System (CFS), an

innovation protected by international patents.

With an AP Racing CFS-equipped clutch, Belleville washers are set into machined recesses in the face of the flywheel and take up a small but predictable proportion of the load as it begins to be transferred from the bottom clutch plate. The washers compress, creating a secondary lower spring rate that permits a less linear, more progressive transfer of force that makes the clutch more controllable in engagement.





BELLEVILLE WASHERS TAKE UP A SMALL BUT PREDICTABLE PROPORTION OF THE LOAD 77

The success of the CFS lies in its simplicity, something that underpins its impressive reliability. To accommodate CFS on a typical 140mm clutch, eight M6 mounting holes must first be machined into the face of the flywheel. Retaining screws are used to keep two Belleville washers in place in each of these holes. The outer edges of the washers are left exposed and, when the clutch is engaged, they come into contact with replaceable high temperature stainless steel split rings located in the bottom clutch plate.

'Consistent positive feedback from the drivers during the early CFS tests meant we soon became very ambitious about the potential applications,' comments Norman Barker, sales and marketing director at AP Racing. 'Since its launch it's been rolled out across a wide range of applications in F₁, F₃, GT and endurance racing, as well as multiple touring car formulae worldwide.'



One popular outlet for CFS was the European Touring Car Championship (ETCC). However, in the shift to the new World Touring Car Championship (WTCC) format and regulations, alterations to the flywheel became outlawed. This meant AP Racing could not market any of its ETCC clutches to the WTCC teams, without first removing the CFS feature.

Determined to bring an alternative iteration of its 'cushion' effect to the WTCC clutch market, AP Racing's design team went back to the drawing board as the new WTCC rules were taking shape. As well as precluding changes to the flywheel, the technical regulations mandate clutch diameter to a minimum of 180mm – larger than many of the key products in AP Racing's clutch range where a 140mm diameter has become typical.







After World Touring Car Championship regulations outlawed flywheel alterations, the CFS feature was relocated to the rearward face of the pressure plate



Designers also decided to take advantage of the fact that the WTCC allowed competing teams to adopt carbon/carbon clutch plates.

The outcome of the AP Racing design effort is the Cushion Pressure Plate System (CPPS), introduced for the first time in the new CP7832 WTCC clutch. The original concept of the CFS where Belleville springs accommodate some of the initial force during the first phase of clutch engagement – is largely carried over for CPPS. The use of high temperature stainless-steel split rings, set into the face of the neighbouring clutch plate and acting as bearings for the Belleville springs, is likewise replicated from the CFS design.

However, as the name implies, the 'cushion' effect is moved to the opposite end of the clutch body, with the Belleville assembly embedded in the rear face of the pressure plate. When the new CPPS clutch is engaged, the diaphragm spring creates a force acting on the pressure plate, which in turn causes the outer edge of the riveted Belleville washers to come into contact with the split rings recessed in the clutch plate. Where required, these cushioned pressure plates can be returned to AP Racing for servicing and/or replacement of the Belleville springs.


From behind the wheel, CPPS affords a similar improvement in clutch controllability to CFS. In a standing-start situation, it is easier for the driver to modulate clutch engagement with a rapid increase in power, while simultaneously taking in information about available levels of tyre grip.

'CPPS is particularly relevant for a carbon/ carbon clutch application as the frictional performance of the plates improves very suddenly as the clutch is engaged,' adds Barker. 'With sintered plates, the level of friction is lower but is more apparent to the driver at an earlier stage. Carbon is more effective and behaves more consistently over a wider temperatures range, but it can be harder for the driver to read the point at which the plates start to bite. CPPS adds a welcome extra degree of controllability.'

The new CPPS-equipped CP7832 clutch was extensively trialled by a variety of WTCC teams at an early stage in its development. It made such an impact that four of the leading works outfits -BMW, Alfa Romeo, SEAT and Chevrolet – chose to adopt it with immediate effect for the inaugural 2005 season and beyond.

Reduced servicing costs

Although devising CPPS was a key focus for the designers of AP Racing's new WTCC clutch, significant consideration was also given to those characteristics that could help reduce running costs. One core feature that may appear to run against that philosophy was the adoption of carbon/carbon plates, but Barker is quick to challenge the notion that carbon is necessarily more costly. 'While the move to carbon/carbon



plates means the initial purchase price of the WTCC clutch is higher than that of the sintered ETCC model, the durability of carbon will actually reduce the outlay for teams used to making more frequent sintered plate changes,' adds Barker. The intention is that the new clutch should therefore require a smaller financial commitment during its useful life.

Perhaps the simplest measure aimed at reducing cost for customers was the selection of clutch cover. Rather than adopt the more sophisticated 12-bolt design seen on the

CPPS IS PARTICULARLY RELEVANT FOR A CARBON/CARBON **APPLICATION**

company's existing carbon clutch range, AP Racing elected to replicate the race-proven sixbolt format already used on its sintered clutches. Teams are then given the option to request a more complex, machined cover to better suit specific weight reduction or cooling objectives for an individual car.

The most obvious change related to cost efficiency is the redesign of the pressure plate. With a conventional carbon clutch, pressure

plates have to be changed regularly to counteract the effects of wear to the driven and intermediate plates. The greater the wear to the stack, the deeper the pressure plate must be in order to provide the same response during engagement.

Conventional clutches are normally purchased together with spare pressure plates of varying thicknesses to allow for the progressive reduction in depth of the plates. The new WTCC clutch abandons this well-established approach in favour of a replaceable fulcrum ring that sits in contact with the diaphragm spring.


The replaceable fulcrum rings are available in 0.25mm increments to compensate for gradual overall wear of the carbon stack. 'Rather than replacing the whole pressure plate, when wear increases the mechanics only have to replace a much smaller, lower-cost item,' explains Barker.

The new clutch began life as a single plate unit, as this provides sufficient torque capacity for the WTCC. However, AP Racing has since produced a twin-plate model, offering an even higher degree of controllability and longer life at greater operating temperatures.

Changing to a pressure plate-based cushion from the previous flywheel-based solution has so far proved successful. All of the works teams that adopted the CP7832 clutch with CPPS for the first year of WTCC have already indicated their intention to continue with it into 2006.

THE COOLEST DISC YET





EMBRACE WHAT WE AT AP RACING CALL "WIDE DISC TECHNOLOGY".

Simply, this means exactly what it says: a wider disc allows us to create more, larger, vanes between the swept faces, with no weight penalty.

Result? A disc that runs up to 150°C cooler than conventional discs, enabling your driver to brake harder for longer. Couple this with our new

AP Racing

WRC Range

PRF660 high performance brake fluid and suddenly you have that edge over the competition.

Already proven in WRC, NASCAR and Endurance Racing, this leap forward in brake technology should be on your list to investigate.

For full details and applications, speak to our Technical Sales Team.

AP RACING
WHELER ROAD
COVENTRY CV3 4LB
ENGLAND
TEL +44 (0)24 7663 9595
FAX +44 (0)24 7663 9559

EMAIL: sales@apracing.co.uk



THE SCIENCE OF FRICTION

www.apracing.com

RACECAR ENGINEERING BACK ISSUES

engineering




V15N1 BAR front torque transfer system - Spirit WL05 - WRC weight placement -Rover K-series myths exploded



V15N2 F1 gearbox trends - Lotus chassis software - Magnesium in motorsport

- D-Sports - Autosport guide







V15N4 F1 2005 launches - Race simulation software - CFD optimisation - Sport compact dragsters - Rally



V15N5 Lola LMP2 prototype Rotary dampers - Composite bonding - Engine balancing -Sporting trials - Dynamometers

engineering



V15N6 Chevy Lacetti WTC - NASCAR in 2005 - Radical profile - Zeroshift explained Introduction to 3D CAD



V15N7 Aston Martin DBR9 - Dufournier tyre optimisation - Inside EuroBOSS - Aerodyn wind tunnel - Allard J2X



V15N9 New wave prototypes V15N8 Formula 3 2005 - Per Eklund Rallycross SAAB - Dave Richards interview Le Mans technology – Lotus - Lotus Sport Exige - Formula MSc - Motorsport wheels SAE 2005 - Ross Brawn on F1

☐ I wish to pay by:

Expiry date

Mastercard

Diners

Card number

Signature

Visa

Switch card issue no:

Delta

Date...



V15N10 Creuat suspension - MoTec ADL2 - GT America - CAD hardware - Prototype transmissions - Crash testing



BACK NUMBERS AND BINDERS P

For a full Racecar Engineering features index log on to our website at www.racecar-engineering.com. To obtain back issues fill in form below

BACK ISSUES AND BINDERS ORDER FORM Complete this form, attach payment and send to: YOUR DETAILS RACECAR ENGINEERING BACK ISSUES DEPT, John Denton Services, Unit 1, A1 Parkway, South Gate Way, Title...... Initial...... Surname..... Orton South Gate, Peterborough, PE2 6YN, UK. Tel: +44 (0)1733 370800 Fax +44 (0)1733 239356 Address..... www.mags-uk.com/ipc Email: info@mags-uk.com I would like.....binder(s) Total £..... (see below for prices) I would like the following back issues Postcode Country V.....N...., V.....N...., V.....N...., V.....N..... (check below for availability & prices) Number of back issues...... Total £... Daytime tel..... Evening tel..... Back issue prices **Availability** Note that editions not shown on this list UK only (1st class mail) £6.00 are out of print: V11N4, V11N6, V11N7, V11N8, £7.00 Europe (airmail) V11N9, V11N11, V11N12, V12N1, V12N2, V12N3, V12N4, **PAYMENT DETAILS** Rest of World (airmail) £8.00 V12N5, V12N6, V12N7, V12N8, V12N9, V12N10, V12N11, ☐ I enclose a cheque for £ Binder prices V12N12, V13N1, V13N2, V13N4, V13N5, V13N6, V13N7, made payable to IPC MEDIA LTD V13N8, V13N9, V13N10, V13N11, V13N12, V14N1, V14N2 UK only (1st class mail) £8.00

V14N3, V14N4, V14N5, V14N6, V14N7, V14N8, V14N9,

£13.00 V15N5, V15N6, V15N7, V15N8, V15N9, V15N10

V14N10. V14N11. V14N12. V15N1. V15N2. V15N3. V15N4.



Europe (airmail)

Rest of world (airmail)

collect your personal information to process your order.

£12.00

Data protection: Racecar Engineering Magazine, published by IPC Media Ltd (IPC), will

Would you like to receive emails from Racecar Engineering and IPC containing news, special

offers and product and service information and take part in our magazine research via email? If yes, please tick here \square . Racecar Engineering and IPC would like to contact you by post or by telephone to promote and ask your opinion on our magazines and services. Please tick here if you prefer <u>not to</u> hear from us \(\sqrt{.} \). IPC may occasionally pass your details to carefully selected organisations so they can contact you by telephone or post with regards to promoting and \(\sqrt{.} \)

researching their products and services. Please tick here if you prefer <u>not to</u> be contacted \Box .

Amex

Switch

Save up 3

For the perfect Christmas gift

- A subscription makes a thoughtful and lasting gift for months to come.
- Even bigger savings when you buy 2 or more magazines online. Over 70 to choose from.
- Treat yourself to a subscription with delivery direct to your door.



WIN! a dream holiday for two in Barbados worth £3,000

For more details visit www.giftmags.co.uk



giftmags.co.uk/race

more offers, more savings, more choice.

ive your payment details ready when you call. Quote code AEL5 Please have your p

SPECIAL OFFER PRICES Direct Debit (UK only) Pay £9.45 every 3 months

SAVE 30 % off the full price of £13.30								
Postal Region	Full 2 Year Price	You Save	You Pay	Full 1 Year Price	You Save	You Pay		
UK	£108.00	30%	£75.60	£54.00	25%	£40.50		
EUROPE	€185.00	30%	€129.50	€92.50	25%	€69.37		
N.America Rest of the World	\$246.00 £154.00	30% 30%	\$172.20 £107.80	\$123.00 £77.00	25% 25%	\$92.25 £57.75		

THE DIRECT DEBIT GUARANTEE This Guarantee is offered by all Banks and Building Societies that take part in the Direct Debit Scheme. The efficiency and security of the Scheme is monitored and protected by your own Bank or Building Society. If the amounts to be paid or the payment dates change IPC Media Ltd. will notify you at least ten days in advance of your account being debited or as otherwise agreed. If an error is made by IPC Media Ltd. or your Bank or Building Society you are guaranteed a full and immediate refund from your branch of the amount paid you can cancel a Direct Debit at any time by writing to your Bank or Building Society. Please also send a copy of the letter to us. Direct Debits can ONLY be paid through a Bank or Building Society. Your Direct Debit price will stay the same for 1 year from the start date.

YES! I would like to subscribe to Racecar Engineeing

- 3 monthly Direct Debit, UK only Pay only £9.45 every 3 months saving 30% off the full price of £13.50
 - 2 year subscription (24 issues) See price details above
 - 1 year subscription (12 issues) See price details above

Postal Region

Price £/\$/€

Send coupon to: UK ONLY: IPC MEDIA LTD., FREEPOST SEA 4394, HAYWARDS HEATH, WEST SUSSEX, RH16 3BR (No starr OVERSEAS: IPC MEDIA LTD., PO Box 272, HAYWARDS HEATH,

WEST SUSSEX, RH16 3FS, UK (Affix correct postage)

Your details:

Mr/Mrs/Ms/Miss:

Surname

Address:

Post/Zipcode

State/Country:

Home Tel No: (inc. country & area code)

If you would like to receive emails from Racecar Engineering and IPC containing news, special offers and product and service information and online magazine research questionnaires please include your email below

Email:

I would like to send a gift to:

subscription, please supply address details on a separate sheet.

Mr/Mrs/Ms/Miss:

1. I enclose a cheque/international money order made payable to

2. Please debit my: □Visa □MasterCard □Amex □Switch/Maestro (UK only)

Expiry date: Switch/Maestro issue/start date

Please also fill out 'Your Details' opposite. To give more than one

Forename:

Address

Post/Zipcode

State/Country: Home Tel No.

(inc. country & area code)

Choose from 3 easy ways to pay:

IPC Media Ltd. for the amount of £/\$/€

Signature:

3. Pay £9.45 every 3 months by Direct Debit (UK only)

Instruction to your Bank or Building Society

to pay by Direct Debit	
	DIR
For office use only. Originator's reference - 764 221	Det

A/C no		Ш	Ш	Ш		Ш
N						

Address

Postcode

Account name

Sort code Account No

Please pay IPC Media Ltd. Direct Debits from the account detailed on this

instruction subject to the safeguards assured by the Direct Debit Guarantee. I understand that this instruction may remain with IPC Media Ltd. and if so, details will be passed electronically to my Bank or Building Society.

Signature

*For all gift orders received by 7 December

AEL5

Final closing date for all orders and prize draw is 7th March 2006. Orders received before 7th December 2005 will begin with the February 2006 issue. Orders received after 7th December 2005 will begin with the first available issue. All prices are discounted from the full subscription rate, include p&p and are correct at time of going to press. All cards will be debited in Sterling, if Racecar Engineering changes frequency per annum, we will honour the number of issues paid for, not the term of the subscription. We regret that any occasional gifts on magazine covers are unavailable to overseas subscribers. The 59 45 offer is only available in the UK by Direct Debit. For enquiries call 440 (1945 of 7778, or email incsusbe@gs-suckom. Racecar Engineering and IPC would like to contact you by post or telephone to promote and ask your opinion on our magazines and services. Please tick here if you prefer not to hear from IPC | IPC may occasionally pass your details to carefully selected organisations so that they can contact you by telephone or post with regards to promoting and researching their products and services. Please tick here if you prefer not to be ontacted | Please enter my name into the prize draw only. Entrants must be resident in the UK and over the age of 18. A full list of prize draw terms and conditions is available on request from the address above. No purchase is required to enter.

2005, we will post a special gift card to you before Christmas. Unfortunate cannot guarantee this offer for orders placed after 7th December or for overseas orders.





SHOCK ABSORBER DYNAMOMETERS



>CLUBMAN 04

This machine is designed to bring features of higher end machines to racers with limited budgets. The standard windows based software supplied with this machine enables the user to access data of both velocity and displacement. The machine is an economy evolution of the wide range of capabilities available with SPA Dynamometers.



>BTP 4000

The SPA BTP4000 is the latest in a line of successful Dynamometers which runs all software options, This new level Bench Top Portable has all the features of our world leading BTP2000 but now with a 4" stroke option, and with further updated features it offers the Race Engineer an unrivalled degree of accuracy and flexibility, in its' class, in Shock Absorber Data Acquisition



>PSD 04

This advanced Dynamometer from SPA is specially designed both for the experienced Engineer and for anyone utilising the many benefits to be gained, by owning a Dynamometer for the first time. The standard software package with the PSD 04 has a range of graphical analysis allowing simple measurement of Velocity and Displacement, A wide range of upgrade options are available

See us at SEMA **Booth # 24082**

SPA Aerofoils Ltd

Common Barn, Tarriworth Road Packington, nr Lichfield Staffordshire, WS14 9PX, UK Tel: +44 (0)1827 300150 Fax: +44 (0)1827 300151 Email: sales@spa-uk.co.uk

SPA Technique

1209 Indy Way, Indianapolis IN 46214, USA Tel: (317) 271 7941 Fax: (317) 271 7951 e-mail: patrick@spatechnique.com

website: www.spatechnique.com

www.spa-uk.co.uk

AS USED BY



BY DESIGN

Raceshop

Raceshop is a section of Racecar Engineering written for people who are in the process of designing, building or running racecars. Raceshop is designed to be interactive. We want you, our readers, to let us know about your company, your new products and your engineering problems. Raceshop can provide you with a showcase for your products or the answers to your engineering questions.

Send your details to those listed below for each of **Haveshop's** sections. You can either send material direct to the Leon House address on Page 5, or to the email addresses below...

Racegear: racecar@ipcmedia.com

Database: Tony Tobias

tony_tobias@ipcmedia.com

The Consultant: Mark Ortiz

markortiz@vnet.net

Aerobytes: Simon McBeath

via: racecar@ipcmedia.com

Fuel for thought
The volatile world of racecar fuel cells
which, as our lead picture shows, don't

which, as our lead picture shows, don't always react as they're supposed to...

77 Racegear

Our review of the latest products and components for racecar engineers

83 Database

Racecar's comprehensive, easy to use directory of contact details for motorsport engineering companies, manufacturers, suppliers, teams and much, much more – exclusive to flaceshop

93 Aerobytes

Simon McBeath explains the dynamics of waste gases and how best to use them to your advantage

97 The Consultant

Chassis guru Mark Ortiz talks us through left percentage in oval racing



Much more than just somewhere to store unused fuel, fuel safety cells are an imperative part of any racecar. We look at the top manufacturers in the field

Words | Ian Wagstaff

he fuel safety cell has its origins in aviation during the latter part of the Second World War, as a means of gunfire or crash protection. If the tank was punctured, an inner layer of rubber between two layers of fabric would swell and plug the hole. Advanced Fuel Systems' Jonathan Tubbs believes that the first time such a product appeared in a race was during the 1950s in the Jaguar D-types at Le Mans. In their case the reason for use was not crash protection but to provide a structure that would not suffer fatigue during the 24-hour race.

THE FUEL SAFETY CELL HAS ITS ORIGINS IN AVIATION 77

There was a time when the term fuel tank was widespread but current construction techniques mean that fuel safety cell is now far more appropriate. A typical modern fuel cell will be made from a high-performance material such as ballistic nylon and coated in tough urethane. In the case of an accident, such a cell will deform on impact. As Tubbs points out, the benefits are two-fold. Fuel is allowed to move away from the point of contact yet remains contained within the cell.

Today's racing fuel cells are of complex manufacture, designed to absorb energy and not to rupture in an accident











BECAUSE.

Tex does not stock pile housings . . . we build to your specs.

>>> Vari-Lite 9" Housings

 Lighter. Tex Racing's housings weigh in at 46.5 lbs, while competitors housings are 61 - 62 lbs.

Total overall weight savings of 15 165.

 Stronger. Engineered 1 piece Tube & Spindle extruded from 1 piece of 1035 SAE Steel. Not only are our tubes 24% lighter than the current 2-piece welded tube, our housings have a higher yield strength and a greater ultimate tensile strength!

> Reliable. All welding is done in house. The pieces are all cut locally, while grinding, fitting, and welding take place on-site at Tex; built to your specifications. All housings are built in-house on a precision jig

to maintain centerline.

Fuel cells, or bladders, are designed to freely deform and absorb energy under impact, rather like a passenger car's air bag. The more energy the cell absorbs, the lesser the chances of a rupture. One of the most important features of the fuel cell is the foam. This is used to reduce fuel slosh and the chance of an explosion by reducing the air volume of the cell. If the cell should ignite internally, the foam absorbs the expansion and the energy of the explosion. At that point, the oxygen is used up and flames go out. The cell must be filled with at least 80 per cent foam to perform effectively. Of course, none of this is of any point if, as the Paul Belmondo Racing team found out during practice for the Silverstone 1000kms, any one part of the structure has been altered. In this instance, the fuel cell plates had been removed from the front of the tanks while a technician was working on a wiring loom with a heat shrink gun. The heat element ignited the fuel vapour leaving ATL co-director Kevin Molloy and his team to come to the rescue by treating and re-coating the elastomer and pressure testing the cell.

Levels of safety

There are several distinct levels of fuel safety cell crash resistance, mainly based on the standards established by the FIA. The FIA also limits the life of a cell in Formula 1, NASCAR and elsewhere to a maximum of five years (though it is possible to have them re-certified for a further two years). Fuel cells age with time and also with the use of fuel; the more exotic the fuel, the faster the cell will age. Fuel cell foam should be replaced between three and five years depending on the type of fuel used. Bladder-type cells also start to lose their strength after about five years.

44 THE MORE EXOTIC THE FUEL, THE FASTER THE CELL WILL AGE

Two FIA main standards are used for most of motor racing, FT5 and FT3. The former is appropriate for Formula 1 and prototypes. FT3.5 and FT3 cover most of the rest of motorsport with NASCAR, for example, likely to use the higher specification FT₃.5. The United States Auto Club has its own fuel cell standards specifically for alcohol (methanol) fuels. USAC 1000, as it is known, is suitable for the sprint cars, midgets and modifieds found on America's short ovals.

The FIA lists 13 companies homologated to produce motorsport fuel cells. Some, such as Advanced Fuel Systems, PRONAL and Queenslandbased Australian Fuel Cell, tend to serve domestic markets. Aero Tech Labs (ATL). Fuel Safe and Premier Fuel can be seen as international.

Of these, ATL has a monopoly on the Formula I grid. It also claims around half of all the current motorsport fuel cell market. The company was formed in 1971 when US club racer Peter Regna rolled his frog-eye Sprite Mki. The driver escaped but sparks caused by the roll bar hitting the track combined with fuel leaking from the tank to cause a fire. It was, thought Regna, an inexcusable result of the crash. Aided by his first employee, Steve White, he started to construct fuel cells – fairly simple items filled with foam, the secret of which was their patented flexible material. This is manufactured from Du Pont Kevlar fibre, tightly woven, surface treated and made fuel proof. Today, all ATL fuel cell systems comprise an impact resistant, rubberised bladder filled with explosion suppressant foam bafflings and outfitted with a leak-tight cap and fittings. Additional safety equipment often includes roll-over check valves and a metal container to deflect impacts and serve as a flame shield.

Despite its US base ATL soon found itself supplying grand prix teams. It is claimed that ATL was the only company able to meet FT5 with a single layer of material, other suppliers requiring three layers, which proved too heavy. ATL believes it is this weight advantage that maintains its monopoly. A typical ATL fuel cell weighs just 5.6kg and not one has



It's not just fuel tanks either, all aspects of racecar fuelling must adhere to rigorous safety standards



Racing fuel cells are manufactured to closely fit the space available like these ATL products for a motorcycle...






...a Porsche 911...



...a Suharu Imnreza



... and a Porsche 996



Fuel cells

Advanced **Fuel systems** tanks for the Alfa TZ2...



...BRM P1 26...



...Ferrari F40...



...Ford GT40...



...March 702...



...and Porsche 917K



been penetrated in the 16 years it has been supplying to Formula 1 teams (at least not in racing). Mechanics, on the other hand, have been known to accidentally drill through them...

Given the location of most of the grand prix racecar manufacturers, the next move was obvious and, in 1988, a 500m2 factory was established in Milton Keynes. Two moves on, ATL is now in a 2500m² premises in the same city. The raw material comes from the USA and is converted into fuel cells in Britain, only the carbon fibre components not being manufactured inhouse. Steve White meantime crossed the Atlantic and has remained in the UK since, as managing director alongside co-director Kevin Molloy. Although F1 is its most important market, ATL does produce fuel cells for across the range, annually manufacturing, for example, 400 Formula Ford fuel cells. In the USA it is the major supplier to NASCAR's Nextel Cup.

Oregon-based Fuel Safe also serves an international market, but tends to be mostly active in the USA where is supplies fuels cells to a wide variety of formulae from Nextel Cup, IRL and ChampCar to World of Outlaws. The company has over 30 years of experience and has achieved and maintains the ISO 9001: 2000 quality certification.

Newport, Essex-based Advanced Fuel Systems was established in 1998. It grew out of the UK agent for Fuel Safe, going on to develop its individual processes and gaining FIA approval for its own products. Last year it was presented with the Motorsport Industry Association's Business Excellence Award for Technology and Innovation.

The company claims to have a 'unique' approach to the manufacture of fuel cells in that it simultaneously manufactures both the composite material and the finished fuel cell. Because the fabric is dry and not initially coated with elastomer it can be pulled over the complex geometry of the tool. The coating is the last process to be carried out.

44 THE FIA LISTS 13 COMPANIES **HOMOLOGATED TO PRODUCE FUEL** CELLS FOR MOTORSPORT

Advanced Fuel Systems' first customer was a somewhat significant one – the Thrust SCC with which Andy Green took the Land Speed Record up to 763.035mph. The company now has customers across the board, including many in historic racing. This field can be particularly demanding having to create a shape for a cell where previously there was not one. ATL has also now opened its Historic Racing Fuel Cell Division and claims to have thousands of historic templates in stock.


Another complex task for Advanced Fuel Systems was manufacturing the fuel cells for the Spyker Le Mans effort in 2003. The car was short but still featured a conventional longitudinal engine. As such the fuel cells were incorporated into the door sills.

Also UK based is Premier Fuel Systems which, like ATL, is responsible for all parts of a racecar's fuel system, not just the safety cells. The majority of the latter are fitted with low pressure lift pumps and collector pots for the collection of the fuel inside the cell. As with the other companies mentioned here Premier can manufacture to the designs of its customers and its products can be found across the world in most forms of single seater, endurance and touring car racing, as well as rallying. It also manufactures a series of standard FT3 specification fuel cells that can be brought straight from the shelf.

The French manufacturer PRONAL indicates that it is not just from the aviation world that fuel safety cells have developed. It first started business in 1961 manufacturing flexible tanks from elastomer-coated fabrics for the French Army. It currently supplies to a cross section of industries including motorsport. For this it offers pre-shaped FT₃, FT₃.5 and FT5 fuel cells, manufactured from Kevlar that has been rubber-coated on both sides. PRONAL has also been certified to ISO 9001:2000.

CONNECTIONS

At the highest echelons of motor sport, connections are crucial. It's at the top that you'll find FHS - designing fluid transfer systems for FI, endurance sports cars and World Rally Cars. However, FHS don't simply ensure a smooth flow from one part of an engine to another. With experience and expertise gained through working with some of the finest designers and teams in the business, FHS connects at every level.



Applying an unparalleled degree of thinking to the whole concept of fluid transfer, totally integrated solutions are provided to each team's needs.

Supported by a comprehensive range of Titeflex smoothbore and convoluted hose products and fittings, Pall Filtration Systems and Industria Solenoid Valves help complete the picture.

Different engines pose different problems, but no problem is beyond the scope of FHS. If a specific component is required for a certain design or function, then we'll design, manufacture and deliver it within your timescale.

No part of an engine system can be considered less significant than another. To find out how FHS can enhance this crucial area, call Technical Sales on 01753 513080

Make the connection now.



692-693 Stirling Rd, Slough, Berkshire SL1 4ST Tel 01753 513080 Fax 01753 513050 email mracing@flexiblehose.co.uk FHS - SYSTEMS INTELLIGENCE

FHS is a division of Flexible Hose Supplies Limited









RaceSim version 2.6

- Steady state, transient, 4 post, optimisation, stratagy, etc
- Standard:
- Low cost lap simulation
- NasCar:
- Stock cars with live axle
- F3 Lite: Incl. Dallara F3 car model
- Mitchell Geometry:







Consultancy

- Vehicle Dynamics
- Racetrack Support
- Sofware Development

Media

- Photo realistic virtual animations
- Technical features for TV
- Animated walk through grid



D.A.T.A.S LTD. The Old Chapel, Norfolk IP21 4XP Tel: +44(0)1603 506 526 Fax: +44(0)1603 504 907 www.datas-ltd.com - info@datas-ltd.com

Email info@thinkauto.com



Control in motion

3Dconnexion have launched a preprogrammed intelligent controller designed to save time when using 3D CAD packages

Words

Charles Clarke

ne of the badges of office of the 'power' CAD user in the late 1990s was the Space Ball, or 3D motion controller. Now 3D motion control has moved up a gear with the introduction of the SpacePilot from 3Dconnexion with its so-called 'intelligent, two-handed CAD interface'.

The SpacePilot is an intelligent controller that responds to your every need and 'adaptive sensing technology' delivers the functions you want when you want them. This means that the controller senses where you are in your application and presents the appropriate commands available on the new, more sensitive, hockey puck controller. Plus there are keys to adjust motion sensitivity or restrict the motion to just one axis at a time with the 'Dom' key.

The 'Fit' key allows you to size your model or scene to the centre of the screen quickly. You can zoom in to work on a part, then quickly zoom out for a look at the whole design. The 'Modifier Keys' give you access to the same Esc, Shift, Ctrl and Alt functions as a normal keyboard and they are readily accessible on the SpacePilot without removing your hand from the control cap.

The 'View' keys provide rapid access to the standard views of your model with the T (Top), R (Right), F (Front) and L (Left) keys. You can also disengage the 3D View Lock mode for working in 2D for quick pan and zoom functions.

There are real productivity benefits to having these functions so directly available. SpacePilot comes with pre-programmed commands for over 120 popular technical applications so you just plug the device into a USB port and off you go.

Now that mid-range 3D CAD is more popular than ever, 3D motion control should be available to every CAD user rather than remain the preserve of the dedicated CAD operator. Yes it's an additional expense but at about £320 it's a real productivity boost for minimum outlay, especially when so many context sensitive functions come pre-programmed.

3Dconnexion Corporate Headquarters 180 Knowles Drive Los Gatos, CA 95032

Telephone: +(1) 408.376.2500 Website: www.3dconnexion.com

In United Kingdom: Tel. +44 (o) 1952 243629

44IT'S A REAL PRODUCTIVITY BOOST FOR MINIMUM OUTLAY

available in that context to the LCD on the SpacePilot, which you can then access directly with the 21 speed keys on the device.

These commands update dynamically when you switch applications or tackle different work modes within an application. Whether you're doing part modelling, assembly, analysis or animation, the SpacePilot reacts with the appropriate functions available in that context. These function keys are extendable and programmable so that you can customise and/or extend the standard offerings if you wish. It's a way of extending the application's GUI to the desktop and allowing you to interact much more effectively with the crowded and often cumbersome and inadequate Windows user interface common in today's sophisticated technical applications.


All the motion control facilities of the SpaceBall are

www.racecar-engineering.com

forward for CAD users, putting all

the necessary functions quite

literally at your fingertips





balzers

Engine performance begins in your mind



Balzers Limited Milton Keynes MK7 8AT Tel 01908 377277 Fax 01908 361362 info.uk@balzers.co www.balzers.co.uk.

Balzers, Inc. 555 Commerce Drive Amherst NY 14228 Tel +1 716 564-2788 Fax +1 716-564-2484 www.bus.balzers.com

Further coating Centres: Austria, Benelux, Brazil, China, France, Germany, India, Italy, Japan, Korea, Liechtenstein, Mexico, Poland, Singapore, Spain, Sweden, Switzerland



BALINIT® coatings for engineering components

With the right coatings, you can improve performance, reliability and durability of your motor sport components. The right coatings are BALINIT® metal-based and diamond-like-carbon coatings from Balzers. By reducing friction and wear, they allow greater flexibility in design for longer lasting engine components, gearbox and suspension parts. The high degree of precision and adhesion ensure the consistent high quality of BALINIT® coated components.

New products and services for racecar engineers

Pro latch

UK-based latch designer and manufacturer Protex has created a new economically priced latch to add to its extensive line of quick-action fasteners. The 47-2650 latch is compatible with a range of re-sealable fasteners found in commercial, agricultural and logistical applications. The zinc-plated mild steel fastener, measuring 207mm long by 40mm wide, offers a 20mm grip range adjustment. A threaded draw bar is built into the device, designed to withstand forces up to 1000kgf. The latch has been designed for use alongside the Protex type 04-2650 catchplates. Lockable padlocks or purpose-designed sealing pins can also be used as protective devices.

> • For more information call +44 (0) 1527 63231 or visit www.protex-fasteners.com



Belter of a pump

US fuel system specialist, Barry Grant Inc, has redesigned its belt-drive fuel pump for engines with high volume fuel demands, particularly those running on alcohol.

The BG belt-drive fuel pump has been re-engineered to streamline production and now features a one-piece gear housing and fewer seals for ease of maintenence.

The company claims fuel starvation problems in high-output racing engines are eliminated when the pump is used alongside a diaphragm bypass with a -8 return lines. Using the fuel pump with a fuel log with integrated diaphragm or pill-style bypass also enables simpler plumbing.

● For more information call +1 (706) 864 8544 or visit www.barrygrant.com



Simple acquisition

Racepak Data Systems in California, USA, has released its new G2X data acquisition system as an easy and economical way to monitor ontrack vehicle dynamics.

Motorsport users will be able to make use of the multi-channel logger's track mapping, lap distance, G-force and miles per hour facilities through the G2X's GPS and G-meters.

A main feature on the G2X is its dash display, which can be mounted onto either the dash or steering wheel. Lap number, lap gain/loss, battery voltage, rpm and gear indicators are just a few of the facilities available on the display.

The G2X system is easily installed, requiring only a 12V power source, and has the capacity to store over 30 hours of GPS data in its 128MB memory.

● For more information call +1 (949) 709 5555 or visit www.racepak.com

Counting gears

DC Electronics in Essex, UK, is introducing a new, stand-alone, gear position indicator into the racecar market.

Designed for sequential gearboxes with a conventional rotary potentiometer, the gearview has been developed to display up to eight forward gears, as well as neutral and reverse. An additional input device is also included for gearboxes with separate shafts for reverse.

A gear count function has also been incorporated into the indicator to record the number of gear changes, allowing teams to correctly maintain and accurately predict the life expectancy of its gearboxes.

> The gearview is available in two sizes, small - $23\text{mm} \times 30\text{mm}$ and large $-45\text{mm} \times 64\text{mm}$. Both are priced at £199+VAT.

> > For more information call +44 (0) 1621 856451 or visit www.wiringlooms.com

New products and services for racecar engineers

Finding all the angles

Kistler Instrumente AG, based in Switzerland, has used its knowledge in pressure, force and acceleration measurement sensors to create a new crank angle measurement system. The Type 2613B crank angle encoder has been improved and is now obtainable as a modular system to provide more accurate measurements of crank angles.

A trigger mark on the flange and case allows any trigger position to be accurately set with an adjustable lever arm, whilst the improved design also allows the flange to be set at any angle required.

The crank angle encoder can be ordered either as a complete set or as individual components, depending on requirements.

For more information call +41 52 224 11 11 or visit www.kistler.com





'When the cheapest just isn't good enough..'



Hewland supplies many of the worlds winning racing manufacturers with tailor-made products for the WRC, DTM, LMP and many other series.

We are also proud of our service to the 'off-the-shelf' racing market. The newest addition to this range of products is the 5-speed sequential JFR transaxle, aimed at the high quality end of the small racing car market.

Based on the record-selling FTR, we believe a new era of small gearbox quality is beginning...

For more information on JFR or any other Hewland product, contact us directly or go to

vw.hewland.com

Waltham Road, White Waltham, Maidenhead, Berkshire, SL6 3LR UK Tel: +44 (0)1628 827600; Fax: +44 (0)1628 829706; e-mail: enquiries@hewland.com

New products and services for racecar engineers

No confusion

UK-based tuning specialists
Burton Power has
introduced a new
range of auxiliary
fuse boxes to keep
wiring systems neat
and simple when
adding new components.
Ensuring all additional systems are

adequately fused protects electrical

machinery and can help prevent fires.

The fuse boxes can handle up to 30 amps per circuit and, as they use modern blade-type fuses, can also be used to update old fuse boxes.

The fuse boxes come with easy to fit side connections, a screw down clear lid for visibility and come in 4, 6, 8, 10 or 12 fuse configurations.

 For more information call +44 (0) 208 554 2281 or visit www.burton power.com

A long stretch


Automotive Racing Products (ARP) from California has recently released a new style rod bolt stretch gauge to accurately measure connecting rod bolt lengths.

Measuring rod bolt stretch is the most accurate method of establishing preload and the rod bolt stretch gauge makes this task

simple. It also enables the user to ascertain whether a fastener is compromised and about to fail.

Aimed at the professional engine builders and skilled enthusiasts, the gauge reads in .0005in increments and comes with a built-in handle and protective carrying case.


● For more information call 800 826 3045 (within USA) or +1 (805) 339 2200. Alternatively visit www.arp-bolts.com



New products and services for racecar engineers

Bleedin 'em dry

UK-based quality tool manufacturer. Svkes-Pickavant, has released a new vacuum-operated brake bleeding system to empty the brake system of all brake fluid. Using vacuum operation to draw the unwanted fluid from the master cylinder reservoir is far more efficient than the traditional method of pushing the fluid through with pressure.



as, once the old fluid has been removed from the system, the reservoir is simply topped up with fresh fluid and sucked through the system by vacuum pressure.

By using a vacuum instead of a pressure bleeding system, fluid changes are quicker, the risk of spillage is reduced and pressure-tight seals on master cylinder reservoirs are no longer needed.

● For more information call +44 (0) 1922 702200 or visit www.sptools.co.uk

Dirt excluders





High performance US suspension component supplier Hyperco has come up with a new line of products to protect its existing range of hydraulic spring perches.


The new 'Dirt Jackets' are manufactured from a waterproof, highdensity material and, with Velcro closures, are designed to shield perches from the ingression of dirt or grime. This, it is claimed, will prolong the life of the unit and increase performance between rebuilds. Dirt Jackets are one size fits all.

 For more information call +1 574 753 6622 or 800 365 2645 within the US. Alternatively visit www.hypercoils.com

Performance at the limit

By Mark Jenkins, Ken Pasternak, Richard West

Formula 1 is a business, but it has characteristics that place it distinctly apart from businesses outside motorsport. It operates on as level a playing field as you



It is within the culture this environment breeds that this book has searched for examples of practices that can be applied to benefit mainstream business. Much emphasis is given to leadership and management using scenarios like the F1 pitstop as an example. It also looks at techniques like leveraging relationships for maximum benefit.

Perhaps the greatest value of this book is that Formula 1 attracts some of the brightest, most capable people in business and their advice and insight is quoted throughout. Admittedly, translating this into the non-motorsport world may not be so straightforward, but applying them in other areas of motorsport would be a very realistic goal.

 Published by Cambridge University Press, hardback, 238 pages, £25.00

The V12 **Engine**

By Karl Ludvigsen


From an engineering perspective, nothing links these engines other than the number of cylinders. Yet, as a group, it needs no further justification because anyone with an enthusiasm for engineering will know exactly

what they are in for. In this tome, the author has tried to cover every V12 engine that ever travelled under its own steam in a car.

The list includes a number of racing cars, including the first GP V12 from Delage, the endurance engines from Lagonda and the methanolburning twelves from Mercedes and Auto Union in the 1930s. Post war, Ferrari comes under the spotlight followed by Maserati, BRM and Matra before F1 adopted the format as the standard for a while. At the end it devotes a few pages to explaining how the more than 20 million possible firing orders for a V12 were whittled down to the nine used.

Such is the scope that, even running to 424 pages, there is a limit to the depth of its technical content. But, as an entertaining browse through some of the most charismatic engine projects in history, it offers a very absorbing journey.

Published by Haynes, hardback, 424 pages, £40.00







17 – 18 November 2005 | Frankfurt

Global Motorsports Congress Performance Technology Transfer 2005 Exhibition

New Congress Website! www.globalmotorsportscongress.com

ADVANCED ENGINE TECHNOLOGY

CHASSIS DEVELOPMENT

PERFORMANCE MATERIALS

MEASUREMENT AND TESTING

powered by



ATZ AutoTechnology MTZ



Get the full programme NOW!

Easy and quick by e-mail: motorsports@vieweg.de

vieweg technology forum

Abraham-Lincoln-Str. 46

D-65189 Wiesbaden

Phone +49(0)6130 947890

+49(0)611 7878-407 Fax

Speakers include:

Steven C. Luby, CEO, Vistagy

Paolo Martinelli, Engine Director, Ferrari Nick Fry, Managing Director, BAR Honda Tim Routsis, Managing Director, Cosworth Hans H. Demant, CEO, Adam Opel Mike Copson, Technical Manager, Shell Dr. Ernst Wustinger, CEO, Pankl Racing Systems Pierre Dupasquier, Director Motorsports, Michelin Riccardo Baudille, University of Rome



Autosport International is the world's largest motorsport show. With over 840 exhibitors, let them tell you the reasons why you should join this award winning show:

The quality and variety of visitors that Autosport International attracts makes us believe that the show is unmatched in its value as a marketing tool and productive business showcase. If you're serious about the motorsport business, you just can't afford not to be seen there.

Sharon Quaife, Quaife Engineering

It was a great opportunity for us to meet with customers, new and existing - and the response following the show has been fantastic.

Roll on Autosport 2006!


Andrea Rodney, Hone-all Precision

Autosport International is the ultimate racing show catering to the European markets.

Oscar Romano, Ferrea Racing Components


- 25,000 trade visitors
- Over £400 million worth of business will be influenced by trade buyers attending Autosport International
- 84% of trade visitors rate the show as an important place to do business
- ◆ 54% do not visit any other trade show











To reserve your stand space at Autosport Engineering / Manufacturing Technology contact the Sales Team on: +44 (0) 20 8267 8300 or Tony Tobias on: +44 (0) 7768 244 880, expo@tonytobias.com www.autosport-international.com









Database

Section I lists manufacturers of Brand-Name Racecars.

Sections 2-3 list component manufacturers. Section 2 is dedicated to Chassis Components, Section 3 to Engine and Transmission Components

Sections 4-5-6 list equipment manufacturers Section 4 is dedicated to Factory Equipment Section 5 to Circuit Equipment Sections 6 to **Driver Equipment**

Sections 7-8-9-10 list companies that supply services. Section 7 is devoted to Chassis Engineering Services, Section 8 to Engine / Transmission / Suspension Services Section 9 to Testing Services Section 10 to **Non-Engineering Services**

To get your company listed in the racecar database please contact Andy King - 0208 726 8329 andy_kings@ipcmedia.com

Costs listed below: Name and number £50 - 12 issues Name and number bold Logo and full company details £420 - 12 issues including web. address, email etc etc

fain - 6 issues

Andy King on Tel: +44 (0)20 8726 8329

andy_king@ipcmedia.com

ent or services that are listed, and this listing does not imply rrm of endorsement. Although every care is taken to ensure that CAR DATABASE is accurate and up-to-date, the publisher can t no responsibility for errors or omissions.

IPC MEDIA 2003. All rights reserved. Reproduction (in whole or in rt) of any text contained in RACECAR DATABASE (including repro-

Database 1

RACECAR MANUFACTURERS

1.1 **Racecar Manufacturers**

USA (1) 408 727 9288 Fax (1) 408 988 8998 A-Mac Fabrication, 1745 Grant Street, Suite 2, Santa Clara, CA 95050, USA Tel 01295 254800 A-MAC ASCARI 1et 01292 524800

Fax 01295 255944

Overthorpe Road, Banbury

Nofordshire OXI6 4PN England

APOLLO RACING DESIGN LTD

Fax 01280 833980

Email info@anolloracingdesign.com

| Website www.apolloracIngdesign.com | Milligate Barn, Radclive, Bucks | MKR 4AB, England | BARRELLI | Italy (39) 02,782,427 | Fili Barrelli, Via La Spezia 5, 20156 Mila, Italy (39) 02,782,427 | Fili Barrelli, Via La Spezia 5, 20156 Mila, Italy | BRD Race Cars Inc. | Tel (0) 716 637,9467 | Fili Barrelli, Via La Spezia 5, 20156 Mila, Italy | BRD Race Cars Inc. | Tel (0) 716 637,9467 | Fax Sweden 46, 171, 27690 | Bodin Chassifleknik, Skalbygatan 8, 745,37 Enkoping, Sweden 1814 (39) 04,9900.895 | Fax (390) 49,900.895 | Fax (370) 49,900.995 | Fax (370) 49,900.895 | Fax (3

Tel USA 714 540 1771 Fax USA 714 540 1771 Fax USA 714 540 3749 2334 South Broadway PO BOX 2186, Santa Ana, CA 92707, USA



Tel 01663 734518 Fax 01663 732 130 Email del@djracecars.fsnet.co.uk DI RACECARS

Email oel@gracecars.snet.co.uk

Unit to, Britannia Rd Est,
Buxworth, Nr Whaley Bridge, High Peak, Sk23 7NF

DOME CO. LTD

198-1 Hanajiricho, Yase, Sakyoku,
Kyoto, Japan

Tel 81 (o)75744-3131

Fax 81 (o)75744-3935

DOME CARS. LTD

Roebuck House

DOME CARS. LTD Roebuck House Cox Lane, Chessington, Surrey KT9 IDG England Tel 0208 397 9999 Fax 0208 397 6830

DOWNS ENGINEERING Tel USA 707 938 1001
Fax USA 707 935 0481
19564 8th St. East, Sonoma, CA 95476 USA
DRAGON
USA (1) 413 267 9094
Small Fortune Racing,
77 Stafford Hollow Road, Monson, MA 01057, USA
ELISE
France (33) 1 47 40 1E 66. EUROCAR Tel 01353 8611678
SHP Motorsport, Unit 7 Farraday Business Park,
Littleport, Ely, Cambridgeshire CB6 15E, England
EXTREME CARS Australia (61) 396 822225
(61) 396 900809
Email mrprooy@tps.com.au
King Way House,
188-190 Kings Way, South Melbourne,
Victoria 3205 Aus.
FABCAR USA (1) 317 872 3664 FARCAR

US Importer
Tel (1) 317 244 2277 Fax (1) 317 390 2121
Lola Cars Inc, Suite B, 2801 Fortune Circle Eas,
Indianapolis, IN 46241, USA
NI Italy (39) 0376 391271

Lucchini Engineering, via Valeggio 2,
43100 Mantova, Italy
(CAR ENGINEERING Tel 01633 860066
Email: lyncarootabtopenworld.com
Briff Lane, Bucklebury, Reading, Berkshire RG7 65N
GNUM Tel 01933 42860 LYNCAR ENGINEERING

MATT WATERMAN MOTORSPURI DESIGN.

MYGALE

Tel France 33 3 8621 8621

Technopole du Circuit, 58470 Magny-Cors, France
OSELIA S.R.L

Tel opp2 715832

Z.I Valle di Vitalba, 85020 Atella, (PZ)

PANOZ

Tel USA (1) 770 967 2310

Fax USA (1) 770 965 2762

5294 Winder Highway, Braselton,
GA 30517, USA

France (33) 1 47 49 15 66 1 Rue Pierre Cassin 1 Rue Pierre Cassini 92500 Rueil Malmaison, Paris, France Tel 01353 861168 USA (1) 317 872 3664

Protoform Race Engineering, 51 Ponderosa Drive,
Horseheads, NY, 1845, USA

BAS (1) 713 694 8335
B307 Beauman Road, Houston, TX 77022, USA
01865 8833834
Fax (0) 713 694 8335
B307 Beauman Road, Houston, TX 77022, USA
01865 883389
Ralt Engineering, Sutton Farm House,
Sutton, Witney, Oxfordshire OX29 SRD, England
US Importer
Tel (1) 310 533 1144 Fax (1) 310 530 0139
Ralt American, 2310 Kashiwa Court,
TOTRANCE, OA 9059, USA
OR
USA (1) 215 775 1938
Performance Engineering,
RD5 Box 5435, Mohnton, PA 19540, USA
Tel 0208 680 9418
Fax 0208 688 4026
Horatius Way, Croydon, Surrey CRo 4RQ, England (5 SCOTT
USA (1) 317 248 9470
Fax (1) 317 248 0182
1200 Main Street, Speedway,
Indianapolis IN 46224, USA RAPTOR RΔV

PICCHIO S.p.A

PREDATOR

PROTOFORM

RACEFAB

RAIT

PROTECH COMPOSITES LTD

RILEY & SCOTT

USA (1) 813 655 1199
2 Cars, 364 Hairpin Drive, Sebring,
Fl. 33870, USA Fax (1) 813 665 197
Tel 0039 0861 816015/16
Fax 0039 0861 86246/805651
chio.com or picchiospa@email.it
Website: www.picchio.com
Zona Industriale Ancarano
64010 - Ancarano (Teramo)

ILBEAM Tel 01778 424838
Fax 01778 393022
Pilbeam Racing Design, Graham Hill Way, Cherry Halt
Road, Bourne, Lincolnshire, PEio 9P]
IPER USA (0) 708 365 5334
Piper Engineering, 5N,6i Meadowview Lane,
St Charles, II. 60175, USA
REDATOR USA (1) 313 681 1377
Fax (1) 248 681 1377
Crossroads Fabrication, 265 Hillclift,
Waterford, MI 48328, USA

Bordon, Hampshire, GU35 9QF, UK USA (1) 607 739 7345 Protoform Race Engineering, 51 Ponderosa Drive, Horseheads, NY 14845, USA

Italy Tel 01778 424838




SABRE

Wellingborough, Northants NN8 6TY England
USA (1) 714 693 0296
USA Race Cars, 1535 Harmony Circle, Anaheim,
CA 92807, USA Fax (1) 714 693 3164
USA (1) 303 693 2111 SCCA

Fax (1) 303 680 5633 Spec Racer, 7476 South Eagle Street, Unit 5, Englewood, CO 80112, USA CO 8012, USA
Tel 01636 822033R
RS Racing δ Specialised Services,
High House,Kirton Road, Egmanton,
Newark, Nottinghamshire NG20 eHF, England
SEZIO FLORIDA RACING SCARAR

MODULAR + ERGONOMIC WORKBENCHES TOOL STORAGE RACKING STATIC or MOBILE



01403 276 445



High Performance

Gearshift & Throttle Cables

Motorsport







Database 2 **COMPETITION CAR CHASSIS** COMPONENTS

2.1 Chassis/BodyWork Ancillaries

USA (i) 7,14 637 1155
AERODINE COMPOSITES GROUP, LLC
Tel: 317 271 1207 Fax: 317 271 4455
www.aerodineromposites com

8201 Indy Lane, Indianapolis, Indiana 4624 ANDREAM LTD CUSTOMIZED COMPOSITE WINGS Tel: 01953 885775 Fas: 01953 884776 Email: dave.greenwoodabeidisnet.co.uk Unit 12 Norwich Road Industrial Estate, Watton, Norfolk IP25 6D8

01202 661707 01663 734518 JANUS TECHNOLOGY 01753 869996

PROTECH COMPOSITES LTD Tel: +44(0) 1420 471 400 Fax: +44 (0) 1420 487 047 www.protechcomposites.co.uk www.protechcomposites.co.us Unit 62, Woolmer Trading Estate Bordon, Hampshire, GU35 9QF, UK



A Tel 01480 451301 / Fax 01480 456722 Lola Cars International, Glebe Road, St Peters Hill, Huntingdon, Cambridgeshire PEi8 7DS, England US Importer

US Importer
Tel (1) 317 244 2277 / Fax (1) 317 390 2121
Lola Cars Inc, Suite B, 2801 Fortune Circle East,
Indianapolis, IN 46241, USA
STAGE M/SPORT
J France (33) 1 60 01 03 67
Tel: 01258 860716
Fax: 01258 860716
E-mail: infoawingshop.co.uk ROAD & STAGE M/SPORT THE WING SHOP

Web: www.wingshop.co.uk 01827 260026 USA (1)301 405 6861 02700 100942 01604 878101 SPA AFROFOILS LTD UNI OF MARYLAND ZEUS MOTORSPORT

FASTENERS



ABC AUTOSPORT BEARINGS • COMPONENTS

erton Business Park Middlesex TW17 8AA 01242228111 USA (1) 805 525 5152 01234 840404 01455 841200 ALL WAYS FORWARD ARP ARROW SUPPLY CLARENDON COAST FABRICATION DATUM ENGINEERING USA (1) 714 842 2603 02476 383032 DZUS FASTENERS EUROPE 01252 714422 01327 31018
INC USA (1) 217 324 3737
Fax (1) 217 324 3737
01527 6221
01527 6221
01527 6260 60 60
TEL 01327 857822
FAX 01327 858096 FLUID CONTROL PRODUCTS INC PROTEX FASTENERS ITD SPECIALITY FASTENERS
STAUBLI
TRIDENT RACING SUPPLIES Unit 31, Silverstone Circuit. N

FIRE EXTINGUISHERS

LIFELINE LINREAD NORTHBRIDGE MOTORSPORT RALLY DESIGN SAFETY DEVICES 01795 531871 01353 724202 01827 288328 QUE USA (1) 317 271 7941 USA (1) 201 825 1400 Fax (1) 201 825 1962 SPA TECHNIQUE Aero Tec Laboratories Inc, Spear Road Industrial Park, Ramsey, NJ 07446-1221, USA **FUEL CELLS**

UK 01908 351700 Fax 01908 351750

Aero Tec Laboratories Ltd (Europe),
1 Patriot Drive, Rooksley, Milton Keynes MK13 8PU
SAFE SYSTEMS

USA (1) 748 842 2217 FUEL SAFE SYSTEMS GOMM METAL DEVELOPMENTS
KS MOTORSPORT 01483 764876 Germany (49) 2271 44905 France (33) 320 99 75 10 TRANSAUTOSPORT 01772 454647 USA 001 714 637 1155 GARTRAC 01428 682263 01480 464052 SAFETY DEVICES 01353 724202 01353 724202 Switzerland (41) 61 9717600 01424 854499 020 8987 5500 CORBEAU GRAND PRIX RACEWEAR USA 001 714 637 1155 01625 433773 Germany (49) 2271 44905 USA (1) 973 361 0508 MOMO EARS MOTORSPORTS KS MOTORSPORT OMP MOMO USA 001 714 637 1155 01323 844791 LUKE
Total Restraint Systems
TRW SABELT 01722 326080 01264 810712

RUBBER & ELASTOMERIC COMPONENTS

BUTSER RUBBER LTD

2.2 Electrical Systems



ALTERNATORS

O1895 834466

Germany (49) 711 8111 USA (1) 312 865 5200

BRISE AUTO ELECTRICS

MM COMPETITION MM COMPETITION McCLAREN ELECTRONICS

Email kwhincup@yahoo.com / web www.centurwookla-IS MOTORSPORT

USA (1) 317 244 6643 +44 (0)1954 253620 PERFORMANCE WIRING SOLUTIONS +44 (0)1954 253620
DINICODANN 01234 342511 020 7226 9228 0118 979 0682 TRIDENT RACING CONTINENTAL 01327 857822 USA (1) 513 459 8863

CONNECTORS

BERU FI SYSTEMS DEUTSCH IS MOTORSPORT 01374 646200 01424 852721 USA (1) 317 244 6643 MAGNETI MARELLI Italy (39) oz 972 27570 MM COMPETITION 08707 444666 PERFORMANCE WIRING SOLUTIONS SAKATA MOTORSPORT ELEC. INC. 1741 446 9473 SERVO & ELECTRONIC SALES LTD SPECIALITY FASTENERS RAYCHEM 01793 572217

DISTRIBUTORS

USA (1) 317 244 6643 08707 444666 01869 277053 IS MOTORSPORT MM COMPETITION PALLAS CONNECTIONS NZ (64) 3 3386 288 PAD RACING

IGNITION SYSTEMS

SBD MOTORSPORT HELLA UK LUMENITION 020 7403 4334 Italy (39) 02 972 27570 **08707 444666** Australia (61) 3 9761 5050 UK 08700 119100 Japan (81) 489 46 1734 USA (1) 714 897 6804 USA (1) 915 857 5200 MAGNETI MARELLI MM COMPETITION MOTEC JAPAN
MOTEC JAPAN
MOTEC SYSTEMS USA
MSD IGNITION
PI RESEARCH
PIAA (UK)
STACK
McCLAREN ELECTRONICS 01954 253600 01934 814812 01869 240404 01483 261400



THE STRAIN GAUGING CO

LIGHTS

01295 272233

NOVATECH MEASUREMENTS 01424 852 744

SPARKPLUGS

BERU BOSCH 01295 272233 UK 01895 834466 USA (1) 312 865 5200 CHAMPION AUTO 0151 522 3000 Germany (49) 2271 44905 EELLI Italy (39) 02 972 27570 FION 08707 444666 Japan (81) 52 872 5937 UK 0208 202 2151 MM COMPETITION

SPARKPLUG LEADS

Italy (39) 02 972 27570 08707 444666 MAGNETI MARELLI MM COMPETITION UK

WIRING HARNESSES

01628 776320 USA (1) 716 631 2880 01621 856451 0208 391 0121 USA (1) 310 793 2505 A.N. MOTORSPORT DESIGN COMPETITION DATA SYS COMPETITION DATA SYS

DC ELECTRONICS

SIB MOTORSPORT

EFI TECH

EFI TECH

EFI TECH

MAGNETI MARELLI

MM COMPETITION

MOTEC (EUROPE)

MOTEC (EUROPE)

MOTEC SYSTEMS

MOTEC S

689 S. State College Blvd, U SERVO & ELECTRONIC SALES LTD THE STRAIN GAUGING CO TONY JAMES

2.3 Controls

GEARSHIFT SYSTEMS

DAVID BROWN 01484 422180 SBD MOTORSPORT HEWLAND ENG 01483 764326 PRODRIVE
QUAIFE ENGINEERING
RICARDO MIDILANDS TECHNICAL CENTRE 01732 741144 01926 319399 01234 342511 RINGSPANN (UK)

THE STRAIN GAUGING CO
STONE FOUNDRIES 020 8853 4648

HYDRAULIC VALVES

01628 776320 01753 886664 01684 296600 A.N. MOTORSPORT DESIGN LEE PRODUCTS MOOG CONTROLS

INSTRUMENTATION

ACTIVE SENSORS CRANFIELD IMPACT CENTRE LMI STACK 01202 480620
01234 750944
USA 001 714 657 1155
020 7403 4334
Italy (59) 02 972 27570
08707 444666
Australia (61) 3 976 1509
UK 08700 119100
Japan (81) 489 46 1734
USA (1) 714 897 6804
01202 409409
01954 253600
08700 100942
01827 288328
01869 240404
01483 261400
01257 350666 01202 480620 LUMENITION MAGNETI MARELLI MM COMPETITION MOTEC MOTEC (EUROPE) MOTEC (EUROPE) MOTEC JAPAN MOTEC SYSTEMS USA PENNY & GILES PI RESEARCH QINETIQ SPA DESIGN STACK McCLAREN FLECTRONICS THE STRAIN GAUGING CO

MIRRORS

GRAND PRIX RACEWEAR SPA DESIGN 0208 987 5500 01827 288328

PEDALS

02476 63595 O1565 777395
Tel 01480 451301
Fax 01480 456722
USA (1) 805 688 2353
USA (1) 805 388 1188 CHEVRON RACING LOLA

WILWOOD ENG

STEERING SYSTEMS FLAMING RIVER

RALLY DESIGN ZF

USA (1) 440 826 4488 Canada (i) 450 647 1890 01795 531871 Germany (49) 7541 772543 UK 0115 9869211 WOODWARD

ODWARD MACHINE CORP TEL: USA (i) 307 472 0550 Website: www.woodwardsteering.com PO Box 4479, 3592 Burd Road, Casper, WY82604, USA WOODWARD MACHINE CORP

STEERING WHEELS

DEMON TWEEKS MOUNTNEY

SWITCHES & KILL-SWITCHES

USA (1) 317 244 6643 Italy (39) 02 972 27570 08707 444666 (714) 446 9473 01379 854485 01536 770777 IS MOTORSPORT MAGNETI MARELLI MM COMPETITION SAKATA MOTORSPORT FLEC. INC. TONY JAMES TRIDENT RACING

Tel 01733 211 600 / Fax 01733 211 082 Email: kwhincup@vahoo.com

JLS MOTORSPORT KINSLER LUMENITION RALLY DESIGN SPOT-ON CONTROL RINGSPANN 01234 342511

2.4 Suspension Systems

01565 777433 France (33) 4 70 58 0308 DYNAMIC SUSPENSIONS GROUND CONTROL 01842 755744 USA (1) 916 638 7888 Tel 01480 451301 Fax 01480 456722 LOLA

x 01480 450, 01200 442345 PROFLEX UK
RICARDO MIDLANDS TECHNICAL CENTRE 01926 477208
ROD MILLEN MOTORSPORT
USA (1) 714 8472111

2.5 Suspension Components

ANTIROLL BARS

COIL SPRINGS
COMPTECH USA
DEREK BENNETT ENG
DON FOSTER RACING
DTM CONSULTANTS UK
GROUND CONTROL KIC INT MOTORSPORTS 01142 758573 USA (1) 916 933 1080 01565 777395 France (33) 4 70 58 0308 01865 407726 01865 407726 01865 407726 USA (1) 916 638 7888 USA (1) 604 589 3354 Australia (61) 3 9499 7433 USA (1) 708 766 4402

BEARINGS & BUSHES

ABC ABC AUTOSPORT BEARINGS + COMPONENTS

AURORA BEARING FASTENER FACTORY GETECNO QINETIQ

Fax: •44(0)1932 222215 pperton Business Park n, Middlesex TW17 8AA USA (1) 630 859 2030 01327 311018 Italy (39) 010 835 6010

Tel 01952 292403 Fax 01952 292403 rd Park 17, Telford, TF3 3DG USA (1) 916 638 7888 0121 520 8271 01522 500933 GROUND CONTROL RESB ROSE BEARINGS

COLLSPRINGS

01142 758 573 USA (1) 916 933 1080 01455 285850 Germany (49) 2721 511220 USA (1) 916 638 7888 USA (1) 574 753 6622 01527 64261 COIL SPRINGS COMPTECH USA EIBACH EIBACH EIBACH GROUND CONTROL HYPERCOILS HERBERT TERRY PERFORMANCE SPRINGS WOODHEAD 01527 64261 01253 716900 0113 2441202

DTM CONSULTANTS UK 01865 407726 DYNAMIC SUSPENSIONS 01842 755744 FRUFLEX UK
GROUND CONTROL
JRZ SUSPENSION
MONROE AUTO EQUIPMENT
MORRIS DAMPERS INC
MOTON 01200 442345 USA (i) 916 638 7888 USA (1) 916 038 7886 •314 02619155 01904 631441 USA (1) 586 826 9141 rlands (31) 413 259838 UK 0208 974 1615 USA (1) 215 375 6180 UK 01827 288328 OHLINS RACING PENSKE RACING SHOCKS UK 01827 288328 USA (1) 336 431 1827

RODS & ROD-ENDS

USA (1) 630 859 2030

ABC AUTOSPORT BEARINGS • COMPONENTS Tel: •44(0)1932 225777 Fax: •44(0)

Proflex UK Ltd



Sole UK Sales & Service

Thorn Street Garage, Thorn Street, Clitheroe BB7 2LJ phone: 01200 442345 fax: 01200 443050

FASTENER FACTORY GOLDLINE BEARINGS GROUND CONTROL RESE INTERNATIONAL SPECIALITY FASTENERS 01327 311018 01952 292401 USA (1) 916 638 7888 USA (1) 810 362 1145 0208 390 8076 01522 500933

SEALS

SPECIALITY FASTENERS WAITHER 01803 866371 01442 891929

STRUT BRACES

DEMON TWEEKS 01978 664466 01978 004400 Germany (39) 2721 5110 UK 0455 285850 USA (1) 714 727 3700 01327 311018 UK 0208 974 1615 FIRACH FASTENER FACTORY OHLINS RACING

2.6 Braking Systems

ALCON COMPONENTS AP RACING **01827 312500 02476 639595**0208 654 8836
France (33) 0472 355700 ATE CARBONE INDUSTRIE

CIRCUIT SUPPLIES (U.K.) LTD

CIRCUIT SUPPLIES (UK) LTD Tel orsz

Germany (49) 6003 829119
USA (1) 239 772 4261
01926 472472
01604 583344
Japan (81) 267 68 0071 BT BRAKE TECHNOLOGY

DELPHI BRAKE SYSTEMS EBC BRAKES ENDLESS BRAKES

GUODRIDGE UK 01392 369090 USA (1) 310 533 1924 USA (1) 317 244 1000 USA (1) 704 662 900: MOSA FREIN

Italy (39) 039 587814 USA (1) 805 388 1188

l**inemotorsport.co.uk** USA (1) 805 388 1188 WILWOOD FNG

2.7 Brake Components

CALIPERS

01827 312500 022476 639595 Italy (39) 035 605111 UK 022476 679168 Germany (49) 6003 829119 USA (1) 239 772 4261 01952 244321 ALCON COMPONENTS AP RACING BREMBO BT BRAKE TECHNOLOGY GKN SQUEEZEFORM 01952 244321 USA (1) 803 222 2141 PERFORMANCE FRICTION 01280 843390 EUROPE +44 (0) 1280 843 390 PROFESSIONAL M/SPORTS 01626 3322 QINETIQ RACE BRAKES 08700 100942 New Zealand (64) 9377 2000

TAR.OX WILWOOD DISCS

ALCON COMPS 01827 312500 AP RACING ATE BREMBO 02476 639595 020 8654 8836 Italy (39) 2 240 9631 UK 01280 700664 ermany (49) 6003 829119 USA (1) 239 772 4261 France (33) 0472 355700 BT BRAKE TECHNOLOGY CARBONE INDUSTRIE



n Keynes MK12 6LE USA (1) 803 222 2141 es MK12 6LB PERFORMANCE FRICTION USA (1) 003 222 2141 EUROPE +44 (0) 1280 843 390 01327 858 006 USA (1) 815 363 9000 MARDI GRAS M/SPORTS TAR.OX TILTON WILWOOD Italy (39) 039 587814 USA (1) 805 688 2353 USA (I) 805 688 2353 USA (I) 805 388 II88

FILLIDS

ALCON COMS 01827 312500 02476 639595 France (33) 14 972 2305 UK 01942 723828 AP RACING BENDIX CASTROL 01793 512712 Malaysia (603) 245 2642 CASTROL USA (1) 973 305 3912 USA (1) 803 222 2141 CASTROL PERFORMANCE FRICTION USA (I) 803 222 2141 01280 843390 USA (I) 805 688 2353 USA (I) 805 388 1188 TILTON WILWOOD

PADS

ALCON COMPS AP RACING BT BRAKE TECHNOLOGY CARRONE INDUSTRIE

01827 312 500 02476 639595 Germany (49) 6003 829119 USA (1) 239 772 4261 France (33) 14 972 2305

Carbon Metallic

(1) 803 222 2141 ROPE +44 (0) 1280 843 390 01604 583344 Japan (81) 267 68 0071 Japan (81) 267 68 0071 01298 812520 01885 400639 01274 854000 USA (1) 941 772 4261 USA (1) 803 222 2141 01280 843390 USA (1) 815 363 9000 Italy (39) 039 57814 USA (1) 805 688 2533 USA (1) 805 388 1188 ENDLESS BRAKES FERODO FGR MINTEX RAVRESTOS TAR.OX TILTON WILWOOD

VALVES

ALCON COMPS AP RACING TILTON WILWOOD USA

01827 312 500 02476 639595 USA (1) 805 688 2353 (1) 805 388 1188

2.8 Wheels

DYMAG RACING UK HILLGARD ...LUAKU KINESIS MOTORSPORT MOMO SPARCO

01249 655481 Sweden (46) 300 60590 USA (1) 760 598 5300 Italy (39) 0276 111072 Italy (39) 011 470 2343

WHEEL TETHERS



THE RIG SHOP LTD on SO14 3TL

O future/lixer

2.9 Tyres

AVON RACING DUNLOP

01225 703101 01384 216102 0121 306 6000 Australia (61) 330 50333 Ireland (353) 178 3599



VINTAGE TYRES LTD

Tel Canada (1) 902 228 2335 Fax Canada (1) 902 2282241

MICHELIN

Emall vintyreeaol.com est Cove Road, Hubbards, a Scotia, Canada, BOJ 170 Germany (49) 229, 48 2031 USA (1) 216 796 221 Canada (1) 416 684 7418 01924 29284 France (33) 73 90 77 341 01933 41114 01938 41114 01938 27111 TOYO YOKOHAMA

2.10 Fuels & Lubricants

ltaly (39) 65 9981 01442 232323 01793 511521 01372 380532 01793 512712 AGIP BURMAH PETROCHEM CARLESS CASTROL CASTROI CASTROI Malaysia (603) 245 2642 USA (1) 305 270 9433 USA (1) 973 305 3912 01782 202521 DUCKHAMS OILS

RED LINE OILS

SLICK 50 STP

> TECH-LINE TEXACO LIK VALVOLINE

0208 290 0600 France (33) 1 4744 4546 UK 0208 902 8820

01372 222000 01484 713201 01476 861199

ENGINE & TRANSMISSION COMPONENTS

3.1 Engine Components

REARINGS

BRITISH TIMKEN CONNAUGHT FASTENER FACTORY 01604 730047 01795 843802 01327 311018 0121 520 8271 RESB QINETIQ 08700 100942 QUAIFE ENGINEERING 01732 353747 01788 538500 VANDERVELL

BLOCKS

INTEGRAL POWERTRAIN PERFORMANCE CONNAUGHT 01008 278600 01795 843802 01746 789268 020 8853 4648 01494 533897 MILLINGTON STONE FOUNDRIES TREMELLING PATTERN

CAMSHAFTS

01675 464857 Belgium (32) 3 320 2560 USA (1) 901 795 2400 01795 843802 USA (1) 619 422 1191 01689 857109 0208 391 0121 01449 677726 AUTOSPRINT CAT-CAMS COMPETITION CAMS CONNAUGHT CONNAUGHT CROWER DAVID NEWMAN SBD MOTORSPORT DUNNELL ENGINES 01449 677726 01885 400639 FGR HARROP Australia (61) 3 9499 7433 USA (1) 313 791 4120 KATECH KENT CAMS Tel 01303 248666 (33) 3207 46480 USA (1) 901 365 0950 New Zealand (64) 3 3386 288 KENT CAMS BY IT FRANCE PAD RACING

PIPER GAMS

PIPER CAMS

Fax 01233 500200 W.pipercams.co.uk 2 St. John's Court, 01732 353747 01793 53132

01993 871000 USA (1) 601 349 4447

QUAIFE ENGINEERING SWINDON RACING ENGINES TWR ENGINES ULTRADYNE

CAMSHAFT DRIVES

CONNAUGHT DAVID BROWN SBD MOTORSPORT KENT CAMS 01795 843802 01484 422180 0208 391 0121 01303 248666 PIPER CAMS 01233 500200 QUAIFE ENGINEERING 01732 353747 SWINDON RACING ENGINES 01793 53132

CONRODS

ARIAS FORGED PISTONS ARROW PRECISION ATECH MOTORSPORTS CLARENDON ENG USA (1) 310 532 9737 01455 234200 USA (1) 330 630 0888 01455 841200



ARROW PRECISION ENGINEERING LTD

CISION ENGINEERING LTD
Tel *44 (b) 1455 234200
Fex *44 (b) 1455 233245
Website www.arrowprecision.co.uk
Email: enquirles@arrowprecision.co.uk
12 Barleyfield, Hinckley, Leicester LEin o'IE
USA (i) 949 498 1800
o'1795 843802
o'1795 843802
o'1796 857108
USA (i) 619 422 1191
o'208 391 0121
O'208 391 0121
O'208 000 02476 366910
O'279 05 3366
FORMANCE
USA (i) 732 903 3366 12. Barleyfield,
CARILLO IND.
CONNAUGHT
CO-ORD SPORT
CROWER
SBD MOTORSPORT
ENGINES & DYNO SERVICES
FARNDON ENG
MANIEV DEPEODMANCE MANLEY PERFORMANCE USA (1) 732 905 3366 USA (1) 616 451 8333 Austria (43) 3862 512500

JACQUEMIN TUNING

SAENZ EUROPE-JACQUEMIN TUNING
France Tel: -33(0)320746480
France Tel: -33(0)320746480
Email: jmjacqueminianordnet.fr
Website: www.jacquemintuning.com
SAENZ
SCHRICK
Germany (49) 21 91 9500
SWINDON RACING ENGINES SCHRICK SWINDON RACING ENGINES

CONROD BOITS

A.R P

BLANC AFRO

USA (1) 310 532 9737



USA Tel: (1) 805 339 2200 Fax: (1) 805 650 0742 Website www.arp-bolts.com 1863 Eastman Avenue,Ventura 93003

01793 531321



ARROW PRECISION ENGINEERING LTD

Tel +44 (o) 1455 234200
Fax +44 (o) 1455 234200
Fax +44 (o) 1455 233545
Website www.arrowprecision.co.uk
Email: enquiries@arrowprecision.co.uk
12 Barleyfield, Hinckley, Leicester Lio 17E
France (33) 296 68 33 39 CARRILLO INDUSTRIES

USA (i) 714 842 2603) 01604 752444 COAST FABRICATION COSWORTH USA (1) 310 534 1396 CROWER US
SBD MOTORSPORT
LINREAD NORTHBRIDGE MOTORSPORT USA (1) 213 543 1390 0208 391 0121

THERIDGE MUTORSPORT

Tel 01162 572924 Fax 01162 572901

Viking Road, Wigston, Leicester, LEr8 2BL

Austria (43) 386 251 2500

SPORTS

USA (1) 330 630 0888 PANKL ATECH MOTORSPORTS



EAGLE
FARNDON ENG
GRAINGER & WORRALL
LAYSTALL ENGINEERING

lesøcoordsport.com Idlands DY2 8PX, UK 01455 273738 USA (i) 901 345 5886 02476 366910 01902 324460 01902 451789

NORTHBRIDGE MOTORSPORT

LINREAD NORTHRIDGE MOTORSPORT

01746 789268 01793 531321 MILLINGTON

SWINDON RACING ENGINES

CRANKSHAFTS

THE CRANKSHAFT PEOPLE

CRANKSHAFT DAMPERS

USA (1) 716 895 8000

FLYWHEELS

02476 539311

ALVIS ATL

ARROW PRECISION ENGINEERING LTD

NG LTD
Tel *44 (o) 01455 234200
Fax *44 (o) 01455 233545
USA 001 916 933 1080
02476 366910
Australia (61) 39 499 7433
USA (i) 714 220 2227
USA (i) 847 540 8999
01793 531321 COMPTECH USA FARNDON ENG HARROP

KAITEN PRODUCTS QUARTERMASTER SWINDON RACING ENGINES GASKETS

FRANCE (33) 03207 46480 Germany (49) 221 21 74690 USA (1) 410 392 3200 COMETIC BY IT GOFT7F GORE-TEX HEADS

INTEGRAL POWERTRAIN DUNNELL ENGINES KENT AEROSPACE 01908 278600 01449 677726 01795 415000

INJECTORS

0208 420 4494 USA (1) 502 781 9741 USA (1) 810 362 1145 ASNU HOLLEY PERFORMANCE KINSLER KS MOTORSPORT MARREN Germany (49) 2271 44905 USA (1) 203 732 4565

INTAKE MANIFOLDS

SBD MOTORSPORT DUNNELL ENGINES EDELBROCK GRAINGER & WORRALL

0208 391 0121 01449 677726 USA (1) 310 781 2222 01902 324460

CIRCUIT SUPPLIES (U.K.) LTD

Circuit Supplies are the main UK distributor for Ferodo Racing brake pads including the new DS2500 material - developed especially for track day and high performance road use.

ALSO AP RACING MAIN DISTRIBUTOR

Unit 22, Harmill Industrial Estate, Grovebury Road, Leighton Buzzard, Beds LU7 4FF, England Telephone: 01525 385 888 (International +44 1525 385 888)



Fax: 01525 385 898 (International +44 1525 385 898) Mobile: 07774 689600 Email: info@circuitsupplies.com Website: www.circuitsupplies.com



JENVEY DYNAMICS KINSLER LINGENFELTER SCHRICK SWINDON RACING ENGINES 01746 768810 USA (1) 810 362 1145 USA (1) 219 724 2552 Germany (49) 21 91 9500 01793 531321

LINERS

01274 720505 APPERLEY HONING 01242 525868 CROMARD DATRON SLEEVES 01902 451789 USA (1) 760 603 9895 Germany (49) 217 4690 01952 24432 01902 451789 Germany (49) 217 4690

OII SEALS RACETEK NAK

02380 246986

PISTONS

ACCRALITE PISTONS Tel 0121 525 6450

Tel 0121 525 6450
Pax 0121 573 5951
on, Spon Lane South,
fest Midlands B60 t01
01274 729595
01403 784022
USA (1) 313 940 953 9737
USA (1) 313 940 953 84380
01604 752444
USA (1) 316 344 1390
01274 729595
USA (1) 714 989 970
USA (1) 804 971 9668
USA (1) 724 959596
USA (1) 724 959596
USA (1) 724 959 9596
0121 5590 5778
2014 974 975 9668 Accralite Piston Division,
Smethwick, West
AE PISTON PRODUCTS
ARIAS
ARIAS FORGED PISTONS
BATTEN PERFORMANCE
U CONNAUGHT COSWORTH HEPWORTH & GRANDAGE IE PISTONS MALVERN RACING MANLEY PERFORMANCE OMEGA PISTONS New Zealand (64) 3 3386 288 USA (i) 310 644 9779 PAD RACING



ROSS PISTON STOCKITS
16102 Fax 01384 216109
: www.coordsport.com

SWINDON RACING ENGINES 01793 531321 USA (1) 602 678 4977 WISECO PISTON USA (i) 216 951 6600 Canada 800 265 1029

PISTON RINGS

01274 729595 USA (1) 310 532 97371900 0208 998 9923 USA (1) 805 2983785 Germany (49) 221 217 4690 USA (1) 801 972 8766 USA (1) 602 678 4977 01002 871000 AE PISTON PRODUCTS ARIAS FORGED PISTONS FORD AUTO ENG HI-TECH

RUBBER & ELASTOMERIC COMPONENTS



ER LTD Tel: 01730 894034 / Fax: 01730 8943.
Website: www.butserrubber.co
Email: butserrubber@btinternet.co

VALVES



USA Tel: (1) 661 295 5700 Fax: (1) 661 295 8300 n, Valencia CA 91355, USA USA (1) 954 733 2505

FERREA
GGS VALVES LTD
QINETIQ
MANLEY PERFORMANCE
RACING ENGINE VALVES
SCHRICK
SUPERTECH PERFORMANCE
SWINDON RACING ENGINES
VALVE TECHNICS
VALVE
VENTORS
VALVE
VALVE
VENTORS
VALVE
VALVE
VENTORS
VALVE
VENTORS
VALVE
VALV 03A (1) 954 733 2505 01483 415444 08700 100942 USA (1) 732 905 3366 USA (1) 954 772 6060 Germany (49) 21 91 9500 USA (1) 408 448 2001 01793 531321 01793 53132 01604 706541 USA (1) 336 472 8281 XCELDYNE TECHNOLOGIES

VALVE SEATS

ARROW PRECISION ENGINEERING LTD

TTD
Tel *44 (o) 1455 234200
Fax *44 (o) 1455 233545
Tel (t) 805 499 8885
Fax (t) 805 499 7810
ury Park, CA91320, USA
01895 232215 CHE PRECISION INC 2640 Lavery CT,Unit C, Newbur

SWINDON RACING ENGINES 01793 53132

VALVESPRINGS

01795 843802 USA (1) 313 792 6620 USA (1) 213 781 2222 01527 64261 CONNAUGHT DIAMOND EDEL BROCK HERBERT TERRY & SONS 01527 04201 01303 248666 Germany (49) 711 518300 USA (1) 732 905 3366 KENT CAMS KURT KAUFFMANN MANLEY PERFORMANCE PERFORMANCE SPRINGS SCHMITTHELM Germany (49) 62 217060

VALVE SPRING RETAINERS
GSS VALVES ITD

VALVE GUIDES
ARROW PRECISION ENGINEERING LTD



G LID Tel •44 (0) 01455 234200 Fax •44 (0) 01455 233545 USA (1) 714 220 2227 714 220 222, 01895 232215

3.2 Engine Ancillaries

AIR FILTERS



INDUCTION TECH GROUP

Unit B. Quinn Close, S

Stars Industrial Estate, Itley, Coventry CV3 4LH USA 800 858 3333 UK 01925 636950 USA (I) 248 362 II45 01604 671100 KGN ENGINEERING KGN FILTERS (EUROPE) KINSLER PIPERCROSS

CARBURETTORS

BG FUEL SYSTEMS CARBURETOR SHOP WEBCON

USA (i) 706 864 8544 USA (i) 909 481 5816 France (33) 14 729 7171 Italy (39) 51 417995 01932 787100

EXHAUST SYSTEMS

ACTIVE ENGINEERING BURNS STAINLESS



GOOD FABRICATIONS LTD

Tel: -44 (o)1844 202850 / Fax:(o)1844 202833 Email: info@goodfabs.com www.goodfabs.com Unit 3a, Drakes Farm, Drakes Drive, Long Crendon, Aylesbury, Bucks HP18 gBA England FIOWMASTER

USA (1) 616 463 4113 01789 298989 USA (1) 715 835 3292 PIPER CAMS SPECIALISED EXHAUST

FIIFI FIITERS

FRAM EUROPE KINSLER LEE PRODUCTS SPV RACING THINK AUTOMOTIVE TJ FILTERS WEBCON

FUEL INJECTION

BGC MOTORSPORT BOSCH

CONNAUGHT FLUID CONTROL PRODUCTS
GENESIS ELECTRONIC SYSTE INDUCTION TECHNOLOGY
JENVEY DYNAMICS
JOHN WILCOX COMPETITION

0208 880 4205 01895 834466 Germany (49) 711 8111 USA (1) 312 865 5200 01795 843802 0208 391 0121 **Tel (i) 314 291 7223** 01635 582255 02476 305386 01746 768810 0145 220errik

KINSLER FUEL INJECTION Tel: U

FUEL LINES

USA (1) 419 238 1190 01628 776320

USA (1) 716 359 6361 Tel 0208 420 4494 0208 880 4205

01455 230576

AEROQUIP AN MOTORSPORT DESIGN

RACING FUEL CELLS
USA (1) 201 825 1400
Fax (1) 201 825 1962
Pand Industrial Park,

Ramsey, NJ 07446-1221, USA 908 351700 / Fax 01908 351750 es Ltd (Europe), 1 Patriot Drive, TIK oroos Aero Tec Lah BROWN AND MILLER

CONNAUGHT EXACT ENGINEERING FAE MACHINE

GOODRIDGE CA GOODRIDGE INDY GOODRIDGE EAST

01684 801808

01392 369090



GOODRIDGE UK Tel 01392 369090 / Fax 01392 441780 Exeter Airport Business Park, Exeter, EX5 2UP HENRY'S ENG USA (1) 410 535 3142 ILS MOTORSPORT Tel 0121 525 7733

KRONTEC MASCHINENBAU Gmbi

e 33 93073 Neutraubling Tel: 09401 5253-0 Fax: 09401 5253-10 Germany (49) 2271 44905 France (33) 320 99 75 10

KS MOTORSPORTS SPECIALTY FASTENERS 01803 866371 Australia (61) 2 791 9899 0208 568 1172 SPV RACING THINK AUTOMOTIVE FLEXOLITE GOODRIDGE France 33 3 20997510 PRONALS RACETECH USA (i) 216 232 2282 WELDON RACING PUMPS



XRP INC

PINC Tel USA (1) 562 861 4765 FAX USA (1) 562 861 5503 5630 Imperial Highway, South Gate, CA 90280, USA

FUEL VALVES

AN MOTORSPORT DESIGN

EXACT ENG KINSLER PRONALS SPECIALTY FASTNERS

01628 776320 USA (1) 201 825 1400 UK 01908 351700 01803 866464 USA (1) 248 362 1145 France 33 3 20 997510 01803 866371 HOSES & HOSE-ENDS

AEROQUIP AN MOTORSPORT DESIGN

USA (1) 419 238 1190 01628 776320

X: 01753 577477 Trading Retate

DELPHI BRAKES SYSTEMS

7, Concord, NC 28027 01926 472472 USA (1) 310 609 1602 01803 866464 01327 311018 01753 570863 USA (1) 217 324 3737 Fax (1) 217 324 3747 1020 2160000 EARL'S
EXACT ENG
FASTENER FACTORY
FHS MOTOR RACING
FLUID CONTROL PRODUCTS INC



ormance.co.uk tate, Kingsway Luton LUr iLP 01803 866371 0208 530 6664 0208 568 1172 SPECIALTY FASTNERS SPEED FLOW THINK AUTOMOTIVE UNICLIP AUTOMOTIVE XRP INC 01932 355277 USA (1) 562 861 4765

INTERCOOLERS

AH FABRICATIONS 01432 354704 USA (1) 217 324 3737 Fax (1) 217 324 3717 01440 760960 FLUID CONTROL PRODUCTS INC PACE PRODUCTS SERCK MARSTON SFS PERFORMANCE

OIL COOLERS

AEROQUIP
CV PRODUCTS
DOCKING & CO
EARL'S
EXACT ENGINEERING FAE MACHINE FLUID CONTROL PRODUCTS INC

GOODRIDGE UK GOODRIDGE CA GOODRIDGE INDY GOODRIDGE EAST LAMINOVA PROCOMP SECAN SERCK MARSTON SERCE PIANSION SETRAB SPECIALTY FASTNERS SPV RACING THINK AUTOMOTIVE TREVOR MORRIS ENG

OIL FILTERS AN MOTORSPORT DESIGN COSWORTH

EARL'S ED PINK ENGINES EXACT ENGINEERING FLEXIBLE HOSE FRAM FILTERS KINSLER

OIL PUMPS

USA 818 785 6740 01303 248666 01440 760960 01628 526754 ED PINK RACING ENGINES KENT CAMS PACE PRODUCTS PACET SPV RACING SWINDON RACING ENGINES TITAN MOTORSPORT Australia (61) 2 791 9890 01793 531321 01480 474402

OII SEALS

RACE-TEC NAK PIONEER WESTON (WYKO)

OIL SUMPS

ARE RACING ENGINE

A.R.E DRY SUMP SYSTEMS

USA: (1) 916 987 7629 www.drysump.com 01795 843802 01746 768810 USA (1) 818 407 1211 01440 760960 0208 853 4648 CONNAUGHT JENVEY DYNAMICS MILODON PACE PRODUCTS STONE FOUNDRIES SWINDON RACING ENGINES FITAN MOTORSPORT FREVOR MORRIS ENG

OIL TANKS

BS ENGINEERING GARTRAC GOMM METAL DEVELOPMENTS 01908 618080 01428 682263 01483 764876 Germany (49) 2271 44905 01933 355512 KS MOTORSPORT MIDAS METALCRAFT PACE PRODUCTS THINK AUTOMOTIVE 020 8568 1172

RUBBER & ELASTOMERIC COMPONENTS

BUTSER RUBBER LTD Tel: 01730 894034

STARTER MOTORS

ARK RACING EARL'S RTRAC STARTLINE UK LTD

01785 715234 USA (1) 310 609 1602 Germany (49) 9725 5075 01933 665752

THROTTLE BODIES

JENVEY DYNAMICS KINSLER 01746 768810 USA (1) 248 362 1145 USA (1) 219 724 2552 0207 403 4334 KINSLER LINGENFELTER LUMENITION SWINDON RACING ENGINES TWM INDUCTION USA (1) 805 967 9478

THROTTLE VALVES

01746 768810 USA (1) 248 362 1145 0207 403 4334 01547 530289 USA (1) 805 967 9478 JENVEY DYNAMICS KINSLER LUMENITION TWM INDUCTION

TURBOCHARGERS

GARRETT AUTOMOTIVE HOLSET ENG INTERPRO ENGINEERING 01695 22391 01454 412777 08700 100942 01604 764005 QINETIQ TURBO TECHNICS

WATER COOLERS

AH FABRICATIONS DOCKING & CO DENSO MARSTON NIPPON DENSO

01432 354704 01327 857164 01274 582266 Japan (81) 56 625 5511 UK 0208 591 7700 01440 760960 01440 760960 0208 965 2151 PACE PRODUCTS SERCK MARSTON

WATER INJECTION

01273 581007

WATER PUMPS

ED PINK RACING ENGINES

Australia (61) 39 499 7433 USA 818 785 6740 USA 616 765 6740 USA (1) 213 781 2222



T: +44 (0) 1932 225777 F: +44 (0) 1932 222215

www.autosport-bearings.co.uk

All from stock. Lowest prices

3.3 Engine Electronics

COMPUTER SUPPLIERS

ACES ADVANCED AUTOMOTIVE COMPETITION DATA FUELTRONICS PAD RACING PERFORMANCE TRENDS RACELOGIC

01206 395324 01753 642019 USA (1) 716 631 2880 Australia (61) 88363 2199 New Zealand (64) 3 3386 288 USA (1) 448 473 9230 01280 823803

DATA-ACQUISITION

ADVANCED AUTOMOTIVE B&G RACING BOSCH

ACTIVE SENSORS

COMPETITION DATA SYS COMPUTECH SYSTEMS COMPUTERACE TIMING CORSA INSTRUMENTS D DFRUS DATASPARES ACCUISITION DATRON TECHNOLOGY DIGICON ENGINEERING FOREFRONT

Intercomp

25 Robert, Chamby, LONGACRE

USA Tel (1) 763 476 2531
Fax (1) 763 476 2631
neapolis, MN 55447, USA
Tel: (450) 658 7520
Fax: (450) 658 322
Email: Isaaca/Isaac.ca
Website www.isaac.ca
USA (1) 425 485 9620
USA (1) 670 19300
Japan (80) 480 46 774
USA (1) 74, 897 6840
USA (1) 804 973 1399
Australia (6) 7 3290 1309
Australia (6) 7 3290 1309
Tel 10 1932 351516
Fax 01932 351516 LUNGACRE
McCLAREN ELECTRONICS
MM COMPETITION SYSTEMS
MOTEC MOTEC (EUROPE) MOTEC JAPAN MOTEC SYSTEMS USA MOTECH MOTECH MOTOR SPORT ELEC MOTORSPORTS INTERFACE MTS Powertrain Tech

·44 (0)1954 253610 01202 409409 USA (i) 248 473 9230 01954 253600 01462 621066 08700 100942 01243 865058 USA (i) 714 449 1445 (714) 446 9473 Tel 01869 240404 Fax 01869 245200 salesostackitd. com frordshire, OX26 4UI. RACE DATA ENGINEERING SAKATA MOTORSPORT ELEC. INC.

e. OX26 AUI Wedgewood R STEVE BUNKHALL 01223 303025

ENGINE MANAGEMENT SYSTEMS

01753 642019 0208 420 4494 01895 834466 ADVANCED AUTOMOTIVE Germany (49) 711 8111 USA (1) 312 865 5200 (1) 312 865 5200 01795 843802 0208 463 9229 0208 391 0121 01483 261400 08707 444666 CONNAUGHT



MOTEC PTY LTD

VARIOHM

us Tel: 613 9761 5050 Aus Fax: 613 9761 5051 Japan +81 489 461 734 121 Merringdale Drive

01327 351004

USA +1 714 895 7001 +44 (0)1954 253610 USA (1) 248 844 1060 (714) 446 9473 01869 240404 01280 816781 PECTEL CONTROL SYSTEMS PRECISION RACE SERVICES SAKATA MOTORSPORT ELEC. INC. STACK SUPERCHIPS TERRY SHEPHERD TUNING 01695 574454 USA (1)989 872 7091 0121 323 2323 VALBRO ENGINE MANAGEMENT
YTEK SYSTEMS

ENGINE SENSORS

Unit 12, Wilverley Rd, Christchurch, Dorset, BH23 3RU England AVI. DEUTSCHLAND (49) 6134 7179-0 DATASPARES

KISTLER INSTRUMENTS

0208 463 9229 01923 893 999 01420 544477



KULITE SENSORS Kulite House, Stro



MAGCANICA INC McCLAREN ELECTRONICS McCLAREN ELECTRONICS
THE STRAIN GAUGING CO

REV-LIMITERS

LUCAS ELECTRICAL LUMENITION MM COMPETITION 0121 536 5050 020 7403 4344 08707 444666

3.4 Transmission Components

CLUTCHES



ALCON

Tel +44 (o) 1827 723700 Fax +44 (o) 1827 723701 Email info@alcon.co.uk

USA 858 454 8950 01483 261400 **01256 320666** 01327 351004

AP RACING

(o)24 7663 9595 Pax (o) 24 7663 9559 ad, Coventry, CV3 4LB

| Company | Comp



Ernst-Sachs-Stre SACHS BOGE TILTON ENGINEERING Ernst-Sachs-Strasse 62, 97,424 Schweinfurt, Germany
ACHS BOGE
TILTON ENGINEERING
USA (1) 805 688 2353
FAX (1) 805 688 2745
EAST Street, Buellton, CA 93427 9342
WILWOOD ENGINEERING
FAX (1) 805 388 4918
USA (1) 805 388 1918
416 Calle San Pablo, Camarillo, CA 939012, USA

COMPLETE TRANSMISSIONS



CWP'S

01484 422180 USA (1) 313 778 0540 USA (1) 303 695 6093 01380 850130 01635 293800 DAVID BROWN DAVID BROWN
DTS
JCM TRANSAXLES
MARK BAILEY RACING
XTRAC LTD

DIFFERENTIALS

01242 222739 01869 277563 0207 930 2424 01628 827600 USA (1) 303 695 6093 01380 850130 AJEC INDUSTRIES GEARACE LIMITED GKN AXLES GKN AALLS
HEWLAND ENG
JCM TRANSAXLES
USA (1) 303 650350
01380 850130
01380 850130
01380 850130
01380 850130
01380 850130
01732 74144
RICARDO
RICARDO MIDLANDS TECHNICAL CENTRE
01925 319399
TOM'S DIFFERENTIALS
USA (1) 310 634 8431
TRAN-X GEARS LTD
2476 55908
TRAN-X GEARS LTD
USA (1) 716 464 5000

DRIVESHAFTS



Tel: +44 (0)1295 220130
Fax: +44 (0)1295 220138
Email: motorsport#ctgitd.co.uk
www.ctgitd.co.uk
rpe Way, Banbury, Oxfordshire
OX16 4SU United Kingdom

GKN MOTOR SPORT

Unit 5, Kingsl load, Minwort

METALORE

PANKL TEX RACING TRAN-X GEARS LTD

USA (1) 310 643 0360 0043 3862 33999 USA (1) 910 428 9522 02476 659061

GEARS



orth CA 91311 U

COLLEDGE & MORLEY
COMPTECH USA
COMPTECH USA
COMPTECH USA
COMPTECH USA
COMPTECH USA
USA (1) 916 933 1080
DAVID BROWN
CEARACE LIMITED
CEARACE LIMITED
CISCON USA (1) 303 695 6093
CIM TRANSAXLES
CERSCHBAUMER
GET (49) 6074 47 663
MARK BAILEY RACING
DANKL
COMPANKL
COMPA

UNIVERSAL JOINTS FLAMING RIVER GEARACE LIMITED

USA (1) 440 826 4488 01869 277563

01628 776320

Database 4

FACTORY EQUIPMENT

4.1 Factory Hardware

AIR LINES & FITTINGS

01628 776320
UK 01327 858221
01803 866464
01753 513080
01329 269090
USA (1) 310 533 1924
USA (1) 317 244 1000
USA(1) 704 662 9095
01204 690690
01204 690690
01205 9095
01206 6908 612602
Sweden 46 8512 5580 A.N. MOTORSPORT DESIGN EARL'S EXACT ENGINEERING Fhs Motor Racing Ltd GOODRIDGE UK GOODRIDGE CA GOODRIDGE INDY GOODRIDGE FAST INGERSOLL RAND ILS MOTORSPORT KRONTEC REGENT

ROTOTEST THINK AUTOMOTIVE AIR TOOLS

DESOUTTER AUTOMOTIVE 0208 205 4884



DINO PAOLI S.R.L.

Sweden 46 8532 55890 0208 568 1172

oropaon.com o Emilia, Italy 01932 566099 01204 690690 0121 525 7733 Via Guido Dorso FACOM INGERSOLL RAND ILS MOTORSPORT

CNC MACHINING CENTRES

CNC MACHINING CE
ABSOLUTE MACHINE TOOL
BOSTON DIGITAL
BRIDGEPORT MACHINE
DEREK ROBINSON
DEWCO
MACHINERY SALES
MAKINO
MEDDINGS MACHINES
MILLS ENGINEERING
MILLSTE ENGINEERING
RISTE ENGINEERING
ROS PERFORMANCE
RMT MECHATRONICS
SERDI SFRDI SOUTHWESTERN IND SPA AEROFOILS LTD TOYODA EUROPE

CRACK DETECTION

USA (1) 714 671 0728 USA (1) 800 533 5339 USA (1) 717 242 0327 ABS PRODUCTS DCM TECH KRAUTKRAMER BRANSON

CRYOGENIC TEMPERING

FROZEN SOLID 01449 674914

DUST EXTRACTION EQUIP

01789 470198

DYNAMOMETERS: CHASSIS

FROUDE CONSINE 01905 856800
International Dynamometers LTD/Dynapack
USA 001 559 292 3800 New Zealand 64 4587 0484
LAND 6 SEA USA (1) 603 329 5645
KISTLER Instruments Ltd
ROTOTEST 0420 544875
Sweden (46) 8 532 55870 01420 544477 Sweden (46) 8 532 55890 USA (1) 800 471 7701 Belgium 3215 216300 01908 260000 SUPERFLOW LINICO (LIK) LTD

DYNAMOMETERS: DAMPER

USA (1) 914 651 7389 USA (1) 800 819 7223 Can (1) 905 470 8778 UK 01842 755744 BEHRENTS SPEED CENTER CZECH MATE DYNAMIC SUSPENSIONS

ND TECH SHOCK DYNOS SCHMITT EUROPE SPA DESIGN SPA TECHNIQUE TAT USA (1) 520 624 3907 UK 02476 697192 01827 260026 USA (1) 317 271 7941 Germany (49) 7252 84258

DYNAMOMETERS: ENGINE

AVI.
DSP TECHNOLOGY
DYNAMIC TEST SYSTEMS
ENGINE & DYNAMOMETER
FROUDE CONSINE
JKM AUTOMOTIVE
LAND & SEA
LOTUS ENGINEERING Germany (49) 61 34 71 790 MOTORSPORTS INTERFACE Germany (49) 7252 84258

DYNAMOMETER INSTRUMENTATION USA (1) 810 566 0131 USA (1) 315 339 1265 USA (1) 206 243 8877 01905 856800

AQUIRED DATA SYSTEMS DEPAC DYNO SYSTEMS DYNOLAB FROUDE CONSINE FROUDE CONSINE
LAND & SEA
KISTLER Instruments Ltd
PERFORMANCE TRENDS
QUADRANT SCIENTIFIC
ROEHRIG ENGINEERING
SUPERFLOW

USA (1) 603 329 5645 USA (I) 603 329 5045 01420 544477 USA (I) 248 473 9230 USA (I) 303 666 8414 USA (I) 336 431 1827 USA (I) 800 471 7701 Belgium 3215 216300 Germany (49) 7252 84258

01932 351516 01842 755744 01708 857108

ENGINE BALANCING FOUIP

ABS PRODUCTS BC GEROLAMY POWERHOUSE PRODUCTS SCHMITT EUROPE SUNNEN PRODUCTS WINONA VAN

USA (1) 714 671 0728 USA (1) 916 638 9008 USA 800 872 7223 02476 697192 USA (1) 800 772 2878 Canada (1) 800 833 4870

ENGINE HOISTS
MR GASKET PERFORMANCE
SILVER SEAL USA (1) 216 398 8300 USA (1) 800 521 2936

ENGINE STANDS

ABS PRODUCTS
BLUEBIRD
C-LINE
DYNAMIC TEST SYSTEMS
GOODSON
JEGS
MOROSO PERFORMANCE MR GASKET PERFORMANCE RACER COMPONENTS SCRIBNER

USA (1) 714 671 0728 USA (1) 800 808 2473 USA (1) 800 645 7267 USA (1) 800 243 3966 USA (1) 507 452 1830 USA (1) 614 294 5451 USA (1) 203 453 6571 USA (1) 216 398 8300 USA (1) 903 581 5976 USA (1) 916 638 1515

USA (1) 714 671 0728

FLOW BENCHES

ASNU AUDIE TECHNOLOGY CV PRODUCTS CLO-FLOW DEPAC DYNO SYSTEMS FLOWDATA HODGE MFG PERFORMANCE TRENDS ROEHRIG ENGINEERING SUPERFLOW

0208 420 4494 USA (1) 610 630 5895 USA (1) 610 630 5805 USA (1) 800 448 123 South Africa (27) 11 963128 USA (1) 315 339 1265 USA (1) 714 632 7888 USA (1) 800 262 4634 USA (1) 800 262 4634 USA (1) 436 437 1329 USA (1) 336 431 1827 USA (1) 800 471 7701 Belgium 2315 216300 Germany (49) 7252 84258

Dynamometer Services Group Ltd

Contact DSG (Formerly EDS)

DŚG Sales of New & Second-hand Dynamometers Engine Test Equipment incl. Computer Control & Data Logging Refurbishment & Updating of Dynamometers & Ancillaries **Fabrication of Engine Test Stands Dynamic Balancing & CARRILLO Con-Rods**

> **Dynamometer Services Group Ltd.,** P.O. Box 163, Upminster RM14 3WL Tel/Fax: 01708-857108

MOTORSPORT QUALITY ROD ENDS SPHERICAL BEARINGS







aurora inch sizes

contacts in English, Deutsch,

Français, Italiano

RODOBAL • widest range in Europe

INTERNATIONAL DISTRIBUTORS - WIDE STOCK

metric sizes ROD ENDS ACCESSORIES: lateral scals protection boots, jam-nuts right-hand, left-hand

Getecno srl 16141 GENOVA - Italy +39 010 835.66.55 fax phone +39 010 835.60.16

Seals-it

internet: www.getecno.com info@getecno.com e-mail:

GENERATORS: PORTABLE

USA (1) 800 413 6688 HANCO GENERATING LINCOLN ELECTRIC USA (1) 216 481 8100

HORIZONTAL/VERTICAL MACHINING CENTRES

USA (1) 800 552 3288 01603 745531 0208 549 9161 USA (1) 716 434 2509 02476 547200 MAKINO MILIS MITSUBISHI-YAMAZEN RGS PERFORMANCE TOYODA

RMT MECHATRONICS LOCK-N-STITCH MAGNAFLUX

01565 650411 USA (1) 800 736 8261 USA (1) 847 657 5300 **01256 320666** THE STRAIN GAUGING CO RAPID PROTOTYPING

Italy (39) 059 821135 CRP TECHNOLOGY 3D SYSTEMS UK 01442 282600

TOOL CABINETS

SYSTEMS

01295 712800

USA (1) 800 426 4553

ness Centre, cussex RHr3 5BA 01908 222333 Brigi IISTA

USA (1) 614 755 70 MAC TOOLS WELDING FOUIPMENT

4.2 Factory Software

CAD & CAM SOFTWARE

USA (1) 248 299 1750 USA (1) 818 673 2134 0121 766 5544 USA (1) 781 676 8551 BRIDGEPORT MACHINE DASSAULT SYSTEMES DELCAM EXA MITUTOYO UK 01264 353123 PARAMETRIC TECHNOLOGY 01252 81700 QinetiQ 08700 100942

PARTS USE LIFING USA (1) 513 893 2773 01285 720665 5 USA (1) 248 245 2330 Australia 07 32 88 3895 ADVANCED RACING SYSTEMS LIFFCHECE KINETIC RACING TECHNOLOGIES

NOSKECOM PERF SIMULATION

01954 253600 USA (1) 248 473 9230 USA (1) 734 397 6666 0208 707 1400 PERFORMANCE TRENDS VEHICLE DYNAMICS PERFORMANCE USA (1) 512 450 1035

Database 5 CIRCUIT EQUIPMENT

5.1 Pits Equipment

AIR COMPRESSORS

COMPAIR UK COMPAIR UK 01494 465000 ROTOTEST Sweden 46 8532 55 890 AIR LINES & FITTINGS

EXACT ENGINEERING FASTENER FACTORY 01803 866464 01327 311018 01753 513080 FHS Motor Racing Ltd GOODRIDGE UK 01392 369090 USA (1) 310 533 1924 GOODRIDGE CA USA (1) 317 244 1000 USA (1) 704 662 9095 0121 525 7733 GOODRIDGE INDY GOODRIDGE EAST JLS MOTORSPORT KRONTEC

RIDGE 2851
TORSPORT
FEC Germany (49) 9401 703062
Fax (49) 9401 703062
Berliner Straße 31, 93073 Neutraubflurg, Germany
RSPORTS NZ
NZ 0042 2956 5599
AUTOMOTIVE 0208 568 1172 MOTORSPORTS NZ THINK AUTOMOTIVE

BATTERY CHARGERS POWER TRANS SOLUTIONS

S Tel oryzz 332126 Fax oryzz 333 522 www.wynall.com Stephens Road, Church Fields Salisbury, Wiltshire, FP2 7NX TRIDENT CAMBER GAUGES

DEMON TWEEKS 01978 664466 75 Ash Road South, Wrexham Industrial Estate, Wrexham, Clwyd LL13 9UG, Wales HARRISON AUTO LONGACRE RACING OMS RACING PACE PRODUCTS

USA (1) 602 254 0024 USA (1) 425 885 3823 **0113 2575956** 01284 850960

01327 857822

TRIDENT

CHASSIS STANDS **01978 664466** USA (1) 708 949 9100 DEMON TWEEKS SMR COMPONENTS

COMPUTER HARDWARE ADVANCED AUTOMOTIVE CALEX INSTRUMENTATION 01753 642019 01525 373128 CRANFIELD 01234 751361 USA (1) 206 243 8877 DYNOLAB FASTER SYSTEMS USA (1) 415 332 6064 Australia (61) 0883632199 FUELTRONICS 0208 573 4444 01635 582255 Switzerland (41) 52 224 1111 FUIITSU GENESIS KISTI FR erland (41) 52 224 IIII USA (1) 615 832 6355 0208 785 6666 USA (1) 248 473 9230 01279 812496 01869 240404 NOVA OLIVETTI PERFORMANCE TRENDS RACING CAR COMPUTERS

CORNER SCALES USA (1) 914 889 4499 01978 664466 A.R.T. DEMON TWEEKS USA (1) 206 885 3823 LONGACRE RACING 01424 852744 Tel 01606 737500 01480 464052 REDLINE MOTORSPORT ROLLCENTRE

DAMPER DYNAMOMETERS (PORTARLE)

01842 755744 USA (I) 313 344 8120 020 8707 1400 DYNAMIC SUSPENSIONS ROEHRIG ENGINEERING SERVOTEST LTD SPA DESIGN SPA TECHNIQUE 01827 288328 USA (1) 317 271 7941

EAR DEFENDERS 01978 664466 01327 311018 USA (1) 404 366 3796 **Tel 01606 737500** DEMON TWEEKS FASTENER FACTORY RACING RADIOS REDLINE MOTORSPORT

ELECTRIC STARTERS POWER TRANS SOLUTIONS 01722 332126 ENGINE HOISTS

DUNLOP AUTOMOTIVE FACOM 0121 384 4444 UK 01932 566099

ENGINE STANDS Canada (1) 403 277 6020 GUYON RACING TITAN MOTORSPORT 01480 474402

FIRE EXTINGUISHERS CHURR

FFV

01932 785588

Tel 01243 555566 Fax 01234 555660
Email sales@f-e-v.co.uk
www.f-e-v.co.uk
Unit 10 Ford Lane Business Park,
Ford, West Sussex BN18 0UZ
2028 852 8585
02476 712999
01327 858 006
0208 656 7031
Italy (39) 10 680 851
08700 100942 FIREMASTER LIFELINE FIRE SYSTEMS Mardi Gras Motorsports OMP QINETIQ 08700 100942 SILVERSTONE RACE SERVICES 01327 858441 01827 288328 SPA DESIGN SPA TECHNIQUE USA (1)317 271 7941 01327 857822 TRIDENT

FLOOR CRANES NZ (04) 5899371 01327 311018 01274 721591

FUME EXTRACTORS 01789 470198 INGERSOLL RAND 01204 690690

HAND PUMPS EXACT ENGINEERING 01803 866464 01932 566094 01327 858441 USA (1) 414 656 5372 0161 969 0126 FACOM SILVERSTONE RACE SERVICES SNAP-ON WURTH UK 0208 310 6666

HAND TRUCKS OMS RACING SILVERSTONE RACE SERVICES 01132 575956 01327 858441 HEAD TORCHES USA (1) 404 889 4096 ESSEX RACING 01295 272233

USA (1) 630 377 1750 ARGO MANUFACTURING DEMON TWEEKS DUNLOP AUTOMOTIVE 01978 664466 02476 667738
UK 01932 566099
01327 310108
0121 525 7773
Germany (49) 2271 44995
01527 850800
USA (1) 303 828 4546
Tel 01606 737500
01274 721591
01278 659 406
USA (1) 661 257 0474
01795 531871
01327 8584016 02476 667738 FACOM FASTENER FACTORY ILS MOTORSPORT KS MOTORSPORT PADDY HOPKIRK ITD REDLINE MOTORSPORT SLINGSBY DEMON TWEEKS DEMON TWEEKS KS MOTORSPORT MARDI GRAS MOTORSPORTS MECHANIX WEAR RALLY DESIGN SILVERSTONE RACE SERVICES 01327 858441

NOISE METERS CIRRUS RESEARCH 01723 891655 PIT BARRIERS

KAISER & KRAFT SLINGSBY 01274 721591 PIT BOARDS

USA 001 714 637 1155 01978 664466 0208 987 5500 many (49) 2271 44905 **Tel 01606 737500** 01327 857822 ACTIVE ENGINEERING DEMON TWEEKS GRAND PRIX RACEWEAR REDLINE MOTORSPORT

PIT CANOPIES 01727 858297 PIT BITS PIT LANE MARKERS

KAISER & KRAFT SLINGSBY

PIT TROLLEYS CHAMPION DEMON TWEEKS GTC COMPETITION 01953 888664 **01978 664466** 01483 272151 01908 222333 REDLINE MOTORSPORT Tel 01606 73750

PYROMETERS



AP RACING Tel 02476 639595 Fax 02476 639559 Wheler Road, Coventry, CV3 4LB

RADIO SCANNERS

08700 100042 RACING RADIOS USA (1) 404 366 3796 RADIO SYSTEMS/INTERCOMS

01926 431249 AUTOCOM AUTOTEL RACE RADIO 01508 528837 0150 981 2610 QINETIQ 08700 100942 STRODE SOUND 01761 419248

RAIN SUITS DEMON TWEEKS GRAND PRIX PROMOTIONS 01978 664466 01474 879524 01733 68247 **Tel 01606 737500** REDLINE MOTORSPORT

REFUELLING LINES & VALVES DUNLOP EXACT ENGINEERING 01235 863863 01235 863863 01803 866464 01483 272151 Germany (49) 9401 703062 01332 850515 01256 320666 GTC COMPETITION KRONTEC PREMIER FIIFI SYSTEMS

THE STRAIN GAUGING CO DEFILE LING DIGS DEMON TWEEKS GTC COMPETITION 01978 664466 01483 272 151 01332 850515 **Tel 01606 737500** 01827 288328 REDLINE MOTORSPORT

THE STRAIN GAUGING CO 01256 320666 SCISSOR PLATFORMS

01274 721591

SETUP FLOORS ACTIVE ENGINEERING USA 001 714 637 1155 01376 348246 Germany (49) 2271 44905 01884 253070 4-PATCH KS MOTORSPORT ME MOTORSPORT 01933 402440 **01256 320666** THE STRAIN GAUGING CO SPA AEROFOILS LTD UNIVERSITY OF HERTFORDSHIRE 01707 284270 SETUP GAUGES

USA (1) 914 889 4499 A.R.T. CYBER DYNAMICS 01869 347812 01978 664466 DEMON TWEEKS ILONGACRE RACING USA (1) 206 885 3823 01884 253070

REDLINE MOTORSPORT THE STRAIN GAUGING CO Tel 01606 737500 01256 320666

SPACE HEATERS FASTENER FACTORY

STOPWATCHES 0208 450 9131 0208 450 9131 01978 664466 020 8987 5500 many (49) 2271 44905 USA (1) 404 366 3796 **Tel 07606 737500** DEMON TWEEKS GRAND PRIX RACEWEAR
KS MOTORSPORT
RACING RADIOS
REDLINE MOTORSPORT 01327 857822

01327 311018

STORAGE SYSTEMS

KAISER & KRAFT LISTA (UK) LTD 01923 233312 01908 222333 01403 750000 France (33) 3201 997510 POLSTORE STORAGE PRONALS

TAPE

CASIO

DEMON TWEEKS 01978 664466 01455 841200 USA (1) 609 397 4455 01327 311018 Germany (49) 2271 44905 CLARENDON DRC RACE CAR FASTENER FACTORY
KS MOTORSPORT
RALLY DESIGN
REDLINE MOTORSPORT 01795 531871 **Tel 01606 737500** 01327 857822

TIMING SYSTEMS

0208 450 9131 CASIO CONTINENTAL SPORT (i) 513 459 8888 US 513 459 8066 01884 253070 Australia (61) 3 9761 5050 UK 08700 119100 Japan (81) 489 46 1734 USA (1) 714 897 6804 01684 573479 ME MOTORSPORT MOTEC MOTEC (EUROPE) MOTEC (EUROPE)
MOTEC JAPAN
MOTEC SYSTEMS USA
MST SPORTS TIMING
PI RESEARCH 01954 2536 01727 858297 PIT BITS STACK 01869 240404 0208 453 5562 UNISYS VULCAN ENTERPRISES USA (I) 602 759 7926

TOOL CABINETS

0113 2575956

FACOM KAISER & KRAFT UK 01932 566099 01923 233312 01403 750000 01274 721591 POLSTORE STORAGE SLINGSBY

TORQUE WRENCHES FACOM UK NORBAR TORQUE TOOLS

01295 270333 01795 531871 RALLY DESIGN TRACKING GAUGES

01022 566000

A.R.T.

USA (1) 914 889 4499 DEMON TWEEKS 01978 664466 Austra (61) 2 9644 1946 **Tel 01606 737500 01256 320666** GMD COMPUTRACK
REDLINE MOTORSPORT
THE STRAIN GAUGING CO

TYRE PRESSURE GAUGES

BERU FI SYSTEMS GRAND PRIX RACEWEAR THE STRAIN GAUGING CO 01374 646200 0208 987 5500 **01256 320666** 01327 857822 TYRE TEMPERATURE GAUGES

THE STRAIN GAUGING CO

01256 320666 01327 857822 TYRE TROLLEYS OMS RACING

TYRE WARMERS

Australia (61) 3 9318 0644 01978 664466 020 8987 5500 0733 68247 **Tel 01606 737500** BANDIT DEMON TWEEKS GRAND PRIX RACEWEAR REDLINE MOTORSPORT SEEKERS 0151 524 0919

5.2 Paddock Equipment

AWNINGS

ALFRED BULL ALRESFORD TECTONICS 01483 575492 01962 736316 AWNING COMPANY 01204 363463 BARKERS 020 8653 1988 01942 241399 01494 712131 01727 858297 01623 740777 DEANS AWNINGS MAYFLOWER PIT BITS TOP MARQUEES

MOTORHOME HIRE

ATLANTIC COAST DAVID WILSON'S TRAILERS 01297 552222 01825 740696 DUDLEYS MIDLAND INTERNATIONAL 01993 703774 02476 336411 01865 875539 WESTCROFT AMERICAN 01902 731324



COMPETITION CAR CHASSIS COMPONENTS

6.1 Driver's Equipment

ANTI MIST FLUIDS

DEMON TWEEKS Tel 01978 664466 / Fax 01978 664467 Hugmore Lane, Llan-y-Pwll, Wrexham, Clwyd LL13 9YE, Wales GRAND PRIX RACEWEAR Tel 0208 987 5500 Fax 0208 742 8999

Power Road, Chiswick, London, W4 5PY, England



BOOTS & GLOVES

DEMON TWEEKS GRAND PRIX RACEWEAR MECHANIXWEAR REDLINE MOTORSPORT

01978 664466 0208 987 5500 USA (1) 805 257 0474 **Tel 01606 737500**

COOL CAPS & SUITS

DEMON TWEEKS GRAND PRIX RACEWEAR 01978 664466 020 8987 5500 REDLINE MOTORSPORT Tel 01606 737500 **DRIVING SUITS & ACCESSORIES**

01978 664466 020 8987 5500 **Tel 01606 737500** DEMON TWEEKS
GRAND PRIX RACEWEAR
REDLINE MOTORSPORT

HELMETS & ACCESSORIES

QinetiQ

Tel 44 (o) 8700 100942 www.QinetiQ.com Cody Technology Park, 1, Hampshire, GU14 OLX

Uatabase

CHASSIS ENGINEERING SERVICES

7.1 Chassis Services

BODYWORK SPECIALISTS

ABBEY PANELS ADVANCED COMPOSITES ANDY ROUSE ENGINEERING AERO APPLICATIONS 01773 763441 02476 635182 USA (1) 562 597 0001 l (1) 317 271 1207 (661) 729 5628 AERODINE COMPOSITES
AERODYNAMIC CONSULTANTS (66) 729 5628 01842 765339 01924 402001 01916 47 5531 USA (1) 727 539 0605 01234 754152 01255 783444 01555 893318 France (33) 470 580308 ASQUITH BROTHERS **C&B** Consultants Aerodynamics CML GROUP CML GROUP
COMPOSITE DESIGN
CRANFIELD UNIVERSITY
CROPREDY BRIDGE GARAGE
DEREK PALMER ENGINEERING
DON FOSTER
EARS MOTORSPORT
EIDBESCONDTS 01625 433773 FIBRESPORTS GRAHAM HATHAWAY RACING 01268 527331 GTC COMPETITION 01483 272151 GTI ENGINEERING GTI ENGINEERING
HAMLYN MOTOR SERVICES
HEDDINGTON COACHWORKS
INTAPORSCH
LOTUS ENGINEERING
LYNX MOTORS
MERLIN BODYCRAFT
MITCHELL 01582 841284 01380 850198 01273 834241 01953 608000 01424 851277 MITCHELL PODIUM DESIGN NZ (64) 78236188 07000 763486 SPA COMPOSITES 01543 432904

COMPOSITES SPECIALISTS

USA 001 714 637 1155 Active engineering ACTIVA TECHNOLOGY USA 001 714 637 1155
020 8974 1615
USA (1) 970 472 1288
USA (1) 317 271 1207
01842 765339
01332 875451
0208 464 7734
01202 661707
01508 488257
France (32) 14 972 2305 ÆOLUS TECHNOLOGY APPLIED FIBREGLASS ASTEC B&K RESINS BGK RESINS
CGB CONSULTANT AERODYNAMICS
CARBON FIBRE TECHNOLOGY
CARBONE INDUSTRIE
COMPOSITE AUTOMOTIVE TECH France (33) 14 972 2305 01249 443438 USA (1) 727 539 0605 01953 885478 COMPOSITE DESIGN

Cranfield

01243 544192

01753 869996

01953 608000

0247 6355 000

01279 771667

USA (1) 909 947 1843

01254 202085 Austria (43) 3862 512500 07000 763486

France (33) 320 99 75 10 08700 100942

01/93 /05359 01443 238 464 USA (1) 203 798 6698 01933 663100

01565 777395

Fax 01480 456722

02476 644999 USA (1) 408 727 9288 02476 635182 01869 345038

Texas 75207 01332 875451

01483 722 713 01908 618080

01869 252750

01322 222343

01772 601602

01565 777395

01243 544192

0151 647 5531

01234 754152 01202 871102

01565 777395 01663 734518 01327 857164

USA (1) 727 539 0605 01953 454573

01453 750491 USA (1) 213 516 5707

torsports cramfield.ac.uk

01327 857042

-44 (0)1295 220130

01480 459378

01280 824498

01505 777395

US (0) 706 658 2833

UK 01438 734000

Switzerland (4) 22 717 5111

USA (1) 302 774 1000

0208 568 0293

01245 544192 CROSBY GRP CTG CTS DELTA COMPOSITES DEREK BENNETT ELAN COMPOSITES DU PONT

KOMPREX

FIBREGLASS FABRICATIONS G FORCE COMPOSITES HEYES ENGINEERING HITCO JANUS TECHNOLOGY

LOTUS ENGINEERING

MICRO CRAFT MIRA NERO

PODIUM DESIGN

RMCS (CRANFIELD)

SAMCO sport

SCOTT BADER

SPA COMPOSITES

TAG FOLIPMENT

VIN MALKIE RACINO

FABRICATION ABBEY PANELS A-MAC FABRICATION ANDY ROUSE ENGINEERING ANEX SYSTEMS

BBW
BOB SPARSHOTT ENGINEERING
BRADY FABRICATIONS
BRISE ALLOY FABRICATIONS

CHEVRON RACING
CHIP GANASSI RACING
CML GROUP
COLMET PRECISION
COMPOSITE DESIGN
COMPETITION FABRICATIONS
CRANFIELD UNIVERSITY

BSS PARTS CHEVRON RACING

DEREK BENNETT

DJ RACECARS DOCKING ENGINEERING

7FIIS M/SPORT FNG LTD

TECHFLEX

RICHARD HINTON RACING

SOLIARE ONE MOTORSPORT STRAND GLASSFIBRE

TECHNICAL RESIN BONDERS TONY THOMPSON RACING

TURBO HEAT UNIVERSITY OF HERTFORDSHIRE

DESIGN AND ANALYSIS

Enabling Technologies

ENABLING TECHNOLOGIES CONSULTING ENGINEERS LTD
Tel +44 (0)1983 550480 Fax +44 (0)1983 550489
Email officeeenablingtechnologies.co.uk

RICARDO

ook, New Port, Isle of Wight PO30 5WB, England
Tel 01480 451301

RICARDO MIDLANDS TECHNICAL CENTRE

PANK

PRONAL'S

OINETIO

EUROTECH MOTORSPORT
FOXCRAFT ENGINEERING
B Y G. FORCE PRECISION ENG
GOMM METAL DEVELOPMENTS
GRAHAM HATHAWAY RACING
GTC COMPETITION
HAMILYN MOTOR SERVICES
HAUS OF PERFORMANCE
JAGO DEVELOPMENTS
KRONTEC MASCHIRENBAU
LOTUS ENGINEERING
LYNX MOTORS
MACDONALD RACE ENG
MATRIX ENGINEERING
MASON ENGINEERING
MASON ENGINEERING
MICRO CRAFT 0121 3314944 01264 810110 01243 544192 01483 764876 01621 856956 01483 272151 01582 600745 USA (1) 714 545 2755 01243 789366 (49) 9401 700352 01953 608000 01244 851277 01424 851277 0208 889 1633 USA (1) 888 249 0013 USA (i) 805 527 6624 USA (i) 909 947 1843 01609 780123 USA (i) 408 776 0073 MICRO CRAFT
MIKE TAYLOR DEVELOPMENTS
MIRKO RACING POLSON PREMIER AEROSPACE 01440 82037 01332 850515 08700 100942 QinetiQ RACEPREP 3001 01903 734499 01788 543094

RILEY & SCOTT Mallock LTD (RML)

RETRO TRACK & AIR UK RICARDO MIDLANDS TECHNICAL CENTRE

Fax: 01926 319352 Email: iain.wight@ricardo.com USA (i) 317 248 9470 **Tel 01933 402440 Fax 01933 676519 3.rmimallock.co.uk**

01453 545360

Tel: 01926 477152

6-ro Whittle Close, Park Farn Wellingborough, Nor SNAPDRAGON MOTORSPORTS NNR 6TY Engla USA (1) 413 2560861 01827 260026 01285 860295 SPA AEROFOILS LTD SOUTH CERNEY ENGINEERING 01932 355277 USA (1) 714 847 4417 01565 777395 LINICLIP ALITOMOTIVE VAN DYNE ENGINEERING VIN MALKIE RACING

MOULDING ADVANCED COMPOSITES
AERODINE COMPOSITES 01773 763441 **USA (1) 317 271 1207** 01332 875451 01562 515121 01730 894034 AERODINE COMPOSITE
ASTEC
ASTEC
BENTIELY CHEMICAL TRADING
BUTSER RUBBER
CML GROUP
COMPOSITE DESIGN
COMPOSITE WINGS
CROSBY GRP
CROSBY GRP
CROMPTON TECH GROUP
CTG 0151 647 5531 USA (1) 727 539 0605 01953 885478 01327 857042 01295 220130 +44 (0)1295 220130 CTG G FORCE COMPOSITES GRIFFITHS ENGINEERING JANUS TECHNOLOGY 01243 544192 01582 600629 01753 869996 USA (1) 909 947 1843 1: •44(0) 1420 471 400 MICRO CRAFT MICRO CRAFT

PROTECH COMPOSITES LTD

Tel: •44(0) 1420 497 047

www.nrotechcomposites.co.uk

GU35 qQF. UK ROSS COURTNEY 01384 201010 01933 665752 STARTLINE UK LTD SECART ENGINEERING

SPACEFRAME DESIGN ÆOLUS TECHNOLOGY ENABLING TECHNOLOGIES LTD COSINE TECHNOLOGY CRANFIELD UNIVERSITY DAVID POTTER CONSULTING DEREK BENNETT ENGINEERING

USA (1) 970 472 1288 01983 550483 01706 378851 01234 754152 0033(0) 494 339090 01565 777395 Tel 01933 402440 Fex 01933 676519 w.rmimallock.co.uk MAGNUM CARS Ray Mallock LTD (RML)

6-то Whittle Close, Par Wellingborough, No STARTLINE UK LTD

DRIVETRAIN & SUSPENSION ENGINEERING SERVICES

8.1 Engine Services

RACE PREPARATION		
ALDON	01384 572553	
ANDY ROUSE ENGINEERING	02476 635182	
AUTOKRAFT	0121 777 2083	
AZTEK	01509 261299	
BJ MOTOR ENGINEERS	0161 748 8663	
BR MOTORSPORT	01926 451545	
DAVE CROSS MOTOR SERVICES	01246 477566	
SBD MOTORSPORT	0208 391 0121	
CLEM COMPETITION	USA (1) 214 503 8044	
CONCEPT MOTORSPORT	0208 568 0293	
CONTINENTAL M/SPORT	USA (1) 513 459 8888	
DBR MotorSport Tel 0161		
Unit 4 Forge Ind Estate, Green Acres Road,		
Oldham Lancashire, ol4 7LE		

DJ RACECARS 01663 734518 01865 407726 01449 677726 DTM POWER

01708 857108 0207 738 8331 01977 516622 01280 812199 ELAS ELABORAZIONE COLASUNO ENGINE DATA ANALYSIS ENGINE SHOP FISCHER ENGINEERING USA (i) 818 767 8840 FORWARD ENGINEERING 01676 523526 GEMINI ENGINEERING 01474 534779 01474 534779 01480 861599 01646 621184 01491 875554 01327 300422 01621 856956 01793 771802 01642 818188 GEOFF RICHARDSON ENGINEERING GF BECK MOTORSPORT PREPARATION GOLDFLOW GOODMAN RACING ENGINES GOODMAN RACING ENGINES GRAHAM HATHAWAY RACING GRIFFIN MOTORSPORT HARPERS PERFORMANCE HARTWELL HAUS OF PERFORMANCE 01202 556566 USA (1) 714 545 2755 01474 872888 HT RACING 01474 872888 01543 414466 01923 816277 01722 321833 Greece 003 019 512 761 01933 41193 01303 874082 IRMSCHER IVAN DUTTON JANSPEED MOTORSPORT
J MATTIS ENGINETECH
JOHN WILCOX COMPETITION ENG JOHN WILCOX COMPETITION JONDEL KENT AUTO DEVELOPMENTS KREMER RACING LE SPORT Germany (49) 221 171025 France (33) 14 582 4400 LIGHTNING PERFORMANCE USA (1) 904 439 5283 USA (1) 219 724 2552 LINGENFELTER
MARDI GRAS MOTORSPORTS
MATHWALL ENGINEERING USA (i) 219 724 2552 01327 858 006 01252 703191 USA (i) 888 249 0013 01608 685155 01283 51184 01746 789268 01509 233970 01634 682577 MATRIX ENGINEERING MATRIX ENGINEERING
MAXSYM ENGINE TECH
MERLIN DEVELOPMENTS
MILLINGTON
MINERVA MOTORSPORT
MINISTER RACING ENGINES
MIRKO RACING
MIS M/SPORTTECHNIK GERMANY
MOUNTUNE RACE ENGINES
NELL BROUNE ENGINEERING USA (i) 408 776 0073 (49)263680394 01621 854029 NEIL BROWN ENGINEERING PHIL IONES ENGINE DEV 01775 723052 01454 310936 01564 824869 USA (1) 812 546 4220 0115 9491903 01295 273355 USA (1) 301698 9009 PHIL MARKS ENGINE DEV PRICE MOTORSPORT PRICE MOTORSPOR PRIMA RACING PRODRIVE QUICKSILVER RACE QUORN ENGINE DEVELOPMENTS RACE ENGINE DEVELOPMENT 01509 412317 USA (1) 760 630 0450 RACESPEC 01925 636959 RACE TECHNIQUES 01242 245640 01242 245640 USA (1) 714 779 8677 Germany (49) 761 16373 01524 844066 01453 750864 (33) 3 86 66 00 08 Canada (1) 416 759 9309 0208 305 2250 USA (1) 918 835 6596 01932 868377 RACING BENT RANDLINGER ROAD & STAGE MOTORSPORT ROADSPEED PERFORMANCE ROADSPEED PERFORMANN
RPM FRANCE
SCARBOROUGH
SEARLE
STEVE CARBONE RACING SWAYMAR SWINDON RACING ENGINES 01793 531321 TERRY SHEPHERD TUNING 01695 574454 Tel 0208 568 1172 THINK AUTOMOTIVE

SPORT ENGINEERING LIMITED
Tel 01604 878101 Fax 01604 878111
The Racing Stables, Blisworth Hill Farm,
Stoke Road, Blisworth, Northants NN7 3DB

8.2 Engine Services

REBUILDS

ANDREASON RACING
ANEX SYSTEMS
BTR PREPARATIONS
EARS MOTORSPORT
GTC COMPETITION
HAUS OF PERFORMANCE

01300 348499 01869 345038 01977 522348 01625 433773 01483 272151 USA (1) 714 545 2755



Tel 01628 827600 Fax 01628 829706 ad, Berks, SL6 3LR HEWLAND ENGINEERING Waltham Road, Ma

JACK KNIGHT
JP RACE CENTRE
KREMSPEED EQUIPMENT INC. USA 01483 764326 01327 858151 01327 858151
A (1)814 724 4086
01380 850130
USA (1) 888 249 0013
01884 253070
Tel 07732 741154
Fax 07732 741555
Email info@quatife.co.uk
evenoaks, Kent, TNi4 5EL MARK BAILEY RACING MATRIX ENGINEERING ME MOTORSPORTS QUAIFE ENGINEERING

Vestry Road, ROADSPEED PERFORMANCE 01453 750864 01664 812454d TONY THOMPSON RACING Germany (49) 7541 77 2543 UK 0115 9869211

How are you fastening your bonnet?



MORE AERODYNAMIC

MORE SECURE, MORE CONVENIENT

FASTER TO USE AND SAFER

SFC LTD . TOTNES . DEVON . TQ9 5AL . UK

T +44 (0)1803 868677 • F +44 (0)1803 868678



PANEL FASTENING **BROUGHT UP-TO-DATE**

www.aerocatch.com

8.3 Suspension Services

SETUP SPECIALISTS ACTIVE ENGINEERING ANDREASON RACING ATHON MOTORSPORT AZTEK
BEAUFORT RESTORATION
DAVID POTTER CONSULTING
BRADY FABRICATIONS
CRANFIELD UNIVERSITY
DON FOSTER
EARS MOTORSPORT
GEOSCAN (G.I.L. Design)
LOLA

HAUS OF PERFORMANCE INTERPRO ENGINEERING LOTUS ENGINEERING MARDI GRAS MOTORSPORT MARK ORTIZ PILBEAM RACING DESIGNS

PODIUM DESIGNS
Ray Mallock LTD (RML)

or869 252750
01234 754152
France (33) 470 86036
01625 433773
01225 790568
Tel 01480 451301
Fax 01480 456722
USA (1) 714 545 2755
01953 608000
01327 858006
USA (1) 704 933 8876
0778 424838
07000 763 486
Tel 01933 402440
Fex 01933 476519
Fex 01933 476519 6-10 Whittle Close, Park Fa

Wellingborough, N FSUSPENSION TECHNOLOGY 01327 858558 Shack Bar

SHOCKBOX DAMPER SERVICES Tel: 07919 340550 www.shockbox.co.uk Email: ghbj@compuserve.com eborough, Norfolk, NRr7 1YJ UK 67 Blackthorn Road, Attle THE STRAIN GAUGING CO 01256 32 UNIVERSITY OF HERTFORDSHIRE 01707 284270

UNIVERSITY OF THE SERVICES
RACING INDUSTRY TECHNICAL SERVICES
USA (1) 248 645 1724

USA (1) 714 637 1155

01795 830288 0033(0)494 339090

01300 348499 0114 2490 272 01509 261299

01869 252750

8.4 Metal Services

BEAD & SAND BLASTING USA (1) 800 353 2612 GS 01925 445003 01494 465000 01753 522779 0208 889 1633 01932 868377 CAMCOAT PERFORMANCE COATINGS COMPAIR AUTOPOWER HANKOE MOTORSPORT MACDONALD RACE ENG SWAYMAR CASTING 01932 6003// 01795 415000 0117 985 9964 01582 600629 AEROMET GM DESIGN GRIFFITHS ENGINEERING HILLGARD Sweden (46) 300 60500 01746 768810 01795 476333 Austria (43) 3862 512500 JENVEY DYNAMICS KENT AEROSPACE CASTINGS PANKL QUAIFE ENGINEERING 01732 741144 QDF COMPONENTS QUARTERMASTER QINETIQ

ZEUS ALUMINIUM

COATINGS CAMCOAT PERFORMANCE COATINGS



CTG Tel: +44 (0)1295 220130 Fax: +44 (0)1295 220138

LURO COTE KENT MOTORSPORT CASTINGS POETON POLYMER DYNAMICS QINETIQ SWAIN TECH WALLWARK HEAT TREATMENT



ZIRCOTEC PERFORMANCE COATINGS Tel: 0870 190 8480 Fax; 0870 190 8488 E-mail: enquiries@zircotek.co.uk

528.10 Unit 2 Harwell business Centre,
Didcot, Oxfordshire OXII oQJ United Kingdom

FINISHING 01384 291900 01242 525868 01799 513130 0151 647 5531 01582 600629 ALUMINIUM SPECIAL APPERLEY HONING ARMORALL PRODUCTS CML GROUP CML GROUP GRIFFITHS ENGINEERING HEPWORTH INTERNATIONAL

01484 711720 01746 768810 01795 476333 JENVEY DYNAMICS KENT AEROSPACE CASTINGS QUAIFE ENGINEERING QINETIQ o 8700 100942

FOUNDRIES AEROMET BA HARRISON GM DESIGN

FINECAST
H GRIFFITHS ENGINEERING
JENVEY DYNAMICS
KENT AEROSPACE CASTINGS
KENT MOTORSPORT CASTINGS QUALCAST UK RACING CASTINGS

HEAT TREATMENT

AR CORNELL AUTOSPRINT AVONBAR 01245 268098 01245 268098 01675 464857 01932 840058 01795 830288 01746 76888 Austria (43) 3862 512500 01908 642242 01954 233700 01604 878101 BEAUFORT RESTORATION
JENVEY DYNAMICS
PANKL QUANTUM HEAT TREATMENT TECVAC ZEUS MOTORSPORT

MACHINING

ABBEY PANELS ACTIVE ENGINEERING APPERLEY HONING ATHENA MANUFACTURING LP REALIFORT RESTORATION CML GROUP COLEMAN MACHINE DATUM ENGINEERING FORMULA FABRICATIONS DONCASTERS LTD IENVEY DYNAMI

0151 647 5531 USA (1) 906 863 8945 02476 383032 01953 605490 01332 864900 01746 768810

KRONTEC GMBH
Tel Germany (49) 9401 5253-0
Pommernstrabe 32, 93073 Neutraubling, Germany
LANGSTONE ENGINEERING LTD 02392 425430 02392 452430 USA (1) 219 724 2552 LINGENFELTER LOTUS ENGINEERING MACDONALD RACE ENG USA (i) 219 724 2552 01953 608000 0208 889 1633 USA (i) 805 527 6624 0191 267 1011 USA (i) 407 814 8997 0 8700 100942 (43) 386255122500 USA (i) 303 828 4546 MACDONALD RACE ENG
MASON ENGINEERING
METAL SPINNERS
MILSPEC PRODUCTS
OINETIQ
PANKL AUSTRIA
PERFORMANCE MACHINE
PREMIER AEROSPACE
PREMIER FUEL SYSTEMS
QUAIFE ENGINEERING
RICARDO INC
RICHARD BARRETT MOULDS
TITAN MOTORSPORTS
TREVOR MORRIS ENGINES
TRICK MACHINING 01332 850515 01332 850515 USA (1) 734 397 6666 USA 353 282 9842 01480 474402 015474 289 01493 751666 01565 777395

METAL MATRIX COMPOSITES
BP METAL COMPOSITES

MACHINING



CRANFIELD UNIVERSITY

ort.cranfield.ac.uk ranfield University, ordshire, MK43 oAL Our 985 9964 USA (1) 617 893 4449

GM DESIGN PANKI Austria (43) 3 8625

METAL SUPPLIERS ADVANCED METALS INTERNAT AIRCO METALS LTD

ALUMINIUM SPECIAL APPERLEY HONING BRADY FABRICATIONS BRITISH ALCAN ALUMINIUM AVESTOPOLART LTD BYWORTH MATERIAL SERVICES COLUMBIA METALS CROMPTON TECH GROUP MASON ENG RICHARD BARRETT MOULDS RGB STAINLESS SPA AEROFOILS LTD

SUPER ALLOYS

7707 Fax: +44 (0) 190

TITANIUM SPECIALISTS
AIRCO METALS LITD
A.N. MOTORSPORT DESIGN
APPERLEY HONING
ATHENA MANUFACTURING LP
CML GROUP

0118 973 0509 01628 776320 01242 525868 USA (1)512 928 2693 0151 647 5531

COAST FABRICATION DATUM ENGINEERING DONCASTERS LTD

OINETIO SPA AFROFOILS LTD

ATI Titanium International

I INTERNATIONAL Tel: 0121 789 5764 Fax: 0121 784 8054 Email: nhosidsonævitid.co.uk Keys House, Granby Avenue, Garretts Green, Birmingham B33 OSP TITANIUM INTERNATIONAL

TUBE FORMING MALVERN AIRCRAFT SPA AEROFOILS LTD

USA (1) 920 720 4225 01684 892600 01827 260026

USA (1) 714 842 2603 02476 383032 01332 864900 Austria (43) 3 8625 12500

0 8700 100942 01827 260026

8.5 Race Preparation

CHASSIS USA (1) 714 637 1155
01831 501363
01444 483477
01869 345938
0161 775 1851
01932 840058
0208 397 4411
01926 451545
01327 858055
01677 422623
01555 893315
Japan (8) 75 744 331
France (3) 470 580368
01264 81010
01494 771609 ACTIVE ENGINEERING AMS AMT MOTORSPORT ANEX SYSTEMS AUTOMECH AVONBAR BARWELL MOTORSPORT BR MOTORSPORT BR MOTORSPORT
BRR MOTORSPORT
CHRIS LEWIS MOTORSPORT
DEREK BENNET ENG
PRO MOTORSPORT
DOME CARS LTD
DON FOSTER
FOXCRAFT ENGINEERING
END DACING 01264 810110
01494 771669
01494 771669
USA (1) 714 545 2755
0208 579 438
01454 4427771VAN
USA (1) 909 371 6090
01246 450880
01825 766728
020 8889 1633
01327 857246
0380 850320
01353 64892
USA (1) 888 249 9023
01923 2425356 FÖXCRAFT ENGINEERING
FRR RACING
GRAHAM WISEMAN
HAUS OF PERFORMANCE
HAWKINS RACING
INTERPRO ENGINEERING
JACK CRONE RACING
JOHN VILLAGE AUTOMOTIVE
£2 RACE ENGINEERING
MACDONALD RACE ENG
MARDI GRAS MOTORSPORT
MARK BAILEY RACING
MARR DUNHAM RACE ENG
MARTBLY ENGINEERING
MARTBLY RACING
MARTBLY FIGHTISTERING
MARK BAILEY RACING
MARK BAILEY RA MATRIX ENGINEERIN MELTUNE PX MOTORSPORT MIRKO RACING

01923 242536 Tel USA (1) 408 776 0073 Fax USA(1) 408 779 9319 Morgan Hill, CA 95037, USA Fa
16890 Church Street, Bullding no.14, Mc
PLANET MOTORSPORT
PODIUM DESIGNS
QINETIO
RACECRAFT INTERNATIONAL
RACE TEC DESIGN 8 ENGINEERING
RILEY 6 SCOTT
Ray Mallock LTD (RMI) 01403 89155 07000 7034-0 **8700 100942** 01789 297000 01386 871292

01380 0/1292 USA (1) 317 248 9470 Tel 01933 402440 Fax 01933 676519 wmlmallock.co.uk 6-ro Whittle Close, Park Fa

o-to Whittle Close, Wellingborough, ROY KENNEDY RACING SCHNITZER SHENPAR PRODUCTS STARTLINE UK LTD STORM MOTORSPORT TECH-CRAFT MOTORSPORT TOLLBAR RACING TT AUTOMOTIVE RACING VIN MALKIE

k Farm Industrial Estate, rthants NN8 6TY England 01327 858055 Germany (49) 8654 2034 01332 862901 01933 665752 01474 85 4367 01926 496075 01433 631698

Database

TESTING SERVICES

9.1 Chassis Testing

CALIBRATION SERVICES

RICARDO INC
THE STRAIN GAUGING CO TORQUE FAST CALIBRATION UNIVERSITY OF HERTFORDSHIRE

CRASH TESTING CRANFIELD UNIVERSITY CRANFIELD IMPACT CENTRE KISTLER INSTRUMENTS LTD MIRA LTD

QINETIQ Rav Mallock LTD (RML)

6-10 Whittle Clo Wellingborough, THE STRAIN GAUGING CO

MEASUREMENT EQUIPMENT

AUTOSPRINT
BEAUFORT RESTORATION
BERU FI SYSTEMS
CCA DATA SYSTEMS
CRANFIELD INSTITUTE
GENESIS ELECTRONIC SYSTEMS
INSTRON SCHENK
INTERCOME INTERCOME

USA 001 734 397 6666 **01256 320666** 01782 744212 01707 284270

01234 754152 01234 751361 01420 544477 0247 635 5000 0 8700 100942

KISTLER INSTRUMENTS LTD LONGACRE LOTUS ENGINEERING MICROLEASE MIRA LTD MOTORSPORTS INTERFACE QINETIQ ROFHRIG FNGINFFRING ROTO TEST AB
THE STRAIN GAUGING CO

01420 544477 USA (1) 425 485 0620 01953 608000 0208 427 8822 01788 890412 0 8700 100942 Tel USA (1) 336 431 1827 Sweden (46) 85 325 5890 01256 320666

01384 78508

0207 738 8331 01885 400639 01905 856800

01454 412777 01722 321833

01923 269788

0161 761 1177 01202 486569

USA (i) 888 249 0013 0247 635 5000

01609 780155 USA (1) 614 292 5491 01865 248100

ROLLING ROADS

ALDON AUTOMOTIVE AUTOMECH AUTOPOINT AUTOSPRINT BD ENGINEERING PIT STOP B6J MOTOR ENGINEERS BBR GTI ITD BRUNO HANSON CARBURETTOR CENTRE CHAMPION MOTORS CRANFIELD INSTITUTE DERBY AUTO ACCESSORIES DTM CONSULTANTS (UK) ELABORAZIONE COLASUNO FGR FROUDE CONSINE INTERPRO ENGINEERING JANSPEED MOTORSPORT JANSPEED MOTORSPORT
MACHTECH
MARTHIX ENGINEERING
MIRA LTD
MOTORSCOPE
OHIO STATE UNIVERSITY
OSELLI ENGINEERING
RE PERFORMANCE CENTRE
RICHARD LONGMAN RACING
ROADSPEED PERFORMANCE
SARDOU
SCHENCK
SOUTHAMPTON UNIVERSITY
TIM STILES RACING
TIPTON GARAGE

STRESS ANALYSIS COSINE TECHNOLOGY LOLA

01202 400509 01453 750864 France (33) 16 00 10 367 01869 321111 01703 585044 01278 453036 01404 812091

WELD TESTING

&B CONSULTANTS
AERODYNAMICS LTD

C & B CONSULTANTS AERODYNAMICS LTD

C & B INTERNATIONAL INCORPO Tel 317 291 email candbaero 6210 La Pas Trail, Indiar

n ogya Faz 37 536 0056
vo.indyeemali.msn.com
anapolis, IN 46268, USA
olayo 5447
o208 974 1615
Canada (1) 416 674 307
o1908 694134
o1234 75452
Japan (81) 75 744 331
o207 589 5111
USA (1) 757 766 2266
o1280 704160
USA (1) 909 947 1843
o247 635 5000
USA (1) 690 947 1843
o1993 78359
o 8700 100942
France (33) 16 00 10 367
USA(1) 301 405 6861

6210 La Pas Trail, Ind KISTLER INSTRUMENTS LTD WIND TUNNELS ACTIVA TECH AIOLOS ENG CRANFIELD INSTITUTE CRANFIELD UNIVERSITY DOME CARS LTD IMPERIAL COLLEGE LONDON LANGLEY FULL-SCALE MARCH MICRO CRAFT

OHIO STATE UNIVERSITY RMCS (CRANFIELD) OINETIO

SARDOU SA UNIVERSITY OF MARYLAND WESTLAND HELICOPTERS

WIND TUNNEL MODELS ADVANCED COMPOSITES

AERODINE COMPOSITES CAPITAL PATTERNS COMPOSITE DESIGN DOME CARS LTD MARTIN FELDWICK MICRO CRAFT

SARDOU SA THE STRAIN GAUGING CO

01773 763441 **USA (i) 3r7 271 1207** 0208 777 9276 USA (i) 727 539 0605 Japan (81) 75 744 3131 01603 712611

01935 702190

USA (1) 909 947 1843 0247 635 5000 France (33) 16 00 10 367 01256 320666

9.2 Engine Testing

COMBUSTION ANALYSIS

AM TEST SYSTEMS AUTOSPRINT



AVL DEUTSCHLAND Gmbh GERMANY (49) 6134 7779-0
CRANFIELD INSTITUTE
CRANFIELD UNIVERSITY
01234 7754/52
01908 278600
01908 278600 KISTLER Instruments Ltd LOTUS ENGINEERING MACHTECH



COMPETITON FRICTION SPECIALISTS









Tel: 08707 450584 Fax: 08707 450585

e-mail: sales@questmead.co.uk website: www.questmead.co.uk MIRA LTD MOTORSPORTS INTERFACE MTS Powertrain Tech PETROCHEM CARLESS LTD PRECISION AUTOMOTIVE RICARDO RICARDO INC OINFTIO TREVOR MORRIS ENGINES

DYNAMOMETER SUPPLIERS



AYL DEUTSCHLAND Gmbh GERMANY BEAUFORT RESTORATION CRANFIELD UNIVERSITY CRANFIELD UNIVERSITY
DEPAC DYNO
DYNAMIC TEST
DYNOMITE
ENGINE & DYNAMOMETER
FROUDE CONSINE LOTUS ENGINEERING MACHTECH MIS M/SPORTTECHNIK Germany MOTORSPORTS INTERFACE Ricardo Inc ROTOTEST

DYNAMOMETER SERVICES USA (1) 216 232 1156 01362 696729 USA (1) 818 890 0616 01384 78508 ACCURATE ENGINEERING CELTIC PERFORMANCE ENG AIRFLOW RESEARCH
ALDON AUTOMOTIVE
AMG MOTORENBAU
ANDY ROUSE ENGINEERING Germany (49) 7144 3020 02476 635182 ARIAS ATKINSONS MOTORSPORT 01403 784022 01539 732500 AUTOKRAFT AUTOMECH 0121 777 2083 0161 7751851 0161 7751851 USA (i) 704 786 0187 01932 840058 0207 703 2225 USA (i) 708 395 4244 0161 748 8663 USA (i) 510 487 3279 USA (i) 517 279 8458 AUTO SPECIALISTS AVONBAR AVONBAR
EVOLUTION ENGINEERING
BERTILS ENGINES
BJ MOTOR ENGINEERS
BOB WIRTH RACING
BRAYTON ENGINEERING
BR MOTORSPORT
BRODIE BRITTAIN (BBR)
CAMBRIDGESHIPE SPORTS 01926 451545 01280 702389 CAMBRIDGESHIRE SPORTS 01954 210248 USA (1) 918 835 6596 CARBONE RACING 1) 918 835 6596 0121 4558392 01296 435389 0208 568 0293 01795 843802 01246 477566 01327 87729 CENTRAL AUTO TECH COMPETITION ENGINE
CONCEPT MOTORSPORT
CONNAUGHT CONAUGHT
DAVE CROFTS
DAWSON AUTO DEVELOPMENT
DESIGN & DEVELOPMENT
DRAGON PROJECT RACING
DUNNELL ENGINES 01695 574454 TEL 0118 974 4175 01449 677726 USA (1) 603 329 5645 DYNOMITE USA (1) 603 329 5645 USA (1) 805 373 6806 0207 738 8331 01306 711275 01708 857108 01977 516622 01274 579564 USA (1) 818 504 0300 USA (1) 818 504 0300 USA (1) 0.538 2505 EAGLE ENGINE CO FLABORAZIONE COLASUNO ELLIOTT & SON ELLIOTT & SON
EDS
ENGINE DATA ANALYSIS
FAST CAR CLINIC
FISCHER ENGINEERING
FONTANA AUTOMOTIVE
FROUDE CONSINE
CAEPTE ENGINES USA (1) 310 538 2505 01905 856800 USA (1) 219 223 3016 GAERTE ENGINES GEMINI ENGINEERING USA (i) 219 223 3016 01474 534779 01480 861599 USA (i) 801 225 8970 01327 300422 01621 856956 01642 818188 01202 556566 USA (i) 510 524 2485 USA (i) 714 545 2755 0208 951 4923 GEOFF RICHARDSON ENG GMH ENGINEERING GOODMAN RACING ENGINES GRAHAM HATHAWAY RACING GRAHAM HATHAWAY RAC HARPERS PERFORMANCE GEORGE HARTWELL HASSELGREN ENGINES HAUS OF PERFORMANCE HIGHGATE ENGINEERING HODSON ENGINEERING HODSON ENGINEERING 0208 951 4923 01732 463658 01473 623000 USA (1) 704 394 2151 01270 665405 01908 278600 HOLBAY RACE ENGINES HOLMAN AUTOMOTIVE HUDDART INTEGRAL POWERTRAIN INTEGRAL POWERTRAIN
INTERPRO ENGINEERING
INTER-TUNING
IVAN DUTTON
JANSPEED ENGINEERING
JENNETTS ENGINES
IF ENGINES 01908 278600 01454 412777 Belgium (32) 473 865032 01923 816277 01722 321833 01993 891776 JF ENGINES JOHN BROWN ENGINEERING 01491 680719 01903 773022 Germany (49) 221 17 1025 KREMER RACING LANGFORD & PECK 01933 441661 01933 441661 USA (1) 219 724 2552 01372 377474 01953 608000 01424 851277 0208 889 1633 01608 685155 LINGENFELTER LISTER CARS LOTUS ENGINEERING LYNX MOTORS MRE
MAXSYM ENGINE TECHNOLOGY MACHTECH MATHWALL ENGINEERING 01923 269788 01283 511184 MERLIN DEVELOPMENTS

MOTORSPORT PRODUCTS

MICKEY MAROLLO
MINERVA MOTORSPORT
MINISTER RACING ENGINES
MOUNTUNE
NEIL BROWN ENGINEERING
NELSON ENGINE SERVICES
OSELLI ENGINEERING
PAUL PFAFE RACE
PHIL JONES ENGINE DEVELOPMENTS USA (i) 607 734 2148 01509 233970 01634 682577 01621 854029 01775 723052 01249 815929 01865 248100 USA (i) 714 894 7573

01454 310 936 01564 824869 PIPER FM PRICE MOTORSPORT 01233 7327377 USA (1) 812 546 4220 PRIMA RACING 0115 9491903 USA (1) 616 847 5000 PRO/CAM PRODRIVE 01295 273355 QUAIFE ENGINEERING 01732 741144 USA (1) 301 698 9000 QUICKSILVER QUORN ENGINE DEVELOPMENTS 01509 412317 USA (1) 714 779 8677 RACING BENT USA (i) 714 779 6677
USA (i) 734 397 6666
USA (i) 734 397 6666
USA (i) 65 532 55890
Canada (i) 416 759 9309
Canada (i) 416 759 9309
Canada (i) 426 689 9000
Gi 375 78606
USA (i) 246 689 9000
Gi 375 78606
USA (i) 209 267 5081
USA (i) 714 847 4417
USA 70 714 847 4417 RICARDO INC RICARDO ROAD & STAGE MOTORSPORT ROTO TEST SCARBOROUGH SEARLE SCHENCK PEGASUS SCHENCK PEGASUS
SOUTH CERNEY ENGINEERING
SPECIALISED ENGINES
STERLING ENGINES
SWIFT MOTORSPORT
SWINDON RACING ENGINES
TREVOR MORRIS ENGINES
VAN DYNE ENGINEERING
WARRIOR
WESLAKE DEVELOPMENTS 01825 764833

ENGINE BALANCING

AUTOMOTIVE BALANCING USA (1) 562 861 5344

FLOWBENCH ANALYSIS

FLOWBENCH ANALYSIS
ADVANTEC NEW TECHNOLOGY
AM TEST SYSTEMS
BOB WIRTH RACING
CRANFIELD UNIVERSITY
HAUS OF PERFORMANCE
INTEGRAL POWERTRIN
LINGENFELTER
LOTUS ENG
MAXSYM ENGINE TECH
MOBILIS LAB
NEIL BOLD ENGINEERING
RACE ENGINE DEV (49) 2261 61901 (49) 2261 61901 01253 780780 USA (1) 510 487 3279 01234 754152 USA (1) 714 545 2755 01908 278600 USA (1) 219 724 2552 01953 608000 01608 683155 CANADA (1) 450 647 1890 01204 71636 USA (1) 760 630 0450 RACE ENGINE DEV RACE TECHNIQUES 01242 245640 USA (i) 734 397 6666 RICARDO INC RICARDO 01273 794144 TREVOR MORRIS ENGINES U.M.P.S 01784 439771

FUEL ANALYSIS 01253 780780 USA (1) 510 487 3279 01908 694134 01953 608000 0 8700 100942 AM TEST SYSTEMS BOB WIRTH RACING CRANFIELD INSTITUTE LOTUS ENGINEERING

INJECTION ANALYSIS

OII ANALYSIS AM TEST SYSTEMS BOB WIRTH RACING CRANFIELD INSTITUTE LOTUS ENGINEERING

01253 780780 USA (1) 510 487 3279 01908 694134 01953 608000 0 8700 100942 01273 794144

RACE ENGINE DESIGN



RICARDO CONSULTING ENGINEERS

TEMPERATURE MONITORING

AM TEST SYSTEMS BOB WIRTH RACING CALEX ELECTRONICS 01253 780780 01253 780780 USA (1) 510 487 3279 01525 373178 01525 378938 01795 843802 01908 278600 01953 608000 CALEX ELECTRONICS
CCA DATASYSTEMS
CONNAUGHT ENGINES
INTEGRAL POWERTRAIN
LOTUS ENGINEERING
MACHTECH 01023 260788 01923 269788 0247 635 5000 (61) 73290 1300 01788 890412 0 8700 100942 01491 37142 01273 794144 **01256 320666** 0154 74289 MIRA LTD MOTOR SPORT ELE AUS MOTORSPORTS INTERFACE OINFTIO RACEPARTS RICARDO THE STRAIN GAUGING CO TREVOR MORRIS ENGINES

TEST BED SUPPLIERS



AVL DEUTSCHLAND Gmbh GERMANY

(49) 6134 7179-0

0208 420 4494

TEST CELL DESIGN

MARTYR TEST TECHNOLOGY 01386 792125

9.3 Transmission Testing

TESTING SERVICES

ANEX SYSTEMS ANTHONY BEST DYNAMICS



AVL DEUTSCHLAND Gmbh GERMANY AVONBAR AVOIDAN
BEAUFORT RESTORATION
CRANFIELD INSTITUTE
DAVID BROWN VEHICLE TRANS
EUROTECH MOTORSPORT HALIBRAND

HAUS OF PERFORMANCE HEWLAND ENGINEERING LOTUS ENGINEERING MACHTECH MARK BAILEY RACING MIRA LTD PDS RACING

01869 345038 01225 867575

01977 611928

QUAIFE ENGINEERING Tel 01732 741144 Fax 01732 7411555 www.quaife.co.uk ks, Kent, TN14 5EL Email info@quaife.co.uk Vestry Road, Seve 01273 794144 RICARDO 01926 319399

01453 750864 (1) 248 689 9000 020 8707 1400 ROADSPEED PERFORMANCE SCHENCK PEGASUS CORP SERVOTEST LTD Germany (49) 941 790 5313 SIEMENS AG
THE STRAIN GAUGING CO 01256 320666

Germany (49) 7541 77 2543 UK 0115 9869211

9.4 Suspension Testing

TESTING SERVICES ANDY ROUSE ENGINEERING 02476 625182 02476 635182 01908 694134 02476 672959 USA (1) 714 545 2755 CRANFIELD INSTITLITE EUROTECH MOTORSPORT HAUS OF PERFORMANCE 01494 456789 01746 768810 Tel 01480 451301 Fax 01480 456722 INSTRON SCHENK JENVEY DYNAMICS MARDI GRAS MOTORSPORT 01327 858006 0247 635 5000 01778 424838 01386 871292 MIRA LTD PILBEAM RACING DESIGNS

RACE TEC DESIGN & ENG RACRAFT MOTORSPORT RATRACE MOTORSPORT RICARDO RICHARD HINTON RACING RMCS (CRANFIELD)

Ray Mailock LTD (RML)

Tel 01933 402440 Fax 01933 676519 mimallock.co.uk n Industrial Estate, 6-ro Whittle Close

01707 45946

01273 794144 01279 771667 01793 785359

0208 203 8700

ROEHRIG ENGINEERING SERVOTEST LTD USA (1) 336 431 1827 020 8707 1400 USA (1) 248 689 9000 01827 288328 SCHENCK PEGASUS SPA DESIGN ITD 01933 665752

9.5 Brake Testing

DYNAMOMETER SUPPLIERS

BOSCH
MTS POWERTRAIN TECHNOLOGY
DYNOMITE
KISTLER INSTRUMENTS AG
TO 01895 834466 01895 834466
GY 01932 351516
USA (1) 603 329 5645
Tel Switz (41) 52 224 IIII
Fax Switz (41) 52 224 I414
Email info@kistler.com PO Box, CH-8408 Winterhur, Switzerland

MIRA LTD 0247 635 5000 USA (i) 805 3881188 WILWOOD ENG USA UNICO (UK) LTD 01908 260000

TESTING SERVICES

USA (1) 714 545 2755 HAUS OF PERFORMANCE EUROPEAN FRICTION MIRA ITD SIEMENS AG
THE STRAIN GAUGING CO

0117 9714837 0247 635 5000 01273 45561 Germany (49) 941 790 5313 01256 320666

Visit the new website

9.6 Metal Testing

CRACK TESTING

BEAUFORT RESTORATION CML GROUP CRANFIELD UNIVERSITY GM DESIGN MIRA ITD ORANGE COUNTY QINETIQ RICARDO RMCS (CRANFIELD) SCHENCK PEGASUS SPA AEROFOILS LTD STRAIN GAUGING CO SWINDON RACING ENGINES UNIVERSITY OF HERTFORDSHIRE VIN MALKIF RACING WESTLAND HELICOPTERS

STRENGTH TESTING

AR CORNELL ARMOR-ALL PRODUCTS AVONBAR BA HARRISON CML GROUP CRANFIELD UNIVERSITY GRIFFITHS ENGINEERING HIGH TECH PERFORMANCE DONCASTERS NITRIDING SERVICES ORANGE COUNTY RICARDO QINETIQ RMCS (CRANFIELD) ROUSH RACING SCHENCK PEGASUS THE STRAIN GAUGING CO UNIVERSITY OF HERTFORDSHIRE ZEUS MOTORSPORT

Database

10.2 Paddock Services

AIR FREIGHT FORWARDERS

ALL WAYS FORWARD 01242 228111 01242 22011 FMO AIR CARGO FIRSTAIR
JIM RUSSELL FREIGHT 01332 811931 MSAS 0208 890 1355 MW FREIGHT SERVICES 01753 680800 RAPID INTERNATIONAL UNION AIR TRANSPORT WINWEST 01895 446442 0161 436 7074 Australia (61) 2 522 4618

MOTORHOME



CHESHIRE AMERICAN MOTORHOMES

Tel •44(0) 161 427 6868 Fax •44(0) 161 426 0010 es.co.uk nericanmotorhom mes.co.uk Lomb

DAVID WILSON'S TRAILERS 01825 740696 DUDLEYS 01993 703774 02476 336411 01865 875539 01766 770011 MIDLAND INTERNATIONAL SPIRES OF OXFORD ULTRA INTERNATIONAL WESTCROFT AMERICAN 01902 731324

TRAILER HIRE

11/56 MOTORSPORT 01543 480309 BRIAN JAMES TRAILERS 01327 260733 01825 740696 01406 380224 01277 631274 DAVID WILSON'S TRAILERS DC TRAILERS
ELLIS ENGINEERING
HOPKINS MOTORSPORT 0117 9509294 MOBILE PROMOTIONS 01832 733460 01296 714547 01892 836155 NEIL BAINBRIDGE RACING WARWICK TRAILERS
WARWICKSHIRE TRAILERS 01962 732681 01564 792337

A.H. FABRICATIONS FOR THE FOLLOWING



DRY SUMP TANKS,

OIL COOLERS,

WATER RADIÁTORS INTERCOOLERS,

www.ahfabrications.co.uk **HEAT EXCHANGERS,**

TEL +44 (0) 1432 354704 FAX +44(0) 1432 359762 A.H. FABRICATIONS, UNIT 6H, THORN BUSINESS PÀRK, ROTHERWAS, HEREFORD, HR2 6JT, ENGLAND ALEXAHFABS@FAIRADSL.CO.UK





Size 4 connector

For compact packaging

· Robust for extreme enviroments

3 or 5 contacts

占


CART

Ξ



gary.norman@f1systems.com +44 (0)1379 646203 www.f1systems.com

CART









DTA GDash is a fully configurable dashboard display able to receive all engine data and sensor readings directly from the serial port of the DTA P8Pro race engine ECU with just a simple serial port link - no need for extra sensors.

Display flexibility

3 'race' screens can be instantly selected at the touch of a button.

On-board Data Logging of Min-Max, specific distribution of data and lap time list for a session is included to complement the comprehensive data logging capabilities of the DTA P8Pro ECU. The GDash also boasts an extremely flexible shift and warning light system.

The GDash is available complete with wiring loom and button plate directly from DTA and its extensive worldwide dealer network @ £850 + VAT



DTAfast, 10 Boston Court, Kansas Avenue, Salford, M50 2GN Tel: 0161 877 1419 Fax: 0161 877 7086

Email: office@dtafast.co.uk Website: www.dtafast.co.uk






ROBY1

With Simon McBeath

Exhaust blowing

The engine exhaust dumps unused energy, but it needn't all go to waste. At least, not in aerodynamic terms

Blowing exhaust gases across aerodynamic surfaces can bring small but worthwhile benefits to downforce and drag levels



he practice of using the momentum in the jet of gas from an engine's exhaust pipe to aerodynamic benefit has been around for a while. In the 1990s F1 cars routed their exhausts into the rear diffusers, but even when this practice ceased exhausts were commonly routed so as to blow over the top of the diffusers. But what benefits are available using this principle, and how do they accrue?

It is generally known that the aim of using the energy in the exhaust gas stream is to increase downforce. In the days when it was permitted to blow into the diffuser, the jet was arranged so that it emerged tangential to the diffuser roof, and the additional momentum thus imparted to the airflow in that region re-energised the thickening boundary layer and helped to delay flow separation. This in turn allowed a steeper diffuser angle to be used, which helped create more underbody downforce. But how can blowing the exhaust jet over the top of the diffuser help? The following study may throw some light on the situation.

A few years ago Advantage CFD, originally a part of Reynard Motorsport, performed a study on that constructor's oil model ChampCar in 'road track' specification to study the effects of exhaust gas flow, and some of the results

Produced in association with Advantage CFD



Tel: +44 (0)1280 846806

Email: cfd@advantage-cfd.co.uk Web site: www.advantage-cfd.co.uk




Figure 1: illustration of the wastegate and tailpipe layout tested on the Reynard O1I ChampCar in 'road track' specification

have now been exclusively revealed to Racecar Engineering. The location and geometry of the region of the car in question is shown in figure 1, but the flow over the entire car was modelled to assess the global effects of the selected modifications. Three cases were run: no exhaust flow, cold exhaust flow and hot exhaust flow. The only really realistic model of course is the hot exhaust flow one, so that's what the data presented here will focus on, in comparison with the baseline model with no exhaust flow. The gas flow and temperature data was based on a 2000 specification Ford XF V8, and

November 2005 Racecar Engineering 93

Aerobytes




Figure 2: delta Cp plot shows the changes to upper body static pressures using the short wastegate. Yellow on upper surfaces indicates increased static pressure caused by the exhaust gas stream

by dividing the mass flow (at 73odegC) by the turbo tailpipe area a figure of 76.8m/s was arrived at for the exit velocity. For the wastegate (at 770degC) the velocity was 176.5m/s.

Variations of wastegate geometry were tested, designated 'short' and 'long', and the effects of running the simulations with hot exhaust flow on total drag and total downforce are tabulated below.

	Change to total drag	Change to total downforce
Short wastegate	-0.90%	+0.96%
Long wastegate	-0.98%	-0.02%

So in round numbers, drag was reduced by about 1 per cent in both cases. Downforce increased by 1 per cent with the short wastegate, offering a small but extremely efficient dual benefit, but it barely changed when using the long variant. About 80 per cent of the downforce gain with the short version was felt at the rear of the car implying, not surprisingly perhaps, that this was where changes to the flow occurred. In fact a breakdown of the forces on individual car components indicated that the extra downforce came from two main areas — the majority from the underbody, but a significant contribution came from decreases in lift felt by the rear wheels. The drag reductions meanwhile came predominantly from the rear wheels.

To visualise where the force changes arose we can look to the delta-Cp plots. These show how the static pressures around the car changed as the result of running exhaust gas compared with the 'no exhaust flow' case, using the short wastegate variant. In figure 2 it is clear that changes have occurred around the rear of the car, with areas of small increases in static pressure (yellow and red) on top of the 'skirts' (the horizontal shelves at the base of the underbody ahead of the rear tyres), which add to downforce. The close up in figure 3 shows that the short wastegate is actually blowing onto the skirt and the Gurney at the rear. Pressure increases are also visible on top of the rear tyres, associated with the reductions in wheel lift.

In figure 4 it is apparent that there has been a small reduction in the static pressure (mainly green) over a large area of the rear underbody and on the rear wing underside (green), both of which add to downforce. An increase in static pressure on the back of the rear tyres is also evident, which ties in with the reduction in wheel drag.

It appears that the wastegate flow directed onto the skirt and Gurney is producing higher pressure here. As for the decrease in static pressure in the underbody region, can this have come from this wastegate variant? Well,




Figure 3: delta Cp plot in close up shows the increase in static pressure (red and yellow) caused by the exhaust gas from the wastegate impacting the skirt and Gurney





Figure 4: underside shows extensive area of static pressure reduction in underbody and wing underside (green), and the intensified reduction on the back of the 'skirt' Gurney (blue) with the short wastegate

flowing exhaust gas through the long wastegate provided the drag reductions but not the underbody downforce gains that the short wastegate achieved. The long wastegate did not blow onto or over the skirt or the Gurney, and the pressure reductions did not occur in the underbody. The small area of blue visible behind the Gurney shows the static pressure behind the Gurney is reduced when gas blows onto it, and this would have the effect of reducing the rear underbody pressure. So blowing onto the Gurney with the short wastegate does seem to have been responsible for the underside gains by making the Gurney work harder.


The rear wing has been aided too, with an extra reduction in pressure on its lower surface. However, the wing actually gained similar amounts of downforce with the exhaust flowing in both wastegate variations, so we can conclude that the wing performance has been supplemented by the combined flow of exhaust from wastegate and turbo tailpipe.

So again we've seen that a very small, localised change to the flow can have a surprisingly extensive effect on the flow around a racecar, although the magnitude of the force changes seen here was relatively small. Nevertheless, one per cent more downforce with a one per cent reduction in drag is not to be sniffed at.

Of course, what has not been stated so far is that this effect will only be present when maximum gas flow is emerging from the exhaust, and as such this benefit will fluctuate with throttle opening and engine rpm.









IT WORKS!



ONE MILLION SQUARE FEET

More New Racing Technology Than Anywhere On Earth



- 1,400 Exhibiting Companies
 3,900 Booths
 - 45,000 Buyers From 40 Countries
- Discover The Latest Advances In Motorsport Engineering











DECEMBER 1-3, 2005

ORLANDO, FLORIDA • USA

Orange County Convention Center + North South Building

FOR MORE INFORMATION


www.performanceracing.com

31706 South Coast Hwy Laguna Beach, CA 92651-6974, USA

Tel: +1 949.499.5413 • Fax: +1 949.499.0410

Quagara Ocasi Pilo Milling, Inc. March 2005, 19 227 2-A4

HE CONSULTANT



Too much left percentage?

While in principal more left percentage is better, on banked circuits where friction coefficients diminish, the optimum static left percentage should be similarly decreased



My question is regarding left side weight percentage on oval track cars, specifically dirt Late Models. I have heard it stated that more left side is better in all situations, and I see a lot of paved track classes have limits on left side percentage. I understand the concept of load transfer and equal tyre loading in steady-state cornering but my question is about the point of diminishing returns. As grip decreases or banking increases, is it correct to assume that left side weight should be reduced to keep the left side tyres from being more heavily loaded than the right sides?

In theory, yes it is possible to have too much left percentage and to have the left tyres more heavily loaded than the right tyres, even at the limit of adhesion in steady-state cornering. In almost all cases though, practical constraints or rules stop us short of that point.

Mark Ortiz Automotive is a chassis consulting service primarily serving oval track and road racers. In these pages Mark answers your queries on chassis set-up and handling. If you have a question to put to him, email to markortiz@vnet.net, call 704-933-8876 or write to Mark Ortiz, 155 Wankel Dr., Kannapolis, NC 28083-8200 USA

We can also have too much left percentage for the tyre package short of that point, if the left side tyres are smaller than the rights, or if the lefts are inflated to a much lower pressure than the rights.

Or, we might conceivably want more than 50 per cent left dynamically, if

LARGE LEFT PERCENTAGE MAKES A CAR TURN RIGHT UNDER BRAKING

the left tyres are about as big as the rights, and we have a rule requiring a hard tread compound on one or both of the rights but not on the lefts. Let's consider a simple, if not very typical, case study. Suppose we have a car with a one-foot c of g height, a six-foot track width, and ->

identical right and left tyres. Suppose that the overall coefficient of friction is 1.00. That would be about what we'd get from sticky, street-legal radials. For this car to have 50 per cent left dynamically at the 1.00g lateral acceleration that those tyres will theoretically sustain, it would need 66.7 per cent left statically. That's a wider, lower car than most, on tyres with less grip than racing slicks. If the same car is fitted with racing slicks that have a coefficient of friction of 1.30, the static left percentage needed to have 50 per cent left dynamically increases to 71.7 per cent.

If the car has a wing that acts equally on the right and left tyres, lateral acceleration increases and the desired static left percentage goes up more.

But what happens if we put the car on a banking? The result is a bit surprising. If the coefficient of friction stayed the same, the ratio of car-horizontal (y-axis, per SAE conventions) force to car-vertical (z-axis) force would be unchanged, although all forces would increase. This assumes the car is at the limit of adhesion both with and without the banking, not at an identical yaxis acceleration or an identical earth-horizontal acceleration.

However, due to the same tyre load sensitivity that makes us want equal loading, on the banking the coefficient of friction will diminish, so the questioner's intuition is correct after all, and the optimum static left percentage will decrease.

In an earlier column dealing with this question, I noted that if we do get to the point where left percentage is excessive for conditions, wedge or diagonal percentage adjustments will work backwards, and so will roll



Large left percentage also tightens a car during entry and loosens it in exit (LAT)

IT IS STILL FUNDAMENTALLY TRUE THAT MORE LEFT PERCENTAGE IS **ALMOST ALWAYS BETTER**

resistance adjustments. After that, a reader wrote in and said he had encountered this, with a go-kart on a very steeply banked dirt track.

Upon further discussion, it came to light that the kart had a much smaller tyre on the left rear than on the right rear. This not only affected the optimum load distribution for the rear wheel pair, it also meant the kart had a lot of tyre stagger. More load on the left rear increased the stagger-induced vaw moment on the kart, also causing more diagonal percentage to loosen the vehicle (add oversteer), contrary to what one might expect. This effect can easily occur in any car with a locked or partially locking rear end. This in turn affects our ability to infer whether left percentage is excessive, purely by noting how the car responds to adjustments.

I have also noted in earlier discussions on this subject that large left percentage makes a car tend to turn right under braking and turn left under power. This tightens the car (adds understeer) during entry and loosens it (adds oversteer) during exit. There are of course ways to counter this tendency with suspension design

and tuning, but sometimes these are not wholly legal, or the team doesn't fully understand them. In such cases, the car may well turn faster laps with less than optimal left percentage, even though it is slower in steady-state cornering.

These complexities can, in practice, muddy the waters when tuning an actual car but it is still fundamentally true that more left percentage is almost always better, provided we are able to understand and work with the full package of consequences.

When NASCAR teams use a chain for one of their sway bar links, are they using it as a lost motion device, allowing wheel travel before the bar rate becomes active?

More common than a chain nowadays is an adjustable pad on the end of the sway bar, bearing on a pad on the lower control arm. Chains are still seen sometimes in the lower divisions, where original equipment-style bars are required. But the basic idea is the same either way – have a connection that transmits force in only one direction. The bar only resists rightward roll, unless it's pre-loaded, in which case it does resist leftward roll up to the point where it unloads.

44 A CONNECTION THAT TRANSMITS FORCE IN ONLY ONE DIRECTION ",

The intent here is to help keep the car from going quite so loose when the driver gets the left front wheel on the apron of the track, which is sometimes abruptly flatter than the banked turn.

Usually, the bar is run snug or slightly pre-loaded at static condition. That means that the bar acts just like it normally would in a left turn. When the car is cornering, the bar has substantial load on it. The one-way connection (be it a pad or a chain) will only go slack if the left front wheel hits the apron hard enough to put the front suspension into a left roll condition – left front deflection greater than right front. This leads me to question the use of these devices, especially since they make the car loose when turning or spinning to the right, which can happen during a crash or when avoiding one. Nevertheless, they are very popular.

The difference between WINNING and LOSING is STAYING CONNECTED... Get Connected!

WIGGINS Flexible Tube Connectors

SECURE YOUR WIN

Stay connected with Adel Wiggins Flexible Tube Connectors! The difference between winning and losing is in the connection. Do not sacrifice a win to a simple hose blowout or burst. This occurs when conventional hose clamps or barbs fail to secure the hose located between the connections or components. Adel Wiggins Flexible Tube Connectors eliminates these failures. This is why they have caught the attention of so many professional racers today. One of the main reasons for its popularity is its ability to be removed or installed with only one hand quickly and easily, whether they are being used with tubing or hose. Adel Wiggins Flexible Tube Connectors are offered standard in lightweight aluminum and are available in stainless steel or titanium upon special order. They have an

operating temperature range from -120° F to 800° F and are able to withstand boost and pressure levels in excess of 125 PSI.



SAFETY-LOCKING, ONE HAND INSTALLATION

The locking latch design eliminates troublesome and time-consuming installation of safety-wire or the necessity of tools to make the connection. The electrical bonding feature eliminates the external clamps, fasteners and jumper wire required in some applications. Elimination of lock wire holes, bolt-on bars, grounding clamps, snake clamps and jumper wires removes what can be a cumbersome and unattractive connection. The W900 series minimizes weight and unit cost, while retaining the proven performance and reliability of other WIG-O-FLEX connectors.



RADIATOR CONNECTIONS OIL COOLER CONNECTIONS THROTTLE BODY CONNECTIONS INTERCOOLER CONNECTIONS INTERCOOLER CONNECTIONS

FEATURES: Lightest of all flexible tube connectors

- . Saves installation and tear down costs . Full range of stocked sizes: 1/2" to 4"
- · Saves time, space, and weight · Easy, one-hand installation · Design flexibility

Fluid Control Products, Inc.

Australia C.A.P.A. 088 582 3499 England Goodridge UK 01392 369090 BMRS 0175 355 3610

Earls UK 0132 785 8221

Germany Goodridge Deutschland 06321 60168 Kronne 09401 52530

any renauzo SRL 02.738.8 apam

SiFo Corporation 03 5420 4154 New Zealand Turbo Vehicles Ltd. 09 525 6696 Toll Free in NA: 800-541-2345 Worldwide: 217-324-3737 www.fluidcontrol.net