

81. TP, TPE, TPD, TPED

Series 100 and 200

50/60 Hz

Shaft seal, model A

Pos.	Pump shaft diameter [mm]	12						
Pump type	25	All						
	32	-50/2 -80/2 -90/2						
	40	-50/2 -80/2 -90/2						
Pos.	Kit No	96409293	96508806	96508807	96508808	96508809	96488632	96488634
	Type	BUBE	BQQE	GQQE	BQQV	GQQV	BQQE	BQQV
72a	O-ring	1	1	1	1	1	1	1
105a	Shaft seal	1	1	1	1	1	1	1

Pos.	Pump shaft diameter [mm]	12				16			
Pump type	32	-30 -60/2				-40 -60/4 -80 -120 -150 -160 -180 -220 -230 -260 -330			
	40	-30				-40 -60 -80 -90/4 -120 -160 -180 -190 -230 -240 -270 -330 -390			
	50, 65, 80, 100	All				All			
Pos.	Kit No	96409264	96432881	96409265	96409266	96409265	96409266	985844	
	Type	AUUE	RUUE/V	BUBE	AUUE	BUBE	AUUE	RUUE/V	
72a	O-ring	1	1	1	1	1	1	1	
105a	Shaft seal	1	1	1	1	1	1	1	

model B

Pos.	Pump shaft diameter [mm]	12									
Pump type	25	-90									
	32	-90									
	40	-90									
Pos.	Kit No	98386336	98284949	98284950	98284961	98284962	98284936	96508806	96508807	96508808	96508809
	Type	BUBV	BUBE	BQQE	GQQE	BQQV	GQQV	BQQE	GQQE	BQQV	GQQV
72a	O-ring	1	1	1	1	1	1	1	1	1	1
105a	Shaft seal	1	1	1	1	1	1	1	1	1	1

Wear parts, model A

Pump type	25	-50	-90				
	32			-50	-90	-60/2	
	40			-50	-90/2		60/4
Pos.	Description/kit No	96408790	96408791	96408792	96408793	96414029	96436361
9	Coupling screw	4	4	4	4	4	4
10	Coupling pin	1	1	1	1	1	1
48	Split cone nut	-	-	-	-	-	-
49b	Split cone	-	-	-	-	-	-
51	Shaft	-	-	-	-	-	-
	Shaft with split cone and impeller	1	1	1	1	1	1
71	Distributing cup	-	-	-	-	-	-
Pump type	32	-30	-40 (USA) -80 -120 -160	-40 -60/4 -150 -180 -220 -230 -260 -330			
	40	-30	-40 -60/2 -80/2 -120	-80/4 -90/4 -160 -180 -190 -230 -240 -270 -330 -390			
	50		-30 -40 -60/2 -80/2	-60/4 -80/4 -120 -160 -180 -240			
	65		-60/2 -80/2	-30 -40 -60/4 -80/4 -180 -240			-120 -160
	80			-40 (USA) -80 (USA) -120 -160 -240 (USA)			-30 -40 -60 -80 -160 (USA)
	100			-160			All except -160
Pos.	Description/kit No	96414027	96414028		96414031		96409269
9	Coupling screw	4	4		4		4
10	Coupling pin	1	1		1		1
48	Split cone nut	1	1		1		1
49b	Split cone	1	1		1		1
51	Shaft	1	1		1		1
71	Distributing cup	1	1		1		1

Wear parts, model B

TP

	25	-50	-80	-90
Pump type	32		-50	-80
	40		-50	-80
Pos.	Description/kit No	98284938	98284939	98284941
9	Coupling screw	4	4	4
10	Coupling pin	1	1	1
48	Split cone nut	-	-	-
49b	Split cone	-	-	-
51	Shaft	-	-	-
	Shaft with split cone and impeller	1	1	1
71	Distributing cup	-	-	-

TPE

	25	-50	-80	-90
Pump type	32		-50	-80
	40		-50	-80
Pos.	Description/kit No	98284943	98284944	98284945
9	Coupling screw	4	4	4
10	Coupling pin	1	1	1
48	Split cone nut	-	-	-
49b	Split cone	-	-	-
51	Shaft	-	-	-
	Shaft with split cone and impeller	1	1	1
71	Distributing cup	-	-	-

Coupling complete

Kit No	495081	415060	339114	339119	339124	339128	485133	485134
Pos.	Motor/pump shaft diameter [mm]	11/12	14/12	14/16	19/16	24/16	28/16	15.9/16
	Description						NEMA	NEMA
8	Coupling half	2	2	2	2	2	2	2
9	Screw	4	4	4	4	4	4	4
10	Pin	1	1	1	1	1	1	1

Non-return valve

Pump type	TPD 32	TPD 40	TPD 50	TPD 65	TPD 80	TPD 100
Pos.	Description/kit No	96407253	96407254	96407255	96407256	96407257
215	Guide pin	1	1	1	1	1
217	Valve flap	1	1	1	1	1

Blanking flange, TPD, TPED 50 Hz

Pump type	Poles	Pump type	
32-	2	60, 120	150, 180, 230
	4	30, 40, 60	
40-	2	60, 120	190, 230, 270
	4	30	90
50-	2	60	120, 180
	4	30	60
65-	2	60	120, 180
	4	30, 60	
80-	2	120	
	4	30, 60	
100-	2	120	
	4	30, 60	
Pos.	Kit No	96591261	565055
72a	O-ring	1	1
219	Flange	1	1

Series 300



Shaft diameter

TP	Poles	Pump type	Shaft diameter [mm]
32-	2, 4	All	28
40-		All	
50-		All	
65-		All	
80-	2	All	38
	4	70, 90, 110, 150, 170	
		230, 240, 270, 280, 340, 410, 460, 510	
100-	2	160, 200, 230, 240, 250, 300, 310, 350, 360, 370, 380, 390	28
	4	480, 530, 630, 700	38
		70, 90, 110	28
		130, 170, 200, 240, 250, 290, 330, 340, 370, 390, 410, 470	38
125-	4, 6	All	
150	4	130, 160, 200, 220, 250,	
	6	60, 70, 90, 110	48
	4	260, 280, 340, 360, 390, 400, 460, 500	
200	4	180, 220, 250, 270, 290, 330, 320, 360, 400, 410, 430, 440, 470, 490, 500, 530, 540, 590, 600, 660, 680, 770	55

Shaft seal

Pos.	Type/shaft diameter [mm]	28	38	48	55
105a	BAQE	96488302	96537605	96306472	96306475
	BAQV	96548353	96548357	96658791	96658801
	BQQE	98434904	98434906	98434909	98434943
	BQQV	98434905	98434908	98434941	98434944
	BBQE	96551963	96551928	96658794	96658804
	GQQE	96488303	96537606	96306474	96306477
	GQQV	96504870	96537608	96658793	96658803
	DAQF	96548355	96548359	96658796	96658807
	AQQE	96551965	96551960	96658799	96658810
	AQQV	96551967	96551962	96658800	96658811
	AQAE	96551964	96551929	96658797	96658808
	AQAV	96551966	96551961	96658798	96658809

Spacer ring for shaft seal (pos. 105b and 105c)

28, 48, 55 and 60 mm	38 mm
 HJ92N, M7N	 MG13 RMG13 HJ92N, M7N

Spacer ring

Pos.	Shaft seal diameter [mm]	Description	Length [mm]	Spacer
105b	38	Spacer ring	15.5	96591277
	28		7.5	96938597
	38		10	96938599
105c	48		15	96938602
	55		22.5	96938604
	60		17.5	96938606
105b and 105c	38		15.5	96930797
			10	

Shaft

Containing shaft (pos. 51), nut (pos. 67), key (pos. 11), washer (pos. 66), spring washer (pos. 66a) and fixing screws (pos. 9).

Pump with 28 mm shaft								
IEC frame size	71	80	90	100 - 112	132	160	180	200
Kit No	96039349	96039350	96039351	96039352	96039353	96039354	96039355	96039356
Pump with 38 mm shaft								
IEC frame size	100 - 112	132	160	180	200	225 - 250	225 (2-pole)	
Kit No	96039357	96039358	96039359	96039360	96039361	96537609	96537610	
Pump with 48 mm shaft								
IEC frame size	180	200	225					
Kit No	96306478	96306478	96306479					
Pump with 55 mm shaft								
IEC frame size	180	200	225	250	280	315		
Kit No	96306488	96306488	96306480	96306484	96306484	96306484		

Non-return valve, TPD, TPED

Pos.	Pump type Cover No ★	32, 40, 50 96476895	65 96476895	80 96506492/93	100, 125 96506494	125, 150 96506495
	Description/kit No	96488633	96488631	96537612	96537613	96537614
211	Screw	6	6	6	6	6
212	Gasket	1	1	2	1	1
215	Shaft pin	1	1	1	1	1
216	Spring	1	1	1	1	1
217	Valve flap	2	2	2	2	2
	Pipe plug	1	1	1	1	1

★ Indicated on back of cover

Wear ring

Pos.	Pump type	TP 150	TP 200
	Description		
45	Wear ring (in pump housing)	96810109	96810112
45	Wear ring (in cover)	96797628	96810112

Nut for impeller

Pos.	Shaft diameter, mm	28	38	48	55
	Description/kit No	96939128	96939134	96939132	96939134
67	Nut	1	1	1	1
11	Key	1	1	1	1
66a	Spring lock washer M24	1	1	1	1
66	Washer	1	1	1	1

Pump housing

Pump type	Motor [kW]	Kit No
TP 150-	260/4	18.5
	280/4	22
	340/4	30
	360/4	30
	390/4	37
	400/4	37
TP 200-	180/4	22
	220/4	30
	250/4	37
	270/4	45
	290/4	45
	320/4	55
	330/4	37
	330/4	55
	360/4	45
	400/4	55
	400/4	75
	410/4	75
	430/4	55
	440/4	90
	470/4	75
	500	110
	530/4	90
	540/4	90
	590/4	110
	600/4	110
	660/4	132
	680/4	132
	770	160

Content

Pos.	Description
6	Pump housing
24	Hexagon socket head cap screw
26	Staybolt
36	Nut
42	Wear ring

Motor bush

Pump type	Motor [kW]	Kit No
TP 150-	260/4	18.5
	280/4	22
	340/4	30
	360/4	30
	390/4	37
	400/4	37
TP 200-	180/4	22
	220/4	30
	250/4	37
	270/4	45
	290/4	45
	320/4	55
	330/4	37
	330/4	55
	360/4	45
	400/4	55
	400/4	75
	410/4	75
	430/4	55
	440/4	90
	470/4	75
	500	110
	530/4	90
	540/4	90
	590/4	110
	600/4	110
	660/4	132
	680/4	132
	770	160

* For pumps with TECO-motor (IEC315).

Content

Pos.	Description
8a	Motor bush
23	Hexagon socket head cap screw
9	Hexagon socket set screw

Cover

Pump type	Motor [kW]	Kit No
TP 150-	260/4	18.5
	280/4	22
	340/4	30
	360/4	30
	390/4	37
	400/4	37
TP 200-	180/4	22
	220/4	30
	250/4	37
	270/4	45
	290/4	45
	320/4	55
	330/4	37
	330/4	55
	360/4	45
	400/4	55
	400/4	75
	410/4	75
	430/4	55
	440/4	90
	470/4	75
	500	110
	530/4	90
	540/4	90
	590/4	110
	600/4	110
	660/4	132
	680/4	132
	770	160

Content

Pos.	Description
77	Cover
17	Plug, vent
36a	Hexagon nut M12

Motor stool

Pump type	Motor [kW]	Kit No
TP 150-	260/4	18.5
	280/4	22
	340/4	30
	360/4	30
	390/4	37
	400/4	37
TP 200-	180/4	22
	220/4	30
	250/4	37
	270/4	45
	290/4	45
	320/4	55
	330/4	37
	330/4	55
	360/4	45
	400/4	55
	400/4	75
	410/4	75
	430/4	55
	440/4	90
	470/4	75
	500	110
	530/4	90
	540/4	90
	590/4	110
	600/4	110
	660/4	132
	680/4	132
	770	160

* For pumps with TECO-motor (IEC280).

Content

Pos.	Description
1a	Motor stool separate
7	Ccoupling guard
7a	Screw M5 x 10
36a	Hexagon nut M12
36	Hexagon nut M16
28	Set screw M16 x 55
76a	Hammer drive screw

Coupling guard

Pump type	Motor [kW]	Kit No
TP 150-	260/4	18.5
	280/4	22
	340/4	30
	360/4	30
	390/4	37
	400/4	37
	180/4	22
	220/4	30
	250/4	37
	270/4	45
TP 200-	290/4	45
	320/4	55
	330/4	37
	330/4	55
	360/4	45
	400/4	55
	400/4	75
	410/4	75
	430/4	55
	440/4	90
	470/4	75
	500	110
	530/4	90
	540/4	90
	590/4	110
	600/4	110
	660/4	132
	680/4	132
	770	160

* For pumps with TECO motor (IEC280).

Content

Pos.	Description
7	Coupling guard
7a	Screw


Intermediate ring

Only for TECO IEC280.

Pump type	Motor [kW]	Kit No
TP 200-	440/4	90
	500	110
	530/4	90
	540/4	90
	590/4	110
	600/4	110

Content

Pos.	Description
1	Intermediate ring
28	Hexagon head screw M16
36a	Hexagon nut M16




TM02 4983 4610

Blanking flange, TPD, TPED 50 Hz

Poles		Pump type					
32-	2	200, 250, 320, 380	460, 580				
	4	80, 100	120				
40-	2	240, 300, 360	470, 580				
	4	100	130, 160				
50-	2	160, 190, 240, 290, 360, 430	440, 570, 710, 830, 900				
	4	90	110, 130, 160, 190, 230				
65-	2	190, 230, 260, 340, 410	460, 550, 660, 720, 930				
	4	90	110, 130, 150, 170, 240				
80-	2	140, 180, 210, 240, 250, 330, 400	520, 570, 700				
	4	70, 90, 110	150, 170			240, 270, 340	
100-	2	160, 200, 240, 250, 310, 360, 390, 480				200, 250, 330, 370, 410	
	4	70, 90, 110	130, 170				
125-	4			110, 130, 160		210, 250, 320, 360, 420	
	6			60, 70		90, 110, 140, 170	
150-	4				130, 160, 200, 220, 250		
	6				60, 70, 90, 110		
Pos.	Kit No	96495694	96495695	96495696	96525962	96525963	96525964
72a	O-ring	1	1	1	1	1	1
219	Flange	1	1	1	1	1	1

Blanking flange, TPD, TPED 60 Hz

Poles		Pump type					
32-	2		300, 360, 450, 550, 680, 820				
	4		120, 140, 190				
40-	2		370, 450, 550, 740, 850, 930				
	4		120, 160, 190, 220				
50-	2	250, 300, 350, 410	440, 540, 720, 790, 880, 1050				
	4		110, 120, 140, 190, 240, 270, 340				
65-	2	220, 260, 340, 390	480, 540, 630, 740, 910, 1050				
	4		130, 150, 190, 230, 310, 330				
80-	2	200, 240, 290, 330, 400	480, 530, 640, 750				
	4	110	150, 170			230, 280, 340, 410, 460, 510	
100-	2	230, 300, 350, 370, 380, 530		480, 630, 700			
	4	100		130, 170		200, 240, 290, 340, 390, 470	
125-	4			130, 160		210, 260, 320, 360, 430, 490	
150-	4				180, 210, 240, 300		
Pos.	Kit No	96495694	96495695	96495696	96525962	96525963	96525964
72a	O-ring	1	1	1	1	1	1
219	Flange	1	1	1	1	1	1



TM02 4983 4610

TP, TPD, TPE, TPED, 50 Hz

TP 2-pole	kW	TP 4-pole	kW	O-ring, pos. 72a		
				V (FKM)	E (EPDM)	F (FKM)
-	-	TP 32-80/4	0.25	97757697	97757659	97790022
-	-	TP 32-100/4	0.37			
TP 32-200/2	1.1	-	-			
TP 32-250/2	1.5	-	-			
TP 32-320/2	2.2	-	-			
TP 32-380/2	3	-	-	97757698	97757671	97790080
TP 32-460/2	4	TP 32-120/4	0.55			
TP 32-580/2	5.5	-	-			
TP 40-240/2	2.2	TP 40-100/4	0.55			
TP 40-300/2	3	-	-			
TP 40-360/2	4	-	-	97757697	97757659	97790022
TP 40-470/2	5.5	TP 40-130/4	0.75			
TP 40-580/2	7.5	TP 40-160/4	1.1			
TP 50-160/2	1.1	-	-			
TP 50-190/2	1.5	-	-			
TP 50-240/2	2.2	-	-	97757697	97757659	97790022
TP 50-290/2	3	-	-			
TP 50-360/2	4	TP 50-90/4	0.55			
TP 50-430/2	5.5	-	-			
TP 50-440/2	7.5	TP 50-110/4	0.75			
TP 50-570/2	11	TP 50-130/4	1.1	97757699	97757672	97790081
TP 50-710/2	15	TP 50-160/4	1.5			
TP 50-830/2	18.5	TP 50-190/4	2.2			
TP 50-900/2	22	TP 50-230/4	3			
TP 65-190/2	2.2	TP 65-90/4	0.75			
TP 65-230/2	3	-	-	97757697	97757659	97790022
TP 65-260/2	4	-	-			
TP 65-340/2	5.5	-	-			
TP 65-410/2	7.5	-	-			
TP 65-460/2	11	TP 65-110/4	1.1			
TP 65-550/2	15	TP 65-130/4	1.5	97757699	97757672	97790081
TP 65-660/2	18.5	TP 65-150/4	2.2			
TP 65-720/2	22	TP 65-170/4	3			
TP 65-930/2	30	TP 65-240/4	4			
TP 80-140/2	2.2	-	-			
TP 80-180/2	3	-	-	97757697	97757659	97790022
TP 80-210/2	4	-	-			
TP 80-240/2	5.5	-	-			
TP 80-250/2	7.5	TP 80-70/4	1.1			
TP 80-330/2	11	TP 80-90/4	1.5			
TP 80-400/2	15	TP 80-110/4	2.2	97757698	97757671	97790080
TP 80-520/2	18.5	TP 80-150/4	3			
TP 80-570/2	22	TP 80-170/4	4			
TP 80-700/2	30	-	-			
-	-	TP 80-240/4	5.5			
-	-	TP 80-270/4	7.5	97757698	97757671	97790080
-	-	TP 80-340/4	11			
TP 100-160/2	4	-	-			
TP 100-200/2	5.5	-	-			
TP 100-240/2	7.5	-	-			
TP 100-250/2	11	TP 100-70/4	1.5	97757697	97757659	97790022
TP 100-310/2	15	TP 100-90/4	2.2			
TP 100-360/2	18.5	TP 100-110/4	3			
TP 100-390/2	22	-	-			
TP 100-480/2	30	TP 100-130/4	4			
-	-	TP 100-170/4	5.5	97757698	97757671	97790080
-	-	TP 100-200/4	7.5			
-	-	TP 100-250/4	11			
-	-	TP 100-330/4	15			
-	-	TP 100-370/4	18.5			
-	-	TP 100-410/4	22	97757705	97757675	96887764

TP, TPD, TPE, TPED, 50 Hz

TP 4-pole	kW	TP 6-pole	kW	O-ring, pos. 72a		
				V (FKM)	E (EPDM)	F (FXM)
TP 125-110/4	4	TP 125-60/6	1.5	97757698	97757671	97790080
TP 125-130/4	5.5	TP 125-70/6	2.2			
TP 125-160/4	7.5	-	-			
TP 125-210/4	11	TP 125-90/6	3	97757705	97757675	96887764
TP 125-250/4	15	TP 125-110/6	4			
TP 125-320/4	18.5	TP 125-140/6	5.5			
TP 125-360/4	22	TP 125-170/6	7.5			
TP 125-420/4	30	-	-			
TP 150-130/4	7.5	TP 150-60/6	2.2	97757703	97757673	96887763
TP 150-160/4	11	TP 150-70/6	3			
TP 150-200/4	15	TP 150-90/6	4			
TP 150-220/4	18.5	TP 150-110/6	5.5			
TP 150-250/4	22	-	-			
TP 150-260/4	18.5	-	-	97757705	97757675	96887764
TP 150-280/4	22	-	-			
TP 150-340/4	30	-	-			
TP 150-390/4	37	-	-			
TP 200-180/4	22	-	-			
TP 200-220/4	30	-	-	97757705	97757675	96887764
TP 200-250/4	37	-	-			
TP 200-270/4	45	-	-			
TP 200-320/4	55	-	-			
TP 200-410/4	75	-	-			
TP 200-330/4	37	-	-	97757705	97757675	96887764
TP 200-360/4	45	-	-			
TP 200-400/4	55	-	-			
TP 200-470/4	75	-	-			
TP 200-530/4	90	-	-			
TP 200-590/4	110	-	-	97757705	97757675	96887764
TP 200-660/4	132	-	-			

TP, 2 and 4-pole, 60 Hz

TP 2-pole	kW	TP 4-pole	kW	O-ring, pos. 72a		
				V (FKM)	E (EPDM)	F (FXM)
-	-	TP 32-120/4	0.55			
-	-	TP 32-140/4	0.75			
-	-	TP 32-190/4	1.1			
TP 32-300/2	2.2	-	-			
TP 32-360/2	3	-	-	97757698	97757671	97790080
TP 32-450/2	4	-	-			
TP 32-550/2	5.5	-	-			
TP 32-680/2	7.5	-	-			
TP 32-820/2	11	-	-			
TP 40-370/2	4	TP 40-120/4	0.75			
TP 40-450/2	5.5	TP 40-160/4	1.1			
TP 40-550/2	7.5	TP 40-190/4	1.5	97757698	97757671	97790080
TP 40-740/2	11	TP 40-220/4	2.2			
TP 40-850/2	15	-	-			
TP 40-930/2	18.5	-	-			
TP 50-250/2	2.2	-	-	97757697	97757659	97790022
TP 50-300/2	3	-	-			
TP 50-350/2	4	-	-	97757697	97757659	97790022
TP 50-410/2	5.5	-	-			
TP 50-440/2	7.5	TP 50-110/4	0.75			
TP 50-540/2	11	TP 50-120/4	1.1			
TP 50-720/2	15	TP 50-140/4	1.5			
TP 50-790/2	18.5	TP 50-190/4	2.2	97757699	97757672	97790081
TP 50-880/2	22	TP 50-240/4	3			
TP 50-1050/2	30	TP 50-270/4	4			
		TP 50-340/4	5.5			
TP 65-220/2	3	-	-			
TP 65-260/2	4	-	-	97757697	97757659	97790022
TP 65-340/2	5.5	-	-			
TP 65-390/2	7.5	-	-			
TP 65-480/2	11	TP 65-130/4	1.5			
TP 65-540/2	15	TP 65-150/4	2.2			
TP 65-630/2	18.5	TP 65-190/4	3	97757699	97757672	97790081
TP 65-740/2	22	TP 65-230/4	4			
TP 65-910/2	30	TP 65-310/4	5.5			
TP 65-1050/2	37	TP 65-330/4	7.5			
TP 80-200/2	4	-	-			
TP 80-240/2	5.5	-	-	97757697	97757659	97790022
TP 80-290/2	7.5	-	-			
TP 80-330/2	11	TP 80-110/4	2.2	97757697	97757659	97790022
TP 80-400/2	15	-	-			
TP 80-480/2	18.5	TP 80-150/4	3			
TP 80-530/2	22	TP 80-170/4	4	97757698	97757671	97790080
TP 80-640/2	30	-	-			
TP 80-750/2	37	-	-			
-	-	TP 80-230/4	5.5			
-	-	TP 80-280/4	7.5			
-	-	TP 80-340/4	11	97757705	97757675	96887764
-	-	TP 80-410/4	15			
-	-	TP 80-460/4	18.5			
-	-	TP 80-510/4	22			
TP 100-230/2	7.5	-	-			
TP 100-300/2	11	-	-	97757697	97757659	97790022
TP 100-370/2	15	-	-			
TP 100-350/2	18.5	TP 100-100/4	3	97757697	97757659	97790022
TP 100-380/2	22	-	-			
TP 100-530/2	30	TP 100-130/4	4			
TP 100-630/2	37	TP 100-170/4	5.5	97757698	97757671	97790080
TP 100-700/2	45	-	-			

TP, 4-pole, 60 Hz

TP 4-pole	kW	O-ring, pos. 72a		
		V (FKM)	E (EPDM)	F (FXM)
TP 100-200/4	7.5			
TP 100-240/4	11			
TP 100-290/4	15			
TP 100-340/4	18.5	97757705	97757675	96887764
TP 100-390/4	22			
TP 100-470/4	30			
TP 125-130/4	5.5			
TP 125-160/4	7.5	97757698	97757671	97790080
TP 125-210/4	11			
TP 125-260/4	15			
TP 125-320/4	18.5			
TP 125-360/4	22	97757705	97757675	96887764
TP 125-430/4	30			
TP 125-490/4	37			
TP 150-180/4	15			
TP 150-210/4	18.5	97757703	97757673	96887763
TP 150-240/4	22			
TP 150-300/4	30			
TP 150-360/4	30			
TP 150-400/4	37	97757705	97757675	96887764
TP 200-270/4	37			
TP 200-290/4	45			
TP 200-330/4	55			
TP 200-400/4	75	97757705	97757675	96887764
TP 200-440/4	90			
TP 200-500/4	110			
TP 200-430/4	55			
TP 200-490/4	75	97757707	97757676	96887765
TP 200-540/4	90			
TP 200-600/4	110			
TP 200-680/4	132			
TP 200-770/4	160			

Series 400

DN 65 - DN 250

Shaft seal, 10 bar

The kits include the shaft seal (pos. 105) and a mounting cone.

Pump type	Shaft diameter [mm]
TP 100- 650/2	40
600/4	45
TP 125- 540/4	55
570/2, 730/2, 810/2	45
TP 150- 310/4, 370/4, 380/4, 420/4, 490/4, 550/4	55
TP 200- 260/4, 280/4, 300/4, 320/4, 350/4, 380/4, 390/4, 430/4, 520/4, 570/4	60
TP 250- 280/4, 310/4, 390/4, 450/4, 530/4, 580/4	

Type/shaft diameter [mm]	40	45	50	55	60
BAQE	96161882	96161883	96161885	96161884	96161886
BAQV	96161893	96161894	96161896	96161895	96161897
BQQE	96161911	96161912	96161914	96161913	96161915
BQQV	96161899	96161900	96161902	96161901	96161903
GQQE	96161888	96161889	96161890	96551584	96161891
GQQV	96161905	96161906	96161908	96161907	96161909

Shaft seal, 25 bar

The kits include the shaft seal (pos. 105) and a mounting cone.

Pump type	Shaft diameter							
TP 65-	250/4, 350/4, 370/4, 430/4, 440/4, 570/4, 630/4							
	950/2, 1000/2, 1320/2, 1380/2, 1500/2, 1670/2, 2040/2, 2360/2							
TP 80-	170/4, 210/4, 250/4, 270/4, 290/4, 350/4, 400/4,							
	300/4, 370/4, 390/4, 450/4, 530/4, 580/4,							
	730/2, 800/2, 900/2, 1020/2, 1040/2, 1160/2, 1210/2, 1410/2, 1570/2							
	1030/2, 1130/2, 1400/2, 1450/2, 1550/2, 1600/2, 1900/2, 2100/2, 2300/2							
TP 100-	170/4, 210/4, 220/4, 250/4, 260/4, 330/4, 360/4							
	270/4, 320/4, 380/4, 420/4, 450/4, 530/4, 590/4, 620/2, 700/2, 820/2, 960/2, 1000/2, 1100/2, 1250/2, 1350/2							
	1050/2, 1180/2, 1400/2, 1450/2, 1530/2, 1560/2, 1680/2, 1700/2, 2100/2, 2350/2							
TP 125-	150/4, 210/4, 240/4, 270/4, 310/4 (60 Hz), 320/4 (60 Hz), 370/4 (60 Hz)							
	580/2, 720/2, 750/2							
	280/4, 310/4 (50 Hz), 350/4, 370/4 (50 Hz), 430/4, 440/4, 500/4, 570/4, 620/4							
	480/4, 580/4, 640/4, 670/4, 830/4, 910/4							
	1060/2, 1160/2, 1310/2, 1500/2, 1670/2							
TP 150-	170/4, 220/4, 230/4, 270/4, 350/4, 380/4							
	240/4, 320/4, 330/4, 370/4, 450/4, 490/4,							
	430/4, 530/4, 650/4, 710/4, 800/4, 930/4							
TP 200-	190/4, 210/4, 220/4, 230/4, 250/4, 310/4							
	450/4, 510/4, 560/4, 620/4, 670/4, 760/4, 840/4, 930/4							
	260/4, 280/4, 350/4, 370/4, 380/4, 420/4, 520/4, 560/4,							
TP 250-	270/4, 320/4, 370/4, 430/4, 500/4, 550/4,							
	490/4, 540/4, 600/4, 660/4, 720/4, 800/4, 910/4, 1020/4							
Type/shaft diameter	1 5/8"	1 7/8"	2"	2 1/4"	2 1/2"	2 3/4"	2 5/8"	3"
DBUE	96121645	96121646	96121647	96121644	96121648	96121649	96121650	96121652


Air vent screw

Pos.	Description/kit No	96121641
17	Air vent screw	1


Impeller screw

Pos.	Description/kit No	96121643
68	Screw M8 x 30	1
	Screw M12 x 40	1
	Screw M16 x 50	1

TP 100 - TP 200, 10 bar



TP 65 - TP 250, 25 bar



TM02 7000 2203 - TM02 6998 2203

Wear parts

The kits include countersunk screws (pos. 24) and one neck ring (pos. 45). Pumps with two neck rings require two kits. These pumps are highlighted with bold.


Pump type	Kit No
TP 65- All models	96121667
TP 80- 170/4, 210/4, 250/4, 270/4, 290/4, 350/4, 400/4, 730/2, 800/2, 900/2, 1020/2, 1040/2, 1160/2, 1210/2, 1410/2, 1570/2	96121666
300/4, 370/4, 390/4, 450/4, 530/4, 580/4, 1030/2, 1130/2, 1400/2, 1450/2, 1550/2, 1600/2, 1900/2, 2100/2, 2300/2	96121667
TP 100- 170/4, 210/4, 220/4, 250/4, 260/4, 330/4, 360/4, 600/4, 620/2, 650/2, 700/2, 820/2, 960/2, 1000/2, 1100/2, 1250/2, 1350/2	96121661
270/4, 320/4, 380/4, 420/4, 450/4, 530/4, 590/4, 1050/2, 1180/2, 1400/2, 1450/2, 1530/2, 1560/2, 1680/2, 1700/2, 2100/2, 2350/2	96121668
TP 125- 150/4, 210/4, 240/4, 270/4, 280/4, 320/4, 350/4, 370/4, 430/4, 440/4, 500/4, 570/2, 570/4, 580/2, 620/4, 720/2, 730/2, 750/2, 810/2, 1160/2, 1310/2, 1500/2, 1670/2	96121662
480/4, 580/4, 640/4, 670/4, 830/4, 910/4	96121663
1060/2	96121668
TP 150- 240/4, 270/4, 310/4, 320/4, 330/4, 350/4, 370/4, 380/4, 420/4, 450/4, 490/4, 550/4, 710/4, 800/4, 930/4	96121663
430/4, 530/4, 650/4	96121665
170/4, 220/4, 230/4, 380/4	96121669
TP 200- 260/4, 280/4, 300/4, 320/4, 350/4, 370/4, 380/4, 390/4, 430/4, 420/4, 450/4, 510/4, 520/4, 560/4, 570/4, 620/4, 670/4, 760/4, 840/4, 930/4	96121664
190/4, 210/4, 220/4, 230/4, 310/4	96121670
430/4	96121664
TP 250- 270/4, 280/4, 310/4, 320/4, 370/4, 390/4, 450/4, 490/4, 500/4, 530/4, 540/4, 550/4, 580/4, 600/4, 660/4, 720/4, 800/4, 910/4, 1020/4	96121665

O-ring


The kits include O-rings (pos. 62, 72a, 109).

Pump type	Kit No
10 bar	
TP 100- 600/4	96121691
650/2	96121692
TP 125- 540/2	96121687
570/2, 730/2, 810/2	96121689
TP 150- 310/4, 370/4, 380/4, 420/4, 490/4, 550/4	96121687
TP 200- 260/4, 280/4, 300/4, 320/4, 350/4, 380/4, 390/4, 430/4, 520/4, 570/4	
TP 250- 280/4, 310/4, 390/4, 450/4, 530/4, 580/4	96121688
25 bar	
TP 65- 250/4, 350/4, 370/4, 430/4, 440/4, 570/4, 630/4	96121677
950/2, 1000/2, 1320/2, 1380/2, 1500/2, 1670/2, 2040/2, 2360/2	96121681
1020/2, 1040/2	96121674
TP 80- 300/4, 370/4, 390/4, 450/4, 530/4, 580/4	96121677
170/4, 210/4, 250/4, 270/4, 290/4, 350/4, 400/4	96121679
1130/2, 1400/2, 1450/2, 1550/2, 1600/2, 1900/2, 2100/2, 2300/2	96121681
270/4, 320/4, 380/4, 420/4, 450/4, 530/4, 590/4	96121673
TP 100- 620/2, 700/2, 820/2, 960/2, 1000/2, 1250/2, 1350/2	96121674
170/4, 210/4, 220/4, 250/4, 260/4, 330/4, 360/4	96121679
1050/2, 1180/2, 1400/2, 1450/2, 1530/2, 1560/2, 1680/2, 1700/2, 2100/2, 2350/2	96121683
580/2, 720/2, 750/2	96121675
TP 125- 150/4, 210/4, 240/4, 270/4, 310/4 (60 Hz), 320/4 (60 Hz), 370/4 (60 Hz)	96121678
280/4, 310/4 (50 Hz), 320/4 (50 Hz), 350/4, 370/4 (50 Hz), 430/4, 440/4, 500/4, 570/4, 620/4	96121681
10060/2, 1160/2, 1310/2, 1500/2, 1670/2,	96121683
480/4, 580/4, 640/4, 670/4, 830/4, 910/4	96121686
170/4, 220/4, 230/4, 270/4, 350/4, 380/4	96121680
TP 150- 240/4, 270/4, 320/4, 330/4, 350/4, 370/4, 450/4, 490/4,	96121681
430/4, 530/4, 650/4, 710/4, 800/4, 930/4	96121686
190/4, 210/4, 220/4, 230/4, 250/4, 310/4	96121682
TP 200- 450/4, 510/4, 560/4, 620/4, 670/4, 760/4, 840/4, 930/4	96121684
260/4, 280/4, 350/4, 370/4, 380/4, 420/4, 520/4, 560/4	96121683
490/4, 540/4, 600/4, 660/4, 720/4, 800/4, 910/4, 1020/4	96121676
TP 250- 270/4, 320/4, 370/4, 430/4, 500/4, 550/4	96121685

TP 100 - TP 200, 10 bar



TP 65 - TP 250, 25 bar



TM02 7000 2203 - TM02 6998 2203

DN 300 - DN 400**Air vent screw**

Pos.	Pump	TP 300	TP 400
	Description/kit No	96121641	96121642
17	Air vent screw	1	1
30	Union		2
31	Pipe bush		2
32	Pipe		1

Wear parts

Pos.	Description	Pump	TP 300	TP 400
		Kit No	96121671	96121672
24(b)	Countersunk screw		6	6
45(b)	Neck ring		1	1
109	O-ring			2

Wear ring for impeller, TP 400

Description/kit No	96121695
Wear ring for impeller	2
Set screw	16


Impeller screw

Pos.	Description/kit No	96121643
68	Screw M8 x 30	1
	Screw M12 x 40	1
	Screw M16 x 50	1


O-ring

Pos.	Description	Pump	TP 300	TP 400
		Kit No	96121693	96121694
62	O-ring		1	
72a	O-ring		1	2
109	O-ring		1	1

TP 300, 25 bar



TP 400, 25 bar



TM02 6997 2203 - TM02 7000 2203