

Rondish Company Limited

User Instruction for an Emergency Alarm System


Equipment included:

1. Beacon Transmitter (BCON-11)
2. Wristband Transmitter (TXB-11)
3. Call Point / Bath Button (WCP-12)
4. Cordless Monitor (NGM-21)

Devices operation description

The beacon transmitter is used to transmit the location information to the TXB-11 with 125KHz signal when the button is pressed. When the TXB-11 receives the signal, its LED will flash a few times.

On the other hand, wristband transmitter and the Call Point / Bath button can be paired up with the cordless monitor (NGM-21). All devices of the transmitters can trigger an alarm by pressing on the cordless monitor (NGM-21) for help if needed.



Rondish Company Limited

FCC warning statements:

This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Notice:

Any changes or modifications not expressly approved by the party responsible for

compliance could void your authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

RF exposure statements

This equipment complies with FCC radiation exposure requirement set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance.