




# USER GUIDE

D680C





You have just purchase a D680C and we thank you for your purchase.

This product follows a strategy of continuous development. We reserve the right to make changes without notice, modifications and improvements to the products described in this user manual.



To operate the device safely and easily, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, please read carefully the paragraph "Recommendations and safety instructions", page 2.


The declaration of compliance may be looked up on the [www.sagemcom.com](http://www.sagemcom.com) website section «Support», or can be obtained from the following address:

**Sagemcom Broadband SAS**  
250, route de l'Empereur  
92848 Rueil-Malmaison Cedex - France



Sagemcom USA LLC  
14651 North Dallas Parkway  
Suite 900  
Dallas, TX 75254





## Recommendations and safety instructions



For safety reasons, never put the handset in the base station without the battery inserted or without the lid on the battery compartment as this could cause an electric shock.  
To avoid damaging your handset/base, only use certified rechargeable batteries NIMH 1.2 V 750 mAh, never use non rechargeable batteries. Insert the batteries in the handset/base battery compartment respecting polarity, do not dispose of batteries in fire, they may explode, if the handset will not be used for an extended period of time, unplug the battery and remove it from the handset to prevent possible leakage, keep batteries out of the reach of children



Only use the power unit supplied and connect it to the electricity mains in accordance with the installation instructions in this user manual and the details on the sticker regarding voltage, electrical current and frequency. As a precaution if there is a risk of danger, the power plug can be pulled out to disconnect the 120V power supply. Therefore the sockets should be near the device and easily accessible.





Do not install your DECT telephone D680C in a damp environment, such as a bathroom, washroom, kitchen etc, and not within 1.50 feet of a source of water or outside. This device is designed for use in temperatures of between 5 Celsius degree and 40 Celsius degree. Do not expose the product to extreme temperatures such as areas near a hot radiator, stove or in a hot car.





In zones where there is a risk of frequent thunder storms, we recommend that you protect your telephone line using an electric power surge protection device.  
Avoid using the telephone during an electrical storm, there may be a remote risk of electric shock from lightning.



Do not attempt to remove screws or open the appliance. It does not contain any user-replaceable parts.





Your DECT telephone has a range of approx. 50 feet indoors and up to 300 feet outdoors. The range can be affected by the proximity of metal objects, such as a television and electrical devices. Areas without reception may appear due to elements in the building. This can cause brief interruptions in the conversation, caused by faulty transmission.



Certain medical equipment and highly-sensitive machines or security systems may be affected by the transmission power of the telephone. In these cases we recommend adhering to the safety information.





The used battery must be disposed of in line with the recycling regulations in this user manual. Check with local codes for possible special disposal instructions.



Do not use the telephone to report a gas leak in the vicinity of the leak. The base is for indoor use only, do not place or install in an outdoor location.



Unplug this product from the wall outlet before cleaning, don't use liquid cleaners or aerosol cleaners.



## D680C

# FCC Caution

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**FCC ID: VW3D680C**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1 this device may not cause harmful interference, and
- 2 this device must accept any interference received, including interference that may cause undesired operation.

Privacy of communications may not be ensured when using this phone.

**Important note:**

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.
- Privacy of communications may not be ensured when using this telephone!
- This product complies with FCC radiation exposure limits set forth for an uncontrolled environment.
- To comply with FCC RF exposure requirements, the base unit must be installed and operated 20 cm (8 inches) or more between the product and all person's body (excluding extremities of hands, wrist and feet).
- This product may not be collocated or operated in conjunction with any other antenna or transmitter
- The handset may be carried and operated with only the specific provided belt-clip. Other non-tested belt-clips or similar body-worn accessories may not comply and must be avoided

## D680C

### Customer Information

- 1 This equipment complies with Part 68 of the FCC rules and the requirements adopted by the ACTA. On the **bottom** of this equipment is a label that contains, among other information, a product identifier in the format **US:AAEQ##TXXX**. If requested, this number must be provided to the telephone company.
- 2 An applicable certification jacks Universal Service Order Codes (USOC) for the equipment is provided (i.e., **RJ11C**) in the packaging with each piece of approved terminal equipment.
- 3 A plug and jack used to connect this equipment to the premises wiring and telephone network must comply with the applicable FCC Part 68 rules and requirements adopted by the ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. See installation instructions for details.
- 4 The REN is used to determine the number of devices that may be connected to a telephone line. Excessive RENs on a telephone line may result in the devices not ringing in response to an incoming call. In most but not all areas, the sum of RENs should not exceed five (5.0). To be certain of the number of devices that may be connected to a line, as determined by the total RENs, contact the local telephone company. [For products approved after July 23, 2001, the REN for this product is part of the product identifier that has the format **US:AAEQ##TXXX**. The digits represented by **##** are the REN without a decimal point (e.g., 03 is a REN of 0.3). For earlier products, the REN is separately shown on the label.]
- 5 If this equipment [US: **NS3W400BD680C** causes harm to the telephone network, the telephone company will notify you in advance that temporary discontinuance of service may be required. But if advance notice isn't practical, the telephone company will notify the customer as soon as possible. Also, you will be advised of your right to file a complaint with the FCC if you believe it is necessary.
- 6 The telephone company may make changes in its facilities, equipment, operations or procedures that could affect the operation of the equipment. If this happens the telephone company will provide advance notice in order for you to make necessary modifications to maintain uninterrupted service.
- 7 Should you experience trouble with this equipment, please contact [US: **NS3W400BD680C** for repair or warranty information, Service can be facilitated through our office at:  
**U.S. Agent Company name:** Sagemcom USA LLC  
**Address:** 14651 N.Dallas Parkway,Suite 900 DALLAS TEXAS 75254 US  
**Tel:** +1-972-674-4100

## D680C

If the equipment is causing harm to the telephone network, the telephone company may request that you disconnect the equipment until the problem is resolved.

- 8 Please follow instructions for repairing if any (e.g. battery replacement section); otherwise do not alternate or repair any parts of device except specified.
- 9 Connection to party line service is subject to state tariffs. Contact the state public utility commission, public service commission or corporation commission for information.
- 10 If your home has specially wired alarm equipment connected to the telephone line, ensure the installation of this [equipment ID] does not disable your alarm equipment. If you have questions about what will disable alarm equipment, consult your telephone company or a qualified installer.
- 11 If the telephone company requests information on what equipment is connected to their lines, inform them of:
  - a) The ringer equivalence number [0.0B]
  - b) The USOC jack required [RJ11C]
  - c) Facility Interface Codes ("FIC") [02LS2]
  - d) Service Order Codes ("SOC 9.0Y
  - e) The FCC Registration Number [US: NS3W400BD680C
- 12 The REN is used to determine the number of devices that may be connected to a telephone line. Excessive RENs on a telephone line may result in the devices not ringing in response to an incoming call. In most but not all areas, the sum of RENs should not exceed five (5.0). To be certain of the number of devices that may be connected to a line, as determined by the total RENs, contact the local telephone company. The REN for this product is part of the product identifier that has the format US:AAAEQ##TXXXX. The digits represented by ## are the REN without a decimal point. For this product the FCC Registration number is [US: XXXXXXXXX] indicates the REN would be XX.
- 13 If this product is equipped with a corded or cordless handset, it is hearing aid compatible.

FCC ID: VW3D680C  
US: NS3W400BD680C  
REN: 0.0B

**D680C**

# Contents

<b>Discover.....</b>	<b>10</b>
<b>Your phone .....</b>	<b>10</b>
Unpacking.....	10
Installing the belt clip.....	11
The handset.....	12
The base.....	13
Connecting the base.....	14
Browser.....	15
Menu browsing .....	15
The screen .....	18
<b>Charging .....</b>	<b>19</b>
<b>Handset set-up.....</b>	<b>19</b>
<b>Replacing the batteries .....</b>	<b>21</b>
Menu tree structure .....	22
<b>Call... ..</b>	<b>24</b>
<b>Managing calls .....</b>	<b>24</b>
Making a call.....	24
Ending a call.....	25
Receiving a call .....	25
Choose your line.....	25
<b>Managing several calls.....</b>	<b>26</b>
Receiving a second call .....	26
Switching from one call to the other.....	26
Ending one of the calls in progress .....	27
Talking with two contacts at the same time (3-way conference) .....	27
Making a second call .....	28
Transferring calls .....	29
<b>Options during a call .....</b>	<b>30</b>
Enable/Disable loudspeaker (hands-free mode).....	30
Adjusting volume.....	30



## D680C

Enable the mute mode.....	31
<b>Using additional handsets .....</b>	<b>32</b>
Calling another handset (intercom) .....	32
Intrusion .....	32
<b>Manage your contacts.....</b>	<b>33</b>
<b>Use the phonebook .....</b>	<b>33</b>
Create an entry .....	33
Call the contact from phonebook .....	34
Changing an entry .....	34
Deleting an entry .....	34
Search for an entry .....	34
Delete all the entries .....	35
Speed dialing .....	35
<b>Voice mail Service.....</b>	<b>36</b>
Modifying the Voice mail number .....	36
<b>Audio adjustment... ..</b>	<b>37</b>
Changing the ringing tone.....	37
Enabling/Disabling the silent mode .....	37
Enabling/Disabling audio alerts .....	38
<b>Setting up.....</b>	<b>39</b>
<b>The phone .....</b>	<b>39</b>
Setting the date and the time.....	39
Picking up and hanging up calls automatically.....	40
Changing the display language.....	40
Adjust the brightness.....	41
Change the screen background.....	41
<b>The handset .....</b>	<b>42</b>
Associating a new handset .....	42
Customizing the handset's registration .....	43
Defining the main base for your handset .....	43
Modifying the country .....	44
Handset version.....	44
Resetting the handset.....	44
<b>The base .....</b>	<b>45</b>
Changing the base code.....	45

# D680C

Resetting the base.....	45
Base version.....	46
<b>The line.....</b>	<b>47</b>
Change the line name.....	47
Pair the handset with a line.....	47
Allow three-way communication (Intrusion).....	48
Changing the flash duration.....	48
Managing your calls.....	49
<b>The list of handsets.....</b>	<b>50</b>
Manage handsets.....	50
<b>Accessories.....</b>	<b>51</b>
<b>The alarm.....</b>	<b>51</b>
Programming the alarm.....	51
<b>The timer.....</b>	<b>52</b>
Program the timer.....	52
<b>Tracking your calls.....</b>	<b>53</b>
<b>Call logs.....</b>	<b>53</b>
Displaying the list of all calls.....	53
Viewing the received or dialed call log.....	54
Consulting the missed call log.....	55
Managing incoming or outgoing calls.....	56
<b>The events log.....</b>	<b>57</b>
Checking new events.....	57
<b>Environment.....</b>	<b>58</b>
<b>Guarantee.....</b>	<b>59</b>
Limited warranty.....	59
Other limitations.....	61

# D680C

Discover...


## 1 Discover...

### Your phone

**ATTENTION** The D680C phone is only compatible with Gateway US.

### Unpacking

Open the box and make sure it contains the following items:



**D680C**  
Discover...

### Installing the belt clip

**To install the belt clip:**

- 1 First insert one side of the clip into the dedicated slot (A).



- 2 Gently press on the other side of the clip until the pin snaps into the other slot. The "TIC" sound indicates that the belt clip is in the locked position.



**To remove the belt clip:**


Lift the clip by one of the sides (B) and then pull off.



# D680C

## Discover...

### The handset




Key	Description
	<b>1.</b> Screen
	<b>2.</b> Access to the main menu / Validation key.
	<b>3.</b> Browser (See "Browser" section for details).
	<b>4.</b> "Answer" key or to get dial tone (short press) / Access to "All calls" log (long press).
	<b>5.</b> Access to voice mail (long press in standby mode).


Key	Description
	<b>6.</b> Alphanumeric keyboard: long press the numeric buttons to initiate calls to pre-programmed numbers.
	<b>7.</b> Star key: lock / unlock keypad (long press).
	<b>8.</b> R key: allows you to put a conversation on hold by pressing the R key or disconnect the call in process, by pressing the R key followed by 7 for a double call.
	<b>9.</b> Cancel key / return to previous menu.
	<b>10.</b> Hang up key (short press) / Turn off/on the handset (long press).
	<b>11.</b> Sharp key: activate/deactivate mute mode (long press during a call).
	<b>12.</b> "INT" key intercom function. Allows you to call other handsets which are paired to the same base.
	<b>13.</b> Microphone.

# D680C

Discover...

## The base




Caption	Description
1	Indicator light
2	 button Paging/Pairing: <ul style="list-style-type: none"><li>• Short press: paging of handsets</li><li>• Long press: pairing of handsets</li></ul>
3	Power socket
4	Telephone socket

**Note** Indicator light operation:

- Fixed: base startup.
- Fast flashing: the base is in pairing mode.
- Medium Flashing: searching for handsets paired on the base.
- Slow flashing: call in progress.

## D680C Discover...

### Connecting the base




Take the base and turn it over.

- 1 Plug the telephone cord into the socket.
- 2 Connect the other end of the cord to the Gateway.
- 3 Take the power adapter. Connect the power adapter cord to the underside of the base.
- 4 Connect the power adapter to an electrical outlet.

**D680C**  
Discover...

## Browser



Legend	Item	Description
1		Loudspeaker (switch to hands-free mode)/disable (switch to handset mode).
2		Enable/disable the silent mode.
3		Select key / Main menu access key.
4		Phonebook access key.
5		All log access key.

## Menu browsing


To browse through menus, use the browser keys and the keys , and .














Key	Corresponds to... (throughout the manual)
	▲ Up
	▼ Down
	▶ Right
	◀ Left



## D680C Discover...





Pressing the corresponding sub-menu number (from 1 to 6).



- 1 Press **Menu** .
- 1 Press the top  or the bottom  of the navigation key .  
The main menu is displayed on the screen.
- 2 Press the top  or the bottom  or (on the  or ) of the browser  key to access the desired function.
- 3 Select your choice / Enter the menu by pressing the  (**OK**) or via the key **Select** .
- 4 Cancel your choice / Exit the displayed menu:
  - either by pressing the  key: return to previous menu.
  - or by pressing the  key: the home screen is displayed.














### DETAILED BROWSER EXAMPLE: ACCESS TO THE COMMUNICATION MENU

During a call:

- 1 Press the **Options**  key, **Second call** is displayed.
- 2 Scroll through the options using the top  or the bottom .
- 3 Select your choice by pressing the  key.

## D680C Discover...

### DETAILED BROWSER EXAMPLE: CHANGING THE RING TONE OF EXTERNAL CALLS

- 1 Press **Menu**  (or  key).  
The main menu is displayed on the screen.
- 1 Press the  key then press the  key.
- 2 Enter the **Melodies** menu by pressing the  (**OK**) key.
- 3 Select **External ringtone** using the  or  key. Press .
- 4 Select the ring tone of your choice using the keys  or .
- 5 Adjust the ring tone volume using the keys  or  and press the  key. The screen displays the message "OK".


# D680C

## Discover...

### The screen

#### THE ICONS DISPLAYED

In standby mode or during use, your phone screen communicates your phone's current state through icons, and in particular:




Legend	Description
1	<b>Status icons:</b> indicates your phone's current state.
2	<b>Information field:</b> the current date MM/DD/YYYY and time HH:MM (pm or am), the handset's name and number.
3	<b>Action icons:</b> menus associated with programmable keys.

## D680C Discover...






### Charging

To charge your telephone, place the handset on its charger and make sure the charger is connected to the power supply.

The battery charging icon  moves to inform you that charging is in progress.




The icon display stops moving when the batteries are charged.

**Note** The Handset operating time:  
 - Talk time: 10 hours.  
 - Standby time: 180 hours.

Statut	Description
	Batteries charged.
	Batteries moderately charged.
	Battery charge low.
	Battery charge very low.
	Batteries completely discharged.

**Note** To ensure optimum charging, leave the handset on the base for at least **15 hours** when using the phone for the first time. During charging, the batteries may heat up. This is normal and perfectly safe. When the batteries are low, the handset emits a beep.

### Handset set-up


- 1 On the back of the handset.
- 2 Install the new batteries one by one, noting the polarity of the batteries, and replace the battery cover.
- 3 The message " **SAGEMCOM** " is displayed on the screen for a few seconds.
- 4 The **Language** menu is displayed.
- 5 Select your language using the  or  keys and select using the  key.
- 6 The **Country** menu is displayed.

## D680C Discover...


- 7 Select the country using the  $\blacktriangle$  or  $\blacktriangledown$  keys and select using the **OK** key.
- 8 The date and time setting menu is displayed.
- 9 Enter the right date. Press the key  $\blacktriangledown$ , and enter the time.
- 10 Press the key **OK**. The action is confirmed by the indication "OK".


**Note** If the message "Please Register" appears, refer to "Associating a new handset", page 38.

### SWITCH THE HANDSET OFF AND THEN ON AGAIN

To turn off the handset, hold down the red key , the "Power off ?" message is displayed on the screen.

Press **Yes**  to confirm.


To turn on your handset, press the red key , the "SAGEMCOM" message is displayed on the screen.



## D680C Discover...

### Replacing the batteries

- 1 Turn off the handset. Turn it around so that the battery compartment is accessible.
- 2 Remove the battery compartment cover.
- 3 Remove the old batteries, insert the new batteries, noting the polarity of the batteries.
- 4 Replace the battery compartment cover.



**Note** Worn out batteries must be discarded, in accordance with the recycling instructions in chapter "Recommendations and safety instructions", page 2.

**ATTENTION** To avoid damaging your handset, only use certified rechargeable AAA batteries NIMH 1.2 V 750 mAH, never use non rechargeable batteries.

# D680C

Discover...

## Menu tree structure

### Phonebook

- List
- Search
- Add
- Delete all
- Speed Dialing

### Options

- During a call
  - Second call
  - Intercom
  - Calls
  - Phonebook
  - Selec. call line
  - Mute

### Vicemail

### Calls

- All calls
- Incoming calls
- Outgoings calls
- Missed calls
- Events

### Melodies

- External ringtone
- Internal ringtone
- Beeps
- Silent

### Accessories

- Alarm
- Timer

*Tree structure continued on next page*

\* Scrolling message

# D680C

Discover...

## Settings

### Settings

#### Date/time

Auto hang/pick up

Language

Display

### Advanced settings \*

#### Set handset \*

#### Registration

Person.registr

Base priority

Country

Handset Version

Reset handset

#### Set base

#### Change code

Reset base

Base Version

#### Set line

#### Line name

Attached HS

Configuration

Flash time

#### Selec. call line

#### Handset list \*

\* Scrolling message



## D680C

Call...


### 2 Call...

**Note** If the handset is being synchronized with the base, the "Please wait" message is displayed on the screen. It is not possible to make or receive calls until the "Please wait" message has disappeared from the screen.


## Managing calls


### Making a call

#### METHOD 1 (PRE-DIALING)

- 1 Dial your contact's number.
- 2 Press the key .

#### METHOD 2 (POST-DIALING)


- 1 Press on the green key  for 3 or more seconds.
- 2 Dial your contact's number.





## D680C Call...


### Ending a call

At the end of the call, press the handset  key and put the handset back on its charger. A sound signal is emitted.






### Receiving a call

- 1 To answer a call press the  key or simply pick the handset up from its base if the automatic pick up option is activated. You can also press **Accept**.
- 2 At the end of the call, press the handset  key and put the handset back on its charger. A sound signal is emitted.

**Note** To stop the handset ringing when an incoming call is received, press **Dismiss** .

### Choose your line

This menu allows you to select the line on which you want to make a second outgoing call (subject to service availability).

- 1 During a call, press **Options** .
- 2 Select **Selec. call line** and press **OK**.
- 3 Select your line using the keys  or .
- 4 Press **OK**. The action is confirmed by the indication "OK".

## D680C

### Call...

## Managing several calls


Your phone allows you to take and manage several calls (subject to service availability) when you are already on a call. (\*)

### Receiving a second call

During a call, a beep indicates the arrival of a second call. The contact details of the second caller are displayed on the screen.

**Case 1:** answer the new call and put the current call on hold. Press **OK**. Select **Replace** and press **OK**.

- OR -

Press the  key.

The first caller is put on hold, and you can speak with the new caller.

**Case 2:** answer the new call and end the current call.

Press **OK**.

Select **Release** and press **OK**.

The call with your first caller is ended. You can speak with the new caller.


**Note** To reject a second call, press **Release**.

### Switching from one call to the other

**Case 1:**

- During a conversation press **Options** .
- Select the options **Switch**, press **OK**.

**Case 2:**


- During a conversation press **Switch** .
- The current call is put on hold in order to take the call that was previously on hold.


(\*) You must have first enable "Concurrent calls".

## D680C Call...


### Ending one of the calls in progress

- During a conversation press **Options**.
- Choose the option **Release** using the **▲** or **▼** keys. Press **OK**.  
The current call is ended and you resume the previous call.

**Note** During the call you can hang up both calls by pressing the  key for a long time.

A short press on the red  key ends the current call.

### Talking with two contacts at the same time (3-way conference)

- During a double call, press **Options**.
- Choose the option **3-part conference** using the **▲** or **▼** keys. Press **OK**.
- You can then talk with the 2 contacts at the same time and "**3-part conference**" is displayed on the screen.
- To end the conference call, press the  key.

## D680C

### Call...


#### Making a second call

- During a conversation press **Options**.
- Choose the option **Second call** using the ▲ or ▼ keys. Press **OK**.
- Select the number for the person you want to call in the address book by pressing **↵**, and then **OK**.
- OR -
- Dial the number using the keypad and select.
- The second called number appears on the screen.

**A:** The order of the current call / double call.

**B:** The call time.

**C:** The number and/or name of the person called.



**Note** You can also select the number of the person you are calling from your address book by pressing **↵**. For more details please refer to section **"Use the phonebook"**, page 33.

You can also make a second call by pressing on the **[ ]** key.

## D680C Call...


### Transferring calls

During a call, you can transfer it to another handset. This function can be used as long as two handsets have been registered to the same base.

- During a conversation press **Options**.
- Choose the option **Intercom**. Press **OK**.

#### UNANNOUNCED TRANSFER



This function allows you to transfer the current call directly to another device.

Steps	Calling handset	Called handset
1	Press <b>OK</b> .	
2	Select the handset (or all handsets) to call.	
3	Press <b>OK</b> .	
4		Rings: internal call.
5	Press <b>Transfer</b>  .	
6		Rings: external call. Take the call.
7	Hangs up automatically.	

**Note** At the 5th step you can cancel the transfer of the call. To do this, select **Cancel** and then select.

#### ANNOUNCED TRANSFER

This function allows you to transfer the current call to another device once it has been picked up.

Steps	Calling handset	Called handset
1	Press <b>OK</b> .	
2	Select the handset (or all handsets) to call.	
3	Press <b>OK</b> .	
4		Rings: internal call.
5		Press the  key to accept the internal call.
6	The external call is put on hold.	
7	Press <b>Transfer</b>  .	
8	Hangs up automatically. The external call is transferred.	
9		Call with the external caller.

## D680C


### Call...


### Options during a call


You can use the following options during a call:


#### Enable/Disable loudspeaker (hands-free mode)


##### HANDSET LOUDSPEAKER

During the call you can activate the hands-free mode by pressing the  key.

The icon  is displayed on the screen.

To disable the hands-free mode, press the  key again.



The icon  disappears.




**Note** When your battery charging icon displays the minimum, the handsfree mode is unavailable until the next charging cycle. The handsfree mode is optimized for speaking at 50 inches from the handset.

#### Adjusting volume

##### FROM THE HANDSET

During a call you can increase or lower the volume of the handset by pressing the  or  keys on the browser.

A bar graph makes it possible to adjust the volume according to 5 levels.







## D680C Call...

### Enable the mute mode

During a call, you can switch to mute mode and your handset's microphone will be muted and your contact will no longer hear you.


#### TO ENABLE THE MUTE MODE:

- During a conversation, press **Options** .
- Select **Mute**, press **Select** . The icon  is displayed at the top of the screen.




#### TO DISABLE THE MUTE MODE:

- Press **Options** .
- Select **Unmute**, press **Select** . Your contact will hear you again.

**Note** You can also enable/disable the mute mode by pressing **Mute / Unmute**  during a call.

#### KEYBOARD SHORTCUT:

During a conversation, press and hold the  key to enable/disable the mute mode.



# D680C

## Call...


### Using additional handsets

You can associate additional handsets with your phone. You can then make and receive outside calls or calls between these handsets.

**Note** You first have to pair the handsets with the base. For further details, refer to the section **"Associating a new handset"**, page 42.

#### Calling another handset (intercom)

- Press **INT**.
- Select the handset (or all handsets) you want to call.
- Press **OK**.  
The selected handset rings.
- Take the call from the handset by pressing **[ ]**.
- End the call by pressing **[ ]**.



#### Intrusion

This function allows another paired handset to join a call in progress on another handset.

- You have a call in progress.
- Press and hold the green **[ ]** key from another paired handset.

Your handset will beep once and you can talk to all the contacts taking calls.


## D680C

Manage your contacts...


3

# Manage your contacts...

## Use the phonebook

Your phonebook is common to all the DECT handsets recorded on the same base.  
You can also directly access the list of phonebook entries using the  key.  
When browsing through the phonebook, the handset displays the number of the current entry and the total number of available entries.  
You can save up to 100 entries (24 digits and 12 characters) in the phonebook.

## Create an entry


- Press **Menu** .
- Select **Phonebook**, press **OK**.
- Select **Add** using the **▲** or **△** keys. Press **OK**.
- Specify the required information by confirming at each step:
  - **Family name**: enter your contact's last name,
  - **First name**: enter your contact's first name,
  - Enter the phone number(s) in the corresponding box (Home, Mobile and Work).
  - Select from one of the 7 available ring tones using the keys **◀** or **▶** to iniquely identify this contact.
- Press **OK** to confirm.

**Note** To enter a text, press and hold the required key until the letter is displayed on the screen.



## D680C

### Manage your contacts...




#### Call the contact from phonebook

- Press **Menu** .
- Select **Phonebook**, press **OK**.
- Select an entry using **List** or **Search** and press **OK**.
- Select **Call** and press **OK**.




#### Changing an entry

- Press **Menu** .
- Select **Phonebook**, press **OK**.
- Select an entry using **List** or **Search** and press **OK**.
- Select **Edit** and press **OK**.
- Change the last name, first name and/or phone number by deleting characters using the  key and/or the ring tone and press **OK**.  
The action is confirmed by the "OK" indication.

#### Deleting an entry

- Press **Menu** .
- Select **Phonebook**, press **OK**.
- Select an entry using **List** or **Search** and press **OK**.
- Select **Delete** using the  or  keys and press **OK**.
- For the question **Delete ?**, press **OK** to confirm the deletion of the entry.


#### Search for an entry

- Press **Menu** .
- Select **Phonebook**, press **OK**.
- Select **Search** using the  or  keys and press **OK**.
- For the request **Family name**, enter the first letter of the name, the entire name, or part of the name and press **OK**.
- Once the list is displayed, you can also directly enter the first few letters of the name sought.

## D680C

### Manage your contacts...

#### Delete all the entries





- Press **Menu** .
- Select **Phonebook**, press **OK**.
- Select **Delete all** using the **▲** or **▼** keys. Press **OK**.
- For the question **Delete all?**, press **OK** to confirm the deletion of all entries.

**Warning** This operation will erase all the files in your base. Once this is done, you will have an empty phonebook on all the handsets registered to the base.

#### Speed dialing

This function allows you to assign a keyboard shortcut to a contact in your phonebook.

**Note** To call your contact, press and hold the key assigned to the number and the number is automatically dialed.

- Press **Menu** .
- Select **Phonebook**, press **OK**.
- Select **Speed Dialing** using the **▲** or **▼** keys. Press **OK**.
- Select, using the key **▲** or **▼**, the number of the keyboard key you want to assign to your contact (0-9).
- Press **Edit** .
- Press **Phonebook** , select the contact you want to assign a keypad shortcut. Press **OK**.
- You can also directly enter the number of your choice. Once the number is entered, press **OK**. To exit the menu, press **Back**  3 times in succession.

## D680C


### Voice mail Service...


# 4 Voice mail Service...

**Note** The default voice mail number is \*99.

### Modifying the Voice mail number

This function allows you to set your voice mail number on line. Incoming calls in your absence are redirected to your telephone line's voice mail.

- Press **Menu** .
- Select **Voicemail**, press **OK**.
- The pre-stored number is displayed, and can be edited.
- Enter the voice mail number and press **OK**. The action is confirmed by the indication "**OK**".

**Note** To indicate that a new message has been received the  icon is displayed on the screen.


## D680C Audio adjustment...

5

# Audio adjustment...



### Changing the ringing tone




You can change the ringing tone of:

- outside calls,
- calls between handsets (intercom).
- Press **Menu** .
- Select **Melodies**, press **OK**.
- Select **External ringtone** to change the ringing tone for external calls.
- OR -
- Select **Internal ringtone** to change the ringing tone for internal calls.
- Scroll through the pre-recorded ringing tones and press **OK**.
- Adjust the ring tone volume and press **OK**.

### Enabling/Disabling the silent mode

In silent mode, the telephone ringer and keypad beeps are muted.

**Note** The browser  key can also be used to enable/disable the silent mode.  
When you have activated silent mode, your handset is silent for all functions of the alarm clock and timer type.  
If the silent mode is active the  icon is displayed.

- Press **Menu** .
- Select **Melodies**, press **OK**.
- Select **Silent** to change the silent mode, then press **OK**.
- The message "**Activate silent mode ?**" is displayed on the screen.
  - Press **Yes**  to confirm the enabling of the silent mode.
  - Press **No**  to cancel the enabling of the silent mode.

## D680C


### Audio adjustment...

#### Enabling/Disabling audio alerts

Audio alerts refer to:

- pressing the keypad keys,
- putting the handset on the charger,
- low battery alert,
- others (error alerts).

**Note** The enabled function is marked by the symbol .

- Press **Menu** .
- Select **Melodies**, press **OK**.
- Select **Beeps** to change the audio alerts, then press **OK**.
- Select **Keypad** and press the keys ◀ or ▶ to enable or disable the keypad beeps.
- OR -
- Select **Charger** and press the keys ◀ or ▶ to enable or disable the beep when the handset is placed on the charger.
- OR -
- Select **Battery low** and press the keys ◀ or ▶ to enable or disable the low battery warning.
- OR -
- Select **Others** and press the keys ◀ or ▶ to enable or disable the alert of action not permitted.



**D680C**  
Setting up...

## 6 Setting up...

### The phone

#### Setting the date and the time

**Note** The time format is 12 hours, use the ▶ key to set am or pm.

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Settings** using the ▲ or ▼ keys and press **OK**.
- Select **Date/time** using the ▲ or ▼ keys and press **OK**.
- The date and time setting screen is displayed, press **Edit** .
- Set the clock mode (automatic or manual) with keys ◀ or ▶.
- Press the key ▼ and then enter the date in MM/DD/YY format.
- Press the key ▼ and then enter the time in HH:MM format.
- Confirm your entry by pressing **OK**. The message "**OK**" is displayed on the screen.

**Note** If the automatic clock mode is enabled, it is not possible to change the date and time displayed on the handset.




## D680C


### Setting up...

#### Picking up and hanging up calls automatically

This function allows you to take and end a call by simply taking the handset off or placing it back on its charger.


- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Settings** using the **▲** or **▼** keys and press **OK**.
- Select **Auto hang/pick up** using the **▲** or **▼** keys and press **OK**.
- Select **Auto hangup** or **Auto pickup** using the **▲** or **▼** keys.
- Set the status (enabled or disabled) with the keys **◀** or **▶**.
- Confirm by pressing **OK**. The action is confirmed by the "OK" indication.

#### Changing the display language

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Settings** using the **▲** or **▼** keys and press **OK**.
- Select **Language** using the **▲** or **▼** keys and press **OK**.
- Select the language to be used with the keys **▲** or **▼** and press **OK**.
- The action is confirmed by the "OK" indication if the choice of language is English.


## D680C Setting up...

### Adjust the brightness

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Settings** using the **▲** or **▼** keys and press **OK**.
- Select **Display** using the **▲** or **▼** keys and press **OK**.
- Select **Brightness** using the **▲** or **▼** keys and press **OK**.
- A bar graph is used to adjust the brightness according to 8 levels.
- Select the level you want using the keys **▲** or **▼**.  
The brightness is directly visible on the screen.
- Press **OK**. The action is confirmed by the "OK" indication.

### Change the screen background

This menu allows you to change your handset screen background image.

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Settings** using the **▲** or **▼** keys and press **OK**.
- Select **Display** using the **▲** or **▼** keys and press **OK**.
- Select **Wallpaper** using the **▲** or **▼** keys and press **OK**.
- Select one of the images using the keys **▲** or **▼**.  
The image is displayed on the screen.
- Press **OK** to keep this image as a screen background.  
The action is confirmed by the "OK" indication.


## D680C Setting up...

### The handset

#### Associating a new handset

The base allows you to pair other handsets with the base. You then have to pair them so that they are recognized.

##### FROM THE BASE:






To enable the pairing mode, press and hold  (on the bottom of the base).

##### FROM THE HANDSET:

**Case 1:** The handset displays "Please Register".

- Press **OK**.
- The handset displays: "Put the base in registration & press OK".

##### Case 2:


- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the  or  keys and press **OK**.
- Select **Set handset** using the  or  keys and press **OK**.
- Select **Registration** then press **OK**.
- The handset displays: "Put the base in registration & press OK".
- Place your base in pairing mode (see previous paragraph).
- On the handset, press **OK**.
- The message "Search" is displayed.
- Once the base is detected, its name is displayed on the handset screen.
- Press **OK** to confirm.
- The message "Registration in progress" is displayed.
- The message "Registered" is displayed.
- You then automatically exit the pairing mode.

**Note** The standard pairing of a new handset is automatic if the default pin number (0000) has not been changed. Otherwise a message **Enter code** prompts you to enter the new PIN number. If an error occurs, the message **Registration Fail** is displayed prompting you to repeat the whole procedure.

## D680C Setting up...

### Customizing the handset's registration


This function allows you to pair your handset with a phone base (if you have more than one).

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the  $\blacktriangle$  or  $\blacktriangledown$  keys and press **OK**.
- Select **Set handset** using the  $\blacktriangle$  or  $\blacktriangledown$  keys and press **OK**.
- Select **Handset Version** using the  $\blacktriangle$  or  $\blacktriangledown$  keys and press **OK**.
- Select **Person.registr** using the  $\blacktriangle$  or  $\blacktriangledown$  keys and press **OK**.

#### FROM THE HANDSET:

- 1 Select the base number and confirm.
- 2 Enter the new base name and confirm.
- 3 Enter the base code.


#### FROM THE BASE:

- 4 To enable the pairing mode, press and hold  (on the bottom of the base).
- 5 Once the handset is registered, a screen asks you to specify which position you would attribute to the registered handset. Use keys  $\blacktriangle$  or  $\blacktriangledown$  and press **OK**. The pairing mode is automatically exited.

### Defining the main base for your handset

This function allows you to specify the priority base to be used for making calls.

**Note** Only if you have paired the same handset on several bases.

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the  $\blacktriangle$  or  $\blacktriangledown$  keys and press **OK**.
- Select **Set handset** using the  $\blacktriangle$  or  $\blacktriangledown$  keys and press **OK**.
- Select **Base priority** using the  $\blacktriangle$  or  $\blacktriangledown$  keys and press **OK**.
- Select the base using the  $\blacktriangle$  or  $\blacktriangledown$  keys that the handset should use first . Press **OK**.


**Note** In automatic mode your handset will automatically select the most suitable base..

## D680C


### Setting up...

#### Modifying the country

This menu allows you to select the country where you are using the telephone


- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set handset** using the **▲** or **▼** keys and press **OK**.
- Select **Country** using the **▲** or **▼** keys and press **OK**.
- Select the country using the **▲** or **▼** keys and press **OK**.

#### Handset version

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set handset** using the **▲** or **▼** keys and press **OK**.
- Select **Handset Version** using the **▲** or **▼** keys and press **OK**.  
The software and EEPROM version of the D680C handset is displayed on the screen.

#### Resetting the handset

When you reset your handset, all the settings are returned to their initial values (factory settings), except for the phonebook.


- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set handset** using the **▲** or **▼** keys and press **OK**.
- Select **Reset handset** using the **▲** or **▼** keys and press **OK**.
- On a confirmation request "**Reset handset ?**", press **Yes**.
- The action is confirmed by the "**Handset reset**" indication.
- A list of language is displayed.
- Select the language to be used using the **▲** or **▼** keys and validate by pressing **OK**.
- A list of country is displayed.
- Select the country using the **▲** or **▼** keys and validate by pressing **OK**.
- The date and time setting menu is displayed.
- Enter the right date. Press the key **▼**, and enter the time. Press **OK**.
- The action is validated by the "**OK**" indication

## D680C Setting up...

### The base


#### Changing the base code



The base code (PIN number) is 0000 by default, but can be changed to 4 other numbers. You will be prompted to enter it, for example, when registering a new handset.

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set base** using the **▲** or **▼** keys and press **OK**.
- Select **Change code** using the **▲** or **▼** keys and press **OK**.
- At the "**Old code**" prompt, enter the old 4-digit code and then confirm by pressing **OK**.
- At the "**New code**" prompt, enter the new 4-digit code and then confirm by pressing **OK**.
- At the "**Confirm code**" prompt, enter the new code again and then confirm by pressing **OK**.
- The action is confirmed by the "**OK**" indication.

#### Resetting the base


When you reset your base, all the settings are returned to their initial values (factory settings), except for the phonebook.



- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set base** using the **▲** or **▼** keys and press **OK**.
- Select **Reset base** using the **▲** or **▼** keys and press **OK**.
- On a confirmation request "**Base reset ?**", press **OK**.
- The action is confirmed by the "**OK**" indication.



## D680C Setting up...

### Base version

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set base** using the **▲** or **▼** keys and press **OK**.
- Select **Base Version** using the **▲** or **▼** keys and press **OK**.
- The following information is displayed:
  - base software version,
  - EEPROM version,
  - base hardware version.





## D680C Setting up...

### The line

This menu allows you to change the settings of the lines on the base.


**Important** We do not recommend that you change line settings without first contacting your operator, as this may result in your phone line being disconnected.


#### Change the line name

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set line** using the **▲** or **▼** keys and press **OK**.
- Select **Line name** using the **▲** or **▼** keys and press **OK**.
- Press **Edit**  to change the line name using the alphanumeric keys.
- Enter your line name by successively pressing the corresponding keys, press **OK**.

#### Pair the handset with a line

This menu allows you to display the list of handsets paired with the line used.

**Note** The enabled function is marked by the symbol .


- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set line** using the **▲** or **▼** keys and press **OK**.
- Select **Attached HS** using the **▲** or **▼** keys and press **OK**.
- Enter the base code and press **OK**.
- The list of paired handsets is displayed on the screen.
- Select the desired handset using the **▲** or **▼** keys.
- Press the keys **◀** or **▶** to pair/unpair the handset with/from the line used (the paired handset is then unpaired and vice versa).
- Press **OK**. The action is confirmed by the "OK" indication.



## D680C Setting up...

### Allow three-way communication (Intrusion)

This intrusion function allows or prohibits a second handset registered on the same base to share an ongoing conversation. If the intrusion mode is enabled, you will then be able to share a call in process with another handset.


- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set line** using the **▲** or **▼** keys and press **OK**.
- Select **Configuration** using the **▲** or **▼** keys and press **OK**.
- Select **Intrusion** using the **▲** or **▼** keys and press **OK**.
- Change the status using the keys **◀** or **▶** and press **OK**.  
The action is confirmed by the indication "**OK**".



**Note** The intrusion is inactive if the simultaneous function is enabled.

### Changing the flash duration

You can configure the flash duration if you use your phone abroad or on private PABX network, you may need to modify the flash duration in order to use your telephone correctly with regard to the following functionalities: outgoing 2nd call, incoming 2nd call, 3 way calling.

Please contact your service provider to obtain the correct flash duration and then modify it by doing the following.

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Set line** using the **▲** or **▼** keys and press **OK**.
- Select **Flash time** using the **▲** or **▼** keys and press **OK**.
- Select **Edit** using the **▲** or **▼** keys and press **OK**.
- Select the appropriate flash duration using the **▲** or **▼** key and press **OK**.  
The action is confirmed by the indication "**OK**".






## D680C Setting up...

### Call management

This menu allows you to select the line on which you want to make your first outgoing call.

#### Managing your calls

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Selec. call line** using the **▲** or **▼** keys and press **OK**.
- The list of lines available is displayed on the screen.
- Select your line using the keys **▲** or **▼** and press **OK**.  
The action is confirmed by the indication "**OK**".




## D680C

### Setting up...

## The list of handsets

This menu displays the list of handsets registered on the same base.

### Manage handsets

- Press **Menu** .
- Select **Settings**, press **OK**.
- Select **Advanced settings** using the **▲** or **▼** keys and press **OK**.
- Select **Handset list** using the **▲** or **▼** keys and press **OK**.
- The list of handsets registered on the base is displayed on the screen.
- Select the desired handset using the keys **▲** or **▼** and press **OK**.
- You can perform the following actions:

#### Change the handset name: " Edit "

Change the handset name using the alphanumeric keys. Press **Clear**  to delete unwanted characters. Press **OK**.

#### Call the handset: " Call "

Call the selected handset.

#### Remove the handset: " Delete "

Remove the handset's registration.

At the confirmation prompt "**Delete handset?**" press **OK**. The action is confirmed by the indication "**OK**".

#### Intercept the handset: "Interception"

Allow the handset to intercept a call.

The message "**Enter code**" is displayed. Enter the base PIN code (0000 by default), press **OK**.

Then select **On** or **Off** and press **OK**.

The action is confirmed by the indication "**OK**".

## D680C Accessories...



# 7 Accessories...

## The alarm

**Note** The alarm clock function arranges your handset to ring each day at a specified time. Once a time is programmed, the selected ring tone rings for 60 seconds through the handset loudspeaker and a warning screen is displayed. To stop the warning, press any key on the handset.

## Programming the alarm

In silent mode, phone the ring tone and the beeps are deactivated.



- Press **Menu** .
- Select **Accessories**, press **OK**.
- Select **Alarm** using the **▲** or **▼** keys then press **OK**.
- The alarm clock setting screen is displayed, press **Edit** .
- Set the alarm clock status using the keys **◀** or **▶**.
- Press the key **▼** and set the alarm clock:
  - wake-up time,
  - ring tone,
  - ringer volume.
- Press **OK** key. The action is confirmed by the "OK" indication.

## D680C Accessories...

### The timer

**Note** The timer function enables the handset to ring after a programmed time. You can view the time countdown in minutes on the screen.

#### Program the timer

- Press **Menu** .
- Select **Accessories**, press **OK**.
- Select **Timer** using the **▲** or **▼** keys and press **OK**.
- The timer setting screen is displayed, press **Edit** .
- Set the timer status using the key **◀** or **▶**.
- Press the key **▼** to enable or disable the timer display.
- Press the key **▼** and adjust the timer settings:
  - wake-up time,
  - ring tone,
  - ringer volume.
- Press **OK** key. The action is validated by the "OK" indication.

## D680C Tracking your calls...

### 8

## Tracking your calls...





### Call logs



Logs are lists of numbers or events received or sent by your phone. Depending on your phone company and the options of your contract, the following information may be accessed in the call logs:

- the date and time of the call.
- the contact's name and/or number.

#### Displaying the list of all calls

**Note** The numbers stored in the call log are prefixed by a symbol:

-  : List of incoming calls,
-  : List of outgoing calls,
-  : List of missed calls,
-  : List of events (missed calls, operator messages).


- Press **Menu** .
- Select **Calls**, press **OK**.
- Select **All calls** using **▲** or **▼** keys, then press **OK**.
- The last call is displayed with its date and time, its status (incoming, outgoing, missed), name and/or number.
- Scroll through the numbers stored in the list using the **▲** or **▼** keys.
- Select the call you wish to view and press **OK**.
- The following information is displayed:
  - the call status (incoming/outgoing/missed),
  - the contact's name,
  - the contact's number,
  - the call date,
  - the call time.
- Press **Back**  to return to the previous menu.

## D680C

### Tracking your calls...

#### Viewing the received or dialed call log

**Note** Unknown calls are not included in the received call log.


- Press **Menu** .
- Select **Calls**, press **OK**.
- Select **Incoming calls**, (or **Outgoings calls**) using **▲** or **▼** keys then press **OK**.
- The last received call (or dialed number) is then displayed.
- The other calls are displayed using the keys **▲** or **▼**.
- Scroll through the numbers stored in the list using the **▲** or **▼** keys.
- Select the call you wish to view and press **OK**.
- The following information is displayed:
  - the call status (incoming/outgoing/missed),
  - the contact's name,
  - the contact's number,
  - the call date,
  - the call time.

**Note** The last call is only displayed at the top of the list on the first viewing of the list after the call.



## D680C

### Tracking your calls...

#### Consulting the missed call log

The  icon is displayed if there are one or more new missed call and no viewed calls.

**Note** Once the missed call log has been viewed, the icon disappears from all handsets.

- Press **Menu** .
- Select **Calls**, press **OK**.
- Select **Missed calls** using the **▲** or **▼** keys, then press **OK**.
- The latest missed call is displayed.
- The other calls are displayed using the arrows.
- Scroll through the numbers stored in the list using the **▲** or **▼** keys.
- Select the call you wish to view and press on **OK**.
- The following information is displayed:
  - the call status (received/sent/missed),
  - the contact's name,
  - the contact's number,
  - the call date,
  - the call time,
  - the number of missed calls.
- Press **Back**  to return to the previous menu.




## D680C

### Tracking your calls...


#### Managing incoming or outgoing calls

##### Menu > Calls

- Press **Menu** .
- Select **Calls**, press **OK**.
- Select **All calls** or **Outgoings calls** or **Incoming calls** or **Missed calls** then press **OK**.
- The list of calls (incoming/outgoing/missed) is displayed.
- Select the desired call and press **OK**, to view details.
- The following information is displayed:
  - the call status (incoming, outgoing, missed),
  - the contact's name,
  - the contact's number,
  - the call date,
  - the call time,
  - the number of missed calls.
- Press **Options** for the actions you can perform:
  - **Call**: call the displayed number,
  - **Delete**: delete the stored number,
  - **Store**: save the number in your phonebook,
  - **Delete all**: delete all the numbers in the list.

## D680C Tracking your calls...


### The events log

**Note** The  icon is displayed if there is one or more voice mail messages.

### Checking new events

A summary screen for the number of events that occurred in your absence is displayed:

- number of missed calls,
- operator messages.



### Menu > Calls

- Press **OK**.
- Select **Events** then press **OK**.
- Select **Missed** or **Voicemail** using the keys **▲** or **▼** and press **OK**. The event appears on the screen.

# D680C

## Environment

# Environment

Environmental protection and sustainable development is an important priority for Sagemcom. Sagemcom has a policy of using environmentally- friendly systems and makes environmental protection an essential part of the life-cycle of its products – from the manufacturing, to the installation, operation and disposal.

## Packaging

The Cardboard used for the packaging is recyclable. Please follow the local sorting regulations for this type of waste in order to improve recycling.

## Batteries

The used batteries must be disposed of in line with the local recycling regulations.

### Battery Safety Instructions

Do not burn, disassemble, mutilate, or puncture the battery. The battery contains toxic materials that could be released, resulting in injury.

### CAUTION

There is a risk of explosion if you replace the battery with an incorrect battery type. Use only the battery pack that came with your phone or an authorized replacement recommended by the manufacturer.

- Keep battery packs out of the reach of children.
- Remove battery packs if storing over 30 days.
- Do not dispose of battery packs in fire, which could result in explosion.
- The rechargeable battery packs that power this product must be disposed of properly and may need to be recycled. Refer to your battery's label for battery type. Contact your local recycling center for proper disposal methods.

## The product



The crossed out dustbin displayed on the product signifies that it belongs to the electrical and electronic equipment group. The regulations request you to carry out your own selective recycling collection at:

- the sales outlet when you buy a similar new device.
- the collection points available in your area (recycling centres, sorting points, etc).

This means you participate in the recycling and validation of used electric and electronic goods which would otherwise have a negative impact on the environment and health.

## D680C Guarantee

# Guarantee

### Limited warranty

#### What does this limited warranty cover?

Sagemcom warrants to the holder of a valid proof of purchase ("Consumer" or "you") that the Product and all accessories provided in the sales package ("Product") are free from defects in material and workmanship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the Product operating instructions. This limited warranty extends only to the Consumer for Products purchased and used in the United States of America.

What will Sagemcom do if the Product is not free from defects in materials and workmanship during the limited warranty period ("Materially Defective Product")?

During the limited warranty period, Sagemcom's authorized service representative will repair or replace at Sagemcom's option, without charge, a Materially Defective Product. If we repair the Product, we may use new or refurbished replacement parts. If we choose to replace the Product, we may replace it with a new or refurbished Product of the same or similar design. We will retain defective parts, modules, or equipment. Repair or replacement of the Product, at Sagemcom's option, is your exclusive remedy. Sagemcom will return the repaired or replacement Products to you in working condition. You should expect the repair or replacement to take approximately 30 days.

#### How long is the limited warranty period?

The limited warranty period for the Product extends for ONE (1) YEAR from the date of purchase. If Sagemcom repairs or replaces a Materially Defective Product under the terms of this limited warranty, this limited warranty also applies to the repaired or replacement Product for a period of either (a) 90 days from the date the repaired or replacement Product is shipped to you or (b) the time remaining on the original one-year warranty; whichever is longer.

# D680C

## Guarantee

### What is not covered by this limited warranty?

This limited warranty does not cover:

- 1 Product that has been subjected to misuse, accident, shipping or other physical damage, improper installation, abnormal operation or handling, neglect, inundation, fire, water or other liquid intrusion; or
- 2 Product that has been damaged due to repair, alteration or modification by anyone other than an authorized service representative of Sagemcom; or
- 3 Product to the extent that the problem experienced is caused by signal conditions, network reliability, or cable or antenna systems; or
- 4 Product to the extent that the problem is caused by use with non-Sagemcom accessories; or
- 5 Product whose warranty/quality stickers, product serial number plates or electronic serial numbers have been removed, altered or rendered illegible; or
- 6 Product purchased, used, serviced, or shipped for repair from outside the United States of America or Canada, or used for commercial or institutional purposes (including but not limited to Products used for rental purposes); or
- 7 Product returned without a valid proof of purchase (see item 2 below); or
- 8 Charges for installation or set up, adjustment of customer controls, and installation or repair of systems outside the unit.

### How do you get warranty service?

To obtain warranty service in the USA, please visit our website at [www.sagemcom.com](http://www.sagemcom.com).

**NOTE:** Before calling for service, please review the user's manual - a check of the Product's controls and features may save you a service call.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the Product(s) to the service location. Sagemcom will return repaired or replaced Product under this limited warranty. Transportation, delivery or handling charges are prepaid. Sagemcom assumes no risk for damage or loss of the Product in transit. If the Product failure is not covered by this limited warranty, or proof of purchase does not meet the terms of this limited warranty, Sagemcom will notify you and will request that you authorize the cost of repair prior to any further repair activity. You must pay for the cost of repair and return shipping costs for the repair of Products that are not covered by this limited warranty.

## D680C

### Guarantee

#### What must you return with the Product to get warranty service?

- 1 Return the entire original package and contents including the Product to the Sagemcom service location along with a description of the malfunction or difficulty; and
- 2 Include a "valid proof of purchase" (sales receipt) identifying the Product purchased (Product model) and the date of purchase or receipt; and
- 3 Provide your name, complete and correct mailing address, and telephone number.

#### Other limitations





This warranty is the complete and exclusive agreement between you and Sagemcom. It supersedes all other written or oral communications related to this Product. Sagemcom provides no other warranties for this Product. The warranty exclusively describes all of Sagemcom's responsibilities regarding the Product. There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification.




**State/Provincial Law Rights:** This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state or province to province.

**Limitations:** Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the Product is fit for ordinary use) are limited to one year from the date of purchase. Some states/provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall Sagemcom be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the Product or other associated equipment, the cost of substitute equipment, and claims by third parties) resulting from the use of this Product. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Privacy of communications may not be ensured when using this telephone!





**Sagemcom Broadband SAS**  
250, route de l'Empereur - 92848 Rueil-Malmaison - France  
Tél. +33(0)1 57 61 10 00 - Fax : +33(0)1 57 61 10 01  
[www.sagemcom.com](http://www.sagemcom.com)

