iBN43 IB Size: 153mm x 120mm Printing color: Black Dec. 22, 14.



P1

### Introduction

# iBN43

Thank you for purchasing the iHome iBN43. This product is designed to provide high quality wireless sound for your iPad, iPhone, iPod, computer, or other Bluetooth audio device.

The dual alarms on this iHome clock radio can be set and used independently, so you can program each alarm to wake you up to a paired Bluetooth device, 4 separate alarm tones, the FM stereo radio, or a buzzer alarm. You may set each alarm for weekday, weekend, or everyday operation, and even adjust the alarm volume separately from your normal listening volume. If the power is out at your selected wake up time, the SureAlarm battery backup system will activate the electronic buzzer alarm to get you up on time even

This instruction booklet explains the basic operation and care of the unit. Please read them carefully and keep for future reference.

This unit features NFC (near field communication) technology which allows you to wirelessly connect your NFC-enabled device to instantly 'pair and play'. See your device's user manual for details on how to interact with NFC devices.

If your Bluetooth device does not support NFC, you can pair it manually with this unit.

### Maintenance

- Place the unit on a level surface away from sources of direct sunlight or excessive heat.
- Protect your furniture when placing your unit on a natural wood and lacquered finish. A cloth or other protective material should be placed between it and the furniture.
- Clean your unit with a soft cloth moistened only with mild soap and water. Stronger cleaning agents, such as benzene, thinner or similar materials can damage the surface of the unit.

# iBN43


# Table of Contents


Meet Your iBN43
The Display/Setting Up the Unit
Setting the Clock/ FM Radio
Setting and Using FM Presets
Setting and Using the Alarms
Previewing and Turning Alarm Off/Setting Gentle Wake Timer
Snooze/Dimmer Button/Sleep and Nap Modes
Using Bluetooth: Pairing & Playing Your Device Using NFC
Pairing Your Device Manually
Playing Audio Via Bluetooth/Using the Speakerphone12
Playing Audio Via Aux-in/Charging Devices via USB Port
Using FM Radio in Other Countries
Replacing and Installing Clock Backup Batteries
Troubleshooting
Consumer Product Safety Guide
FCC Information
Warranty

# P4


# <section-header><section-header><section-header><section-header><text>

1





Ρ7



P9

# Setting the Clock

1. Press and hold the Equalizer/Time Set Button for 2 seconds until the clock display flashes and unit beeps.



- Press the or + Buttons to adjust the clock to the current time (hold for rapid setting). Make sure you set the correct AM/PM time. The AM and PM indicators appear to the left of the display. To toggle the clock display between standard 12 hour time and 24 hour ("military") time display, press the Alarm 1 or Alarm 2 Button during time setting.
- Press the Equalizer/Time Set Button again to confirm the time. The year will flash. Press the or + Buttons to adjust the display to the current year (hold for rapid setting).
- 4. Press the **Equalizer/Time Set Button** to confirm the year. The date will flash. Press the or + **Buttons** to adjust the display to the current month and date (hold for rapid setting).
- 5. Press the **Equalizer/Time Set Button** to confirm the time and exit clock setting mode. 2 beeps will confirm clock setting is complete.

### FM Radio

1. Press and release the **Mode Button** as needed until the current FM radio station appears on the display.



 Press the - or + Buttons to tune the radio to the desired station (hold for 2 seconds to search for the next clear station). Extend the FM antenna for best reception. (Continued on next page)

# Using the iBN43

- Press the 

   or 
   Suttons to adjust the volume on the unit. To adjust the tone, press and release the Equalizer/Time Set Button as needed to cycle to Treble, Bass, or Balance, then press the or + Buttons to adjust for best sound.
- 4. When you are through listening, press the Power Button to turn the unit off.

# Setting and Using FM Presets

FM Radio (cont'd)

The unit allows you to store up to 6 FM radio station presets

- 1. Press and release the **Mode Button** as needed until the current FM radio station appears on the display.
- Press and release the ►II /Presets Button as needed until the preset number (P1- P6) you wish to sets is displayed, then press and hold the ►II /Presets Button to enter setting mode. One beep will sound.
- 3. Press the or + Buttons to tune the radio to the desired station (hold to scan for the next clear station).
- 4. Press and release the ►II/Presets Button to confirm. 2 beeps will sound to confirm the preset has been assigned. Repeat steps 2 4 until you have set up to 6 preset stations.
- To listen to a preset FM station at any time, press and release the Mode Button as needed to turn on FM radio mode then press and release the ►II /Presets Button as needed to cycle to the desired preset.

# Using the iBN43

# Setting and Using the Alarms

This unit has 2 separate alarms, each set the same way. Below we explain how to set alarm 1. To set alarm 2, follow the same steps using the Alarm 2 Button.

- 1. Press and hold the Alarm 1 Button for 2 seconds until the alarm time flashes at the bottom of the display.
- Press the or + Buttons to adjust the display to the desired alarm time (hold for rapid setting). Make sure you set the correct AM/PM alarm time. The AM and PM indicators appear to the right of the alarm time display.
- 3. Press the Alarm 1 Button to confirm the alarm time setting. The alarm schedule display will flash.
- Press the or + Buttons to select the desired wake schedule: wake 7 days = every day of the week, wake weekdays = Monday through Friday, wake weekends = Saturday and Sunday.
- 5. Press the Alarm 1 Button to confirm the alarm schedule setting. The wake-to source display will flash.
- 6. Press the or + Buttons to select the desired wake to alarm source: Bluetooth (BT), radio, tone or buzzer.

Wake to Bluetooth (BT): You will wake to the currently linked Bluetooth device. If no device is detected, the alarm will default to current Tone.

Wake to Radio: Press the Alarm 1 Button to confirm radio mode selection. Press the ►II /Presets Button to select an FM preset to wake to, or press the - or + Buttons to tune in a desired wake to station.

Wake to Tone: Press the Alarm 1 Button to confirm tone mode selection. Press the – or + Buttons to select one of four built in tones (Tone 1 - Tone 4).

Wake to Buzzer: You will wake to the buzzer alarm.

7. Press the **Alarm 1 Button** to confirm the wake-to source setting. The alarm volume display will flash. (*Continued on next page*)

# Setting and Using the Alarms (cont'd)

- larms (cont'd) Using the iBN43
- 8. Press the or + Buttons to adjust the alarm volume on the unit. Note that the alarm volume setting is stored separately from other volume settings.
- Press the Alarm 1' Button to confirm the alarm settings and exit alarm setting mode. 2 beeps will confirm alarm setting is complete. The alarm icon will remain on the display, indicating the alarm is armed.

# Previewing the Alarm and Turning the Alarm On/Off

- 1. Press and release the Alarm Button to view the current alarm time and wake-to source.
- While preview is active (within 5 seconds), press and release the Alarm Button as needed to toggle the alarm ON and OFF, indicated by the alarm icon and a beep.

### Alarm Skip

If Alarm 1 or Alarm 2 is active, press and release the **Wakeup/Alarm Skip Button** to skip the next pending alarm time. The display will show "ALM 1 SKIP" or "ALM 2 SKIP" until the specified alarm time is passed, then alarm skip is deactivated and the unit returns to normal alarm function.

### Setting the Gentle Wake Timer

The unit has an adjustable Gentle Wake feature that gradually increases the volume of the alarm from 05 up to the set wake volume over time (the default duration is 15 seconds). You can adjust the duration of the gradual volume increase from 15, 30, 45, 60, 90, or 120 seconds or to OFF. Setting the duration to OFF will turn off Gentle Wake: the alarm will sound at the set alarm volume without a gradual volume increase.

- 1. To set the Gentle Wake duration, press and hold the **Wakeup/Alarm Skip Button** for 2 seconds until the Gentle Wake duration time flashes on the display.
- Press the or + Button to adjust the Gentle Wake time from 15 seconds up to 120 seconds (or off).
- 3. Press and release the Wakeup/Alarm Skip Button. 2 beeps will confirm Gentle Wake duration setting.

NOTE: The Gentle Wake duration does not affect the overall alarm cycle, which lasts for 1 hour.

# Using the iBN43

# Snooze/Dimmer Button

- 1. To program Snooze, press and hold the **Snooze/Dimmer Button** during normal operation (when no alarm is sounding).
- 2. Press the or + Buttons to select the desired snooze time (between 1 and 29 minutes).
- 3. Press and release the Snooze/Dimmer Button to confirm Snooze setting.
- 4. While the alarm is sounding, press and release the **Snooze/Dimmer Button** to temporarily silence the alarm for the set duration (9 minutes is the default). Snooze can be used several times during alarm.
- 5. To adjust the brightness of the display, press and release the **Snooze/Dimmer Button** during normal operation (when no alarm is sounding) to cycle through the display brightness settings.

# Sleep and Nap Modes

This unit allows you to sleep or nap to the current sound source.


- 1. To set Sleep time, press and release the **Sleep Button** as needed to cycle to the desired sleep duration:
  - 120, 90, 60, 30 or 15 minutes or OFF (turns the unit off).
- 2. Press the or •) Buttons to adjust the sleep volume on the unit. Note that the sleep volume setting is stored separately from other volume settings.
- 3. To set Nap time, press and release the **Nap Button** as needed to cycle to the desired nap duration: 5, 10, 15, 20, 30, 45, 60, 90 or 120 minutes or OFF (turns the nap alarm off).

P14

# Using Bluetooth: Pairing and Playing Your Device Using NFC

This unit features wireless NFC pairing, which allows playing NFC–enabled devices to pair and play instantly. For pairing non-NFC devices, please see the following section "Pairing Your Device Using Standard Bluetooth".

- 1. Turn on your Bluetooth–enabled/NFC–enabled device and turn on Bluetooth and NFC capability as described in the device's user manual.
- 2. Place your NFC-enabled device in play mode.
- 3. Touch the NFC area of your playing device against the NFC antenna area on top of the unit. The unit will turn on and enter automatic pairing mode. The Bluetooth icon will flash on the display, indicating pairing attempt. "iHome iBN43" should appear on your device's menu. If your device asks if you wish to pair, accept (select "Yes" or similar).Once paired with a device, the Bluetooth indicator on the iBN43 display will stop flashing then the Bluetooth icon will remain.



- 4. Press the Play/Pause/Presets Button play or pause audio.
- 5. Press the or •) Buttons to adjust the volume on the unit. You can also adjust volume on your device.
- 6. When done listening, press the **Power Button** to turn the unit OFF. Remember to turn off your audio device, too.

NOTE: To disconnect your device, simply touch it again on the NFC antenna area on top of the unit.

10


P14

# Turn on your Bluetooth-enabled device and turn on Bluetooth capability as described in the device's user manual.

2. Press the **Power Button** to turn the unit ON.

Pairing Your Device Manually

- 3. Press and release the Mode Button as needed until "BLUETOOTH" appears on the display.
- 4. Press and hold the Nap/Pairing Button on the top of the unit for 2 seconds to begin pairing the unit with your device. The Bluetooth icon will flash on the display, indicating pairing attempt. "iHome iBN43" should appear on your device's menu. If "Not Paired", "Not Connected" or similar message appears on your device, select "iHome iBN43" on the device to connect it. If your device asks for a password, enter **1234** on device's keypad.



If no device is paired within 3 minute, a tone will sound and the unit will revert to its previous mode. To retry pairing, turn the unit OFF then back ON, then follow steps 2 - 4 again.

5. Once paired with a device, the **Bluetooth** indicator on the display will stop flashing but the Bluetooth icon will remain. On some devices, you must then select "Use as Audio Device" or similar on the device's Bluetooth menu. Once paired, your device should link to the iBN43 whenever within range.

P15

- 1. Press and release the Mode Button as needed until "BLUETOOTH" appears on the display.
- 2. Press the presets Play/Pause/Presets Button on the unit to play audio from your linked Bluetooth device.
- 3. Press the or + Buttons on the unit to go to the previous or next track. (This function may be disabled on some devices).
- Press the or •) Buttons to adjust the volume on the unit. To adjust the tone, press and release the Equalizer/Time Set Button as needed to cycle to Treble, Bass, Balance, or 3D Sound, then press the or + Buttons to adjust for best sound.
- 5. When done listening, press the **Power Button** to turn the unit off. Remember to turn off your audio device, too.

# Using the Speakerphone

Playing Audio Via Bluetooth

NOTE: The unit does NOT have to be powered on to receive a call. A Bluetooth phone must be linked.

- When a call is received, playing music is muted to hear the ring tone and "PHONECALL" appears on the display. Press the UTalk Button to answer the call, or press the CTAL Button to ignore it.
- 2. When the call is completed, press the **n** End Button to end the call and resume previous function.

Call waiting:	Press the $ullet$ Talk Button to put the current call on hold and answer
	a new one.
	Press again to return to the previous call/toggle between calls.
Redial:	Press the 🕒 Talk Button twice (2X) to dial the last called number.

# Playing Audio via Aux-In


# Using the iBN43

- 1. Connect one end of the included standard stereo 3.5mm audio cable into the aux-in jack on the back of the unit and the other end into the headphone or output jack of your audio device.
- 2. Press the **Power Button** on the unit to turn it on.
- 3. Press and release the Mode Button as needed until "AUX-IN" appears on the display.
- 4. Turn on your audio device and put it in play mode.
- 5. Press the or •) Buttons to adjust the volume on the unit. You may need to adjust the volume on your device, too.
- 6. When done listening, press the **Power Button** to turn the unit off. Remember to tun off your audio device, too.

# Charging Devices via USB Port

- Connect the standard size end of a USB cable (not included) to the USB Port on back of the unit and connect the other end to the charging port on your device.
- Monitor the charging on your device. Some devices use a proprietary charging method and will not charge using the USB Port. If this happens, you must charge your device using the charger that came with it.

NOTE: unit must be plugged into working outlet to charge devices





P17

# Using FM Radio in Other Countries

Different areas of the world use different FM frequency steps and ranges. By default, this unit is set to USA frequency steps. To use the radio outside the USA:

- 1. Make sure unit is OFF. Press and hold the **Mode Button** for 5 seconds until "USA" appears in the display.
- Press and release or + Buttons to cycle to your location: Europe, Japan, Australia, China or USA.
- 3. Press the Mode Button again to exit frequency setting mode.

P18

### Replacing and Installing Clock Backup Batteries

### Note: 2 AA batteries are included in the unit. Please pull out the battery pull tab before you use the unit.

This model is equipped with a battery backup circuit that will maintain the time and alarm time settings in the event of a temporary power interruption. The battery backup circuit will also operate the buzzer alarm to wake you up at the selected wake up time even if the power is out. The battery backup circuit requires two AA batteries, included.

When the backup batteries are getting weak the Low Backup Battery Indicator will begin flashing in the display. When you see this flashing indicator you should replace the backup batteries as soon as possible. Follow steps 1 - 3 below to install the replacement batteries.

### To replace the backup batteries:

IMPORTANT: When replacing the backup batteries be sure to have the unit connected to the AC outlet to maintain all of your settings, otherwise it will be necessary to reset the time and alarm time after the battery is replaced.

1. Remove the battery cover located on the bottom of the unit and remove the

exhausted AA batteries. 2. Insert 2 fresh AA batteries in the backup battery compartment with the "+/-" ends facing as shown.


3. Replace the batter compartment cover. Confirm that the backup battery indicator is not flashing in the display.

Note: Make sure you dispose of all batteries properly (see your local regulations).

For models that require more than one battery

- Do not mix with used or other battery types/brands
- Replace all batteries at the same time
- Do not open batteries Do not dispose of in fire

- Do not heat above 75°C (167°F)
- Do not expose contents to water
- Do not charge or recharge Do not install backwards



# Troubleshooting

# Unit doesn't respond (no power)

- Check that all connections are correct and properly plugged in.
- Make sure your device is properly paired with the iBN43.
- Make sure the **Power** is ON.

# Unit doesn't respond (locked up or frozen)

The unit may need to be reset. To do so, disconnect the unit from AC power and remove the backup batteries. Let unit sit for 3-5 minutes. Re-install backup batteries and reconnect to AC power.

# Trouble pairing device/computer with iBN43

Bluetooth implementation varies depending on your device's hardware and operating system. Please see our website for updates on pairing.

- When you power ON the unit, it will automatically link with the last previously paired Bluetooth device if the device is still within range (about 30 feet). To pair with a different device you must turn off Bluetooth capability on the already paired device, or take it out of range.
- Make sure your device is working properly. Check your device's manual for details on Bluetooth pairing and linking.

For further information and to see the latest instructions, visit www.ihome.com/support



# Consumer Product Safety Guide

When used in the directed manner, this unit has been designed and manufactured to ensure your personal safety. However, improper use can result in potential electrical shock or fire hazards. Please read all safety and operating instructions carefully before installation and use, and keep these instructions handy for future reference. Take special note of all warnings listed in these instructions and on the unit.

- 1. Water and Moisture The unit should not be used near water. For example: near a bathtub, washbowl, kitchen sink, laundry tub, swimming pool or in a wet basement.
- 2. Ventilation The unit should be situated so that its location or position does not interfere with its proper ventilation. For example, it should not be situated on a bed, sofa, rug or similar surface that may block ventilation openings. Also, it should not be placed in a built-in installation, such as a bookcase or cabinet, which may impede the flow of air through the ventilation openings.
- Heat The unit should be situated away from heat sources such as radiators, heat registers, stoves or other appliances (including amplifiers) that produce heat.
- 4. **Power Sources** The unit should be connected to a power supply only of the type described in the operating instructions or as marked on the appliance.
- 5. Power-Cable Protection Power supply cables should be routed so that they are not likely to be walked on or pinched by items placed upon or against them. It is always best to have a clear area from where the cable exits the unit to where it is plugged into an AC socket.
- 6. Cleaning The unit should be cleaned only using a warm damp cloth. Do not use solvents, etc.
- Objects and Liquid Entry Care should be taken so that objects do not fall and liquids are not spilled into any openings or vents located on the product.

- P21
- 8. Attachments Do not use attachments not recommended by the product manufacturer.
- 9. Lightning and Power Surge Protection Unplug the unit from the wall socket and disconnect the antenna or cable system during a lightning storm or when it is left unattended and unused for long periods of time. This will prevent damage to the product due to lightning and power-line surges.
- 10. **Overloading** Do not overload wall sockets, extension cords, or integral convenience receptacles as this can result in a risk of fire or electric shock.
- Damage Requiring Service The unit should be serviced by qualified service personnel when:
   A. the power supply cable or plug has been damaged.
  - B. objects have fallen into or liquid has been spilled into the enclosure.
  - C. the unit has been exposed to rain.
  - D. the unit has been dropped or the enclosure damaged.
  - E. the unit exhibits a marked change in performance or does not operate normally.
- 12. **Periods of Nonuse** If the unit is to be left unused for an extended period of time, such as a month or longer, the power cable should be unplugged from the unit to prevent damage or corrosion.
- 13. Servicing The user should not attempt to service the unit beyond those methods described in the user's operating instructions. Service methods not covered in the operating instructions should be referred to qualified service personnel.

### Questions? Visit www.ihome.com or call 1–800–288–2792 Toll Free

# FCC Information

### **FCC Radiation Exposure Statement**

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

This device may not cause interference, and

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

This device complies with Part 15 of the FCC Rules, operation is subject to the following two conditions: This device complete with ran 15 of the race koles, operation is subject to the following two containers.
 This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could

void the user's authority to operate the equipment. NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.
- CAN ICES-3 (B)/NMB-3(B)

The device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS-102 RF exposure, users can obtain Canadian information on RF exposure and compliance.

iBN43

FCC ID: EMOIBN43 IC: 986B-IBN43

# Information FCC/IC

# Déclaration de la FCC sur l'exposition aux radiations

IC: 986B-IBN43 Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage, et

(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Cet appareil répond aux exigences du paragraphe 15 de la loi de la Commission Fédérale sur les Communications L'utilisation de cet appareil doit répondre aux deux conditions suivantes: (1) Cet appareil ne doit pas provoquer d'interférences nuisibles, et (2) cet appareil doit accepter toutes les interférences reçues, y compris les interférences pouvant provoquer un fonctionnement non désiré.

- Avertissement : Tout changement ou modification apporté à cet appareil sans le consentement expresse de la partie responsable pour la conformité peut annuler le droit de l'utilisateur d'utiliser cet appareil.
- Remarque : Cet équipement a été testé et jugé conforme aux limitations pour un appareil numérique de Classe B, selon la Section 15 de la règlementation FCC

Ces limites sont conçues pour fournir une protection raisonnable contre les interférences nuisibles dans une installation résidentielle. Cet équipement génère, utilise et peut émettre des fréquences radio et, s'il n'est pas installé et utilisé selon les instructions, peut causer des interférences nuisibles aux communications radio.

Cependant, il n'existe aucune garantie que des interférences ne se produiront pas dans une installation particulière. Si cet équipement produit des interférences nuisibles sur la réception de la radio ou de la télévision, ce que vous pouvez facilement constater en éteignant et en rallumant l'équipement, nous vous encourageons à prendre l'une ou plusieurs des mesures correctives suivantes

- Réorienter ou déplacer l'antenne réceptrice,
- Éloigner davantage l'appareil du récepteur.
- Branchez l'équipement sur une prise ou un circuit auquel le récepteur n'est pas branché.
- Consultez votre revendeur ou un technicien radio/télévision qualifié pour plus d'informations.
- CAN ICES-3 (B)/NMB-3(B)

Le dispositif rencontre l'exemption des limites courantes d'évaluation dans la section 2.5 de RSS 102 et la conformité à l'exposition de RSS-102 rf, utilisateurs peut obtenir l'information canadienne sur l'exposition et la conformité de rf.

iBN43

FCC ID : EMOIBN43

# Limited 1 Year Warranty

iHome Products, a division of SDI Technologies Inc. (hereafter referred to as SDI), warrants this product to be free from defects in workmanship and materials, under normal use and conditions, for a period of one (1) year from the date of original purchase.

Should this product fail to function in a satisfactory manner, it is best to first return it to the store where it was originally purchased. Should this fail to resolve the matter and service still be required by reason of any defect or malfunction during the warranty period, SDI will repair or, at its discretion, replace this product without charge. This decision is subject to verification of the defect or malfunction upon delivery of this product to the Factory Service Center authorized by SDI Customer Service. The product must include proof of purchase, including date of purchase. An out-of-warranty fee for service will be charged for units that are received without proof of purchase

Before returning this product for service, please first replace the batteries (if applicable) with fresh ones, as exhausted or defective batteries are the most common cause of problems encountered.

If service is still required: 1. Call SDI Customer Service at 1-800-288-2792 for Return Authorization and for the address of the Factory Service Center. 2. Remove the batteries (if applicable) and pack the unit in a well padded, heavy corrugated box. SDI is not responsible for damage that occurs during shipping to the Factory Service Center. 3. Enclose a photocopy of your sales receipt, credit card statement, or other proof of the date of purchase, if within the warranty period. Also include your name and address information, a brief description for why the unit is being returned, and the return authorization number. No unit can be processed without a return authorization number. 4. Write the return authorization number on the side of the shipping package and send the unit prepaid and insured to the Factory Service Center address authorized by SDI Customer Service.

Disclaimer of Warranty NOTE: This warranty is valid only if the product is used for the purpose for which it was designed. It does not cover (i) products which have been damaged by negligence or willful actions, misuse or accident, or which have been modified or repaired by unauthorized persons; (ii) cracked or broken cabinets, or units damaged by excessive heat; (iii) damage to digital media players, CD's or tape cassettes (if applicable); (iv) the cost of shipping this product to the Factory Service Center and its return to the owner. This warranty is valid only in the United States of America and does not extend to owners of the product other than to the original purchaser. In no event will SDI or any of its afflicates, contractors, resellers, their officers, directors, shareholders, members or agents be liable to you or any third party for any consequential or incidental damages, any lost profits, actual, exemplary or punitive damages. (Some states do not allow limitations on implied warranties or exclusion of consequential damages, so these restrictions may not apply to you.) This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Your acknowledgment and agreement to fully and completely abide by the above mentioned disclaimer of warranty is contractually binding to you upon your transfer of currency (money order, cashier's check, or credit card) for purchase of your SDI product.

© 2013 SDI Technologies, Inc. All rights reserved Questions? Visit www.ihome.com or call 1-800-288-2792 Toll Free

iBN43 - 121814 - A

Printed in China