


**WIRELESS MICROPHONE SYSTEM
INSTRUCTION MANUAL**



LICENSING REQUIREMENTS

This equipment complies with Part 74 of the FCC Rules.

A license is required for operation subjective device will be issued only to the following:

- (1) A licensed of an AM, FM, TV, or international broadcast station or low power TV station. Low power auxiliary stations will be licensed for used with a specific broadcast or low power TV station or combination of stations licensed to the same licensee within the same community.
- (2) A broadcast network entity.
- (3) A cable television system operator who operates a cable system that produces program material for origination or access cablecasting as defined in §76.5(r)
- (4) Motion picture producers as defined in §74.801.
- (5) Television program producers as defined in §74.801.
- (6) Licensees an conditional licensees of stations in the Multipoint Distribution service and Multichannel Multipoint Distribution Service as defined in §21.2 of this chapter, or entities that hold an executed lease agreement with an MDS or MMDS licensee or conditional licensee or with an Instructional Television Fixed service licensee or permittee.

HAVING BEEN DEVOTED TO R&D FOR YEARS, OUR COMPANY IS SPECIALIZED IN MANUFACTURING HIGH QUALITY PROFESSIONAL WIRELESS MICROPHONES. THIS REALLY ELABORATED MODEL SERVES TO YOUR COMPLETE SATISFACTION ON MANY OCCASIONS KARAOKE, FAMILY AND FRIEND GATHERING.

FEATURE:

TRANSMITTER OF SMT WITH HIGH-END QUALITY AND TECHNOLOGY, ADVANCED SKILLS TO MAKE THE CONSTRUCTION MORE CONVENIENT TO ANALYZE CAPSULE, MODULE OF TRANSMITTER.

SPECIFICATION:


PERFORMANCE SPECIFICATION	
Carrier Frequency Range	UHF994.9-804.9Mhz
Microphone Element	Dynamic Microphone
Oscillation Mode	Quartz controlled fixed frequency
Modulation mode	FM (F3E)
Antenna	Built-in
RF Carrier Power	1.40mW (may be adjusted based on regulation)
Effective Radiated Power (Spurious)	Less than 2mW
Tone Frequency	32.768KHz
Pre-Emphasis	500uS
Current Drain	35mA Typical(9.0V)
Battery	More than 8 hours (Alkaline)
Dimensions	246mm
Weight	Approx. 210g

(HAND HOLD MICROPHONE TRANSMITTER)

SMT is design of high quality and precise technology. High quality dynamic cartridge is used to produces HI-FI sound, which is soft, broad and deep, most suitable for KTV entertaining.

OTHER FEATURES:

- "STAND-BY" function.
- Steel net based to prevent from rolling.



BATTERY INFORMATION:

NOTE: Make sure the power switch is in the "OFF" position when changing or installing new battery. Average life on an alkaline battery is 6-8 hours. Be sure to use good quality long life 9V alkaline battery only.

1. This microphone has a 3-level power switch design.
2. In using first turn on the receiver and then the transmitter.
3. New battery the power light is in "OFF".

The light is "ON". It indicates the battery needs to be replaced.

4. Remember to turn the switch "OFF".

When the microphone is not in use in order to save power. In "STANDBY" set the switch to the center.

