

Professional Amplified Speaker System with USB, SD, FM Radio, BT and Effects

Instruction Manual

Thank you very much for buying this speaker box, please kindly read instruction manual before operating the product

Product: speaker box

Model: BJS-155BT

Technical Specification:

1.2-way amplified plastic loudspeaker.

2. Woofer: 15", 60oz,75mm VC.

Tweeter: 44mm driver, 23oz

3.Frequency response: 45Hz-20KHz

4.Sensitivity: 98+-2dB

5. With USB, SD, FM radio, B-Tooth and effects


6.Power: 2900W

7. Voltage: 120/240V 60/50Hz

Notes:

- Please read the entire attached document carefully before using the device for your reference.
- 2. The power supply must match the demand of the device with reliable ground wire.
- 3. All covering signal should be complied with the demand of device
- 4. The device should be equipped far away high temperature, moisture and powerful electro and magnetic field.

- 5. Please don't use the organic cleaner but dry soft cloth to clear the device.
- 6. When not in use, unplug the unit from the mains.
- 7. Set the unit to the lowest volume prior to switching it on.
- 8. Only use suitable means of transportation if you want to move the speaker box BE WARE OF YOUR BACK!



- 1. SD Port
- 2. USB Port

Page 2

3. USB, SD, FM and BT Button

► Short press, play/pause; long press, enter into folder.

MODE Switch the USB/SD/FM/BT mode

Repeat the song one by one

Short press, track up, it will play last song

Long press, volume down

→ Short press, track down, it will play next song

Long press, volume up

4. MIC 1 and Line 1 input

Microphone input with XLR connector and 6.35 connector line input

- 5. Effect of MIC 1 and Line 1 input
- 6. MIC 2 and Line 2 input

Microphone input with XLR connector and 6.35 connector line input

- 7. Effect of MIC 2 and Line 2 input
- 8. Stereo Line input and output
- 9. MP3 and Line switch
- 10. MP3 and Line level

Adjudt this knob, you can reach different effect

- 11. Time and Repeat Effect
- 12. Master Level

Adjust this knob to control the whole speaker's effect

13. Graphic Equalizer

Use the function to adjust the high-middle-low effect

- 14. 120/240V power switch
- 15. Power on/off
- 16. Connector of power plug
- 17. speaker out

SAMSON ELECTRONICS, INC 3400 EAST SLAUSON AVE MAYWOOD, CA90270

FCC Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1)this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation