


삼성전자주식회사

TEL: (031)200-1114

8mm


VM-A110



8mm

(Dry-Type)

(49)



8mm / 가 ?

080-200-3388 ()

09:00 ~ 18:00 (/)

1588-3366



02-541-3000 080-022-3000
051-861-3000 080-051-3000



PC (가)
GO SEC (, , ,)



<http://www.sec.co.kr>



<http://www.gosamsung.co.kr>



AS ? 가 가

AD68-00375A



080-200-3388 가

(가 : / 6)
9 ~





8mm

가



가




가

0 ~40
40 0

8mm

8mm

가



8mm

8mm 가

8mm 2~3 가

가 () 가

8mm 8mm 8mm

2 8mm 8mm

가

8mm 51 가

가 가 가 가




(13)

(OSD) / TV

8mm 8mm


8mm 8mm

8mm 가



() (15)

가 가 8mm 가



8mm

5

5

5

가

(26) 5 /

/

8mm / (37) / (39) 가 8mm

(49)

8mm

TV 가

()

가



()



(Dry-Type)






가

경고	
가	
주의	




경고






주의




주의



주의





8mm



(32)



(35)



22



23



(Macro)

가 (WIDE) (27) 10Cm



EASY

EASY



PRO

가

가

(33)

(27)

(28)



(WIDE)

(29)

(30)




()



1. / : (26)
2. (:) (24)
3. (26)
4. (20)
5. 가 (16)
6. MIC (8mm 가)
7. EASY ()
8. (:) (24)
9. / (:) (26)
10. (26)
11. (35)
12. (33)
13. (32)
14. (34)
15. PRO (30)
16. (18)
17. (30)
18. () (31)
19. (30)
20. UP/DOWN (31)
21. S-VIDEO (S 44) (30)
22. / (15)



()



23. D.ZOOM ON/OFF

(28)

24.

(15)

25. /

가 (23)

26.

27.

(17)

28.

(27 (TELE/WIDE))

29.

가

PUSH

30. A/V OUT (/)

TV

(43)

31.

(15)

32.

가 가

33.


: 8mm

34.

8mm



()



1. (17)

2. AC (17)

3. (18)

4. (16)

5. (, 16)

6. (20)

7. / (43)

8. (15)

9.

10. (15)



가



가







, TV

8mm



1. (19)
2. (27)
3. (28)
4. (33)
5. (32)
6. (31)
7. Hi8
Hi8()
8. (51)
8mm 가
9. (39)
10. (35)
11. (51)
8mm
12. (37)
13. / / (37)
- 14.
15. 8mm
16. (16)
17. (16)
18. (46)
30 가
0:00:00
/ 가 0:00:00







8mm

1

AC
AC

2

AC
110V, 220V
가
110V
가

3

8mm


4

8mm
가

5

8mm

17 8mm / (): 080-200-3388



1

AC AC

2

8mm

3

8mm

4

8mm

- 1 1 : 50%
- 1 2 : 50% ~ 75%
- 1 3 : 75% ~ 100%

2~6

5


(21)

6




8mm
8mm

8mm / (): 080-200-3388




18




		가
SB-L110A	1 50	2 30
SB-L160	2 40	3 40
SB-L320	4 30	7 10
SB-L480	6	10 40

가 8mm



가



가

가



8mm 가 TV


- : 가
- : 10 ~ 45%
- : 45 ~ 70%
- : 70 ~ 90%
- : 90 ~ 95%
- : 100% (8mm 가)

(.)

(.)

. 가


.)



8mm
 VM-A110 Hi8mm Hi8mm () , 8mm ()
 Hi8mm 가 30 / 60 / 90 / 120 / 150 가


8mm /

- 1 8mm
- 2



- 4

“PUSH”()
 “ ” 가
 가 가
 , PUSH()



가


가

가




8mm
 VHS(16mm)

- 3




- 5

(17, 18)
 ()
 가
 가 가
 8mm 가 가





(.)



가


1 8mm

?



2 8mm

?




8mm

8mm


(15)

3 8mm VM-A110 Hi8mm (? (20))



가

4 “ ” 가 가




5 ?

6 가 가


7 (19) 가

1 8mm

가




2



3


/ 가 / 가



4

T W


가 () () 500 (28)



5

가

5



23

8mm



(): 080-200-3388



3



가



가



가

5

8mm

(): 080-200-3388

24




TV

, 43

(가


8mm

1 8mm



2 8mm


가



3

8mm ()

(20)



4

가


가



5

◀ ()


가



6 8mm

▶ (/)

2



7

TV

■ ()

25

8mm

/


()

): 080-200-3388




1

▶ ()



2

◀ ()




3

▶ (/)


▶ (/)

5

가



가



8mm

/


()

): 080-200-3388

26

(T: Tele () / W: Wide ())

VM-A110 22
 22 가 22m 1m
 가 가 (Macro)
 가 가
 가 가
 9~12 가
 3~6 가
 가



T() W()

“T” “W”


(T: Tele)



(W: Wide)




가



VM-A110 () 500 23 가 가 22

1

“T”



2 D.ZOOM ON/OFF

가



3

“T”



D.ZOOM ON/OFF

4


D.ZOOM ON/OFF

가







EASY ()

- 1 EASY EASY
- 2 EASY
- 3 EASY가
- 4 EASY EASY
- 5 EASY EASY




PRO

- 1 PRO
- 2 가
- 3 UP/DOWN PRO....
- 4 PRO 가
- 5 PRO
- 6 PRO / PRO가
- 7 PRO / PRO
- 8 PRO PRO
- 9 PRO PRO



PRO





VM-A110

, 8mm




8mm

, 8mm

가

(가 Wide) 가 (27) (Macro) 가



1 8mm

2

가



3 UP/DOWN

○()

가

, ○(가)



○



○

4

가

31

8mm

/

(

): 080-200-3388




가

가

1 8mm


2



3



()



()



EASY

(33)

8mm

/

(

): 080-200-3388

32



(Auto Exposure) 가 8mm




AUTO ()		
SPORTS ()		
PORTRAIT ()		
SPOTLIGHT ()		
SAND/SNOW (/)		
(HSS) ()		가



1 8mm

2

가



3

가



EASY PRO



(/)



(4)

가

1





패시브



2



패시브



가

EASY



가




SEPIA
()



B/W
()



NEG.
(가)



MIRROR
()



ART
()



MOSAIC
()



WIDE(16:9)
()
TV



CINEMA
()
(16:9)



1 8mm

2 SEPIA 가

3 가




4 가 /


5 가

1

2

가





8mm

1 8mm

2

3 UP/DOWN

4

5 UP/DOWN

6

UP/DOWN

7

UP/DOWN

8







CR2025

가

(15)

가 가

가



가



가

8mm

() 가



가



1 8mm

2

가




3

가

가


///
///
///

///
///
///



EASY

PRO





30

()

2



가



1



2



3

가

1 8mm

2



3 UP/DOWN

가



4

가



5 UP/DOWN

가



가

UP/DOWN

2

6

-10

.....



7



8mm

EASY

PRO

가

39

8mm

/

(

): 080-200-3388




... -10

가
10

가

1 8mm

2



3 UP/DOWN

...




4

, -10 ,

5

(, -10 ,)



/

8mm 가가

가

8mm

1 8mm

2

3 UP/DOWN

가

가

...

4

5



8mm

/

(

): 080-200-3388


40

1 Lux 가 1m


	(Lux:)	
가.	100,000 35,000 32,000 2,000 1,000 1,000 500 ~ 700 650	가
30W	400 ~ 500 300	-
가.	150 ~ 200 15 ~ 30 10 ~ 15	-

1


8mm



2




3



4

5

. (18)



8mm

, 가 TV

TV

(25)

TV

8mm

TV

TV

가
- /
- /

TV
가
가

TV
TV가



가 TV

1

8mm
8mm

TV

- : TV
- : TV ()

2

8mm
8mm

3

TV

가

4

TV
TV/
TV

TV (TV)

, A/V INPUT, LINE

2, 3) 가 (1, TV 가

5

8mm /

▶▶▶ (/ 2~3)

6




■ ()

43

8mm

/ ()

: 080-200-3388



가

가 TV

8mm
가

TV
8mm


1 8mm

가

8mm

2 가
가

TV



3

가

TV

가

()

4

(LINE)

5

8mm



VM-A110

- 8mm

TV

가

- TV

TV

()

가

VM-A110

Hi8

가

8mm Hi8

Hi8

가



S

S

S


TV 가

(/)

가

5%

()



S

TV

TV

8mm

/

TV

가

()

: 080-200-3388


44

8mm

TV 가 8mm
8mm (8mm , 가) 8mm

1 8mm 가

2



3 TV 가

4 가

5 (LINE)


(가 TV LINE L1, L2 , A/V INPUT, LINE)

6 8mm

7 8mm TV

8 가

TV TV 8mm




가 0:00:00
가 0:00:00


가 0:00:00

1

...0:00:00
0:00:00




3 8mm



2

가



4

(/)



(PAL60)

8mm

PAL TV

NTSC PAL60 PAL TV

PAL

1 8mm

2 NTSC 8mm

3

4 UP/DOWN 가 PAL.TV ...OFF

5

PAL.TV ...PAL60 PAL TV

6

8mm PAL PAL TV
(NTSC PAL.TV .PAL60 가) PAL60
PAL





가 (가)
36



35

NEG., MIRROR, MOSAIC, 16:9, CINEMA



8mm PC()

1 PC (TV) PC

2 8mm / PC (TV) 8mm
(: , :)

3 PC

4 A/V MODE . (.)

5 8mm PC

6 PC


7 . (.)

8



PC

(가) 가 PC . (.)



가

가

가








()

1 +

2
3



4
5





8mm
가

()



1. 8mm
- 2.
- 3.

8mm
30



4. 가 가

가



()



(Dry-Type)




8mm 가

가

8mm



가



가

TV

TV

8mm

가

8mm

TV

가

TV

TV

TV

8mm

NTSC

VM-A110

PAL

NTSC

TV

()

NTSC
VM-A110

가


(가)

-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-




가

()가 가



	VM-A110
	110V-220V ()
8mm	: DC8.4V(1.5A), : 7.4V
()	3.3W
/ ()	0 ~ 40 /80%
(/)	22 /500
	4 (4~12)
()	46mm
f ()	3.6~79.2mm
F ()	1.6
	CCD
	Inner Focus
(Macro)	(Wide Macro)
	NTSC Color, EIA
/	FM
	1Vp-p, , 75
	-7.5dB,
/	(:3.5mm)
가	8mm Hi8mm
	14.345mm/
P6-60	60 (SP:)
/	3 30 (60 , 17)
(* *)	101 x 104 x 174 (mm)
()	650g
	27




	8mm		
		SERIAL NO.	

8mm (1) (3)

2000-21)

()

7 14

8mm 5

10	가
1	
1	가
가	
3	
가	
4	
5	
가	가
가	가 가
가	가
가 가	가 가
가 가	가
가 가	가

1) (가 가) 2)

	2
	1
	1

3) () 가 () () () () ()



8mm / (): 080-200-3388

54



가

.....	9
.....	5
(가)	26
.....	31
.....	40

/	37
.....	20

.....	14
.....	26
.....	28

.....	16
.....	53
.....	22
.....	15

.....	10
.....	46
.....	7

.....	18
.....	18
.....	19
.....	19

.....	12
.....	49
.....	54
.....	45
.....	11
.....	43
.....	26

.....	33
.....	51
.....	15
.....	48
.....	31
.....	33
.....	37

.....	5
.....	15
.....	32
.....	19
/	43
()	31
.....	51
.....	26

.....	33
.....	33
.....	31
.....	26
.....	17
.....	17
.....	17
.....	21
.....	17
.....	28
.....	43
.....	27
.....	53
.....	33
.....	41
.....	51
.....	27
.....	27
.....	27

.....	21
.....	21
.....	22
.....	21
.....	18
.....	18

.....	12
.....	47
.....	49

.....	39
.....	20
.....	20
.....	35
.....	8

.....	34
.....	24

.....	33
.....	50
.....	49
.....	13

CINEMA()	34
EASY	29
MIRROR()	34
MOSAIC()	34
NEG.(가)	34
PRO	30
WIDE(16:9)()	34

