



M5e RFID
Radio interface instructions



FCC REQUIREMENT

This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) This device must accept any interference received,
including interference that may cause undesired operation.

FCC WARNING:

Changes or modifications not expressly approved by the manufacturer for compliance could void the user's authority to operate the equipment.

FCC NOTICE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates and can radiate radio frequency energy and, if not installed and used in accordance with instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This transmitter must not be co-located or operated in conjunction with any other antenna or transmitter.

This equipment complies with FCC radiation exposure limits set forth for uncontrolled equipment and meets the FCC radio frequency (RF) Exposure Guidelines in Supplement C to OET65. This equipment has very low levels of RF energy that it deemed to comply without maximum permissive exposure evaluation (MPE). But it is desirable that it should be installed and operated with at least 20cm and more between the radiator and person's body (excluding extremities: hands, wrists, feet and ankles).

Properly shielded a grounded cables and connectors must be used for connection to host computer and / or peripherals in order to meet FCC emission limits.
AC adaptor with ferrite core must be used for RF interference suppression.

CE Caution:



DECLARATION of CONFORMITY

We, SATO CORPORATION of the above address, hereby declare, at our sole responsibility that the following product conforms to the Essential Requirements of the Radio and Telecommunications Terminal Equipment Directive 1999/5/EC in accordance with the tests conducted to the appropriate requirements of the relevant standards, as listed herewith.

Product: UHF Reader Module
Model Type Number: M5e
Directive and Standards used: Radio: EN300 220-3 V1.1.1
EN302 208-2 V1.1.1
EMC: EN301 489-3 V1.4.1
LVD: EN60950-1:2006

Year of affixing CE marking: 2004

Company Name : SATO CORPORATION

Signature :
Name (printed) : Kei-uke Yamada
Title : General Manager
Date : Aug 5, 2008

If you want to get a copy of the original Declaration of Conformity of our products which relates the R&TTE, please contact to web address: www.satoworldwide.com

Contact

SATO America, Inc.

10350A Nations Ford Road Charlotte, NC 28273

Phone: (704) 644-1650

Fax: (704) 644-1662

satosales@satoamerica.com

SATO INTERNATIONAL PTE. LTD

438A Alexandra Road #05-01/04,
Alexandra Technopark, Singapore 119967

Phone: (65)-6271-2122

Fax: (65)-6271-2151

sales@sato-int.com



Q02132000