

Residential Price Book 5

Effective August 12, 2017





Personal style, perfected.

For more than 95 years, Schlage has offered durable door hardware in a range of unique style combinations to express any personality. So welcome home. Welcome thousands of possibilities. Welcome style.



Quickly install Schlage products with just a Phillips screwdriver



Choose from a range of lever, knob and trim styles to instantly elevate any room



Built with premium metal construction that adds strength, security and long life



Products feature advanced technology to keep the state-of-the-art moving forward



| Electronic Locks | Handlesets |
|--|--|
| Connected Deadbolts and Levers Electronics-1 | F Series Handlesets-1 |
| Available functions Electronics-1 | Available functions Handlesets-1 |
| Product identification Electronics-1 | Product identification Handlesets-1 |
| Finish codes & descriptions Electronics-1 | Latches & strikes Handlesets-1 |
| Latches & strikes Electronics-1 | Standard features / |
| Standard features / | configurations |
| configurations Electronics-2 | Finish codes & descriptions Handlesets-2 |
| Packaging & carton specs Electronics-2 | Packaging & carton specs Handlesets-2 |
| BE479AA Series Electronics-3 | Available styles |
| BE469NX Series Schlage Connect™ Electronics-3 | Pricing |
| BE468NX Series Electronics-4 | Decorative Collection Handlesets-8 J Series |
| BE369NX Series Connected | Available functions Handlesets-9 |
| Keypad Deadbolt & Lever Electronics-4 | Product identification Handlesets-9 |
| FBE469NK Series Schlage | Latches & strikes Handlesets-9 |
| Connect™ Front Entry Šets Electronics-5 FE469NX Series | Standard features / |
| Connected Keypad Locks Electronics-6 | configurations Handlesets-10 |
| Keypad Locks Electronics-7 | Finish codes & descriptions Handlesets-10 |
| Code Entry Locks Electronics-7 | Packaging & carton specs Handlesets-10 |
| Available functions Electronics-7 | Pricing Handlesets-11 |
| Product identification Electronics-7 | _ |
| Finish codes & descriptions Electronics-7 | Levers |
| Standard features / | F Series Levers-1 |
| configurations Electronics-8 | Available functions Levers-1 |
| Latches & strikes Electronics-8 | Product identification Levers-1 |
| Packaging & carton specs Electronics-9 | Latches & strikes Levers-1 |
| Schlage Touch™ Deadbolts Electronics-10 | Standard features / configurations Levers-2 |
| Schlage Touch™ Keyless Touchscreen levers Electronics-11 | Finish codes & descriptions Levers-2 |
| Keypad Deadbolts Electronics-12 | Packaging & carton specs Levers-2 |
| Keypad Lever Lock Electronics-12 | Available styles Levers-3 |
| Keypad Lever Lock Electronics-13 Keypad Lever Auto Locks Electronics-14 | PricingLevers-4 |
| Resputa Level Auto Locks Licetionies 11 | Decorative Collection Levers-11 |
| | J Series Levers-13 |
| | Available functions Levers-13 |
| | Product identification Levers-13 |
| | Latches & strikes Levers-13 |
| | Standard features / |
| | configurations Levers-14 |
| | Finish codes & descriptions Levers-14 |
| | Packaging & carton specs Levers-14 |
| | Pricing Levers-15 |

Table of contents

Knobs

| F Series Knobs-1 |
|---|
| Available functions Knobs-1 |
| Product identification Knobs-1 |
| Latches & strikes Knobs-1 |
| Standard features / configurations Knobs-2 |
| Finish codes & descriptions Knobs-2 |
| Packaging & carton specs Knobs-2 |
| Available styles Knobs-3 |
| Pricing Knobs-4 |
| Decorative Collection Knobs-8 |
| J Series Knobs-9 |
| Available functions Knobs-9 |
| Product identification Knobs-9 |
| Latches & strikes Knobs-9 |
| Standard features / configurations Knobs-10 |
| Finish codes & descriptions Knobs-10 |
| Packaging & carton specs Knobs-10 |
| Pricing Knobs-11 |

Deadbolts

| B Series | Deadbolts-1 |
|-----------------------------|--------------|
| Available functions | Deadbolts-1 |
| Product identification | |
| Latches & strikes | Deadbolts-1 |
| Standard features / | |
| configurations | Deadbolts-2 |
| Finish codes & descriptions | Deadbolts-2 |
| Packaging & carton specs | Deadbolts-2 |
| Pricing | Deadbolts-4 |
| Decorative Collection | Deadbolts-5 |
| J Series | Deadbolts-7 |
| Available functions | |
| Product identification | Deadbolts-7 |
| Latches & strikes | Deadbolts-7 |
| Standard features / | |
| configurations | Deadbolts-8 |
| Finish codes & descriptions | Deadbolts-8 |
| Packaging & carton specs | Deadbolts-8 |
| Pricing | Deadbolts-9 |
| Security Sets | |
| Available functions | |
| Product identification | Deadbolts-10 |
| Finish codes | |
| Pricing | |



| Hardware & accessories |
|--|
| Builder's HardwareHA-1 |
| Handrail Brackets, |
| Door Stops & Chain Door Gaurds HA-2 Coat, Hat & Wardrobe Hooks, |
| Mail Slots, Viewers |
| Pocket Door Locks, HingesHA-6 |
| Classic House Numbers |
| Door Knockers, Push, |
| Pull & Kick Plates |
| Hobby Hardware |
| Parts |
| Latch & Strike Quick Reference Guide . HA-15 |
| Latches |
| Strikes |
| CylindersHA-21 |
| Thick Door Installation Kits |
| Miscellaneous Parts, Discontinued Lock Parts |
| Key & Cylinder Stamping |
| Residential Master & Construction |
| KeyingHA-25 Construction Core ProgramHA-27 |
| Construction Core Program |
| Cables, Chains & Padlocks |
| PadlocksPS-1 |
| Cables & Chains |
| Security Hasps |
| |
| Warranties |
| Product Warranties |
| General Terms & Conditions Warranties-8 |
| Standard Product Terms & Conditions Warranties-13 |
| |
| How to order |
| How to order Order-1 |
| Visual pack carton specifications Order-2 |

Multi-family

| Schlage Control™ Smart Deadbolts MF-´ |
|---|
| Schlage Control™ Smart Interconnect Locks |
| BE Series Programmable Electronic Deadbolt |
| FE Series Programmable Electronic Interconnect Lock MF-9 |
| Mechanical Interconnect Series MF-1 ² |
| RS Interconnect MF-12 |
| CS interconnect MF-13 |
| B Series Deadbolts MF-17 |
| Full-size Construction Core ProgramMF-2 |
| CO Series MF-23 |
| Network ReadersMF-43 |
| Power Supplies & Accessories MF-45 |
| |





Table of contents

Notes



Connected Deadbolts and Levers.... Electronics-1
Code Entry Locks Electronics-7

Connected Deadbolts & Levers

AVAILABLE FUNCTIONS Deadbolts BE479AA BE469NX



BE468NX

FE599NX

BE479 - Schlage Sense™ Smart Deadbolt

- Share and control access with Schlage Sense app for iOS and Android (Aug 2017)
- Remote access available with Schlage Sense Wi-FiAdapter (Aug 2017)
- Works with Apple HomeKit[™] technology
- App includes access codes schedules and audit trail capability
- ANSI/BHMA A156.36-2010 Commercial Grade 1
- ANSI/BHMA 156.40-2015 Residential Grade AAA

BE469 - Schlage Connect™ with Alarm

- Uses Z-Wave® to connect to an existing smart home or security system
- Includes a built-in alarm that detects activity at the door
- ANSI/BHMA A156.36-2010 Commercial Grade 1
- ANSI/BHMA 156.40-2015 Residential Grade AAA
- Auto Lock capability when programmed

BE468 - Schlage Connect™

- Uses Z-Wave® to connect to an existing smart home or security system
- ANSI/BHMA A156.36-2010 Commercial Grade 2
- ANSI/BHMA 156.40-2015 Residential Grade BAA

BE369 - Connected Keypad Deadbolt

- Uses Z-Wave® to connect to an existing smart home or security system
- ANSI/BHMA A156.36-2010 Commercial Grade 2
- ANSI/BHMA 156.40-2015 Residential Grade AAA

FE599 - Connected Keypad Lever

- Uses Z-Wave® to connect to an existing smart home or security system
- ANSI/BHMA A156.36-2003 Commercial Grade 2

PRODUCT IDENTIFICATION

| BE | 469NX | V | САМ | 619 | 12-342 | 10-116 |
|-------------|---------|----------|-------|-------------|--------|--------|
| Lock Series | Product | Vis Pack | Style | Finish Code | Latch | Strike |

BE369NX

FINISH CODES & DESCRIPTIONS

| 505 | 605 | 608 | 609 | 613 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|-----|--------------------------|-----|-----|---------------------------------|--------------------|---------------------------|------------------------------|----------------------|-----|----------------------------|-----|----------------|
| | Bright Brass (US3) | | | Oil-Rubbed Bronze (US10B) | Polished Nickel | Satin Nickel (US15) | Antique Pewter (US15A) | Distressed Nickel | | Bright Chrome (US26) | | Aged Bronze |

Non-standard finishes are not available.

Full-color swatch examples available on inside Electronics tab.

LATCHES & STRIKES

Latches

Motorized Deadbolt Latches

12-342 - Tapered Deadbolt Dual Option (Round, Drive-in) - STANDARD

12-344 - Tapered Deadbolt Triple Option (Round, Square, Drive-in)

Motorized Deadbolt Entry Set Latches

16-264 - Combo Taper Deadbolt & Spring Latch Dual Option (Round, Drive-in) - **STANDARD**

Non-Motorized Deadbolt Latches

12-321 - Dual Option (Round, Drive-in) - **STANDARD 12-287** - Triple Option (Round, Square, Drive-in)

Keyed Latches - Dead Latches

ALLEGION 👯

16-086 - Dual Option (Round, Drive-in) - STANDARD

16-211 - Triple Option (Round, Square, Drive-in)

Strikes

Deadbolt Strikes

10-116 - Round Corner Strike with Reinforcer -STANDARD

Deadbolt Entry Set Strikes

10-115 - Round Corner Full Lip Strike Set - STANDARD

Lever Strike

10-027 - Round Corner Full Lip Strike - STANDARD





STANDARD FEATURES / CONFIGURATIONS

| | Schlage Sense™ BE479AA | Schlage Connect™ BE469NX | Schlage Connect™ BE468 | Connected Keypad Deadbolt BE369NX | Connected Keypad Lever FE599NX | |
|-----------------------------|---|---|---|--|---|--|
| Certification: | ANSI/BHMA A156.36-2010 Commercial Grade 1 ANSI/BHMA 156.40-2015 Residential Grade AAA | ANSI/BHMA A156.36-2010 Commercial Grade 1 ANSI/BHMA 156.40-2015 Residential Grade AAA | ANSI/BHMA A156.36-2010 Commercial Grade 2 ANSI/BHMA 156.40-2015 Residential Grade BAA | ANSI/BHMA A156.36-2010 Commercial Grade 2 ANSI/BHMA 156.40-2015 Residential Grade AAA | ANSI/BHMA A156.36-2003 Commercial Grade 1 | |
| Product Dimensions: (wxhxd) | ext: 3"x 5"x 1" int: 3"x 8"x 2" | ext: 3"x 5"x 1" int: 3"x 8"x 2" | ext: 3"x 5"x 1" int: 3"x 8"x 2" | ext: 3 ¹ / ₈ "x 5 ¹ / ₂ "x2 ¹ / ₈ " int: 3 ¹ / ₄ " x 7 ¹ / ₂ "x 2 ¹ / ₄ " | ext: $6^{7}/8$ " x 3"x $2^{3}/4$ " int: $3^{1}/4$ " x $8^{1}/4$ "x $2^{3}/4$ " | |
| Weight: | 3.5 lbs | 3.5 lbs | 3.5 lbs | 5.8 lbs | 5.2 lbs | |
| Warranty: | 3 year electronics, limited lifetime mechanical & finish | 3 year electronics, limited lifetime mechanical & finish | 3 year electronics, limited lifetime mechanical & finish | 3 year electronics, limited lifetime mechanical & finish | 3 year electronics, limited lifetime mechanical & finish | |
| Battery: | 4 AA | 4 AA | 4 AA | 9V, 3 AA | 9V, 3 AA | |
| Latch Throw: | 1" | 1" | 1" | 1" | 1/2" | |
| Key & Cylinder: | 1 key, 5-pin, C keyway | 1 key, 5-pin, C keyway | 1 key, 5-pin, C keyway | 1 key, 5-pin, C keyway | 1 key, 5-pin, C keyway | |
| Door Thickness: | 1 ³ / ₈ " to 1 ³ / ₄ "; Thick door kit extends 1 ⁷ / ₈ " to 2 ¹ / ₄ " | 1 ³ / ₈ " to 1 ³ / ₄ " | 1 ³ / ₈ " to 1 ³ / ₄ " | 1 ³ / ₈ " to 1 ³ / ₄ " | 1 ³ / ₈ " to 1 ³ / ₄ " | |
| Cross Bore Distance: | 4" center-to-center minimum | 4" center-to-center minimum | 4" center-to-center minimum | 5 ¹ / ₂ " center-to-center minimum | 5 ¹ / ₂ " center-to-center minimum | |
| Cross Bore Diameter: | 1 ¹ / ₂ " or 2 ¹ / ₈ " | 1 ¹ / ₂ " or 2 ¹ / ₈ " | 1 ¹ / ₂ " or 2 ¹ / ₈ " | 21/8" | 21/8" | |
| Edge Bore Diameter: | 1" | 1" | 1" | 1" | 1" | |
| Backset: | 2 ³ / ₈ " or 2 ³ / ₄ " | 2 ³ / ₈ " or 2 ³ / ₄ " | 2 ³ / ₈ " or 2 ³ / ₄ " | 2 ³ / ₈ " or 2 ³ / ₄ " | 2 ³ / ₈ " or 2 ³ / ₄ " | |
| Faceplate Size: | 1" x 2 ¹ / ₄ " | 1" x 2 ¹ / ₄ " | 1" x 2 ¹ / ₄ " | 1" x 2 ¹ / ₄ " | 1" x 2 ¹ / ₄ " | |
| Faceplate Options: | Round corner, square corner, and drive-in (dual option standard) | Round corner, square corner, and drive-in (dual option standard) | Round corner, square corner, and drive-in (dual option standard) | Round corner, square corner, and drive-in | Round corner, square corner, and drive-in | |
| Strike: | 11/8" x 23/4" round corners, strike reinforcer | 11/8" x 23/4" round corners, strike reinforcer | 11/8" x 23/4" round corners, strike reinforcer | 11/8" x 23/4" round corners, strike reinforcer | 14/8" x 21/4" radius corner, full lip, latch strike | |
| Codes: | corners, strike reinforcer corners, strik des: Pre-set, unique 6 digit programming code, 2 programming pre-set unique 4-digit pre-set unique access codes, 30 access access codes code capacity (4-8 digits) capacity | | Pre-set, unique 6-digit programming code, two pre-set unique 4-digit access codes, 30 code capacity | Pre-set, unique 6-digit programming code, two pre-set unique 4-digit access codes, 19 code capacity | Pre-set, unique 6-digit programming code, two pre-set unique 4-digit access codes, 19 code capacity | |
| Communications: | Bluetooth® Smart*** Works with Apple HomeKit™^ | 900 MHz (Z-Wave® RF)** | 900 MHz (Z-Wave® RF)** | 900 MHz (Z-Wave® RF)** | 900 MHz (Z-Wave® RF)** | |
| Operating Temps: | Ext: -35C to 66C Int: -10C to 49C | Ext: -30C to 66C Int: -10C to 49C | Ext: -30C to 66C Int: -10C to 49C | Ext: -30C to 66C Int: -10C to 49C | Ext: -30C to 66C Int: -10C to 49C | |
| *** TI DI | 1 1 11 | the state of the state of | | | | |

^{***} The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Schlage Lock Company, LLC is under license. $^{\text{HomeKit}^{\text{IM}}}$ is a trademark of Apple Inc.

PACKAGING & CARTON SPECS

| | INDI | VIDUAL CART | ON | | SHIPPER | | | | | | | | |
|--------|------------------|-------------|-----------|------------|-----------------|------------------|---------|------------|-----------|------------|--|--|--|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH | | | |
| BE479 | 5.2 lbs | 9.8 in. | 6.5 in. | 5.7 in. | 1 | 5.2 | 0.21 | 9.8 in. | 6.5 in. | 5.7 in. | | | |
| BE469 | 3.8 lb | 9.25 in. | 5.125 in. | 4.5 in. | 4 | 16.0 | 0.58 | 10.0 in. | 9.625 in. | 10.5 in. | | | |
| BE468 | 3.8 lb | 9.25 in. | 5.125 in. | 4.5 in. | 4 | 16.0 | 0.58 | 10.0 in. | 9.625 in. | 10.5 in. | | | |
| FE469 | 8.5 lb | 17.125 in. | 8.5 in. | 8.5 in. | 1 | 8.5 | 0.72 | 17.125 in. | 8.5 in. | 8.5 in. | | | |
| FBE469 | 7.5 lb | 12.875 in. | 5.75 in. | 11.125 in. | 1 | 7.5 | 0.48 | 12.875 in. | 5.75 in. | 11.125 in. | | | |
| BE369 | 5.75 lb | 7.82 in. | 7.42 in. | 5.53 in. | 2 | 12.0 | 0.45 | 8.54 in. | 7.92 in. | 11.52 in. | | | |
| FE599 | 5.15 lb | 8.86 in. | 7.42 in. | 5.87 in. | 2 | 10.8 | 0.42 | 9.55 in. | 7.8 in. | 12.08 in. | | | |

For Vis Pack carton specs, see page Order-2



Connected Deadbolts & Levers





BE479AA Camelot (CAM)



FINISHES



BE479AA Century (CEN)

BE479AA Series

| Function | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|-----------------|-----------|-----|-----|-----|-----|-------|-----|-----|-----|-----|-------|-----|-----|-----|
| BE479AA Camelot | Box/Vis | • | • | • | • | \$490 | | | • | • | \$490 | • | • | • |
| BE479AA Century | Box/Vis | • | | | • | 490 | | • | | 490 | | | | • |



BE469NX Camelot (CAM)





BE469NX Century (CEN)

BE469NX Series

Schlage Connect™ **FINISHES**

| Function | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|------------------|-----------|-------|-----|-----|-----|-------|-------|-----|-----|-------|-------|-----|-----|-----|
| BE469NX* Camelot | Box/Vis | \$440 | - | • | • | \$445 | \$445 | - | | \$445 | \$445 | • | | |
| BE469NX Century | Box/Vis | | • | • | • | 445 | 445 | 445 | | 445 | 445 | | | • |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Triple Option Latch - add \$2 to list price

Electronic Locks Connected Home









interior

BE468NX Century (CEN)

BE468NX features:

- ANSI/BHMA Commercial Grade 2 Security Rating
- ANSI/BHMA Residential Grade BAA in Security, Durability, Finish
- white backlighting
- no alarm function

BE468NX Camelot (CAM)

BE468NX Series

FINISHES

| Function | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|-----------------|-----------|-------|-----|-----|-----|-------|-------|-----|-----|-----|-------|-----|-----|-----|
| BE468NX Camelot | | \$390 | • | - | - | \$395 | \$395 | - | • | • | \$395 | | • | • |
| BE468NX Century | | | • | | • | 395 | 395 | 395 | • | • | 395 | • | | • |

List Price Adders:

Split Finish - add \$6.50 to highest list price (BE468 only)



BE369NX Camelot



FE599NX Camelot x Accent (CAM x ACC)

(CAM)

BE369NX Series Connected Keypad Deadbolt & Lever

FINISHES

| Function | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|-----------------|-----------|-----|-----|-----|-----|-------|-------|-----|-------|-----|-------|-----|-----|-----|
| BE369NX Camelot | | • | • | | | \$415 | \$415 | - | \$415 | • | \$415 | | | • |
| FE599NX Camelot | | | | • | • | 420 | • | • | 420 | • | 420 | | • | • |

List Price Adders:

Triple Option Latch - add \$2 to list price

Connected Deadbolts & Levers




FBE469NK Series Schlage Connect™ Front Entry Sets

| Front Entry Sets | | | | | | | F | INISHE | ES | | | | | |
|-------------------------------------|----------------|--------|---------|---------|-----|-------|-----|--------|-----|-----|-------|-----|-----|-----|
| Function | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
| Schlage Connect [™] with P | assage Lever a | nd Dec | orative | Interio | or | | | | | | | | | |
| (CAM) Camelot | | | | | | | | | | | | | | |
| FBE469NX Accent | | \$510 | • | • | • | \$515 | • | • | | • | \$515 | | • | • |
| (CEN) Century | | | | | | | | | | | | | | |
| FBE469NX Elan | | • | • | • | • | • | • | 515 | · · | • | 515 | | • | • |

In addition to combination entry sets above, BE469NX deadbolts can be paired with F10 passage levers (see page Levers-3 through Levers-10 and Knobs-4 through Knobs-7) for a complete entry set Items in the 605 finish can be paired with the 505 for a matching set

Electronic Locks Connected Home



FE469NX Series Connected Keypad Locks

| Connected Keypad Lo | ocks | | | | | | F | INISHE | S | | | | | |
|-----------------------|-----------------|---------|----------|----------|-----|-------|-----|--------|-----|-----|-------|-----|-----|-----|
| Function | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
| Schlage Connect™ with | Handleset and I | Decorat | ive Inte | erior Tr | im | | | | | | | | | |
| (CEN) Century | | | | | | | | | | | | | | |
| FE469NX Accent | | \$660 | • | | | \$665 | • | • | | • | \$665 | | | • |
| FE469NX Latitude | | • | • | • | • | 665 | 665 | • | | • | • | | | • |

In addition to combination entry sets above, BE469NX deadbolts can be paired with FE285 handlesets (see page Handlesets-7) for a complete entry set

Items in the 605 finish can be paired with the 505 for a matching set

^{*}Specify handing



Price Book 5 | Effective August 12, 2017 | 800.847.1864



Code Entry Locks

AVAILABLE FUNCTIONS



Schlage Touch™ Locks **ANSI/BHMA Commercial Grade 2 ANSI/BHMA Residential Grade AAA**

BE375 – Touchscreen Deadbolt

- Deadbolt retracted by entering valid user code then rotating outside thumbturn, or by inside thumb turn
- Deadbolt thrown by using outside thumbturn after pressing Schlage button, or by inside thumbturn

FE695 - Touchscreen Lever

- Unlocked by valid access code from outside
- Inside knob or lever always unlocked
- Interior switch sets lock to unlocked or automatic re-locking modes









FE595

Keypad Locks ANSI/BHMA Commercial Grade 2 BE365 - Keypad Deadbolt

- Deadbolt thrown from outside by keyway turn after pressing Schlage button or by inside thumbturn
- Deadbolt retracted from outside by entering valid access code then rotating keyway turn or by inside thumbturn
- Key can be used to unlock as backup

FE595 - Keypad Entry with Flex-Lock

- Flex-locking, switch between unlocked or automatic re-locking
- Unlocked by valid access code from outside
- Inside knob or lever always unlocked
- Key can be used to unlock as back-up

NOTE

FE285 is now located in the Handleset section of the pricebook



FE575

FE575 - Keypad Entry with Auto-Lock

- Auto-locking, automatically re-locks after 5 seconds
- Unlocked by valid access code from outside
- Inside knob or lever always unlocked
- Key can be used to unlock as back-up

PRODUCT IDENTIFICATION

| FE | 595 | | PLY | 505 | FLA | | 12-322 | 10-115 | KD |
|-------------|---------|----------------|-------|-------------|--------|------|--------|--------|--------|
| Lock Series | Product | Suffix Package | Style | Finish Code | Design | Hand | Latch | Strike | Keying |

FINISH CODES & DESCRIPTIONS

| 505 | 605 | 608 | 609 | 613 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|--------------------|-------|-----|-------|----------------------|-----|--------|-------------------|----------------------|--------|------------------|---------|----------------|
| Lifetime Bright | | | | Oil-Rubbed Bronze | | | Antique Pewter | Distressed Nickel | | Bright Chrome | | Aged Bronze |
| Brass | (US3) | | (US5) | (US10B) | | (US15) | (US15A) | | (US19) | (US26) | (US26D) | |

Non-standard finishes are not available.

Full-color swatch examples available on inside Handleset tab.



CODE ENTRY LOCKS

STANDARD FEATURES / CONFIGURATIONS

| Certification | Schlage Touch [™] Electronic Deadbolt BE375 | Schlage Touch [™] Electronic Lever FE695 |
|--|---|---|
| | ANSI/BHMA Commercial Grade 2 ANSI/BHMA Residential Grade AAA | ANSI/BHMA Commercial Grade 2 ANSI/BHMA Residential Grade AAA |
| Product Dimensions (inches) (w x h x d) | 3 x 5.4 x 5.2 | 3 x 5.4 x 7.9 |
| Weight | 3.4 lbs | 4.5 lbs |
| Warranty | 3 year electronics, limited lifetime mechanical and finsh | 3 year electronics, limited lifetime mechanical and finsh |
| Battery | 9V battery (1) | 9V battery (1) |
| Latch Throw | 1" | 1/2" throw, 7/8" housing diameter |
| Cylinder | None | None |
| Door Thickness | extends 1 3/8" to 1 3/4" 1 7/8" to 2 1/2"; thick door kit | 1 3/8" to 1 3/4" |
| Cross Bore | 2 1/8" | 2 1/8" |
| Latch Faceplate Size | 1" | 1" x 2 1/4" radius corner |
| Latch/Backset | 2 3/8" to 2 3/4" adjustable | 2 3/8" OR 2 3/4" adjustable |
| Latch Faceplate Size | 1" x 2 1/4" | 1" x 2 1/4" |
| Latch Faceplate Options | Springlatch radius corner and circular drive-in faceplates | Springlatch radius corner and circular drive-in faceplates |
| Strike | 1 1/8" x 2 3/4" round corners, strike reinforce | 1 5/8" x 2 1/4", radius corner, full lip latch strikes |
| Keys | None | None |
| Codes | 2 pre-set unique 4-digit access codes, storage of up to 19 access codes | 2 pre-set unique 4-digit access codes, storage of up to 19 access codes |
| Operating Temperatures | Outside lock body (exterior mounted): -35C to 66C Inside lock body (interior mounted): -10C to 50C | Outside lock body (exterior mounted): -35C to 66C Inside lock body (interior mounted): -10C to 50C |

LATCHES & STRIKES

FE Keypad Levers

Keyed Latches - Dead Latches

16-086 - Dual Option (Round, Drive-in) - STANDARD

16-207 - Square Corner

16-211 - Triple Option (Round, Square, Drive-in)

Strikes

10-027 - Round Corner Full Lip -STANDARD

10-001 - Square Corner T Strike

10-026 - Square Corner Full Lip

10-058 - Circular - Adjustable

10-063 - Dual Strikes (Round & Square Full Lip)

10-025 - ANSI Square Corner

BE Keypad Deadbolts

Latches

12-321 - Dual Option (Round, Drive-in) - STANDARD

12-288 - Square Corner

12-287 - Triple Option (Round, Square, Drive-in) 12-294 - UL Listed Square Corner with Firecup

12-397 - UL Listed Round Corner with Firecup

10-116 - Round Corner Strike with Reinforcer -STANDARD

10-092 - Round Corner Full Lip Strike 10-094 - Square Corner Strike with Reinforcer





CODE ENTRY LOCKS

STANDARD FEATURES / CONFIGURATIONS

| Certification | Electronic Keypad Lock BE365 | Electronic Keypad Lock FE595 | Electronic Keypad Lock FE575 |
|---|---|---|---|
| | ANSI/BHMA Commercial Grade 2 ANSI/BHMA Residential Grade AAA | ANSI/BHMA Commercial Grade 2 | ANSI/BHMA Commercial Grade 2 |
| Product Dimensions (inches) (w x h x d) | 6.77 x 4.22 x 8.39 | 3.01 x 6.84 x 6.85 | 3.01 x 6.84 x 6.85 |
| Weight | 5.5 lbs | 5.05 lbs | 4.25 lbs |
| Warranty | 3 year electronics, limited lifetime mechanical and finsh | 3 year electronics, limited lifetime mechanical and finsh | 3 year electronics, limited lifetime mechanical and finsh |
| Battery | 9V battery (1) | 9V battery (1) | 9V battery (1) |
| Latch Throw | 1" | 1/2" throw, 7/8" housing diameter | 1" |
| Cylinder | 5 pin, C keyway | 5 pin, C keyway | 5 pin, C keyway |
| Door Thickness | 1 3/8" to 1 3/4" | 1 3/8" to 1 3/4" | 1 3/8" to 1 3/4" |
| Cross Bore | 2 1/8" | 2 1/8" | 2 1/8" |
| Latch Faceplate Size | 1" | 1" x 2 1/4" radius corner | 1" |
| Latch/Backset | 2 3/8" to 2 3/4" adjustable | 2 3/8" to 2 3/4" adjustable | 2 3/8" to 2 3/4" adjustable |
| Latch Faceplate Size | 1" x 2 1/4" | 1" x 2 1/4" | 1" x 2 1/4" |
| Latch Faceplate Options | Round corner, square corner, and drive-in (dual option standard) | Springlatch radius corner and circular drive-in faceplates | Round corner, square corner, and drive-in (dual option standard) |
| Strike | 1 1/8" x 2 3/4" round corners, strike reinforce | 1 5/8" x 2 1/4", radius corner, full lip latch strikes | 1 1/8" x 2 3/4" round corners, strike reinforce |
| Keys | 1 Key | 1 Key | 1 Key |
| Codes | 2 pre-set unique 4-digit access codes, storage of up to 19 access codes | 2 pre-set unique 4-digit access codes, storage of up to 19 access codes | 2 pre-set unique 4-digit access codes, storage of up to 19 access codes |
| Operating Temperatures | Outside lock body (exterior mounted): -35C to 66C Inside lock body (interior mounted): -10C to 50C | Outside lock body (exterior mounted): -35C to 66C Inside lock body (interior mounted): -10C to 50C | Outside lock body (exterior mounted): -35C to 66C Inside lock body (interior mounted): -10C to 50C |

PACKAGING & CARTON SPECS

| | INDIVID | UAL CARTO | N | | | | SH | IPPER | | |
|--------|------------------|-----------|----------|-----------|-----------------|------------------|---------|-----------|-----------|-----------|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH |
| Levers | | | | | | | | | | |
| E375 | 3.31 | 4.63 in. | 9.25 in. | 5.00 in. | 6 | 20.80 | 0.83 | 9.75 in. | 9.50 in. | 15.50 in. |
| FE695 | 4.04 | 6.00 in. | 6.50 in. | 9.13 in. | 6 | 27.00 | 1.44 | 9.75 in. | 12.75 in. | 20.00 in. |
| BE365 | 5.50 | 4.22 in. | 6.77 in. | 8.39 in. | 6 | 33.00 | 1.00 | 9.30 in. | 13.50 in. | 14.10 in. |
| FE595 | 5.05 | 4.75 in. | 8.00 in. | 9.50 in. | 6 | 30.30 | 1.50 | 10.60 in. | 14.00 in. | 17.00 in. |
| FE575 | 4.25 | 4.75 in. | 8.00 in. | 9.50 in. | 6 | 25.50 | 1.50 | 10.60 in. | 14.00 in. | 17.00 in. |
| FE285 | 5.00 | 3.88 in. | 8.00 in. | 16.25 in. | 4 | 21.00 | 1.36 | 8.50 in. | 16.00 in. | 17.30 in. |

For Vis Pack carton specs, see page Order-2



Electronic Locks Keypad Locks

Schlage Touch™ Deadbolts











BE375 Century (CEN)

BE375 Series Schlage Touch™ Deadbolts

FINISHES

| Function | Style/Design | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|----------|--------------|-----------|-------|-----|-------|-----|-------|-------|-------|-----|-------|-------|-----|-----|-----|
| BE375 | Camelot | Box/Vis | \$250 | • | \$255 | - | \$255 | \$255 | \$255 | · · | \$255 | \$255 | · | | |
| BE375 | Century | Box/Vis | • | • | • | • | 255 | 255 | 255 | · | 255 | 255 | | • | • |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Triple Option Latch - add \$2 to list price



Schlage Touch $^{\scriptscriptstyle{\mathsf{TM}}}$ Keyless Touchscreen levers



FE695 Camelot x Accent (CAM) (ACC)



FE695 Camelot x Flair (CAM) (FLA)









FE695 Century x Broadway (CEN) (BRW)

FE695 Century x Latitude (CEN) (LAT)

FE695 Century x Merano (CEN) (MER)

FE695 Series Schlage Touch Keyless Touchscreen Levers

FINISHES

| Function | Style/Design | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|----------|--------------|-----------|-------|-----|-------|-----|-------|-------|-------|-----|-------|-------|-----|-----|-----|
| (CAM) Ca | amelot | | | | | | | | | | | | | | |
| FE695 | Accent | Box/Vis | \$270 | | \$275 | • | \$275 | \$275 | \$275 | | \$275 | \$275 | | | • |
| FE695 | Flair | Вох | 270 | • | 275 | • | 275 | • | 275 | | • | 275 | | | • |
| (CEN) Ce | ntury | | | | | | | | | | | | | | |
| FE695 | Broadway | Вох | | • | • | • | 275 | 275 | 275 | | 275 | 275 | | • | • |
| FE695 | Elan | Вох | | | • | • | • | • | 275 | | • | | | | • |
| FE695 | Latitude | Box/Vis | | • | • | • | 275 | 275 | 275 | | 275 | 275 | | | • |
| FE695 | Merano | Вох | • | • | • | | 275 | 275 | 275 | | 275 | 275 | | | • |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Triple Option Latch - add \$2 to list price

Electronic Locks Keypad Locks

Keypad Deadbolts





BE365 Camelot (CAM)





BE365 Plymouth (PLY)

BE Series Keypad Locks

FINISHES

| Function | | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|----------|-------------|-----------|-----|-----|-------|-----|-------|-----|-------|-------|-----|-------|-----|-------|-----|
| BE365 | Camelot | Box/Vis | • | • | \$225 | • | \$225 | • | \$225 | \$225 | • | \$220 | | \$225 | • |
| BE365 | Plymouth | Box/Vis | • | • | 225 | • | 225 | • | 225 | 225 | • | 220 | | 225 | • |
| BE365F20 | Camelot | Вох | • | • | 240 | • | 240 | • | 240 | 240 | • | 230 | • | 240 | • |
| BE365F20 | Plymouth | Вох | • | • | 240 | • | 240 | • | 240 | 240 | • | 230 | | 240 | • |
| BE365F | Camelot UL | Вох | • | • | 275 | • | 275 | • | 275 | 280 | • | 280 | | 285 | • |
| BE365F | Plymouth UL | Вох | • | • | 275 | • | 275 | • | 275 | 280 | • | 280 | | 285 | |


List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Triple Option Latch - add \$2 to list price



ALLEGION 📢

Keypad Lever Lock



FE595 Series Keypad Locks

FINISHES

| Function | Style/Design | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|------------|----------------|-----------|-----|-----|-------|-----|-------|-----|-------|-------|-----|-------|-----|-------|-----|
| (CAM) Ca | melot | | | | | | | | | | | | | | |
| FE595 | Accent Lever | Box/Vis | • | • | \$245 | • | \$245 | - | \$265 | \$245 | • | \$245 | | \$245 | • |
| FE595 | Georgian Knob | Вох | • | • | 230 | • | 230 | • | • | 230 | • | 230 | | • | • |
| (PLY) Plyr | nouth | | | | | | | | | | | | | | |
| FE595 | Accent Lever | Вох | • | • | • | • | 245 | • | • | | • | 240 | | 245 | • |
| FE595 | Latitude Lever | Box/Vis | • | • | • | • | 245 | • | 245 | • | • | • | | • | • |
| FE595 | Elan Lever | Вох | | • | | • | | | 235 | | | | | | |
| FE595 | Flair Lever | Box/Vis | | • | 245 | • | 245 | | 245 | 245 | | 240 | | 245 | |
| FE595 | Jazz Lever | Вох | | | • | | | | 245 | | | | | • | |
| FE595 | Plymouth Knob | Вох | • | • | • | | 230 | | • | 230 | | • | | • | • |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Triple Option Latch - add \$2 to list price

Electronic Locks Keypad Locks

Keypad Lever Auto Locks



FE575 Camelot x Accent (CAM) (ACC)



FE575 Plymouth x Accent (PLY) (ACC)

FE575 Plymouth x Elan (PLY) (ELA)

FE575 Plymouth x Flair (PLY) (FLA)

FE575 Plymouth x Jazz (PLY) (JAZ)

FE575 Series Keypad Entry Auto-Locks (cont.)

| FI | NI | Sŀ | 1E | S |
|----|----|----|----|---|
|----|----|----|----|---|

| Function | Style/Design | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 622 | 716 | 613 | 620 | 621 |
|------------|---------------|-----------|-----|-----|-------|-----|-------|-----|-------|-------|-----|-------|-----|-------|-----|
| (CAM) Ca | melot | | | | | | | | | | | | | | |
| FE575 | Accent Lever | | • | • | \$235 | • | \$235 | • | \$235 | \$235 | • | \$235 | | \$235 | • |
| (PLY) Plyr | nouth | | | | | | | | | | | | | | |
| FE575 | Accent Lever | | • | • | • | • | 235 | • | • | | • | 235 | | 235 | • |
| FE575 | Elan Lever | | • | • | • | • | • | • | 225 | | • | | | • | • |
| FE575 | Flair Lever | | • | • | 235 | • | 235 | • | 225 | 235 | • | 235 | | 235 | • |
| FE575 | Jazz Lever | | • | • | • | • | • | • | 225 | | • | • | | • | • |
| FE575 | Plymouth Knob |) | • | | | • | • | | | 235 | • | | | • | |

ALLEGION 📢

Handlesets F Series

F Series Handlesets AVAILABLE FUNCTIONS IN THE SERIES HANDLESETS HANDLESET

F62

ANSI/BHMA A156.36 Commercial Grade 1 ANSI/BHMA 156.40 Residential Grade AAA Entrance Handlesets

F60

F58 - Handleset/Entrance Lock Exterior

• Outside grip and deadbolt trim of F60

F59

F58

• Pair with an F59 for a complete handleset

F59 - Handleset/Entrance Lock Interior

- Inside trim, deadbolt thumbturn, latches, strikes & screws for F60
- Pair with an F58 for a complete handleset

F60 - Single Cylinder Deadbolt/Entrance Lock

- Deadbolt thrown or retracted by key from outside or by inside thumbturn
- Latch retracted by thumbpiece from outside or by inside knob/lever

F62 - Double Cylinder Handleset/Entrance Lock*

- Deadbolt thrown or retracted by key from either side
- Latch retracted by thumbpiece from outside or by inside knob/lever

F92 - Inactive Handleset Exterior

- Outside inactive grip & dummy deadbolt
- . Pair with an F94 for a complete inactive handleset

F94

F93

FE285

F94 - Inactive Handleset Interior

- . Inside inactive knob/lever, blank deadbolt trim & screws
- . Pair with an F92 for a complete inactive handleset

F93 - Inactive Handleset

F92

- For use as door pull or as decorative trim on inactive leaf of pair of doors
- Fixed thumbpiece and inside knob/lever
- Decorative deadbolt with inside trim

FE285 - Lower Half - Front Entry Set

- Combine with Electronic Deadbolt for complete Front Entry Set
- Latch retracted by thumbpiece from outside or by inside knob/lever
- *CAUTION: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

PRODUCT IDENTIFICATION

| F | 60 | | CEN | 619 | MER | CEN | RH | 12-322 | 10-115 | KD |
|----------------|---------|-------------------|-------|----------------|--------|--------------------|------|--------|--------|--------|
| Lock Series | Product | Suffix Package | Style | Finish Code | Design | Decorative Trim | Hand | Latch | Strike | Keying |

LATCHES & STRIKES

Latches

12-322 - Dual Option - Round Corner + Drive-in (16-080 + 12-321)

12-326 - Triple Option - Round Corner + Square Corner + Drive-in (16-210 + 12-287)

12-353 - F60/62 UL Listed, 1" Square Corner - **STANDARD**

12-354 - F60/62 UL Listed, 1" Round Corner

Strikes

10-115 - Round Corner Full Lip Strike Set (10-027 + 10-116)

10-269 - Round Corner Strike Set (10-026 + 10-027 + 10-116)



STANDARD FEATURES / CONFIGURATIONS

F-Series Entrance Handlesets*

Certification: ANSI/BHMA 156.36-2010 Commercial Grade 1

ANSI/BHMA 156.40-2015 Residential Grade AAA

Latch: 1"x 2 1/4", 1/4" radius corner faceplate, 1" housing diameter, 1/2" throw springlatch

Deadbolt: 1"x 2 1/4", 1/4" radius corner faceplate, 7/8" housing diameter, 1" throw, latchset number 12-321

Strike: Part 10-269, includes: 1 1/4" radius round corner deadbolt strike (10-116), 1 square corner full 1 1/4"

radius round corner full lip strike (10-027)

Reinforcement: Door frame reinforcer with 3" screws

Backset: Universal backset latch and deadbolt, fits either 2 3/8" or 2 3/4" backsets

5-Pin, keyed 5-Pin, C keyway, keyed different (KD) Cylinder:

15/8" - 13/4" Door Range**:

Keys: Two cut keys per lock, 5-pin, C section

Adjustable

Throughbolt: Adjustable throughbolt can move up and down 1 1/2" to fit a variety of pre-existing holes

FINISH CODES & DESCRIPTIONS

| 505 | 605 | 608 | 609 | 613 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|-----------------------------|-----|-----|---------------------------|---------------------------------|--------------------|---------------------------|------------------------------|----------------------|-----|----------------------------|-----|----------------|
| Lifetime Bright Brass | | | Antique Brass (US5) | Oil-Rubbed Bronze (US10B) | Polished Nickel | Satin Nickel (US15) | Antique Pewter (US15A) | Distressed Nickel | | Bright Chrome (US26) | | Aged Bronze |

Non-standard finishes are not available.

Full-color swatch examples available on inside Handleset tab.

PACKAGING & CARTON SPECS

| | INDIVID | UAL CARTO | N | | | | SHII | PPER | | |
|--------|------------------|-----------|----------|-----------|-----------------|------------------|---------|----------|-----------|-----------|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH |
| Levers | | | | | | | | | | |
| F58 | 4.30 | 3.90 in. | 7.97 in. | 16.25 in. | 4.00 | 22.00 | 1.36 | 8.50 in. | 16.00 in. | 17.25 in. |
| F59 | 1.75 | 3.62 in. | 4.31 in. | 8.06 in. | 8.00 | 20.00 | 0.94 | 6.00 in. | 15.00 in. | 18.00 in. |
| F60 | 6.16 | 3.90 in. | 7.97 in. | 16.25 in. | 4.00 | 23.00 | 1.36 | 8.50 in. | 16.00 in. | 17.25 in. |
| F62 | 6.36 | 3.90 in. | 7.97 in. | 16.25 in. | 4.00 | 24.00 | 1.36 | 8.50 in. | 16.00 in. | 17.25 in. |
| F92 | 4.30 | 3.90 in. | 7.97 in. | 16.25 in. | 4.00 | 22.00 | 1.36 | 8.50 in. | 16.00 in. | 17.25 in. |
| F94 | 1.75 | 3.62 in. | 4.31 in. | 8.06 in. | 20.00 | 33.60 | 1.73 | 9.13 in. | 18.12 in. | 18.12 in. |
| F93 | 5.75 | 3.90 in. | 7.97 in. | 16.25 in. | 4.00 | 22.00 | 1.36 | 8.50 in. | 16.00 in. | 17.25 in. |

For Vis Pack carton specs, see page Order-2




800.847.1864

^{*}Locks are furnished with standard features unless otherwise specified To order locks with non-standard features specify non-standard feature desired


^{**}Thick door kit available for door thicknesses up to 2 1/4" See Parts sections for item number and pricing

AVAILABLE STYLES

F58 **Available Exterior Styles**



F59 Available Interior Styles



Handlesets F Series

F58 Series Handleset Exterior

FINISHES

FINISHES

620

108

108

108

108

.

621

108

108

108

.

108

108

.

108

108

625

| Style/Design | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|------------------|-----------|-------|-------|-----|-------|-------|-------|-------|-----|-------|-------|-------|-------|-------|
| (PLY) Plymouth | Вох | \$140 | \$175 | • | \$175 | \$175 | \$175 | \$175 | • | \$175 | \$175 | \$175 | \$175 | \$205 |
| (CAM) Camelot | Box | 148 | 183 | 183 | 183 | 183 | 183 | 183 | • | 183 | 183 | • | 183 | |
| (CEN) Century | Вох | • | | • | • | 183 | 183 | • | • | 183 | 183 | 183 | 183 | |
| (ADD) Addison | Вох | • | · | • | 188 | • | 188 | 188 | 188 | 188 | 188 | • | 188 | · |
| (BRK) Brookshire | Вох | 153 | | • | 188 | • | 188 | • | • | 188 | • | • | 188 | |
| (GRW) Greenwich | Вох | • | | • | • | 188 | 188 | • | • | 188 | 188 | 188 | 188 | · . |
| (WKF) Wakefield | Вох | | · . | • | • | 188 | 188 | 188 | • | 188 | 188 | | 188 | |

F59 Series

Style/Design

(MER) Merano Lever*

(MNH) Manhattan Lever*

(NBK) Northbrook lever

(AVA) Avanti Lever*

Handleset/Entrance Lock Interior

Interior Thumbturn & Interior Lever (VLA) Avila Lever Вох \$100 \$105 \$105 \$105 \$105 \$105 \$105 . (SAC) Sacramento Lever Box 105 105 105 105 105 105 (ACC) Accent Lever* Вох 103 108 108 108 108 108 108 108 108 108 108 111 (BIR) Birmingham Lever Вох . . . 108 108 108 (BRW) Broadway Lever Box 108 108 108 108 108 108 . (ELA) Elan Lever Box 103 108 108 108 108 (FLA) Flair Lever* Box 103 108 108 108 108 108 108 108 (JAZ) Jazz Lever Вох . 108 108 (LAT) Latitude Lever Box . 108 108 108 108 108 108 .

609

608

605

.

Packaging

Вох

Box

Box

Box

| (CHP) Champagne Lever* | Box | | • | • | • | • | 118 | | • | • | • | • | 118 | Ŀ |
|----------------------------|-----------|------|---|----|------|----|-----|-----|----|-----|-----|------|-----|-------|
| Interior Thumbturn & Inter | rior Knob | | | | | | | | | | | | | |
| (BEL) Bell Knob | Вох | \$83 | • | | \$86 | • | | | • | • | | \$86 | | |
| (GEO) Georgian Knob | Вох | 83 | • | 86 | 86 | • | 86 | 86 | 86 | 86 | 86 | 86 | 86 | · |
| (PLY) Plymouth Knob | Вох | 83 | • | | 86 | • | 86 | 86 | • | 86 | 86 | 86 | 86 | · . |
| (AND) Andover Knob | Вох | 90 | • | | 93 | • | 93 | 93 | • | • | 93 | 93 | 93 | \$107 |
| (BWE) Bowery Knob | Вох | | | | • | 93 | 93 | | • | 93 | 93 | 93 | 93 | · - |
| (ORB) Orbit Knob | Вох | 90 | • | | • | • | 93 | 93 | • | • | 93 | 93 | | |
| (SIE) Siena Knob | Вох | 97 | • | • | 100 | | 100 | 100 | - | 100 | 100 | 100 | 100 | |

.

108

.



.

.

.

^{*}Specify handing

F92 Series Inactive Handlesets Exterior

FINISHES

| Style/Design | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|------------------|-----------|-------|-------|-----|-------|-----|-------|-------|-----|-------|-------|-------|-------|-------|
| (PLY) Plymouth | Вох | \$130 | \$165 | | \$165 | • | \$165 | \$165 | | \$165 | \$165 | \$165 | \$165 | \$195 |
| (CAM) Camelot | Box | 138 | 173 | • | 173 | | 173 | 173 | • | 173 | 173 | • | 173 | |
| (CEN) Century | Вох | | | | • | • | 173 | | | 173 | 173 | 173 | 173 | _ · |
| (ADD) Addison | Box | | | • | 178 | | 178 | 178 | 178 | 178 | 178 | | 178 | _ · |
| (BRK) Brookshire | Box | 143 | 178 | • | 178 | • | 178 | | • | 178 | • | | 178 | |
| (GRW) Greenwich | Вох | | | | • | • | 178 | | | 178 | 178 | 178 | 178 | · . |
| (WKF) Wakefield | Вох | • | | • | • | • | 178 | 178 | • | 178 | 178 | | 178 | · - |

F94 Series Inactive Handlesets Interior

FINISHES

| mactive mandlesets mite | 1101 | | | | | | | 11413111 | -5 | | | | | |
|-------------------------|-----------|------|-----|------|------|------|------|----------|------|------|------|------|------|----------|
| Style/Design | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
| Interior Levers | | | | | | | | | | | | | | |
| (VLA) Avila Lever | Вох | \$60 | | \$65 | \$65 | • | \$65 | • | • | • | \$65 | \$65 | \$65 | |
| (SAC) Sacramento Lever | Вох | • | | • | • | 65 | 65 | • | • | • | 65 | 65 | 65 | · . |
| (ACC) Accent Lever* | Вох | \$63 | | \$68 | \$68 | \$68 | \$68 | \$68 | \$68 | \$68 | \$68 | \$68 | \$68 | \$71 |
| (BIR) Birmingham Lever | Вох | • | | • | • | • | 68 | • | • | • | 68 | • | 68 | · . |
| (BRW) Broadway Lever | Вох | • | | • | • | • | 68 | • | • | 68 | 68 | 68 | 68 | |
| (ELA) Elan Lever | Вох | 63 | | • | 68 | • | • | • | • | • | 68 | 68 | 68 | · . |
| (FLA) Flair Lever* | Вох | 63 | | 68 | 68 | • | 68 | 68 | • | • | 68 | 68 | 68 | · . |
| (JAZ) Jazz Lever | Вох | - | | • | • | • | 68 | | | | • | 68 | • | <u> </u> |
| (LAT) Latitude Lever | Вох | | | • | • | 68 | 68 | • | • | 68 | 68 | 68 | 68 | |
| (MER) Merano Lever* | Вох | | | • | • | • | 68 | | | 68 | 68 | 68 | 68 | |
| (MNH) Manhattan Lever* | Вох | | | | | | 68 | | | | 68 | 68 | • | |
| (NBK) Northbrook | Вох | | | | • | • | 68 | | | | • | | • | |
| (AVA) Avanti Lever* | Вох | | | | 68 | • | 68 | | | | • | • | 68 | |
| (CHP) Champagne Lever* | Вох | | | | • | • | 78 | • | | | • | • | 78 | |
| Interior Knobs | | | | | | | | | | | | | | |
| (BEL) Bell Knob | Вох | \$43 | | • | \$46 | • | • | • | • | • | • | \$46 | • | · . |
| (GEO) Georgian Knob | Вох | 43 | | 46 | 46 | • | 46 | 46 | 46 | 46 | 46 | • | 46 | <u> </u> |
| (PLY) Plymouth Knob | Вох | 43 | | | 46 | • | 46 | 46 | | 46 | 46 | 46 | 46 | |
| (AND) Andover Knob | Вох | 50 | | • | 53 | • | 53 | 53 | • | • | 53 | 53 | 53 | 67 |
| (BWE) Bowery Knob | Вох | • | | • | • | 53 | 53 | • | • | • | 53 | 53 | 53 | · |
| (ORB) Orbit Knob | Вох | 50 | | • | • | • | 53 | • | • | • | 53 | 53 | • | |
| (SIE) Siena Knob | Вох | 57 | | | 60 | • | 60 | 60 | • | 60 | 60 | 60 | 60 | • _ |

^{*}Specify handing

Stand out **effortlessly.**

Schlage's Decorative Collections offer thousands of additional design and finish combinations. **See page Handlesets-8 for details.**





F62 Series Handleset/Entrance Lock Interior & Exterior

FINISHES

| rialidieset/ Littralice Lo | CK IIILEI IOI & | LXCELIOI | | | | | | IIJI ILJ | | | | | | |
|----------------------------|-----------------|----------|----------|-----|-------|-----|-------|----------|-------|-------|-------|-------|-------|----------|
| Style/Design | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
| Plymouth Handleset | | | | | | | | | | | | | | |
| (ACC) Accent Lever* | Vis | \$268 | \$200 | • | \$308 | • | \$308 | \$308 | | \$308 | \$308 | \$308 | \$308 | \$341 |
| (BIR) Birmingham Lever | Vis | | <u> </u> | • | • | • | 308 | • | • | • | 308 | • | 308 | · . |
| (GEO) Georgian Knob | Vis | 248 | 200 | • | 286 | • | 286 | 286 | • | 286 | 286 | • | 286 | · . |
| (PLY) Plymouth Knob | Vis | 248 | 200 | • | 286 | • | 286 | 286 | • | 286 | 286 | 286 | 286 | · |
| Camelot Handleset | | | | | | | | | | | | | | |
| (ACC) Accent Lever* | Vis | \$276 | \$208 | • | \$316 | • | \$316 | \$316 | • | \$316 | \$316 | • | \$316 | |
| (BIR) Birmingham Lever | Vis | | | • | • | • | 316 | | • | • | 316 | • | 316 | <u> </u> |
| (GEO) Georgian Knob | Vis | 256 | 208 | • | 294 | • | 294 | 294 | • | 294 | 294 | • | 294 | <u> </u> |
| (PLY) Plymouth Knob | Vis | 256 | 208 | • | 294 | • | 294 | 294 | • | • | 294 | • | 294 | · . |
| Century Handleset | | | | | | | | | | | | | | |
| (LAT) Latitude Lever | Vis | | <u> </u> | • | • | • | \$316 | • | • | • | \$316 | \$316 | \$316 | · . |
| (MER) Merano Lever* | Vis | | · | • | • | • | 316 | • | • | • | 316 | 316 | 316 | <u> </u> |
| (ORB) Orbit Knob | Vis | • | | • | - | • | 301 | • | • | • | 301 | 301 | | · . |
| Addison Handleset | | | | | | | | | | | | | | |
| (ACC) Accent Lever* | Vis | • | • | • | \$321 | • | \$321 | \$321 | \$321 | \$321 | \$321 | • | \$321 | • |
| (BIR) Birmingham Lever | Vis | | | • | | • | 321 | | • | • | 321 | • | 321 | • |
| (GEO) Georgian Knob | Vis | • | • | • | 299 | • | 299 | 299 | 299 | 299 | 299 | • | 299 | • |
| (PLY) Plymouth Knob | Vis | • | • | • | 299 | • | 299 | 299 | • | 299 | 299 | • | 299 | • |
| Brookshire Handleset | | | | | | | | | | | | | | |
| (FLA) Flair Lever* | Vis | \$281 | \$213 | • | \$321 | • | \$321 | • | • | • | • | • | \$321 | · . |
| (GEO) Georgian Knob | Vis | 261 | 213 | • | 299 | • | 299 | • | • | 299 | • | • | 299 | · . |
| Wakefield Handleset | | | | | | | | | | | | | | |
| (ACC) Accent Lever* | Vis | • | Ŀ | • | • | • | \$321 | \$321 | • | \$321 | \$321 | • | \$321 | • |
| (AND) Andover Knob | Vis | • | • | • | • | • | 306 | 306 | • | • | 306 | • | 306 | • |
| (BIR) Birmingham Lever | Vis | • | Ŀ | • | • | • | 321 | • | • | • | 321 | • | 321 | • |
| (GEO) Georgian Knob | Vis | • | · · | • | • | • | 299 | 299 | • | 299 | 299 | • | 299 | • |

^{*}Specify handing

F60 Series Handleset Exterior/Interior

| Style/Design | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|------------------------|-----------|-------|-----|-----|-----|-----|-------|-----|-----|-----|-----|-----|-------|----------|
| Plymouth Handleset | | | | | | | | | | | | | | |
| (ACC) Accent Lever | Vis | \$243 | | • | • | • | \$283 | • | • | • | • | • | • | |
| (FLA) Flair Lever | Vis | 243 | | • | 283 | | 283 | | • | • | • | • | 283 | <u> </u> |
| (GEO) Georgian Knob | Vis | 223 | | • | 261 | • | 261 | • | • | • | • | • | 261 | |
| (PLY) Plymouth Knob | Vis | 223 | | | 261 | | 261 | • | • | • | • | • | 261 | • |
| Camelot Handleset | | | | | | | | | | | | | | |
| (ACC) Accent Lever | Vis | \$251 | | • | • | • | \$291 | • | • | • | • | • | \$291 | |
| (AVA) Avanti Lever | Vis | • | | • | 291 | • | 291 | • | • | • | • | • | 291 | |
| (GEO) Georgian Knob | Vis | | _ · | 269 | 269 | • | 269 | • | • | • | • | • | 269 | <u> </u> |
| (SIE) Siena Knob | Vis | | | • | • | • | 269 | • | • | • | • | • | 269 | |
| Century Handleset | | | | | | | | | | | | | | |
| (LAT) Latitude Lever | Vis | | | • | • | • | \$291 | • | • | • | • | • | • | |
| (MER) Merano Lever | Vis | • | | • | • | • | 291 | • | • | • | • | • | 291 | |
| Addison Handleset | | | | | | | | | | | | | | |
| (ACC) Accent Lever | Vis | | | • | • | • | \$296 | • | • | • | • | • | • | <u> </u> |
| (BIR) Birmingham Lever | Vis | | | • | • | • | • | • | • | • | • | • | 296 | |
| (GEO) Georgian Knob | Vis | • | | • | • | | • | • | • | | | • | 274 | |

FE285 Series Handleset Exterior Options

FINISHES

| Style/Design | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|------------------|-----------|-------|-------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| (PLY) Plymouth | Вох | \$110 | \$145 | • | \$145 | \$145 | \$145 | \$145 | \$145 | \$145 | \$145 | \$145 | \$145 | \$175 |
| (CAM) Camelot | Вох | 118 | 153 | 153 | 153 | | 153 | 153 | | 153 | 153 | | 153 | |
| (CEN) Century | Вох | • | | | • | • | 153 | • | • | 153 | 153 | 153 | 153 | |
| (ADD) Addison | Вох | | Ŀ | • | 158 | | 158 | 158 | 158 | 158 | 158 | | 158 | |
| (BRK) Brookshire | Вох | 123 | 158 | • | 158 | | 158 | • | | 158 | • | | 158 | · . |
| (WKF) Wakefield | Вох | | | | | 158 | 158 | | • | 158 | 158 | 158 | 158 | 188 |

FE285 Series Handleset Interior Options

FINISHES

| Handleset Interior Option | ons | | | | | | F | IMISH | :5 | | | | | |
|---------------------------|-------------|------|-----|-----|------|-----|------|-------|-----|-----|------|------|------|----------|
| Style/Design | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
| Interior Thumbturn & Int | erior Lever | | | | | | | | | | | | | |
| (VLA) Avila Lever | Вох | \$70 | | | \$75 | | \$75 | • | • | • | \$75 | \$75 | \$75 | |
| (SAC) Sacramento Lever | Вох | - | | • | • | 75 | 75 | • | • | • | 75 | 75 | 75 | |
| (ACC) Accent Lever* | Вох | 73 | | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 81 |
| (BIR) Birmingham Lever | Вох | - | | | | | 78 | • | • | • | 78 | • | 78 | <u> </u> |
| (BRW) Broadway Lever | Вох | | | | 78 | | 78 | • | • | 78 | 78 | 78 | 78 | |
| (ELA) Elan Lever | Вох | 73 | | | 78 | | | | • | | 78 | 78 | • | |
| (FLA) Flair Lever* | Вох | 73 | | 78 | 78 | | 78 | | • | • | 78 | 78 | 78 | 81 |
| (JAZ) Jazz Lever | Вох | - | | | | | 78 | | • | • | • | 78 | • | _ · _ |
| (LAT) Latitude Lever | Вох | | | | | 78 | 78 | | • | 78 | 78 | 78 | 78 | · |
| (MER) Merano Lever* | Вох | - | | | | | 78 | | • | 78 | 78 | 78 | 78 | <u> </u> |
| (MNH) Manhattan Lever* | Вох | | | | | | 78 | • | • | • | 78 | 78 | | |
| (NBK) Northbrook lever | Вох | - | | | • | | 78 | | • | • | • | • | • | · |
| (AVA) Avanti Lever* | Вох | • | · . | • | 78 | • | 78 | • | • | • | • | • | 78 | · _ |
| (CHP) Champagne Lever* | Вох | • | · . | • | 88 | • | 88 | • | • | • | • | | 88 | · |
| Interior Thumbturn & Int | erior Knob | | | | | | | | | | | | | |
| (BEL) Bell Knob | Вох | \$53 | | • | \$56 | • | \$56 | \$56 | • | • | \$56 | \$56 | \$56 | |
| (GEO) Georgian Knob | Вох | 53 | | 56 | 56 | • | 56 | 56 | 56 | 56 | 56 | • | 56 | |
| (PLY) Plymouth Knob | Вох | 53 | | • | 56 | • | 56 | 56 | • | 56 | 56 | 56 | 56 | |
| (AND) Andover Knob | Вох | 60 | | • | 63 | • | 63 | 63 | • | • | 63 | 63 | 62 | 77 |
| (BWE) Bowery Knob | Вох | - | | • | • | 63 | 63 | 63 | • | 63 | 63 | 63 | 63 | |
| (PLY) Plymouth Knob | Вох | 53 | | • | 56 | | 56 | 56 | • | 56 | 56 | 56 | 56 | |
| (ORB) Orbit Knob | Вох | 60 | | | | | 63 | 63 | | | 63 | 63 | | • |

^{*}Specify handing

Stand out **effortlessly.**

Schlage's Decorative Collections offer thousands of additional design and finish combinations. **See page Handlesets-8 for details.**





Decorative collection is only available with F Series

Stand out **effortlessly**.

Schlage's Decorative Collections 1,000 customized design and finish limited by only your imagination.



Pair a knob or lever with our inspired decorative trim options to bring your vision to life.*



Accent lever Camelot trim

* LOCKS SHIP COMPLETE WITH TRIM ATTACHED





















Addison (ADD)

Andover (AND)

Brookshire (BRK)

(CAM)

Century (CEN)

Collins (COL)

Greenwich (GRW)

Greyson (GSN)

Upland (ULD)

(WKF)

Follow these steps for pricing decorative combinations:

- 1. Locate the list price of the handleset in the Handlesets section.
- 2. Use the chart below to find the list price adder for the matching Decorative Collection upgrade.
- 3. Add the list prices together for the total list price of the new combination.

For F60 / F59 / F93 / F94 / FE285

Finishes available

| Decorative trim finish | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|------------------------|-----|-----|-----|------|-----|------|-----|------|------|------|------|------|-----|
| Addison (ADD) | • | • | • | \$16 | • | \$16 | | \$16 | \$16 | \$16 | \$16 | \$16 | |
| Andover (AND) | 16 | 16 | • | 16 | • | 16 | 16 | • | 16 | 16 | 16 | 16 | 16 |
| Brookshire (BRK) | • | • | • | 16 | • | 16 | • | • | • | • | • | 16 | |
| Camelot (CAM) | 16 | 16 | 16 | 16 | • | 16 | 16 | | 16 | 16 | • | 16 | |
| Century (CEN) | | • | • | • | 16 | 16 | • | • | 16 | 16 | 16 | 16 | |
| Greenwich (GRW) | • | • | • | • | 16 | 16 | • | • | 16 | 16 | 16 | 16 | |
| Wakefield (WKF) | • | • | • | • | 16 | 16 | • | • | • | 16 | 16 | 16 | |
| Greyson (GSN) | • | • | • | • | 16 | 16 | • | • | 16 | 16 | • | 16 | |
| Upland (ULD) | • | • | • | • | • | 16 | • | | | • | | • | |
| Collins (COL) | | • | - | • | • | 16 | | | • | • | • | • | |





EXAMPLE 1: To Price a F59 ACC 619 CAM

Take the list price of a F59 ACC 619 12-321 10-116 at \$104.00 and add the Camelot Decorative Trim Adder of \$16.00 for a total list price of \$119.00

\$108 (F59 ACC 619)

+ \$16 (Camelot Decorative Trim 619)

\$124 Total cost

(F59 ACC 619 CAM)

When ordering a Handleset decorative collection product, specify the trim after the finish code Example: F59 ACC 619 CAM or F59 ACC 619 ADD


- * Andover & Greyson trim available on interior knob or lever and not on deadbolt
- ** ULD trim available on interior knob or lever with COL trim on deadbolt.



To order latches and strikes see page HA-28/29

J Series Handlesets

AVAILABLE FUNCTIONS



ANSI/BHMA A156.36-2010 Commercial Grade 3 J Series Entrance Handlesets

JH58 - Outside Handleset

. Outside grip and deadbolt trim

JH59 - Inside Handleset

. Inside trim, deadbolt thumbturn, latches, strikes & screws

JI58/59 - Keyed Entrance Lock (Interconnect)

- . Deadbolt operated by key from outside or by turn unit from inside. Bolt automatically deadlocks when fully thrown
- . Outside lever unlocked by key from outside when locked by turn-button in inside lever
- . Turning inside lever retracts deadbolt and latch simultaneously for immediate exit
- . Latch automatically deadlocks when door is closed
- . UL Listed

JI18/19 - Passage Lock with Keyed Deadbolt (Interconnect)

- . Deadbolt operated by key from outside or by turn unit from inside
- . Bolt automatically deadlocks when fully thrown
- . Latch retracted by lever from either side
- . Turning inside lever retracts deadbolt and latch simultaneously for immediate exit
- . UL Listed

PRODUCT IDENTIFICATION

| JH | 59 | | SEV | 619 | RH | 16-068 | 10-103 |
|-------------|---------|----------------|-------|-------------|------|--------|--------|
| Lock Series | Product | Suffix/Package | Style | Finish Code | Hand | Latch | Strike |

LATCHES & STRIKES

Latches

16-258* - Triple Option -Round Corner + Square Corner + Drive-in (16-068 + 16-070) - **STANDARD**

Strikes

10-268* - Radius Full Lip + Radius Deadbolt (10-101 + 10-102 + 10-103) -**STANDARD**

NOTE:

ALLEGION .

- 1) standard latch is Triple Option
- 2) J10 and J40 standard latch is Dual Option 1/4" round faceplate and drive-in latch
- 3) J54 standard latch is Triple Option 1/4" round and square corner drive-in latch



^{*} Sold seperately as 16-068 and 16-070

^{*} Sold seperately as 10-101 and 10-102 and 10-103

STANDARD FEATURES / CONFIGURATIONS

J Series Entrance Handlesets

Certification: ANSI/BHMA A156.36-2010 Commercial Grade 3 Deadbolt Triple Option: 1" x 2 1/4", square corner and 1/4"

Latch: round faceplates, drive-in latch, 1" housing diameter, 1" throw Spring Latch: Triple Option: 1" x 2 1/4", 1/4" round faceplate, drive-in latch

Deadbolt Strike: 1" x 2 1/4", round corner and radius corner, full lip

Latch Strike: 1 5/8" x 2 1/4", radius corner, full lip Backset: Adjustable for 2 3/8" or 2 3/4" Cylinder: 5-pin, C keyway, keyed different (KD)

Door Range: 1 3/8" - 1 3/4"

Keys: Two brass cut keys per lock, 5-pin, C section

FINISH CODES & DESCRIPTIONS

| 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|-----------------|------------------|--------|-------------------|--------|---------|--------------------------|----------------|
| Bright Brass | Antique Brass | | Antique Pewter | | | Satin Stainless Steel | Aged Bronze |
| (US3) | (US5) | (US15) | (US15A) | (US26) | (US26D) | (US32D) | |

^{*}Non-standard finishes are not available


Full-color swatch examples available on inside Handleset tab

PACKAGING & CARTON SPECS

| | INDIVID | UAL CARTO | N | | | | SH | IPPER | | |
|-------|------------------|-----------|----------|-----------|-----------------|------------------|---------|-----------|-----------|-----------|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH |
| Knobs | | | | | | | | | | |
| JH58 | 3.47 | 3.46 in. | 5.51 in. | 12.20 in. | 4 | 13.86 | 0.754 | 13.6 in. | 8.0 in. | 12.0 in. |
| JH59 | 1.19 | 3.11 in. | 2.56 in. | 7.48 in. | 24 | 28.62 | 1.142 | 8.7 in. | 13.6 in. | 16.8 in. |
| JI58 | 0.64 | 2.76 in. | 3.15 in. | 13.39 in. | 20 | 12.8 | 1.64 | 14.17 in. | 13.39 in. | 14.96 in. |
| JI59 | 2.83 | 3.15 in. | 3.94 in. | 9.05 in. | 12 | 33.96 | 1.1 | 10.35 in. | 13.19 in. | 13.89 in. |
| JI18 | 1.19 | 2.79 in. | 5.04 in. | 6.22 in. | 24 | 28.62 | 1.8 | 7.8 in. | 18.31 in. | 21.77 in. |
| JI19 | 2.83 | 3.15 in. | 3.94 in. | 9.05 in. | 12 | 33.96 | 1.1 | 10.35 in. | 13.19 in. | 13.89 in. |

For Vis Pack carton specs, see page Order-2





JH58 Series **Handleset Exteriors**

| Style/D | Pesign | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|---------|--------------------------------|-----------------|---------|--------|------|------|------|-----|------|------|
| Handle | sets Outside Trim, JH58 (JH58 | 3 + JH59 = com | plete h | andles | et) | | | | | |
| JH58 | (BAR) Barcelona | Вох | \$80 | \$85 | \$85 | \$85 | \$85 | • | \$85 | \$85 |
| JH58 | (PRS) Paris | Box | 80 | 85 | 85 | • | 85 | • | 85 | 85 |
| Handle | sets Inside Trim, JH59 (JH58 + | - JH59 = comple | ete han | dleset |) | | | | | |
| JH59 | (BYR) Byron Knob | Вох | \$54 | | • | • | • | • | \$57 | • |
| JH59 | (CNA) Corona Knob | Вох | 54 | 57 | 57 | 57 | 57 | | 57 | 57 |
| JH59 | (STR) Stratus Knob | Вох | 54 | | 57 | • | 57 | | 57 | 57 |
| JH59 | (DOV) Dover Lever | Вох | • | | 68 | | • | | 68 | • |
| JH59* | (LAS) LaSalle Lever | Вох | 65 | 68 | 68 | | • | | | 68 |
| JH59 | (MAR) Marin Lever | Вох | | | 68 | • | • | | 68 | • |
| JH59* | (SEV) Seville Lever | Вох | • | | 68 | | 68 | | | 68 |
| JH59 | (SOL) Solstice Lever | Вох | • | | 72 | | 72 | | | 72 |
| JH59 | (TOR) Torino Lever | Вох | • | | 68 | 68 | 68 | | 68 | 68 |

^{*}Specify handing



JI Series Interconnect Locksets-UL

| Style/ | Pesign | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|--------|-------------------------------------|-----------|-----|-----|-----|-----|-----|-----|------|-----|
| JI58 | Interconnect, Exterior Torino (TOR) | Вох | • | | • | • | • | • | \$65 | • |
| JI59 | Interconnect, Interior Torino (TOR) | Вох | | | | • | • | • | 85 | |
| JI18 | Interconnect, Exterior Marin (MAR) | Вох | • | | | • | • | • | 57 | • |
| JI19 | Interconnect, Interior Marin (MAR) | Вох | • | | | | • | • | 75 | |

JH60-Series Entrance Handlesets

| Style/Design | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|---------------------|-----------|-------|-------|-----|-----|-----|-----|-----|-----|
| Barcelona Handleset | | | | | | | | | |
| (BYR) Byron Knob | Vis | \$134 | \$142 | • | • | • | • | | |
| (CNA) Corona Knob | Vis | 134 | 142 | 142 | • | • | • | | • |
| (STR) Stratus Knob | Vis | 134 | 142 | • | • | • | • | | |
| (DOV) Dover Lever | Vis | 145 | 153 | 153 | • | • | • | | 153 |
| (LAS) LaSalle Lever | Vis | 145 | 153 | 153 | • | • | • | | • |
| (SEV) Seville Lever | Vis | 145 | 153 | 153 | • | • | • | | |
| Paris Handleset | | | | | | | | | |
| (STR) Stratus Knob | Vis | | | • | • | • | • | | 142 |
| (LAS) LaSalle Lever | Vis | | | 153 | • | • | • | | 153 |
| (SEV) Seville Lever | Vis | • | | 153 | • | • | • | | 153 |
| (TOR) Torino Lever | Vis | 145 | 153 | 153 | • | • | • | - | 153 |





Handlesets J Series

Notes



F Series Levers-1 F Series Decorative Collection Levers-11 J Series Levers-13

F Series Levers

AVAILABLE FUNCTIONS

Non-keyed Locks



Schlage ANSI

F10 F75 F40 F76 F170

Keyed Locks



F51A F81



F80 F86

ANSI/BHMA 156.2-2011 Commercial Grade 2 ANSI/BHMA 156.39-2015 Residential Grade AAA

Non-keyed Locks



F10/F75 – Hall & Closet

Both knobs/levers always unlocked



F40/F76 - Bed & Bath

- Push-button locking
- Can be opened from outside with small circular tool
- Turning inside knob/lever releases button



F170 - Non-turning

- Non-turning trim for one side of door
- Used for door pull or as matching inactive trim

Keyed Locks



F51A/F81 - Keyed Entry

- Keyed entry function unlocks when door is opened from the inside, allowing you to leave quickly, conveniently and re-enter easily
- Locked by inserting key and rotating cylinder from outside, or manually rotating interior turn-button after exit



F80/F86 - Storeroom Lock

- Outside knob/lever fixed. Entrance by key
- Inside knob/lever always unlocked

PRODUCT IDENTIFICATION

| F | 51A | F | ACC | 619 | CAM | RH | 16-086 | 10-027 | KA4 |
|----------------|---------|--------------------------------|-------|----------------|--------------------|------|--------|--------|--------|
| Lock Series | Product | UL Fire Rated (V - VisPack) | Style | Finish Code | Decorative Trim | Hand | Latch | Strike | Keying |

LATCHES & STRIKES

Keyed Latches - Dead Latches

16-086 - Dual Option (Round, Drive-in) **STANDARD**

16-207 - Square Corner

16-211 - Triple Option (Round, Square, Drive-in)

16-203 - UL Listed Square Corner with Firecup

16-204 - UL Listed Round Corner with Firecup

16-126 - 5" Backset, Square Corner

Non Keyed - Spring Latches

16-080 - Dual Option (Round, Drive-in) **STANDARD**

16-200 - Square Corner

16-210 - Triple Option (Round, Square, Drive-in)

16-203 - UL Listed Square Corner with Firecup

16-204 - UL Listed Round Corner with Firecup

16-126 - 5" Backset, Square Corner

Strikes

10-027 - Round Corner Full Lip

STANDARD

10-001 - Square Corner T Strike

10-026 - Square Corner Full Lip

10-058 - Circular - Adjustable

10-063 - Dual Strikes

(Round & Square Full Lip) 10-025 - ANSI Square Corner

STANDARD FEATURES / CONFIGURATIONS

F-Series Levers/Decorative Trim*

Description

Certification: ANSI/BHMA A156.2-2011 Commercial Grade 2

ANSI/BHMA A156.39-2015 Residential Grade AAA

Available UL Listed for 3-hour fire door

1"x 2 1/4", 1/4" radius corner faceplate, 7/8" housing diameter, 1/2" throw, Latch:

circular drive-in included, universal latch

Strike: 15/8" x 21/4" radius corner, full lip, no box

Backset: Dual backset latches, fits either 2 3/8" or 2 3/4" backsets

Cylinder: 5-Pin, C keyway, keyed alike (KA4)

Door Range: 1 3/8" - 1 3/4"

Keys: Two per lock, 5-pin, C section

* Locks are furnished with standard features unless otherwise specified. To order locks with non-standard features specify non-standard feature desired.

FINISH CODES & DESCRIPTIONS

| 505 | 605 | 608 | 609 | 613 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|-----|-----|-----|---------------------------|---------------------------------|--------------------|---------------------------|------------------------------|----------------------|-----|----------------------------|-----|----------------|
| | _ | | Antique Brass (US5) | Oil-Rubbed Bronze (US10B) | Polished Nickel | Satin Nickel (US15) | Antique Pewter (US15A) | Distressed Nickel | | Bright Chrome (US26) | | Aged Bronze |

Non-standard finishes are not available.

Full-color swatch examples available on inside Levers tab.

PACKAGING & CARTON SPECS


| | INDIVID | UAL CARTO | N | | | | SHIP | PER | | |
|------------------|------------------|-----------|----------|----------|-----------------|------------------|---------|---------|----------|----------|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH |
| Levers | | | | | | | | | | |
| F10 | 1.55 | 3.25 in. | 6.00 in. | 7.00 in. | 8 | 12.50 | 0.760 | 7.8 in. | 12.6 in. | 13.5 in. |
| F40 | 1.55 | 3.25 in. | 6.00 in. | 7.00 in. | 8 | 12.50 | 0.760 | 7.8 in. | 12.6 in. | 13.5 in. |
| F51A | 1.55 | 3.25 in. | 6.00 in. | 7.00 in. | 8 | 12.50 | 0.760 | 7.8 in. | 12.6 in. | 13.5 in. |
| F80 | 1.55 | 3.25 in. | 6.00 in. | 7.00 in. | 8 | 12.50 | 0.760 | 7.8 in. | 12.6 in. | 13.5 in. |
| F170 | 0.80 | 2.86 in. | 4.38 in. | 5.66 in. | 20 | 16.00 | 1.000 | 6.5 in. | 15.3 in. | 18.3 in. |
| Decorative Colle | ctions Lever | s | | | | | | | | |

| All Levers | 1.55 | 3.25 in. | 6.00 in. | 7.00 in. | 8 | 19.00 | 1.090 | 8.13 in. | 12.63 in. | 18.4 in. |
|------------|------|----------|----------|----------|----|-------|-------|----------|-----------|----------|
| F170 | 1.20 | 2.86 in. | 4.38 in. | 5.66 in. | 20 | 25.00 | 1.000 | 6.5 in. | 15.3 in. | 18.3 in. |

For Vis Pack carton specs, see page Order-2



AVAILABLE STYLES



Levers F Series



Avila (VLA)


RECOMMENDED DECORATIVE TRIM Avila lever with Wakefield trim Avila lever Avila lever with Addison trim with Camelot trim

(VLA) Avila **FINISHES**

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|------|------|-----|------|-----|------|-----|-----|-----|------|------|------|-----|
| F10 | Hall & Closet | Вох | \$40 | \$44 | | \$44 | | \$44 | | | | \$44 | \$44 | \$44 | • |
| F40 | Bed & Bath | Вох | 43 | | | 47 | • | 47 | | | | 47 | 47 | 47 | |
| F51A | Keyed Entry | Вох | 70 | 74 | | 74 | • | 74 | • | • | | 74 | 74 | 74 | · |
| F80 | Storeroom | Вох | 80 | 84 | • | 84 | • | 84 | • | • | | 84 | 84 | 84 | |
| F170 | Non-turning | Вох | 20 | | • | 22 | • | 22 | • | • | | 22 | 22 | 22 | |



Sacramento (SAC)



FINISHES (SAC) Sacramento

| Function | on | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 716 | 613 | 620 | 621 | 622 |
|----------|---------------|-----------|-----|-----|-----|------|------|------|------|-----|------|-----|-----|-----|-----|
| F10 | Hall & Closet | Box/Vis | | • | | \$44 | \$44 | \$44 | \$44 | | \$44 | • | | | |
| F40 | Bed & Bath | Box/Vis | - | | | 47 | 47 | 47 | 47 | | 47 | | | • | • |
| F51A | Keyed Entry | Box/Vis | | | | 74 | 74 | 74 | 74 | | 74 | | | | |
| F80 | Storeroom | Вох | - | | • | 84 | 84 | 84 | 84 | | 84 | | | | • |
| F170 | Non-turning | Вох | • | | - | 22 | 22 | 22 | 22 | | 22 | | | | • |

List Price Adders:

Visual Package Options (highlighted) - add \$11 to list price Decorative Trim Option - See chart on page Levers-11 Triple Option Latch - add \$2 to list price; Box Pack Only UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only



Accent (ACC)

RECOMMENDED DECORATIVE TRIM Accent lever Accent Lever Accent Lever with Addison Trim with Collins Trim with Camelot trim

(ACC) Accent

FINISHES 625 626 620 622 **Function** 608 609 618 619 505 621 **Packaging** 605 F10 Hall & Closet Box/Vis \$57 \$50 \$57 \$57 \$57 \$57 \$57 \$57 \$57 \$65 \$57 \$57 \$57 F40 Bed & Bath Box/Vis 53 60 60 60 60 60 60 60 60 68 60 60 107 107 107 F51A Keyed Entry Box/Vis 100 107 107 107 107 107 115 107 107 107 F80* Storeroom Вох 110 117 117 117 117 117 117 117 117 125 117 117 117 Box/Vis F170* 25 29 29 29 29 29 29 29 33 29 29 29 Non-turning



Elan (ELA)



(ELA) Elan

FINISHES 605 608 **Function Packaging** F10 Hall & Closet Вох \$50 \$57 \$57 \$57 \$57 \$57 \$57 . F40 Bed & Bath Box 53 60 60 60 60 60 60 F51A 100 107 107 107 107 107 107 107 Keyed Entry Box F80 Storeroom Вох 110 117 117 117 117 117 117 F170 25 29 29 29 29 29 29 Non-turning Box

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Levers-11 Triple Option Latch - add \$2 to list price; Box Pack Only UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only

* Specify Handing

Stand out **effortlessly.**

Schlage's Decorative Collections offer thousands of additional design and finish combinations. See page Levers-11 for details.





Levers F Series



Flair (FLA)

RECOMMENDED DECORATIVE TRIM Flair lever with Addison trim Flair lever with Brookshire trim Flair lever with Camelot trim

FINISHES (FLA) Flair

| Functio | on | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 716 | 613 | 620 | 621 | 622 |
|---------|---------------|-----------|------|------|------|-----|------|------|------|------|------|-----|------|-----|-----|
| F10 | Hall & Closet | Box/Vis | \$50 | \$57 | \$57 | | \$57 | \$57 | \$57 | \$57 | \$57 | | \$57 | | • |
| F40 | Bed & Bath | Box/Vis | 53 | 60 | 60 | - | 60 | 60 | 60 | · | 60 | | 60 | | • |
| F51A | Keyed Entry | Box/Vis | 100 | 107 | 107 | • | 107 | 107 | 107 | 107 | 107 | | 107 | | • |
| F80* | Storeroom | Вох | 110 | 117 | 117 | | 117 | 117 | 117 | 117 | 117 | | 117 | | |
| F170* | Non-turning | Box/Vis | 25 | 29 | 29 | • | 29 | 29 | 29 | | 29 | | 29 | | • |



Jazz (JAZ)

FINISHES (JAZ) Jazz

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|-----|-----|-----|-----|-----|------|-----|-----|------|-----|------|------|----------|
| F10 | Hall & Closet | Вох | • | | • | • | • | \$57 | • | • | \$57 | | \$57 | \$57 | • |
| F40 | Bed & Bath | Вох | • | · | • | • | • | 60 | • | • | 60 | | 60 | 60 | · |
| F51A | Keyed Entry | Вох | • | | • | • | • | • | • | | 107 | | | | <u> </u> |
| F80 | Storeroom | Вох | • | | • | • | • | • | • | • | | | • | | <u> </u> |
| F170 | Non-turning | Вох | • | | • | • | • | 29 | • | • | 29 | | 29 | 29 | |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Levers-11 Triple Option Latch - add \$2 to list price; Box Pack Only UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only

* Specify Handing





Latitude (LAT)

RECOMMENDED DECORATIVE TRIM Latitude lever with Century trim Latitude lever with Collins trim

(LAT) Latitude

FINISHES

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|-----|-----|-----|-----|------|------|-----|-----|------|------|------|------|-----|
| F10 | Hall & Closet | Box /Vis | | • | | • | \$57 | \$57 | | | \$57 | \$57 | \$57 | \$57 | • |
| F40 | Bed & Bath | Box /Vis | | | | • | 60 | 60 | | • | 60 | 60 | 60 | 60 | |
| F51A | Keyed Entry | Box /Vis | • | | | • | 107 | 107 | | | 107 | 107 | 107 | 107 | |
| F80 | Storeroom | Вох | | | | • | 117 | 117 | • | | 117 | 117 | 117 | 117 | |
| F170 | Non-turning | Вох | | | | | 29 | 29 | • | | 29 | 29 | 29 | 29 | |



Manhattan (MNH)



(MNH) Manhattan

FINISHES

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|-----|-----|-----|-----|-----|------|-----|-----|-----|------|------|------|-----|
| F10 | Hall & Closet | Вох | | • | | - | - | \$57 | • | - | - | \$57 | \$57 | \$57 | |
| F40 | Bed & Bath | Вох | | | | • | • | 60 | | • | | 60 | 60 | 60 | |
| F51A | Keyed Entry | Вох | | | • | • | • | 107 | • | • | • | 107 | 107 | 107 | • |
| F80* | Storeroom | Вох | | | | • | • | 117 | • | • | | 117 | 117 | 117 | |
| F170* | Non-turning | Вох | | | • | • | • | 29 | | • | | 29 | 29 | 29 | |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price
Decorative Trim Option - See chart on page Levers-11
Triple Option Latch - add \$2 to list price; Box Pack Only
UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only)
Split Finish/Design - add \$6.50 to highest list price; Box Pack Only

* Specify Handing

Stand out **effortlessly.**

Schlage's Decorative Collections offer thousands of additional design and finish combinations. See page Levers-11 for details.







Birmingham (BIR)

RECOMMENDED DECORATIVE TRIM

Birmingham lever with Brookshire trim

(BIR) Birmingham **FINISHES**

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|-----|-----|-----|-----|-----|------|-----|-----|-----|------|-----|------|-------|
| F10 | Hall & Closet | Box/Vis | | · | • | • | • | \$57 | • | • | • | \$57 | • | \$57 | _ · _ |
| F40 | Bed & Bath | Box/Vis | | · | | | | 60 | | | | 60 | | 60 | Ŀ |
| F51A | Keyed Entry | Box/Vis | | | • | • | | 107 | | | | 107 | | 107 | · . |
| F80 | Storeroom | Вох | | | • | • | • | 117 | • | | | 117 | • | 117 | |
| F170 | Non-turning | Вох | | - | • | | | 29 | | | | 29 | | 29 | |





FINISHES (STA) St. Annes

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|-----|-----|-----|------|-----|------|-----|-----|-----|-----|-----|------|----------|
| F10 | Hall & Closet | Вох | • | | • | \$57 | • | \$57 | • | • | • | • | • | \$57 | <u> </u> |
| F40 | Bed & Bath | Вох | • | | • | 60 | | 60 | | | | | | 60 | · |
| F51A | Keyed Entry | Вох | • | | • | 107 | | 107 | | | | | | 107 | |
| F80* | Storeroom | Вох | • | | • | 117 | • | 117 | • | • | • | • | • | 117 | |
| F170* | Non-turning | Вох | • | | • | 29 | | 29 | | | | | | 29 | |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Levers-11 Triple Option Latch - add \$2 to list price; Box Pack Only UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only

Stand out **effortlessly.**

Schlage's Decorative Collections offer thousands of additional design and finish combinations. See page Levers-11 for details.



ALLEGION !

^{*} Specify Handing



Merano (MER)

RECOMMENDED DECORATIVE TRIM Merano lever Merano lever Merano lever with Greenwich trim with Greyson trim with Century trim

(MER) Merano

| (MER) | Merano | | | | | | | F | INISHE | ES | | | | | |
|----------|---------------|-----------|-----|-----|-----|-----|-----|------|--------|-----|------|------|------|------|----------|
| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
| F10 | Hall & Closet | Box/Vis | • | | • | • | • | \$57 | | • | \$57 | \$57 | \$57 | \$57 | <u> </u> |
| F40 | Bed & Bath | Box/Vis | | | | • | | 60 | | | 60 | 60 | 60 | 60 | |
| F51A | Keyed Entry | Box/Vis | • | | • | • | • | 107 | | • | 107 | 107 | 107 | 107 | |
| F80* | Storeroom | Вох | • | | • | • | | 117 | • | • | 117 | 117 | 117 | 117 | |
| F170 | Non-turning | Box/Vis | | | | | | 29 | | | 29 | 29 | 29 | 29 | |



Broadway (BRW)

RECOMMENDED DECORATIVE TRIM



with Greenwich trim



with Greyson trim

RECOMMENDED DECORATIVE TRIM



Broadway lever with Collins trim

(BRW) Broadway

| (BRW) | Broadway | | | | | | | F | INISHE | ES | | | | | |
|--------|---------------|-----------|-----|-----|-----|-----|-----|------|--------|-----|------|------|------|------|---------|
| Functi | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
| F10 | Hall & Closet | Box/Vis | • | | • | • | • | \$57 | | • | \$57 | \$57 | \$57 | \$57 | <u></u> |
| F40 | Bed & Bath | Box/Vis | | | | | • | 60 | | • | 60 | 60 | 60 | 60 | |
| F51A | Keyed Entry | Box/Vis | | | | | • | 107 | | • | 107 | 107 | 107 | 107 | |
| F80* | Storeroom | Вох | | | | | • | 117 | | • | 117 | 117 | 117 | 117 | |
| F170 | Non-turning | Вох | • | | • | | • | 29 | | | 29 | 29 | 29 | 29 | |



Northbrook (NBR)



FINISHES



Northbrook lever with Upland trim

Northbrook lever with Collins trim

(NBR) Northbrook

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|
| F10 | Hall & Closet | Box/Vis | - | · | • | • | | \$57 | | • | | | • | • | |
| F40 | Bed & Bath | Box/Vis | | | | • | • | 60 | • | • | | • | • | • | |
| F51A | Keyed Entry | Box/Vis | | | | • | • | 107 | • | • | | • | • | • | |
| F80* | Storeroom | Вох | | | | • | • | 117 | • | • | • | • | • | • | |
| F170 | Non-turning | Вох | | | • | • | • | 29 | | • | | • | • | • | |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Levers-11 Triple Option Latch - add \$2 to list price; Box Pack Only

UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only

^{*} Specify Handing

Levers F Series



Champagne (CHP)

RECOMMENDED DECORATIVE TRIM





with Andover trim

Champagne lever with Wakefield trim

(CHP) Champagne

FINISHES

| Functio | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|---------|---------------|-----------|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|------|----------|
| F10 | Hall & Closet | Box | • | · . | • | • | • | \$71 | • | • | • | • | • | \$71 | <u> </u> |
| F40 | Bed & Bath | Вох | | | | • | • | 74 | | • | • | • | | 74 | |
| F51A | Keyed Entry | Вох | | | | • | • | 121 | | • | • | • | | 121 | |
| F80* | Storeroom | Вох | | | | • | • | 131 | | • | • | • | | 131 | |
| F170* | Non-turning | Вох | | | | | - | 36 | | - | | - | | 36 | |



Avanti (AVA)

RECOMMENDED DECORATIVE TRIM



Avanti lever with Camelot trim

(AVA) Avanti

FINISHES

| Functio | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|---------|---------------|-----------|-----|-----|-----|------|-----|------|-----|-----|-----|-----|-----|------|----------|
| F10 | Hall & Closet | Box/Vis | • | · | • | \$71 | • | \$71 | • | • | • | • | • | \$71 | <u> </u> |
| F40 | Bed & Bath | Box/Vis | • | | • | 74 | • | 74 | • | • | • | • | • | 74 | • |
| F51A | Keyed Entry | Box/Vis | • | | • | 121 | • | 121 | • | • | • | • | • | 121 | • |
| F80* | Storeroom | Вох | • | | • | 131 | • | 131 | • | • | • | • | • | 131 | |
| F170* | Non-turning | Box/Vis | • | | • | 36 | • | 36 | • | • | • | • | • | 36 | |



Callington (CLT)

RECOMMENDED DECORATIVE TRIM



Calliington lever with Brookshire trim

(CLT) Callington

FINISHES

| Functio | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|---------|---------------|-----------|-----|----------|-----|-----|-----|------|-----|-----|-----|-----|-----|------|----------|
| F10 | Hall & Closet | Box | - | | • | • | • | \$71 | • | • | • | • | • | \$71 | <u> </u> |
| F40 | Bed & Bath | Вох | | | • | • | • | 74 | • | • | • | | • | 74 | Ŀ |
| F51A | Keyed Entry | Box | | <u> </u> | • | • | • | 121 | • | • | • | • | • | 121 | Ŀ |
| F80* | Storeroom | Box | | <u> </u> | • | • | • | 131 | • | • | • | • | • | 131 | Ŀ |
| F170* | Non-turning | Box | | • | • | • | • | 36 | • | • | • | • | • | 36 | · |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Levers-11 Triple Option Latch - add \$2 to list price; Box Pack Only

UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only



^{*} Specify Handing

Schlage's Decorative Collections

Stand out **effortlessly**.

Schlage's Decorative Collections make it easy to match our strength to your style. With more than 1,000 customized design and finish options in all, your decor will be limited by only your imagination.



Pair a knob or lever with our inspired decorative trim options to bring your vision to life.*



* LOCKS SHIP COMPLETE WITH TRIM ATTACHED





















Accent lever

Camelot trim

Addison (ADD)

Andover (AND)

Brookshire (BRK)

Camelot (CAM)

Century (CEN)

Collins (COL)

Greenwich (GRW)

Greyson (GSN)

Upland (ULD)

Wakefiel (WKF)

Follow these steps for pricing decorative combinations:

- 1. Locate the price of the standard knob or lever from the Knobs/Levers section.
- 2. Use the chart below to find the list price adder for the matching Decorative Collection upgrade.
- 3. Add the prices together for the total cost of the new combinations.

Finishes available

| Decorative trim finish | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|------------------------|-----|-----|-----|------|-----|------|------|------|------|------|------|------|-----|
| Addison (ADD) | | • | • | \$16 | • | \$16 | \$16 | \$16 | \$16 | \$16 | \$16 | \$16 | • |
| Brookshire (BRK) | 16 | 16 | • | 16 | • | 16 | | • | 16 | • | • | 16 | • |
| Camelot (CAM) | 16 | 16 | 16 | 16 | • | 16 | 16 | • | 16 | 16 | • | 16 | • |
| Century (CEN) | | • | • | | 16 | 16 | • | • | 16 | 16 | 16 | 16 | • |
| Collins (COL) | | • | • | | • | 16 | • | | | • | • | | • |
| Greenwich (GRW) | • | • | • | | 16 | 16 | • | • | 16 | 16 | 16 | 16 | • |
| Wakefield (WKF) | | • | • | | 16 | 16 | 16 | | 16 | 16 | • | 16 | • |
| Upland (ULD) | | • | • | • | • | 16 | • | • | • | • | • | • | • |
| Andover (AND)* | 16 | 16 | | 16 | | 16 | 16 | | 16 | 16 | 16 | 16 | 16 |
| Greyson (GSN)* | • | • | • | • | 16 | 16 | • | • | 16 | 16 | 16 | 16 | • |



EXAMPLE 1: To price a Accent passage lever with an Addison trim in Antique Pewter Take the price listed in the price book for the F10 ACC 620 and add the additional charge from the chart above

\$57 (F10 ACC 620)

+ \$16 (Addison Decorative Trim 620)

\$73 Total cost

(F10 ACC 620 ADD)

When ordering a decorative collection product, specify the trim at the end of the product code Example: F40 ACC 716 **CAM** or F170 LAT 625 **CEN**

800.847.1864

NOTE: The deco trim cost for an F170 is 50% of the cost listed on this chart AND and GSN deco trim are not available for PLY or GEO styles



^{*}Decorative trim are staked on the lock chassis for strength and durability and can only be ordered as a complete lock product.

^{*}Greyson and Andover are not available in B60 or F59 functions

^{*}Greyson and Andover feature concealed screws

Levers F Series

Notes



To order latches and strikes see page HA-28/29

J Series Levers

AVAILABLE FUNCTIONS

Non-keyed Locks

ANSI



J10 F75



J40 F77





ANSI/BHMA A156.2-2011 Commercial Grade 3 J Series Levers

Non-keyed Locks

J10/F75 - Hall & Closet

· Both levers always unlocked

J40/F77 - Bed & Bath

- Turn-button locking. Can be opened from outside by turning outside turn mechanism
- From interior, turning inside turn-button releases inside lever

J170 - Non-turning

- Non-turning trim for one side of door
- · Used for door pull or as matching inactive trim

Keyed Locks

J54/F82 - Keyed Entry

- Keyed entry function unlocks when door is opened from the inside, allowing you to leave quickly, conveniently and re-enter easily
- Locked by inserting key and rotating cylinder from outside, or manually rotating interior turn-button after exit

PRODUCT IDENTIFICATION

| J | 54 | F | SEV | 619 | 16-255 | 10-101 | KA4 |
|-------------|---------|---------------|--------|-------------|--------|--------|--------|
| Lock Series | Product | UL Fire Rated | Design | Finish Code | Latch | Strike | Keying |

LATCHES & STRIKES

Keyed Latches - Dead Latches

16-255 - Triple Option (Round, Square, Drive-in) - STANDARD

16-061 - UL Listed, Square Corner

Non Keyed - Spring Latches

16-254 - Dual Option (Round, Drive-in) - STANDARD

16-070 - Triple Option Spring Latch for handlesets

Strikes

10-101 - Round Corner Full Lip - STANDARD

10-100 - Square Corner Full Lip

10-102 - Round Corner Full Lip

10-099 - Square Strike Plate & Strike Frame Reinforcer





STANDARD FEATURES / CONFIGURATIONS

J Series Levers

Description

Certification: ANSI/BHMA A156.2-2011 Commercial Grade

Dual Option: 1" x 2 1/4", 1/4" round faceplate and drive-in Latch:

Triple Option: 1" x 2 1/4", square corner and 1/4" round faceplate, drive-in latch (J54)

 $15/8" \times 21/4"$, radius corner, full lip, no box Strike:

Backset: Adjustable for 2 3/8" or 2 3/4" Cylinder: 5-pin, C keyway, keyed alike (KA4)

1 3/8" - 1 3/4" **Door Range:**

Keys: Two brass cut keys per lock, 5-pin, C section

FINISH CODES & DESCRIPTIONS

| 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|-----------------|------------------|--------|-------------------|--------|---------|--------------------------|----------------|
| Bright Brass | Antique Brass | | Antique Pewter | | | Satin Stainless Steel | Aged Bronze |
| (US3) | (US5) | (US15) | (US15A) | (US26) | (US26D) | (US32D) | |

^{*}Non-standard finishes are not available

Full-color swatch examples available on inside Levers tab

PACKAGING & CARTON SPECS

| | INDIVIDUAL CARTON | | | | SHIPPER | | | | | | | |
|--------|-------------------|----------|----------|----------|-----------------|------------------|---------|----------|----------|----------|--|--|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH | | |
| Levers | | | | | | | | | | | | |
| J10 | 1.58 | 3.07 in. | 5.71 in. | 6.69 in. | 24 | 37.84 | 2.143 | 14.8 in. | 13.7 in. | 18.3 in. | | |
| J40 | 1.58 | 3.07 in. | 5.71 in. | 6.69 in. | 24 | 37.84 | 2.143 | 14.8 in. | 13.7 in. | 18.3 in. | | |
| J54 | 1.58 | 3.07 in. | 5.71 in. | 6.69 in. | 24 | 37.84 | 2.143 | 14.8 in. | 13.7 in. | 18.3 in. | | |
| J170 | 0.56 | 2.44 in. | 2.64 in. | 5.43 in. | 50 | 28.16 | 1.420 | 12.2 in. | 13.7 in. | 14.7 in. | | |
| J10F | 1.58 | 3.07 in. | 5.71 in. | 6.69 in. | 24 | 37.84 | 2.143 | 14.8 in. | 13.7 in. | 18.3 in. | | |
| J54F | 1.58 | 3.07 in. | 5.71 in. | 6.69 in. | 24 | 37.84 | 2.143 | 14.8 in. | 13.7 in. | 18.3 in. | | |

For Vis Pack carton specs, see page Order-2





J10 Dover (DOV)

(DOV) Dover **FINISHES**

| Function | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|----------|---------------|-----------|------|------|------|-----|-----|------|------|------|
| J10 | Hall & Closet | Box/Vis | \$36 | \$39 | \$36 | • | | \$36 | \$36 | \$36 |
| J40 | Bed & Bath | Box/Vis | 39 | 42 | 39 | • | • | 39 | 39 | 39 |
| J54 | Keyed Entry | Box/Vis | 54 | 57 | 54 | | | 54 | 54 | 54 |
| J170 | Non-turning | Box/Vis | 20 | 21 | 18 | • | • | 18 | 18 | 18 |



J10 Marin (MAR)

FINISHES (MAR) Marin

| Functi | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|--------|---------------|-----------|-----|-----|------|-----|-----|------|------|------|
| J10 | Hall & Closet | Вох | | | \$36 | • | | \$36 | \$36 | \$36 |
| J40 | Bed & Bath | Вох | • | | 39 | • | | 39 | 39 | 39 |
| J54 | Keyed Entry | Вох | | | 54 | • | | 54 | 54 | 54 |
| J170 | Non-turning | Вох | | | 18 | • | | 18 | 18 | 18 |



J10 Solstice (SOL)

(SOL) Solstice **FINISHES**

| Function | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|----------|---------------|-----------|-----|-----|------|-----|------|------|-----|------|
| J10 | Hall & Closet | Box | | · | \$40 | • | \$40 | \$40 | - | \$40 |
| J40 | Bed & Bath | Box | | | 43 | • | 43 | 43 | • | 43 |
| J54 | Keyed Entry | Box | | | 55 | • | 55 | 55 | • | 55 |
| J170 | Non-turning | Вох | | | 20 | • | 20 | 20 | • | 20 |

List Price Adders:

Visual Package Options (highlighted) - add \$3 to list price Visual Package ONLY (highlighted) - add \$3 to list price UL Latch - add \$6 to list price (J10F, J54F) *Specify handing

- 1) J10 and J40 standard latch is Dual Option (Round, Drive-in)
- 2) J54 standard latch is Triple Option (Round, Square, Drive-in)



Levers J Series



J10 LaSalle (LAS)

(LAS) LaSalle FINISHES

| Function | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|----------|---------------|-----------|------|------|------|-----|-----|-----|-----|------|
| J10 | Hall & Closet | Box/Vis | \$33 | \$36 | \$36 | | • | • | • | \$36 |
| J40 | Bed & Bath | Box/Vis | 36 | 39 | 39 | | • | • | • | 39 |
| J54 | Keyed Entry | Box/Vis | 51 | 54 | 54 | | • | • | • | 54 |
| J170* | Non-turning | Box/Vis | 17 | 18 | 18 | | • | • | • | 18 |



J10 Seville (SEV)

(SEV) Seville FINISHES

| Functio | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|---------|---------------|-----------|------|------|------|-----|------|-----|-----|------|
| J10 | Hall & Closet | Box/Vis | \$36 | \$39 | \$36 | | \$36 | | | \$36 |
| J40 | Bed & Bath | Box/Vis | 39 | 42 | 39 | | 39 | | | 39 |
| J54 | Keyed Entry | Box/Vis | 54 | 57 | 54 | | 54 | | | 54 |
| J170* | Non-turning | Box/Vis | | | 18 | | 18 | | | 18 |



J10 Torino (TOR)

(TOR) Torino FINISHES

| Function | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|----------|---------------|-----------|------|------|------|------|------|-----|------|------|
| J10 | Hall & Closet | Box/Vis | \$36 | \$39 | \$36 | \$36 | \$36 | | \$36 | \$36 |
| J40 | Bed & Bath | Box/Vis | 39 | 42 | 39 | 39 | 39 | | 39 | 39 |
| J54 | Keyed Entry | Box/Vis | 54 | 57 | 54 | 54 | 54 | | 54 | 54 |
| J170 | Non-turning | Box/Vis | 20 | 21 | 18 | 18 | 18 | • | 18 | 18 |

List Price Adders:

Visual Package Options (highlighted) - add \$3 to list price
Visual Package **ONLY** (highlighted) - \$3 adder already included in price
UL Latch - add \$6 to list price (J10F, J54F)
*Specify handing

NOTE

1) J10 and J40 standard latch is Dual Option (Round, Drive-in) 2) J54 standard latch is Triple Option (Round, Square, Drive-in)



| F Series | Knobs-1 |
|--------------------------------|---------|
| F Series Decorative Collection | Knobs-8 |
| J Series | Knobs-9 |

F Series Knobs

AVAILABLE FUNCTIONS

Non-keyed Locks

Keyed Locks



Schlage ANSI

F10 F75 F40 F76 F170

F51A F81

F80 F86

ANSI/BHMA A156.2-2011 Commercial Grade 2 ANSI/BHMA 156.39-2015 Residential Grade AAA

Non-keyed Locks



F10/F75 - Hall & Closet

Both knobs/levers always unlocked



F40/F76 – Bed & Bath

- Push-button locking
- Can be opened from outside with small circular tool
- Turning inside knob/lever releases button



F170 - Non-turning

- Non-turning trim for one side of door
- Used for door pull or as matching inactive trim

Keyed Locks



F51A/F81 - Keyed Entry

- Keyed entry function unlocks when door is opened from the inside, allowing you to leave quickly, conveniently and re-enter easily
- Locked by inserting key and rotating cylinder from outside, or manually rotating interior turn-button after exit



F80/F86 - Storeroom Lock

- Outside knob/lever fixed. Entrance by key
- Inside knob/lever always unlocked

PRODUCT IDENTIFICATION

| F | 51A | F | PLY | 619 | CAM | RH | 16-086 | 10-027 | KA4 |
|----------------|---------|--------------------------------|-------|----------------|--------------------|------|--------|--------|--------|
| Lock Series | Product | UL Fire Rated (V - VisPack) | Style | Finish Code | Decorative Trim | Hand | Latch | Strike | Keying |

LATCHES & STRIKES

Keyed Latches - Dead Latches

16-086 - Dual Option (Round, Drive-in) **STANDARD**

16-207 - Square Corner

16-211 - Triple Option (Round, Square, Drive-in)

16-203 - UL Listed Square Corner with Firecup

16-204 - UL Listed Round Corner with Firecup

16-126 - 5" Backset, Square Corner

Non Keyed - Spring Latches

16-080 - Dual Option (Round, Drive-in) **STANDARD**

16-200 - Square Corner

16-210 - Triple Option (Round, Square, Drive-in)

16-203 - UL Listed Square Corner with Firecup

16-204 - UL Listed Round Corner with Firecup

16-126 - 5" Backset, Square Corner

Strikes

10-027 - Round Corner Full Lip

STANDARD

10-001 - Square Corner T Strike

10-026 - Square Corner Full Lip

10-058 - Circular - Adjustable

10-063 - Dual Strikes

(Round & Square Full Lip) 10-025 - ANSI Square Corner





STANDARD FEATURES / CONFIGURATIONS

F-Series Knobs/Decorative Trim*

Description

Certification: ANSI/BHMA A156.2-2011 Commercial Grade 2

ANSI/BHMA A156.39-2015 Residential Grade AAA

Latch: 1"x 2 1/4", 1/4" radius corner faceplate, 7/8" housing diameter, 1/2" throw,

circular drive-in included, universal latch

Strike: 1 5/8" x 2 1/4" radius corner, full lip, no box

Dual backset latches, fits either 2 3/8" or 2 3/4" backsets **Backset:**

Cylinder: 5-Pin, C keyway, keyed alike (KA4)

Door Range: 1 3/8" - 1 3/4"

Two per lock, 5-pin, C section **Keys:**

* Locks are furnished with standard features unless otherwise specified. To order locks with non-standard features specify non-standard feature desired.

FINISH CODES & DESCRIPTIONS

| 505 | 605 | 608 | 609 | 613 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|-----------------------------|-----|-----|-----|---------------------------------|--------------------|---------------------------|------------------------------|----------------------|-----|----------------------------|-----|----------------|
| Lifetime Bright Brass | _ | | | Oil-Rubbed Bronze (US10B) | Polished Nickel | Satin Nickel (US15) | Antique Pewter (US15A) | Distressed Nickel | | Bright Chrome (US26) | | Aged Bronze |

Non-standard finishes are not available.

Full-color swatch examples available on inside Knobs tab.

PACKAGING & CARTON SPECS

| | INDIVID | UAL CARTO | N | | | | SHIP | PER | | |
|------------------|------------------|-----------|----------|----------|-----------------|------------------|---------|----------|-----------|----------|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH |
| Knobs | | | | | | | | | | |
| F10 | 1.55 | 3.06 in. | 4.37 in. | 8.14 in. | 20 | 31.00 | 1.520 | 9.0 in. | 15.6 in. | 18.8 in. |
| F40 | 1.55 | 3.06 in. | 4.37 in. | 8.14 in. | 20 | 31.00 | 1.520 | 9.0 in. | 15.6 in. | 18.8 in. |
| F51A | 1.55 | 3.06 in. | 4.37 in. | 8.14 in. | 20 | 31.00 | 1.520 | 9.0 in. | 15.6 in. | 18.8 in. |
| F80 | 1.55 | 3.06 in. | 4.37 in. | 8.14 in. | 20 | 31.00 | 1.520 | 9.0 in. | 15.6 in. | 18.8 in. |
| F170 | 0.45 | 2.77 in. | 3.60 in. | 3.88 in. | 20 | 9.00 | 0.575 | 4.8 in. | 14.5 in. | 15.0 in. |
| Decorative Colle | ections Knobs | . | | | | | | | | |
| All Knobs | 1.55 | 3.25 in. | 6.00 in. | 7.00 in. | 8 | 15.00 | 1.090 | 8.13 in. | 12.63 in. | 18.4 in. |

20

For Vis Pack carton specs, see page Order-2

2.86 in.

1.20



18.3 in.

5.66 in.

4.38 in.

25.00

F170

6.5 in.

15.3 in.

1.000

AVAILABLE STYLES











Bowery (BWE)

Georgian (GEO)



Orbit (ORB)



Plymouth (PLY)



Knobs F Series



Bell (BEL)

(BEL) Bell **FINISHES**

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|------|------|-----|------|-----|-----|-----|-----|-----|-----|------|-----|----------|
| F10 | Hall & Closet | Box/Vis | \$30 | \$32 | • | \$32 | | | | | | • | \$32 | | <u> </u> |
| F40 | Bed & Bath | Box/Vis | 33 | · | • | 35 | | | | | | | 35 | | |
| F51A | Keyed Entry | Box/Vis | 52 | 56 | | 56 | | | | | | | 56 | | |
| F80 | Storeroom | Вох | 62 | 66 | • | 66 | • | • | • | | • | • | 66 | • | · |
| F170 | Non-turning | Box/Vis | 15 | | • | 16 | • | | | | | • | 16 | | |



Plymouth (PLY)

RECOMMENDED DECORATIVE TRIM

Plymouth knob

with Camelot trim

Plymouth knob with Greenwich trim

(PLY) Plymouth

FINISHES

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 625 | 620 | 621 | 622 | 626 | 716 | 613 |
|----------|---------------|-----------|------|------|-----|------|-----|------|------|------|-----|------|------|------|----------|
| F10 | Hall & Closet | Box/Vis | \$30 | \$32 | • | \$32 | | \$32 | \$32 | \$32 | | \$32 | \$32 | \$32 | <u> </u> |
| F40 | Bed & Bath | Box/Vis | 33 | 35 | • | 35 | | 35 | 35 | 35 | | 35 | 35 | 35 | · |
| F51A | Keyed Entry | Box/Vis | 52 | 56 | | 56 | | 56 | 56 | 56 | • | 56 | 56 | 56 | |
| F80 | Storeroom | Вох | 62 | 66 | • | 66 | • | 66 | 66 | 66 | • | 66 | 66 | 66 | |
| F170 | Non-turning | Box/Vis | 15 | 16 | • | 16 | • | 16 | 16 | 16 | • | 16 | 16 | 16 | |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Knobs-8 Triple Option Latch - add \$2 to list price; Box Pack Only UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only



Georgian (GEO)

RECOMMENDED DECORATIVE TRIM





Georgian knob with Camelot trim

Georgian knob with Brookshire trim

| (GEO) | Georgian | | | | | | | F | INISH | ES | | | | | |
|--------|---------------|-----------|------|------|------|------|-----|------|-------|------|------|------|-----|------|-----|
| Functi | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
| F10 | Hall & Closet | Box/Vis | \$30 | \$32 | \$32 | \$32 | | \$32 | \$32 | \$32 | \$32 | \$32 | • | \$32 | |
| F40 | Bed & Bath | Box/Vis | 33 | | 35 | 35 | | 35 | 35 | 35 | 35 | 35 | | 35 | |
| F51A | Keyed Entry | Box/Vis | 52 | 56 | 56 | 56 | | 56 | 56 | 56 | 56 | 56 | | 56 | |
| F80 | Storeroom | Вох | 62 | 66 | 66 | 66 | • | 66 | 66 | 66 | 66 | 66 | | 66 | |
| F170 | Non-turning | Box/Vis | 15 | | 16 | 16 | | 16 | 16 | 16 | 16 | 16 | | 16 | |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Knobs-8 Triple Option Latch - add \$2 to list price; Box Pack Only UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only

Stand out **effortlessly.**

Schlage's Decorative Collections offer thousands of additional design and finish combinations. See page Knobs-8 for details.





Knobs F Series



Andover (AND)

RECOMMENDED DECORATIVE TRIM



Andover knob with Addison trim

FINISHES

Andover knob with Andover trim

(AND) Andover

| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|----------|---------------|-----------|------|------|-----|------|-----|------|------|-----|-----|------|------|------|------|
| F10 | Hall & Closet | Box | \$40 | \$42 | | \$42 | • | \$42 | \$42 | • | • | \$42 | \$42 | \$42 | \$55 |
| F40 | Bed & Bath | Вох | 43 | | | 45 | • | 45 | 45 | | • | 45 | 45 | 45 | 58 |
| F51A | Keyed Entry | Вох | 62 | 66 | | 66 | • | 66 | 66 | | | 66 | 66 | 66 | 75 |
| F80 | Storeroom | Вох | 72 | 76 | | 76 | • | 76 | 76 | • | | 76 | 76 | 76 | 85 |
| F170 | Non-turnina | Вох | 20 | | | 21 | | 21 | 21 | | | 21 | 21 | 21 | 28 |



Bowery (BWE)

RECOMMENDED DECORATIVE TRIM





Bowery knob with Greyson trim

Bowery knob with Century trim

(BWE) Bowery

FINISHES 605 505 608 609 618 619 620 622 625 626 716 **Function Packaging** Hall & Closet F10 Box/Vis \$42 \$42 \$42 \$42 \$42 \$42 F40 Bed & Bath Box/Vis 45 45 45 45 45 45 F51A Box/Vis Keyed Entry 66 66 66 66 66 66 F80 Storeroom Вох 76 76 76 76 76 76 F170 Box/Vis Non-turning 21 21 21 21 21 21



RECOMMENDED DECORATIVE TRIM







Orbit knob with Collins trim

| (ORB) | Orbit | | | | | | | F | INISHE | S | | | | | |
|----------|---------------|-----------|------|------|-----|-----|-----|------|--------|-----|-----|------|------|-----|----------|
| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
| F10 | Hall & Closet | Box | \$40 | \$42 | • | • | • | \$42 | • | | | \$42 | \$42 | - | <u> </u> |
| F40 | Bed & Bath | Box | 43 | | | | • | 45 | • | • | | 45 | 45 | • | · . |
| F51A | Keyed Entry | Вох | 62 | 66 | | | • | 66 | • | • | • | 66 | 66 | • | |
| F80 | Storeroom | Вох | 72 | 76 | | | • | 76 | • | • | • | 76 | 76 | • | <u> </u> |
| F170 | Non-turning | Box | 20 | · | | | • | 21 | • | • | • | 21 | 21 | • | · - |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Knobs-8 Triple Option Latch - add \$2 to list price; Box Pack Only

UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design - add \$6.50 to highest list price; Box Pack Only Orbit 626 F10, F40, F51A, and F80 Visual Package available - add \$11 to list price



Siena (SIE)

RECOMMENDED DECORATIVE TRIM





with Wakefield trim

Siena knob with Collins trim

| (SIE) S | iena | | | | | | | F | INISHE | S | | | | | |
|----------|---------------|-----------|------|------|-----|------|-----|------|--------|-----|------|------|------|------|----------|
| Function | on | Packaging | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
| F10 | Hall & Closet | Box/Vis | \$41 | \$49 | - | \$49 | | \$49 | \$49 | • | \$49 | \$49 | \$49 | \$49 | <u> </u> |
| F40 | Bed & Bath | Box/Vis | 44 | | | 52 | | 52 | 52 | | 52 | 52 | 52 | 52 | Ŀ |
| F51A | Keyed Entry | Box/Vis | 72 | 69 | | 69 | | 69 | 69 | • | 69 | 69 | 69 | 69 | |
| F80 | Storeroom | Вох | 82 | 79 | | 79 | • | 79 | 79 | • | 79 | 79 | 79 | 79 | |
| F170 | Non-turning | Box/Vis | 21 | | | 25 | | 25 | 25 | • | 25 | 25 | 25 | 25 | |

Note: Siena 626, 605, and 505 knobs available while supplies last

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price Decorative Trim Option - See chart on page Knobs-8 Triple Option Latch - add \$2 to list price; Box Pack Only UL Latch - add \$6 to list price (F10, F51A, F80 Functions Box Pack Only) Split Finish/Design $\,$ - add $\,$ \$6.50 to highest list price; Box Pack Only

Stand out **effortlessly.**

Schlage's Decorative Collections offer thousands of additional design and finish combinations. See page Knobs-8 for details.





Schlage's Decorative Collections

Decorative collection is only available with F Series

Stand out **effortlessly**.

Schlage's Decorative Collections 1,000 customized design and finish limited by only your imagination.



Pair a knob or lever with our inspired decorative trim options to bring your vision to life.*



Georgian knob Camelot trim

* LOCKS SHIP COMPLETE WITH TRIM ATTACHED





















Addison (ADD)

Andover (AND)

Brookshire (BRK)

Camelot (CAM)

Century (CEN)

(COL)

Collins

Greenwich (GRW)

Greyson (GSN)

Upland

(WKF)

(ULD)

Follow these steps for pricing decorative combinations:

- 1. Locate the price of the standard knob or lever from the Knobs/Levers section.
- 2. Use the chart below to find the list price adder for the matching Decorative Collection upgrade.
- 3. Add the prices together for the total cost of the new combinations.

Finishes available

| Decorative trim finish | 605 | 505 | 608 | 609 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 | 613 |
|------------------------|-----|-----|-----|------|-----|------|------|------|------|------|-----|------|-----|
| Addison (ADD) | • | • | • | \$16 | | \$16 | \$16 | \$16 | \$16 | \$16 | • | \$16 | • |
| Andover (AND)* | 16 | 16 | • | 16 | • | 16 | 16 | • | 16 | 16 | 16 | 16 | 16 |
| Brookshire (BRK) | 16 | 16 | • | 16 | • | 16 | • | • | 16 | • | • | 16 | • |
| Camelot (CAM) | 16 | 16 | 16 | 16 | • | 16 | 16 | • | 16 | 16 | • | 16 | • |
| Century (CEN) | • | • | • | • | 16 | 16 | • | • | 16 | 16 | 16 | 16 | • |
| Collins (COL) | • | • | • | • | • | 16 | • | • | • | • | • | | • |
| Greenwich (GRW) | • | • | • | • | 16 | 16 | • | • | 16 | 16 | 16 | 16 | • |
| Greyson (GSN)* | • | • | • | • | 16 | 16 | • | • | 16 | 16 | 16 | 16 | • |
| Upland (ULD) | • | • | • | • | • | 16 | • | • | • | • | • | • | • |
| Wakefield (WKF) | • | • | • | • | 16 | 16 | • | • | 16 | 16 | • | 16 | • |



EXAMPLE 1: To price a Siena passage knob with an Addison trim in Antique Pewter Take the price listed in the price book for the F10 SIE 620 and add the additional charge from the chart above

\$49 (F10 SIE 620)

\$16 (Addison Decorative Trim 620)

\$65

Total cost

(F10 SIE 620 ADD)

When ordering a decorative collection product, specify the trim at the end of the product code Example: F40 ACC 716 CAM or F170 LAT 625 CEN

NOTE: The deco trim cost for an F170 is 50% of the cost listed on this chart AND and GSN deco trim are not available for PLY or GEO styles

^{*}Greyson and Andover feature concealed screws





^{*}Decorative trim are staked on the lock chassis for strength and durability and can only be ordered as a complete lock product.

^{*}Greyson and Andover are not available in B60 or F59 functions

To order latches and strikes see page HA-28/29



AVAILABLE FUNCTIONS

Non-keyed Locks

ANSI



F75



F77

Keyed Locks



F82

ANSI/BHMA A156.2-2011 Commercial Grade 3

Non-keyed Locks

J10/F75 - Hall & Closet

· Both knobs always unlocked

J40/F77 - Bed & Bath

- Turn-button locking. Can be opened from outside by turning outside turn mechanism
- From interior, turning inside turn-button releases inside knob

J170 - Non-turning

- · Inactive trim for one side of door
- · Used for door pull or as matching inactive trim

Keyed Locks

J54/F82 - Keyed Entry

- Unlocked by key from outside when outer knob is locked by turn-button in inside knob
- Inside knob is locked and unlocked by turn-button

PRODUCT IDENTIFICATION

| J | 54 | F | BYR | 619 | 16-255 | 10-101 | KA4 |
|-------------|---------|---------------|--------|-------------|--------|--------|--------|
| Lock Series | Product | UL Fire Rated | Design | Finish Code | Latch | Strike | Keying |

LATCHES & STRIKES

Keyed Latches - Dead Latches

16-255 - Triple Option (Round, Square, Drive-in) - **STANDARD**

16-061 - UL Listed, Square Corner

Non Keyed - Spring Latches

16-254 - Dual Option (Round, Drive-in) - STANDARD

16-070 - Triple Option Spring Latch for handlesets

Strikes

10-101 - Round Corner Full Lip - STANDARD

10-100 - Square Corner Full Lip 10-102 - Round Corner Full Lip

10-099 - Square Strike Plate & Strike Frame Reinforcer



STANDARD FEATURES / CONFIGURATIONS

J Series Knobs

Description

Certification: ANSI/BHMA A156.2-2011 Commercial Grade 3

Dual Option: 1" x 2 1/4", 1/4" round faceplate and drive-in Latch:

Triple Option: 1" x 2 1/4", square corner and 1/4" round faceplate, drive-in latch (J54)

 $15/8" \times 21/4"$, radius corner, full lip, no box Strike:

Backset: Adjustable for 2 3/8" or 2 3/4" Cylinder: 5-pin, C keyway, keyed alike (KA4)

1 3/8" - 1 3/4" **Door Range:**

Keys: Two brass cut keys per lock, 5-pin, C section

FINISH CODES & DESCRIPTIONS

| 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|-----------------|------------------|--------|-------------------|--------|---------|--------------------------|----------------|
| Bright Brass | Antique Brass | | Antique Pewter | | | Satin Stainless Steel | Aged Bronze |
| (US3) | (US5) | (US15) | (US15A) | (US26) | (US26D) | (US32D) | |

^{*}Non-standard finishes are not available

Full-color swatch examples available on inside Levers tab

PACKAGING & CARTON SPECS

| | INDIVID | UAL CARTO | N | | SHIPPER | | | | | | | |
|-------|------------------|-----------|----------|----------|-----------------|------------------|---------|----------|----------|----------|--|--|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH | | |
| Knobs | | | | | | | | | | | | |
| J10 | 1.04 | 2.76 in. | 3.23 in. | 6.77 in. | 24 | 24.86 | 1.175 | 15.0 in. | 10.9 in. | 12.4 in. | | |
| J40 | 1.04 | 2.76 in. | 3.23 in. | 6.77 in. | 24 | 24.86 | 1.175 | 15.0 in. | 10.9 in. | 12.4 in. | | |
| J54 | 1.04 | 2.76 in. | 3.23 in. | 6.77 in. | 24 | 24.86 | 1.175 | 15.0 in. | 10.9 in. | 12.4 in. | | |
| J170 | 0.34 | 3.03 in. | 2.60 in. | 2.68 in. | 50 | 16.94 | 0.923 | 7.6 in. | 14.4 in. | 14.6 in. | | |
| J10F | 1.04 | 2.76 in. | 3.23 in. | 6.77 in. | 24 | 24.86 | 1.175 | 15.0 in. | 10.9 in. | 12.4 in. | | |
| J54F | 1.04 | 2.76 in. | 3.23 in. | 6.77 in. | 24 | 24.86 | 1.175 | 15.0 in. | 10.9 in. | 12.4 in. | | |

For Vis Pack carton specs, see page Order-2





J10 Byron (BYR)

(BYR) Byron FINISHES

| Function | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|----------|---------------|-----------|------|------|-----|-----|-----|-----|------|----------|
| J10 | Hall & Closet | Box/Vis | \$20 | \$25 | | • | • | • | \$22 | <u> </u> |
| J40 | Bed & Bath | Box/Vis | 23 | 28 | | • | • | • | 25 | |
| J54 | Keyed Entry | Box/Vis | 32 | 37 | | | | | 34 | |
| J170 | Non-turning | Box/Vis | 10 | 14 | • | • | • | • | 11 | |



J10 Corona (CNA)

(CNA) Corona FINISHES

| Function | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|----------|---------------|-----------|------|------|------|------|------|-----|------|------|
| J10 | Hall & Closet | Box/Vis | \$20 | \$22 | \$22 | \$22 | \$22 | • | \$22 | \$22 |
| J40 | Bed & Bath | Box/Vis | 23 | 25 | 25 | 25 | 25 | • | 25 | 25 |
| J54 | Keyed Entry | Box/Vis | 32 | 34 | 34 | 34 | 34 | • | 34 | 34 |
| J170 | Non-turning | Box/Vis | 10 | 11 | 11 | 11 | 11 | • | 11 | 11 |



J10 Stratus (STR)

(STR) Stratus FINISHES

| Functi | on | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|--------|---------------|-----------|------|------|------|-----|------|-----|------|------|
| J10 | Hall & Closet | Box/Vis | \$20 | \$25 | \$22 | | \$22 | • | \$22 | \$22 |
| J40 | Bed & Bath | Box/Vis | 23 | 28 | 25 | | 25 | • | 25 | 25 |
| J54 | Keyed Entry | Box/Vis | 32 | 37 | 34 | | 34 | • | 34 | 34 |
| J170 | Non-turning | Box/Vis | 10 | 14 | 11 | • | 11 | | 11 | 11 |

List Price Adders:

Visual Package Options (highlighted) - add \$3 to list price
Visual Package **ONLY** (highlighted) - \$3 adder already included in price
UL Latch - add \$6 to list price (J10F, J54F)

NOTE:

1) J10 and J40 standard latch is Dual Option (Round, Drive-in) 2) J54 standard latch is Triple Option (Round, Square, Drive-in)



Notes



Deadbolts B Series

B Series Deadbolts

AVAILABLE FUNCTIONS









Schlage ANSI B60 E2152 B62 E2142 B80 E2192 B81

ANSI/BHMA A156.36-2010 Commercial Grade 1 ANSI/BHMA A156.40-2015 Residential Grade AAA

B60 / E2152 - Single Cylinder Deadbolt Lock

- Deadbolt thrown or retracted by key from outside or by inside turn unit
- Bolt automatically deadlocks when fully thrown

B62 / E2142 - Double Cylinder Deadbolt Lock

- Deadbolt thrown or retracted by key from either side
- · Bolt automatically deadlocks when fully thrown

B80 / E2192 - One-Sided Deadbolt

- Deadbolt thrown or retracted from interior side only
- · No exterior plate or exposed trim
- Non-graded

B81 - One-sided Deadbolt with Exterior Plate

- Deadbolt thrown or retracted from interior side only
- Exterior plate covers exposed prep on outside
- Non-graded

*Caution. Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

Note: Double cylinder locks are not available as UL Listed

PRODUCT IDENTIFICATION

| В | 60 | F | CAM | 619 | 12-321 | 10-116 | KA4 |
|----------------|---------|--------------------------------|--------------------|----------------|--------|--------|--------|
| Lock Series | Product | UL Fire Rated (V - VisPack) | Decorative Trim | Finish Code | Latch | Strike | Keying |

LATCHES & STRIKES

Latches

12-321 - Dual Option (Round, Drive-in) - **STANDARD**

12-288 - Square Corner

12-287 - Triple Option (Round, Square, Drive-in) **12-294** - UL Listed Square Corner with Firecup

12-397 - UL Listed Round Corner with Firecup

Strikes

10-116 - Round Corner Strike with Reinforcer - **STANDARD**

10-092 - Round Corner Full Lip Strike

10-094 - Square Corner Strike with Reinforcer



STANDARD FEATURES / CONFIGURATIONS

B-Series Deadbolts/Decorative Trim*

Grade 1 / AAA deadbolt standard features / configurations

Models: B60, B62, B80, B81

Certification: ANSI/BHMA A156.36-2010 Commercial Grade 1

ANSI/BHMA A156.40-2015 Residential Grade AAA

Deadbolt: 1" x 2 1/4", radius corner, 1" housing diameter, 1" throw, latch number 12-321

Strike: 1 1/8" x 2 3/4", 1/4" radius corner, strike number 10-116

Backset: Adjustable for 2 3/8" or 2 3/4"

5-pin, keyed 5-pin, C keyway, keyed alike (KA4) Cylinder:

1 3/8" - 1 3/4" **Door Range:**

Two keys per lock, 5-pin, keyed 5-pin, C section Keys: **Reinforcement:** Door frame strike reinforcer with 3" screws

Locks are furnished with standard features unless otherwise specified. To order locks with non-standard features, specify non-standard feature desired.

FINISH CODES & DESCRIPTIONS

| 505 | 605 | 608 | 609 | 613 | 618 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|-----------------------------|-----|-----|-----|---------------------------------|--------------------|---------------------------|------------------------------|----------------------|-----|----------------------------|-----|----------------|
| Lifetime Bright Brass | _ | | | Oil-Rubbed Bronze (US10B) | Polished Nickel | Satin Nickel (US15) | Antique Pewter (US15A) | Distressed Nickel | | Bright Chrome (US26) | | Aged Bronze |

Non-standard finishes are not available.

Full-color swatch examples available on inside Deadbolts tab.

PACKAGING & CARTON SPECS

| | INDIVID | UAL CARTO | N | | SHIPPER | | | | | | | |
|-----------------|------------------|-----------|----------|----------|-----------------|------------------|---------|---------|----------|----------|--|--|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH | | |
| Deadbolts | | | | | | | | | | | | |
| B60 | 1.60 | 2.86 in. | 4.38 in. | 5.66 in. | 20 | 33.50 | 1.047 | 6.5 in. | 15.3 in. | 18.3 in. | | |
| B62 | 1.60 | 2.86 in. | 4.38 in. | 5.66 in. | 20 | 33.50 | 1.047 | 6.5 in. | 15.3 in. | 18.3 in. | | |
| B80 | 1.08 | 2.86 in. | 4.38 in. | 5.66 in. | 12 | 17.00 | 0.630 | 6.5 in. | 15.3 in. | 18.3 in. | | |
| B81 | 1.08 | 2.86 in. | 4.38 in. | 5.66 in. | 12 | 17.00 | 0.630 | 6.5 in. | 15.3 in. | 18.3 in. | | |
| Decorative Coll | ections Deadl | polts | | | | | | | | | | |
| | 2.10 | 3.06 in. | 4.37 in. | 8.14 in. | 20 | 42.10 | 1.520 | 9.0 in. | 15.6 in. | 18.8 in. | | |

For Vis Pack carton specs, see page Order-2









B60 B62

B Series Deadbolts

FINISHES

| Funct | tion | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 716 | 613 | 620 | 621 | 622 |
|-------|---|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| B60 | Single Cylinder | Box/Vis | \$56 | \$62 | \$62 | \$62 | \$62 | \$62 | \$62 | \$62 | \$62 | \$71 | \$62 | \$62 | \$62 |
| B62 | Double Cylinder | Box/Vis | 81 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 96 | 87 | 87 | 87 |
| B80 | One-sided | Вох | 38 | 44 | 44 | 44 | 44 | 44 | 44 | | 44 | 53 | 44 | 44 | 44 |
| B81 | One-sided w/trim | Вох | 40 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 55 | 47 | 47 | 47 |
| B60R | 6 Single Cylinder Interchgbl. Core-6 Pir | Вох | | | | | 159 | | 159 | 161 | 161 | | | | |

List Price Adders:

Visual Package Options (highlighted) - add \$5 to list price
Decorative Trim Option - See chart on page B-5 (availalbe only with B60)
Triple Option Latch - add \$2 to list price; Box Pack Only
UL Latch - add \$6 to list price (B60, B80, B81 Functions Box Pack Only)

B62 NOT AVAILABLE WITH UL LATCH

Split Finish - add \$6.50 to highest list price; Box Pack Only

Stand out **effortlessly.**

Schlage's Decorative Collections offer thousands of additional design and finish combinations. See page Deadbolts-5 for details.









B Series Deadbolt Combo Packs

FINISHES

| Function | า | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 716 | 613 | 620 | 621 | 622 |
|----------|------------------|-----------|-------|-----|-----|-----|-------|-----|-----|-----|-------|-----|-----|-----|-----|
| FB50V | (ACC) Accent | Vis | \$156 | | • | • | \$169 | • | | | \$169 | | • | • | • |
| FB50V | (AVA) Avanti | Vis | 156 | | 169 | | 169 | | | | 169 | | • | • | |
| FB50V | (BEL) Bell | Vis | 108 | | • | • | • | • | • | | | | • | • | • |
| FB50V | (BIR) Birmingham | Vis | | | • | • | • | • | | | 169 | | • | • | • |
| FB50V | (FLA) Flair | Vis | 156 | | • | • | 169 | • | | | 169 | · . | • | • | |
| FB50V | (GEO) Georgian | Vis | 108 | | 114 | • | 114 | • | • | | 114 | | 114 | • | • |
| FB50V | (LAT) Latitude | Vis | | | | • | 169 | • | | | • | | • | - | |
| FB50V | (PLY) Plymouth | Vis | 108 | | 114 | • | | • | | | | · . | • | • | |
| FB50V | (SAC) Sacramento | o Vis | | | | • | 136 | | | | 136 | · . | • | • | |
| FB50V | (SIE) Siena | Vis | 128 | | 131 | • | 131 | | | | | | • | • | • |
| | | | | | | | | | | | | | | | |
| FB52V | (BEL) Bell | Vis | 133 | | • | • | | | | | | | | • | |
| FB52V | (PLY) Plymouth | Vis | 133 | | • | • | | | | • | | • | • | • | |



Schlage's Decorative Collections

Stand out **effortlessly**.

Schlage's Decorative Collections 1,000 customized design and finish limited by only your imagination.



Pair a deadbolt with our inspired decorative trim options to bring your vision to life.*





B60 Deadbolt Camelot trim

* LOCKS SHIP COMPLETE WITH TRIM ATTACHED







Brookshire

(BRK)





Camelot





Century



Addison (ADD)











Collins (COL)

Greenwich (GRW)

Wakefield (WKF)

Follow these steps for pricing decorative combinations:

- 1. Locate the list price of the deadbolt in the Deadbolt section.
- 2. Use the chart below to find the list price adder for the matching Decorative Collection upgrade.
- 3. Add the list prices together for the total list price of the new combination.
- 4. Photos shown are representiive of the design only.

Finishes available

| Decorative trim finish | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 716 | 613 | 620 | 621 | 622 |
|------------------------|-----|-----|------|-----|------|------|-----|-----|------|-----|-----|------|------|
| Addison (ADD) | • | • | \$16 | | \$16 | \$16 | • | • | \$16 | | | \$16 | \$16 |
| Brookshire (BRK) | • | • | 16 | | 16 | • | • | • | 16 | | | • | |
| Camelot (CAM) | 16 | 16 | 16 | • | 16 | 16 | • | 16 | 16 | • | 16 | • | 16 |
| Century (CEN) | • | • | • | 16 | 16 | 16 | 16 | • | 16 | • | • | • | 16 |
| Collins (COL) | • | • | • | • | 16 | 16 | 16 | • | 16 | • | • | • | |
| Greenwich (GRW) | • | • | • | 16 | 16 | 16 | 16 | • | 16 | • | • | • | 16 |
| Wakefield (WKF) | - | • | • | 16 | 16 | 16 | 16 | • | 16 | • | • | • | |



EXAMPLE 1: To Price a B60 CAM 619 12-321 10-116

Take the list price of a B60 619 12-321 10-116 at \$59.00 and add the Camelot Decorative Trim Adder of \$16.00 for a total list price of \$76.00

\$62 (B60 619 12-321 10-116)

+ \$16 (Camelot Decorative Trim 619)

\$78 Total cost

(B60 CAM 619 12-321 10-116)

When ordering a decorative collection product, specify the trim after the function code Example: B60 **CAM** 619 or B60 **ADD** 716

Only available in B60 function

Split finish - add \$6.50 to highest list price; Box pack only





SCHLAGE

Deadbolts B Series

Notes



To order latches and strikes see page HA-28/29

J Series Deadbolts

AVAILABLE FUNCTIONS







JD60

JD80

JD81

ANSI/BHMA A156.36-2010 Commercial Grade 3

JD60 - Single Cylinder Deadbolt Lock

- Deadbolt thrown or retracted by key from outside or by inside turn unit
- · Bolt automatically deadlocks when fully thrown

JD80 - One Sided Deadbolt

 Deadbolt thrown or retracted from interior side only

JD81 - One-sided Deadbolt Lock with **Exterior Plate**

 Deadbolt thrown or retracted from interior side only

* Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

PRODUCT IDENTIFICATION

| JD | 60 | F | 605 | 16-068 | 10-103 | KA4 |
|-------------|---------|----------------|--------|-------------|--------|--------|
| Lock Series | Product | Suffix/Package | Design | Finish Code | Latch | Keying |

LATCHES & STRIKES

Latches

16-068 - Triple Option (Round, Square, Drive-in) - **STANDARD**

Strikes

10-267 - One Radius Deadbolt Full Lip Strike (10-102) & One Radius Deadbolt Strike (10-103) - **STANDARD**



STANDARD FEATURES / CONFIGURATIONS

J Series Deadbolts

Description

Certification: ANSI/BHMA A156.36-2010 Commercial Grade 3

Deadbolt Latch: Triple Option: 1" x 2 1/4", square corner and 1/4" round faceplates, drive-in latch,

1" housing diameter, 1" throw

Strike: 1" x 2 1/4" round corner and radius corner, full lip

Backset: Adjustable for 2 3/8" or 2 3/4" Cylinder: 5-pin, C keyway, keyed alike (KA4)

1 3/8" - 1 3/4" **Door Range:**

Keys: Two brass cut keys per lock, 5-pin, C section

FINISH CODES & DESCRIPTIONS

| 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|-----------------|------------------|--------|-------------------|--------|---------|--------------------------|----------------|
| Bright Brass | Antique Brass | | Antique Pewter | | | Satin Stainless Steel | Aged Bronze |
| (US3) | (US5) | (US15) | (US15A) | (US26) | (US26D) | (US32D) | |

^{*}Non-standard finishes are not available

Full-color swatch examples available on inside Deadbolts tab

PACKAGING & CARTON SPECS

| INDIVIDUAL CARTON | | | | | SHIPPER | | | | | |
|-------------------|------------------|----------|----------|----------|-----------------|------------------|---------|---------|----------|----------|
| | CARTON WEIGHT | HEIGHT | WIDTH | DEPTH | QTY. SHIPPER | CARTON WEIGHT | CU. FT. | HEIGHT | WIDTH | DEPTH |
| Levers | | | | | | | | | | |
| JD60 | 1.49 | 3.15 in. | 3.74 in. | 3.74 in. | 24 | 35.86 | 0.886 | 8.9 in. | 12.4 in. | 13.8 in. |
| JD80 | 1.05 | 2.80 in. | 3.11 in. | 3.31 in. | 24 | 25.30 | 0.595 | 8.0 in. | 10.4 in. | 12.3 in. |
| JD81 | 1.05 | 2.80 in. | 3.11 in. | 3.31 in. | 24 | 25.30 | 0.595 | 8.0 in. | 10.4 in. | 12.3 in. |
| JD60F | 1.49 | 3.15 in. | 3.74 in. | 3.74 in. | 24 | 35.86 | 0.886 | 8.9 in. | 12.4 in. | 13.8 in. |

For Vis Pack carton specs, see page Order - 2





J Series
Deadbolts FINISHES

| Function | | Packaging | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|----------|------------------------------|-----------|------|------|------|------|------|------|------|------|
| JD60 | Single Cylinder Deadbolt | Вох | \$28 | \$30 | \$30 | \$30 | \$30 | \$30 | \$30 | \$30 |
| JD80 | One-Sided Cylinder Deadbolt | Вох | 22 | 26 | 26 | • | | • | 26 | 26 |
| JD81 | One-Sided Deadbolt with trim | Вох | 22 | 26 | 26 | • | • | • | 26 | • |
| JD60F | Single Cylinder UL Version | Вох | 34 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| | | | | | | | | | | |
| JD60 | Single Cylinder Deadbolt | Vis | 31 | 33 | 33 | • | • | • | 33 | 33 |
| JD62 | Double Cylinder Deadbolt | Vis | 38 | 43 | 43 | • | • | • | 43 | 43 |

NOTE:







¹⁾ standard latch is Triple Option (Round, Square, Drive-in)

Security Sets

J Series Security Sets

AVAILABLE FUNCTIONS





JC60V

JCT60V

ANSI/BHMA A156.36-2010 Commercial Grade 3

ANSI/BHMA A156.2, 2011, Grade 3 J Series Entrance Locks

JC60V - Single Cylinder Deadbolt Lock

- Deadbolt thrown or retracted by key from outside or by inside turn unit
- Bolt automatically deadlocks when fully thrown

JCT60V - Twin Pack

• 2 single cylinder deadbolts and 2 keyed entry knobs all keyed alike

PRODUCT IDENTIFICATION

| JC | 60 | V | 605 | | | KA4 |
|-------------|---------|-------------|-------------|-------|--------|--------|
| Lock Series | Product | Vis Package | Finish Code | Latch | Strike | Keying |

FINISH CODES & DESCRIPTIONS

| 605 | 609 | 619 | 630 | 716 |
|--------------------------|---------------------------|---------------------------|-------------------------------------|----------------|
| Bright Brass (US3) | Antique Brass (US5) | Satin Nickel (US15) | Satin Stainless Steel (US32D) | Aged Bronze |

^{*}Non-standard finishes are not available Full-color swatch examples available on inside Deadbolts tab



^{*} Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

SECURITY SETS

| Function | Pkg. | Style/Design | 605 | 609 | 619 | 620 | 625 | 626 | 630 | 716 |
|--|---------------|-------------------------------------|-------|-------|-----|-----|-----|-----|-----|-----|
| Twin Secu | rity Sets - 2 | 2 Knobs + 2 Deadbolts - Keyed Alike | | | | | | | | |
| JCT60V | Vis Only | (BYR) Byron Knob Twin Security Set | \$114 | \$120 | • | • | • | • | • | |
| JCT60V | Vis Only | (CNA) Corona Knob Twin Security Set | 114 | 120 | • | • | • | • | 120 | • |
| Security Sets - Knob + Deadbolt - Keyed 1 Side | | | | | | | | | | |
| JC60V | Vis Only | (STR) Stratus Knob Security Set | 59 | 67 | 67 | • | • | • | • | 67 |
| JC60V | Vis Only | (BYR) Byron Knob Security Set | 59 | 67 | • | • | • | • | 67 | |
| JC60V | Vis Only | (CNA) Corona Knob Security Set | 59 | 67 | 67 | • | • | | 67 | • |
| Security S | ets - Lever | + Deadbolt | | | | | | | | |
| JC60V | Vis Only | (DOV) Dover Lever Security Set | 79 | 84 | • | | • | | 84 | |
| JC60V | Vis Only | (LAS) LaSalle Lever Security Set | 79 | 84 | 84 | • | • | • | • | • |
| JC60V | Vis Only | (SEV) Seville Lever Security Set | 79 | 84 | 84 | • | • | • | • | 84 |
| JC60V | Vis Only | (TOR) Torino Lever Security Set | 79 | 84 | 84 | | • | | • | 84 |



Deadbolts J Series

Notes



| Builder's Hardware |
|--|
| Handrail Brackets, Door Stops & Chain Door Gaurds HA-2 |
| Coat, Hat & Wardrobe Hooks, Mail Slots, Viewers |
| Pocket Door Locks, Hinges |
| Classic House Numbers HA-8 |
| Door Knockers, Push, Pull & Kick Plates |
| Hobby Hardware |
| Window Hardware, Flush Pulls HA-14 |
| Parts |
| |
| Latch & Strike Quick Reference Guide HA-15 |
| Latch & Strike Quick Reference Guide HA-15 Latches |
| |
| Latches |
| Latches HA-16 Strikes HA-19 |
| Latches HA-16 Strikes HA-19 Cylinders HA-21 Thick Door Installation Kits |
| Latches |
| Latches |

FINISH CODES & DESCRIPTIONS

| Satin Sati Aluminum Stainl Stee | ess Brass | Brass | Antique Pewter (US15A) | Aged Bronze |
|---------------------------------------|-----------|-------|------------------------------|----------------|

Full-color swatch examples available on inside Hardware & Accessories tab.





Handrail Brackets, Door Stops & Chain Door Gaurds



Handrail Bracket

HANDRAIL BRACKETS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|---|-------|-----------|-----------|-----------|---------|
| 044074681567 | SPS059B 605 N N (HANDRAIL BRACKETS, BRIGHT BRASS) | 059 | BRASS | 10 | SLIM PACK | \$17.50 |
| 044074681598 | SPS059B 619 N N (HANDRAIL BRACKETS, SATIN NICKEL) | 059 | BRASS | 10 | SLIM PACK | 20.10 |
| 044074681604 | SPS059B 620 N N (HANDRAIL BRACKETS, ANTIQUE PEWTER) | 059 | BRASS | 10 | SLIM PACK | 20.10 |
| 044074681581 | SPS059B 716 N N (HANDRAIL BRACKETS, AGED BRONZE) | 059 | BRASS | 10 | SLIM PACK | 20.10 |
| 044074680904 | SC059B 716 N N (HANDRAIL BRACKET, AGED BRONZE) | 059 | BRASS | 5 | CARDED | 20.10 |



SOLID DOOR STOPS

| 302.5 500. | 31013 | | | | | |
|--------------|---|-------|-----------|-----------|-----------|--------|
| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
| 044074680591 | SC61Z* 716 N N (SOLID DOOR STOP, AGED BRONZE) | 61 | ZINC | 5 | CARDED | \$3.90 |
| 044074683172 | SC61Z* 605 N N (SOLID DOOR STOP, BRIGHT BRASS) | 61 | ZINC | 5 | CARDED | 3.20 |
| 044074683165 | SC61Z* 619 N N (SOLID DOOR STOP, SATIN NICKEL) | 61 | ZINC | 5 | CARDED | 3.90 |
| 044074681369 | SPS61MB 605 N N (SOLID DOOR STOP, BRIGHT BRASS) | 61 | BRASS | 20 | SLIM PACK | 10.70 |
| 044074681376 | SPS61MB 609 N N (SOLID DOOR STOP, ANTIQUE BRASS) | 61 | BRASS | 20 | SLIM PACK | 10.70 |
| 044074681390 | SPS61MB 619 N N (SOLID DOOR STOP, SATIN NICKEL) | 61 | BRASS | 20 | SLIM PACK | 14.40 |
| 044074681406 | SPS61MB 620 N N (SOLID DOOR STOP, ANTIQUE PEWTER) | 61 | BRASS | 20 | SLIM PACK | 14.40 |
| 044074681383 | SPS61MB 716 N N (SOLID DOOR STOP, AGED BRONZE) | 61 | BRASS | 20 | SLIM PACK | 14.40 |
| 044074680782 | SC61MB 605 N N (SOLID DOOR STOP, BRIGHT BRASS) | 61 | BRASS | 20 | CARDED | 10.70 |
| 044074680799 | SC61MB 609 N N (SOLID DOOR STOP, ANTIQUE BRASS) | 61 | BRASS | 20 | CARDED | 10.70 |
| 044074680812 | SC61MB 619 N N (SOLID DOOR STOP, SATIN NICKEL) | 61 | BRASS | 20 | CARDED | 14.40 |
| 044074680805 | SC61MB 716 N N (SOLID DOOR STOP, AGED BRONZE) | 61 | BRASS | 20 | CARDED | 14.40 |

^{*}While supplies last









Hinge Pin Door Stop

Wall Stop Convex

Floor Door Stop

SOLID DOOR STOPS (cont)

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|---|-------|-----------|-----------|-----------|--------|
| 044074680584 | SC70Z* 716 N N (HINGE PIN DOOR STOP, AGED BRONZE) | 70 | ZINC | 5 | CARDED | \$3.30 |
| 044074683189 | SC70Z* 605 N N (HINGE PIN DOOR STOP, BRIGHT BRASS) | 70 | ZINC | 5 | CARDED | 2.90 |
| 044074683196 | SC70Z* 619 N N (HINGE PIN DOOR STOP, SATIN NICKEL) | 70 | ZINC | 5 | CARDED | 3.30 |
| 044074681413 | SPS70B 605 N N (HINGE PIN DOOR STOP, BRIGHT BRASS) | 70 | BRASS | 15 | SLIM PACK | 10.20 |
| 044074681444 | SPS70B 619 N N (HINGE PIN DOOR STOP, SATIN NICKEL) | 70 | BRASS | 15 | SLIM PACK | 12.60 |
| 044074681451 | SPS70B 620 N N (HINGE PIN DOOR STOP, ANTIQUE PEWTER) | 70 | BRASS | 15 | SLIM PACK | 12.60 |
| 044074681437 | SPS70B 716 N N (HINGE PIN DOOR STOP, AGED BRONZE) | 70 | BRASS | 15 | SLIM PACK | 12.60 |
| 044074680836 | SC70B 605 N N (HINGE PIN DOOR STOP, BRIGHT BRASS) | 70 | BRASS | 5 | CARDED | 10.20 |
| 044074680850 | SC70B 716 N N (HINGE PIN DOOR STOP, AGED BRONZE) | 70 | BRASS | 5 | CARDED | 12.60 |
| 044074680867 | SC70B 619 N N (HINGE PIN DOOR STOP, SATIN NICKEL) | 70 | BRASS | 5 | CARDED | 12.60 |
| 44074680874 | SC70B 620 N N (HINGE PIN DOOR STOP, ANTIQUE PEWTER) | 70 | BRASS | 5 | CARDED | 12.60 |
| | | | | | | |
| 044074681468 | SPS407B* 605 N N (WALL DOOR STOP- CONVEX, BRIGHT BRASS) | 407 | BRASS | 15 | SLIM PACK | 3.60 |
| 044074681475 | SPS407B* 609 N N (WALL DOOR STOP- CONVEX, ANTIQUE BRASS) | 407 | BRASS | 15 | SLIM PACK | 4.00 |
| 044074681482 | SPS407B* 716 N N (WALL DOOR STOP- CONVEX. AGED BRONZE) | 407 | BRASS | 15 | SLIM PACK | 4.00 |
| 044074681499 | SPS407B* 619 N N (WALL DOOR STOP- CONVEX, SATIN NICKEL) | 407 | BRASS | 15 | SLIM PACK | 4.00 |
| 044074681505 | SPS407B* 620 N N (WALL DOOR STOP- CONVEX, ANTIQUE PEWTER) | 407 | BRASS | 15 | SLIM PACK | 4.00 |
| | | | | | | |
| 044074681970 | SPS436B 605 N N (FLOOR DOOR STOP, BRIGHT BRASS) | 436 | BRASS | 15 | SLIM PACK | 5.80 |
| 044074682007 | SPS436B 619 N N (FLOOR DOOR STOP, SATIN NICKEL) | 436 | BRASS | 15 | SLIM PACK | 6.20 |
| 044074681994 | SPS436B 716 N N (FLOOR DOOR STOP, AGED BRONZE) | 436 | BRASS | 15 | SLIM PACK | 6.20 |

^{*}While supplies last



Chain Door Guard

CHAIN DOOR GUARDS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|---|-------|-----------|-----------|-----------|--------|
| 044074679076 | SC481F 3 N N (CHAIN DOOR GUARD, BRIGHT BRASS) | 481 | STEEL | 5 | CARDED | \$6.20 |
| 044074682113 | SC481F 619 N N (CHAIN DOOR GUARD, SATIN NICKEL) | 481 | STEEL | 5 | CARDED | 6.20 |
| 044074683158 | SC481F 716 N N (CHAIN DOOR GUARD, AGED BRONZE) | 481 | STEEL | 5 | CARDED | 6.20 |





Coat, Hat & Wardrobe Hooks, Mail Slots, Viewers







Wardrobe Hook - Single



Wardrobe Hook - Double

COAT, HAT & WARDROBE HOOKS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|---|-------|-----------|-----------|-----------|--------|
| 044074681048 | SC571MB 619 N N (COAT & HAT HOOK, SATIN NICKEL) | 571 | BRASS | 5 | CARDED | \$9.20 |
| 044074681611 | SPS571MB 605 N N (COAT & HAT CEILING HOOKS, BRIGHT BRASS) | 571 | BRASS | 25 | SLIM PACK | 7.50 |
| 044074681628 | SPS571MB 609 N N (COAT & HAT CEILING HOOKS, ANTIQUE BRASS) | 571 | BRASS | 25 | SLIM PACK | 9.40 |
| 044074681642 | SPS571MB 619 N N (COAT & HAT CEILING HOOKS, SATIN NICKEL) | 571 | BRASS | 25 | SLIM PACK | 9.40 |
| 044074681659 | SPS571MB 620 N N (COAT & HAT CEILING HOOKS. ANTIQUE PEWTER) | 571 | BRASS | 25 | SLIM PACK | 9.40 |
| 044074681635 | SPS571MB 716 N N (COAT $\&$ HAT CEILING HOOKS, AGED BRONZE) | 571 | BRASS | 25 | SLIM PACK | 9.40 |
| | | | | | | |
| 044074681666 | SPS581MB 605 N N (WARDROBE HOOK, BRIGHT BRASS) | 581 | BRASS | 25 | SLIM PACK | 5.10 |
| 044074681673 | SPS581MB 609 N N (WARDROBE HOOK, ANTIQUE BRASS) | 581 | BRASS | 25 | SLIM PACK | 6.40 |
| 044074681703 | SPS581MB 619 N N (WARDROBE HOOK, SATIN NICKEL) | 581 | BRASS | 25 | SLIM PACK | 6.40 |
| 044074681710 | SPS581MB 620 N N (WARDROBE HOOK, ANTIQUE PEWTER) | 581 | BRASS | 25 | SLIM PACK | 6.40 |
| 044074681680 | SPS581MB 716 N N (WARDROBE HOOK, AGED BRONZE) | 581 | BRASS | 25 | SLIM PACK | 6.40 |
| 044074681093 | SC581MB 619 N N (SINGLE WARDROBE HOOK, SATIN NICKEL) | 581 | BRASS | 5 | CARDED | 6.40 |
| | | | | | | |
| 044074681123 | SC582MB 609 N N (DOUBLE WARDROBE HOOK, ANTIQUE BRASS) | 582 | BRASS | 5 | CARDED | 8.10 |
| 044074681147 | SC582MB 619 N N (DOUBLE WARDROBE HOOK, SATIN NICKEL) | 582 | BRASS | 5 | CARDED | 8.10 |
| 044074681130 | SC582MB 716 N N (DOUBLE WARDROBE HOOK, AGED BRONZE) | 582 | BRASS | 5 | CARDED | 8.10 |
| 044074681727 | SPS582MB 605 N N (WARDROBE HOOK, BRIGHT BRASS) | 582 | BRASS | 25 | SLIM PACK | 6.50 |
| 044074681734 | SPS582MB 609 N N (WARDROBE HOOK, ANTIQUE BRASS) | 582 | BRASS | 25 | SLIM PACK | 8.10 |
| 044074681741 | SPS582MB 619 N N (WARDROBE HOOK, SATIN NICKEL) | 582 | BRASS | 25 | SLIM PACK | 8.10 |
| 044074681758 | SPS582MB 620 N N (WARDROBE HOOK, ANTIQUE PEWTER) | 582 | BRASS | 25 | SLIM PACK | 8.10 |
| 044074681963 | SPS582MB 716 N N (WARDROBE HOOK, AGED BRONZE) | 582 | BRASS | 25 | SLIM PACK | 8.10 |







Mail Slot Sleeve

Mail Slot

MAIL SLOTS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|---------|
| 044074678635 | SC601 N N (MAIL SLOT SLEEVE) | 601 | STEEL | 1 | CARDED | 16.40 |
| | | | | | | |
| 044074008333 | C620PA 28 2 X 11 N N (MAIL SLOT, SATIN ALUMINUM) | 620 | ALUMINUM | 2 | CARDED | \$40.80 |
| 044074678642 | SC620B 3 2 x 11 N N (MAIL SLOT, BRIGHT BRASS) | 620 | BRASS | 2 | CARDED | 67.40 |
| 044074678659 | SC620B 619 2 x 11N N (MAIL SLOT, SATIN NICKEL) | 620 | BRASS | 2 | CARDED | 82.82 |
| 044074681239 | SC620B 716 2 x 11N N (MAIL SLOT, AGED BRONZE) | 620 | BRASS | 2 | CARDED | 82.80 |





190° Viewer

120° Viewer

Viewers

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|---------|
| 044074678529 | SC698P* B 605 N N (190 DEGREE VIEWER, BRIGHT BRASS)(1 3/8 - 2 1/8") | 698 | BRASS | 5 | CARDED | \$16.50 |
| 044074678536 | SC698P* B 619 N N (190 DEGREE VIEWER, SATIN NICKEL)(1 3/8 - 2 1/8") | 698 | BRASS | 5 | CARDED | 18.50 |
| 044074678543 | SC698P* B 716 N N (190 DEGREE VIEWER, AGED BRONZE)(1 3/8 - 2 1/8") | 698 | BRASS | 5 | CARDED | 18.50 |
| | | | | | | |
| 044074678550 | SC700P* B 605 N N (120 DEGREE VIEWER, BRIGHT BRASS)(1 3/8 - 2 1/16") | 700 | BRASS | 5 | CARDED | 7.00 |

^{*}While supplies last





Pocket Door Locks, Hinges







Pocket Door Lock Privacy

POCKET DOOR LOCKS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|--------|
| 044074681260 | SC990B 605 N N (SLIDING DOOR PULL, BRIGHT BRASS) | 990 | BRASS | 5 | CARDED | \$8.60 |
| 044074681277 | SC990B 609 N N (SLIDING DOOR PULL, ANTIQUE BRASS) | 990 | BRASS | 5 | CARDED | 10.30 |
| 044074681284 | SC990B 716 N N (SLIDING DOOR PULL, AGED BRONZE) | 990 | BRASS | 5 | CARDED | 10.30 |
| 044074681291 | SC990B 619 N N (SLIDING DOOR PULL, SATIN NICKEL) | 990 | BRASS | 5 | CARDED | 10.30 |
| 044074681307 | SC990B 620 N N (SLIDING DOOR PULL, ANTIQUE PEWTER) | 990 | BRASS | 5 | CARDED | 10.30 |
| | | | | | | |
| 044074681314 | SC991B 605 N N (SLIDING DOOR LOCK, BRIGHT BRASS) | 991 | BRASS | 5 | CARDED | 14.20 |
| 044074681321 | SC991B 609 N N (SLIDING DOOR LOCK, ANTIQUE BRASS) | 991 | BRASS | 5 | CARDED | 15.70 |
| 044074681338 | SC991B 716 N N (SLIDING DOOR LOCK, AGED BRONZE) | 991 | BRASS | 5 | CARDED | 15.70 |
| 044074681345 | SC991B 619 N N (SLIDING DOOR LOCK, SATIN NICKEL) | 991 | BRASS | 5 | CARDED | 15.70 |
| 044074681352 | SC991B 620 N N (SLIDING DOOR LOCK, ANTIQUE PEWTER) | 991 | BRASS | 5 | CARDED | 15.70 |



3.5" Square Hinge



3.5" Radial Hinge 5/8" Radius

HINGES

| IIII4GES | | | | | | |
|--------------|--|-------|-----------|-----------|-----------|---------|
| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
| 044074677577 | SC3P1010F 605 N N (3.5" SQ HINGE 3PK, BRIGHT BRASS) | 1010 | STEEL | 3 | CARDED | \$21.30 |
| 044074677584 | SC3P1010F 619 N N (3.5" SQ HINGE 3PK, SATIN NICKEL) | 1010 | STEEL | 3 | CARDED | 21.30 |
| 044074677591 | SC3P1010F 716 N N (3.5" SQ HINGE 3PK, AGED BRONZE) | 1010 | STEEL | 3 | CARDED | 18.40 |
| 044074680935 | SC3P1010F 609 N N (3.5" SQ HINGE 3PK, ANTIQUE BRASS) | 1010 | STEEL | 3 | CARDED | 21.30 |
| 043156548736 | SC3P1010F-608E (SATIN BRASS) | 1010 | STEEL | 3 | CARDED | 21.30 |
| | | | | | | |
| 044074677607 | SC3P1011F 605 N N (3.5" RD HINGE 3PK, 5/8 RAD, BRIGHT BRASS) | 1011 | STEEL | 3 | CARDED | 17.80 |
| 044074677614 | SC3P1011F 619 N N (3.5" RD HINGE 3PK, 5/8 RAD, SATIN NICKEL) | 1011 | STEEL | 3 | CARDED | 21.30 |
| 044074677621 | SC3P1011F 716 N N (3.5" RD HINGE 3PK, 5/8 RAD, AGED BRONZE | 1011 | STEEL | 3 | CARDED | 21.30 |
| 044074680959 | SC3P1011F 609 N N (3.5" RD HINGE 3PK, 5/8 RAD, ANTIQUE BRASS) | 1011 | STEEL | 3 | CARDED | 21.30 |
| 044074680966 | SC3P1011F 620 N N (3.5" RD HINGE 3PK, 5/8 RAD, ANTIQUE PEWTER) | 1011 | STEEL | 3 | CARDED | 21.30 |
| 043156548743 | SC3P1011F-608E (SATIN BRASS) | 1011 | STEEL | 3 | CARDED | 21.30 |



3.5" Radial Hinge 1/4" Radius



4" Square Hinge



4" Radial Hinge 5/8" Radius

HINGES (cont)

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|---|-------|-----------|-----------|-----------|---------|
| 043156548750 | SC3P1012F-608E (SATIN BRASS) | 1012 | STEEL | 3 | CARDED | 21.30 |
| 044074683103 | SC3P1012F 605 N N (3.5" RD HINGE 3PK, 1/4 RAD, BRIGHT BRASS) | 1012 | STEEL | 3 | CARDED | \$17.80 |
| 044074683127 | SC3P1012F 619 N N (3.5" RD HINGE 3PK, 1/4 RAD, SATIN NICKEL) | | STEEL | 3 | CARDED | 21.30 |
| 044074683110 | SC3P1012F 716 N N (3.5" RD HINGE 3PK, 1/4 RAD, AGED BRONZE) | | STEEL | 3 | CARDED | 21.30 |
| 044074683912 | SC3P1012F 609 N N (3.5" RD HINGE 3PK, 1/4 RAD, ANTIQUE BRASS) | 1012 | STEEL | 3 | CARDED | 21.30 |
| | | | | | | |
| 044074677638 | SC3P1020F 605 N N (4" SQ HINGE 3PK, BRIGHT BRASS) | | STEEL | 3 | CARDED | 21.30 |
| 044074677645 | SC3P1020F 619 N N (4" SQ HINGE 3PK, SATIN NICKEL) | | STEEL | 3 | CARDED | 22.90 |
| 044074677652 | SC3P1020F 716 N N (4" SQ HINGE 3PK, AGED BRONZE) | | STEEL | 3 | CARDED | 22.90 |
| 044074680973 | SC3P1020F 609 N N (4" SQ HINGE 3PK, ANTIQUE BRASS) | 1020 | STEEL | 3 | CARDED | 22.90 |
| | | | | | | |
| 044074677676 | SC3P1021F 619 N N (4" RD HINGE 3PK, 5/8 RAD, SATIN NICKEL) | 1021 | STEEL | 3 | CARDED | 22.90 |
| 044074677683 | SC3P1021F 716 N N (4" RD HINGE 3PK, 5/8 RAD, AGED BRONZE) | 1021 | STEEL | 3 | CARDED | 22.90 |
| 044074681000 | SC3P1021F 620 N N (4" RD HINGE 3PK, 5/8 RAD, ANTIQUE PEWTER) | 1021 | STEEL | 3 | CARDED | 22.90 |
| | | | | | | |
| 043156557646 | SC3P1010F 622 N N SL (3.5" SQ HINGE 3PK, MATTE BLACK) | 1010 | STEEL | 3 | CARDED | 21.30 |
| 043156557653 | SC3P1011F 622 N N SL (3.5" RD HINGE 3PK 5/8 RAD, MATTE BLACK) | | STEEL | 3 | CARDED | 21.30 |
| 043156557660 | SC3P1012F 622 N N SL (3.5" RD HINGE 3PK 1/4 RAD, MATTE BLACK) | 1012 | STEEL | 3 | CARDED | 21.30 |

Classic House Numbers

4" Classic House Numbers

4" CLASSIC HOUSE NUMBERS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|--------|
| 044074678666 | SC2 3006 605 N N (4" CLASSIC HOUSE NUMBER 0, BRIGHT BRASS) | 3006 | BRASS | 5 | CARDED | \$7.20 |
| 044074678772 | SC2 3006 619 N N (4" CLASSIC HOUSE NUMBER 0, SATIN NICKEL) | 3006 | BRASS | 5 | CARDED | 9.30 |
| 044074680485 | SC2-3006 716 N N (4" CLASSIC HOUSE NUMBER 0, AGED BRONZE) | 3006 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |
| 044074678673 | SC2 3016 605 N N (4" CLASSIC HOUSE NUMBER 1, BRIGHT BRASS) | 3016 | BRASS | 5 | CARDED | 7.20 |
| 044074678789 | SC2 3016 619 N N (4" CLASSIC HOUSE NUMBER 1, SATIN NICKEL) | 3016 | BRASS | 5 | CARDED | 9.30 |
| 044074680492 | SC2 3016 716 N N (4" CLASSIC HOUSE NUMBER 1. AGED BRONZE) | 3016 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |
| 044074678697 | SC2 3026 605 N N (4" CLASSIC HOUSE NUMBER 2, BRIGHT BRASS) | | BRASS | 5 | CARDED | 7.20 |
| 044074678796 | SC2 3026 619 N N (4" CLASSIC HOUSE NUMBER 2, SATIN NICKEL) | 3026 | BRASS | 5 | CARDED | 9.30 |
| 044074680508 | SC2 3026 716 N N (4" CLASSIC HOUSE NUMBER 2, AGED BRONZE) | 3026 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |
| 044074678703 | SC2 3036 605 N N (4" CLASSIC HOUSE NUMBER 3, BRIGHT BRASS) | 3036 | BRASS | 5 | CARDED | 7.20 |
| 044074678802 | SC2 3036 619 N N (4" CLASSIC HOUSE NUMBER 3, SATIN NICKEL) | 3036 | BRASS | 5 | CARDED | 9.30 |
| 044074680515 | SC2 3036 716 N N (4" CLASSIC HOUSE NUMBER 3, AGED BRONZE) | 3036 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |
| 044074678710 | SC2 3046 605 N N (4" CLASSIC HOUSE NUMBER 4, BRIGHT BRASS) | 3046 | BRASS | 5 | CARDED | 7.20 |
| 044074678819 | SC2 3046 619 N N (4" CLASSIC HOUSE NUMBER 4, SATIN NICKEL) | 3046 | BRASS | 5 | CARDED | 9.30 |
| 044074680522 | SC2 3046 716 N N (4" CLASSIC HOUSE NUMBER 4, AGED BRONZE) | 3046 | BRASS | 5 | CARDED | 9.30 |



7

8

9

4" Classic House Numbers

4" CLASSIC HOUSE NUMBERS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|--------|
| 044074678727 | SC2 3056 605 N N (4" CLASSIC HOUSE NUMBER 5, BRIGHT BRASS) | 3056 | BRASS | 5 | CARDED | \$7.20 |
| 044074678826 | SC2 3056 619 N N (4" CLASSIC HOUSE NUMBER 5, SATIN NICKEL) | 3056 | BRASS | 5 | CARDED | 9.30 |
| 044074680539 | SC2 3056 716 N N (4" CLASSIC HOUSE NUMBER 5, AGED BRONZE) | 3056 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |
| 044074678734 | SC2 3066 605 N N (4" CLASSIC HOUSE NUMBER 6, BRIGHT BRASS) | 3066 | BRASS | 5 | CARDED | 7.20 |
| 044074678833 | SC2 3066 619 N N (4" CLASSIC HOUSE NUMBER 6, SATIN NICKEL) | 3066 | BRASS | 5 | CARDED | 9.30 |
| 044074680546 | SC2 3066 716 N N (4" CLASSIC HOUSE NUMBER 6, AGED BRONZE) | 3066 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |
| 044074678741 | SC2 3076 605 N N (4" CLASSIC HOUSE NUMBER 7, BRIGHT BRASS) | 3076 | BRASS | 5 | CARDED | 7.20 |
| 044074678840 | SC2 3076 619 N N (4" CLASSIC HOUSE NUMBER 7, SATIN NICKEL) | 3076 | BRASS | 5 | CARDED | 9.30 |
| 044074680553 | SC2 3076 716 N N (4" CLASSIC HOUSE NUMBER 7, AGED BRONZE) | 3076 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |
| 044074678758 | SC2 3086 605 N N (4" CLASSIC HOUSE NUMBER 8, BRIGHT BRASS) | 3086 | BRASS | 5 | CARDED | 7.20 |
| 044074678857 | SC2 3086 619 N N (4" CLASSIC HOUSE NUMBER 8, SATIN NICKEL) | 3086 | BRASS | 5 | CARDED | 9.30 |
| 044074680560 | SC2 3086 716 N N (4" CLASSIC HOUSE NUMBER 8, AGED BRONZE) | 3086 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |
| 044074678765 | SC2 3096 605 N N (4" CLASSIC HOUSE NUMBER 9, BRIGHT BRASS) | 3096 | BRASS | 5 | CARDED | 7.20 |
| 044074678864 | SC2 3096 619 N N (4" CLASSIC HOUSE NUMBER 9, SATIN NICKEL) | 3096 | BRASS | 5 | CARDED | 9.30 |
| 044074680577 | SC2 3096 716 N N (4" CLASSIC HOUSE NUMBER 9, AGED BRONZE) | 3096 | BRASS | 5 | CARDED | 9.30 |
| | | | | | | |

Door Knockers, Push, Pull & Kick Plates





3107 Door Knocker

3125 Door Knocker

DOOR KNOCKERS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|---------|
| 044074678475 | SC2 3107 605 N N (DOOR KNOCKER, BRIGHT BRASS) | | BRASS | 2 | CARDED | \$42.80 |
| 044074680461 | 4074680461 SC2 3107 619 N N (DOOR KNOCKER, SATIN NICKEL) | | | 2 | CARDED | 52.90 |
| | | | | | | |
| 044074678499 | SC2 3125 605 N N (DOOR KNOCKER, BRIGHT BRASS) | 3125 | BRASS | 5 | CARDED | 23.70 |
| 044074678505 | SC2 3125 619 N N (DOOR KNOCKER, SATIN NICKEL) | 3125 | BRASS | 5 | CARDED | 28.50 |
| 044074680478 | SC2 3125 716 N N (DOOR KNOCKER, AGED BRONZE) | 3125 | BRASS | 5 | CARDED | 28.50 |
| 044074680768 | SC2 3125 609 N N (DOOR KNOCKER, ANTIQUE BRASS) | 3125 | BRASS | 5 | CARDED | 28.50 |







Pull

Push Plate

Pull Plate

PUSH AND PULL PLATES

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|---|-------|-----------|-----------|-----------|---------|
| 044074008371 | C8112 5PA 28 N N (DOOR PULL, SATIN ALUMINUM) | 8112 | ALUMINUM | 2 | CARDED | \$21.90 |
| | | | | | | |
| 044074008395 | C8200PA 28 3X12 N N (PUSH PLATE, SATIN ALUMINUM) | 8200 | ALUMINUM | 5 | CARDED | 8.30 |
| 044074008418 | C8200PA 28 3.5X15 N N (PUSH PLATE, SATIN ALUMINUM) | 8200 | ALUMINUM | 5 | CARDED | 8.60 |
| 044074679014 | SC8200B 3 3.5X15 N N (PUSH PLATE, BRIGHT BRASS) | 8200 | BRASS | 5 | CARDED | 19.80 |
| 043156253265 | SC8200 PA3 3.5X15 N N (PUSH PLATE, BRIGHT BRASS) | 8200 | ALUMINUM | 5 | CARDED | 15.00 |
| 044074008425 | CGC8200S32D 3.5X15 N N (PUSH PLATE, STAINLESS STEEL) | 8200 | STAINLESS | 5 | CARDED | 14.20 |
| | | | | | | |
| 044074008432 | C8302 6PA 28 3.5X15G N N (PULL PLATE, SATIN ALUMINUM) | 8302 | ALUMINUM | 2 | CARDED | 31.80 |
| | | | | | | |
| 044074008456 | C8311 5PA 28 3.5X15G N N (PULL PLATE, SATIN ALUMINUM) | 8311 | ALUMINUM | 5 | CARDED | 34.50 |
| 044074589498 | CGC8311-5B26D 3.5X15 (PULL PLATE, SATIN CHROME) | 8311 | BRASS | 5 | CARDED | 66.50 |
| 043156253258 | SC8311-5 PA3 3.5X15 N N (PULL PLATE, BRIGHT BRASS) | 8311 | ALUMINUM | 5 | CARDED | 37.00 |
| 044074681253 | SC8311 5B 3 3.5X15G N N (PULL PLATE, BRIGHT BRASS) | 8311 | BRASS | 5 | CARDED | 60.30 |



Kick Plate


KICKPLATES

| KICKI EALES | | | | | | |
|--------------|--|-------|-----------|-----------|-----------|---------|
| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
| 044074006940 | C8400B 3 6X30 N N (KICKPLATE, BRIGHT BRASS) | 8400 | BRASS | 5 | CARDED | \$47.10 |
| 044074008623 | C8400PA 28 6X30 N N (KICKPLATE, SATIN ALUMINUM) | 8400 | ALUMINUM | 5 | CARDED | 20.80 |
| 044074051087 | C8400B 3 6X34 N N (KICKPLATE, BRIGHT BRASS) | 8400 | BRASS | 5 | CARDED | 49.90 |
| 044074051063 | C8400PA 28 6X34 N N (KICKPLATE, SATIN ALUMINUM) | 8400 | ALUMINUM | 5 | CARDED | 22.20 |
| 044074589337 | CGC8400S 32D 8X34 N N (KICKPLATE, STAINLESS STEEL) | 8400 | STAINLESS | 5 | CARDED | 31.20 |
| 044074678581 | SC8400B 3 8X34 N N (KICKPLATE, BRIGHT BRASS) | 8400 | BRASS | 5 | CARDED | 55.40 |
| 044074678611 | SC8400PA 28 8X34 N N (KICKPLATE, SATIN ALUMINUM) | 8400 | ALUMINUM | 5 | CARDED | 27.80 |
| 044074678628 | SC8400PA 3 8X34 N N (KICKPLATE, BRIGHT BRASS)) | 8400 | BRASS | 5 | CARDED | 38.80 |
| 044074681185 | SC8400B 619 6X30 N N (KICKPLATE, SATIN NICKEL) | 8400 | BRASS | 5 | CARDED | 49.90 |
| 044074681178 | SC8400B 716 6X30 N N (KICKPLATE, AGED BRONZE) | 8400 | BRASS | 5 | CARDED | 49.90 |
| 044074682038 | SC8400PA 716 8X34 N N (KICKPLATE, AGED BRONZE) | 8400 | ALUMINUM | 5 | CARDED | 38.10 |
| 044074678574 | SC8400PA 3 6X34 N N (KICKPLATE, BRIGHT BRASS) | 8400 | ALUMINUM | 5 | CARDED | 31.90 |
| 044074678567 | SC8400PA 3 6X30 N N (KICKPLATE, BRIGHT BRASS) | 8400 | ALUMINUM | 5 | CARDED | 30.50 |
| 044074678598 | SC8400PA 619 8X34 N N (KICKPLATE, SATIN NICKEL) | 8400 | ALUMINUM | 5 | CARDED | 39.00 |
| | | | | | | |





Hobby Hardware



HOBBY HARDWARE

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|--------|
| 044074429428 | C78B 3 N N (HOOK & STAPLE) | Hobby | BRASS | 5 | CARDED | \$1.40 |
| 044074429435 | C86B 3 N N (BARREL DOOR BOLT) | Hobby | BRASS | 5 | CARDED | 4.30 |
| 044074429473 | C9011B 3 N N (MIDDLE BUTT HINGE, 3/4 X 11/16" - 4/CD) | Hobby | BRASS | 5 | CARDED | 2.70 |
| 044074429541 | C9031B 3 N N (MIDDLE BUTT HINGE, 1 1/2 X 1" - 2/CD) | Hobby | BRASS | 5 | CARDED | 3.20 |
| 044074429589 | C9041B 3 N N (MIDDLE BUTT HINGE, 2 X 13/16" - 2/CD) | Hobby | BRASS | 5 | CARDED | 3.70 |
| 044074429596 | C9042B 3 N N (BROAD BUTT HINGE, 2 X 1 3/8" - 2/CD) | Hobby | BRASS | 5 | CARDED | 3.90 |
| 044074429626 | C9051B 3 N N (MIDDLE BUTT HINGE, 2 1/2 X 1 9/16" - 2/CD) | Hobby | BRASS | 5 | CARDED | 5.60 |
| 044074429664 | C9070F 3 N N (DECORATIVE HINGE, 1 5/16 X 2 7/8" - 2/CD) | Hobby | STEEL | 5 | CARDED | 2.90 |
| 044074429688 | C9071B 5 N N (DECORATIVE HINGE, 1 3/4 X 3" - 2/CD) | Hobby | BRASS | 5 | CARDED | 4.80 |
| 044074429695 | C9072B 3 N N (DECORATIVE HINGE, 1 5/16 X 2 1/4" - 2/CD) | Hobby | BRASS | 5 | CARDED | 3.40 |
| 044074429756 | C9110B 3 N N (DECORATIVE HASP, 5/8 X 1 7/8") | Hobby | BRASS | 5 | CARDED | 2.40 |
| 044074429770 | C9120B 3 N N (HASP, 3/4 X 3") | Hobby | BRASS | 5 | CARDED | 2.80 |



HOBBY HARDWARE (cont)

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|---|-------|-----------|-----------|-----------|--------|
| 044074429817 | C9130B 3 N N (HASP w/HOOK, 3/4 X 3") | Hobby | BRASS | 5 | CARDED | \$3.40 |
| 044074429824 | C9210F 3 LH N N (SUPPORT HINGE, 10 3/8") | Hobby | STEEL | 5 | CARDED | 2.80 |
| 044074429831 | C9210F 3 RH N N (SUPPORT HINGE, 10 3/8") | Hobby | STEEL | 5 | CARDED | 2.80 |
| 044074429848 | C9220F 3 LH N N (FRICTION LID SUPPORT, SUPPORT -5") | Hobby | STEEL | 5 | CARDED | 4.20 |
| 044074429855 | C9220F 3 RH N N (FRICTION LID SUPPORT, SUPPORT -5") | Hobby | STEEL | 5 | CARDED | 4.20 |
| 044074429923 | C9311B 3 N N (CORNER, 5/8 X 1 3/4" - 4/CD) | Hobby | BRASS | 5 | CARDED | 4.30 |
| 044074429947 | C9320B 3 N N (BRACKETS, 1/2 X 1 5/8" - 4/CD) | Hobby | BRASS | 5 | CARDED | 3.10 |
| 044074429954 | C9321B 3 N N (BRACKETS, 1/2 X 1 1/8" - 4/CD) | Hobby | BRASS | 5 | CARDED | 3.30 |
| 044074429961 | C9330F 3 N N (DRAW CATCH, 2 3/4 X 1 1/2" - 2/CD) | Hobby | STEEL | 5 | CARDED | 3.70 |
| 044074430264 | C9340F 3 N N (CHEST HANDLE, 1 3/8 X 3 1/2" - 2/CD) | Hobby | STEEL | 5 | CARDED | 3.50 |

Window Hardware, Flush Pulls





Window Lock

Bar Window Lift

WINDOW HARDWARE

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|---------|
| 044074681765 | SPS07MB 605 N N (WINDOW LOCKS, BRIGHT BRASS) | | BRASS | 20 | SLIM PACK | \$17.60 |
| 044074681772 | SPS07MB 609 N N (WINDOW LOCKS, ANTIQUE BRASS) | | BRASS | 20 | SLIM PACK | 17.60 |
| 044074681796 | SPS07MB 619 N N (WINDOW LOCKS, SATIN NICKEL) | | BRASS | 20 | SLIM PACK | 17.60 |
| 044074681802 | 2 SPS07MB 620 N N (WINDOW LOCKS, ANTIQUE PEWTER) | | BRASS | 20 | SLIM PACK | 17.60 |
| 044074681789 | 9 SPS07MB 716 N N (WINDOW LOCKS, AGED BRONZE) | | BRASS | 20 | SLIM PACK | 17.60 |
| | | | | | | |
| 044074681819 | SPS026MB 605 N N (WINDOW LIFTS, BRIGHT BRASS) | 026 | BRASS | 20 | SLIM PACK | 7.50 |
| 044074681826 | SPS026MB 609 N N (WINDOW LIFTS, ANTIQUE BRASS) | 026 | BRASS | 20 | SLIM PACK | 8.90 |
| 044074681840 | SPS026MB 619 N N (WINDOW LIFTS, SATIN NICKEL) | 026 | BRASS | 20 | SLIM PACK | 8.90 |
| 044074681857 | SPS026MB 620 N N (WINDOW LIFTS, ANTIQUE PEWTER) | 026 | BRASS | 20 | SLIM PACK | 8.90 |
| 044074681833 | SPS026MB 716 N N (WINDOW LIFTS, AGED BRONZE) | 026 | BRASS | 20 | SLIM PACK | 8.90 |



Flush Pull

FLUSH PULLS

| UPC | Part No./Description | Model | Substrate | Case Qty. | Pkg. Type | Price |
|--------------|--|-------|-----------|-----------|-----------|--------|
| 044074681512 | SPS221B* 605 N N (DOOR PULL, BRIGHT BRASS) | 221 | BRASS | 25 | SLIM PACK | \$3.10 |
| 044074681529 | SPS221B* 609 N N (DOOR PULL, ANTIQUE BRASS) | 221 | BRASS | 25 | SLIM PACK | 4.00 |
| 044074681543 | SPS221B* 619 N N (DOOR PULL, SATIN NICKEL) | 221 | BRASS | 25 | SLIM PACK | 4.00 |
| 044074681550 | SPS221B* 620 N N (DOOR PULL, ANTIQUE PEWTER) | 221 | BRASS | 25 | SLIM PACK | 4.00 |
| 044074681536 | SPS221B* 716 N N (DOOR PULL, AGED BRONZE) | 221 | BRASS | 25 | SLIM PACK | 4.00 |

^{*}While supplies last





F Series Parts

LATCH & STRIKE QUICK REFERENCE GUIDE

LATCH REFERENCE GUIDE

| Latches / Configuration | Handlesets | Deadbolt | Deadbolt Latches | Spring Latches | | Tapered Deadbolt |
|---|-------------|--|--|----------------|--------|---------------------|
| | F59/F60/F62 | BE375/BE365/ BE369NX B60/B62/B80/ B81 | FE595/FE575/ FE695/ FE599NX F51/F80 | FE285/F10 | F40 | BE469 |
| Dual Option (Round, Drive-in) STANDARD | 12-322 | 12-321 | 16-086 | 16-080 | 16-080 | 12-342 |
| Square | n/a | 12-288 | 16-207 | 16-200 | 16-200 | n/a |
| Triple Option (Round, Square, Drive-in) | 12-236 | 12-287 | 16-211 | 16-210 | 16-210 | 12-344 |
| UL Square | 12-353 | 12-294 | 16-203 | 16-203 | n/a | n/a |
| UL Round | 12-354 | 12-397 | 16-204 | 16-204 | n/a | n/a |
| 5" | n/a | 12-349* | 16-126 | n/a | n/a | n/a |

^{*}Must be ordered separately

STRIKE REFERENCE GUIDE

| Latches / Configuration | Handlesets | Deadbolt | Deadbolt Latches | Spring Latches | | Tapered Deadbolt |
|-------------------------------|-------------|--|--|----------------|--------|---------------------|
| | F59/F60/F62 | BE375/BE365/ BE369NX B60/B62/B80/ B81 | FE595/FE575/ FE695/ FE599NX F51/F80 | FE285/F10 | F40 | BE469 |
| Round Corner Full Lip | 10-115 | 10-092 | 10-027 | 10-027 | 10-027 | 10-115 |
| Round Corner | | 10-116* | | | | 10-116* |
| Square Corner Full Lip | n/a | 10-094 | 10-026 | 10-026 | 10-026 | 10-094 |
| Square Corner - T | n/a | n/a | 10-001 | 10-001 | 10-001 | n/a |
| Circular - Adjustable | n/a | n/a | 10-058 | 10-058 | 10-058 | n/a |
| Dual - Square & Round | 10-269 | n/a | 10-063 | 10-063 | 10-063 | n/a |
| ANSI Square | n/a | n/a | 10-025 | 10-025 | 10-025 | n/a |
| Dustbox (Black Plastic) | B520-283 | B520-283 | n/a | n/a | n/a | B520-283 |
| Reinforcement Strike Plate | B502-914 | B502-914 | n/a | n/a | n/a | B502-914 |
| 3" Reinforcement Screws (2ea) | B502-873 | B502-873 | n/a | n/a | n/a | B502-873 |

^{*}Includes Reinforcement Strike Plate & Screws

F Series Parts

Latches

LATCHES (does not include Multi-Family product)

| Category | Part Product | Specify Number | Finish | Description | Price Sold Separately | Add To Lock Price |
|------------------|--------------------------------|-------------------|--------|---|--------------------------|----------------------|
| Electronics/ BE4 | BE469NX/ BE468 | 12-342 | Х | Tapered Deadbolt Dual Option (Round, Drive- in) (Standard Configuration) | \$37.30 | \$2.00 |
| Commercial | | 12-344 | х | Tapered Deadbolt Triple Option (Round, Square, Drive-in) | 37.30 | 2.00 |
| | BE375/BE365/ BE369NX | 12-321 | х | 1" x 2 1/4" Dual Option - Round Corner + Drive-in (Standard Configuration) | 32.20 | NC |
| | | 12-287 | х | 1" x 2 1/4" Triple Option - Round Corner + Square Corner + Drive-in | 39.20 | 2.00 |
| | | 12-288 | Х | 1" x 2 1/4" Square Corner Faceplate | 33.80 | NC |
| | FE595/FE575/ FE695/ FE599NX | 16-086 | х | 1" x 2 1/4" Dual Option - Round Corner + Drive-in (Standard Configuration) | 16.50 | NC |
| | | 16-207 | Х | 1" x 2 1/4" Square Corner Faceplate | 14.90 | NC |
| | | 16-211 | х | 1" x 2 1/4" Triple Option - Round Corner + Square Corner + Drive-in | 18.50 | 2.00 |
| | | 16-126 | X | 1" x 2 1/4" Square Corner Faceplate - 5" backset | 14.90 | 5.40 |
| FE285 | FE285 | 16-080 | Х | 1" x 2 1/4" Dual Option - Round Corner + Drive-in (Standard Configuration) | 14.60 | NC |
| | | 16-200 | Х | 1" x 2 1/4" Square Corner Faceplate | 13.50 | NC |
| | | 16-210 | х | 1" x 2 1/4" Triple Option -Round Corner + Square Corner + Drive-in | 16.60 | 2.00 |

^{*}Sold with complete UL lockset; not available for individual purchase



HA-16

F Series Parts

LATCHES CONT. (does not include Multi-Family product)

| Category | Part Product | Specify Number | Finish | Description | Price Sold Separately | Add To Lock Price |
|---|--------------------------|-------------------|--|---|--------------------------|----------------------|
| F Series Handlesets F59/F60/F62 | | 12-322 | х | 1" x 2 1/4" Dual Option - Round Corner (16-080) + Drive-in (12-321) (Standard Configuration) | 47.10 | NC |
| | | 12-353 | х | 1" x 2 1/4" Square Corner – UL (12-294 + 16-203) (Standard Configuration-UL Listed) | * | 12.00 |
| | | 12-236 | Х | 1" x 2 1/4" Triple Option - Round Corner + Square Corner (16-210) + Drive-in (12-287) | 54.70 | 2.00 |
| | | 12-354 | × | 1" x 2 1/4" Round Corner UL (12-397 + 16-204) | * | 12.00 |
| F SeriesKnobs/Levers /Light Commercial | F10/F40 Levers/ Knobs | 16-080 | Х | 1" x 2 1/4" Dual Option - Round Corner + Drive-in (Standard Configuration) | 14.60 | NC |
| | 16-203 | Х | 1" x 2 1/4" Square Corner Faceplate + Firecup + 1 1/8" Adaptor – UL (Standard Configuration-UL LISTED) | * | 6.00 | |
| | | 16-204 | Х | 1" x 2 1/4" Radius Corner Faceplate + Firecup + 1 1/8" Adaptor – UL | * | 6.00 |
| | | 16-207 | Х | 1" x 2 1/4" Square Corner Faceplate | 14.90 | NC |
| | | 16-200 | Х | 1" x 2 1/4" Square Corner Faceplate | 13.50 | NC |
| | | 16-210 | х | 1" x 2 1/4" Triple Option - Round Corner + Square Corner + Drive-in | 16.60 | 2.00 |
| | | 40-250 | х | 1" x 2 1/4" Triple Option - Round Corner + Square Corner + Drive-in VisPack ONLY (order in qtys of 4) | 20.00 | N/A |

































F Series Parts

Latches

LATCHES CONT. (does not include Multi-Family product)

| Category | Part Product | Specify Number | Finish | Description | Price Sold Separately | Add To Lock Price |
|-----------------------------|--------------------------|-------------------|--------|---|--------------------------|----------------------|
| F Series Knobs/Levers / | F51A/F80 Levers/Knobs | 16-086 | х | 1" x 2 1/4" Dual Option - Round Corner + Drive-in (Standard Configuration) | \$16.50 | NC |
| Light Commercial (cont.) | | 16-203 | X | 1" x 2 1/4" Square Corner Faceplate + Firecup + 1 1/8" Adaptor – UL (Standard Configuration-UL LISTED) | * | 6.00 |
| | | 16-207 | x | 1" x 2 1/4" Square Corner Faceplate | 14.90 | NC |
| | | 16-211 | х | 1" x 2 1/4" Triple Option - Round Corner + Square Corner + Drive-in | 18.50 | 2.00 |
| | | 16-204 | х | 1" x 2 1/4" Radius Corner Faceplate + Firecup + 1 1/8" Adaptor – UL | * | 6.00 |
| | | 16-126 | Х | 1" x 2 1/4" Square Corner Faceplate - 5" Backset | 14.90 | 5.40 |
| | | 40-251 | x | 1" x 2 1/4" Triple Option - Round Corner + Square Corner + Drive-in VisPack ONLY (order in qtys of 4) | 20.00 | N/A |
| B-Series | B60/B62/B80/B81 | 12-294 | х | 1" x 2 1/4" Square Corner Faceplate + Firecup n/a with B62 (Standard Configuration-UL LISTED) | * | 6.00 |
| | | 12-288 | Х | 1" x 2 1/4" Square Corner Faceplate | 33.80 | NC |
| | | 12-287 | х | 1" x 2 1/4" Triple Option - Round Corner + Square Corner + Drive-in | 39.20 | 2.00 |
| | | 12-321 | х | 1" x 2 1/4" Dual Option-Round Option + Drive-In (Standard Configuration) | 32.20 | NC |
| | | 12-349 | Х | 1" x 2 1/4" Square Corner Faceplate - 5" backset | 65.40 | N/A |
| | | 12-355 | х | Tapered Deadbolt Triple Option | 37.30 | 2.00 |
| | | 12-397 | х | 1" x 2 1/4" Round Corner Faceplate + Firecup UL Listed n/a with B62 | * | 6.00 |


^{*}Sold with complete UL lockset; not available for individual purchase















Strikes F Series Parts

STRIKES (does not include Multi-Family product)

| Category | Part Product | Specify Number | Finish | Description | Price Sold Separately | Add To Lock Price | |
|-----------------------------------|---------------------------------------|--|---|--|--------------------------|----------------------|--|
| Electronics/ Connected & Light | BE469NX/BE369NX/ BE375/BE365/BE468 | 10-116 | х | Round Corner Strike 1 1/8" x 2 3/4" (Standard Configuration) | \$13.90 | NC | |
| Commercial | | 10-115 | Х | Round Corner Full Lip Strike Set (10-027 + 10-116) (Round, Square, Drive-in) (Standard Configuration-Entry Sets) | 17.70 | NC | |
| | | B502- 914 | | Reinforcement Strike Plate | 2.00 | NC | |
| | | B502- 873 | | 3" Reinforcement Screws (2 ea.) | 0.54 | NC | |
| | | All strike | All strikes available for B60/B62/B80/B81 | | | | |
| | FE695/FE595/FE575/ FE285/ FE599NX | 10-027 | x | 10-027 Round Corner Full Lip Strike 1 5/8" x 2 1/4" (Standard Configuration) | 7.60 | NC | |
| | | All strikes available for F10/F40/F51/F80 Levers/Knobs | | | | | |
| F Series Handlesets | F59/F60/F62 | 10-115 | х | Round Corner Full Lip Strike Set (10-027 + 10-116) (Standard Configuration) | 17.70 | NC | |
| | | 10-257 | Χ | Round Corner Full Lip (10-027 + 10-092) | 15.15 | NC | |
| | | 10-269 | Χ | Round & Square Corner Strike Set (10-026 + 10-027 + 10-094 + 10-116) | 24.40 | 2.00 | |
| | | B502- 914 | | Reinforcement Strike Plate | 2.00 | NC | |
| | | B502- 873 | | 3" Reinforcement Screws (2 ea.) | 0.54 | NC | |













F Series Parts

Strikes

STRIKES CONT. (does not include Multi-Family product)

| Category | Part Product | Specify Number | Finish | Description | Price Sold Separately | Add To Lock Price |
|---|----------------------------------|-------------------|--------|---|--------------------------|----------------------|
| F Series Knobs/ Levers/Light | F10/F40/F51A/F80 Levers/Knobs | 10-027 | х | 10-027 Round Corner Full Lip Strike 1 5/8" x 2 1/4" (Standard Configuration) | \$7.60 | NC |
| Commercial | | 10-026 | × | Square Corner Full Lip Strike 1 5/8" x 2 1/4" | 7.60 | NC |
| | | 10-001 | х | 10-001* Square Corner T Strike 1 1/8" x 2 3/4" + Box | 13.50 | NC |
| | | 10-058 | Х | Circular - Adjustable 1 3/4" Diameter (605 and 626 finish only) | 10.00 | NC |
| | | 16-063 | × | Dual Strikes (10-026 + 10-027) 1 5/8" x 2 1/4" | 10.00 | 2.00 |
| | | 10-025 | × | ANSI Square Corner T Strike 1 1/4" x 4 7/8" | 13.60 | 5.40 |
| B-Series Deadbolts/ Light Commercial | B60/ B62/B80/B81 | 10-116 | х | Round Corner Strike 1 1/8" x 2 3/4" (Standard Configuration) | 13.70 | NC |
| | | 10-094 | × | Square Corner Strike 1 1/8" x 2 3/4" | 12.20 | NC |
| | | B502- 914 | | Reinforcement Strike Plate | 2.00 | NC |
| | | B502- 873 | | 3" Reinforcement Screws (2 ea.) | 0.54 | NC |
| | | B520- 283 | | Black Plastic Dustbox for Standard Strike 1 1/8" x 2 3/4"; 3" Reinforcement Screws (2 ea,) | 2.00 | NC |
| | | 10-112 | | Metal Dust Box | 11.70 | N/A |
| | | 10-092* | | Full lip strike radius | 7.90 | NC |


























Cylinders F Series Parts

CYLINDER PINS

| Part Number | Description | Price |
|-------------|-----------------|--------|
| 34-101* | Top Pin - #1 | \$0.08 |
| 34-102* | Top Pin - #2 | 0.08 |
| 34-103* | Top Pin - #3 | 0.08 |
| 34-202* | Master Pin - #2 | 0.08 |
| 34-203* | Master Pin - #3 | 0.08 |
| 34-204* | Master Pin - #4 | 0.08 |
| 34-205* | Master Pin - #5 | 0.08 |
| 34-206* | Master Pin - #6 | 0.08 |
| 34-207* | Master Pin - #7 | 0.08 |
| 34-208* | Master Pin - #8 | 0.08 |
| 34-209* | Master Pin - #9 | 0.08 |
| 34-300* | Bottom Pin - #0 | 0.08 |
| 34-301* | Bottom Pin - #1 | 0.08 |
| 34-302* | Bottom Pin - #2 | 0.08 |
| 34-303* | Bottom Pin - #3 | 0.08 |
| 34-304* | Bottom Pin - #4 | 0.08 |
| 34-305* | Bottom Pin - #5 | 0.08 |
| 34-306* | Bottom Pin - #6 | 0.08 |
| 34-307* | Bottom Pin - #7 | 0.08 |
| 34-308* | Bottom Pin - #8 | 0.08 |
| 34-309* | Bottom Pin - #9 | 0.08 |

REKEY PARTS

| Part Number | Description | Price |
|-------------|---|--------|
| F506-451* | Top T Pin - Compressible F Series | \$0.12 |
| F506-452* | Removable Top Cap - Compressible F Series | 0.19 |
| F506-453* | Top T Pin Spring- Compressible F Series | 0.19 |
| 34-401 | Construction Balls (Pack of 1000) | 32.00 |
| 40-104 | Key Gage | 14.80 |
| M540-051 | Follower Bar | 3.30 |
| M540-056 | Cylinder Cap Removal Tool | 57.50 |
| 40-132 | Retail Metal ReKey Kit | 236.00 |
| 40-133 | Home Secure RCK ReKey Kit | 407.00 |
| 40-229 | Rekeying Training Kit | 93.40 |

^{*}Order in multiples of 100

F Series Parts

ASSEMBLY SCREW KITS (does not include Multi-Family product)

| Category | Part Product | Specify Number | Finish | Description | Price |
|---------------------------------------|---------------|-------------------|--------|--|--------|
| Connected | BE469NX | 24283962 | х | Screw Kit, Mtg Screws & Wood Screws | \$5.00 |
| | BE369NX/BE375 | B220-279 | × | (2) B520-621 Finish Screws | 10.10 |
| | BE365 | | | (2) B600-100 Internal Screws | 10.10 |
| Electronic/ Light | FE595/FE575 | F206-450 | × | Mtg Screw Kit | 5.50 |
| Commercial | FE285 | F206-450 | x | Mtg Screw Kit | 5.50 |
| | | F506-828 | | (1) Thru Bolt | 1.30 |
| | | F605-339 | | (1) Washer | 0.56 |
| B-Series | B60 | 33815664 | 605 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| Deadbolts/F Series Knobs & Levers/ | | 33815671 | 625 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| F Series Handlesets | | 33815688 | 716 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | B62 | 33815725 | 605 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | | 33815732 | 625 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | | 33815749 | 716 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | F60/B80 | 33815756 | 605 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | | 33815763 | 625 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | | 33815770 | 716 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | F62 | 33815817 | 605 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | | 33815824 | 625 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | | 33815831 | 716 | Screw Kit, Mtg. Screws, Strike Reinforcement | 10.10 |
| | F10/F40/F51A | 33815848 | 605 | Screw Pack | 10.10 |
| | | 33815855 | 625 | Screw Pack | 10.10 |
| | | 33815862 | 716 | Screw Pack | 10.10 |
| | F170 | 33815879 | 605 | Screw Pack | 10.10 |
| | | 33815886 | 625 | Screw Pack | 10.10 |
| | | 33815893 | 716 | Screw Pack | 10.10 |



Thick Door Installation Kits Miscellaneous Parts, Discontinued Lock Parts

THICK DOOR INSTALLATION KITS (does not include Multi-Family product)

| Category | Part Product | Specify Number | Finish | Description | Price |
|---|--------------|-------------------|--------|--|---------|
| Connected | BE469NX | 23997877 | × | 1 7/8" – 2 1/4" Thick | \$24.90 |
| | BE369NX | | × | 1 7/8" – 2 1/2" Thick (Coming Soon) | 24.90 |
| Electronic/ Light | BE365 | 02-007 | × | 1 7/8" – 2 ½" Thick | 24.90 |
| Commercial | FE285 | 61-075 | × | 1 7/8" – 2 1/4" Thick | 15.00 |
| | BE468 | 23997877 | × | 1 7/8" – 2 1/4" Thick | 24.90 |
| Touch | BE375 | 24666356 | × | 1 7/8" - 2 1/2" Thick | 24.90 |
| F Series Handlesets | F58/F60 | 61-075 | × | 2" - 2 1/4" - Includes mounting screws, thick door grip chassis, and thick door driver bar | 15.00 |
| B-Series Deadbolts/ Light Commercial | B60 | 61-072 | x | 2" - 2 1/4" - Includes longer mounting screws only for deadbolt | 5.00 |
| | | 61-073 | х | 2 1/4" - 4" - Includes longer mounting screws and longer driver bar | 10.00 |

MISCELLANEOUS PARTS

| Category | Specify Finish | Description | Price |
|----------|----------------|--|--------|
| B202-578 | x | Latch/Bolt/Strike Screw Kit(4) C604-246 Latch/Bolt/Strike Wood Screw | \$4.80 |
| M504-271 | | (Emergency Key) F40 Function | 1.50 |
| 02-035 | x | Throughbolt Cap | 1.60 |
| 06-133 | X | Handleset Slider Assembly | 2.00 |
| B300-208 | x | F62 & B62 Drive Pins (deadbolt screw covers) | 1.30 |
| B302-043 | x | Trim and Turn Unit, F60 (inside trim) | 30.00 |
| F506-828 | | (1) Thru Bolt | 1.30 |
| F605-339 | | (1) Washer | 0.56 |

LESS LOCK COMPONENTS

| Description | Specify | Price | |
|--------------------------------|-----------------------------------|--------|------------------------------------|
| Less Springlatch | LLL for Springlatch | \$4.10 | (subtract from list price of lock) |
| Less Deadlatch | LLL for Deadlatch | 4.50 | (subtract from list price of lock) |
| Less Handleset Deadbolt | LLL for Handleset Deadbolt | 8.10 | (subtract from list price of lock) |
| Less Handleset Deadbolt Strike | LLL for Handleset Deadbolt Strike | 3.20 | (subtract from list price of lock) |
| Less Handleset Latch Strike | LLL for Handleset Latch Strike | 2.10 | (subtract from list price of lock) |
| Less Deadbolt | LLL for Deadbolt | 8.30 | (subtract from list price of lock) |
| Less Deadbolt Strike | LLL for Deadbolt Strike | 3.30 | (subtract from list price of lock) |
| Less Knob Strike | LLL for Knob Strike | 2.10 | (subtract from list price of lock) |
| Less Lever Strike | LLL for Lever Strike | 2.10 | (subtract from list price of lock) |





F Series Parts

Thick Door Installation Kits Miscellaneous Parts, Discontinued Lock Parts

35 - BLANK KEYS

| Part No. | Description | Price |
|----------|--|--------|
| 35-100* | 5 Pin - Standard Bow - Embossed Both Sides | \$1.50 |
| 35-101* | 6 Pin - Standard Bow - Embossed Both Sides | 2.00 |
| 35-130* | 5 Pin - Standard Bow - Unembossed Both Sides - No Stamping | 1.50 |
| 35-131* | 6 Pin - Standard Bow - Unembossed Both Sides - No Stamping | 2.00 |
| 35-140 | 5 Pin - Large Bow - Embossed Both Sides | 5.90 |
| 35-141 | 6 Pin - Large Bow - Embossed Both Sides | 5.90 |
| 35-143 | 5 Pin - Access Bow - Embossed Both Sides | 5.90 |
| 35-144 | 6 Pin - Access Bow - Embossed Both Sides | 5.90 |

^{*}Order in multiples of 50

48 - CUT KEYS

| Part No. | Description | Price |
|----------|---|--------|
| 48-130 | Cut Key - 5 Pin - Standard Bow - Unembossed Both Sides - No Stamping | \$6.20 |
| 48-140 | Cut Key - 5 Pin - Large Bow - Embossed Both Sides | 8.90 |
| 48-143 | Cut Key - 5 Pin - Access Bow - Embossed Both Sides | 8.90 |
| 48-180* | Cut Key - 5 Pin - Standard Bow - Embossed Both Sides / Construction Key | 6.20 |
| 48-181 | Cut Key - 6 Pin - Standard Bow - Embossed Both Sides | 6.20 |

^{*48-180} is used for standard cut keys and residential construction keys

49 - MASTER KEYS

| Part No. | Description | Price |
|----------|--|-------|
| 49-130 | Master Key - 5 Pin - Standard Bow - Embossed Both Sides | 10.20 |
| 49-140 | Master Key - 5 Pin - Large Bow - Embossed Both Sides | 14.60 |
| 49-143 | Master Key - 5 Pin - Access Bow - Embossed Both Sides | 14.60 |
| 49-180 | Schlage Cut Master Key - 5-Pin - Standard with Key Symbol & Registry Number | 12.50 |
| 49-181 | Master Key - 6 Pin - Standard Bow - Unembossed Both Sides - Standard with Key Symbol & Registry Number | 10.40 |

50 - KEY CHARGES

| Part No. | Description | Add To Price |
|----------|--|--------------|
| 50-001 | Conventional Cylinder Keyed to Specific Combination | 9.10 |
| 50-215 | Extra Cut Standard Bow Keys Ordered on Lock or Cylinder | 3.90 |
| 50-227 | Extra Cut Large or Access Bow Keys Ordered on Lock or Cylinder | 6.30 |
| 50-228 | Cut Large Bow or Access Bow Keys Substituted for Standard Bow Keys | 2.90 |

^{*}Key Charges are added to the list price of the lock

60 - KEY PACKAGING


| Part No. | Description | Price |
|----------|--|-------|
| 60-000 | Pack Change Keys Independently - PKI - for Split Key Construction Keying | NC |
| 60-001 | Pack Change Keys Independently (PKI) | 0.54 |





Key & Cylinder Stamping Residential Master & Construction Keying

F Series Parts




KEY STAMPING

| Description | Notes | Кеу Туре | Specify | Part Number | Price Ea. Key |
|-----------------------------|---------|----------------------|---------------------------------|-------------|---------------|
| Visual Key Control (VKC) | 1 | Classic Conventional | Stamp Key Symbol on Key | 50-217 | \$2.50 |
| Non-Standard Code | 1, 5, 8 | All Conventional | Non-Standard Code | 50-003 | 6.80/side |
| DO NOT DUPLICATE | | Classic Conventional | Stamp Key "Do Not Duplicate" | XQ06-878 | N/C |
| Delete Key Section From Bow | | Classic Conventional | Delete Key Section | 50-220 | 4.60 |
| Bitting Not Stamped | | Classic Conventional | Delete Key Combination | 50-221 | 2.50 |
| Stamp Bitting | | Classic Conventional | (Furnished as Standard) | N/A | N/A |

Notes:

- 1. Maximum of 6 characters for VKC, Non-Standard Code or serial number stamping
- 5. Only available on unembossed keys
- 8. Sequential stamping will be charged as Non-Standard Code (example: AA1-1, AA1-2)



KEY STAMPING

| Description Notes | | Кеу Туре | Specify | Part Number | Price Ea. Key | |
|---|---|----------------------|--|-------------|---------------|--|
| Visual Key Control (VKC) with standard key symbols or Non- standard codes | 1 | Classic Conventional | Stamp key symbol or non- conventional code on face (VKC) or Cylinder core. | 50-002 | \$6.20 | |
| Concealed Key Control (CKC) with standard key symbols or Non-standard codes | 1 | Classic Conventional | Stamp key symbol or non- conventional code on side (CKC) of core. | 50-216 | 6.20 | |

Notes:

1. Maximum of 6 characters for VKC, Non-Standard Code or serial number stamping



F Series Parts

Residential Master Keying (RMK) and/or Residential Construction Keying (RCK)

Qualifications:

- Residential projects
- RMK and/or RCK must be specified on the order
- Systems are available in 5-Pin C keyway only
- Systems cannot be combined with Contract Master Key Systems
- Two levels of keying maximum (Change Key and Master Key levels only)
- Maison keying allowed
- Door detailing and labeling allowable as listed below

RESIDENTIAL MASTER KEYING (RMK)

| Part No. | Description | Price |
|----------|---|-------|
| 50-223* | Cylinder Residential Master Keyed (RMK) | 2.60 |
| 50-009 | Cylinder Residential Master keyed with Door ID Labeling (RMKID) | 16.10 |
| 49-180 | Residential Master Key – Not offered for commercial products | 12.60 |

RESIDENTIAL CONSTRUCTION KEYING (RCK) - LOST BALL CONSTRUCTION KEYING

| Part No. | Description | Price |
|----------|---|-------|
| 50-224* | Cylinder Residential Construction Keyed (RMK) | 2.60 |
| 50-010 | Cylinder Residential Construction keyed with Door ID Labeling (RCKID) | 16.10 |
| 48-180 | Residential Construction Key – Not offered for commercial products | 6.20 |

Notes: Lost ball construction device is triggered by the highest level permanent key unless otherwise specified. Change keys packed in envelopes and packed in lock box. PKI packing available for additional charge of \$0.60. Residential Construction Keying charges are in addition to Residential Master Keying charges.

Master Keys and Construction Keys ship UPS 2nd Day Air and will require a signature upon delivery. Standard freight terms apply.

BITTING LISTS (TRANSCRIPTS)

| Part No. | Description | Price |
|----------|---|------------|
| 50-123 | Bitting list for factory master keyed products (requires a written authorization from end-user). | \$212.00** |
| 50-120 | Establish new master key system for field master keying (one-time charge). Each bitting is assessed a 50-121 or 50-122 charge below. | 31.70 |
| 50-121 | New master key bitting for cylinders keyed in the field. 50-120 charge assessed if this bitting establishes a new system. | 4.10 |
| 50-122 | New change key bitting for cylinders keyed in the field. | 3.20 |


Notes **Can be used for SiteMaster download (keying and bitting details) if ordered as such. Please specify SiteMaster download file if applicable in the details column. Information required: Structure or original order number, end user name, city and state (used to verify the structure number). Also required is an email address for the end user, include their full name to address the email and a "Letter Of Authorization".





^{*} If Door Labeling is required, the 50-009 RMK with labeling and/or 50-010 RCK with labeling charges will apply

Construction Core Program

F Series Parts







48-101-ICX 48-056-ICX

FULL-SIZE CONSTRUCTION CORE PROGRAM

Temporary construction cores may be ordered with full size interchangeable core locks, mortise cylinders and rim cylinders These cores may also be ordered separately. All construction cores are assessed a non-refundable handling charge (50-231) See Terms & Conditions for more information

Features:

- 6 Pin C keyway
- Construction cores have a two-tone face: the faceplate is a flat black finish (622) and the plug is unfinished brass
- Back of each core is marked with the letter that identifies the keyed alike group: A, B or C
- Construction cores are furnished with no keys (NCK). Cut keys must be ordered separately
- A control key is required to install and remove construction cores. Control keys must be ordered separately. If a control key is not ordered, one will be supplied at a charge of \$13
- Construction cores may be returned for credit. Contact your Schlage representative for return authorization. Credit is issued upon receipt of cores at our factory

| Part No. | Description | Specify | Price (ea.) |
|------------|---|------------------------------|-------------|
| 23-030-ICX | Construction core | New jobs: Specify "ICX" | \$67.00 |
| 48-101-ICX | Cut key for construction phase (order separately) | Existing jobs: Specify "ICA" | 7.50 |
| 48-056-ICX | Cut control key (order separately) | "ICB" or "ICC" | 14.80 |
| 50-231 | Non-refundable handling charge (per core) | | 9.50 |

Notes:

- 1) To order mortise and rim cylinders with full-size construction cores for a new job, suffix ICX to non-Primus cylinder number Example: 30-008 ICX. For existing construction core combinations, specify ICA, ICB, or ICC
- 2) Construction cores for a given project are keyed alike to one of a limited number of combinations nationwide Other Schlage projects in the same area using the same or different contractors may use the same key

Example: For construction core charges and credits: distributor XYZ ordered 150 construction cores with 20 keys and one control key The following charges apply to this order:

- 1. 23-030-ICX construction cores (150 units)
- 2. 48-101-ICX cut keys (20 units)
- 3. 48-056-ICX cut control key (1 unit)
- 4. 50-231 non-refundable handling charge (150 units-one per core ordered)

Upon return of the cores to the factory the distributor will be credited for the following:

1. 23-030-ICX construction cores (150 units)

There is no credit for the keys or handling fee

| B60 Cylinder Options | | | F | INISHES | |
|----------------------|--|--|---|---------|--|
| | | | | | |

| | | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 716 | 613 | 620 | 621 | 622 |
|------|---|-----|--------|-----|--------|--------|-----|--------|--------|--------|-----|-----|-----|-----|
| B60J | B60 less IC core | | \$83 | | \$83 | \$83 | • | \$83 | \$85 | \$85 | | | | |
| B60T | B60 with Full Size Construction core | | 121.60 | • | 121.60 | 121.60 | • | 121.60 | 123.60 | 123.60 | | | | |





SCHLAGE

J Series Parts

Latches



LATCHES FINISHES

| Function | Pkg. | Style/Design | 605 | 609 | 619 | 625 | 626 | 630 | 620 | 716 |
|----------|----------|--|--------|--------|-----|-----|-----|--------|-----|--------|
| 16-254 | Poly Bag | Dual Option Adjustable Spring Latch | \$6.50 | \$6.50 | | • | | \$6.50 | | \$6.50 |
| 16-255 | Poly Bag | Triple Option Adjustable Dead Latch | 8.90 | 8.90 | | | | 8.90 | | 8.90 |
| 16-068 | Poly Bag | Triple Option Adjustable Deadbolt Latch | 9.20 | 9.20 | | | | 9.20 | | 9.20 |
| 16-070 | Poly Bag | Triple Option Adjustable Spring Latch | 8.90 | 8.90 | | | • | 8.90 | | 8.90 |
| 16-059 | Poly Bag | UL-Springlatch, 2 3/8" or 2 3/4" | 6.00 | 6.00 | | | | 6.00 | | 6.00 |
| 16-061 | Poly Bag | UL-Deadlatch, 2 3/8" or 2 3/4" | 6.00 | 6.00 | | • | • | 6.00 | | 6.00 |
| 16-063 | Poly Bag | UL-Deadbolt, 2 3/8" or 2 3/4" | 6.00 | 6.00 | | | • | 6.00 | | 6.00 |
| 16-057 | Poly Bag | UL-Springlatch 16-059 and UL-Deadbolt 16-063 | 11.50 | 11.50 | | | | 11.50 | | 11.50 |

Note: 1) specify latch finish when ordering

2) 630 Latches are used for all 619, 620, 625, 626 and 630 finishes

3) UL latches only available in square


4) 16-070 is not available to order with lock, must be ordered individually

UL latches are not sold separately and must be ordered with the lock





Strikes J Series Parts



STRIKES FINISHES

| Part No. w/Lock | Part. No. Sold Separately | Style/Design | 605 | 609 | 619 | 625 | 626 | 630 | 620 | 716 |
|--------------------|------------------------------|--|--------|--------|-----|-----|-----|--------|-----|--------|
| 10-100 | J250-008 | Poly Bag , Square Full Lip Strike Knobs and Levers Including 2 Screws | \$2.00 | \$2.00 | • | • | • | \$2.00 | | \$2.00 |
| 10-101 | J250-009 | Poly Bag , Radius Full Lip Strike Knobs and Levers Including 2 Screws | 2.00 | 2.00 | • | • | • | 2.00 | · | 2.00 |
| 10-102 | J250-010 | Poly Bag , Radius Full Lip Strike Deadbolts Including 2 Screws | 2.00 | 2.00 | • | • | • | 2.00 | · | 2.00 |
| 10-103 | J250-026 | Poly Bag , Radius Deadbolt Strike 1" x 2 1/4" Round Corner | 2.00 | 2.00 | • | • | • | 2.00 | · | 2.00 |
| 10-104 | J250-027 | Poly Bag , Radius Deadbolt Strike 1 1/4" x 3 5/8" Round Corner | 2.40 | 2.40 | • | • | • | 2.40 | | 2.40 |
| 10-099 | J250-003 | Poly Bag , Sq. Strike Plate & Strike Frame Reinforcer 1 1/8" x 2 3/4" Square Corner DeadboltsIncluding 2 Screws + 2 x 3" Screws | 2.40 | 2.40 | • | • | • | 2.40 | • | 2.40 |

Notes: 1) 630 strikes are used for all 619, 620, 625, 626 and 630 finishes

2) Strikes can be ordered individually

J Series Parts

REKEYING PINNING PARTS & ACCESSORIES

| Function | Style Design | Price |
|----------|---|--------|
| J750-002 | #1 Top Pin, 200 pcs/per poly bag | \$0.06 |
| J750-003 | #2 Top Pin, 200 pcs/per poly bag | 0.06 |
| J750-004 | #3 Top Pin, 200 pcs/per poly bag | 0.06 |
| J750-005 | #0 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-006 | #1 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-007 | #2 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-008 | #3 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-009 | #4 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-010 | #5 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-011 | #6 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-012 | #7 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-013 | #8 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-014 | #9 Bottom Pin, 200 pcs/per poly bag | 0.06 |
| J750-015 | #2 Master Pin, 200 pcs/per poly bag | 0.06 |
| J750-016 | #3 Master Pin, 200 pcs/per poly bag | 0.06 |
| J750-017 | #4 Master Pin, 200 pcs/per poly bag | 0.06 |
| J750-018 | #5 Master Pin, 200 pcs/per poly bag | 0.06 |
| J750-019 | #6 Master Pin, 200 pcs/per poly bag | 0.06 |
| J750-020 | #7 Master Pin, 200 pcs/per poly bag | 0.06 |
| J750-021 | #8 Master Pin, 200 pcs/per poly bag | 0.06 |
| J750-022 | #9 Master Pin, 200 pcs/per poly bag | 0.06 |
| J750-023 | Pin Tumbler Key Gauge | 3.80 |
| J750-024 | Plug Clip, 50 pcs/per poly bag | 0.06 |
| J750-025 | Pin Spring, 100 pcs/per poly bag | 0.12 |
| J750-026 | Cylinder Cap, 50 pcs/per poly bag | 0.12 |
| J750-027 | Deadbolt Spring, 100 pcs/per poly bag | 0.12 |
| J750-028 | Deadbolt Cap Pin, 100 pcs/per poly bag | 0.06 |
| J750-029 | Follower Tool | 4.20 |
| J750-030 | Cylinder Removing Tool | 3.40 |
| J750-001 | RCK Lost Balls, 200 pcs/per poly bag | 0.04 |
| J250-029 | Spanner Wrench for removing cylinder face | 1.10 |

Key Kits

| J250-006 | Master Rekeying Kit | \$167.00 |
|----------|---------------------|----------|
| J250-007 | Retail Key Kit | 135.00 |



J Series Parts

HANDLESET THROUGHBOLT KITS

FINISHES

| Function | Style/Design | 605 | 609 | 619 | 625 | 626 | 630 | 620 | 716 |
|----------|---|-------|--------|-----|-----|------|---------------------------------|--------|--------|
| | | | | | | 619/ | r use wi 625/626 finishes | 6/630 | |
| J250-036 | Handleset Throughbolt Kit - throughbolt screw, washer, and cap | \$2.3 | \$2.30 | • | • | • | \$2.30 | \$2.30 | \$2.30 |

COMPLETE CYLINDERS

FINISHES

| Function | Style/Design | 605 | 609 | 619 | 625 | 626 | 630 | 620 | 716 | | |
|----------|--|---|-----|-----|-----|-----|--|-----|-----|--|--|
| | | for use with 605/609/716 finishes | | | | | for use with 619/620/625/ 626/630 finishes | | | | |
| J250-000 | 5-Pin Complete Cylinder & Cut Key with 4 lost ball holes - JD60 Deadbolt (Single) | \$17.80 | • | • | - | - | \$17.80 | • | • | | |
| J250-001 | 5-Pin Complete Cylinder & Cut Key with 4 lost ball holes - J54 Knobs | 17.80 | • | • | | • | 17.80 | • | • | | |
| J250-002 | 5-Pin Complete Cylinder & Cut Key with 4 lost ball holes - J54 Levers | 17.80 | | • | | • | 17.80 | • | • | | |

COMPLETE CYLINDERS

FINISHES

| Function | Style/Design | 605 | 609 | 619 | 625 | 626 | 630 | 620 | 716 |
|----------|---|---|-----|-----|-----|-----|--|-----|-----|
| | | for use with 605/609/716 finishes | | | | | for use with 619/620/625/ 626/630 finishes | | |
| J750-033 | Cylinder Shell (Keyed Knob) | \$7.80 | • | • | • | • | \$7.80 | • | • |
| J750-034 | 5-Pin Broached Cylinder Plugs (Keyed Knob) | 8.30 | • | | • | • | 8.30 | | |
| J750-035 | Cylinder Shell (Keyed Lever) | 8.30 | • | • | • | • | 8.30 | • | • |
| J750-036 | 5-Pin Broached Cylinder Plugs (Keyed Lever) (Deadbolts DS) | 8.30 | - | • | • | • | 8.30 | | • |
| J750-052 | 5-Pin Broached Cylinder Plugs | 9.90 | • | | • | • | 9.90 | | • |
| J750-054 | Single Cylinder Deadbolt Tailpiece | 2.30 | • | • | • | • | 2.30 | | • |
| J750-056 | Cylinder Shell (Deadbolts DS Single/Double Outside) (Pre-loaded with Top Pins) | 7.80 | • | • | • | • | • | • | • |
| J750-058 | Cylinder Shell (Deadbolts DS Double Inside) (Pre-loaded with Top Pins) | 7.80 | • | • | = | | 7.80 | • | • |

- Ordering part includes interior and exterior tailpiece

Notes: 1) 630 throughbolt cap also used for 619/625/626
2) 630 cylinder plugs are used for 619, 620, 625, 626 and 630 finishes

3) 605 cylinder plugs are used for 605, 609 and 716 finishes





J Series Parts

REKEYING PINNING PARTS & ACCESSORIES

| VEIXETHIAG I | INNING PARTS & ACCESSORIES | |
|----------------|---|--------|
| Function | Style Design | Price |
| Keys Ordered | l with Locks or Cylinders | |
| 50-001 | Lock Keyed to a Specific Combination | \$7.40 |
| 50-215 | Extra Cut Keys Ordered on Lock with Cylinder | 3.60 |
| Residential M | aster Keying (RMK) | |
| 50-223 | Cylinder Residential Master Keyed | 2.40 |
| 49-155 | Residential Master Key | 10.50 |
| Residential Co | onstruction Keying (RCK) | |
| 50-224 | Cylinder Residential Construction Keyed | 2.40 |
| 48-155 | Residential Construction Key | 6.20 |
| Key Blanks | | |
| J750-061 | 5-Pin Standard Bow, Embossed Both Sides, No Stamping, C-Section Only, (order in quantities of 50) | 0.80 |



Cables, Chains & Padlocks

Padlocks PS-1 Cables & Chains PS-2 Security Hasps PS-3

Padlocks







KS72F Steel Padlock

Commercial Security - Rekeyable Padlocks

| UPC | Description | Shackle Height (in.) | Schackle Cable Link Dia. (in.) | Size (in.) | Size (mm) | Price |
|--------------|--|-------------------------|-----------------------------------|---------------|--------------|---------|
| 720018997412 | Brass Padlock 23 Series, K-N-K Cyl 1 1/2" Shackle, KD | 1 1/2 | 5/16 | 1 25/32 | 45mm | \$53.70 |
| 720018997405 | Brass Padlock 23 Series Brass K-N-K Cyl 2" Shackle, KD | 2 | 5/16 | 1 25/32 | 45mm | 53.90 |
| 720018997290 | Brass Padlock 43 Series Brass K-N-K Cyl 1 1/2" Shackle, KD | 1 1/2 | 3/8 | 1 15/16 | 50mm | 57.10 |
| 720018997283 | Brass Padlock 43 Series Brass K-N-K Cyl 2" Shackle, KD | 2 | 3/8 | 1 15/16 | 50mm | 57.40 |
| 720018997764 | Steel Padlock - 72 Round body, K-N-K Cyl 2", KD | 2 | 7/16 | 2 5/8 | 67.5mm | 61.80 |



850410 Laminated Padlock



855156 Steel Padlock



851226 Steel Padlock

FlexSecurity - Non Rekeyable Padlocks

| UPC | Description | Shackle Height (in.) | Schackle Cable Link Dia. (in.) | Size (in.) | Size (mm) | Price |
|--------------|---|-------------------------|-----------------------------------|---------------|--------------|---------|
| 720018850410 | Covered Laminated Steel Padlock, 2 Pack - KA | 1 1/8 | 1/4 | 1 1/2 | 38mm | \$22.40 |
| 720018999232 | Extra Large "U" Steel Padlock 4" x 11", - KD | 11 | 1/2 | 7 1/8 | 181mm | 32.60 |
| 720018855156 | Shackle-less Steel, Round body Padlock - KD | • | 3/8 | 2 7/8 | 73mm | 41.00 |
| 720018851226 | Steel Padlock, Round body 2" Shackle - KA | 2 | 7/16 | 2 1/2 | 63.5mm | 35.50 |
| 720018994831 | Steel Padlock, Round body 2" Shackle - KA, 2-Pack | 2 | 7/16 | 2 1/2 | 63.5mm | 49.40 |

Cables, Chains & Padlocks

Cables & Chains









999218 Locking Cable

994862 Double Looped Cable & Padlock

999225 Locking Resettable Combination Cable

001140 Locking Chain

FlexSecurity - Cables & Chains

| UPC | Description | Shackle Cable Link Dia. (in.) | Loop Height (in.) | Loop Width (in.) | Chain/Cable Length (ft.) | Price |
|--------------|---|----------------------------------|----------------------|---------------------|-----------------------------|---------|
| 720018001140 | Locking Chain - 5′ x 5/16″ (7mm) | 5/16 | | • | 5 | \$42.80 |
| 720018001157 | Locking Chain - 4' x 3/16" (5mm) | 7/32 | • | | 4 | 26.10 |
| 720018994800 | Double Looped Cable & Padlock - 4' x 3/8" with Covered Weather-proof Padlock | 3/8 | 2 1/4 | • | 4 | 23.30 |
| 720018994862 | Double Looped Cable & Padlock - 15' x 3/8" with Covered Weather-proof Padlock | 3/8 | 2 1/4 | | 15 | 36.60 |
| 720018999201 | Rekeyable Locking Cable - 6' x 5/8" | 5/8 | • | | 6 | 60.00 |
| 720018999218 | Locking Cable - 5' x 1/2" | 1/2 | • | | 5 | 24.80 |
| 720018999225 | Locking Resettable Combination Cable - $5' \times 3/8''$ | 3/8 | • | • | 5 | 25.80 |





999461 Cinch Chain

FlexSecurity - Double Looped Cables

Double Loop Cable

| UPC | Description | Shackle Cable Link Dia. (in.) | Loop Height (in.) | Loop Width (in.) | Chain/Cable Length (ft.) | Price |
|--------------|----------------------------------|----------------------------------|----------------------|---------------------|-----------------------------|---------|
| 720018820406 | Double Looped Cable - 7' x 5/8" | 5/8 | • | 3 3/8 | 7 | \$36.90 |
| 720018999249 | Double Looped Cable - 4' x 3/8" | 3/8 | • | 1 1/8 | 4 | 13.50 |
| 720018999256 | Double Looped Cable - 7' x 3/8" | 3/8 | • | 1 1/8 | 7 | 17.40 |
| 720018999263 | Double Looped Cable - 15' x 3/8" | 3/8 | • | 1 1/8 | 15 | 29.30 |
| 720018999270 | Double Looped Cable - 30' x 3/8" | 3/8 | • | 1 1/8 | 30 | 47.10 |

FlexSecurity - Cinch Chains

| UPC | Description | Shackle Cable Link Dia. (in.) | | Chain/Cable Length (ft.) | |
|--------------|---|----------------------------------|---|-----------------------------|---------|
| 720018999461 | Cinch Ring Security Chain - 3' 3" - (No lock) | 1/2 | • | 3.25 | \$42.70 |
| 720018999478 | Cinch Ring Security Chain - 5' - (No Lock) | 1/2 | | 5 | 80.70 |



Cables, Chains & Padlocks

Security Hasps



FlexSecurity - Hasps

| UPC | Description | Body Size (in.) | Body Size (mm) | Locking Eye Dia. (in.) | Price |
|--------------|--------------------------------------|-----------------|-----------------|---------------------------|---------|
| 720018855101 | Vehicle Security Hasp | 8 1/2 x 4 1/2 | 21.6cm x 11.4cm | 5/8 | \$32.30 |
| 720018855118 | Flexible Double-Hinged Security Hasp | 7 3/4 x 1 3/4 | 19.7cm x 4.4cm | 1/2 | 10.20 |
| 720018855125 | Center Hole Security Hasp | 5 x 2 | 12.7cm x 5.1cm | 1/2 | 9.90 |
| 720018994848 | Steel Bar Security Hasp | 4 1/2 x 1 5/8 | 11.4cm x 4.1cm | 1/2 | 5.30 |

Commercial Security - Repair Kit

| UPC | Description | Price |
|--------------|---|----------|
| 720018997818 | Spare Parts - Repl Accessory Service Repair Kit, SFIC, KNK, Specialty | \$401.00 |



Product Warranties Warranties-1 General Terms & Conditions Warranties-8 Standard Product Terms & Conditions . . . Warranties-13

PRODUCT WARRANTIES

COMMERCIAL APPLICATIONS

Limited Warranty

Schlage Lock Company, LLC (the "Company") extends a three year limited warranty to the original user of the products manufactured by the Company (the "Products") against defects in material and workmanship from the date of purchase. Certain Products contain restrictions to this limited warranty, additional warranties, or different warranty periods. Please see below for specific Product warranty information.

What The Company Will Do: Upon return of the defective Product to the Company or its authorized distributor for inspection, free and clear of all liens and encumbrances and accompanied by the statement of defects of proof of purchase, the Company will replace the Product.

Original User: These warranties only apply to the Original User of Products. These warranties are not transferable.

What Is Not Covered: The following costs, expenses and damages are not covered by the provisions of this limited warranty: (i) labor costs including, but not limited to, such costs as the removal and reinstallation of Product; (ii) shipping and freight expenses required to return Product to Schlage; (iii) failures, defects, or damage (including, but not limited to, any security failure or loss of data) caused by any third party product, service, or system connected or used in conjunction with the Product; and (iv) any other incidental, consequential, indirect, special and/ or punitive damages, whether based on contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages.

The provisions of these limited warranties do not apply to Products: (i) used for purposes for which they are not designed or intended; (ii) which have been subjected to alteration, misuse, abuse, negligence, or accident; (iii) which have been improperly stored, installed, maintained, repaired or operated; (iv) which have been used in violation of written instructions provided by Schlage; (v) which have been subjected to improper temperature, humidity, or other environmental

conditions (i.e., corrosion); or (vi) which, based on the Company's examination, do not disclose to the Company's satisfaction non-conformance to the warranties. Additionally, the Company will not warrant ANSI A156.2 Grade 2 lever Product installed in educational facilities and student housing.

Additional Terms: The Company does not authorize any person to create for it any obligation or liability in connection with the Products. The Company's maximum liability under these warranties is limited to the purchase price of the Product. No action arising out of any claimed breach of these warranties by the Company may be brought by the Original User more than one (1) year after the cause of action has arisen.

How Local Law Applies: These warranties give you specific legal rights, and you may also have other rights permitted by law.

SPECIFIC PRODUCT WARRANTY RESTRICTIONS/ ADDITIONAL WARRANTIES:

ND-Series Levers 7-Year Mechanical Warranty

The limited warranty is for a period of seven (7) years from the date of purchase and is subject to the restrictions of these limited warranties.

Small Format Interchangeable Core (SFIC) Warranty

The limited warranty also applies to Schlage locks and housings when used with another manufacturer's cores, or to Schlage cores (i.e, SFIC) when used in another manufacturer's locks and housings. The use of unauthorized cylinder cams or other components with the Products shall void these warranties.

Everest® Primus® and Everest Primus XP Limited Lifetime Key **Breakage Warranty**

A limited lifetime warranty is provided to the original user against breakage and is subject to the restrictions of these limited warranties.

Portable Security Limited Lifetime Warranty

A limited lifetime warranty is provided to the original user and is subject to the restrictions of these limited warranties.

RESIDENTIAL APPLICATIONS

Lifetime Limited Mechanical & Finish Warranty and 3-Year Limited Electronics Warranty



Subject to the terms and conditions of this warranty, Schlage extends a lifetime limited mechanical and finish warranty and a three-year limited electronics warranty to the original consumer user ("Original User") of our Schlage brand product ("Product") against defects in material and workmanship, as long as the Original User occupies the residential premises upon which the Product was originally installed.

What Schlage will do: Upon return of the defective Product to Schlage, Schlage's sole obligation, at its option, is to either repair or replace the Product, or refund the original purchase price in exchange for the Product. Original User: This warranty only applies to the Original User of Products. This warranty is not transfer-

What Is Not Covered: The following costs, expenses and damages are not covered by the provisions of this limited warranty: (i) labor costs including, but not limited to, such costs as the removal and reinstallation of Product; (ii) shipping and freight expenses required to return Product to Schlage; (iii) failures, defects, or damage (including, but not limited to, any security failure or loss of data) caused by any third party product, service, or system connected or used in conjunction with the Product; and (iv) any other incidental, consequential, indirect, special and/ or punitive damages, whether based on contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages.

The provisions of this warranty do not apply to **Products:** (i) used in commercial applications; (ii) used in common area applications; (iii) used for purposes for which they are not designed or intended; (iv) which have been subjected to alteration, abuse, misuse, negligence or accident; (v) which have been improperly stored, installed, maintained or operated; (vi) which have been used in violation of written instructions provided by Schlage; (vii) which have been subjected to improper temperature, humidity or other environmental conditions; or (viii) which, based on Schlage's examination, do not disclose to Schlage's satisfaction non-conformance to the warranty. Additionally, this warranty DOES NOT COVER scratches, abrasions, or deterioration due to the use of paints, solvents or other chemicals.

Exclusions: Oil Rubbed Bronze finish (613) is designed to improve over time and change in appearance, creating a living finish through daily use and thus, finish discoloration is not applicable to the above warranty. Additional terms: Schlage does not authorize any person to create for it any obligation or liability in connection with the Product. Schlage's maximum

liability here under is limited to the original purchase price of the Product. No action arising out of any claimed breach of this warranty by Schlage may be brought by the Original User more than one (1) year after the cause of action has arisen.

How local law applies: This warranty gives you specific legal rights, and you may also have other rights as otherwise permitted by law. If this Product is considered a consumer product, please be advised that some local laws do not allow limitations on incidental or consequential damages or how long an implied warranty lasts, so that the above limitations may not fully apply. Refer to your local laws for your specific rights under this warranty.

Guaranteed Fit Program: Schlage products are designed to fit standard residential door preparations and retrofit existing tubular locks. Note: Mortise locks and preparations are not considered standard and are not guaranteed under this program. During the initial installation, if there is a problem with the Product's performance, the Original User may simply contact Schlage Customer Service at 888-805-9837 in the U.S. and Canada or 800-506-7866 in Mexico for assistance.

Program and warranty claims: If you encounter a residential door preparation or fit issue under the Guaranteed Fit Program or have a claim under this warranty, please contact Schlage Customer Service for repair, replacement or refund of the original purchase price in exchange for the return of the Product to Schlage.

J-Series Lifetime Mechanical Warranty and 5-year **Finish Warranty**

Subject to the terms and conditions of this warranty, Schlage Lock Company, LLC ("Schlage") extends a lifetime limited mechanical and 5-year finish warranty to the original consumer user ("Original User") of Dexter by Schlage products ("Product") against defects in material and workmanship, as long as the Original User occupies the residential premises upon which the Product was originally installed.

What Schlage will do: Upon return of the defective Product to Schlage, Schlage's sole obligation, at its option, is to either repair or replace the Product, or refund the original purchase price in exchange for the Product. Original User: This warranty only applies to the Original User of Products. This warranty is not transferable.



What is not covered: The following costs, expenses and damages are not covered by the provisions of this limited Warranty: (i) labor costs including, but not limited to, such costs as the removal and reinstallation of Product; (ii) shipping and freight expenses required to return Product to Schlage; and (iii) any other incidental, consequential, indirect, special and/or punitive damages, whether based on contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. Some local laws do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

The provisions of this warranty do not apply to **Products:** (i) used in commercial applications; (ii) used in common area applications; (iii) used for purposes for which they are not designed or intended; (iv) which have been subjected to alteration, abuse, misuse, negligence or accident; (v) which have been improperly stored, installed, maintained or operated; (vi) which have been used in violation of written instructions provided by Schlage; (vii) which have been subjected to improper temperature, humidity or other environmental conditions; or (viii) which, based on Schlage's examination, do not disclose to Schlage's satisfaction non-conformance to the warranty. Additionally, this warranty DOES NOT COVER scratches, abrasions, or deterioration due to the use of paints, solvents or other chemicals.

PRODUCT WARRANTIES, ADDITIONAL TERMS & CONDITIONS:

Commercial and Residential Applications

Additional Terms: The Company does not authorize any person to create for it any obligation or liability in connection with the Products. The Company's maximum liability under these warranties is limited to the purchase price of the Product. No action arising out of any claimed breach of these warranties by the Company may be brought by the Original User more than one (1) year after the cause of action has arisen.

How Local Law Applies: This warranty gives you specific legal rights, and you may also have other rights as otherwise permitted by law.

Note: Should the Product be considered a consumer product as may be covered by the Magnusson Moss Federal Warranty Act, please be advised that: (1) Some states do not allow limitations or incidental consequential damages or how long an implied warranty lasts so that the above limitations may not fully apply; and (2) This warranty gives specific legal rights and a user may have other rights which may vary from state to state.

For warranty service and shipping instructions contact:

Schlage Customer Commitment Center 2119 East Kansas City Road Olathe, KS 66061 (800) 847-1864, Option 1 (888) 805-9837 Consumer Fax (800) 366-5625

The Schlage Lock Company, LLC reserves the right to make changes in designs and specifications or to make additions or improvements on its products without notice and without incurring any obligation to incorporate them on products previously manufactured. The Schlage Lock Company, LLC is not responsible for any modification, addition or alteration to our products by others.

DISTRIBUTION FUNCTION AND LOCATION POLICY

The Schlage customer relationship includes the nonexclusive area of primary sales responsibility and the channel of distribution assigned by Schlage. It is vital to our success and for the effective management of the distribution of our products that the Schlage customer relationship, once it is satisfactorily established between us, should not be changed without our approval. Therefore, after selection by Schlage as a distributor of one or more of Schlage products, a customer should continue to perform that distribution function from the location of its business at the place or places utilized at the time of selection. A customer should not change its Schlage distribution function or establish a different or additional location without the prior written consent of Schlage.

Schlage reserves the right to discontinue, after appropriate notice, sale of its products to any customer which refuses to adhere to this policy. Schlage also reserves the right to change, in its sole discretion, the number and locations of the distributors authorized to distribute its products in any area. This determination will be based upon, among other considerations, the success or failure in developing the market for Schlage products.

HARDWARE FINISHES

Schlage Lock finishes are durable, top quality finishes obtained by the careful processing of solid brass, bronze, stainless steel or other materials. Where required, a protective clear coating is applied and cured under high temperature. It is important that climatic conditions and usage be taken under consideration when selecting finishes. This is especially true in areas subjected to strong corrosive vapors, humid



climate or sea air which, in a short time, may have a damaging effect on metal finishes. The longevity and preservation of the finish appearance is determined by base metal and finishing process. Clear protective coating or other organic finishing applications may require different methods of cleaning and care. As an example, non-clear coated finishes should not be cleaned with soaps or any solvents; organically coated surfaces should periodically be cleaned with a mild, nonabrasive soap and buffed lightly with a clean cloth. The type of base metal and finishing techniques must be considered when applying any cleaning or preservative method. Contact the Schlage Technical Services Department for further information on the care of finished hardware.

In some instances, for customer convenience, the most appropriate BHMA finish symbols are used to indicate similarity of appearance, regardless of base metal of finishing process. A, AL, D, ND, F, FA, H, S, S200-Series and Dexter by Schlage levers are zinc-based material and are plated to match finishes indicated. Finishes of latches, strikes, cylinders/cores, and visible mounting screws, though similar in appearance, may differ from the finish of the trim. Finish numbers in the 600-Series are the BHMA (Builders Hardware Manufacturers Association) industry standard.

Finish Codes and Descriptions:

The nearest old U.S. equivalent code designations are shown in parenthesis ().

| shown in pare | nthesis (). |
|------------------|---|
| Code | Description |
| 505 | Bright Brass |
| 605 (3) | BRIGHT BRASS, Clear Coated |
| 608 | Satin Brass |
| 609 (5) | ANTIQUE BRASS, Satin Brass, |
| | Blackened, Satin Relieved, Clear Coated |
| 613* (10B) | OIL RUBBED BRONZE, Oxidized Satin |
| | Bronze, Oil Rubbed, No Coating |
| 618 | Polished Nickel |
| 619 (15) | SATIN NICKEL, Satin Nickel Plated, |
| | Clear Coated |
| 620 (15A) | ANTIQUE PEWTER, Satin Nickel Plated, |
| | Blackened, Satin Relieved, Clear Coated |
| 621 | Distressed Nickel, Clear Coated |
| 622 | MATTE BLACK, Coated |
| 625 (26) | BRIGHT CHROMIUM PLATED, No |
| | Coating |
| 626 (26D) | SATIN CHROMIUM PLATED, No |
| | Coating |
| 630 (32D) | SATIN STAINLESS STEEL, No Coating |
| 716 | AGED BRONZE, Clear Coated |

* Oil rubbed bronze (613) is considered a category "B" finish by ANSI/BHMA and will vary in color when applied to different alloys and forms of base material. 613 will also vary from production lot and additionally from one manufacturer to another. Oil rubbed bronze will wear off over time due to the "rubbed" finishing method that has no protective coating or plating.

Dexter J Series Grade 3 finishes have durable, top quality finishes obtained by the careful processing of solid brass, stainless steel or other materials. Where required, a protective clear coating is applied and cured under high temperature. It is important that climatic conditions and usage be taken under consideration when selecting finishes. This is especially true in areas subjected to strong corrosive vapors, humid climate or sea air which, in a short time, may have a damaging effect on metal finishes. The longevity and preservation of the finish appearance is determined by base metal and finishing process. Clear protective coating or other organic finishing applications may require different methods of cleaning and care. As an example, non-clear coated finishes should not be cleaned with soaps or any solvents; organically coated surfaces should periodically be cleaned with a mild, non-abrasive soap and buffed lightly with a clean cloth. The type of base metal and finishing techniques must be considered when applying any cleaning or preservative method. Contact the Schlage Technical Service Department for further information on the care of finished hardware.

In some instances, for customer convenience, the most appropriate Builders Hardware Manufacturers Association (BHMA) finish symbols are used to indicate similarity of appearance, regardless of base metal of finishing process. J-Series levers are zinc-based material and are plated to match finishes indicated. Finish numbers in the 600-Series are the BHMA industry standard. The nearest old U.S. equivalent code designations are shown in parentheses. Refer to each lock series section for standard finish availability.

Finish Codes and Descriptions:

| Code | Description |
|--------------------|---|
| 605 (US3) | BRIGHT BRASS, Clear Coated |
| 609 (US5) | ANTIQUE BRASS, Satin Brass, |
| | Blackened, Satin Relieved, Clear Coated |
| 619 (US15) | SATIN NICKEL, Clear Coated |
| 620 (US15A) | ANTIQUE PEWTER, Clear Coated |
| | BRIGHT CHROME, Clear Coated |
| 626 (US26D) | SATIN CHROME, No Coating |
| 630 (US32D) | SATIN STAINLESS STEEL, No Coating |
| 716 | Aged Bronze, Clear Coated |



Lifetime Mechanical Warranty

Schlage Lock Company, LLC ("Schlage") extends a lifetime Mechanical Warranty to the original user ("User") of Dexter by Schlage products ("Product") against mechanical defects in material and workmanship as long as the User occupies the residential premises in which the Product was originally installed.

This warranty DOES NOT COVER (i) product finish, (ii) abused or misused Products, or (iii) Products used in commercial applications. Upon return of a defective Product to Schlage, Schlage shall either replace the Product or refund the purchase price in exchange for the Product.

SCHLAGE MAKES NO OTHER WARRANTY,
CONDITION OR REPRESENTATION OF ANY KIND
WHATSOEVER, EXPRESSED OR IMPLIED, STATUTORY
OR OTHERWISE, EXCEPT THAT OF TITLE, AND ALL
IMPLIED WARRANTIES AND CONDITIONS RELATING
TO MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.
IN NO EVENT SHALL SCHLAGE BE LIABLE FOR ANY
INCIDENTAL, SPECIAL, INDIRECT, PUNITIVE OR
CONSEQUENTIAL DAMAGES ARISING FROM THE
SALE, USE OR MISUSE OF THIS PRODUCT.
Note: Some states do not allow limitations on
incidental, special, or consequential damages, so the
above limitations may not fully apply.
This warranty gives specific legal rights, and you may

5-Year Finish Warranty

Schlage Lock Company, LLC ("Schlage") extends a 5-Year Finish Warranty to the original user ("User") of Dexter by Schlage products ("Product") against tarnishing, and damage from corrosives like salt, sun, humidity and cleaning products for a period of 5 years provided that the User continues to occupy the residential premises in which the Product was originally installed.

also have other rights which vary from state to state.

This warranty DOES NOT COVER (i) scratches or abrasion, (ii) abused or misused Products, or (iii) Products used in commercial applications. Upon return of a defective Product to Schlage, Schlage shall either replace the Product or refund the purchase price in exchange for the Product.

SCHLAGE MAKES NO OTHER WARRANTY, CONDITION OR REPRESENTATION OF ANY KIND WHATSOEVER, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, EXCEPT THAT OF TITLE, AND ALL IMPLIED WARRANTIES AND CONDITIONS RELATING TO MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED. IN NO EVENT SHALL SCHLAGE BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT, PUNITIVE OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE, USE OR MISUSE OF THIS PRODUCT.

Note: Some states do not allow limitations on incidental, special, or consequential damages, so the

above limitations may not fully apply. This warranty gives specific legal rights, and you may also have other rights which vary from state to state.

Product Warranties, Additional Terms and Conditions

THE COMPANY MAKES NO OTHER WARRANTY, AND ALL IMPLIED WARRANTIES INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. THE COMPANY'S MAXIMUM LIABILITY HEREUNDER IS LIMITED TO THE PURCHASE PRICE OF THE PRODUCT. IN NO EVENT SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL OR SPECIAL DAMAGES OF ANY NATURE ARISING FROM THE SALE OR USE OF THIS PRODUCT, WHETHER IN CONTRACT, TORT, STRICT LIABILITY OR OTHERWISE.

Should the Product be considered a consumer product as may be covered by the Magnusson Moss Federal Warranty Act, please be advised that:

(1) Some states do not allow limitations on incidental consequential damages or how long an implied warranty lasts so that the above limitations may not fully apply; (2) This warranty gives specific legal rights and a buyer may also have other rights which may vary from state to state.

For warranty service and shipping instructions, contact the:

Schlage Customer Commitment Center 2119 East Kansas City Road Olathe, KS 66061 (800) 847-1864, option 1 (888) 805-9837, consumer fax (800) 366-5625

Schlage reserves the right to make changes in designs and specifications or to make additions or improvements on its products without notice and without incurring any obligation to incorporate them on products previously manufactured. Schlage is not responsible for any modification, addition or alteration to our products by others.

Distribution Function and Location Policy

The Schlage customer relationship includes the nonexclusive area of primary sales responsibility and the channel of distribution assigned by Schlage. Each member of the Schlage channel of distribution is free to sell in any area and at any price. It is vital to our success and for the effective management of the distribution of our products that the Schlage customer relationship, once it is satisfactorily established between us, should not be changed without our approval. Therefore, after selection by Schlage as a distributor of one or more of Schlage products, a customer should continue to perform that distribution function from the location



of its business at the place or places utilized at the time of selection. A customer should not change its Schlage distribution function or establish a different or additional location without the prior written consent of Schlage.

Schlage reserves the right to discontinue, after appropriate notice, sale of its products to any customer which refuses to adhere to this policy. Schlage also reserves the right to change, in its sole discretion, the number and locations of the distributors authorized to distribute its products in any area. This determination will be based upon, among other considerations, the success or failure in developing the market for Schlage products.

CONNECTED HOME PRODUCTS WARRANTY

PATENT NOTICE: Schlage® products and those of its subsidiary companies and licensees may be covered by both issued and pending U.S. and foreign patents, copyrights and trademarks.

Manufactured items are covered by one or more of the following patents:

| 5070715 | 5152558 | 5308131 | 5395144 | 5593193 |
|---------|---------|---------|---------|---------|
| 5598726 | 5640863 | 5683127 | 5715717 | 5765412 |
| 5769472 | 5809816 | 5816086 | 5820290 | 5881590 |
| 5918916 | 6286347 | 6297725 | 6523375 | 6533336 |
| 6540274 | 6581426 | 6802546 | 6905773 | 6926319 |
| 7143477 | 7159424 | D372417 | D372854 | D406056 |
| D406528 | D426452 | D428324 | D450558 | D457048 |
| D457049 | D458829 | D467155 | D472788 | D487388 |
| D520331 | D520332 | D537702 | D541620 | D543435 |

LOCK PRODUCT: Lifetime Limited Mechanical and Finish Warranty and 3-Year Limited Electronics Warranty Subject to the terms and conditions of this warranty, Schlage extends a lifetime limited mechanical and finish warranty and a three- year limited electronics warranty to the original consumer user ("Original User") of our Schlage brand lock product ("Lock Product") against defects in material and workmanship, as long as the Original User occupies the residential premises upon which the Lock Product was originally installed. **Guaranteed Fit Program:** Schlage Lock Products are designed to fit standard residential door preparations and retrofit existing tubular locks. Note: Mortise locks and preparations are not considered standard and are not guaranteed under this program. During the initial installation, if there is a problem with the Lock Product's performance, the Original User may simply contact Schlage Customer Service at 877-288-7707 in the U.S. and Canada.

NON-LOCK PRODUCT: 1-Year Limited Mechanical and Electronics Warranty

Subject to the terms and conditions of this warranty, Schlage extends a 1-year limited mechanical and electronics warranty to the original consumer user ("Original User") of our Schlage brand non-lock product used in conjunction with our Lock Product ("Non- Lock Product") against defects in material and workmanship, as long as the Original User occupies the residential premises upon which the Lock Product was originally installed. "Lock Product" and "Non-Lock Product" are collectively referred to herein as "Product".

What Schlage will do: Upon return of the defective Product to Schlage, Schlage's sole obligation, at its option, is to either repair or replace the Product, or refund the original purchase price in exchange for the Product.

Original User: This warranty only applies to the Original User of Products. This warranty is not transferable. What is not covered: The following costs, expenses and damages are not covered by the provisions of this limited warranty: (i) labor costs including, but not limited to, such costs as the removal and reinstallation of Product; (ii) shipping and freight expenses required to return Product to Schlage; (iii) failures, defects, or damage (including, but not limited to, any security failure or loss of data) caused by any third party product, service, or system connected or used in conjunction with the Product; and (iv) any other incidental, consequential, indirect, special and/ or punitive damages, whether based on contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. The provisions of this warranty do not apply to Product: (i) used in commercial applications; (ii) used in common area applications; (iii) used for purposes for which they are not designed or intended; (iv) which have been subjected to alteration, abuse, misuse, negligence or accident; (v) which have been improperly stored, installed, maintained or operated; (vi) which have been used in violation of written instructions provided by Schlage; (vii) which have been subjected to improper temperature, humidity or other environmental conditions; or (viii) which, based on Schlage's examination, do not disclose to Schlage's satisfaction non-conformance to the warranty. Additionally, this warranty DOES NOT COVER scratches, abrasions, or deterioration due to the use of paints, solvents or other

Exclusions: Oil Rubbed Bronze finish (613) is designed to improve over time and change in appearance, creating a living finish through daily use and thus, finish discoloration is not applicable to the above warranty. Additional terms: Schlage does not authorize any person to create for it any obligation or liability in connection with the Product. Schlage's maximum liability hereunder is limited to the original purchase price of the Product. No action arising out of any claimed breach of this warranty by Schlage may be brought by the Original User more than one (1) year after the cause of action has arisen.



How local law applies: This warranty gives you specific legal rights, and you may also have other rights as otherwise permitted by law. If this Product is considered a consumer product, please be advised that some local laws do not allow limitations on incidental or consequential damages or how long an implied warranty lasts, so that the above limitations may not fully apply. Refer to your local laws for your specific rights under this warranty.

Program and warranty claims: If you encounter a residential door preparation or fit issue under the Guaranteed Fit Program or have a claim under this warranty, please contact Schlage Customer Service for repair, replacement or refund of the original purchase price in exchange for the return of the Product to Schlage.



GENERAL TERMS & CONDITIONS

SCHLAGE GENERAL TERMS AND CONDITIONS OF SALE AND SERVICE

1. GENERAL. (a) This Agreement contains the terms and conditions by which Company will quote and sell its Products and Services to Customer. (b) The terms "purchase order" or "order" for the purposes of this Agreement include the term "request for quotation," as appropriate. (c) This Agreement supersedes all pre-printed and boilerplate terms and conditions set forth in any purchase order issued by Customer. (d) No reference herein to Customer's purchase order will in any way incorporate different or additional terms and conditions which are hereby objected to. (e) ANY ACCEPTANCE BY COMPANY OF CUSTOMER'S PURCHASE ORDER IS EXPRESSLY CONDITIONED ON THE CUSTOMER'S ASSENT TO AND ACCEPTANCE OF THE TERMS AND CONDITIONS CONTAINED IN THIS AGREEMENT. (f) In the event of a conflict between this Agreement and a purchase order issued by Customer, the terms of this Agreement will prevail. In the event of a conflict between this Agreement and any specific Product or Service terms and conditions, the specific Product or Service terms and conditions will prevail.

2. SCOPE OF PRODUCTS AND SERVICES AND ORDERS.

(a) Scope of Products and Services. The scope of the Products and Services (including, but not limited to location) are (i) attached to this Agreement, (ii) separately furnished by Company to Customer, or (iii) subject to Section 1 herein, contained in an order submitted by Customer. Non-standard finishes and special items may be available. Contact Company for such availability. All Products that come in "kits" cannot be sold as individual pieces. See the specific product terms and conditions for exceptions. (b) Orders. All orders submitted by Customer must be in written form acceptable to Company. A minimum net Product or Service order value, excluding freight charges, may be required for each order. Such minimum net Product or Service order value will be (i) attached to this Agreement; (ii) separately identified in the specific Product Price Book; or (iii) separately furnished by Company to Customer. In the event the order value does not meet any required minimum net Product or Service value, Company will, at its sole discretion, either (i) increase the quantity of items in the order to meet the minimum net Product or Service value provided herein; (ii) apply a minimum order charge; or (iii) reject the order. (c) **Receipt of an Order.** Company will acknowledge receipt of each order issued in

accordance with this Agreement and will notify Customer whether such order has been accepted or rejected, in whole or in part, by Company. If Company fails to acknowledge receipt of an order, within a reasonable time period, such failure to acknowledge receipt will be deemed a rejection of the entire order. (d) Changes to Orders. Any changes to orders must be acknowledged by Company in writing. Company reserves the right to deny any changes to orders, which have been previously acknowledged by Company. The time period for making any changes to orders for Products will be (i) attached to this Agreement; (ii) separately identified in the specific Product Price Book; or (iii) separately furnished by Company to Customer. All changes to orders are subject to a change order charge of 25% of the net Product or Service value or \$25.00, whichever is greater, plus the cost of fabrication or raw material that will need to be purchased for the change order. Unless otherwise specified by Company in writing, any changes to orders acknowledged by Company that affect the delivery date will be deemed a new order and will require acknowledgement by Company as provided in this Section 2. (e) Cancellation of Orders. All cancelled orders are subject to Company's written acknowledgement to be valid. The time period for order cancellations will be (i) attached to this Agreement; (ii) separately identified in the specific Product Price Book; or (iii) separately furnished by Company to Customer. All cancelled orders acknowledged by Company are subject to a cancellation charge of 25% of the net Product or Service value or \$25.00, whichever is greater, plus the cost of any fabrication or raw materials that have purchased for the order.

3. PRICES AND PAYMENT. (a) Prices. The prices specified by Company are subject to change, without notice, to Company's prices in effect at the time of each shipment of Products or performance of Services. Additional charges may be applied for product modification or engineering services. Oral prices specified by Company are null and void. (b) Invoices. Company will submit invoices to Customer stating amounts due. (c) Payment Terms. Payment terms are 2% cash discount 20 days, net 35 days from date of invoice. Payment will be made in United States dollars. (d) Credit Terms. All orders are subject to Company's credit limit and terms of credit required by Company or contained in Company's credit application, which is subject to change by Company at any time either before or after

800.847.1864

delivery of any part of the order. Company reserves the right to request payment in advance of shipment or any order or to request adequate assurances for Customer's payment of an order and may withhold or stop shipment, without any liability to Company, until Customer submits payment or assurance of payment, as required by Company. (e) **Default.** If Customer is in default in payment or otherwise with respect to any order for Products or Services or any other contract with Company, Company shall have the right, in addition to all other legal remedies and without prejudice to any of its right hereunder, to defer further shipments until such default is corrected and to declare all outstanding bills of Customer to be immediately due and payable. (f) **Taxes.** Any taxes, charges, or duties imposed by any governmental authority on the sale of Products or Services will be paid by Customer, in addition to the selling price specified by Company. (g) Late Payment **Charge.** A late payment charge of 1.5% per month equivalent to 18% per annum will be charged on past due balances owed Company. Provided however, that in the event that applicable governmental law sets a maximum rate for late payment fees which is less than 18% per annum, then the late payment charge assessed will be set at the maximum rate permitted by

4. INSPECTION, DELIVERY, SHIPPING, FREIGHT CHARGES, CLAIMS, AND PACKING. (a) Inspection.

Inspection of Products and Services will be done by Customer immediately after receipt of Products or completion of Services. Inspection of Products or Services by Customer at Company's facility is not permitted. (b) **Delivery.** Product delivery schedules are based upon current production capacities, material or component availability, and inventory, and may be changed by Company as conditions require. Service delivery schedules are based upon prompt receipt of, and prompt access to, Customer's equipment and all information necessary to complete the Services. In no event will Product or Service delivery dates be construed as falling within the meaning of "time is of the essence." Partial delivery shall be accepted by Customer and paid for at the price and on the terms stated herein. Any partial delivery of Products or Services, shall constitute a separate sale and payment shall be separately made when due. If any part of the Products or Services are not delivered by Company in accordance with Customer's order, this Agreement shall not be affected thereby. (c) Shipping. Unless otherwise specified by Company, (i) where the Customer is located in the United States, all Products will be sold "Uniform Commercial Code, F.O.B. Origin, Company's factory"; and (ii) where the Customer is

located outside of the United States, all Products will be sold "Incoterms 2000, Ex-works, Company's factory." In either instance, title and risk of loss will pass to Customer upon delivery to the carrier at Company's factory. Provided however, a security interest will remain in the Products, regardless of mode of attachment to realty or other property, until full payment has been made therefore, and Customer agrees, upon request, to do all things and acts necessary to protect Company's interest by adequately insuring the Products against loss from damage from any cause and to have Company named as an additional insured. Copies of all Certificates of Insurance will be provided to Company upon request. Customer will also assist Company in providing all necessary documents or signatures required to file any documents to perfect Company's interest in such Products. (d) Freight Charges. All freight charges will be (i) attached to this Agreement; (ii) separately identified in the specific Product Price Book; or (iii) separately furnished by Company to Customer. (e) Claims. All claims for loss or damage to Products while in the care, custody, and/or control of a carrier will be the responsibility of Customer, who will submit any claims.. (f) Packing. Company will pack, mark, and ship the Products according to its standard procedures for shipment, unless the parties agree, in writing, that Company will comply with any special instructions provided by Customer. Compliance with special instructions may result in an increased price. **5. CLAIMS.** (a) All claims must be submitted in writing to Company as follows: (i) All claims for prices must be submitted within thirty (30) days from the date of invoice. (ii) All claims for Product quantity or incorrect orders must be submitted within ten (10) days from the date of delivery. (iii) All claims for damage to Products (while in the care, custody, and control of Company) must be submitted within thirty (30) days from the date of invoice.

- **6. PRODUCT CHANGES.** Company reserves the right to change without notice the design of, or the process of manufacturing, the Products covered by this Agreement; provided that the foregoing will not be construed as relieving Company from its obligation to deliver Products which conform to the specifications which Company may have furnished to Customer.
- 7. PRODUCT RETURNS. Products may not be returned unless Customer receives written authorization from Company. If returns are authorized by Company, a return merchandise authorization ("RMA") number must be provided by Company. Products identified under such RMA must be returned to Company within 90 days of issuance of the RMA. Such RMA number and any accompanying RMA documents,

the original invoice number, and a written explanation for the return must be included with the returned Products in order for Company to inspect and approve a credit for the return. Such credit will only be issued if, after Company's receipt and inspection of Products, Company approves the return. Only those Products which have been in Customer's inventory no more than 180 days from the date of shipment by Company and which are current, standard, non-obsolete, non-specially manufactured, unused, in their original condition as at the time of sale by Company to Customer, and are in their original packaging may be considered by Company for return. In the event Company approves a return, a credit will be made to Customer's account less freight, and a handling and reprocessing charge of 35% of the net material value on the original invoice. Products requiring reconditioning to return the Products to a saleable condition may be credited to Customer's account less freight and a handling and reprocessing charge of 50% of the net material value and less 2% for the cash discount allowance on the original invoice.

8. TECHNICAL INFORMATION AND ADVICE.

- (a) All designs, data, and specifications provided by Company are proprietary and will not be disclosed or reused by Customer without the prior written consent of Company. (b) Company assumes no obligation or liability for any advice given by Company, the results obtained, or damages incurred, and all such advice is given and accepted at Customer's risk.
- 9. LIMITED WARRANTY. (a) Company's Standard Limited Warranty(ies) relating to Products or Services are applicable to this Agreement. The limited warranty(ies) are (i) attached to this Agreement; (ii) separately identified in the specific Product Price Book; or (iii) separately furnished by Company to Customer. (b) (i) In the event that certain Product warranties are not attached to this Agreement or separately furnished, Company warrants only to Customer that Products will be free from defects in material and workmanship for a period of 12 months from the date of shipment of the Products. Company's sole obligation under this warranty is limited to repairing or replacing, at its option, the defective Products. (ii) The provisions of this limited Product warranty do not apply to Products: (A) used for the purposes for which they are not designed or intended; (B) which have been repaired or altered without Company's prior written consent; (C) which have been subjected to misuse, abuse, negligence, or accident; (D) which have been improperly stored, installed, maintained, or operated; (E) which have been used in violation of written instructions provided by Company to Customer; (F) which have subjected

to improper temperature, humidity, or other environmental conditions; (G) which have been affected by normal wear and tear; or (H) which, based on Company's examination, do not disclose to Company's satisfaction nonconformance to the warranty. (c)(i) In the event that certain Service warranties are not attached to this Agreement or separately furnished, Company warrants only to Customer that the Services will be free from defects in material and workmanship for a period of 6 months from the date of completion of the particular items of Service. Company's sole obligation under this warranty is limited to repairing or reperformance, at its option, of the Service; provided however, if repair or reperformance is either impractical or impossible, the Company will refund to Customer that portion of the price paid to the Company for the defective item of Service. This warranty only applies if the company is given written notice of the defect or nonconformance by the Customer within 30 days of discovery. (ii) The provisions of this limited Service warranty does not apply to any defects or issues with the design or performance of equipment or products not manufactured by Company, nor does it apply to any code compliance or permit requirements for the assembly, installation, erection, or construction of any goods.

- (d) NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE MADE WITH RESPECT TO THE PRODUCTS OR SERVICES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- (e) The following costs and expenses are not covered by the provisions of these limited warranties: (i) labor costs for the removal and reinstallation of Products or other manufacturer's products; (ii) shipping and freight expenses required to return Products to Company; (iii) normal maintenance; and (iv) economic losses. In addition, the provisions of this warranty are not applicable to anything other than defects in Company's material (products only) or workmanship.
- 10. CUSTOMER'S REMEDIES. THE CUSTOMER'S **EXCLUSIVE AND SOLE REMEDY ON ACCOUNT** OF, OR IN RESPECT OF, THE FURNISHING OF PRODUCTS OR SERVICES THAT DO NOT **CONFORM TO THIS AGREEMENT WILL BE TO** (A) SECURE REPAIR OR REPLACEMENT OF THE PRODUCTS; OR (B) SECURE REPAIR OR REPER-FORMANCE OF THE SERVICES OR TO OBTAIN A REFUND OF THE PRICE PAID FOR THE DEFECTIVE SERVICE, ALL AT COMPANY'S OPTION. IN NO EVENT WILL THE COMPANY'S MAXIMUM LIABILITY EXCEED THE SELLING PRICE FOR THE PRODUCTS OR ITEM OF SERVICE.

LOSS OF USE OF THE PRODUCTS, SERVICE INTERRUPTION, LOSS OF PROFITS, LOSS OF REVENUE, INTEREST, LOST GOODWILL, WORK STOPPAGE, IMPAIRMENT OF OTHER GOODS, LOSS BY REASON OF SHUTDOWN OR NON-OP-**ERATION, INCREASED EXPENSES OF OPERATION,** OR CLAIMS OF CUSTOMER'S CUSTOMERS, WHETHER BASED ON CONTRACT, WARRANTY, TORT (INCLUDING, BUT NOT LIMITED TO, STRICT LIABILITY OR NEGLIGENCE), PATENT INFRINGE-MENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. 12. STATUTE OF LIMITATIONS. NO ACTION ARISING OUT OF ANY CLAIMED BREACH OF THIS AGREEMENT BY COMPANY MAY BE BROUGHT BY CUSTOMER MORE THAN ONE (1) YEAR AFTER THE CAUSE OF ACTION HAS ARISEN. 13. CONSUMER PRODUCTS. With respect to "consumer products" as defined under the Magnuson-Moss Warranty Act ("MMWA"), the following statements are made. (a) Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. IF ANY IMPLIED WARRANTY IS PROVIDED UNDER THE MMWA, IT IS LIMITED TO THE DURATION OF THE WARRANTY PROVIDED IN SECTION 9 ABOVE. (b) Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. (c) This warranty gives you specific legal rights and you may also have other rights which vary from state to state. **14. FORCE MAJEURE.** Any delay or failure of Company to perform its obligations hereunder will be excused to the extent that it is caused by an event or occurrence beyond its control such as, by way of example and not by way of limitation, acts of God, actions by any governmental authority (whether valid or invalid), governmental laws and regulations not presently in effect, fires, floods, windstorms, explosions, riots, natural disasters, wars, sabotage, accidents, labor problems (including, but not limited to, lockouts, strikes, and slowdowns) at Company's facility, its source plant or their suppliers, inability to obtain power, material, labor equipment, or transportation, or court injunction or order. The delivery date will be extended for a time equal to that of the delay and the schedule for Company's performance will be deemed adjusted in the individual order(s) to that effect.

11. LIMITATION OF LIABILITY. IN NO EVENT WILL

COMPANY BE LIABLE FOR INCIDENTAL, CONSE-

QUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE

DAMAGES INCLUDING, BUT NOT LIMITED TO,

15. ENTIRE AGREEMENT AND AMENDMENT.

This Agreement, together with any attachments or supplements specifically referenced in this Agreement, constitutes the entire agreement between the parties hereto and supersedes all previous communications, representations, or agreements, either oral or written, between the parties hereto with respect to the subject matter hereof. No agreement or understanding varying or expanding this Agreement will be binding upon either party hereto unless it is in writing and signed by a duly authorized representative thereof.

16. TERMINATION. (a) This Agreement may be terminated by either party by giving 30 days' written notice to the other party in the event of failure by such other party to fulfill any of its obligations hereunder. However, if during the period of such notice, such other party remedies such failure, this Agreement will continue with the same force and effect as if such notice had not been given. (b) This Agreement may be terminated upon the written mutual consent of the parties. (c) Either party may immediately terminate this Agreement by giving written notice to the other party in the event of the happening of any of the following or any other comparable event: (i) insolvency of the other party; (ii) filing of a petition in bankruptcy by or against the other party; (iii) appointment of a receiver or trustee for the other party; or (iv) execution of an assignment for the benefit of creditors by the other party, all of which will allow Company to demand reclamation of all affected orders. (d) Except as provided in this section 16, Customer may not terminate this Agreement, in whole or in part, unless Company's prior written consent is obtained and Customer agrees to pay all of Company's cancellation charges. 17. GOVERNING LAW; VENUE; AND EXPENSES. (a) This Agreement and any disputes or controversies arising hereunder will be governed by and construed according to the internal laws of the State of Indiana, United States of America, without regard to its conflict of law principles, and not including the United Nations Convention on Contracts for the International Sale of Goods. (b) Jurisdiction and venue with respect to any action, proceeding, or suit in connection with this Agreement will reside in the courts of the State of Indiana. (c) Customer agrees to pay for all expenses (including attorney's fees) incurred by Company in enforcing the obligations of Customer under this Agreement.

18. COMPLIANCE WITH LAWS, EXPORT CONTROLS, CERTIFICATIONS, AND NUCLEAR LIABILITY. (a) This Agreement is be subject to, and Company and Customer will comply with, all laws and export controls, regulations, rules, orders, licenses, requirements, and governmental requests now or

hereafter in effect in the United States of America that pertain to the Products or the initial sale of the Products or that pertain to Services. Provided however, Company is not responsible for obtaining or maintaining any permits for the performance of Services or the verification or compliance with any code requirements relative to the performance of Services. To the extent any sale of Products or Services pursuant to this Agreement may require approval of the U.S. Government, Company's obligations under this Agreement are conditioned upon the grant of such approval and upon compliance by Customer with any restrictions imposed by the U.S. Government in connection with such approval. (b) Certain Products are noted by Company as tested by independent laboratories for compliance with UL and/or ANSI standards. Any and all modifications or alterations to such Products will void such certification, and Company is not liable to Customer to certify any modified or altered Product. (c) In the event the Products are to be used in a nuclear facility, the Customer shall, prior to such use, arrange for insurance or governmental indemnity protecting Company against liability. The Customer hereby releases and agrees to indemnify Company and its suppliers for any nuclear damage including, but not limited to, loss of use, in any manner arising out of the nuclear incident, whether alleged to be due, in whole or in part by Company or its suppliers.

19. NO INDUCEMENTS. The parties hereto represent to each other and each agrees that, neither it nor any person acting on its behalf has, in contravention of any applicable law, given or offered to give, or will give or offer to give, any sum of money or other material consideration to any person, directly or indirectly, as an inducement to obtain business hereunder or to influence the granting of licenses or other governmental permissions to enter into this Agreement or perform obligations hereunder.

20. SEVERABILITY. If any provision of this Agreement is held to be invalid, illegal, or unenforceable under any statute, regulation, ordinance, executive order, or other rule of law, that provision will be deemed severed to the extent necessary to comply with such statute, regulation, ordinance, order, or rule. In the event such provision is deemed severed, the parties will negotiate in good faith to arrive at an alternative arrangement approximating the original business objective of the parties. The remaining terms and conditions of this Agreement will remain in effect.

21. NO IMPLIED WAIVER. The failure of either party at any time to require performance by the other party of any provision of this Agreement will in no way affect the right to require such performance at any time

thereafter, nor will the waiver of either party of a breach of any provision of this Agreement constitute a waiver of any succeeding breach of the same or any other provision.

22. MISCELLANEOUS. (a) This Agreement does not constitute either party the agent or legal representative of the other party. Neither party is authorized to create any obligation on behalf of the other party including, but not limited to, the obligation for payment of any service or warranty obligation hereunder. (b) Neither this Agreement nor any right or obligation hereunder may be transferred or assigned by either party without the prior written approval of the other party, except that Company can transfer or assign this Agreement or any right or obligation (including, but not limited to the right to receive payments for any orders) to Schlage Lock Company, LLC or a Schlage Lock Company, LLC entity without first obtaining Customer's consent. (c) The rights and remedies herein reserved to Company will be cumulative and additional to any other or further rights and remedies provided at law or equity. (d) Customer does not have the right to setoff or to back charge against any amounts which become payable to Company under this Agreement or otherwise. (e) The official text of this Agreement is in the English language. If this Agreement is translated into another language, the English text will govern any question with respect to interpretation. (f) The headings in this Agreement are for convenience of reference only and do not affect the meaning of this Agreement in any

23. DEFINITIONS. (a) "Agreement" means Schlage General Terms and Conditions of Sale and Service. (b) "Company" means Schlage Lock Company, LLC, . (c) "Customer" means the Buyer. (d) "Buyer" means the purchaser of products or Services from Company. (e) "U.S." means United States of America.

STANDARD PRODUCT TERMS AND CONDITIONS

Residential

The following specific product terms and conditions supersede the general terms and conditions of sale and service only to the extent provided herein. All other terms and conditions contained in the General Terms and Conditions of Sale and Service provided in this Price Book will govern the sale of products identified in this Price Book.

Residential Patent Numbers:

| 5070715 | 5765412 | 6523375 | D372417 | D458829 |
|---------|---------|---------|---------|---------|
| 5152558 | 5769472 | 6533336 | D372854 | D467155 |
| 5308131 | 5809816 | 6540274 | D406056 | D472788 |
| 5395144 | 5816086 | 6581426 | D406528 | D487388 |
| 5593193 | 5820290 | 6802546 | D426452 | D520331 |
| 5598726 | 5881590 | 6905773 | D428324 | D520332 |
| 5640863 | 5918916 | 6926319 | D450558 | D537702 |
| 5683127 | 6286347 | 7143477 | D457048 | D541620 |
| 5715717 | 6297725 | 7159424 | D457049 | D543435 |
| | | | | |

The price list in this price book supersedes and cancels all previous price lists contained in any other price books or versions thereafter. Prices shown are subject to change without notice. All prices are subject to discount. Products considered "Specials" ("X" designated part numbers) fall outside of standard discount terms. Contact customer service for clarification.

Service Charges: Service charges on past due invoices (except validly disputed items) will be assessed as follows: 1 1/2% per month or the maximum allowable by law on past due amounts open as of the last day of each calendar month until the past due amounts are paid.

Changes or Cancellations: Changes or cancellations to an order must be in writing and may result in additional charges for labor and/or materials. Changes may result in a delay in the scheduled ship date. Additions to orders will be entered as separate stand-alone orders and must qualify for all terms of sale, including discounts, on an individual basis. Changes or deletions resulting in an order size of less than our minimum will not be accepted. Orders for non-cataloged, special or nonstandard items may not be canceled. Factory orders may not be changed within 7 days.

Claims and Returns: Claims for shortages and/or incorrectly filled orders must be filed with Customer Service within 10 days of receipt of material. Price adjustments must also be made in writing to Customer Service within 30 days from receipt of invoice. No returned goods will be accepted without written

approval from Schlage. Credit will be based upon the written authorization of the IR Schlage representative and final acceptance by Schlage. Such returns must be prominently marked with the return goods authorization number and shipped prepaid. Returns, if approved, will be subject to a minimum restocking charge of 35% for unopened cases received in the same condition as when sold by Schlage. Non-stock materials are not returnable. Charge-backs will not be allowed.

Freight Policy: Customer orders in excess of \$1,000 Net will be shipped freight prepaid by Schlage to a single destination point in the U.S. Orders less than this amount will ship UPS/RPS prepaid and actual freight will be indicated on the customer's invoice. All goods are shipped F.O.B. factory or DSC and become the customer's property when they pass into the hands of the transportation company. Schlage reserves the right to use our choice of carrier. Schlage will ship as requested, freight collect, if the customer is willing to bear the entire expense and so indicates on the order. Other delivery options include Next Day, 2-day, and 3-day shipping.

Taxes: Prices do not include any present or future Federal, State or local property, license, privilege, sales, use, excise, gross receipts or other like taxes or assessments which may result from transactions or any services performed in connection therewith.

Delivery: Orders will be assigned ship dates and acknowledged accordingly, based on estimates of availability of products. Specific scheduled ship dates are not guaranteed by Schlage because of the nature of product, labor, availability of material or manufacturing conditions that might be beyond our control. Schlage will not be liable for back charges incurred based on availability of product in accordance with acknowledged ship dates.

Certifications: Schlage products, as noted in our catalog, are produced and tested by independent laboratories for compliance with UL and ANSI standards. Any field modification or alteration of product will void certification.



Warranties

Notes



How to order Order-1 Visual pack carton specifications Order-2

Thank you for your order.

Thank you for your order and continuing business. In order to expedite order processing, please include the following information on purchase orders:

- Schlage account number
- Product UPC numbers (if available)
- · Quote number (if applicable)
- Specific keying requirements

Note: Line quantities of keyed products must be divisible by KA quantities.

Example: 20 locks ordered KA4 results in 5 groups of 4 locks keyed alike, however, 20 locks ordered KA3 is not divisible and results in order processing delays as Schlage seeks clarification


Door handing

How to identify door handing:

Handing of all doors is determined from the exterior of the room's entrance.

- If the hinge is on the left side of the door, the door is "left hand" (LH)
- If the hinge is on the right side of the door, the door is "right hand" (RH)
- · To order a handed product, please specify LH or RH
- To order a handleset, handing is still determined from the exterior of the door
- · We will use that information to determine the handing for the inside of the door

Lever Handing Diagram





VISUAL PACK CARTON SPECIFICATIONS

| | | ı | MASTER (| CARTON | | | | INDIVIDUAL CARTON | | | | | |
|-------------|--------------|-------------|-----------------|----------------|----------------|---------------|------------------|-------------------|-----------------|----------------|----------------|---------------|---------------|
| PRODUCT | PKG. TYPE | CASE QTY | HEIGHT (IN.) | WIDTH (IN.) | DEPTH (IN.) | CUBIC FEET | WEIGHT (LBS.) | PKG. TYPE | HEIGHT (IN.) | WIDTH (IN.) | DEPTH (IN.) | CUBIC FEET | WEIGHT (LBS.) |
| ELECTRONIC | CS CONNE | CTED | DEADBO | LTS & LE\ | /ERS | | | | | | | | |
| BE469NX V | Вох | 2 | 10 | 5.625 | 9.75 | 0.32 | 8.50 | Carton | 9.25 | 5.125 | 4.5 | 0.12 | 3.50 |
| BE365 V | Вох | 2 | 9.75 | 5.75 | 12.375 | 0.40 | 11.00 | Carton | 9.25 | 5.12 | 6 | 0.16 | 5.00 |
| FE595 V | Вох | 2 | 9.75 | 7 | 16.625 | 0.66 | 10.00 | Carton | 9.25 | 6.5 | 8 | 0.28 | 4.50 |
| F SERIES HA | ANDLESET | S | | | | | | | | | | | |
| F60 V | Вох | 1 | 21.38 | 8.30 | 7.00 | 0.72 | 8.00 | Carton | 20.5 | 8.0 | 6.5 | 0.617 | 8.0 |
| F62 V | Box | 1 | 22.88 | 8.30 | 7.00 | 0.77 | 8.00 | Carton | 22.0 | 8.0 | 6.5 | 0.662 | 8.0 |
| B SERIES DE | ADBOLTS | | | | | | | | | | | | |
| B60 V | Shroud | 4 | 8.6 | 5.88 | 16.00 | 0.56 | 9.00 | Carton | 7.7 | 5.1 | 3.6 | 0.105 | 2.0 |
| B62 V | Shroud | 4 | 8.6 | 5.88 | 16.00 | 0.56 | 9.80 | Carton | 7.7 | 5.1 | 3.6 | 0.105 | 2.2 |
| FB50 V | Shroud | 4 | 10.25 | 9.25 | 13.5 | 0.74 | 17.20 | Carton | 9.62 | 8.5 | 3.68 | 0.17 | 3.60 |
| FB52 V | Shroud | 4 | 10.25 | 9.25 | 13.5 | 0.74 | 18.00 | Carton | 9.62 | 8.5 | 3.68 | 0.17 | 3.80 |
| F SERIES KN | NOBS/LEVI | ERS | | | | | | | | | | | |
| Knobs | | | | | | | | | | | | | |
| F10 V | Shroud | 4 | 11.00 | 5.875 | 14.25 | 0.53 | 9.40 | Carton | 5.25 | 5.125 | 6.50 | 0.10 | 2.10 |
| F40 V | Shroud | 4 | 11.00 | 5.875 | 14.25 | 0.53 | 9.40 | Carton | 5.25 | 5.125 | 6.50 | 0.10 | 2.10 |
| F51A V | Shroud | 4 | 11.00 | 5.875 | 14.25 | 0.53 | 9.40 | Carton | 5.25 | 5.125 | 6.50 | 0.10 | 2.10 |
| F170 V | Shroud | 4 | 9.38 | 5.75 | 13.25 | 0.41 | 3.00 | Carton | 8.8 | 4.8 | 3.3 | 0.078 | 0.4 |
| Levers | | | | | | | | | | | | | |
| F10 V | Shroud | 4 | 11.00 | 7.375 | 14.25 | 0.67 | 11.40 | Carton | 5.25 | 6.50 | 6.50 | 0.13 | 2.60 |
| F40 V | Shroud | 4 | 11.00 | 7.375 | 14.25 | 0.67 | 11.40 | Carton | 5.25 | 6.50 | 6.50 | 0.13 | 2.60 |
| F51A V | Shroud | 4 | 11.00 | 7.375 | 14.25 | 0.67 | 11.40 | Carton | 5.25 | 6.50 | 6.50 | 0.13 | 2.60 |
| F170 V | Shroud | 4 | 9.38 | 5.75 | 13.25 | 0.41 | 3.00 | Carton | 8.8 | 4.8 | 3.3 | 0.078 | 0.4 |
| F SERIES CO | DLLECTION | IS | | | | | | | | | | | |
| Knobs | | | | | | | | | | | | | |
| F10 V | Shroud | 4 | 11.00 | 5.875 | 14.25 | 0.53 | 9.40 | Carton | 5.25 | 5.125 | 6.50 | 0.10 | 2.10 |
| F40 V | Shroud | 4 | 11.00 | 5.875 | 14.25 | 0.53 | 9.40 | Carton | 5.25 | 5.125 | 6.50 | 0.10 | 2.10 |
| F51A V | Shroud | 4 | 11.00 | 5.875 | 14.25 | 0.53 | 9.40 | Carton | 5.25 | 5.125 | 6.50 | 0.10 | 2.10 |
| Levers | | | | | | | | | | | | | |
| F10 V | Shroud | 4 | 11.00 | 7.375 | 14.25 | 0.67 | 11.40 | Carton | 5.25 | 6.50 | 6.50 | 0.13 | 2.60 |
| F40 V | Shroud | 4 | 11.00 | 7.375 | 14.25 | 0.67 | 11.40 | Carton | 5.25 | 6.50 | 6.50 | 0.13 | 2.60 |
| F51A V | Shroud | 4 | 11.00 | 7.375 | 14.25 | 0.67 | 11.40 | Carton | 5.25 | 6.50 | 6.50 | 0.13 | 2.60 |
| DEXTER J S | ERIES GRA | DE 3 L | OCKS | | | | | _ | | | | | |
| JD60 V | Вох | 4 | 7.50 | 5.90 | 17.50 | 0.45 | 9.80 | Carton | 6.80 | 5.00 | 2.60 | 0.05 | 1.20 |
| JD62 V | Вох | 4 | 7.50 | 5.90 | 17.50 | 0.45 | 9.80 | Carton | 6.80 | 5.00 | 2.60 | 0.05 | 1.40 |
| JH60 V | Вох | 1 | 18.00 | 8.00 | 5.60 | 0.47 | 5.80 | Carton | 17.20 | 7.50 | 5.20 | 0.39 | 5.00 |
| J54 V | Вох | 4 | 7.50 | 8.60 | 18.00 | 0.67 | 10.20 | Carton | 6.90 | 7.70 | 2.70 | 0.08 | 1.20 |
| J40 V | Вох | 4 | 7.50 | 8.60 | 18.00 | 0.67 | 9.40 | Carton | 6.90 | 7.70 | 2.70 | 0.08 | 1.00 |
| J10 V | Вох | 4 | 7.50 | 8.60 | 18.00 | 0.67 | 9.40 | Carton | 6.90 | 7.70 | 2.70 | 0.08 | 1.00 |
| J170 V | Box | 4 | 7.80 | 5.40 | 12.00 | 0.29 | 1.80 | Carton | 6.90 | 7.70 | 2.70 | 0.08 | 0.20 |
| J54 V | Box | 4 | 7.50 | 8.60 | 18.00 | 0.67 | 10.20 | Carton | 6.90 | 7.70 | 2.70 | 0.08 | 1.20 |
| J40 V | Вох | 4 | 7.50 | 8.60 | 18.00 | 0.67 | 9.40 | Carton | 6.90 | 7.70 | 2.70 | 0.08 | 1.00 |

NOTE: Vispack products must be ordered in full case quantities.



PORTABLE SECURITY

| | | Master Carton | | | | | | | | Inner Pack | | | | | Individual Selling Unit (ea.) | | | | | |
|---|-----|---------------|-------------------|---------------|------------|--------------|---------------|---------|---|------------|---------------|---------------|-------------------------|--------------|-------------------------------|----------------|--------------|---------------|--|--|
| Product | | | e Ht. v. (in.) | Wid. (in.) | Dpt. (in.) | Cubic Ft. | Wt. (lbs.) | | | Ht. | Wid. (in.) | Dpt. (in.) | Pkg. Type | Ht. (in.) | Wid. (in.) | Dpt. (lbs.) | Cubic Ft. | Wt. (lbs.) | | |
| Padlock 23 Series Brass K-N-K Cyl 1 1/2" Shackle, KD | Вох | 24 | 7.17 | 10.39 | 8.70 | 0.37 | 26.49 | Вох | 6 | 2.76 | 7.76 | 4.53 | Вох | 4.13 | 2.31 | 1.00 | 0.006 | 1.10 | | |
| Padlock 23 Series Brass K-N-K Cyl 2" Shackle, KD | Вох | 24 | 7.17 | 11.34 | 8.70 | 0.41 | 26.49 | Вох | 6 | 2.76 | 7.76 | 5.00 | Вох | 4.63 | 2.31 | 1.00 | 0.006 | 1.10 | | |
| Padlock 43 Series Brass K-N-K Cyl 1 1/2" Shackle, KD | Вох | 24 | 7.17 | 10.39 | 8.70 | 0.37 | 28.7 | Вох | 6 | 2.76 | 7.76 | 4.53 | Вох | 4.13 | 2.31 | 1.00 | 0.006 | 1.21 | | |
| Padlock 43 Series Brass K-N-K Cyl 2" Shackle, KD | Вох | 24 | 7.17 | 11.34 | 8.70 | 0.41 | 28.7 | Вох | 6 | 2.76 | 7.76 | 5.00 | Вох | 4.63 | 2.31 | 1.00 | 0.006 | 1.21 | | |
| Padlock 72 Round Steel K-N-K Cyl 2", KD | Вох | 18 | 4.27 | 17.27 | 9.79 | 0.42 | 54.95 | Вох | 6 | 3.27 | 9.29 | 5.59 | Вох | 4.94 | 2.81 | 1.19 | 0.010 | 0.85 | | |
| Covered Laminated Steel Padlock - 2 Pack - KA | Вох | 18 | 14.50 | 9.00 | 19.25 | 1.45 | 24 | Display | 3 | 7.10 | 8.27 | 5.31 | Blister | 6.50 | 7.75 | 2.00 | 0.058 | 1.12 | | |
| Extra Large "U" Padlock 4" x 11", KD | Вох | | - | • | - | • | • | Display | 4 | 14.00 | 7.30 | 8.70 | Bulk/ Belly-Band | 12.50 | 7.00 | 1.75 | 0.089 | 2.30 | | |
| Shackle-less Padlock, KD | Вох | 36 | 19.25 | 12.25 | 20.75 | 2.83 | 88 | Display | 6 | 8.75 | 6.50 | 11.25 | Blister | 7.75 | 5.00 | 2.00 | 0.045 | 2.25 | | |
| Padlock Round Steel, 2" Shackle, KA | Вох | 18 | 19.50 | 7.50 | 19.75 | 1.67 | 36 | Вох | 3 | 9.00 | 6.70 | 6.30 | Вох | 7.50 | 4.75 | 1.50 | 0.031 | 1.60 | | |
| Padlock Round Steel, 2" Shackle, KA - 2-Pack | Вох | 18 | 19.00 | 10.00 | 18.75 | 2.06 | 64 | Вох | 3 | 9.00 | 8.70 | 6.30 | Вох | 7.50 | 7.50 | 1.50 | 0.049 | 3.20 | | |
| Rekeyable Locking Cable 6' x 5/8" Replaced item 997719) | Вох | • | • | • | • | • | • | Display | 5 | 12.75 | 7.75 | 17.25 | Bulk/ Insert Card | 12.00 | 10.00 | 1.50 | 0.104 | 3.00 | | |
| Double Looped Cable 4' x 3/8" with Covered Weather-proof Padlock | Вох | • | • | • | • | • | • | Display | 4 | 9.45 | 11.40 | 8.66 | Bulk/ Insert Card | 10.00 | 8.50 | 1.50 | 0.074 | 1.30 | | |
| Double Looped Cable 15' x 3/8" with Covered Weather-proof Padlock | Вох | | • | • | • | • | • | Display | 4 | 10.60 | 12.20 | 9.40 | Bulk/ Insert Card | 11.00 | 9.50 | 1.50 | 0.091 | 2.70 | | |
| Locking Cable 5' x 1/2" | Вох | • | • | • | | • | • | Display | 4 | 12.00 | 5.10 | 7.28 | Bulk/ Insert Card | | 3.75 | 1.25 | 0.027 | 1.00 | | |
| Locking Resettable Combination Cable 5' x 3/8" | Вох | • | • | - | • | - | • | Display | 4 | 10.25 | 5.75 | 7.25 | Bulk/ Insert Card | 10.00 | 5.25 | 1.25 | 0.038 | 1.16 | | |





PORTABLE SECURITY (cont)

| | | | Ма | ster | Carto | n | | Inner Pack | | | | | Individual Selling Unit (ea.) | | | | | | |
|---|-----|----|-------------------|-------|------------|------|---------------|------------|---|-------|-------|---------------|-------------------------------|--------------|---------------|----------------|--------------|---------------|--|
| Product | | | e Ht. /. (in.) | | Dpt. (in.) | | Wt. (lbs.) | | | e Ht. | | Dpt. (in.) | Pkg. Type | Ht. (in.) | Wid. (in.) | Dpt. (lbs.) | Cubic Ft. | Wt. (lbs.) | |
| Locking Chain 5' x 5/16" (7mm) | Вох | 3 | 11.75 | 9.25 | 14.00 | • | 16.70 | Display | 3 | 11.25 | 9.25 | 14.00 | Blister | 13.50 | 8.25 | 1.75 | | 4.95 | |
| Locking Chain 4' x 7/32" (3.5mm) | Вох | 3 | 9.75 | 8.25 | 10.00 | | 7.55 | Display | 3 | 9.25 | 7.75 | 9.25 | Blister | 10.50 | 7.00 | 1.35 | • | 2.20 | |
| Double Looped Cable 7' x 5/8" | Вох | • | • | • | • | • | • | Display | 5 | 11.25 | 12.00 | 10.75 | Bulk/ Insert Car | | 11.50 | 2.00 | 0.140 | 2.70 | |
| Double Looped Cable 30' x 3/8" | Вох | • | - | • | - | • | • | Display | 4 | 10.50 | 11.75 | 10.75 | Bulk/ Insert Car | | 10.00 | 3.00 | 0.182 | 4.40 | |
| Double Looped Cable 15' x 3/8" | Вох | | - | | • | | • | Display | 4 | 12.38 | 9.79 | 7.88 | Bulk/ Insert Car | 9.00 d | 9.00 | 2.00 | 0.094 | 2.26 | |
| Double Looped Cable 7' x 3/8" | Вох | | - | | | | | Display | 4 | 13.91 | 6.20 | 5.75 | Bulk/ Insert Car | 12.00 d | 7.00 | 1.00 | 0.049 | 1.21 | |
| Double Looped Cable 4' x 3/8" | Вох | • | • | • | | • | • | Display | 4 | 11.75 | 6.20 | 5.25 | Bulk/ Insert Car | 10.50 d | 5.50 | 1.00 | 0.033 | 0.60 | |
| Cinch Ring Security Chain 3' 3" - (No lock) | Вох | 2 | 7.50 | 4.25 | 7.25 | 0.13 | 14 | Вох | 1 | 3.60 | 3.85 | 3.50 | Bulk/ Hang Tag | 22.50 g | 3.50 | 2.00 | 0.091 | 6.85 | |
| Cinch Ring Security Chain 5' - (No Lock) | Вох | 2 | 7.75 | 4.25 | 7.25 | 0.14 | 20 | Вох | 1 | 3.60 | 3.85 | 3.50 | Bulk/ Hang Tag | | 3.50 | 2.00 | 0.134 | 10.60 | |
| Vehicle Hasp | Вох | 18 | 11.50 | 17.25 | 26.00 | 2.98 | 59 | Display | 3 | 10.50 | 8.25 | 8.25 | Blister | 9.75 | 5.25 | 2.25 | 0.067 | 2.95 | |
| Flexible Dbl-Hinged Hasp 7 3/4" x 1 3/4" | Вох | 36 | 22.50 | 14.50 | 17.50 | 3.30 | 49 | Display | 6 | 10.50 | 5.25 | 14.00 | Blister | 9.50 | 3.75 | 1.75 | 0.036 | 1.05 | |
| Center Hole Hasp 5" x 2" | Вох | 36 | 21.00 | 17.50 | 19.00 | 4.04 | 65 | Display | 6 | 10.00 | 5.50 | 18.00 | Blister | 9.50 | 3.75 | 2.50 | 0.052 | 1.33 | |
| 90 Degree Hasp 4 1/4" x 1 5/8" | Вох | 36 | 20.75 | 15.50 | 19.50 | 3.63 | 64 | Display | 6 | 9.50 | 6.00 | 15.00 | Blister | 8.50 | 4.25 | 2.50 | 0.052 | 1.29 | |
| Heavy Duty Steel Bar Hasp 7 1/4" x 1 5/8" | Вох | 36 | 22.50 | 14.50 | 17.50 | 3.30 | 63 | Display | 6 | 10.50 | 5.25 | 13.75 | Blister | 9.50 | 4.00 | 2.75 | 0.060 | 1.40 | |
| Steel Bar Hasp 4 1/2" X 1 5/8" | Вох | 24 | 11.00 | 10.25 | 20.00 | 1.30 | 13 | Display | 6 | 10.25 | 5.00 | 9.50 | Blister | 7.75 | 3.75 | 1.25 | 0.021 | 0.35 | |
| Repl Accessory Service Repair Kit, SFIC, KNK, Specialty | Вох | 6 | 14.75 | 18.25 | 11.25 | 1.75 | 63.7 | Вох | 1 | 2.38 | 18.25 | 11.25 | Вох | • | • | • | • | • | |



Schlage Control™ Smart Deadbolts









BE467 Addison (ADD)



PRODUCT IDENTIFICATION

| BE | 467 | F |
|------|----------|--------------|
| Lock | Function | 90 Minute UL |

STANDARD FEATURES

BE467 Greenwich

(GRW)

- Keyless, no cylinder design 100% bump and pick-proof
- Modern credentials smart credential and/or phone as key
- Wireless freedom control and program by phone
- Up to 500 users per lock
- Audit trail reports up to 1,000 events
- Fits standard door prep

SPECIFICATIONS

- 2-year battery life
- Full suiting with Schlage decorative mechanical locks
- · ADA compliant design
- Uses ENGAGE™ Technology
- See page MF-43 for information on the MT20W Credential Enrollment Reader

| Latch: | 1" x 2-1/4" square and round corner faceplate (round corner standard, square corner included in package) 1 edge bore required |
|----------|---|
| Strikes: | 1-1/8" x 2-3/4", round corner, no box latch strike |
| Racksot: | Adjustable backset fits 2-3/8" to |

Adjustable backset, fits 2-3/8" to

2-3/4" backsets

Door Range: 1-3/8" to 1-3/4" (thick door kit

available - up 2-1/4")

Hole Distance: Minimum 4" center-to-center distance

between cross bore holes

Battery: 4-AA batteries included, (If loss of battery power occurs, a 9V battery

can be used to jump start the lock and provide access with an assigned

credential.)

Construction: All-metal chassis and escutcheons

Bore: 2-1/8

Credentials: Supports aptiQ MIFARE classic, aptiQ

DESFire EV1 (sold separately). Please refer to the Credential Section of the Allegion Electronic Security Price

Book.

Stile width: Minimum 4-1/2" stile for 2-3/8"

backset, minimum 5" stile for 2-3/4"

Certifications: 90-minute UL Listed A 156.12 Grade 2 ANSI/BHMA certified; Canada UL 20-minute wood door rated

FINISH CODES & DESCRIPTIONS*

| | 619 | 622 | 625 | 626 | 716 |
|---|------------------------|-----------------------|-------------------------|-------------------------|-----------------------|
| | Satin Nickel (US15) | Matte Black (US19) | Bright Chrome (US26) | Satin Chrome (US26D) | Aged Bronze (643e) |
| 1 | ALLEGION" | Price Boo | ok 5 Effective A | August 12, 2017 | 800.847.1864 |

^{*} Non-Standard finishes are not available



Multi-family

1. SELECT LOCK MODEL

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| BE467F | Schlage Control Smart Deadbolt, UL Listed, 90 minutes | \$432.00 |

2. SELECT DESIGN STYLE

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (ADD) Addison | n/c |
| (GRW) Greenwich | n/c |

3. SELECT FINISH STYLE

| Finish/Description | Price (ea.) |
|---------------------|-------------|
| 619 / Satin Nickel | No Charge |
| 622 / Matte Black | No Charge |
| 625 / Bright Chrome | No Charge |
| 626 / Satin Chrome | No Charge |
| 716 / Aged Bronze | No Charge |



LATCH

| Part No. | Description | Price (ea.) |
|----------|--|---------------------|
| 12-398 | BE467F 90 Min UL Deadbolt Latch Dual Option (sq+rd) - STANDARD | Not Sold Separately |

BE467F STRIKE OPTIONS

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 10-116 | 1-1/8" Round Corner Strike, 1-3/8" - 2-1/4" - STANDARD | n/c |
| 10-094 | 1-1/8" Square Corner Strike, 1-3/8" - 2-1/4" | n/c |
| 10-095 | Square Corner Full Lip Strike, 1-3/8" - 1-3/4" | n/c |
| 10-092 | Round Corner Full Lip Strike, 1-3/8" - 1-3/4" | n/c |

THICK DOOR KIT

| Part No. | Description | Price (ea.) |
|----------|---------------------------------|-------------|
| 47244555 | For doors between 1 3/4" and 2" | \$24.90 |

SCREW PACKS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 47250323 | Security Screws - Optional Security torx screws | \$7.20 |
| 47244557 | BE467 screw pack | 7.20 |

For Screw Packs, specify finish option (619, 622, 625, 626 or 716)





Multi-family

Schlage Control™ Smart Interconnect Locks



FE410 with Greenwich trim with Broadway Lever




FE410 withwith Addison trim with Accent lever

STANDARD FEATURES

- Keyless, no cylinder design 100% bump and pick-proof
- Modern credentials smart credential and/or phone as key
- Wireless freedom control and program by phone
- Up to 500 users per lock
- Audit trail reports up to 1,000 events
- Fits standard door prep

- 2-year battery life
- Full suiting with Schlage mechanical locks



- ADA compliant design
 Uses ENGAGE™ Technology
 See page MF-43 for information on the MT20W Credential Enrollment Reader

SPECIFICATIONS

Latch: 1" x 2-1/4" square and round corner

faceplate (square corner standard, round corner included in package) 1"

edge bore required

Strikes: 1-1/8" x 2-3/4", square corner, no box,

latch strike

Backset: Adjustable backset, fits 2-3/8" to 2-3/4"

backsets

1-3/8" to 1-3/4" (thick door kit available - up 2") **Door Range:**

4-AA batteries included, (If loss of Battery:

battery power occurs, a 9V battery can be used to jump start the lock and provide access with an assigned

credential.)

Construction: All-metal chassis and escutcheons

Bore: 2-1/8"

Credentials: Supports aptiQ MIFARE classic, aptiQ

DESFire EV1 (sold separately). Please refer to the Credential Section of the Allegion Electronic Security Price Book.

Stile width: Minimum 4-1/2" stile for 2-3/8"

backset, minimum 5" stile for 2-3/4" **Return to Door:** Saturn (SAT) and Neptune (NEP) are

return to door code compliant

Center to Center: Fits 4" or 5-1/2" center to center door preps -orderable options (Please

specify when ordering)

Certifications: 90-minute UL Listed A 156.12 Grade 2 ANSI/BHMA certified; Canada UL

20-minute wood door rated

FINISH CODES & DESCRIPTIONS*

| 619 | 622 | 625 | 626 | 716 |
|--------------|-------------|---------------|--------------|-------------|
| Satin Nickel | Matte Black | Bright Chrome | Satin Chrome | Aged Bronze |
| (US15) | (US19) | (US26) | (US26D) | (643e) |

1. SELECT LOCK MODEL

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| FE410F | Schlage Control Smart Interconnect, UL Listed, 90 minutes | \$640.00 |

2. SELECT DESIGN STYLE

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (ADD) Addison | n/c |
| (GRW) Greenwich | n/c |

3. SELECT INTERCONNECT TYPE

| Style | Description | Price (ea.) |
|--------|--|-------------|
| 4" | For doors with 4" bore hole spacing (40) | n/c |
| 5-1/2" | For doors with 5-1/2" bore hole spacing (55) | n/c |



4. DESIGN - SELECT LEVER STYLE AND FINISH

| Style / Description | 619 - Satin Nickel | 622 - Matte Black | 625 - Bright Chrome | 626 - Satin Chrome | 716 - Aged Bronze |
|---------------------|--------------------|-------------------|------------------------|-----------------------|-------------------|
| ACC / Accent | n/c | n/c | n/c | n/c | n/c |
| VLA / Avila | n/c | Not Available | n/c | n/c | n/c |
| BIR / Birmingham | n/c | Not Available | n/c | Not Available | n/c |
| BRW / Broadway | n/c | n/c | n/c | n/c | n/c |
| ELA / Elan | n/c | n/c | n/c | n/c | n/c |
| JAZ / Jazz | n/c | Not Available | Not Available | n/c | Not Available |
| JUP / Jupiter | n/c | Not Available | n/c | n/c | Not Available |
| LAT / Latitude | n/c | n/c | n/c | n/c | n/c |
| MNH / Manhattan | n/c | Not Available | n/c | n/c | Not Available |
| NEP / Neptune | n/c | n/c | n/c | n/c | n/c |
| NBK / Northbrook | n/c | Not Available | Not Available | Not Available | Not Available |
| SAC / Sacramento | n/c | Not Available | n/c | n/c | n/c |
| SAT / Saturn | n/c | n/c | n/c | n/c | n/c |

LATCH

| Part No. | Description | Price (ea.) |
|-----------|--|---------------------|
| 12-356 | Combo latch, Dual option (sq + rd), Non UL bolt, UL latch - STANDARD | Not Sold Separately |
| HANDING | | Price (ea.) |
| Left | STANDARD - Can be changed to Right handed in the field | n/c |
| DECO TRIM | | Price (ea.) |
| 06-219 | STANDARD - ADD or GRW depending on which style is selected above | n/c |

STRIKE COMBINATIONS

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 10-121 | STANDARD - Combo Strike, Square Corner (10-094 & 10-026) | n/c |
| 10-109 | 10-094 & 10-001 | n/c |
| 10-122 | 10-116 & 10-027 | n/c |
| 10-123 | 10-092 & 10-027 | n/c |
| 10-124 | 10-095 & 10-027 | n/c |

DEADBOLT STRIKE OPTIONS

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 10-094 | 1-1/8" Square Corner Strike, 1 3/8" - 2 1/4" - STANDARD | \$12.20 |
| 10-092 | 1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4" | 7.90 |
| 10-095 | Square corner, full lip, no box, 1 5/8" x 2 1/4" | 7.90 |
| 10-112 | Metal dust box with screws | 10.70 |

DEADLATCH STRIKE OPTIONS

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 10-026 | Square corner, full lip, no box, 1 5/8" x 2 1/4" - STANDARD | \$7.60 |
| 10-001 | Square corner, T-strike, box, 1 1/8" x 2 3/4" | 6.50 |
| 10-027 | 1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4" | 7.60 |

THICK DOOR KIT

| Part No. | Description | Price (ea.) |
|----------|---------------------------------|-------------|
| 47244555 | For doors between 1 3/4" and 2" | \$24.90 |

The Schlage Control Interconnect Lock uses the same Thick Door Kit as the Deadbolt. However, due to the latch assembly it should only be used on doors between 1 3/4" and 2".

SCREW PACKS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 47250323 | Security Screws - Optional Security torx screws | \$7.20 |
| 47244558 | FE410 screw pack | 7.20 |

For Screw Packs, specify finish option (619, 622, 625, 626 or 716)





Multi-family

Programmable Electronic Deadbolt

PRODUCT IDENTIFICATION

| BE | 367 | F20 |
|-------------|----------|---------------------|
| Lock Series | Function | 20-minute UL Listed |



STANDARD FEATURES

• Time and date controlled access

• Easy to install – fits on standard residential door preps

Vandal resistant free-spinning deadbolt turn

• Up to 500 users

• Up to 1,000 audit trail reports

• Battery powered – no wiring required

Average 3 year battery life

• 100-day low cycle warning

• iButton credential required, sold separately

Concealed back-up mechanical key override



SPECIFICATIONS

Latch: 1" x 2-1/4" round corner faceplate

1" housing diameter - requires 1" edge

bore

1" throw with Triple-Option™ square corner, radius corner and circular drive-in

faceplates

Strikes: $1-1/8" \times 2 3/4"$, round corner, no box,

latch strike

Backset: Adjustable backset, fits 2-3/8" to 2-3/4"

backsets

Cylinder: 5-pin solid brass, keyed 5-pin, C keyway,

keyed different (KD)

Door Range: 1 3/8" to 1 3/4"

Keys: Nickel silver cut keys, 5-pin, C-section **Hole Distance:** Minimum 5 1/2" center-to-center dis-

tance between cross bore holes

Battery: 9-volt battery included with average

three-year battery life

Construction: All-metal chassis and escutcheons

Button: Silicone rubber, wear-resistant with LED

backlight

Available 20 minute UL Listed


A 156.5-2001 Grade 2 auxiliary locks or Grade 2 ANSI/BHMA certified

FINISH CODES & DESCRIPTIONS*

| 619 | 625 | 626 | 716 |
|--------|--------|---------|--------|
| Satin | Bright | Satin | Aged |
| Nickel | Chrome | Chrome | Bronze |
| (US15) | (US26) | (US26D) | (643e) |

^{*} Non-Standard finishes are not available





1. SELECT LOCK MODEL

| Part No. | Description | Price (ea.) |
|-----------|---|-------------|
| BE367F20* | Programmable Electronic Deadbolt, UL Listed, 20 minutes | \$412.00 |

2. SELECT DESIGN STYLE

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (CAM) Camelot | n/c |
| (PLY) Plymouth | n/c |

3. SELECT KEY CYLINDER OPTION

| Style/Description | Price (ea.) |
|----------------------|-------------|
| (KD) Keyed Different | n/c |
| (KA) Keyed Alike | n/c |

4. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Finish | • | | | | n/c | • | | | n/c | n/c | n/c |

^{*} iButton credentials must be ordered separately (see page MF-15)

REPLACEMENT CYLINDER CAPS

| Part No. | Description | Price (ea.) |
|----------|-------------------------------------|-----------------------|
| 40-182 | Replacement Cylinder Caps (50 pack) | See pricing by finish |

SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|--------|-----|-----|-----|-----|---------|-----|-----|-----|---------|---------|---------|
| Finish | • | • | • | | \$36.00 | • | | | \$36.00 | \$36.00 | \$46.00 |



^{*} Programmable Electronic Deadbolts require supported access control software, which must be ordered separately (see page MF-43)

Multi-family

TRIPLE OPTION LATCH

| Part No. | Description | Price (ea.) | | | | |
|--------------|---|-------------|--|--|--|--|
| 12-287 | BE367 Deadbolt Latch with Triple Option Faceplates contents: (1) B302-590 (1) B590-308 (2) C604-246 (1) B590-310* | \$39.20 | | | | |
| *Only option | *Only option for BE367 | | | | | |

UL LATCHES

| Part No. | Description | Price (ea.) |
|----------|--|---------------------|
| 12-319 | BE367 20 Min UL Deadbolt Latch with Round Corner Faceplate - STANDARD | Not Sold Separately |
| 12-320 | BE367 20 Min UL Deadbolt Latch with 1-1/8" wide Square Corner Faceplate | Not Sold Separately |
| 12-318 | BE367 20 Min UL Deadbolt Latch with Square Corner Faceplate | Not Sold Separately |

BE 367 STRIKE OPTIONS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 10-116* | 1-1/8" Round Corner Strike, Standard, 1 3/8" - 2 1/4" | No Charge |
| 10-094 | 1-1/8" Square Corner Strike, 1 3/8" - 2 1/4" | No Charge |
| 10-095 | Square Corner Full Lip Strike, 1 3/8" - 1 3/4" | No Charge |
| 10-092 | Round Corner Full Lip Strike, 1 3/8" - 1 3/4" | No Charge |

Note: Strikes listed above are for standard, UL 20 minute and UL 3 hour rated products

THICK DOOR KIT

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 02.007 | BE367 Deadbolt Thick Door Kit (fits 1 7/8"–2 1/2" thick doors) | \$24.90 |
| | contents; (1) B520-629 (1) B520-630 (1) B520-631 (1) B520-632 (2) B520-633 (2) B520-634 (1) P515-681 | |

CYLINDERS

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 22-000 | Deadbolt Cylinder for BE367 | \$47.30 |
| | contents: (1) 23-035 (1) B520-606 (1) B520-607 (1) B520-608 (1) B520-628 | |

SCREW PACKS

MF-8

| B220-278* BE367 Deadbolt Latch and Strike Screw Pack contents: (4) C604-246 (3) R525-256 \$5.40 | Part No. | Description | Price (ea.) |
|---|-----------|--|-------------|
| | B220-278* | BE367 Deadbolt Latch and Strike Screw Pack contents: (4) C604-246 (3) R525-256 | \$5.40 |
| B220-279 BE367 Deadbolt Mounting Screw Pack contents: (2) B520-621 (2) B600-100 \$9.20 | B220-279 | BE367 Deadbolt Mounting Screw Pack contents: (2) B520-621 (2) B600-100 | \$9.20 |

* Specify finish when ordering



Programmable Electronic Interconnect

PRODUCT IDENTIFICATION

| FE | 210 | F |
|-------------|----------|------------------|
| Lock Series | Function | 3-hour UL Listed |





FE210F

STANDARD FEATURES

- Time and date controlled access
- Easy to install fits on standard residential door preps
- Interconnect mechanism is adjustable
- Lever trim is non-handed and field reversable
- Vandal resistant free-spinning deadbolt turn
- Up to 500 users

- Up to 1,000 audit trail reports
- Battery powered no wiring required
- Average 3 year battery life
- iButton credential required, sold separately
- Concealed back-up mechanical key override



SPECIFICATIONS

| Latch: | UL latch comes with 1" x 2 |
|--------|------------------------------------|
| | 1/4" square and round corner |
| | faceplate (square corner standard, |
| | round corner included in package) |

1" edge bore required

1 1/8" x 2 3/4", square corner, no Strikes:

box, latch strike

Backset: Adjustable backset, fits 2 3/8" to 2

3/4" backsets

Stile Width: Minimum 4 1/2" for 2 3/8" backset,

minimum 5" stile for 2 3/4"

Cylinder: 5-pin solid brass, keyed 5-pin, C

keyway, keyed different (KD)

1 3/8" to 1 3/4", thicker than 1 3/4" **Door Range:**

to 2" must be specified

* 5 1/2" center to center default set up from factory

Keys: Nickel silver cut keys, 5-pin,

C-section

Center to Center: Fits 4" or 5 1/2" center to center

door preps*

Battery: 9-volt battery included with average

three-year battery life

Construction: All-metal chassis and escutcheons

Button: Silicone rubber, wear-resistant with

LED backlight

Certifications: 3hr. UL Listed

A 156.12-2002 Grade 2 ANSI/BHMA certified

FINISH CODES & DESCRIPTIONS*

| 619 | 625 | 626 | 716 |
|-----------------------------|----------------------------|------------------------------|----------------------------|
| Satin Nickel (US15)** | Bright Chrome (US26) | Satin Chrome (US26D)** | Aged Bronze (643e)** |

^{*} Non-Standard finishes are not available



1. SELECT LOCK MODEL

| Part No. | Description | Price (ea.) |
|---------------|--------------|-------------|
| FE210F | \$623.00 | |
| 2. SELECT | DESIGN STYLE | |
| Style/Descrip | Price (ea.) | |
| (CAM) Came | lot | n/c |

3. SELECT LEVER STYLE*

(PLY) Plymouth

| | Price (ea.) |
|---|-------------|
| See page MF-13 for Lever Design Options | n/c |

^{*}Specify handing - Right Hand is standard

4. SELECT KEY CYLINDER OPTION

| Style/Description | Price (ea.) |
|--|-------------|
| (KD) Keyed Different - STANDARD | n/c |
| (KA) Keyed Alike | n/c |

5. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 716 |
|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Finish | | • | | | n/c | | • | | n/c | n/c | n/c |



n/c

Interconnect Series



CS210

MECHANICAL INTERCONNECT FUNCTIONS

FUNCTIONS

ANSI/BHMA Certified a156.12-2005, Grade 2, UL Listed for 3 hour fire door

CS210: Entrance, Single Locking

- Deadbolt operated by key from outside or by turn unit from inside
- Bolt automatically deadlocks when fully thrown
- Latch retracted by lever from either side
- Turning inside lever retracts deadbolt and latch simultaneously for immediate exit



Interconnect Series



CS210

CS210 MECHANICAL INTERCONNECT



STANDARD FEATURES

- Easy to install
- ANSI/BHMA Grade 2 Listed
- UL, 3 hour fire-rated
- Fits 4" and 5 1/2" center-to-center door preps
- Available with all F levers and Saturn, Neptune or Jupiter commercial levers

1. SELECT LOCK MODEL

| Part No. | Description | Price (ea.) |
|------------|-------------------------------------|-------------|
| CS210-B500 | Entrance with Commercial Spin Ring | \$365.00 |
| CS210-B60 | Entrance with Residential Spin Ring | 365.00 |

2. SELECT DESIGN STYLE

| Style/Description Style/Description | Price (ea.) |
|-------------------------------------|-------------|
| (CAM) Camelot | n/c |
| (PLY) Plymouth | n/c |

3. SELECT LEVER STYLE*

| 3. SELECT LEVER STYLE* | Price (ea.) |
|---|-------------|
| See page MF-13 for Lever Design Options | n/c |

^{*}Specify handing - Right Hand is standard


4. SELECT KEY CYLINDER OPTION

| Style/Description Style/Description | Price (ea.) |
|--|-------------|
| (KD) Keyed Different - STANDARD | n/c |
| (KA) Keyed Alike | n/c |


5. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 643e |
|--------|-----|---------|---------|-----|---------|-----|-----|-----|---------|-----|---------|
| Finish | | \$12.00 | \$12.00 | | \$12.00 | | | | \$12.00 | n/c | \$12.00 |


Interconnect Lever Designs



^{*}Handing must be specified for split finishes and/or designs. Right Hand is standard.








Camelot (CAM)

AVAILABLE FINISHES

| | 619 | 625 | 626 | 716 |
|------------|-----|-----|-----|-----|
| Accent | - | | | - |
| Avanti | • | | | • |
| Avila | | • | • | • |
| Callington | - | • | • | • |
| Champagne | • | • | • | • |
| Elan | • | • | • | |
| Flair | - | • | • | • |
| Jazz | • | | • | |
| Jupiter | • | | • | |
| Latitude | - | • | • | • |
| Manhattan | - | • | • | • |
| Merano | • | | • | • |
| Neptune | - | • | • | |
| Saturn | • | • | • | |
| St. Annes | • | • | • | • |



DEADBOLT STRIKES

| Part No. Specify Finish | | Description | Lip Length | Price |
|-------------------------|---|---|------------|---------|
| 10-094 | • | Square corner, 1 1/8" x 2 3/4" - STANDARD | • | \$12.20 |
| 10-092 | • | 1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4" | 1 1/8" | 7.90 |
| 10-095 | • | Square corner, full lip, no box, 1 5/8" x 2 1/4" | 1 1/8" | 7.50 |
| 10-112 | | Metal dust box with screws | • | 11.10 |

DEADLATCH STRIKES

| Part No. Specify Finish | | Description | Lip Length | Price |
|-------------------------|--|---|------------|--------|
| 10-026 | | Square corner, full lip, no box, 1 5/8" x 2 1/4" - STANDARD | 1 1/8" | \$7.60 |
| 10-001 | | Square corner, T-strike, box, 1 1/8" x 2 3/4" | 1 1/8" | 6.50 |
| 10-027 | | 1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4" | 1 1/8" | 7.60 |

DEADBOLT & DEADLATCH COMBINATIONS

| Part No. Specify Finish | | Description | Backset | Price | |
|-------------------------|---|--|------------------|---------------------|--|
| 12-339 | | Combo Latch, Dual Option, 1" x 2-1/4", RS/CS210 only | 2 3/8" or 2 3/4" | Not sold separately | |
| 12-337 | • | Combo Latch, Dual Option, 1" x 2-1/4", FE210 only | 2 3/8" or 2 3/4" | Not sold separately | |

STRIKES COMBINATIONS

| Deadbolt Strike | Deadlatch Strike | Specify Combo No. | Add to Lock Price |
|--------------------|---------------------|--------------------------|----------------------|
| 10-094 | 10-001 | 10-109 | n/c |
| 10-094 | 10-026 | 10-121 - STANDARD | n/c |
| 10-116 | 10-027 | 10-122 | n/c |
| 10-092 | 10-027 | 10-123 | n/c |
| 10-095 | 10-027 | 10-124 | n/c |







Proximity Credential and iButton

iButton Only

iBUTTON CREDENTIALS (For use with BE367 and FE210 electronic locks)

| Part No. | Description | Price |
|---------------|---|---------|
| Programming | Credentials | |
| 48-515 | Programming iButton on Red Key FOB (single pack) | \$11.50 |
| Construction | Credentials | |
| 48-517 | Construction iButton on Yellow Key FOB (10 pack) | 85.30 |
| Proximity Cre | dentials | |
| IBF-110 | Combo Key FOB, 125 kHz Proximity and iButton, user Gray (minimum order is 50) | 13.35 |
| IBWB-110 | Combo Key FOB, 125 kHz Proximity without iButton (minimum order is 50) | 7.05 |
| IBF-120 | Combo Key FOB, 125kHz Proximity and iButton, user Blue (minimum order is 50) | 18.50 |
| IBF-130 | Combo Key FOB, 125khz Proximity and iButton, Vendor Access (Orange) (10-pack) | 203.60 |
| 7610 | Proximity Key FOB, 125 kHz (minimum order is 50) | 5.90 |
| | | |

When ordering any of the above credentials, **please specify Bit Format, Facility Code, and starting Card ID Number**If these are not specified, the default Bit Format (26 Bit) and facility code (202) and the next available Card Number will be used



B Series Deadbolts

PRODUCT IDENTIFICATION

| В | 60 | N | F |
|----------------|----------|---|--|
| Lock Series | Function | N - 5-pin cylinder N6 - 6-pin cylinder R6 - 6-pin cylinder with FSIC | F - UL Listed, available with B60, B80, B61 and B60R6 J - Less full sized construction T - Full sized construction core core |

PRODUCT IDENTIFICATION

| JD | 60 | F |
|----------------|----------|---|
| Lock Series | Function | F - UL Listed, available with JD81 |

SPECIFICATIONS

GRADE 1 DEADBOLTS

Models: B60, B62, B80, B81

Certification: ANSI/BHMA A156.36, 2010, Grade 1

Deadbolt: 1" x 2 1/4", radius corner, 1" housing diameter, 1" throw, latch number 12-321

Strike: 1 1/8" x 2 3/4", 1/4" radius corner, strike number 10-116

Backset: Adjustable for 2 3/8" or 2 3/4"

Cylinder: 5-pin, keyed 5-pin, C keyway, keyed alike (KA)

1 3/8" - 1 3/4" **Door Range:**

Keys: Two cut keys per lock, 5-pin, C section Door frame strike reinforcer with 3" screws **Reinforcement:**

GRADE 2 DEADBOLTS WITH FULL-SIZE INTERCHANGEABLE CORE

Models: B60R6

Certification: ANSI/BHMA A156.36, 2010, Grade 2

Deadbolt: 1" x 2 1/4", radius corner, 1" housing diameter, 1" throw, latch number 12-321

Strike: 1 1/8" x 2 3/4", 1/4" radius corner, strike number 10-116

Adjustable for 2 3/8" or 2 3/4" Backset:

Cylinder Core: Grade 2, 6-pin keyed 6-pin, C keyway, keyed different (KD)

1 3/8" - 1 3/4" **Door Range:**

Keys: Two user keys, 6-pin, C section, control key ordered separately

Door frame strike reinforcer with 3" screws **Reinforcement:**

Locks are furnished with standard features unless otherwise specified. To order locks with non-standard features specify non-standard feature desired

FINISH CODES & DESCRIPTIONS*


| 505 | 605 | 608 | 609 | 613 | 618 | 619 | 620 | 621 | 622 | 626 | 716 |
|-----|----------------------------|-----|-----|---------------------------------|--------------------|-----|------------------------------|----------------------|-----|------------------------------|----------------------------|
| | Bright Brass (US3)** | | | Oil-Rubbed Bronze (US10B) | Polished Nickel | | Antique Pewter (US15A) | Distressed Nickel | | Satin Chrome (US26D)** | Aged Bronze (643e)** |

^{*} Non-Standard finishes are not available



^{**} B60R available finishes

B Series Deadbolts





B SERIES

Standard Features

- BHMA Grade 1 product performance (B60, B62, B80, B81)
- BHMA Grade 2 product performance (B60R6)
- Increased latch/bolt size offers maximum kick-in resistance
- Exclusive patented Schlage design
- Anti-pick shield
- Full-size Interchangeable Core B60R6
- Schlage Limited Lifetime Mechanical and Finish Warranty
- · Finishes that feature ultraviolet (UV) resistance up to 4 times the BHMA standard: Satin Nickel, Bright Brass, Antique Brass, and Antique Pewter
- Contoured edges for added style convenience
- Larger thumb turn for easy grip

GRADE 1 DEADBOLT STANDARD FEATURES/CONFIGURATIONS


| Models: | B60, B62, B80, B81 |
|----------------|--|
| Certification: | ANSI/BHMA A156.36, 2010, Grade 1 |
| Deadbolt: | 1" x 2 1/4", radius corner, 1" housing diameter, 1" throw, latch number 12-321 |
| Strike: | 1 1/8" x 2 3/4", 1/4" radius corner, strike number 10-116 |
| Backset: | Adjustable for 2 3/8" or 2 3/4" |
| Cylinder: | 5-pin, keyed 5-pin, C keyway, keyed alike (KA4) |
| Door Range: | 1 3/8" - 1 3/4" |
| Keys: | Two keys per lock, 5-pin, keyed 5-pin, C section |
| Reinforcement: | Door frame strike reinforcer with 3" screws |

*Locks are furnished with standard features unless otherwise specified To order locks with non-standard features specify non-standard feature desired



SCHLAGE

J Series Deadbolts



JD-SERIES

Standard Features

- Strongest locks in the opening price point category
- Largest knobs and levers in its class
- Fits standard door preps
- Easy to install
- Available with Schlage C keyway standard
- Dual or triple option latches available
- Available UL options (JD81)
- Dexter designs suite with many popular designs from Schlage

GRADE 3 DEADBOLTS STANDARD FEATURES

| Models: | JD60, JD62, JD81 |
|-----------------|---|
| Certification: | ANSI/BHMA A156.36, 2010, Grade 3 |
| Deadbolt Latch: | Triple Option: 1" \times 2 1/4", square corner and 1/4" round faceplates, drive-in latch, 1" housing diameter, 1" throw |
| Strike: | $1^{\prime\prime}$ x 2 $1/4^{\prime\prime}$ round corner and radius corner, full lip |
| Backset: | Adjustable for 2 3/8" or 2 3/4" |
| Cylinder: | 5-pin, C keyway, keyed alike (KA4) |
| Door Range: | 1 3/8" - 1 3/4" |
| Keys: | Two keys per lock, 5-pin, keyed 5-pin, C section |

B Series Deadbolts

B Series Deadbolts

FINISHES

| Function | | Packaging | 605 | 608 | 609 | 618 | 619 | 625 | 626 | 505 | 716 | 613 | 620 | 621 | 622 |
|----------|---|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| B60 | Single Cylinder | Box/Vis | \$56 | \$62 | \$62 | \$62 | \$62 | \$62 | \$62 | \$62 | \$62 | \$71 | \$62 | \$62 | \$62 |
| B62 | Double Cylinder | Box/Vis | 81 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 96 | 87 | 87 | 87 |
| B80 | One-sided | Вох | 38 | 44 | 44 | 44 | 44 | 44 | 44 | | 44 | 53 | 44 | 44 | 44 |
| B81 | One-sided w/trim | Вох | 40 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 55 | 47 | 47 | 47 |
| B60R6 | Single Cylinder Interchgbl. Core-6 Pir | Вох | | | | | 159 | | 159 | 161 | 161 | | | | |

List Price Adders:

UL Latch - add \$6 to list price (B60, B80, B81 and B60R6)


J Series Deadbolts

J Series

| Deadb | | FINISHES | | | | | | | | |
|----------|------------------------------|-----------|------|------|------|------|------|------|------|------|
| Function | on | Packaging | 605 | 609 | 619 | 625 | 626 | 630 | 620 | 716 |
| JD60 | Single Cylinder Deadbolt | Вох | \$28 | \$30 | \$30 | \$30 | \$30 | \$30 | \$30 | \$30 |
| JD80 | One-Sided Cylinder Deadbolt | Вох | 22 | 26 | 26 | • | • | • | 26 | 26 |
| JD81 | One-Sided Deadbolt with trim | Вох | 22 | 26 | 26 | | • | • | 26 | |
| JD60F | Single Cylinder UL Version | Вох | 34 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| | | | | | | | | | | |
| JD60 | Single Cylinder Deadbolt | Vis | 31 | 33 | 33 | • | • | • | 33 | 33 |
| JD62 | Double Cylinder Deadbolt | Vis | 38 | 43 | 43 | • | | • | 43 | 43 |







FULL-SIZE CONSTRUCTION CORE PROGRAM

Temporary construction cores may be ordered with full size interchangeable core locks, mortise cylinders and rim cylinders

These cores may also be ordered separately. All construction cores are assessed a non-refundable handling charge (50-231)

See Terms & Conditions for more information

Features:

- 5 or 6 Pin C keyway
- Construction cores have a two-tone face: the faceplate is a flat black finish (622) and the plug is unfinished brass
- Back of each core is marked with the letter that identifies the keyed alike group: A, B or C
- Construction cores are furnished with no keys (NCK). Cut keys must be ordered separately
- · A control key is required to install and remove construction cores. Control keys must be ordered separately If a control key is not ordered, one will be supplied at a charge of \$14.10
- · Construction cores may be returned for credit. Contact your Schlage representative for return authorization Credit is issued upon receipt of cores at our factory



FULL-SIZE CONSTRUCTION CORE PROGRAM

| Part No. | Description | Specify | Price (ea.) |
|------------|---|------------------------------|-------------|
| 23-030-ICX | Construction core | New jobs: Specify "ICX" | \$67.00 |
| 48-101-ICX | Cut key for construction phase (order separately) | Existing jobs: Specify "ICA" | 7.50 |
| 48-056-ICX | Cut control key (order separately) | "ICB" or "ICC" | 14.80 |
| 50-231 | Non-refundable handling charge (per core) | | 9.50 |

Notes:

- 1) To order mortise and rim cylinders with full-size construction cores for a new job, suffix ICX to non-Primus cylinder number Example: 30-008 ICX. For existing construction core combinations, specify ICA, ICB, or ICC
- 2) Construction cores for a given project are keyed alike to one of a limited number of combinations nationwide Other Schlage projects in the same area using the same or different contractors may use the same key

Example:

For construction core charges and credits: distributor XYZ ordered 150 construction cores with 20 keys and one control key The following charges apply to this order:

- 1. 23-030-ICX construction cores (150 units)
- 2. 48-101-ICX cut keys (20 units)
- 3. 48-056-ICX cut control key (1 unit)
- 4. 50-231 non-refundable handling charge (150 units-one per core ordered)

Upon return of the cores to the factory the distributor will be credited for the following:

1. 23-030-ICX construction cores (150 units)

There is no credit for the keys or handling fee

KEY STAMPING (VKC)

| Part No. | Description | Price (ea.) |
|----------|--|-------------------|
| 50-217 | Visual key control that allows for visual matching of user and control keys to appropriate cylinders | \$2.50 per key |

CYLINDER STAMPING (CKC)

| Part No. | Description | Price (ea.) |
|----------|--|------------------------|
| 50-216 | Visual cylinder control that allows for visual matching of cylinders to appropriate user and control keys. Must specify VKC for face marking of CKC for side of cylinder marking per cylinder When ordering keys/cylinders marked for ID purposes (VKC & CKC) both PN 50-216 and 50-217 must be ordered as separate items | \$6.20 per cylinder |

BITTING LIST

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 50-123 | Bitting List for factory master keyed products | \$212.00 |
| | (requires written authorization from end-user) | |



Multi-family

CO Series

| TABLE OF CONTENTS | |
|--|--|
| CO-Series Overview | |
| How To OrderMF-24 | |
| CO-100 Manually ProgrammableMF-25 CylindricalMF-25 Mortise/Mortise DeadboltMF-27 Exit TrimMF-29 | |
| CO-200 .MF-31 Cylindrical .MF-31 Mortise/Mortise Deadbolt .MF-33 Exit Trim .MF-35 Dummy Exit Trim .MF-37 | |
| CO-Series AccessoriesMF-39 | |



CO SERIES PROGRAMMABLE ELECTRONIC LOCKS

The CO-Series offline locks are the ideal solution for facilities that want the convenience and efficiency of electronic access control without the complexity or cost of a networked system.

The Class of the lock determines how the lock communicates with the Access Control System, three options are available:

- CO-100: Offline, keypad only, manually or computer programmable
- CO-200: Offline; user access rights stored in the lock

The CO-Series is available in three lock Chassis options as well as three exit trim options:

- CY: Cylindrical
- MS: Mortise
- MD: Mortise Deadbolt
- 993R: Exit Trim Rim/Concealed Vertical Rod (CVR) (metal door only)
- 993S: Exit Trim Surface Vertical Rod (SVR)
- 993M: Exit Trim Mortise

The CO-Series is available with three locking functions which are adaptable in the field.

Classroom/Storeroom

Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status.

Privacy*

Lockset is normally secure. Inside lever always allows free egress. Interior push button on inside housing may be used to select a privacy status. The interior push button will disable normal electronic access from the exterior. Opening the door or pressing the interior push button a second time on the inside housing deactivates the privacy status.

Office

Lockset is normally secure. Inside lever always allows free egress. Interior push button on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security. NOTE: Valid toggle credentials on the exterior may also be used to change status.

The CO-Series is available with three different credential reader options.

| Credential Reader Type | Description |
|----------------------------|-------------------------------------|
| PR: Proximity | Reads 125 kHz proximity credentials |
| PRK: Proximity with Keypad | Reads 125 kHz proximity credentials |
| KP: Keypad | 12 Button design |

Please visit ${\bf www.schlage.com}$ for complete details





^{*} Privacy function not available on CO-100

PRODUCT IDENTIFICATION

| Required Fields | | | | | | | | | Factory I | Default & op | tions | | |
|-----------------|-------|---------|----------|--------|-------|--------|------------------|----------------|-----------|-------------------|---|--------|-------------------|
| со | 200 | CY | 70 | MS | SPA | 626 | PD | C123 | RH | 4B | 13-049 | 10-025 | 1 3/4 |
| Series | Class | Chassis | Function | Reader | Lever | Finish | Cylinder Type | Keyway Type | Handing | Battery Holder | Backset and Latch or Armor Front | Strike | Door Thickness |

CLASS

100 - Keypad Programmable

200 - Rights on Lock

CHASSIS

CY - Cylindrical

MS - Mortise

MD - Mortise Deadbolt

993R - Exit Trim - Rim/CVR

9935 - Exit Trim - SVR

993M - Exit Trim - Mortise

FUNCTION

70 - Classroom/Storeroom

50 - Office

40 - Privacy

READER (For specific options see individual class/chassis page)

KP - Keypad

PRK - Proximity + Keypad

PR - Proximity

LEVER (Tactile warning, use prefix 8. Example 8SPA)

ATH - Athens **SPA** - Sparta

RHO - Rhodes TLR - Tubular

FINISH

626-Satin Chrome 625-Bright Chrome 605-Bright Brass 643e-Aged Bronze

619-Satin Nickel

CYLINDER TYPE

PD - Schlage 6-pin Full Cylinder (For options see individual Class/Chassis page)

KEYWAY TYPE

C123 - Everest (For options see individual Class/Chassis page)

HANDING

RH - Right Handed

LH - Left Handed

BATTERY HOLDER

4B - 4AA Battery Kit

BACKSET AND LATCH OR ARMOR FRONT

2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4"

(STANDARD on CY Chassis)

09-663 Armor Front, 1 1/4" Wide, square corner

(STANDARD on MS Chassis)

For options see individual Class/Chassis page

STRIKE

10-025 1 3/16" Lip, ANSI, no box, 1 1/4" x 4 7/8"

(STANDARD on CY Chassis)

10-072 1 3/16" Lip, 1 1/4" x 4 7/8" square corner, box

(STANDARD on MS Chassis)

For options see individual Class/Chassis page

Door Thickness

1 3/4" - STANDARD

For options see individual Class/Chassis page





C0-100 SERIES MANUALLY PROGRAMMABLE -CYLINDER



CO-100-CY-70-KP



1-5. SELECT CHASSIS/FUNCTION

| Part No. | Description | Price (ea.) |
|-----------------|---|-------------|
| CO-100-CY-70-KP | Classroom/Storeroom with Keypad Reader; manually programmed | \$813.00 |
| CO-100-CY-50-KP | Office with Keypad Reader; manually programmed | 823.00 |

6. SELECT LEVER

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (SPA) Sparta | n/c |
| (RHO) Rhodes | n/c |
| (ATH) Athens | n/c |
| (TLR) Tubular | n/c |

7. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 643e |
|--------|-----|----------|-----|-----|----------|-----|-----|-----|----------|-----|----------|
| Finish | • | \$127.00 | • | | \$127.00 | • | • | • | \$127.00 | • | \$127.00 |

8. SELECT CYLINDER TYPE

| Part No. | Description | Price (ea.) |
|----------|---|----------------|
| PD* † | 6 Pin Full Cylinder (Schlage) | n/c |
| LD | Less Full Cylinder (6 Pin: Schlage, Falcon) | Deduct \$58.00 |


^{*}Only option for BE367



^{*} Master Keyed cylinders can be specified and will be shipped in lock packaging

[†] For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$18.30 each For additional assistance on Master Keying as well as restricted keyways please contact Customer Service

C0-100 SERIES RIGHTS ON LOCKS -CYLINDER



Full Cylinder PD LD

9. SELECT KEYING TYPE

| Part No. | Description | Price (ea.) |
|--------------|--|----------------|
| S123 | Everest 29 S (Key in Lever or FSIC) | n/c |
| C/E/F | Classic (C/E/F) | STANDARD |
| 10. SELEC | CT HANDING (Field Reversible) | |
| Part No. | Description | Price (ea.) |
| RH | Right Handed - STANDARD | n/c |
| LH | Left Handed | n/c |
| RHR | Right Handed Reverse | n/c |
| LHR | Left Handed Reverse | n/c |
| 11. SELEC | CT BATTERY | |
| Part No. | Description | Price (ea.) |
| 4B | 4AA Battery Kit | STANDARD |
| 12. SELEC | CT BACKSET & LATCHBOLT | • |
| Part No. | Description | Price (ea.) |
| 13-049 | 2 3/4" Backset, Deadlatch, Square corner, 1 1/8" x 2 1/4" | STANDARD |
| 14-049 | 2 3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, | \$165.00 |
| | 1 1/8" x 2 1/4", 3/4" throw | |
| 14-051 | 2 3/8" Backset, Deadlatch Square corner, 1 1/8" x 2 1/4" | n/c |
| 13 SELE | CT STRIKE PLATE | |
| Part No. | Description | , Price (ea.) |
| 10-025* | 1 3/16" Lip, ANSI, no box, 1 1/14" x 4 7/8" | STANDARD |
| 10-013** | 1 1/8" Lip, Square Corner, T-strike, box, 1 1/8" - 2 3/4" | n/c |
| 10-016 | 1 1/8" Lip, Square Corner, T-strike, deep box, fire door latch, 1-3/8 lip available, | 14.30 |
| | 1-1/2 lip available | |
| K510-066 | Box for ANSI strike (Must be specific) | n/c |
| * 1-3/8" Lip | o available, must specify 1-3/8" Lip | 13.20 |
| ** 1-1/2" L | ip available, must specify 1-1/2" Lip | 7.30 |
| 14. SFI F | CT DOOR THICKNESS | |
| Part No. | Description | Price (ea.) |
| | | - |

SCHLAGE)

1 3/4"

STANDARD

\$53.70

1 3/8" to 2 3/4", Shims included (Specify in 1/8" increments)

1 3/4"

1 3/8"

C0-100 SERIES MANUALLY PROGRAMMABLE -MORTISE/DEADBOLT



CO-100-MS-70-KP



1-5. SELECT CHASSIS/FUNCTION

| Part No. | Description | Price (ea.) |
|-----------------|---|-------------|
| CO-100-MS-70-KP | Mortise Classroom/Storeroom with Keypad Reader; manually programmed | \$968.00 |
| CO-100-MS-50-KP | Mortise Office with Keypad Reader; manually programmed | 978.00 |

6. SELECT LEVER

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (SPA) Sparta | n/c |
| (RHO) Rhodes | n/c |
| (ATH) Athens | n/c |
| (TLR) Tubular | n/c |

7. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 643e |
|--------|-----|----------|-----|-----|----------|-----|-----|-----|----------|-----|----------|
| Finish | | \$127.00 | • | • | \$127.00 | • | • | | \$127.00 | • | \$127.00 |

8. SELECT CYLINDER TYPE

| Part No. | Description | Price (ea.) |
|----------|---|----------------|
| PD * † | 6 Pin Full Cylinder (Schlage) | n/c |
| LD | Less Full Cylinder (6 Pin: Schlage, Falcon) | Deduct \$58.00 |


^{*} Master Keyed cylinders can be specified and will be shipped in lock packaging

For additional assistance on Master Keying as well as restricted keyways please contact Customer Service



[†] For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$18.30 each

C0-100 SERIES RIGHTS ON LOCKS -MORTISE/DEADBOLT



Full Cylinder PD

9. SELECT KEYING TYPE

| Part No. | Description | Price (ea.) |
|----------|-------------------------------------|-------------|
| S123 | Everest 29 S (Key in Lever or FSIC) | STANDARD |
| C/E/F | Classic (C/E/F) | n/c |
| 10. SELE | CT HANDING (Field Reversible) | |
| Part No. | Description | Price (ea.) |
| RH | Right Handed - STANDARD | n/c |
| LH | Left Handed | n/c |
| RHR | Right Handed Reverse | n/c |
| LHR | Left Handed Reverse | n/c |
| 11. SELE | CT BATTERY | |
| Part No. | Description | Price (ea.) |
| 4B | 4AA Battery Kit | STANDARD |
| 12. SELE | CT MORTISE LOCK ARMOR FRONT | |
| Part No. | Description | Price (ea.) |

13. SELECT STRIKE PLATE

09-663

09-669

| Part No. | Description | Price (ea.) |
|------------|---|-------------|
| 10-072 | 1 3/16" Lip, 1 1/4" x 4 7/8", Square Corner, box | STANDARD |
| 10-072xx | 7/8", 1", 1 1/2" Lip, 1 1/4" x 4 7/8", Square Corner, box | n/c |
| 10-072xx | 1 3/4" Lip, 1 1/4" x 4 7/8", Square Corner, box | \$28.50 |
| 10-075* | 1/2" Rabbeted | 98.50 |
| 37-015 | Strike Frame Reinforcer, specify 37-015 | n/c |
| XL11-820 † | One hole for latching functions, RH & LHR doors Lip 1 3/16" | 12.20 |
| XL11-821 † | One hole for latching functions, LH & RHR doors Lip 1 3/16" | 12.20 |

^{*} For 1 3/4" thick doors, use wide armor front. For over 1 3/4" thick door extended equally (EE) use 1 1/4" wide armor front

1 1/4" Wide Square Corner, Latch for MS

1 1/16" Wide Square Corner, Latch, options for MS

14. SELECT DOOR THICKNESS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 1 3/4" | 1 3/4" | STANDARD |
| 1 3/8" | 1 3/8" to 2 3/4", Shims included (Specify in 1/8" increments) | \$53.70 |



STANDARD

n/c

[†] Extended lead time, consult customer service

C0-100 SERIES RIGHTS ON LOCK -EXIT TRIM



CO-100-993R-70-KP

1-4. SELECT CHASSIS/EXIT TRIM TYPE

| Part No. | Description | Price (ea.) |
|--------------------|--|-------------|
| CO-100-993R*-70-KP | Exit Rim/ † Concealed Vertical Rod with Keypad Reader, Manually Programmed | \$1,122.00 |
| CO-100-993S*-70-KP | Exit Surface Vertical Rod with Keypad Reader, Manually Programmed | 1,132.00 |
| CO-100-993M*-70-KP | Exit Mortise Lock with Keypad Reader, Manually Programmed | 1,132.00 |

^{*} See page MF-23 for exit device compatibility.

5. SELECT FUNCTION

| Part No. | Description | Price (ea.) |
|----------|---------------------|-------------|
| 70 | Classroom/Storeroom | STANDARD |

6. SELECT LEVER

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (SPA) Sparta | n/c |
| (RHO) Rhodes | n/c |
| (ATH) Athens | n/c |
| (TLR) Tubular | n/c |

7. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 643e |
|--------|-----|----------|-----|-----|----------|-----|-----|-----|----------|-----|----------|
| Finish | - | \$127.00 | | • | \$127.00 | | • | • | \$127.00 | • | \$127.00 |

8. SELECT CYLINDER TYPE

| Part No. | Description | Price (ea.) |
|----------|---|----------------|
| PD * † | 6 Pin Full Cylinder (Schlage) | n/c |
| LD | Less Full Cylinder (6 Pin: Schlage, Falcon) | Deduct \$58.00 |

^{*} Master Keyed cylinders can be specified and will be shipped in lock packaging


For additional assistance on Master Keying as well as restricted keyways please contact Customer Service



[†] Metal door only

[†] For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$18.30 each

C0-100 SERIES RIGHTS ON LOCKS -EXIT TRIM



Full Cylinder

9. SELECT KEYING TYPE

| 7. JELEC | I KETING TIFE | |
|-----------|-------------------------------------|-------------|
| Part No. | Description | Price (ea.) |
| S123 | Everest 29 S (Key in Lever or FSIC) | STANDARD |
| C/E/F | Classic (C/E/F) | n/c |
| 10. SELE | CT HANDING (Field Reversible) | |
| Part No. | Description | Price (ea.) |
| RH | Right Handed - STANDARD | n/c |
| LH | Left Handed | n/c |
| RHR | Right Handed Reverse | n/c |
| LHR | Left Handed Reverse | n/c |
| 11. SELEC | CT BATTERY | |
| Part No. | Description | Price (ea.) |
| 4B | 4AA Battery Kit | STANDARD |
| | | |

12-13. NO SELECTION REQUIRED

14. SELECT DOOR THICKNESS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 1 3/4" | 1 3/4" | STANDARD |
| 1 3/8" | 1 3/8" to 2 3/4", Shims included (Specify in 1/8" increments) | \$53.70 |

CO-SERIES EXIT TRIM

The CO-100 Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

Von Duprin 98/99

Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod, Mortise.

Von Duprin 22/22F - Rim, Surface Vertical Rod

Falcon 25 - Rim

Sargent 80 Series - Rim

Corbin Russwin 5000 Series - Rim (Narrow design and reversible exits are not compatible)

Yale 7000 - Rim **Dorma 9300** - Rim Precision 21 - Rim



C0-200 SERIES RIGHTS ON LOCK -CYLINDRICAL





CO-200-CY-70-PRK

CO-200-CY-70-PR



1-4. SELECT CHASSIS/FUNCTION

| Part No. | Description | Price (ea.) |
|--------------|---------------------|-------------|
| CO-200-CY-70 | Classroom/Storeroom | \$988.00 |
| CO-200-CY-50 | Office | 998.00 |
| CO-200-CY-40 | Privacy | 998.00 |

5. SELECT READER*

| Part No. | Description | Price (ea.) |
|----------|--------------------|-------------|
| PR | Proximity | \$151.00 |
| PRK | Proximity + Keypad | 211.00 |

^{*} Note: CO-Series readers are not interchangeable

6. SELECT LEVER

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (SPA) Sparta | n/c |
| (RHO) Rhodes | n/c |
| (ATH) Athens | n/c |
| (TLR) Tubular | n/c |

7. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 643e |
|--------|-----|----------|-----|-----|----------|-----|-----|-----|----------|-----|----------|
| Finish | | \$127.00 | | | \$127.00 | | | | \$127.00 | | \$127.00 |

8. SELECT CYLINDER TYPE

| Part No. | Description | Price (ea.) |
|----------|---|----------------|
| PD * † | 6 Pin Full Cylinder (Schlage) | n/c |
| LD | Less Full Cylinder (6 Pin: Schlage, Falcon) | Deduct \$58.00 |


^{*} Master Keyed cylinders can be specified and will be shipped in lock packaging

For additional assistance on Master Keying as well as restricted keyways please contact Customer Service



[†] For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$18.30 each

C0-200 SERIES RIGHTS ON LOCKS -CYLINDRICAL



Full Cylinder PD

9. SELECT KEYING TYPE

| Part No. | Description | Price (ea.) |
|----------|-------------------------------------|-------------|
| S123 | Everest 29 S (Key in Lever or FSIC) | STANDARD |
| C/E/F | Classic (C/E/F) | n/c |
| 10. SELE | CT HANDING (Field Reversible) | |
| Part No. | Description | Price (ea.) |
| RH | Right Handed - STANDARD | n/c |
| LH | Left Handed | n/c |
| RHR | Right Handed Reverse | n/c |
| LHR | Left Handed Reverse | n/c |
| 11. SELE | CT BATTERY | |
| Part No. | Description | Price (ea.) |
| 4B | 4AA Battery Kit | STANDARD |

| Part No. | Description | Price (ea.) |
|----------|-----------------|-------------|
| 4B | 4AA Battery Kit | STANDARD |

12. SELECT MORTISE LOCK ARMOR FRONT

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 13-049 | 2 3/4" Backset, Deadlatch, Square corner, 1 1/8" x 2 1/4" | STANDARD |
| 14-049 | 2 3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, | \$165.00 |
| | 1 1/8" x 2 1/4", 3/4" throw | |
| 14-051 | 2 3/8" Backset, Deadlatch Square corner, 1 1/8" x 2 1/4" | n/c |

13. SELECT STRIKE PLATE

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 10-025* | 1 3/16" Lip, ANSI, no box, 1 1/14" x 4 7/8" | STANDARD |
| 10-013 † | 1 1/8" Lip, Square Corner, T-strike, box, 1 1/8" - 2 3/4" | n/c |
| 10-016 | 1 1/8" Lip, Square Corner, T-strike, deap box, fire door latch | \$14.30 |
| K510-066 | Box for ANSI strike (Must be specific) | n/c |

^{* 1-3/8&}quot; Lip available, must specify 1-3/8" Lip \$13.20t

14. SELECT DOOR THICKNESS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 1 3/4" | 1 3/4" | STANDARD |
| 1 3/8" | 1 3/8" to 2 3/4", Shims included (Specify in 1/8" increments) | \$51.10 |





 $[\]dagger$ 1-1/2" Lip available, must specify 1-1/2" Lip \$7.30

C0-200 SERIES
RIGHTS ON LOCK MORTISE/
MORTISE
DEADBOLTS





CO-200-CY-70-PRK

CO-200-CY-70-PR



1-4. SELECT CHASSIS/MORTISE TYPE

| Part No. | Description | Price (ea.) |
|-----------|------------------|-------------|
| CO-200-MS | Mortis | \$1,164.00 |
| CO-200-MD | Mortise Deadbolt | 1,231.00 |

5. SELECT FUNCTION

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 70 | Classroom/Storeroom (not available on mortise deadbolt) | STANDARD |
| 50 | Office (not available on mortise deadbolt) | \$10.00 |
| 40 | Privacy | 10.00 |

^{*} Not available on mortise deadbolt

5. SELECT READER*

| Part No. | Description | Price (ea.) |
|----------|--------------------|-------------|
| PR | Proximity | \$151.00 |
| PRK | Proximity + Keypad | 211.00 |

^{*} Note: CO-Series readers are not interchangeable

6. SELECT LEVER

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (SPA) Sparta | n/c |
| (RHO) Rhodes | n/c |
| (ATH) Athens | n/c |
| (TLR) Tubular | n/c |

7. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 643e |
|--------|-----|----------|-----|-----|----------|-----|-----|-----|----------|-----|----------|
| Finish | - | \$127.00 | | • | \$127.00 | • | • | - | \$127.00 | - | \$127.00 |

8. SELECT CYLINDER TYPE


| Part No. | Description | Price (ea.) |
|----------|---|----------------|
| PD * † | 6 Pin Full Cylinder (Schlage) | n/c |
| LD | Less Full Cylinder (6 Pin: Schlage, Falcon) | Deduct \$58.00 |

^{*} Master Keyed cylinders can be specified and will be shipped in lock packaging

[†] For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$18.30 each For additional assistance on Master Keying as well as restricted keyways please contact Customer Service



C0-200 SERIES RIGHTS ON LOCK -MORTISE/ **MORTISE DEADBOLTS**



Full Cylinder PD LD

9. SELECT KEYING TYPE

| Part No. | Description | Price (ea.) |
|----------|-------------------------------------|-------------|
| S123 | Everest 29 S (Key in Lever or FSIC) | STANDARD |
| C/E/F | Classic (C/E/F) | n/c |

10. **SELECT HANDING** (Field Reversible)

| Part No. | Description | Price (ea.) |
|----------|--------------------------------|-------------|
| RH | Right Handed - STANDARD | n/c |
| LH | Left Handed | n/c |
| RHR | Right Handed Reverse | n/c |
| LHR | Left Handed Reverse | n/c |

11. SELECT BATTERY

| Part No. | Description | Price (ea.) |
|----------|-----------------|-------------|
| 4B | 4AA Battery Kit | STANDARD |

12. SELECT MORTISE LOCK ARMOR FRONT

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 09-663 | 1 1/4" Wide Square Corner, Latch for MS | STANDARD |
| 09-669 | 1 1/16" Wide Square Corner, Latch, options for MS | n/c |
| 09-666 | 1 1/4" Wide Square Corner, Latch x Deadbolt for MD | STANDARD |
| 09-672 | 1 1/16" Wide Square Corner, Latch x Deadbolt, Options for MD | n/c |

13. SELECT STRIKE PLATE

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 10-072 | 1 3/16" Lip, 1 1/4" x 4 7/8", Square Corner, box | STANDARD |
| 10-072xx | 7/8", 1", 1 1/2" Lip, 1 1/4" x 4 7/8", Square Corner, box | n/c |
| 10-072xx | 1 3/4" Lip, 1 1/4" x 4 7/8", Square Corner, box | \$28.50 |

^{*} For 1 3/4" thick doors, use wide armor front. For over 1 3/4" thick door extended equally (EE) use 1 1/4" wide armor front

14. SELECT DOOR THICKNESS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 1 3/4" | 1 3/4" | STANDARD |
| 1 3/8" | 1 3/8" to 2 3/4", Shims included (Specify in 1/8" increments) | \$53.70 |





[†] Extended lead time, consult customer service

C0-200 SERIES RIGHTS ON LOCK -EXIT TRIM





CO-200-993R-70-PRK

CO-200-993R-70-PR



1-3. SELECT CHASSIS/MORTISE TYPE

| Part No. | Description | Price (ea.) |
|-------------|-----------------------------------|-------------|
| CO-200-993R | Exit Rim/† Concealed Vertical Rod | \$1,309.00 |
| CO-200-993S | Exit Surface Vertical Rod | 1,328.00 |
| CO-200-993M | Exit Mortise Lock | 1,328.00 |

^{*} See page MF-31 for exit device compatibility. † Metal door only.

4. SELECT FUNCTION

| Part No. | Description | Price (ea.) |
|----------|---------------------|-------------|
| 70 | Classroom/Storeroom | STANDARD |

5. SELECT READER*

| Part No. | Description | Price (ea.) |
|----------|--------------------|-------------|
| PR | Proximity | \$151.00 |
| PRK | Proximity + Keypad | 211.00 |

 $^{^{\}star}$ Note: CO-Series readers are not interchangeable

6. SELECT LEVER

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (SPA) Sparta | n/c |
| (RHO) Rhodes | n/c |
| (ATH) Athens | n/c |
| (TLR) Tubular | n/c |

7. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 643e |
|--------|-----|----------|-----|-----|----------|-----|-----|-----|----------|-----|----------|
| Finish | • | \$127.00 | • | • | \$127.00 | • | | | \$127.00 | • | \$127.00 |

8. SELECT CYLINDER TYPE


| Part No. | Description | Price (ea.) |
|----------|---|----------------|
| PD * † | 6 Pin Full Cylinder (Schlage) | n/c |
| LD | Less Full Cylinder (6 Pin: Schlage, Falcon) | Deduct \$58.00 |

^{*} Master Keyed cylinders can be specified and will be shipped in lock packaging



[†] For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$18.30 each For additional assistance on Master Keying as well as restricted keyways please contact Customer Service

C0-200 SERIES RIGHTS ON LOCKS - EXIT TRIM



Full Cylinder

9. SELECT KEYING TYPE

| Part No. | Description | Price (ea.) |
|----------|-------------------------------------|-------------|
| S123 | Everest 29 S (Key in Lever or FSIC) | STANDARD |
| C/E/F | Classic (C/E/F) | n/c |

10. **SELECT HANDING** (Field Reversible)

| Part No. | Description | Price (ea.) |
|----------|--------------------------------|-------------|
| RH | Right Handed - STANDARD | n/c |
| LH | Left Handed | n/c |

11. SELECT BATTERY

| Part No. | Description | Price (ea.) |
|----------|-----------------|-------------|
| 4B | 4AA Battery Kit | STANDARD |

12-13. NO SELECTION REQUIRED

14. SELECT DOOR THICKNESS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 1 3/4" | 1 3/4" | STANDARD |
| 1 3/8" | 1 3/8" to 2 3/4", Shims included (Specify in 1/8" increments) | \$53.70 |

CO-SERIES EXIT TRIM

The CO-200 Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

Von Duprin 98/99

Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod, Mortise.

Von Duprin 22/22F - Rim, Surface Vertical Rod

Falcon 25 - Rim

Sargent 80 Series - Rim

Corbin Russwin 5000 Series - Rim (Narrow design and reversible exits are not compatible)

Yale 7000 - Rim **Dorma 9300** - Rim Precision 21 - Rim



C0-993DT NON-FUNCTIONING DUMMY TRIM FOR EXIT







1-3. SELECT CHASSIS/EXIT TRIM TYPE*

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| CO-993DT | Dummy Trim with Dummy Reader Cover and CO-100/200/250 Interior Escutcheon for Exit Rim/†Concealed Vertical Rod/†Concealed Vertical Cable/Surface Vertical Rod/Mortise Lock | \$654.00 |

^{*} See page MF-33 for exit device compatibility. † Metal door only.

4. SELECT LEVER

| Style/Description | Price (ea.) |
|-------------------|-------------|
| (SPA) Sparta | n/c |
| (RHO) Rhodes | n/c |
| (ATH) Athens | n/c |
| (TLR) Tubular | n/c |

5. SELECT FINISH STYLE

| | 505 | 605 | 609 | 613 | 619 | 620 | 621 | 622 | 625 | 626 | 643e |
|--------|-----|----------|-----|-----|----------|-----|-----|-----|----------|-----|----------|
| Finish | • | \$127.00 | | • | \$127.00 | • | | | \$127.00 | | \$127.00 |

6. SELECT CYLINDER TYPE

| Part No. | Description | Price (ea.) |
|----------|---|----------------|
| PD * † | 6 Pin Full Cylinder (Schlage) | n/c |
| LD | Less Full Cylinder (6 Pin: Schlage, Falcon) | Deduct \$58.00 |
| | | |


^{*} Master Keyed cylinders can be specified and will be shipped in lock packaging

For additional assistance on Master Keying as well as restricted keyways please contact Customer Service



[†] For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$18.30 each

C0-993DT **NON-FUNCTIONING DUMMY TRIM FOR EXIT**



Full Cylinder

7. SELECT KEYING TYPE

| Part No. | Description | Price (ea.) |
|----------|-------------------------------------|-------------|
| S123 | Everest 29 S (Key in Lever or FSIC) | STANDARD |
| C/E/F | Classic (C/E/F) | n/c |

8. SELECT HANDING (Field Reversible)

| Part No. | Description | Price (ea.) |
|----------|--------------------------------|-------------|
| RH | Right Handed - STANDARD | n/c |
| LH | Left Handed | n/c |

9. SELECT DOOR THICKNESS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| 1 3/4" | 1 3/4" | STANDARD |
| 1 3/8" | 1 7/8" to 2 3/4", Shims included (Specify in 1/8" increments) | \$53.70 |

CO-SERIES EXIT TRIM

The CO-200 Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

Von Duprin 98/99

Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod, Mortise.

Von Duprin 22/22F - Rim, Surface Vertical Rod

Falcon 25 - Rim

Sargent 80 Series - Rim

Corbin Russwin 5000 Series - Rim (Narrow design and reversible exits are not compatible)

Yale 7000 - Rim **Dorma 9300** - Rim Precision 21 - Rim



PROGRAMMING ACCESSORIES

| Part No. | Description | Price (ea.) |
|---------------------|--|-------------|
| HH-2PIN SERIAL | Serial Cable. Used to connect current model HHD (BM170) directly to legacy serial products without the need of a CIP. | \$131.00 |
| HHD KIT-USB | Handheld Device Kit. Includes Handheld Device pre-loaded with SUS Application and HHD-USB Cable. Used to initialize, manage and test AD and CO Series Devices. | 1178.00 |
| HH-USB | USB Replacement Cable. Used to connect Handheld Device to USB locks and accessories. | 53.30 |
| HH-Serial | Serial Cable. Used to connect previous model HHD (BM150) with CIP to program serial products. Not compatible to current HHD (BM170). | 117.00 |
| 56-035 (P101203) | CIP with iButton Reader. Used to program serial products using HH-SERIAL Serial Cable. | 319.00 |
| 56-036 (P394548) | Female to Female Serial Cable: Used to connect Computer Interface Module (P101203) to a laptop/PC | 59.20 |
| CRP2 | Proximity Credential Reader: Used to read proximity data for enrollment into Schlage Express™ Software database | 521.00 |
| 48-539 | iButton Reader with USB Adapter (Blue), Required for Vendor Access Software only Used to read and write data to 48-538 or IBF-130 Vendor Access iButtons | 115.53 |

MISCELLANEOUS HARDWARE*

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 46929121 | Door Position Switch Kit (Door Position Switch with Strike Mounted Magnet) | \$28.80 |
| 23631765 | Tamper Torx Screw for CO-Series, Cylindrical Locks | 36.50 |
| 23631781 | Tamper Torx Screw for CO-Series, Mortise Locks | 36.50 |
| 23631799 | Tamper Torx Screw for CO-Series, Exit Trim | 29.20 |

^{*} Must specify finish when ordering separate. Available in 626, 605, 606, 612, 619, 625, 643e

SHIM PLATES

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 23458599 | Exterior Shim Plate, Device is 0.063" thick | \$20.50 |
| 23599368 | CO Interior Shim Plate Kit, Device is 0.063" thick | 21.90 |

DECORATIVE PLATES**

| Part No. | Description | Price (ea.) |
|-----------|--|-------------|
| 23760267 | 1.7" x 3.5" x .075" Decorative Plate (with Screws) | 23.60 |
| 23760283 | 3.2" x 3.5" x .075" Decorative Plate (with Screws) | 36.50 |
| 23760317 | 6.0" x 3.5" x .075" Decorative Plate (with Screws) | 55.70 |
| 23760325 | 6.6" x 3.5" x .075" Decorative Plate (with Screws) | 55.70 |
| 23760309 | 8.0" x 3.5" x .075" Decorative Plate (with Screws) | 56.90 |
| 23760291 | 8.0" x 3.5" x .075" Decorative Plate (with Screws, Welded Standoffs) | 77.00 |
| 23760259* | 10.5" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock) | 73.90 |
| 23760275* | 12.0" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock) | 73.10 |
| 23631823 | 1.5" x 3.25" x .105" Decorative Plate (with Screws) - (Exit Trim) | 32.20 |

 $Decorative\ plates\ have\ multiple\ applications,\ consult\ CO-Series\ Retrofit\ Template\ Overlay\ Guide\ on\ www.schlage.com/support$

^{**} Available in 626 (Satin Chrome), 605 (Bright Brass), and 643e (Aged Bronze) Finishes






 $^{^{\}star}\,$ A single under the device is 0.075" thick, please consider overall door thickness when ordering

Note: Single plate price. Interior and exterior plates may be required. 626, 605, 643e

CT-5000 Offline Controllers



CT-5000 OFFLINE CONTROLLERS

The CT-5000 is an indoor, offline single opening controller. It is flexible and works with various card reader technologies. With the correct power supply, the CT-5000 controller works with various types of locking hardware, including electric strikes, electromagnetic locks, or EL panic devices. If networked functionality is required in the future, the CT-5000 can be upgraded to a WRI-400 by upgrading the firmware and adding one incremental piece of hardware. This provides greater adaptability in the field.

Front Door Application

The CT-5000 can be used for front door applications with an automatic operator, electric strike and card reader

Narrow Site Application

For narrow stile applications the CT-5000 can be used with an electric strike and card reader

Exit Device Application

The CT-5000 and a card reader along with the PS-914 x 900-2RS Power Supply can control two EL exit devices for double door applications

Note: PS-902 (not pictured) and PS-914 x 900-2RS are required with the CT-5000 Sold separately

CERTIFICATIONS

- UL 294
- Canada UL
- FCC Part 15
- · Canada RSS 210
- RoHS



CT-5000 Offline Controllers

FEATURES

- · Supports up to 5000 users and audits
- · Comes standard with 15 foot USB remote cable connector
- Programmed using Schlage Handheld Device (HHD) via USB connection
- · Power is hardwired
- Three form C relay outputs (for strike, auxiliary, and alarm)
- Supports Request to exit (remote release) and Door Position Switch input.
- Card functions supported: normal, toggle, freeze, pass through, construction, lock down, and all card plus PIN applications
- Multiple reader technologies and positions on both sides of the gate/ door
- Internal LED visual indicators (Including low battery and state of the relay)
- Compatible with SMS Express, Select, Premier or Enterprise

CREDENTIAL COMPATIBILITY

- Compatible with Schlage, Xceed ID™, AWID®, HID®, GE/CASI ProxLite®
- 125 kHz Proximity cards: 26a, 34x, 35x, 37x bit formats (reader dependent)

CT-5000 OFFLINE CONTROLLERS

| Part No. | Description | Price (ea.) |
|-------------|--|-------------|
| CT-5000 | Offline Controller (15 ft. USB cable - STANDARD) | \$957.00 |
| PS-902 | 2 amp Power Supply (Required) | 249.00 |
| HHD KIT-USB | Schlage Handheld Programming Device (Required) | 1178.00 |
| 23745565 | 125 ft. USB cable for CT-5000 (Optional) | 130.00 |



Multi-family

Network Readers Access Management Systems



PR10



SM10



MT11



MT15



MTK15

aptiQ™ NETWORKED READERS

• 125 kHz Proximity and 13.56 MHz Contactless Smart Card technology in one reader

- Meets both ISO 14443
- Reads ISO 1443 A/B and 15693 credentials
- FIPS compliant
- Compatible with Schlage proximity, XceedID proximity, GE/Casi ProxLite®, HID® Proximity, AWID® Proximity, Lenel Prox®
- Compatible with most 13.56 MHz credentials, including aptiQ Smart and Multi-technology readers
- Tri-state LED (red, green, amber) and audible status alert
- Wiegand interface
- Standard color is black. Gray, brown and cream colors are available, longer lead times may apply.

aptiQ™ NETWORKED READERS

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| PR10 | Proximity Reader Mini-Mullion Mount, 4.26" x 1.72" x 0.81". Power required: 5-16 VDC | \$159.00 |
| SM10 | Smart Reader Mini-Mullion Mount, 4.26" x 1.72" x 0.81". Power required: 5-16 VDC | 159.00 |
| MT11 | Multi-Technology Reader – Mullion Mount, 5.91" x 1.72" x 0.81". Power required: 5-16 VDC | 327.00 |
| MT15 | Multi-Technology Reader – Wall Mount, 5.1" x 3.25" x 0.76". Power required: 5-16 VDC | 327.00 |
| MTK15 | Multi-Technology Reader – Wall Mount with Keypad, 5.1" x 3.25" x 0.76". Power required: 5-16 VDC | 523.00 |

NEW PRODUCT CONVERSION CHART

| I Decided | | Name and Constant | |
|----------------------------|--|----------------------------------|--|
| Legacy Product Part No. | Description | New aptiQ Product aptiQ Part No. | Description |
| (S)FXF#1050 | Prox Mini-Mullion | PR10 | Proximity Mini-Mullion |
| (S)FXF#1060MF | Smart Mini-Mullion | SM10 | Smart Mini-Mullion |
| (S)FXF#1100 | Multi-technology Mullion | MT11 | Multi-technology Mullion |
| (S)FXF#1200 | Smart Mullion | MT11 | Multi-technology Mullion |
| (S) FXF#1500 | Multi-technology Single Gang | MT15 | Multi-technology Single Gang |
| (S)FXF#1550 | Proximity Single Gang | MT15 | Multi-technology Single Gang |
| (S)FXF#1560 | Smart Single Gang | MT15 | Multi-technology Single Gang |
| (S)FXF#2100 | Multi-technology Mid-Range | MT15 | Multi-technology Single Gang |
| (S)FXF#2200 | Smart Mid-Range | MT15 | Multi-technology Single Gang |
| (S)FXF#2110 | Multi-technology Mid-Range with Keypad | MTK15 | Multi-technology Single Gang with Keypad |
| (S)FXF#2110P-K | Smart Mid-Range with Keypad | MTK15 | Multi-technology Single Gang with Keypad |
| (S)FXF#2210 | Proximity Mid-Range with Keypad | MTK15 | Multi-technology Single Gang with Keypad |

iBUTTON READERS

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| SRT-100 | iButton Mullion Mount Reader | \$849.00 |
| | The SRT100 iButton Mullion-Mount Reader provides solid construction with a 1/4" thick brushed | |
| | anodized aluminum face plate and stainless steel read head. Bi-color LED and Sonalert provide users | |
| | with both visual and audible indicators. 26 bit Wiegand output. | |
| | | • |





Network Readers Access Management Systems

ACCESS MANAGEMENT SOFTWARE SYSTEMS

separately). Compatible only with 500 user BE367 deadbolts or FE210 interconnects.

Schlage delivers powerful software solutions to managing access points in multi-family properties that meet your current access control requirements and expand to meet your growing business needs, all while satisfying your budget.

| SCHLAGE EXPRESS™ SOFTWARE | Price (ea.) |
|---|-------------|
| 56-063 (SXPR-SFT-1) Express Offline Lock Software (Includes one client license. Supports offline locks) | \$410.00 |

Recommended for offline locks of fewer than 1000 users and/or 100 access points. Reporting of last 1000 events capability will retrieve audit trails Must be installed on a computer that meets the minimum requirements (refer to software datasheet)

| | Price (ea.) |
|---|-------------|
| M204-215 Vendor Access Management Software, see a Schlage Authorized Dealer/Distributor for download instructions. | n/c |
| Schlage Express™ Software version 4.4.3 or higher required. Requires 48-539 iButton reader and either 48-538 or IBF-130 credent | tials (sold |

| ACCESS MANAGEMENT ACCESSORIES | Price (ea.) |
|--|-------------|
| HH-2PIN SERIAL Serial Cable. Used to connect current model HHD (BM170) directly to legacy serial products without the need of a CIP | \$131.00 |
| HHD KIT-USB Handheld Device Kit. Includes Handheld Device pre-loaded with SUS Application and HHD-USB Cable. Used to initialize, manage and test AD and CO Series Devices. | 1178.00 |
| HHD-USB USB Replacement Cable. Used to connect Handheld Device to USB locks and accessories. | 53.30 |
| HH-Serial Serial Cable. Used to connect previous model HHD (BM150) with CIP to program serial products. | 117.00 |
| 56-035 (P101203) CIP with iButton Reader. Used to program serial products using HH-SERIAL Serial Cable. | 319.00 |
| 56-036 (P394548) Female to Female Serial Cable Used to connect Computer Interface Module (P101203) to a laptop/PC | 59.20 |
| 48-539 iButton Reader with USB Adapter (Blue), Required for Vendor Access Software only Used to read and write data to 48-538 or IBF-130 Vendor Access iButtons | 115.43 |
| CRP2 Proximity Credential Reader Used to read proximity data for enrollment into Schlage Express™ Software database | 521.00 |
| MT20W Credential Enrollment Reader Used to read and write to smart credentials within the ENGAGE™ Technology access control platform (For use with Schlage Control™ Smart Locks) | 547.00 |





Multi-family


Power Supplies & Accessories

TABLE OF CONTENTS

PS902 Power Supplies and Option Boards ...MF-45 PS904 Power Supplies and Option Boards ... MF-46 PS906 Power Supplies and Option Boards ... MF-47



Power Supplies & Accessories



PS-902

PS902 POWER SUPPLIES (2A @ 12/24 VDC - field selectable)

- UL 294 Listed for Access Control
- · Class 2 rated power limited output
- · Universal 110-220 VAC input
- · Regulated and filtered DC outputs
- AC input and DC output LED indications
- 1 connector for optional distribution boards
- · AC input status indication on outside cover
- AC status monitor
- 12" H x 14" W x 4" D enclosure

1. SELECT POWER SUPPLY

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| PS902* | Base Power Supply (2A @ 12/24 VDC- field selectable) (approx weight: 9 lbs)-PS902 is able to accept a total of 1 optional distribution boards and 1 900-FA board | \$249.00 |

^{*} BAA "Buy American Act" compliant power supply option Will be labeled as "assembled in the USA with US and foreign materials"

2. SELECT OPTIONAL DISTRIBUTION BOARD WITH OR WITHOUT FA (Fire Alarm Relay)

| Part No. | Description | Price (ea.) |
|-----------|---|-------------|
| 900-4R | 4 independently controlled relays | \$166.00 |
| 900-4R FA | 4 independently controlled relays with FA | 226.00 |
| | | · |
| 900-BBK | Battery Backup Kit (includes two 7A/hr batteries) | 238.00 |
| 900-BB | Battery Backup Board only | 119.00 |
| 900-BAT | Backup Battery Pack Two (2) 7A/hr batteries | 119.00 |


3. SELECT OTHER POWER SUPPLY OPTIONS

| Part No. | Description | Price (ea.) |
|----------|--|-------------|
| 900-FA | Fire Alarm Relay (EIR) module is a plug-in relay to provide an interface with fire or other emergency override systems *may be installed directly on power supply, or may be used with optional distribution board | \$60.00 |
| 900-KL | Key Lock | \$37.90 |

NOTE: PS902 power supplies require connection to AC line voltage Installation and all electrical connections (high and low voltage) should be performed by a qualified electrical contractor







PS-904

PS904 POWER SUPPLIES (4A @ 12/24 VDC - field selectable)

- UL 294 Listed for Access Control
- Class 2 rated power limited output
- Universal 110-220 VAC input
- Regulated and filtered DC outputs
- AC input and DC output LED indications
- 2 connectors for optional distribution boards
- · AC input status indication on outside cover
- AC status monitor
- 12" H x 14" W x 4" D enclosure

1. SELECT POWER SUPPLY

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| PS904* | Base Power Supply (4A @ 12/24 VDC- field selectable) | \$474.00 |
| | PS904 is able to accept a total of 2 optional distribution boards | |

^{*} BAA "Buy American Act" compliant power supply option Will be labeled as "assembled in the USA with US and foreign materials"

2. SELECT OPTIONAL DISTRIBUTION BOARD WITH OR WITHOUT FA (Fire Alarm Relay)

| Part No. | Description | Price (ea.) |
|-----------|---|-------------|
| 900-4R | 4 independently controlled relays | \$166.00 |
| 900-4R FA | 4 independently controlled relays with FA | 266.00 |
| | | · |
| 900-BBK | Battery Backup Kit (includes two 7A/hr batteries) | 238.00 |
| 900-BB | Battery Backup Board only | 119.00 |
| 900-BAT | Backup Battery Pack Two (2) 7A/hr batteries | 119.00 |


3. SELECT OTHER POWER SUPPLY OPTIONS

| Part No. | Description | Price (ea.) |
|----------|-------------|-------------|
| 900-KL | Key Lock | \$37.90 |

NOTE: PS904 power supplies require connection to AC line voltage $\,$ Installation and all electrical connections (high and low voltage) should be performed by a qualified electrical contractor



Power Supplies & Accessories



PS-904

PS906 POWER SUPPLIES (6A @ 12/24 VDC - field selectable)

- UL 294 Listed for Access Control
- · Universal 110-220 VAC input
- · Regulated and filtered DC outputs
- · AC input and DC output LED indications
- 3 connectors for optional distribution boards
- · AC input status indication on outside cover
- AC status monitor
- 12" H x 14" W x 4" D enclosure

1. SELECT POWER SUPPLY

| Part No. | Description | Price (ea.) |
|----------|---|-------------|
| PS906* | Base Power Supply (6A @ 12/24 VDC- field selectable) (approx weight: 7 lbs)-PS906 is able to accept a total of 3 optional distribution boards | \$735.00 |

^{*} BAA "Buy American Act" compliant power supply option Will be labeled as "assembled in the USA with US and foreign materials"

2. SELECT OPTIONAL DISTRIBUTION BOARD WITH OR WITHOUT FA (Fire Alarm Relay)

| Part No. | Description | Price (ea.) | |
|---|---|-------------|--|
| 900-4R | 4 independently controlled relays | \$166.00 | |
| 900-4R FA 4 independently controlled relays with FA | | 226.00 | |
| 900-BBK | Battery Backup Kit (includes two 7A/hr batteries) *Can not be used if 3rd distribution board is installed | 238.00 | |
| 900-BB | Battery Backup Board only | 119.00 | |
| 900-BAT | Backup Battery Pack Two (2) 7A/hr batteries | 119.00 | |

3. SELECT OTHER POWER SUPPLY OPTIONS

| Part No. | Description | Price (ea.) |
|----------|-------------|-------------|
| 900-KL | Key Lock | \$37.90 |

NOTE: PS906 power supplies require connection to AC line voltage Installation and all electrical connections (high and low voltage) should be performed by a qualified electrical contractor





PRODUCT WARRANTIES

Lifetime Limited Mechanical & Finish Warranty and 1-Year Limited Electronics Warranty. Subject to the terms and conditions of this warranty, Schlage extends a lifetime limited mechanical and finish warranty and a one-year limited electronics warranty to the original consumer user ("Original User") of our Schlage brand product ("Products") against defects in material and workmanship as long as the Original User occupies the residential premises upon which the Product was originally installed.

What Schlage Will Do

Upon return of the defective Product to Schlage, Schlage's sole obligation, at its option, is to either repair or replace the Product or refund the original purchase price in exchange for the Product.

Original User

This warranty only applies to the Original User of Products. This warranty is not transferable.

What is Not Covered

The following costs, expenses and damages are not covered by the provision of this limited warranty: (i) labor costs including, but not limited to, such costs for the removal and reinstallation of Products; (ii) shipping and freight expenses required to return Products to Schlage; and (iii) any other incidental, consequential, indirect, special and/or punitive damages, whether based on contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. Some local laws do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

The provisions of this Warranty do not apply to Products:

(i) used in commercial applications; (ii) used in common area applications; (iii) used for purposes for which they are not designed or intended; (iv) which have been subjected to alteration, abuse, misuse, negligence or accident; (v) which have been improperly stored, installed, maintained or operated; (vi) which have been used in violation of written instructions provided by Schlage; (vii) which have been subjected to improper temperature, humidity, or other environmental conditions; or (viii) which, based on Schlage's examination, do not disclose to Schlage's satisfaction non-conformance to this warranty. Additionally, this warranty DOES NOT COVER scratches, abrasions, or deterioration due the use of paints, solvents or other chemicals.

Exclusions

Oil Rubbed Bronze finish (613) is designed to improve over time and change in appearance, creating a living finish through daily use and, thus, finish discoloration is not applicable to the above warranty.

Additional Terms

Schlage does not authorize any person to create for it any obligation or liability in connection with the Products. Schlage's maximum liability hereunder is limited to the purchase price of the Product. No action arising out of any claimed breach of this warranty by Schlage may be brought by the Original User more than one (1) year after the cause of action has arisen.

How Local Law Applies

This warranty gives you specific legal rights, and you may also have other rights as otherwise permitted by law. If this Product is considered a consumer product, please be advised that some local laws do not allow limitations on incidental or consequential damages or how long an implied warranty lasts, so that the above limitations may not fully apply. Refer to your local laws for your specific rights under this warranty.



MF-49

Product Warranties

To make a warranty claim, contact Schlage Customer Service:

U.S

Schlage Customer Commitment Center 2119 East Kansas City Road Olathe, KS 66061 (800) 847-1864 Option 3 (Multi-Family) (888) 805-9837 Consumer (800) 366-5625 (Fax)

Canada

Allegion 1076 Lakeshore Road East Mississauga, Ontario L5E 1E4 (800) 900-4734 (800) 239-4734 (Fax)

Mexico & outside of the U.S.*

Allegion, S.A. de C.V. Blvd., Centro Industrial No. 11 Col. Industrial Puente de Vigas, Tlalnepantla Edo. De Mexico C.P. 54070 Telefono: 018005067866

Claims must be made only to the Customer Service Organization in the country of purchase

For warranty issues, you will be asked for some preliminary claim information

Once your claim has been verified, the item will be repaired, replaced, or refunded at the original purchase price

If your purchase is not registered, you will need the following documents to file a warranty claim:

- Itemized store receipt
- Original product UPC code
- Item model number

All claims must be fully substantiated



^{*} For customers outside of the U.S. and Canada, claims under this Warranty must be made only to either the place of purchase or the listed importer

Multi-family

Notes





About Allegion

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with well-known brands like CISA*, Interflex*, LCN*, Schlage* and Von Duprin*. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2 billion company, with products in more than 120 countries around the world.

For more, visit www.allegion.com