# \*\*\*\*\*\*\* INFORMATION FOR CERTIFICATION (1) \*\*\*\*\*\*\*\*

#### APPLICANT:

: Sharp Corporation, Reliability Control Group Name

Address 22-22 Nagaike-Cho, Abeno-Ku

Osaka 545-8522, Japan

Grantee Code: : APY

Applicant Rep. : S. Miyasaka

### **CONTACT PERSON:**

Name : Sharp Electronics Corporation

: Sharp Plaza, Mahwah, New Jersey 07430 Address Applicant Rep.
Telephone No. : Steve Petruska, Product Safety Dept.

: 201-529-9299

#### MEASUREMENT SITE:

Name : Sharp Corporation, Kitchen Appliance Systems Div.

**EMI Anechoic Chamber** 

Address : 3-1-72 Kitakamei-cho, Yao

Osaka 581-8585, Japan

#### MANUFACTURER:

: Sharp Appliances (Thailand) Ltd. Name

Address : 64 Moo 5, Tambol Bangsamuk Amphur Bangpakong

Chachoengsao Province, Thailand

FCC IDENTIFICATION : <u>APYDMR0134</u>

### **EQUIPMENT**

Model Name : Microwave Oven Model R-360E# and R-370E#

(#: Suffix letter denoting cosmetic color is provided.)

Brand : Sharp Electronics Corp. Importer : Sharp Electronics Corp.

## \*\*\*\*\*\*\* INFORMATION FOR CERTIFICATION (2) \*\*\*\*\*\*\*\*

(1) Type(s) of emission: Not Applicable

(2) Frequency range: 2450 MHz

(3) Range of operating power and description of means provided for variation of operating power:

RF output power 1000 W (Average power output is controlled by ON/OFF switching cycles.)

(4) Max. power rating as described in the applicable rules:

1000 W

(5) The voltage and current to magnetron:

Magnetron Cat. No. 2M253H(L) : 3.44 kV peak, 332 mA (rms)

(6) Function of each electro tube, semiconductor or other active circuit device:

Fixed Magnetron, Type 2M253H(L) as power generator

(7) Complete circuit diagram: Attached

(8) Instruction book: Attached

(9) Tune up procedure over the power range or at specific operating power levels: Not adjustable

(10) A description of all circuitry and devices provided for determining and stabilizing frequency:

Fixed by magnetron and oven design

(11) A description of any circuit or devices employed for suppression of spurious radiation, for limiting modulation, and for limiting the operating power:

Suppression obtained by shielding design

(12) Identification plate or label: <u>Illustration attached</u>
Location of identification plate or label: <u>Photo. Attached</u>

# \*\*\*\*\*\*\*\*\*\*\* INFORMATION FOR CERTIFICATION (3) \*\*\*\*\*\*\*\*\*

## DESCRIPTION OF THE MICROWAVE OVEN

Unit Body Dimensions : 428 mm wide, 339 mm high, 476 mm deep

(include feet)

Door Dimensions : 428 mm wide, 299 mm high

(Viewing Area: 286 mm wide, 100 mm high)

Oven Cavity Dimensions : <u>371 mm wide, 207 mm high, 419 mm deep</u>

(without tray)

Feed Type and Location : <u>Supplied by waveguide located side of oven</u>

Door Seal Type : <u>Choke and Capacitive Seals</u>

Magnetron Type : <u>2M253H(L), mfd by Toshiba</u>