Overseas Use

Outline of international roaming (WORLD WING)

International roaming (WORLD WING) is a service that enables you, using overseas telecommunications carrier's networks, to make calls and use i-mode.

Use this FOMA terminal for voice/Videophone calls, i-mode and SMS with the phone number and mail address used in Japan. Network services such as Voice Mail and Call Forwarding Services can also be used.

- This service is available in the 3G network service area. The FOMA terminal cannot be used in the GSM/GPRS network service area. Refer to the DOCOMO "International Services website" for details on the area.
- By default, the FOMA terminal is set to automatically switch networks (\$\mathbb{T}\$P. 393).
- Refer to the following user's guides before using the FOMA terminal overseas.
 - "Mobile Phone User's Guide [International Services]"
 - "Mobile Phone User's Guide [Network Services]"

Country codes of major countries

The following shows "Country code" used when making international calls (電子, 56) or setting International dial assist (電子, 56).

 For other country codes and details, refer to the DOCOMO "International Services website".

Country/Region	Code	Country/Region	Code
Australia	61	Maldives	960
Austria	43	Netherlands	31
Belgium	32	New Caledonia	687
Brazil	55	New Zealand	64
Canada	1	Norway	47
China	86	Peru	51
Czech	420	Philippines	63
Egypt	20	Russia	7
Fiji	679	Singapore	65
Finland	358	South Korea	82
France	33	Spain	34
Germany	49	Sweden	46
Greece	30	Switzerland	41
Hong Kong	852	Tahiti	689
Hungary	36	(French Polynesia)	
India	91	Taiwan	886
Indonesia	62	Thailand	66
Italy	39	Turkey	90
Japan	81	U.K.	44
Macau	853	U.S.A.	1
Malaysia	60	Vietnam	84

Available services overseas

The available communication services overseas are as follows.

Communication service	Explanation
Voice call	Make or receive calls in your country of stay or make international calls to Japan or to other countries with the same phone number as used in Japan while abroad.
Videophone	Make international Videophone calls to users of the specified 3G telecommunications carriers overseas and FOMA users in Japan.
i-mode mail	Send or receive i-mode mail overseas with the same address as used in Japan.
i-mode	Use i-mode overseas.
i-Channel	Use i-Channel overseas.
SMS	Send or receive SMS overseas with the same phone number as used in Japan.
Data communication (packet transmission)	Use packet transmission overseas.

- Some communication services are not available depending on the overseas telecommunications carrier. Refer to the DOCOMO "International Services website" for details.
- Packet transmission charges are separately incurred for the transmission included in monthly usage fees of i-Channel (MPP. 172) overseas.
- Unable to use 64K data communication by connecting a PC, etc. overseas.
- 日英版しゃべって翻訳 for SH (J-E Speech Translation for SH) is available overseas (愛ア. 253).

- GPS function is not available overseas. An error screen appears and packet transmission charges are incurred when the site of GPS Service settings is accessed overseas.
- Overseas packet transmission charges differ from those in Japan.
- When the 2in1 is used, calling from Number B is not available overseas.
- When Multi Number is used, calling from Additional Number is not available overseas.

Before use overseas

The following items must be checked before departure, at your country of stay, and after homecoming.

Preparation before departure

Prepare below in Japan before using the FOMA terminal overseas.

■ About contract

- If subscribed to the FOMA service after September 1, 2005, a subscription for "WORLD WING" is not required. However, if a subscription for "WORLD WING" is canceled at or after a subscription for the FOMA service, a subscription for "WORLD WING" is required again.
- If subscribed to the FOMA service before August 31, 2005 but not subscribed to "WORLD WING", a subscription for "WORLD WING" is required. Some payment plans are not available.
- Insert the WORLD WING compatible FOMA card (other than blue) to the FOMA terminal (IPP P. 35).

About charging batteries

- Precautions for handling the AC adapter @P. 16
- Methods for charging the AC adapter P. 39

■ About browsing i-mode sites

To browse i-mode site overseas, the settings for overseas use must be made from iMenu in advance.

i-mode site: Select [iMenu] ▶ [English] ▶ [Options] ▶ [International Settings] ▶ [i-mode services Settings].

 Refer to "Mobile Phone User's Guide [International Services]" and "Mobile Phone User's Guide [i-mode] FOMA version" for details.

About setting network service

If subscribed to network services, Voice Mail Service, Call Forwarding Service or other services can be used overseas.

- Some network services may not be set or checked depending on overseas telecommunications carrier. In addition, some network services are available only in Japan. Refer to "Mobile Phone User's Guide [International Services]" and "Mobile Phone User's Guide [Network Services]" before departure.
- To use network services overseas, set Remote control (27 P. 380, P. 395) to "Activate".

About inquiries overseas

For lost, stolen, and cost settlement, or malfunction of the FOMA terminal overseas, refer to "Loss or theft of FOMA terminal or payment of cumulative cost overseas" or "Failures encountered overseas" on the back of this manual. Note that any call or transmission charges incurred after the FOMA terminal is lost or stolen are charged to the subscriber.

- Add the "International call access code (Table 1)" or "International prefix number for the universal number (Table 2)" that is assigned to your country of stay, to the head of your phone number for inquiries.
- For the latest information of the international call access code and the international prefix number for the universal number, refer to the DOCOMO "International Services website".

International call access codes of major countries (Table 1)

The following shows the International call access codes of major countries.

• Communication charges to Japan will apply.

Country/Region	Code	Country/Region	Code
Australia	0011	Monaco	00
Belgium	00	Netherlands	00
Brazil	0021/	New Zealand	00
	0014	Norway	00
Canada	011	Philippines	00
China	00	Poland	00
Czech	00	Portugal	00
Denmark	00	Russia	810
Finland	00	Singapore	001
France	00	South Korea	001
Germany	00	Spain	00
Greece	00	Sweden	00
Hong Kong	001	Switzerland	00
Hungary	00	Taiwan	002
India	00	Thailand	001
Indonesia	001	Turkey	00
Ireland	00	U.A.E.	00
Italy	00	U.K.	00
Luxemburg	00	U.S.A.	011
Macau	00	Vietnam	00
Malaysia	00		

International prefix number for the universal number (Table 2)

The following shows the International prefix number for the universal number of each country.

- Communication charges or other charges to your country of stay will apply.
- Communication charges to your country of stay will apply when calling from the mobile phone.

Country/Region	Code	Country/Region	Code
Argentina	00	Luxemburg	00
Australia	0011	Malaysia	00
Austria	00	Netherlands	00
Belgium	00	New Zealand	00
Brazil	0021	Norway	00
Bulgaria	00	Peru	00
Canada	011	Philippines	00
China	00	Portugal	00
Columbia	009	Singapore	001
Denmark	00	South Africa	09
Finland	990	South Korea	001
France	00	Spain	00
Germany	00	Sweden	00
Hong Kong	001	Switzerland	00
Hungary	00	Taiwan	00
Ireland	00	Thailand	001
Israel	014	U.K.	00
Italy	00	U.S.A.	011

- Some codes may not be used.
- Note that the universal number may not be used for calls from a mobile phone, payphone or hotel.
- The universal number can be used only for countries listed above.

 Calling from a hotel may cost you extra call charges requested by the hotel (You are responsible for the call charges). Confirm with the hotel before making calls.

Using at your country of stay

The service is available in the 3G network service area.

The FOMA terminal is set to automatically search for the network when the power is turned on, and to be connected to the available telecommunications carrier in your country of stay.

- If the connected telecommunications carrier is changed when Auto time correction (EPP. 44) is set to [ON], a screen notifying that time difference is adjusted may appear.
- When Operator name display (TP P. 394) is set to [Display on], the telecommunications carrier connected appears in stand-by.
- When Clock display (@P. 91) is set to [ON(Large)], the local time and Japan time appear (excluding regions keeping the same standard time as Japan time). The local time appears in the sub display.
- Talk time or stand-by time may be reduced to half the normal time depending on the network condition of your country of stay.

Setting after homecoming

By default, the FOMA terminal is set to automatically search for the network and to be connected to the FOMA network when the power is turned on after homecoming.

 If the Network search mode is set to [Manual], switch to the FOMA network (DOCOMO) manually or change to [Auto].

Making a call at your country of stay

Make a call from overseas using the international roaming service.

Making a call outside your country of stay (including Japan)

Make a call from your country of stay to Japan or other countries.

- In stand-by, enter [+] (press ① for 1+ seconds), country code, area code (city code) and other party's phone number.
 - When the area code (city code) begins with 0, omit the 0 when dialing (However, include 0 when making a call to landline phones in some countries or regions such as Italy).
- Press (Phone)/((V.phone).
- Making an international call outside your country of stay using Country code conversion

Set Country code conversion (@P. 56) to [ON] and set the country code frequently called to easily make an international call.

• 0 at the beginning of a phone number is automatically converted to the country code set in Country code conversion.

Example: Make a call from phonebook

- R Select [Call].
 - To dial a phone number as stored in the phonebook: Select [Original number].

Making a call to the phone in country saved in Set country code

Save a country code using Set country code (PP. 57) to select a country code before making an international call.

- The following operation is available overseas only.
- In stand-by, enter a phone number ▶ ⑩ ▶ [Add prefix setting] ▶ [International Call].
- Select the country code ▶ .

Making a call in your country of stay

Make a domestic call at your country of stay in the same way as you do in Japan.

- 1 In stand-by, enter a phone number.
- Press (Phone)/ (V.phone).
 - Always dial the area code (city code), even when the number is in the same area.
 - When making a domestic call at your country of stay using the phonebook, select [Original number] in step 3 of "Making an international call outside your country of stay using Country code conversion" on P. 392.
- Refer to the DOCOMO "International Services website" for details on available countries, country codes and telecommunications carriers.
- Even when Notify caller ID setting of the network service (愛P. 45) is set to "Send ID", [Unavailable] or [User unset] appears depending on the telecommunications carrier, and the caller ID may not be displayed correctly.

Making a call to a WORLD WING subscriber overseas

When making a call to a "WORLD WING" subscriber overseas, make an international call to Japan regardless of your country of stay.

- In stand-by, enter [+] (press ① for 1+ seconds), country code 81 (Japan) and the other party's mobile phone number excluding 0.

Receiving a call overseas

Receive a call overseas in the same way as you do in Japan.

- 1 Press to receive an incoming call.
 - · Speak to the caller.
- Even when a caller tried to notify of caller ID, it might not be notified depending on the used telecommunications carrier.
- When a call is received during international roaming, the call is forwarded from Japan. Call charges to Japan are incurred by the caller and receiving charges by the receiver.

Having calls to your FOMA terminal

Having calls made to your FOMA terminal from Japan

To receive an international call from Japan, have your phone number dialed just as a domestic call in Japan.

090 (or 080)-XXXX-XXXX

 Calling from Received calls may not be available since the phone number may not be displayed correctly.

Having calls made to your FOMA terminal from countries other than Japan

Have the international call access code and **81** (Japan) added to the beginning of your phone number, and **0** excluded as an international call to Japan regardless of your country of stay.

International call access code of the country of the caller-81-90 (or 80)-XXXX-XXXX

Network search mode

Setting a search method of telecommunications carrier

- Set to manually select a telecommunications carrier.
- Re-search a network to set another telecommunications carrier.
- Check that the Network search mode is set to [Auto] when spears even after homecoming.
- In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [International Roam.] ▶ [Network search mode].
- Select the setting.
 - Select [Auto] > [Yes].
 - · When [Auto] is already set: Select [Auto].
 - ◆ Select [Manual] ▶ select a telecommunications carrier ▶ ⊙.
 - · The telecommunications carrier is changed.
 - ◆ Select [Network re-search].
 - The host network is changed automatically if the Network search mode is set to [Auto]. If set to [Manual], select a telecommunications carrier and press .

Checking available communication services <n-area status>

Check the status whether making a call, data transmission or packet transmission is available.

In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [In-area status] ▶ [Agree].

PLMN setting

Setting a telecommunications carrier to preferentially connect to

Specify the priority order of telecommunications carriers connected to when the Network search mode is set to [Auto]. Save up to 20.

- ¶ In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [International Roam.] ▶ [Network search mode] ▶ [PLMN setting].
 - To check the saved telecommunications carrier's detailed information: Select the telecommunications carrier ▶ ●.
- 2 Select the number of the priority order ▶ .
- Select the saving method.
 - Select [PLMN manual select] ▶ enter a country code (MCC) ▶ ● ▶ enter a network code (MNC) ▶ ●.
 - Select [UPLMN by list] ▶ select a telecommunications carrier ▶ ●.
 - To search a telecommunications carrier from country name:
 Select [UPLMN by list] ▶ ⑥ ▶ select a country name ▶ ▶
 select a telecommunications carrier ▶ ⑥.
 - ◆ Select [Set VPLMN to PLMN].

- · Save the telecommunications carrier currently connected to.
- ◆ Select [Change priority] ▶ select a destination ▶ ⊙.
- ◆ Select [Delete] ▶ [Delete one].
- Select [Delete] ▶ [Delete all] ▶ enter the terminal security code ▶ ⑥.
- Select [Yes].

Operator name disp

Displaying a telecommunications carrier during roaming

Set whether to display a telecommunications carrier name currently connected to in stand-by during international roaming.

- In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [International Roam.] ▶ [Operator name disp].
- 2 Select the setting ▶ [Yes].
- When displaying a telecommunications carrier

Telecommunications - carrier name



Roaming guidance

Activating roaming guidance

When a call is received during international roaming, the caller hears the guidance indicating that international roaming is activated.

• Make this setting while still in Japan.

- ¶ In the Custom menu, select [Settings] ▶ [Other NW Services] ▶ [Roaming guidance].
- Select an item •.
- 3 Select [Yes].

Call barring

Setting incoming call to reject during roaming

Set incoming call to reject during roaming. Select whether to bar all incoming calls or only the Videophone and 64K data communication calls.

- Depending on the overseas telecommunications carrier, the setting cannot be made.
- Unable to use 64K data communication overseas.
- In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [International Roam.] ▶ [Call barring].
- Select an item.
 - Select [Activate] ▶ [Yes] ▶ select the barring method ▶ ▶ enter the network security code ▶ ●.
 - Select [Deactivate] ▶ [Yes] ▶ enter the network security code ▶ ●.
 - Select [Status request].

Int'l services

Using network services during roaming

Use network services such as Voice Mail and Call Forwarding from overseas.

- Voice Mail and Call Forwarding subscription are required to use Voice Mail (Int.) and Call Forward (Int.).
- To use network services overseas, set Remote control (PPP. 380) to "Activate" in advance.
- If operated from overseas, international call charges for your country of stay are incurred.
- In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [International Roam.].
- Select an item.
 - Select [Voice Mail(Int.)] ▶ select an item of Voice Mail Service ▶ ●.
 - Select [Call Forward (Int.)] ▶ select an item of Call Forwarding Service ▶ ⊙.
 - Select [Remote access(Int.)].
 - ◆ Select [Caller ID req (Int.)].
 - ♦ Select [Roam. guidance(Int.)].
- Select [Yes] > operate according to the voice guidance.

Introduction of options and related devices

Combine the FOMA terminal with various optional accessories (sold separately) for expanded personal and business use.

Some products may not be available in certain areas. Contact a docomo Shop or retailer for details. Refer to the user's guide of each product for more details.

use*1

Cable 01

Carry Case S 01

receiver 01*3

Adapter 01

(Stand Type)*5

Function 01*4/02*4

FOMA AC Adapter 01 for Global

FOMA Indoor Booster Antenna*5

• FOMA Dry Battery Adapter 01

Bone conduction microphone/

FOMA USB Cable with Charge

FOMA DC Adapter 01/02

In-Car Hands-Free Kit 01*6

- FOMA AC Adapter 01*1/02*1
- Battery Pack SH21
- Back Cover SH27
- Desktop Holder SH23
- Earphone Terminal P001*2
- Flat-plug Stereo Earphone Set FOMA In-Car Hands-Free P01*3
- Flat-plug Earphone/Microphone In-Car Holder 01*7 with Switch P01*3/P02*3
- Stereo Earphone Set P001*2
- Earphone/Microphone with Switch P001*2/P002*2
- Earphone/Microphone 01
- Stereo Earphone Set 01
- Earphone Plug Adapter P001*3
 FOMA Portable Charging
- Earphone Plug Adapter for External connector terminal 01 • FOMA Indoor Booster Antenna
- Earphone Plug Adapter 01
- FOMA USB Cable*4
- *1 Refer to P. 39 for details on charging with an AC adapter.
- *2 Connect Earphone Plug Adapter for External connector terminal 01 and Earphone Plug Adapter to use these options and related devices.

- *3 Connect Earphone Plug Adapter for External connector terminal 01 to use these options and related devices.
- *4 The use of USB HUB may not work correctly.
- *5 For use only in Japan.
- *6 FOMA In-Car Hands-Free Cable 01 is required to charge and connect with the USB cable
- *7 Activate Side key guard settings to use the In-Car Holder 01.

Interfacing to external devices

Play back movies saved on microSD Cards on the FOMA terminal by using supported external devices.* microSD Cards are sold separately. Purchase microSD Cards at home electronics shops (@P. 314).

For details on compatible devices, refer to http:// k-tai.sharp.co.jp/support/d/sh-02a/. Or, contact the number below.

- Play i-motion created on external devices (including music data in AAC format) on the FOMA terminal (@P. 233).
- Some movies cannot be played back depending on the file format or the type of external device.

Sharp Data Communication Support Center

TFI: 03-5396-2351

Hours: 10:00 A.M. to 12:00 noon, 1:00 P.M. to 5:00 P.M., Monday through Friday

(Closed on weekends, national holidays, and company holidays)

Check the phone number carefully before dialing.

	Data type	Number of applicable entries to be saved/registered	Number of applicable entries to be protected
Machi-chara		50*5, 6	_
	User folder	20	_
Chara-den		50*5, 6	_
	User folder	20	_
Melody		500*5	_
	User folder	20	_
ToruCa		200*5	_
	User folder	20	_
e-book/e-dict	ionary/e-comic	1,000*5, 6	_
	Folder	400*7	_
1Seg video		99*5	_
Font (TTF)		1	-

- *1 Up to 50 entries can be saved in the FOMA card.
- *2 Total number of the timers for starting and recording programs.
- *3 Save a national holiday besides holidays already saved.
- *4 For SMS, up to 20 received and sent messages can be saved in the FOMA card (27 P. 152).
- *5 Capacity may decrease depending on the available memory (27 P. 327).
- *6 Pre-installed data which can be deleted is included.
- *7 Pre-installed folder is included.
- *8 Set up to five dictionaries.
- *9 Still picture for which 1Seg programs is recorded is included.

Specific Absorption Rate (SAR) of mobile phone

This model phone SH-02A meets the MIC's* technical regulation for exposure to radio waves.

The technical regulation established permitted levels of radio frequency energy, based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The regulation employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit is 2 watts/kilogram (W/kg)** averaged over ten grams of tissue. The limit includes a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The value of the limit is equal to the international guidelines recommended by ICNIRP***.

All phone models should be confirmed to comply with the regulation, before they are available for sale to the public. The highest SAR value for this model phone is 0.754 W/kg. It was taken by the Telecom Engineering Center (TELEC), a Registered Certification Agency on the Radio Law. The test for SAR was conducted in accordance with the MIC testing procedure using standard operating positions with the phone transmitting at its highest permitted power level in all tested frequency bands. While there may be differences between the SAR levels of various phones and at various positions, they all meet the MIC's technical regulation. Although the SAR is determined at the highest certified power level, the actual SAR of the phone during operation can be well below the maximum value.

For further information about SAR, please see the following websites:

World Health Organization (WHO)

http://www.who.int/peh-emf/

ICNIRP

http://www.icnirp.de/

MIC

http://www.tele.soumu.go.jp/e/ele/body/index.htm

TELEC

http://www.telec.or.jp/ENG/Index e.htm

NTT DOCOMO

http://www.nttdocomo.co.jp/english/product/

SHARP Corporation

http://www.sharp.co.jp/products/menu/phone/cellular/sar/index.html

- * Ministry of Internal Affairs and Communications
- ** The technical regulation is provided in Article 14-2 of the Ministry Ordinance Regulating Radio Equipment.
- *** International Commission on Non-Ionizing Radiation Protection

European RF Exposure Information

Your mobile device is a radio transmitter and receiver. It is designed not to exceed the limits for exposure to radio waves recommended by international guidelines. These guidelines were developed by the independent scientific organization ICNIRP and include safety margins designed to assure the protection of all persons, regardless of age and health.

The guidelines use a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit for mobile devices is 2 W/kg and the highest SAR value for this device when tested at the ear was 0.850 W/kg*.

As SAR is measured utilizing the devices highest transmitting power the actual SAR of this device while operating is typically below that indicated above. This is due to automatic changes to the power level of the device to ensure it only uses the minimum level required to reach the network.

The World Health Organization has stated that present scientific information does not indicate the need for any special precautions for the use of mobile devices. They note that if you want to reduce your exposure then you can do so by limiting the length of calls or using a hands-free device to keep the mobile phone away from the head.

Declaration of Conformity

C € 0168

Hereby, Sharp Telecommunications of Europe Ltd, declares that this SH-02A is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

A copy of the original declaration of conformity can be found at the following Internet address: http://www.sharp.co.jp/k-tai/

FCC Notice

- This device complies with part 15 of the FCC Rules.
 Operation is subject to the following two conditions:

 (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- Changes or modifications not expressly approved by the manufacturer responsible for compliance could void the user's authority to operate the equipment.

Information to User

This equipment has been tested and found to comply with the limits of a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation; if this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

^{*} The tests are carried out in accordance with international guidelines for testing.

- Reorient/relocate the receiving antenna.
- 2. Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- 4. Consult the dealer or an experienced radio/TV technician for help. FCC RF Exposure Information

Your handset is a radio transmitter and receiver.

It is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government.

The guidelines are based on standards that were developed by independent scientific organisations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health.

The exposure standard for wireless handsets employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg.

The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The highest SAR value for this model handset when tested for use at the ear is 0.785 W/kg and when worn on the body, as described in this user quide, is 0.956 W/kg.

Body-worn Operation; This device was tested for typical body-worn operations with the back of the handset kept 1.5 cm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 1.5 cm separation distance between the user's body and the back of the handset. The use of beltclips, holsters and similar accessories should not contain metallic components in its assembly.

The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

The FCC has granted an Equipment Authorization for this model handset with all reported SAR levels evaluated as in compliance with the FCC RF emission guidelines. SAR information on this model handset is on file with the FCC and can be found under the Display Grant section of http://www.fcc.gov/oet/fccid after searching on FCC ID APYHRO00085.

Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications & Internet Association (CTIA) Website at http://www.phonefacts.net.

Export Administration Regulations

The Japan Export Administration Regulations ("Foreign Exchange and International Trade Law" and its related laws) will be applied to this product and its accessories under certain conditions. The Export Administration Regulations are also applied. To export or reexport this terminal and its accessories, conduct all legally required procedures at your own risk and expense. For details on the procedures, contact the Ministry of Economy, Trade and Industry or the US Department of Commerce.

Intellectual property rights

Copyrights and rights of portrait

 Data with third party copyrights such as text, images, music and software that is downloaded or acquired via Internet web pages, shot by the FOMA terminal, or acquired from TV or other video cannot be duplicated, altered or publicly transmitted without rightful party's consent. Only duplicating, quoting, etc. for personal use is permitted under copyright laws.

Even if for personal use, filming and recording may be prohibited for demonstrations, performances and exhibitions.

Also, shooting another's image or posting another's image on Internet web pages without their consent may constitute a violation of one's right to their image.

Registered trademarks and trademarks

- "FOMA", "mova", "ToruCa", "mopera", "mopera U", "FirstPass", "Chara-den", "Deco-mail", "Chaku-motion", "i-motion mail", "i-αppli", "i-αppliDX", "i-motion", "i-mode", "i-Channel", "iD", "DCMX", "WORLD WING", "Public mode", "DoPa", "WORLD CALL", "Dual Network", "visualnet", "V-live", "Security Scan", "musea", "sigmarion", "OFFICEED", "IMCS", "i-area", "2in1", "Chokkan Game", the "i-mode" logo, the "FOMA" logo, the "i-αppli" logo, the "DCMX" logo, the "iD" logo, the "HIGH-SPEED" logo are trademarks or registered trademarks of NTT DOCOMO, INC.
- Free Dial logo mark is a registered trademark of NTT Communications Corporation.

- Symbian This product includes software licensed from Symbian Software Ltd.
 - Symbian, Symbian OS and other associated Symbian marks are all trademarks of Symbian Software Ltd.
 - © 1998-2008 Symbian Software Ltd. All rights reserved.
- Catch Phone (Call Waiting) is a registered trademark of Nippon Telegraph and Telephone Corporation.
- Multitask is a registered trademark of NEC Corporation.
- This product is equipped with NetFront Browser, NetFront Sync Client and NetFront Browser DTV Profile Wireless Edition by ACCESS Co., Ltd. for an internet browser or other application software.
- This product adopts Media: specifications of ACCESS CO., Ltd. for activating broadcasting contents.
 Copyright © 1996-2008 ACCESS CO., LTD.
- ACCESS, NetFront and Media: are trademarks or registered trademarks of ACCESS Co., Ltd. in the United States, Japan and other countries.

ACŒESS™ NetFront®

- Microsoft[®], Windows[®], Windows Vista[®] and Windows Media[®] are trademarks or registered trademarks of Microsoft Corporation in the U.S.A. and other countries.
- Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S.A. and other countries.
- QuickTime is a registered trademark of Apple Inc., in the US and other countries.
- QR code is a registered trademark of Denso Wave Inc.
- microSDHC Logo is a trademark.



 Powered by JBlend™ Copyright 2002-2008 Aplix Corporation. All rights reserved.
 JBlend and JBlend related trademarks are registered trademarks or trademarks of Aplix Corporation in Japan and other countries.



- "AXISFont" is a trademark of AXIS Inc. in Japan.
- This handset features LCFONT, developed by Sharp Corporation, to make the LCD easier to view and read. LCフォント/LCFONT and とのである。
 are registered trademarks of Sharp Corporation.
- Heisei font is an intellectual property of Font Development and Promotion Center of Japanese Standards Association, and "SH Heisei Mincho" is a font developed by DynaComware Corp. with a license.
- DynaFont is a registered trademark of DynaComware Taiwan Inc.
- McAfee[®] is registered trademarks or trademarks of McAfee, Inc. and/or its affiliates in the U.S.A. and other countries.
- Gガイド, G-GUIDE, Gガイドモバイル, G-GUIDE MOBILE and the G-GUIDE related logos are registered trademarks of Gemstar-TV Guide International, Inc. and/or its affiliates in Japan.



- Google and Google Map for Mobile are trademarks of Google Inc.
- iavatar is a trademark of D2 Communications Inc.
- Avatar Maker is a trademark of Acrodea, Inc.
- Mobile Suica is a registered trademark of East Japan Railway Company.
- IrSimple™, IrSS™ or IrSimpleShot™ are trademarks of Infrared Data Association®.
- Fe I i Ca, which uses non-contact IC card technology, was created by Sony Corporation.
- F e I i C a is a registered trademark of Sony Corporation.
- \bigcirc is a registered trademark of FeliCa Networks, Inc.
- Napster is a registered trademark of Napster, LLC. and/or its affiliates in the US and/or other countries.

- Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.
- FlashFX[®] Pro[™] is a trademark or registered trademark of the Datalight, Inc. in the US.
 (U.S.Patent Office 5.860.082/6.260.156)
- PhotoSolid® and FaceSolid™ are the trademarks or the registered marks of Morpho, Inc.
- "VeilView", "Shotdeco", "Wakeup TV" and "AQUOS" are trademarks or registered trademarks of Sharp Corporation.
- All other company names and product names are trademarks or registered trademarks of the respective companies.

Others

- Under the MPEG-4 Visual Patent Portfolio License, customers have licensed permission for the following use of this product to engage in non-profit personal use. Other uses are not permitted.
 - Encoding MPEG-4 standard video (henceforth referred to as MPEG-4 video).
 - Decoding an MPEG-4 video that a customer not engaged in personal commercial activities has encoded.
- Decoding an MPEG-4 video obtained from a licensed provider. For details on other intended uses, contact MPEG LA, LLC.
- This product is licensed under the MPEG-4 Systems Patent Portfolio License for encoding in compliance with the MPEG-4 Systems Standard. An additional license and payment of royalties are necessary in the following cases.
 - Data stored or replicated in physical media which is paid for on a title by title basis.
 - Data which is paid for on a title by title basis and is transmitted to an end user for permanent storage and/or use.

Such additional license may be obtained from MPEG LA, LLC. Contact MPEG LA, LLC for additional details.

- This product is licensed under the AVC patent portfolio license for the personal and noncommercial use of a consumer to (i) encode video in compliance with the AVC standard (henceforth referred to as AVC video) and/or (ii) decode AVC video that was encoded by a consumer engaged in a personal and noncommercial activity and/or was obtained from a video provider licensed to provide AVC video. No license is granted or shall be implied for any other use. Additional information may be obtained from MPEG LA, L.L.C. See HTTP://WWW.MPEGLA.COM
- This product is licensed under the VC-1 Patent Portfolio License for the personal and noncommercial use of a consumer to (i) encode video in compliance with the VC-1 standard (henceforth referred to as VC-1 video) and/or (ii) decode VC-1 video that was encoded by a consumer engaged in a personal and noncommercial activity and/ or was obtained from a video provider licensed to provide VC-1 video. No license is granted or shall be implied for any other use. Additional information may be obtained from MPEG LA, L.L.C. See HTTP://WWW MPFGLA COM
- Contains Adobe® Flash® Lite™ technology by Adobe Systems Incorporated Adobe Flash Lite Copyright @ 2003-2008 Adobe System Incorporated. All rights reserved. Adobe, Flash, and Flash Lite are either registered trademarks or



trademarks of Adobe Systems Incorporated in the United States and/or other countries

- This product includes modules developed by the Independent JPEG Group.
- This product uses the GestureTek technology. Copyright © 2006-2008, GestureTek, Inc. All Rights Reserved.

• This product is equipped with "Fugue" by Kyoto Software Research, Inc. for a file system function.





Fugue ©1999-2008 Kyoto Software Research, Inc. All rights reserved.

- Manufactured under license from Dolby Laboratories.
- Licensed by QUALCOMM Incorporated under one or more of the following United States Patents and/or their counterparts in other nations:

4,901,307	5,490,165	5,056,109	5,504,773
5,101,501	5,506,865	5,109,390	5,511,073
5,228,054	5,535,239	5,267,261	5,544,196
5,267,262	5,568,483	5,337,338	5,600,754
5,414,796	5,657,420	5,416,797	5,659,569
5.710.784	5.778.338		

- Content owners use Windows Media digital rights management (WMDRM) technology to protect their intellectual property, including copyrights. This device uses WMDRM software to access WMDRM-protected contents. If the WMDRM software fails to protect the content, content owners may ask Microsoft to revoke the software's ability to use WMDRM to play or copy protected content. Revocation does not affect unprotected content. When you download licenses for protected content, you agree that Microsoft may include a revocation list with the licenses. Content owners may require you to upgrade WMDRM to access their content. If you decline an upgrade, you will not be able to access content that requires the upgrade.
- Adobe and Adobe Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.
- CP8 PATENT
- This manual refers to each OS (Japanese version) as follows.
 - Windows Vista is an abbreviation of Windows Vista[®] (Home Basic, Home Premium, Business, Enterprise, Ultimate).
 - Windows XP is an abbreviation of Microsoft® Windows® XP Professional operating system or Microsoft® Windows® XP Home Edition operating system.
 - Windows 2000 is an abbreviation of Microsoft® Windows® 2000 Professional operating system.

- Internet dictionary embedded in this product uses the BSD license.
 Copyright © 2002,2003, Stefan Haustein, Oberhausen, Rhld.,
 Germany All rights reserved
 - Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
 - Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
 Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
 - Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT. INDIRECT. INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO. PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES: LOSS OF USE, DATA, OR PROFITS: OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE. EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.


Quick Manual

How to use Quick Manual

Remove the Quick Manual attached to the end of this manual by cutting along the perforations and fold it as shown below. Carry the Quick Manual "Overseas Use" when the mobile phone is used with the International Roaming (WORLD WING) overseas.

Folding Quick Manual

• Be careful of injuries when cutting out the Quick Manual.



This manual is produced using recyclable material. Please recycle when no longer needed.

0120-005-250 (toll free)

X Service available in: English, Portuguese, Chinese, Spanish, Korean. ※ Available from mobile phones and PHSs. For DOCOMO mobile phones

(No prefix) 151 (toll free)

(In Japanese only)

<Cut here>

W Unavailable from fixed-line telephones, etc. For fixed-line telephones (In Japanese only)

0120-800-000 (toll free)

※ Available from mobile phones and PHSs.

Please confirm the phone number before you dial.

If you have problems with your FOMA

For DOCOMO mobile phones (In Japanese only)

(No prefix) 113 (toll free)

※ Unavailable from fixed-line telephones, etc. For fixed-line telephones (In Japanese only)

0120-800-000 (toll free)

※ Available from mobile phones and PHSs. Please confirm the phone number before you dial.

Adding entries to phonebook (Phone)

1 In stand-by, press @ (for 1+ seconds) Phonel.

2 Enter a name • • • • mb enter a phone number • select a phone type icon
 select a phone type icon mail address • • select a mail address type icon ▶ ● ▶ ● •.

Adding entries to phonebook from Redials/Received calls

Secret code

♪ : Select ring tone

: Called LED color

: Substitute image

: Picture call set

. Called LED pattern

. Mail ring tone

1 In stand-by, press (과)(국) select a phone number | (a) | [Add to phonebook] | [Save new to phone] add to the phonebook.

Editing phonebook entries

1 In stand-by, press select a name Fig. 1 datal | [Edit] | select an item | • | edit.

-2-

Text input

Changing input mode

1 In the text input screen, press 🕮 🕨 select the input mode • .

Switching upper/lower case

1 Enter a character ▶ ★.

Deleting text

1 Move the cursor to the text and press CLR.

 To delete all text: At the end of the message, press CLR (for 1+ seconds).

Using phrases

1 In the text input screen, press @ (for 1+ seconds) select a phrase • • • • .

Entering pictographs/symbols

-1-

1 In the text input screen, press 3.

· To switch between pictograph and Deco-mail pictograph: Press 3.

. To switch between single- and double-byte symbols: Press @.

Entering emoticons

1 In the text input screen, press (for 1+ seconds) select an emoticon .

Cutting/Copying/Pasting text

1 In the text input screen, move the cursor to the start position | (a) | [Copy]/[Cut] | (b).

2 Move the cursor to the end position • •.

3 Move the cursor to the paste position > X (for 1+ seconds).

Text input example

Fx.) 今日のテニス3時® 1 In the text input screen,

press 2 (twice) . . | 日1.

Other save items

Department

Postal code

: Location info

Birthday

· Memo

® Secret

Postal address


Company/school

Group

•••• · Title

> · As each hiragana character is entered, conversion candidates appear and they can be selected.





-7-

Watching 1Seg

- 1 In stand-by, press (a) (for 1+ seconds).
 - To record a movie of 1Seg programs: While watching 1Seg, press (a) (for 1+ seconds) (record) (a).
 - . To record 1Seg programs as a still picture: While watching 1Seg, press 3.

select a video • .

In the Custom menu. select [Data box] | [MUSIC] | select the data type • • select music data • •.

Key operations for MUSIC Player

To pause/play -10Camera

Shooting still pictures

- 1 In stand-by, press (a) (a) (b) (c).
- Shooting panoramic pictures
- 1 In the still picture shooting screen, press • move the FOMA terminal to either direction of left or right • • • •.

Shooting movies

1 In the still picture shooting screen, press @ [Switch camera-mode] | [Movie] | • | • | [Save].

Displaying still pictures

1 In the Custom menu, select [Data box] ▶ [My picture] > select a still picture > .

-8-

To stop	□
To adjust the volume	0
To play previous song/return to the beginning of song	0
To play next song	Θ

Mail

Composing and sending i-mode mail

CLR/ | Yes]

Sub

Compose message

(No attachment)

O. OKB

Watching videos

1 In the Custom menu, select [Data box] | [1Seq] |

Music playback

Using MUSIC Player

field > • select the input method.

To end MUSIC Player

Select [Search

1 In stand-by, press
(for 1+

seconds) select the [To]

phonebook1 > select a recipient > .

Select [Sent messages] > select a recipient • .

◆ Select [Rcvd messages] > select a recipient > ●.

<Cut here>

Selecting a channel list

In the Custom menu, select [1Seq] | [Channel

Playing back movies

Watching 1Seg

Performing Automatic channel setting 1 In the Custom menu, select [1Seg] | [Channel

2 Select the number to save \(\begin{aligned} \text{ (a) } \ \ \ \ (\text{Auto channel} \)

3 Select an area > • > select a prefecture/

setting | select a channel list | •.

1 In the Custom menu, select [Data box]

[i-motion] select a movie .

setting].

set1 | [Yes].

district • • • [Yes].

-11-

- ◆ Select [Mail members] ▶ select a mail member ▶
- ◆ Select [Direct input] ▶ enter an address ▶ ⊙.
- 2 Select the [Sub] field • h enter a subject ● [Msq] • enter the message text • ● • ■.

Sending Deco-mail

1 In the text input screen, press

> select a decoration type • • specify decoration • • • input text • • • • .

Attaching a file

- 1 In stand-by, press (for 1+ seconds) select the attachment field (No attachment) • • • select the file to attach.
 - Select [Image] ▶ select an image ▶ (a).
 - ◆ Select [Melody] ▶ select a melody ▶ (3). ◆ Select [i-motion] ▶ select an i-motion ▶ ③.
 - ◆ Select [ToruCa] ▶ select a ToruCa ▶ ⑤.

<Cut here>

-12-

- Select [Phonebook] > select a save destination > select a nameselect a name
- ◆ Select [Schedule] ▶ select a save destination ▶ ⊙ (▶ select a day ▶ (♣)* ▶ select a schedule ▶ (●).
- No operation is needed if [microSD] is selected as the save destination
- ◆ Select [Bookmark] ▶ select a save destination ▶
- select a bookmark
 select a bookmark
- Select [Other] ▶ select a file ▶ ⊙.
- Select [Start cam (still)] ▶ ▶ ●.
- ◆ Select [Start cam (movie)] ▶ ▶ ▶ [Save].

Composing and sending SMS

1 In stand-by, press

▶ [Compose SMS] ▶ select the [To] field • • | [Direct input] • enter an address • • • [Msg] • enter the message • • • ◉.

Receiving mail automatically

- 1 Mail is automatically received.
- 2 Select [Mail] > select mail > .

-13-

Checking new i-mode mail

In stand-by, press

▶ [Check new message].

Replying to i-mode mail

In the received message details screen, press

2 Select the reply method • •.

3 Compose and send a mail.

Forwarding i-mode mail

- 1 In the received message details screen, press (a) [Reply/Forward] [Forward].
- Poster an address and send a mail.

-14-

Menu list

Switching between the Custom menu/Basic menu

1 In the Custom menu/Basic menu, press @.

Recalling a function number

1 In the Basic menu, enter a function number.

1 Snd/Vibrator/Manner	
1 Select volume	phone ring vol, Mail ring vol, Key/ Standby i-motion, Charge start sound, Charge end sound, Timer sound, GPS volume
2 Select sound	Select ring tone, Select mail tone, Shutter sound, Timer sound, GPS tone
3 Vibrator	Vibration mode, Mail vibration, GPS vibrator
4 Manner mode	ON (Normal, Silent, Original), OFF
☐ Headset setting	

1 Snd/Vibrator/Manner			
©Ring time setting	Mail ring time set, GPS ring time set		
7 Set mute ring time			
BHold/On hold tone	Set on hold tone, Set hold tone		
Stereo fx (earphone), Equalizer (melody)			

□ Disp/LED/Power saver	
1 Set screen	Stand-by display, Clock display, Calendar display, Stand-by memo disp, Sub) Caller ID disp, Sub) Clock display
■Font style	Font style setting, Font size
3Themes	Kisekae Tool, Call/Rcv display, Send/ Rcv display, Submenu image, Dial image set, Animate notices, Signal/ batt/s clock, Color theme setting, Sub) Disp settings

☑ Disp/LED/Power saver		
Called LED, Mail LED, Notice LED, In-call LED, Alarm/Timer LED, IC card LED, Open/close LED, GPS LED		
Vibrant image mode, Control by scene		
Norm (auto bright), Norm (fixed bright), Eco mode (Pwr saver), Original Eco mode		
Linked manner, Pattern		

-15-

-16-

-17-

3 General settings		
1 Check status	Owner Information, Check memory, Battery level, Check settings	
☐Text input setting	User dictionary, Dwnld dictionary, Edit phrase, Clear memory terms	
3Auto power ON/OFF	Auto power ON, Auto power OFF, Link alarm/power ON	
4 Date settings		
□ Select language		
©USB mode setting		
Scanning function	Update, Set auto-update, Set scan, Version	
■ Software update		
Reset settings		

4 NW Services		
1 Voice Mail	Check messages, Play Messages, Activate VoiceMail, Set ring time, Deactivate VoiceMail, Check setting, Voice Mail setting, Notification setting, Notification	
■Call waiting	Activate, Deactivate, Check setting	
□ Call forwarding	Activate, Deactivate, Register number, Forwarding No. busy, Check setting	
4 Bar nuisance calls	Register caller, Register selected No, Delete all entries, Delete last entry, Check No of entries	
Notify caller ID	Check setting, Notify caller ID	
©Caller ID request	Activate, Deactivate, Check setting	
7 Talk time/cost		
■2in1 setting	Mode switching, Phonebook 2in1 set, Stand-by display, Set call/receive No., 2in1 function OFF, Receive avoidance	

4 NW Services		
In-call arrival act	Set arrival act, Arrival Call Act	
5Other NW Services		
1 Remote control	Activate, Deactivate, Check setting	
■Dual network	Switching, Status request	
3English guidance	Guidance setting, Check setting	
4 Service number	ドコモ故障問合せ、 ドコモ総合案内・受付	
5 Additional service	USSD, Reply message	
6Multi number	Set multi number, Check setting, Number setting	
7 Chaku-moji	Create message, Message display	
BRoaming guidance	Activate, Deactivate, Status request	

-18-

-19-

-20-

⑤Phone settings		
1 In-call settings	Noise reduction, Reconnect signal, Quality alarm	
■ Headset sw to c	all	
3 Incoming settings	Any key answer, Auto answer setting, Melody Call setting	
4 Videophone set	Redial voice call, Set sending image, Display setting, Subscreen position, Visual preference, Notify switch mode, Hands-free V.phone, V-phone while packet	
□ Record message	Record message, Answering duration, Reply message, V.phone reply image	
☐Set when folded		
7 Self mode		
■Other settings	Int'l prefix, Sub address, Int'l dial assist, International Roam., In-area status	

	7 Security
1 Secret mode	
■UIM Settings	PIN1 code input set, Change PIN1 code, Change PIN2 code
3Accept/Reject calls	Accept calls, Reject calls, Reject unknown, User unset, Reject payphone, Reject not support
4 Show call/ received	Show rcvd calls, Show redial
Show sent/ received	Show sent messages, Show rcvd messages
☐ Lock settings	All lock, Keypad dial lock, Function lock, IC card lock, Multi easy lock set, Multi lock auto-set
Change security code	
BDelete all data	Delete user data, Del secret data

	Other settings
■Initial setting	
Own number	

-21-

-22-

-23-

92LifeKit	
1 Bar code reader	
☑ Receive Ir data	
3 microSD manager	View microSD data, Backup/restore, Import, New manager info, Format, USB mode setting
4 Card reader	

-24-

Register Shortcut menu	(for 1+ seconds)
	when # appears
One-touch key set	0
Side key guard set/disable	(for 1+ seconds)
Position location	MAP (for 1+ seconds)
VeilView ON/OFF	(for 1+ seconds) with
	the FOMA terminal
	opened

	88.4.4	
9@LifeKit		
☐Text memo		
⑤ Schedule		
7 Timer/Alarm	Timer, Alarm, Wakeup TV	
■ Calculator		
☐ Data Sec. Service		
OGPS menu	Position location, i-αppli, Location history, Set position loc., Loc.notification/set, Loc. request menu	
93Media tool		
1 Manga&BookReader		
☑ Voice recorder		
(I) Voice mame/Dee mag		

4

-25-

B Schedule		
7 Timer/Alarm	Timer, Alarm, Wakeup TV	
B Calculator		
Data Sec. Service		
GPS menu	Position location, i-αppli, Location history, Set position loc., Loc.notification/set, Loc. request menu	
93Media tool		
1]Manga&BookReader		
☑Voice recorder		
3 Voice memo/Rec msg		
4 Quick search		

Network services

* When the confirmation screen appears, select [Yes].

Voice Mail Service

Voice Mail Service is a paid option (monthly fees apply) that requires subscription.

- 1 In the Custom menu, select [Settings] | [NW Services] | [Voice Mail].
- 2 Select [Activate VoiceMail] | [Activate VoiceMail].
 - To deactivate: Select [Deactivate VoiceMail].
 - · To play messages: Select [Play Messages].
 - · To check messages: Select [Check messages].

Call Waiting

Call Waiting is a paid option (monthly fees apply) that requires subscription.

- 1 In the Custom menu, select [Settings] | [NW Services] | [Call waiting].
- 2 Select [Activate].

Other menus 9 AMUSIC 950saifu-Keitai 961Seg

Other functions

Manner mode enable/disable	(for 1+ seconds)
Public mode (Drive mode)	¥ (for 1+ seconds)
activate/deactivate	
Multi easy lock activate/	(for 1+ seconds)
deactivate	
Show i-Channel list	CLR (ch)
Activate Quick search	Q
Show i-mode menu	•
Show i-αppli software list screen	(for 1+ seconds)
Activate Multi Assistant	while using a
(Multitask)	function
Display Shortcut menu	0

-26-

- . To deactivate: Select [Deactivate].
- . To check settings: Select [Check setting].

Call Forwarding Service

Call Forwarding Service is a free option (no monthly fees) that requires subscription.

- 1 In the Custom menu, select [Settings] | [NW Services] | [Call forwarding].
- 2 Select [Activate] > [Activate].
 - To deactivate: Select [Deactivate].
 - . To check settings: Select [Check setting].

Caller ID Request Service


Subscription is not required (no monthly fees).

- In the Custom menu. select [Settings] | INW Services] | [Caller ID request].
- 2 Select [Activate].
 - · To deactivate: Select [Deactivate].
 - . To check settings: Select [Check setting].

<Cut here>

-27-





Sub display 1 27 16 17 Tal 21 A (III) [☑[1] 35

X Icons are shown in the order of main display and sub display.

"ill/"ill	Signal status
∄/	Battery level
→ □/ 2 ■	Charging
3585 RAA	i-mode/Full Browser
30	SSL
尾田 休園	i-αppli
80	GPS
*	Shortcut menu
	i-mode mail/SMS/Area Mail received
RF BBOORF RFBFRF	Message R/F
	microSD Card is inserted
(pink)/((pink)	microSD Card is being used
Clock display	
•	1Seg being recorded
e to e e	Record message
81	Silent
	学/四 ・C/2回 ・S 語 常路路 図 が 2 点 記 記 ・ 2 ・ 2 ・ 3 ・ 3 ・ 3 ・ 3 ・ 3 ・ 3 ・ 3 ・ 3

-32-

	-31-

31	36	Overseas 3G network
32	翻图	Status of Comics setting
33	4	ToruCa
34	Multitask	
35	Ð	Operation in progress
	fer to P. 27 to P. 31 of displayed icons.	of the manual for detailed explanation

<Emergency contacts in case of loss or other accidents>

Omakase Lock

※ Omakase Lock is a paid service. However, if Omakase Lock is subscribed while or at the same time as when the use of FOMA terminal is suspended, or if the user is a member of docomo Premier Club, the usage fee of Omakase Lock is not charged. Additionally, if Keitai Anshin Pack (Mobile Phone Security Package) is subscribed. Omakase Lock is available for a flat-rate.

Enable/Disable Omakase Lock

0120-524-360

Office hours: 24hours

Other contacts

<Contacts: <Contacts: <Contacts:

※ Please confirm the phone number before you dial.



docomo SH-02A

Quick Manual "Overseas Use"

Loss or theft of FOMA terminal or payment of cumulative cost overseas <docomo Information Center> (24-hour service)

For DOCOMO mobile phones

of your country of stay (Table 1) -81-3-5366-3114* (toll free)

- Communication charges to Japan will apply when you make a call from a fixed-line telephone.
- X If you use the SH-02A, you should dial the number +81-3-5366-3114 (to dial "+", press the "0" key for 1+ seconds). For fixed-line telephones

Iniversal number>

<Cut here>

International prefix number for -800-0120-0151* the universal number (Table 2)

- * Communication charges or other charges to your country of stay will apply.
- See P.19 to P.20 and P.21 to P.22 for international call access codes of major countries (Table1) and international prefix number for the universal number (Table2).

Failures encountered overseas <Network Technical Operation Center> (24-hour service)

For DOCOMO mobile phones

International call access code -81-3-6718-1414* (toll free) of your country of stay (Table 1)

- * Communication charges to Japan will apply when you make a call
- from a fixed-line telephone.
- ※ If you use the SH-02A, you should dial the number +81-3-6718-1414 (to dial "+", press the "0" key for 1+ seconds).

For fixed-line telephones Iniversal number>

> International prefix number for the universal number (Table 2)

-800-5931-8600*

- Communication charges or other charges to your country of stay will apply.
- See P.19 to P.20 and P.21 to P.22 for international call access. codes of major countries (Table1) and international prefix number for the universal number (Table2).

-1-

Preparing for overseas use

Setting i-mode

Setting in Japan

- 1 In stand-by, press (a) [iMenu] [English] [Options] | [International Settings] | [i-mode services Settings] > [Yes] > select the [Enter i-mode Password] field • • enter the i-mode password • • [OK].
- Setting in overseas
- 1 In stand-by, press (a) | [iMenul | [English] | [International Settings] | [i-mode services Settings1 > [Yes1 > select the [Enter i-mode Password1 field • • • enter the i-mode password • • • [OK].

-2-

Setting remote access

- Setting in Japan
- 1 In the Custom menu, select [Settings] | [Other NW Services] | [Remote control] | [Activate] | [Yes].
- Setting in overseas
- 1 In the Custom menu, select [Settings] | [Phone settings] > [Other settings] > [International Roam.] | [Remote access(Int.)] | [Yes] | operate according to the voice guidance.

Correcting date and time automatically

1 In the Custom menu, select [Settings] | [General settings] | [Date settings] | select the [Auto time correction] field • • [ON] • .

Setting time zone manually

- In the Custom menu, select [Settings] | [General settings] | [Date settings] | select the [Auto time correction1 field • • • IOFF1.
- 2 Press (a) > select a time zone > () > select a city • • • .

Available network

3G network	Available
GSM network	Not available
GPRS network	Not available

Available services overseas

- The available communication services overseas are as follows. ■ Voice call ■ Videophone ■ i-mode mail
- i-Channel ■ SMS ■ i-mode
- Unable to use 64K data communication by connecting a PC. etc overseas

■ Data communication (packet transmission)

Setting a search method of telecommunications carrier

Network search mode

Default setting: Auto (Automatically switches telecommunications carriers)

- 1 In the Custom menu, select [Settings] | [Phone settings] | [Other settings] | [International Roam.] | [Network search mode].
- 2 Select [Auto] > [Yes].
 - · To manually switch telecommunications carriers: Select [Manual] > select a telecommunications carrier • •
 - To re-search for the host network: Select [Network] re-search].

Setting a telecommunications carrier to preferentially connect to

- 1 In the Custom menu, select [Settings] | [Phone settings] | [Other settings] | [International Roam.] | [Network search mode] | [PLMN setting] > select the number of the priority order > @.
- 2 Select [PLMN manual select] enter a country code (MCC) • enter a network code (MNC) • ● [Yes].
 - To save from a telecommunications carrier list: Select [UPLMN by list] > select a telecommunications carrier • • [Yes].
 - · To save the telecommunications carrier currently connected to: Select [Set VPLMN to PLMN] [Yes].
 - To change the priority: Select [Change priority] select a destination \(\bullet \) [Yes].

-7-

Displaying a telecommunications carrier name in stand-by

Telecommunications carrier name



1 In the Custom menu, select [Settings] | [Phone settings] | [Other settings] | [International Roam.] | [Operator name disp] | [Display on] | [Yes].

Setting after homecoming

If Network search mode is set to [Auto], reset Network search mode to the FOMA network (DOCOMO) automatically when the power is turned on after homecoming.

- Setting to FOMA network (DOCOMO) manually
- 1 In the Custom menu, select [Settings] | [Phone settings] | [Other settings] | [International Roam.] | [Network search mode] | [Manual] | [DOCOMO].

Making a call

Making a call outside your country of stay (including Japan)

- Using + to make an international call
- 1 In stand-by, press 0 (for 1+ seconds) enter the country code, area code (city code) and other party's phone number \(\bigcirc \) (Phone)/(1) (V.phone).
 - When the area code (city code) begins with 0, omit the 0 when dialing. However, include 0 when making a call to landline phones in some countries or regions such
- Making an international call outside your country of stay using country code conversion

0 at the beginning of a phone number is automatically converted to the country code set in Country code conversion. Example: Make a call from the phonebook

1 In stand-by, press select the other party ⟨Phone⟩/(®) (V.phone) ► [Call].

Making an international call

Save a country number using Set country code to select a country code before making an international call.

The following operation is available overseas only.

1 In stand-by, enter a phone number \(\begin{aligned} \text{ (a) } \ \text{ (Add)} \end{aligned} prefix setting] | [International Call] | select the country code • • (Phone)/(a) (V.phone).

-8-

Making a call in your country of stay

- 1 In stand-by, enter a phone number \(\subseteq \tag{Phone} \) (V.phone).
- Making a call to the phone in your country of stav using phonebook
- (Phone)/(a) (V.phone) > [Original number].

<Cut here>

Making a call to a WORLD WING subscriber overseas

Even when making a call to the phone in your country of stay, make an international call to Japan if the call recipient is a "WORLD WING" subscriber overseas.

In stand-by, press ① (for 1+ seconds) ▶ ⑧ 1 ▶ enter the other party's mobile phone number excluding the first 0 ▶ <a> \textstyle \t

Receiving calls

- 1 Press to answer an incoming call.
- Having calls made to your FOMA terminal from Japan

Enter the phone number in the same way as it is entered in Japan and make a call.

Having calls made to your FOMA terminal from countries other than Japan

Enter international call access code of the country of the caller-81-user's phone number excluding the first 0 and make a call.

-12-

Setting roaming guidance

Make this setting while still in Japan.

- When the confirmation screen appears, select [Yes].1 In the Custom menu, select [Settings] > [Other
- NW Services] [Roaming guidance].
- 2 Select [Activate].
 - · To deactivate: Select [Deactivate].
 - To check settings: Select [Status request].

Call barring

- Depending on the overseas telecommunications carrier, the setting cannot be made.
- 1 In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [International Roam.] ▶ [Call barring].
- 2 Select [Activate] ▶ [Yes] ▶ select the barring method ▶ ▶ enter the network security code ▶ ●.
 - To deactivate: Select [Deactivate] ▶ [Yes] ▶ enter the network security code ▶ ⑤.
 - · To check settings: Select [Status request].

-13-

-14-

Using network service

- To use network service overseas, set Remote control to "Activate"
- * When the confirmation screen appears, select [Yes].
- ※ Operate according to the voice guidance.

<Cut here>

Voice Mail (Int.)

- In the Custom menu, select [Settings] [Phone settings] [Other settings] [International Roam.] [Voice Mail(Int.)].
- 2 Select [Activate Voice Mail].
 - . To deactivate: Select [Deactivate].
 - · To play messages: Select [Play Messages].
 - To set the service: Select [Voice Mail settings].

Call Forward (Int.)

- 1 In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [International Roam.] ▶ [Call Forward (Int.)].
- 2 Select [Activate].
 - Select [Activate
 - To deactivate: Select [Deactivate].
 To set the service: Select [Settings].

Roaming guidance (Int.)

1 In the Custom menu, select [Settings] ▶ [Phone settings] ▶ [Other settings] ▶ [International Roam.] ▶ [Roam. guidance(Int.)].

Country codes of major countries

The following shows "Country code" used when making international calls or setting International dial assist.

Country/Region	Code	Country/Region	Code
Australia	61	Hong Kong	852
Austria	43	Hungary	36
Belgium	32	India	91
Brazil	55	Indonesia	62
Canada	1	Italy	39
China	86	Japan	81
Czech	420	Macau	853
Egypt	20	Malaysia	60
Fiji	679	Maldives	960
Finland	358	Netherlands	31
France	33	New Caledonia	687
Germany	49	New Zealand	64
Greece	30	Norway	47

-15-

-16-

-17-

,	۸		
		j	
		í	
		۰	
	2	Г	
	Ľ		
1			

Country/Region	Code	Country/Region	Code
Peru	51	Tahiti	689
Philippines	63	(French Polynesia)	
Russia	7	Taiwan	886
Singapore	65	Thailand	66
South Korea	82	Turkey	90
Spain	34	U.K.	44
Sweden	46	U.S.A.	1
Switzerland	41	Vietnam	84

※ For other country codes and details, refer to the DOCOMO "International Services website".

International call access codes of major countries (Table 1)

The following shows the International call access codes of major countries.

Country/Region	Code	Country/Region	Code
Australia	0011	Hungary	00
Belgium	00	India	00
Brazil	0021/	Indonesia	001
	0014	Ireland	00
Canada	011	Italy	00
China	00	Luxemburg	00
Czech	00	Macau	00
Denmark	00	Malaysia	00
Finland	00	Monaco	00
France	00	Netherlands	00
Germany	00	New Zealand	00
Greece	00	Norway	00
Hong Kong	001	Philippines	00

Country/Region	Code	Country/Region	Code
Poland	00	Taiwan	002
Portugal	00	Thailand	001
Russia	810	Turkey	00
Singapore	001	U.A.E.	00
South Korea	001	U.K.	00
Spain	00	U.S.A.	011
Sweden	00	Vietnam	00
Switzerland	00		

-18-

-19-

-20-

International prefix number for the universal number (Table 2)

The following shows the International prefix number for the universal number of each country.

Country/Region	Code	Country/Region	Code
Argentina	00	Hong Kong	001
Australia	0011	Hungary	00
Austria	00	Ireland	00
Belgium	00	Israel	014
Brazil	0021	Italy	00
Bulgaria	00	Luxemburg	00
Canada	011	Malaysia	00
China	00	Netherlands	00
Columbia	009	New Zealand	00
Denmark	00	Norway	00
Finland	990	Peru	00
France	00	Philippines	00
Germany	00	Portugal	00

Country/Region	Code	Country/Region	Code
Singapore	001	Switzerland	00
South Africa	09	Taiwan	00
South Korea	001	Thailand	001
Spain	00	U.K.	00
Sweden	00	U.S.A.	011

About inquiries overseas

For lost, stolen, and cost settlement, or malfunction of the FOMA terminal overseas, refer to "Loss or theft of FOMA terminal or payment of cumulative cost overseas" on the cover of Quick Manual "Overseas Use" or "Failures encountered overseas" on P.1.

 Add the "International call access code (Table 1)" or "International prefix number for the universal number (Table 2)" that is assigned to your country of stay, to the head of your phone number for inquiries.

-21- -22- -23-

Check/change the subscription, apply for various services, and request various information materials online.

From i-mode iMenu ▶ お客様サポート (User Support) ▶ お申込・お手続き (Applications/Procedures) ▶ 各種お申込・お手続き (Various Applications/Procedures)

Packet communication charges free

From a PC My docomo (http://www.mydocomo.com/) ▶ 各種お申込・お手続き (Various Applications/Procedures)

※ You will need your "Network Security Code" to access the site from i-mode.

* No packet communication charges are incurred when accessing the site from i-mode. Accessing from overseas will incur charges.

※ You will need your "docomo ID/Password" to access the site from PC.

If you do not have or you have forgotten your "Network Security Code" or "docomo ID/Password", contact the number listed in General Inquiries on the back of this manual.

* The site may not be available depending upon the content of your subscription.

* You may not be able to access some site services due to system maintenance, etc.

Please follow proper etiquette

When using your FOMA terminal, please be considerate of those around you.

Turn off your FOMA terminal in the following places

■ When in an area where use is prohibited

There are places where the use of mobile phones is prohibited. Be sure to turn off your FOMA terminal in the following places.

★On an aircraft ★In a hospital

X There are people outside hospital wards who also use electric medical equipment. Please make sure that your FOMA terminal is turned off in the lobby and waiting room.

While driving

Using a mobile phone in hand while driving is regarded as a punishable act.

If there is no choice but to receive a call, use Hands-free and tell the caller that you will "call back", and then pull over to a safe place to make a call.

When in crowded places such as rush-hour trains in case somebody nearby is using an implanted cardiac pacemaker or implanted cardioverter-defibrillator Your FOMA terminal may affect the operation of such equipment.

When in public places such as theaters, movie theaters, or museums Use of your FOMA terminal in quiet public places will annoy others.

Be careful of where you use your FOMA terminal and the volume of your voice and the ring tone

- When using your FOMA terminal in a restaurant or a hotel lobby, lower your voice.
- In crowded places, be careful not to obstruct other pedestrians.

Be considerate of the privacy of the individuals around you



Please be considerate of the privacy of individuals around you when taking and sending images using a camera-enabled mobile phones.

The following functions will help you to keep your manners in public There are useful functions you can use to set your FOMA terminal not to answer incoming calls, and to silence all sounds.

- Manner mode (☞ P. 88)/Original manner mode (☞ P. 89) Silences the Key/Standby i-motion sound and all the sounds from the FOMA terminal, and Record message is set (Manner mode). When in the Manner mode, automatically set functions (Record message, Vibrator, Mic sensitivity up, Ring tone, Mail ring tone, alarm tone, Key/Standby i-motion sound and Low battery alarm) can be set to ON (enable)/OFF (disable) (Original manner mode).
- Public mode (Drive mode/Power OFF) (\$\overline{\varphi}\$P. 62, P. 63)
 The caller hears a guidance message stating that the receiver is driving, or in the place where the receiver should refrain from using the mobile phone or turn off the power. The call is disconnected.
- Vibration mode (☞ P. 87)

Notifies incoming calls by vibration.

Record message (@P. 64)

When you are unable to take a call, the Record message function records the caller's message.

※ You can also use optional services such as Voice Mail Service (實P. 372) and Call Forwarding Service (實P. 375).