



portable
wireless
effortless


XM2go Hot Tips

Helpful Tips to Enjoy Your MyFi™ XM2go®

In Your Vehicle


Because every vehicle is different, we can only provide some general guidelines. If you need help, consult a professional installer.

- Decide which method (cassette adapter, professional wired FM, or self install via the XM SureConnect) is best for your vehicle and location.
- Always do a trial run before installing anything permanently. Temporarily connect all power, audio, and antenna lines. Make sure that you receive the XM signal and that you hear XM programming through your vehicle's audio system. You must have your vehicle antenna plugged in to the cradle or the XM SureConnect to receive the signal.
- In the rare situation when you can't find a clear FM frequency or you experience interference, we recommend use of the optional Delphi FM Direct adapter (model SA10112, available separately at www.shopdelphi.com).




In Your Home

- Use the home stand to access the antenna, power, and audio cables for best sound quality.
- Face your XM antenna south through a window so you have at least two bars of signal strength for recording.
- If you need to place the antenna at a location more than 25 feet away, XM offers an extension kit (model XMAC1000) at www.xmradio.com (click "XM Store").





On the Go

- Keep your MyFi receiver pointing straight up when listening to live programming.
- The belt clip is ideal for carrying your MyFi, and listening to recorded music. To wear your MyFi and listen to live programming, we recommend using the antenna headset (model X2GLHP01) available separately at www.xmradio.com.



Receiving the Best Signal

- Use the built-in signal strength meters for aiming the MyFi internal antenna or external antennas. Press "menu," rotate the dial to "Antenna Aiming," and press the dial. You will see two rows of bars.



Move your MyFi or external antenna to a position that gives you the highest number of bars on either meter.

Using the 2go Button

- When you use the 2go feature for recording on the go, ensure that you have at least two bars of signal strength on the main screen. This will help prevent accidental cancellation of your recording if there is a fade in signal strength.
- To start you recording, press "2go." Press it again to confirm recording.
- To stop your recording, press "2go" again.

Scheduling a Recording Session

- You must have your MyFi in the home stand with power adapter and an XM antenna connected.
- Be sure you have at least two bars of signal strength.
- To set up your scheduled recording time, go to "menu." Select "Schedule MY XM" and then Session 1 or 2.

IMPORTANT: Turn your MyFi off or it will not record at the scheduled time. It will turn on automatically to record.

- When you want to listen to your recordings, press "mode" to switch to "MY XM."

Questions

For more information, see your MyFi manuals or contact XM Listener Care at 1.800.XM.RADIO (967.2346).

