

# Mechanics 450

Manual

**SKIDATA**<sup>™</sup>  
access unlimited



Version November 2003

**SKIDATA AG**

Technical Documentation  
Untersbergstrasse 40  
A-5083 Gartenau  
Telephone +43-(0)6246 888 - 0,  
Telefax +43-(0)06246 888 - 7  
Internet <http://www.skidata.com>  
e-mail [docu@skidata.com](mailto:docu@skidata.com)

**Copyright**

© 2003 by SKIDATA AG. All rights reserved. All information in the following document is protected by copyright law. No part of this document may be reproduced without the written consent of SKIDATA AG. SKIDATA AG reserves the right to make any changes of specification and other information in this document without further notice.

**Please note**

During the compilation of this Technical Documentation, great care has been taken to ensure the accuracy of the information contained in it. However, despite our constant effort to ensure the highest degree of accuracy and comprehensiveness possible, the information provided cannot be guaranteed to be absolutely error-free.

**Trademarks**

This documentation may contain representations of registered product or service trademarks owned by SKIDATA AG or third parties, as well as references to proprietary know-how protected by copyright laws or other legal provisions. In any case the intellectual property rights remain exclusively with their respective owners.

**Declaration of Conformity**

The Mechanics 450 product family have been developed, designed and manufactured in accordance with the following EU directions:

R&TTE (99/5/EC)

**CE 0408**

**FCC 15.19:**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**FCC 15.21:**

**IMPORTANT:** Any changes to or modifications of Mechanics 450 (all variants) unless expressly approved by SKIDATA™, may void the user's authority to operate this device.

**Mechanics 450****1****Document Management – Version Table***Tab. 1: Document Version Table for Installation & Maintenance Instructions*

| <b>Section</b> | <b>Document</b> | <b>Pages</b> | <b>Version</b> | <b>Date</b> |
|----------------|-----------------|--------------|----------------|-------------|
| 1              | Mechanics 450   | 4            | 1.0            | 26-11-2003  |

# 1

## Mechanics 450

Version 1.0  
4 pages  
Copyright 2003 by SKIDATA AG

## **1.1 Contents**

|            |   |          |
|------------|---|----------|
| <b>1.1</b> | <b>Contents</b>                             | <b>2</b> |
| <b>1.2</b> | <b>Electrical connections of the device</b> | <b>3</b> |

## 1.2 Electrical connections of the device

Coder Mechanism 450 is a component designed for installation in SKIDATA™ devices. Operating the mechanism without its original enclosure or in devices not certified by SKIDATA AG for this purpose is prohibited.

Coder Mechanism 450 must be connected to the appropriate devices by means of the plug-in connectors provided for this purpose. The illustration shows the plug-in ports for the 24V DC power supply, the 122.88 kHz scanner antenna, and the data transfer line.

Fig. 1: Connection Coding Unit 450



