»PRACLICE»PLAY»WIN

# SKLZ<sup>®</sup> TEAM SHELTER SET-UP INSTRUCTIONS

SKLZ

#### Includes:

- » Team Shelter
- » Carry Bag
- » 4 Ground Stakes
- » 2 Tie Cords



## »PRACTICE»PLAY»WIN<sup>™</sup>

#### **BEFORE YOU BEGIN:**

- » Adult assembly recommended.
- » Make sure you have all of SKLZ Team Shelter components. Please contact SKLZ customer service toll free at 877-225-7275 x128 if you are missing anything.
- » Read all setup and usage instructions carefully.
- » When done, disassemble Team Shelter and store. Do not leave Team Shelter outdoors.
- » Do not climb or hang on Team Shelter.
- » Regularly check for wear and tear. Stop using shelter if any part of it breaks. Failure to do so could result in injury.
- » Keep away from fire and heat sources.

**TEAM SHELTER PARTS:** 



C – Base Frame



fr fr


E – Ground Stakes (4) F – Tie Cords (2)





D - Interior Structure Poles (2)

G – Easy-Carry Bag





### »PRACLICE»PLAY»WIN"

#### **TEAM SHELTER ASSEMBLY:**

#### **STEP 1–**BASE FRAME AND TENSION-TITE<sup>™</sup> POLE ASSEMBLY

Lay out one Tension-Tite Pole (B) and connect links to form a straight pole. Repeat with second Tension-Tite Pole. Lay out Base Frame (C) and link the frame together. Secure the Base Frame tubing with the click-lock push buttons.

Slide the Tension-Tite Poles into the fitting hole in each corner of the Base Frame. Ensure poles are fully inserted. Failure to do so may result in damage to the Team Shelter.

NOTE: The slight bowing on the Base Frame is part of the Tension-Tite system design.



#### STEP 2-CONNECT THE CANOPY TO THE FRAME

Unfold the Team Shelter Canopy (A) and connect the corner canopy pin to the top of the Tension-Tite Pole. Ensure the Team Shelter logo on the canopy is facing away from the frame. Repeat on the other side.

Connect the grommets on the bottom of each canopy strap to the Base Frame. Insert each canopy toggle clip into each canopy strap grommet and snap each canopy clip connector to each Tension-Tite Pole and Base Frame.



#### **STEP 3-INSERT INTERNAL STRUCTURE POLES**

Connect links of each Internal Structure Pole (D). Insert one end of the pole into the Base Frame and the other end in the canopy pocket in the upper corner of the canopy. Secure pole with velcro. Repeat with the pole on the opposite side.



#### **STEP 4–**SECURE THE TEAM SHELTER TO THE GROUND

Check the frame to make sure it is secure and fully assembled with the canopy before securing to the ground.

Place Team Shelter in the desired location and on level ground. Secure the shelter to the ground with the included Ground Stakes (E). Press each stake into the ground with your hand, foot or mallet.

For windy conditions use Tie-cords (F) to further secure the Team Shelter. Secure one side of the Tie-cord to the upper rear Tie-cord loop and stake the other side to the ground. Repeat on the opposite side.

- NOTE: Care should be taken when securing the Ground Stakes. Base Frame tubing can be bent if driven too far into the ground. Do not use Ground Stakes on the back bar of the Base Frame as it will bend and tension system will not function properly.
- CAUTION: Make sure the Team Shelter is secured into the ground before use. During use make sure the Ground Stakes are secured. Loose Ground Stakes may cause injury.

#### **STEP 5-ADJUST AIRFLOW**

To increase airflow, open side zippered windows or roll up side flaps. To roll up side flaps remove each toggle from each canopy strap grommet. Roll-up the side flap and secure with ties.



SKLZ

#### **BREAK DOWN TEAM SHELTER:**

# Note: To limit instability caused by wind, keep Base Frame ground stakes secure until the team Team Shelter canopy is removed from the structure.

- » Remove tie-cords if they had been used to secure the Team Shelter.
- » Remove the Internal Structure Poles. Unlink them and fold them down to store.
- » Remove each toggle from each canopy strap grommet and remove the canopy strap from the Base Frame.
- » Remove the canopy connector clips from each Tension-Tite<sup>™</sup> Pole, followed by the canopy pins.
- » Remove the Tension-Tite Poles from each side of the Base Frame. Unlink them and fold them down to store.
- » Remove ground stakes.
- » Break down the Base Frame. Fold and store in Carry Bag (G).
- » Dry Canopy before storing.
- NOTE: Store Tension-Tite Poles in the carry bag with the round tops facing away from each other.

#### A WARNING:

Always check equipment for worn or damaged parts before use. If any defects are found do not use product. Never bend poles beyond what is required for setup and break down. Excessive bending or stress on the poles may cause the poles to splinter and/or break.

Never release the Tension-Tite poles while under tension. Sudden release will cause the poles to snap back and potentially cause significant injury, disfigurement, or death.

**CAUTION:** Stake Team Shelter to the ground in windy conditions to prevent the product from blowing away or getting damaged.

#### **PERFECT WITH SKLZ SPORT-BENCH:**



- » Quick and easy set-up no tools or assembly required
- » Includes carry bag with strap for easy transport
- » Perfect for sporting events team or spectators



#### 90-DAY LIMITED WARRANTY - TEAM SHELTER

Pro Performance Sports (PPS) warrants to the original consumer purchaser of any PPS product it manufactures that the product will be free of defects in materials or workmanship for 90 days (unless specified in alternate warranties) from the date of purchase. If defective, and purchased from a retail store, return the product along with receipt to the retail store where the product was purchased. If the item was purchased from PPS, return the product along with proof of the date of purchase (i.e. the packing slip), postage prepaid to the address below for replacement consideration:

Pro Performance Sports :: 5823 Newton Drive :: Carlsbad, CA 92008 :: Attn: Returns

This warranty does not cover damages resulting from accident, misuse, abuse or lost merchandise. Only valid in the USA. All returns sent to PPS require a Return Merchandise Authorization number (RMA). For returns to PPS and for all other Customer Service inquiries, please call toll free: 1-877-225-7275

## Register your product at SKLZ.com to ensure warranty coverage, get new product information and special deals from SKLZ





Like us on Facebook: facebook.com/SKLZfans



Follow us on Twitter: @teamSKLZ

#### DO YOU HAVE A WINNING SPORTS PRODUCT OR IDEA?

Visit our website to learn how to submit a product application for consideration. It may become our next winning product!

#### SKLZ.com



Made in China ©2011 Pro Performance Sports. All rights reserved. Unauthorized duplication is a violation of applicable laws. U.S. and Foreign Patents Pending.

