

### TROUBLESHOOTING

### **PROBLEM**

### SOLUTION

Drone is unresponsive or behaving erratically

- Drone may be miscalibrated by launching from an unlevel surface. Turn the remote off and unplug Drone's battery for 30 seconds then turn them back on and try again from a flat, level launching surface.
- · Ensure your remote is within unobstructed view of Drone and you are within 30 feet range.
- Ensure the remote has fresh batteries and the LiPo battery is fully charged.
- Inspect Drone for any possible damage. Turn the remote off and unplug Drone's battery for 30 seconds then turn them back on and try again from a flat, level launching surface.

All blades spin, but Drone will not fly properly.

• Drone's blades may have been installed incorrectly. Reinstall and remember that the GREEN blades point forward.

Drone drifts in any direction during flight without direction from the remote

· Adjust the trim controls until drifting ceases, see page 7.

Drone crashes

immediately

• Propellers may be installed in the wrong position. Ensure proper installation.

Drone crashes when attempting stunt functions • Ensure that is flying a minimum distance of 9 feet from the ground with a minimum 9 feet clearance in all directions.

www.skyrockettoys.com/products/sky-viper







©2015 Skyrocket Toys LLC, Los Angeles, CA 90066 USA, All Rights Reserved Sky Viper is a registered tradmark and the Skyrocket logo are trademarks of Skyrocket Toys LLC.

MADE IN CHINA.





### INSTRUCTION GUIDE



Remove all packaging attachments before giving the toy to a child. Not suitable for children under 3 years due to small parts that could be swallowed.

> Conforms to product safety standards ASTM F963. Keep instructions for future reference. Do not discard.



12+

#### FCC ID:O5301513TX24G

BC

This device complies with PART 15 of the FCC Rules. Operation is subject to the following two conditions. (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**CAUTION:** Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Recrient or relocate the receiving antenna - Increase the separation between the equipment and receiver - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected - Consult the dealer or an experienced radio/TV technician for help.

#### ADULT SUPERVISION REQUIRED III

Before each use, an adult should check this product and the LiPo battery to ensure no damage or hazards exist. Drone has rotating blades that move at high speed, posing danger of damage and injury. Pilots are responsible for any actions that result in damage or injury from the improper operation of Drone. Adequate flying space is required. Avoid flying near interior fans and/or vents as they may make flying difficult to control. Keep a safe distance away from streets, public thoroughfares and power lines. Never attempt to retrieve Drone from any location higher than your reach (such as rooftops or trees) or from any location that poses a safety hazard. Never fly Drone at night. Keep Drone in sight at all times during operation. Discontinue operation immediately if Drone flies out of your field of view. Do not fly near spectators or animals. Pets can become excited about R/C vehicles therefore keep away from pets at all times. Keep spinning rotors away from fingers, hair, eyes and other body parts. Always launch from a flat surface. Never leave Drone unattended while it is turned on. Read all enclosed information before operating.

#### THIS PRODUCT CONTAINS A LITHIUM-POLYMER BATTERY 3.7V 350mAH:

LiPo batteries have a severe risk of fire and injury if they are improperly handled or misused. They may explode, overheat or ignite. Read all following precautions and instructions regarding the care and use of LiPo batteries. The enclosed LiPo battery is only to be used with the vehicle and charger included with this product.

- Keep away from flammable materials.
- Do not expose to direct sunlight.
- Do not place in fires or leave in hot places.
- Do not drop or make subject to strong impact.
- · Keep dry and away from water.
- · Remove exhausted batteries as soon as possible and discard properly.
- Remove all batteries from the compartment if toy is not used for a long period.
- . The supply terminals are not to be short circuited.
- · Never throw batteries in a fire or attempt to open outer casing.

LiPo Battery Disposal: LiPo batteries must be recycled or disposed of properly. They should not be disposed of with other household waste. Check your local laws and regulations for correct recycling and/or battery disposal.

#### ALKALINE BATTERY CAUTIONS

- · Do not use rechargeable batteries.
- · Non-rechargeable batteries are not to be recharged.
- Different types of batteries or new and old batteries are not to be mixed.
- Batteries are to be inserted using correct polarity.
- Remove exhausted batteries as soon as possible and discard properly.
- · Remove all batteries from compartment if toy is not used for a long period.
- · The supply terminals are not to be short-circuited.
- · Never throw batteries in a fire or attempt to open the outer casing.


WARNING: Batteries are harmful if swallowed. Please keep away from children.

Battery Disposal: Dispose of batteries according to the local laws and regulations of your region. Some batteries may be recycled, and may be accepted for disposal at your local recycling center. If you are not able to identify the applicable rules in your area, please check the instructions of the battery manufacturer.

#### CHANGING DAMAGED PROPELLERS



- 2 Make note of the blade color and letter (A or B) before removing the blade from Drone. (Markings are located on the underside of blades and Drone)
- **3** Remove the small screw using the mini screwdriver provided.
- 4 Replace the damaged blade with a new blade with matching color and letter. Secure the blade with the retaining screw.





**WARNING:** Do not fly with broken or damaged propeller blades as it may cause damage or lead to injury.

## MAINTENANCE

Over time, loose hair or carpet fibers may get wound in blades, reducing performance.
 Unplug the Drone and remove fibers from motors. (Remove blades if necessary)

10


1B

### ONE TOUCH STUNTS

#### BARREL ROLL

While flying forward (or reverse), press the **STUNT BUTTON**.

NOTE: Once a stunt has been initiated, DO NOT adjust Throttle or press any other controls until the stunt has been completed)









REAR BARREL ROLL

# FLIP

- 1 Bring the Drone to a mid air hover without flying in any direction. Remove finger from the DIRECTION STICK
- 2 While HOVERING, press and hold the STUNT BUTTON.
- 3 While still holding the STUNT BUTTON, tap the DIRECTION STICK in the direction you want to the drone to flip.














### CAUTION!

Drone should be flying at least 9 feet in the air with a minimum clearance of 9 feet in all directions before attempting stunt functions.

STUNT FUNCTIONS SHOULD BE PERFORMED OUTSIDE ONLY.

# CHARGING, INSTALLING & CARING FOR LIPO BATTERY IN THE DRONE

- 1 Disconnect battery wires.
- 2 Unscrew the battery screw. Press UP on the button to open the battery compartment door on the rear side of Drone.
- **3** Pull LiPo battery out of underside of Drone. Remove LiPo battery from battery case.
- 4 Plug charging cord into a computer or USB power block.
- 5 Plug LiPo battery into Charging Cord. RED LIGHT = CHARGING GREEN LIGHT = FULLY CHARGED
- 6 Charge battery until Full.
- 7 Once charged, disconnect LiPo battery from USB port.
- 8 Unplug charging cord from USB power source. (Always unplug when not in use).
- 9 Insert LiPo battery into back of Drone. Reconnect the battery wires. Close the battery compartment door.








#### NOTE:


Always unplug LiPo battery when Drone is not in use.

#### CHARGING PRECAUTIONS:

After use, allow LiPo battery to cool to room temperature before charging.

- Charge LiPo battery in an isolated area, away from excessive heat or moisture.
- Never leave LiPo battery unattended while charging.
- If LiPo battery swells, unplug it immediately and permanently discontinue use.
- · Do not modify, heat, or wet the battery in any way.
- · Only recharge with provided charger.





9

2






# IF AT ANY TIME DURING CHARGING OR USE THE BATTERY BECOMES DAMAGED IN ANY WAY, DISCONTINUE CHARGING OR USE OF THE BATTERY IMMEDIATELY.

Continuing to charge or discharge a battery that has been damaged can result in a fire. Quickly and safely disconnect the Drone from charging and place away from flammable materials. Observe the battery for at least 30 minutes to be certain no additional swelling or rupture occurs. Completely discharge the battery by submerging it in a saltwater solution (1/2 cup salt per gallon of water) for 24 hours.

Check your local laws and regulations for correct recycling and/or battery disposal.


#### WHEN NOT IN USE:

- Always UNPLUG the Drone's LiPo battery when not in use or when Drone is being stored or transported.
- Store the LiPo battery and Drone in a dry area at room temperature.
- Avoid temperatures less than 40°F/4°C and greater than 120°F/49°C.
- Do not leave the LiPo battery in a car or exposed to direct sunlight. If exposed to temperatures greater than 120°F/49°C, the LiPo battery can be damaged or may catch fire.



#### INSTALLING REMOTE BATTERIES

Loosen screw in the Remote Control battery compartment door with Philips screw driver and insert batteries as shown. Replace door and tighten screw.





#### AUTO SHUTDOWN:

- If battery voltage drops to an extremely low level, Drone will automatically shutdown.
   The Stunt Drone will need to be recharged to restore flying power.
- If anything prevents Drone's blades from spinning or they become jammed, Drone will automatically shutdown. The LiPo battery will need to be unplugged, then reconnected to restore flying power.

### FLYING TIPS

- When launching the Drone, face the same direction as the Drone. Green blades and Green LEDs should be front.
- Practice launching, hovering and landing before attempting to learn other moves.
- Flying 2 to 3 feet above the ground will reduce ground turbulence and make flying easier
- When first attempting to fly in different directions, start by tapping the Direction stick until you have a feel for it. Always move controls slowly until you become comfortable operating the Drone.
- Once you've mastered flying in directions, practice rotational controls. Spinning and keeping Drone facing the same direction you are facing makes flying easier and more intuitive.
- Stay 2 to 3 feet away from walls and ceilings as Drone will be drawn towards them if you fly too close.
- If propeller blades come in contact with another object or you crash, throttle down immediately to prevent possible or further damage.
- If anything prevents Drone's blades from spinning or they become jammed, THROTTLE DOWN IMMEDIATELY. Do not attempt to fly until obstruction has been removed and damage fixed.
- Should something prevent Drone's blades from spinning, Drone may AUTO SHUTDOWN. LiPo battery will need to be unplugged then reconnected to restore flying power.
- If the Drone flies too far away, beyond the control range of the remote, the Drone will AUTO-LAND to prevent the Drone from flying away out of control.

3

8

#### FLIGHT SENSITIVITY ADJUSTMENT

Drone responsiveness may be adjusted on the Controller to match your flying skills. There are three choices:

1. LOW - 2. MEDIUM - 3. HIGH SENSITIVITY

It is best to start in LOW POSITION until you have mastered flying.

Flight sensitivity can be adjusted before or during flight.





### TRIM ADJUSTMENTS



If Drone drifts in any direction while hovering (and you are not pressing the Direction stick), you may need to make trim adjustments. Safely land Drone on a level surface. Press the recommended Trim button once as described below. Launch Drone back into the air and attempt another still hover. If Drone continues to drift, repeat the process until the Drone hovers in place:



- Drone drifts forward (Fig. 1)
- Press the B button
- Drone drifts backward (Fig. 2) - Press the F button
- Drone drifts to the left (Fig. 3) - Press the R button
- Drone drifts to the right (Fig. 4) - Press the L button
- Drone spins counter-clockwise, when viewed from the top (Fig. 5) - Press the 🔁 button
- Drone spins clockwise, when viewed from the top (Fig. 6) - Press the 🖵 button




NOTE: THE REMOTE WILL BEEP/FLASH 3 TIMES WHEN TRIM ADJUSTMENT IS SET TO TRIM RANGE) AND BEEP ONCE WHEN IT HAS REACHED THE END OF IT'S RANGE.

THE NEUTRAL POSITION (THE MIDDLE OF THE


### CALIBRATING & LAUNCHING


- 1 Press to turn OFF Remote Control.
- 2 Unplug the Drone LiPo battery. Disconnect by pulling connectors apart-Do not pull wires.
- 3 Reconnect Drone LiPo battery.
- 4 Quickly place Drone on FLAT LEVEL
- 5 Press to turn Remote Control ON.
- 6 Slowly push remote control THROTTLE STICK UP until Drone lifts into the air.



**CAUTION: NEVER APPROACH DRONE** WHILE THE PROPELLER BLADES ARE STILL SPINNING. THROTTLE DOWN UNTIL THE BLADES STOP THEN TURN OFF REMOTE BEFORE ATTEMPTING TO HANDLE DRONE.













4

