Smart Box for Auto Product manual

Catalogue

四、	after-sale service	错误!未定义书签。
	3.3 Frequency signal reception	1
	3.2 Device Connect	1
	3.1 Power on the device	1
三、	Operating instructions	错误!未定义书签。
二、	Specification parameters	错误!未定义书签。
一、	overview	错误!未定义书签。

—、overview

The Smart Box for Auto series is a hardware device used for vehicle fault diagnosis detection and key programming functions. This device is connected to the standard OBDII diagnostic seat in automobiles to detect the status of vehicle electronic control units and key programming.

二、Specification parameters

Name	Smart Box for auto
Interface	OBDII Port
BLUETOOTH	2.4GHz
rated operational voltage	DC 12V
Maximum operating current	2A
Maximum power consumption	24W
Weight	0.3kg
Equipment size	190mm*95mm*34mm
Ambient Temperature	-20℃~65℃

三、 Operating instructions

3.1 Power on the device

Insert this device into the OBDII diagnostic seat of the car, the POWER blue power indicator light remains on, and the device is powered on normally.

3.2 Device Connect

After the device is powered on normally, the APP connects to the device through Bluetooth, and the TABLET blue Bluetooth connection indicator light remains on. Then functional operations can be implemented on the APP end.

3.3 Frequency signal reception

Place the car remote control(433.92MHz) near the signal sensing area, and then press the unlock or lock button on the remote control to automatically detect the frequency of the car remote control.

四、 after-sale service

- 4.1. The equipment provides a one-year free warranty service from the date of purchase, and provides 7 * 24 hour technical support.
- 4.2 \ After a hardware malfunction occurs, after confirmation by after-sales personnel, the equipment is first sent to the customer's site. After the malfunction is resolved, the customer sends the faulty equipment back.
- 4.3 . The serial number is displayed on the physical nameplate of the equipment. If the customer reports a malfunction, please provide the accurate serial number.

FCC Warnning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection againstharmful interference in a residential installation. This equipment generates, uses and can radiateradio frequency energy and, if not installed and used in accordance with the instructions, maycause harmful interference to radio communications. However, there is no guarantee thatinterference will not occur in a particular installation. If this equipment does cause harmfulinterference to radio or television reception, which can be determined by turning the equipmentoff and on, the user is encouraged to try to correct the interference by one or more of thefollowing measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1)This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.