

CXN5100 Module Installation Manual

2012/01/10


Sony

PDSG/Semiconductor Biz.

Analog LSI Business Div./CLP Dep.

EX.)

The Image for installation of CXN5100 Module



Only the coupler (LDA5M4G4815L-301 or LDA5M4G4820L-302) which received approval with CXN5100 can be used.

By using another coupler mentioned above, additional measurement with the coupler and application to FCC will be needed based on "Permissive Change Policies".

The product which equips CXN5100 should provide :

- stable power supply of DC3.3V and 1.8V to CXN5100
- the SDIO interface (version 2.00) to CXN5100



The following sentences are added to the label and of end product.

FCC Contains Transmitter Module FCC ID:AK8CXN5100 or
Contains FCC ID:AK8CXN5100

The following sentences are added to the user manual of end product.

FCC Contains Transmitter Module FCC ID:AK8CXN5100 or
Contains FCC ID:AK8CXN5100

This device complies with Part 15 of FCC Rules . Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of this device.

FCC WARNING

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

If there is any other required sentences to the end product from FCC, It should be added to the user manual.