## **STANLEY**



# Commercial Hardware

**PRICE LIST 68CH** 

**EFFECTIVE: JANUARY 2, 2019** 



#### Table of Contents

| General Information               |         |
|-----------------------------------|---------|
| Terms & Conditions                | 3-4     |
| Limited Warranty                  | 5       |
| BEST Masterkey Code and           |         |
| Master Key Service Policy         | 7-9     |
| Return Order Request              | 109     |
| Return Authorizations             | 110-111 |
| Fulfillment Issues                | 111     |
| Quoting & Ordering                | 107-108 |
| Purchase Order                    | 112-113 |
| Keying System Summary             | 114-115 |
| Cylinders Keys & Keying           |         |
| Keying Options                    | 10      |
| Key Blanks                        | 11      |
| Cut Keys                          | 12      |
| Uncombinated SFIC Cores & Key Bla | anks 13 |
| Cylinder Options                  | 14      |
| Cylinder Parts                    | 15-16   |
| Mortise Locksets - Grade 1        |         |
| QMS100/QME100 Series              | 17-24   |
| QML100 Series                     | 25-27   |
| Cylindrical Locksets - Grade 1    |         |
| QCL100 Series                     | 28-33   |
| Cylindrical Locksets - Grade 2    |         |
| QCL200 Series                     | 34-38   |
| Interconnected Levers             |         |
| QCI200 Series                     | 39-44   |
| Tubular Locksets                  |         |
| QTL200 Series                     | 45-49   |

| Auxiliary Deadbolts - Grade 1 QDB100 Series   | 50-54                              |
|---|------------------------------------|
| Auxiliary Deadbolts - Grade 2<br>QDB200 Series  | 55-61                              |
| Exit Devices & Trims - Heavy Duty QED100 Series QRM100 Series QET100 Series                             | 62-64, 67-70<br>71-72<br>73-74, 77 |
| Exit Devices & Trims - Narrow Stile QED200 Series QET200 Series   | 65-70<br>75-77                     |
| Exit Devices & Trims - Standard Dur<br>QED300 Series<br>QRM300 Series<br>QET300 Series<br>QRT300 Series | 78-83<br>84-85<br>86-87<br>88-91   |
| <b>Door Closers - Extra Heavy Duty</b> QDC100 Series  | 92-95                              |
| Door Closers - Heavy Duty<br>QDC200 Series  | 96-98                              |
| Door Closers - Standard Duty<br>QDC300 Series   | 99-101                             |
| Index<br>Weights & Measurements   | 102-106                            |
|   |                                    |

#### TERMS AND CONDITIONS OF SALE

The terms and conditions contained herein shall govern the sale of all products located in the price catalog and/or offered for sale by dormakaba USA Inc. ("dormakaba USA"), except for those products as set forth under separate Value Added Reseller Agreements. The acceptance of any order is expressly made conditional upon your assent to these Terms and Conditions of Sale.

**PRICES:** dormakaba USA reserves the right, in its sole discretion, to change or amend its price list (including, but not limited to, adding or removing Products from the price list), and standard terms and conditions of sale as contained in its catalogs, price list or published sales policies, without incurring any liability whatsoever to its Customer or others. All orders will be filled at the List Price in effect at the time of order placement. All prices are subject to change without notice and are not quaranteed.

**TAXES:** List prices do not include federal, state or local taxes.

**ORDERS:** No order for Products shall be deemed to have been accepted by dormakaba USA until written notice of its acceptance is received by the Customer from dormakaba USA via an order acknowledgement. dormakaba USA reserves the right, in its sole discretion, to decline to accept any order. Purchase Orders will bind dormakaba USA only to the extent accepted by dormakaba USA's written confirmation or delivery.

dormakaba USA will attempt to fill orders in the order in which they are received, subject to prior orders. However, dormakaba USA reserves the right to allocate orders or fill an order or orders ahead of prior orders, if, in its judgment, the facts warrant such a change.

Any additional provisions in a Purchase Order, including any pre-printed terms, shall be void and not binding on dormakaba USA, unless expressly accepted by dormakaba USA. For greater certainty, the acceptance by dormakaba USA of a Purchase Order shall not be deemed acceptance of the additional terms of such Purchase Order.

dormakaba USA will accept orders via phone, email, fax or courier. dormakaba USA will send out an order acknowledgement for all orders received via email, phone or fax.

NOTE: Receipt or possession of this price catalog does not grant approval to quote or purchase products. Please contact your dormakaba USA Sales Representative for further details.

**KEYING SYSTEM ORDERS:** All orders of keying systems specifying delayed fulfillment must be fulfilled within twelve (12) months of the order date. Said request for fulfillment must include complete keying instructions for the order to be acknowledged with an estimated delivery date. Failure to properly request fulfillment of the order within twelve (12) months of the order date will make the order void and nonrefundable.

**SPECIAL ORDERS:** Any modification to a standard product configuration is considered a special order. No credits will be issued for returned special orders unless authorized by dormakaba USA Customer Service.

**INCOMPLETE ORDERS:** An incomplete order is one that is not fully specified according to the appropriate nomenclature required for that product. Any incomplete order will not be entered and will be referred to the appropriate dormakaba USA Sales Representative for resolution.

**SAMPLES:** Please contact your local dormakaba USA Sales Representative for sample requests.

**MINIMUM CHARGE:** The expense of handling an order necessitates a minimum charge of \$50.00 net per invoice.

**CREDIT LIMITS:** dormakaba USA's policy is to extend Net 30-day terms/open account combined with a credit line based on financial capacity. For all accounts dormakaba USA requires a Credit Application and Sales Tax Exempt Certificate (if applicable). dormakaba USA evaluates traditional sources of credit information: D&B, trade and bank references, financial information, and business plans. The supply of credit herein shall be at the discretion of dormakaba USA. If available information and/or financial circumstances will not support open accounts terms, dormakaba USA offers Cash in Advance and Credit Card (MasterCard or VISA) terms. dormakaba USA performs periodic reviews of credit lines and terms of payment and may request updated financial information.

dormakaba USA reserves the right to withhold delivery of Product if Customer does not meet dormakaba USA's credit requirements for the amount of Product ordered, or the amount of Product which remains unpaid (whether or not overdue) exceeds the limit established by dormakaba USA for Customer. Customer shall provide, at dormakaba USA's request, an acceptable letter of credit or guarantee or security in a form and amount determined by dormakaba USA.

If Customer shall become overdue on its account or otherwise defaults in any payment to dormakaba USA or if its financial condition shall at any time appear inadequate to warranty further shipment on an open account basis, dormakaba USA shall have the right, without liability, to refuse to accept any or all orders, to cancel any and all orders, to delay shipments, or to require advance payment before accepting or shipping any orders. All orders and all shipments are subject to approval by the dormakaba USA Credit Department.

**PAYMENT TERMS:** dormakaba USA standard payment terms are 2% 15, net 30 days from date of invoice.

Effective September 28, 2014, a \$45.00 convenience fee will apply to all payments made by Credit Card towards open invoices on your account. You may choose to pay by credit card by reaching out to your Credit Analyst directly in order to process payment. You can avoid paying the \$45.00 convenience fee by enrolling and paying open invoices via Billtrust Invoice Gateway (https://secure.billtrust.com/stanleymechanical/ig/signin) with an ACH Payment (bank transfer from checking or savings account) free of charge. Payments by check, or money order should continue to be sent directly to the remit-to address noted on invoices.

dormakaba USA shall be entitled to charge and Customer shall pay interest on overdue invoices at the rate of two percent (2%) per month calculated from the date of the invoice to the date of payment, including any attorney fees incurred by dormakaba USA resulting from the collection of such overdue payment. Customer shall pay all sums owing to dormakaba USA without any deduction or abatement and Customer shall have no right of set-off.

In the event that Customer disputes any portion of the payment due, Customer shall be obligated to pay the balance which is not the subject of dispute.

Without limiting any other rights it may have under these terms of sale and applicable law, all of dormakaba USA's obligations under this Agreement, including obligations of supply, or any Purchase Order, can be suspended or cancelled should Customer be delinquent in making payment for previously shipped Products.

#### **INTERNATIONAL SALES:**

International Resellers located outside of the United States of America who place orders are subject to and must pay by (1) Cash in Advance, (2) Confirmed Irrevocable Letter of Credit, (3) Standby Letter of Credit.

All international shipments shall be FCA (Incoterms 2010) from dormakaba USA's facility in Indianapolis, Indiana USA. dormakaba USA shall be deemed to have delivered all Products and related goods when such are put in the custody of a carrier at dormakaba USA's plant or warehouse above, at which time all title and risk of loss or damage shall pass to Customer.

May 2018

#### TERMS AND CONDITIONS OF SALE (continued)

**SHIPPING/FREIGHT:** All Products shall be shipped FOB Origin domestic or FCA International (INCOTERMS 2010) from dormakaba USA's facility in Indianapolis, Indiana USA. dormakaba USA shall be deemed to have delivered all Products and related goods when such are put in the custody of a carrier at dormakaba USA's plant or warehouse above, at which time all title, risk of loss or damage shall pass to Customer. All shipments will be made in accordance with the preferred routing, carrier assignments, and operational guidelines of dormakaba USA. Customer shall bear all costs of freight, insurance and associated costs and shall make all arrangements for same.

Single or combined shipments including dormakaba USA lock sets, exit devices, hinges and door closers will be considered for free freight with orders at or above \$5000 net (product combination must be on same purchase order). Orders less than \$5,000 will be shipped freight prepaid with shipping cost added to the invoice, including a nominal freight charge to be determined by dormakaba USA at time of shipping.

Hinge only orders will be considered for free fright with orders at or above \$750 net. Orders less than \$750 will be shipped freight prepaid with shipping cost added to the invoice, including a nominal freight charge to be determined by dormakaba USA at time of shipping.

These freight terms apply only to a single destination within the contiguous United States.

Should a shipment qualify for one of dormakaba USA's free freight programs, the Products shall be shipped FOB Origin domestic (with exception to prepaid freight) or FCA International (INCOTERMS 2010) (with exception to prepaid freight) from dormakaba USA's facility in Indianapolis, Indiana USA.

**DELIVERY:** Orders shall be acknowledged and given a scheduled delivery date based on estimated manufacturing lead times. Manufacturing lead time will begin once all information is received to process an order. Delivery dates given by dormakaba USA as part of order acknowledgment for accepted orders for Products or related goods will be honored by dormakaba USA on a best effort basis. Shipping dates shown on order acknowledgments are based upon dormakaba USA's estimate and cannot be guaranteed. dormakaba USA will not be liable for any loss or damage resulting from delay in filling orders, including any direct or consequential loss or damage. dormakaba USA reserves the right to make partial shipments unless the order specifies otherwise.

**CHANGES/CANCELLATIONS:** After orders are entered for manufacturing, changes or cancellations cannot be accepted without dormakaba USA written permission, and may be subject to a change or cancellation charge equivalent to 30% of the purchase price.

Orders for special and/or custom designed goods not immediately saleable to another customer are not changeable, cancelable, or returnable.

**RETURNED GOODS:** dormakaba USA Customer Service MUST authorize all returns. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Use fax number 888-214-1918 for returned goods authorization only. Only goods with an invoice date of less than one (1) year will be considered for a Return Goods Authorization (RGA). All material returned to dormakaba USA, regardless of the reason, must have a correct RGA number applied to the outside of the shipping carton. A restocking charge of 30% of the purchase price will be applied to the Customer's account except for warranty returns. Transportation charges of returned goods must be prepaid by Customer. All goods must be returned within sixty (60) calendar days of RGA issue date. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Product not returned in salable condition or after sixty (60) days of the RGA issue date is subject to disposal by dormakaba USA with no credit issued.

dormakaba USA cannot authorize the return of discontinued product. Under no circumstances will special order items be accepted for return, unless covered by warranty.

**EXPORT REGULATIONS:** Customer agrees to conform to, and abide by, the export laws and regulations of the US, including, but not limited to, the Export Administration Act of 1979 as amended and its implementing regulations. Diversion contrary to US laws and regulations is prohibited.

**MASTERKEYING:** Best Masterkey Code and Masterkey Service Policy can be found at www.bestaccess.com.

LIMITATION OF LIABILITY: EXCEPT AS OTHERWISE REQUIRED BY APPLICABLE LAW, dormakaba USA SHALL HAVE NO LIABILITY FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, EXEMPLARY, LIQUIDATED OR PUNITIVE DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS, COSTS OF DELAY, ANY FAILURE OF DELIVERY, OR BUSINESS INTERRUPTION, REGARDLESS OF WHETHER THE CLAIM GIVING RISE TO SUCH DAMAGES IS BASED UPON BREACH OF WARRANTY, BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), PRODUCT LIABILITY, OR OTHERWISE, EVEN IF dormakaba USA HAS BEEN ADVISED OF THE POSSIBILITY THEREOF, TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT WILL dormakaba USA's TOTAL AGGREGATE LIABILITY TO CUSTOMER, UNDER ANY LEGAL THEORY, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), PRODUCT LIABILITY, INFRINGEMENT OF OR DAMAGE TO ANY PATENT, COPYRIGHT, TRADEMARK, OR OTHER INTELLECTUAL PROPERTY RIGHTS OF ANY PERSON OR ENTITY, OR OTHERWISE IN RELATION TO THE SALE OF dormakaba USA PRODUCTS TO CUSTOMER, EXCEED THE AGGREGATE OF THE AMOUNT PAID OR PAYABLE TO dormakaba USA BY CUSTOMER FOR THE ORDER GIVING RISE TO THE ALLEGED LIABILITY.

**LIMITED WARRANTY:** The terms and conditions outlined above are subject to dormabaka USA's Limited Warranty, which is included in the Price Catalog and is incorporated herein by reference. Upon return of a defective product, dormakaba USA shall either repair or replace the product, in its sole discretion, in accordance with our standard warranty.

EXCEPT AS SET FORTH HEREIN, dormakaba USA MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, AND BUYER ACKNOWLEDGES THAT NO REPRESENTATIONS, WARRANTIES, PROMISES OR STATEMENTS HAVE BEEN MADE BY dormakaba USA, WITH RESPECT TO THIS PRODUCT, OR ANY PART OR PORTION THEREOF. IN ADDITION, dormakaba USA MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THIS PRODUCT OR ANY PART OR PORTION THEREOF, FOR ANY PURPOSE, NOR ANY WARRANTY WHICH EXTENDS BEYOND THE DESCRIPTION ON THE FACE HEREOF. dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES SUFFERED BY BUYER OR ANYONE CLAIMING BY, THROUGH OR UNDER BUYER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF, AND THERE ARE NO ORAL OR WRITTEN UNDERTAKINGS OR AGREEMENTS OF ANY TYPE PROVIDED BY dormakaba USA EXCEPT AS EXPRESSLY SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

**GOVERNING LAW:** These Terms and Conditions of Sale and any subsequent sales agreements between dormakaba USA and Customer shall be construed in accordance with the laws of the State of Indiana. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to this Agreement.

May 2018

#### LIMITED WARRANTY

<u>What is Covered</u>: dormakaba USA Inc. ("dormakaba USA") warrants that the Products manufactured by dormakaba USA, identified below, and sold under its trade name "STANLEY COMMERCIAL HARDWARE" are free of defects in materials and workmanship as outlined below. The sole and exclusive liability of dormakaba USA under this warranty is limited to the repair or replacement of any Product or component part covered by the warranty at the sole discretion of dormakaba USA

<u>Who is Covered</u>: This warranty is extended only to dormakaba USA's distributors of products and the end user who purchases products for purposes other than resale (collectively, "Purchaser").

#### **Hardware Warranty Period**:

QCL Cylindrical Lock, QTL Tubular Lock, QMS/QME/QML Mortise Lock, QCI Inter connected Lock, QDB Auxiliary Deadbolt, QDC Door Closers, QED Exit Devices, QET/QRT Exit Trim, QGI Inter connected Lock, QGT Tubular Lock, QGD Deadbolt and QRM Mullions shall have the following warranty periods:

- Mechanical products warranty term shall be limited lifetime for a period of the useful life of the building in which the products are originally installed.
- Electrical products shall be warranted for one (1) year from the date of sale.

6CS and 7CS products shall have the following warranty period:

• Three (3) years from the date of sale.

Finishes shall be warranted for three (3) years from the date of sale excluding US10B/613 "Oil Rubbed Bronze" finish.

<u>Warranty Claims</u>: Any Products believed to be defective as covered by this warranty may not be returned without prior written Returned Materials Authorization (RMA) from dormakaba USA Product Support (855) 365-2407 covering specific items and quantities within thirty (30) days from the discovery of the alleged defect(s). dormakaba USA will inform the purchaser where to ship said Product(s), shipping charges prepaid by you, for examination. In the event such examination reveals a defect covered by this warranty; dormakaba USA will, at its sole option, repair or replace the Product, and return it or its replacement to the purchaser, with charges only for shipping.

<u>Exclusions:</u> This warranty specifically excludes, and Best shall not be held responsible for the following:

- a) COSTS ASSOCIATED WITH INSTALLING, REMOVING OR REINSTALLATION OF THE PRODUCT.
- b) Damage caused by Product malfunction or failure attributable to acts of God.
- c) Improper use or installation.
- d) Poor or no maintenance.
- e) Work performed by someone other than an Authorized dormakaba USA technician.
- f) Failure to follow dormakaba USA's operating instructions or environmental specifications.
- g) Incorrect application, modification, vandalism, erosion or corrosion, shipping and/or handling, improper storage, accident, misuse, abuse or any other cause not within the control of dormakaba USA.
- h) This warranty is void if any modification is made to the warranty product, regardless of whether the modification causes or contributes to the alleged defect.

  All modifications are made at the risk and expense of the party making the modifications.
- i) dormakaba USA shall not be liable for any repairs, replacements, or adjustments to the product or any costs of labor performed by the Purchaser or others without dormakaba USA's prior written approval.
- j) dormakaba USA provides no warranty or guarantee that its cores and/or cylinders will function properly or be mechanically compatible with products not manufactured by dormakaba USA.
- k) US10B/613 finish is considered to be a living finish that will change over time with use and age and is expressly excluded from this warranty. The finish changes that occur are indicative of normal wear and tear and reflect the essence of a living finish. The finish changes are not considered manufacturing defects and are not covered by this warranty.

#### LIMITED WARRANTY (continued)

Third Party Warranty: Except as otherwise provided above, dormakaba USA makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Customer's sole recourse for warranty claims is with the manufacturer of the Product. However, dormakaba USA agrees to pass through any third-party warranty that dormakaba USA receives from the manufacturer of the Products to Purchaser. The extent of any third-party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the Products.

<u>LIMITATION OF WARRANTIES</u>: THIS WARRANTY IS GIVEN EXPRESSLY AND IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THERE ARE NO UNDERSTANDINGS, AGREEMENTS, REPRESENTATIONS, OR WARRANTIES NOT SPECIFIED HEREIN.

dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES SUFFERED BY PURCHASER OR ANYONE CLAIMING BY, THROUGH OR UNDER PURCHASER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

THIS WARRANTY IS GOVERNED BY THE LAW OF THE STATE OF INDIANA WITHOUT REGARD TO ITS CONFLICTS OF LAW PRINCIPLES. dormakaba USA AND PURCHASER AGREE THAT THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS SHALL NOT APPLY TO SALE OF THE PRODUCTS COVERED BY THIS WARRANTY.

May 2018

#### BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY

#### I. DISTRIBUTOR MASTERKEY SERVICES

All dormakaba USA Inc. ("dormakaba USA") Authorized Distributors, Aftermarket Wholesalers, and Locksmiths ("Authorized Distributors") can create, modify or extend masterkey codes for the benefit of their end user customers ('End Users") for Best non-patented masterkey systems; provided, however, the services must be performed in line with industry standards. With the express written permission of dormakaba USA, select Authorized Distributors can create, modify or extend masterkey codes for the benefit of End Users for a Best Patented Masterkey System (pursuant to the terms and conditions of Section C below). Authorized Distributor's failure to comply with the terms of this policy could result in dormakaba USA's termination of its Distributor Agreement as well as dormakaba USA's pursuit of any remedies available at law.

#### A. END USER INFORMATION AND CODE RELEASE:

All masterkey codes (both patented and non-patented) previously generated by dormakaba USA are available for distribution to End Users (and/or their designated Authorized Distributor, if applicable) via the End User Web Portal at http://masterkeycodeportal. bestaccess.com/Login.aspx. For a hard copy of the End User Information and Code Release Form, please contact your dormakaba USA End User Consultant. End user codes will be distributed solely to those Authorized Distributors (a) identified by the End User on a fully executed End User Information and Code Release Form received by Best, and (b) for the release of Best Patented Masterkey Codes, the Authorized Distributor is authorized by dormakaba USA to receive and process Best Patented Masterkey Codes (as more fully described in Section C below.) No exceptions will be made to this policy.

#### **B. BEST NON-PATENTED MASTERKEY SYSTEM**

As of September 4, 2012, dormakaba USA no longer requires a Security Authorization Form to be signed by the End User prior to dormakaba USA and/or its Authorized Distributor accepting core and key orders for non-patented keying systems. All valid End User communications for orders related to non-patented keying systems will be fulfilled at the End User's liability.

#### **C. BEST PATENTED MASTERKEY SYSTEM**

The Best Patented Masterkey System provides a higher level of protection against unauthorized key duplication and crossovers and, in order to maintain the quality of a Best Patented Masterkey System, the following terms and conditions of this policy shall apply to any and all Authorized Distributors with access to Best Patented Masterkey Systems. For the purpose of this policy, "Best Patented Product" shall mean the Best Cormax (including cores and keys), as well as any and all future product dormakaba USA designates as patented product for the purpose of this policy. "Best Patented Masterkey Systems" and "Best Patented Masterkey Codes" shall mean the respective masterkey system or codes of any Best Patented Masterkey Product.

**Sale of Best Patented Product:** As further described in this <u>Section C</u>, only those Authorized Distributors meeting certain necessary qualifications and standards shall be selected by dormakaba USA to sell Best Patented Product. Selection shall be

at the sole discretion of dormakaba USA and shall be evidenced in writing via the Distributor Agreement or its select addendums.

**Best Patented Security Authorization Form:** It is a responsibility of the Authorized Distributor to ensure that Best Patented Product does not end up in the possession of unauthorized individuals or entities. The Authorized Distributor must ensure that the End User completes a Best Patented Masterkey System Security Authorization Form (the "Security Authorization Form") as outlined in this Section C. The Security Authorization Form designates those individuals within the End User's organization that are authorized to place orders with the Authorized Distributor for Best Patented Product. The Security Authorization Form must be completed and signed by the End User.

It is the Authorized Distributor's full responsibility to validate the End User's signature as identified on the <u>Security Authorization</u> Form prior to accepting any orders for Best Patented Product.

In certain circumstances the Authorized Distributor selling the Best Patented Product will not contract directly with the End User. In these circumstances, the Authorized Distributor is required to work with its reseller to ultimately ensure that the End User submits a signed Security Authorization Form to dormakaba USA.

dormakaba USA shall have the right to audit all Security Authorization Forms maintained by the Authorized Distributors for completeness, accuracy and compliance with this Policy.

Sale of Combinated Best Patented Product through Distributor: dormakaba USA may authorize select Authorized Distributor to purchase and resell to an End User Best Patented Product that has been combinated by dormakaba USA Personnel. In this instance, a Security Authorization Form must be completed and signed by the End User and provided by the Authorized Distributor to dormakaba USA with each Best Patented Product order.

**Stocking of Best Patented Product:** dormakaba USA may authorize select Authorized Distributors to purchase and stock Best Patented Product and have access to Best Patented Masterkey Codes by entering into a <u>Best Patented Masterkey System Distributor Agreement Addendum</u> (the "Authorized Stocking Distributor") As a condition to the Authorized Stocking Distributor's continued access to Best Patented Masterkey Codes, it must comply at all times with the <u>Best Patented Key Systems Security Procedure</u>. In addition, it is the responsibility of the Authorized Stocking Distributor to ensure that they have a completed <u>Security Authorization Form</u> on file for each End User that places an order with the Authorized Stocking Distributor for Best Patented product and that the Authorized Stocking Distributor authenticates the signature of each Best Patented Product order utilizing the <u>Security Authorization Form</u>.

May 2018

#### BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY (continued)

**Best Patented Masterkey Code Generation:** To assist in reducing the possibility of duplication within a keying system and ensure security, all Best Patented Masterkey Codes must be created, modified and/or extended by Best's masterkey personnel and/or an Authorized Stocking Distributor. The unauthorized duplication or release of Best Patented Masterkey Codes to non-authorized people or organizations, including, but not limited to, unauthorized distributors, wholesalers, private locksmiths, other lock manufacturers, architects, or contractors, is a violation of this policy as well as the infringement of patent rights and other intellectual property rights of dormakaba USA. In addition to any other recourse available under law, the unauthorized release of Best Patented Masterkey Codes by any Authorized Stocking Distributor shall result in immediate termination.

**Best Patented Masterkey System Exclusive Keyways:** Upon request from an End User to release Best Patented Masterkey Codes previously generated by dormakaba USA that are on an exclusive keyway, dormakaba USA will send a notification to the End User reminding them that their patented codes are on an exclusive keyway. dormakaba USA will provide a copy of this notice to the Authorized Stocking Distributor. To assist in reducing the possibility of duplication within an End User exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Should dormakaba USA approve an Authorized Stocking Distributor to establish a Best Patented Masterkey System on an exclusive keyway, the Authorized Stocking Distributor shall be required to sign a Best Patented Masterkey System Exclusive Keyway Addendum. To assist in reducing the possibility of duplication within a Distributor exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Copies of Best Patented Masterkey Codes: dormakaba USA shall have a right to a copy of all Best Patented Masterkey Codes that have been originated, modified, extended or otherwise maintained by the Authorized Stocking Distributor in the dormakaba USA BESTCode system in order for dormakaba USA to be able to provide continued support either directly, or indirectly, to the End User.

#### II. BEST MASTERKEY SERVICES

#### A. BEST MASTERKEY SERVICES PROVIDED TO DISTRIBUTOR:

dormakaba USA, upon request and at its sole discretion, may provide select masterkey services to an Authorized Distributor for both non-patented masterkey systems and Best Patented Masterkey Systems. In order for an Authorized Distributor to place an order for the extension of, or modification to, a masterkey system previously created or maintained by dormakaba USA, the End User must have selected that Authorized Distributor as its authorized designee in the End User Information & Code Release Form received by dormakaba USA. Complete keying instructions must be given before a Best order can be properly acknowledged with an estimated delivery date. dormakaba USA reserves the right to charge for the service of a customized masterkey security solution with the purchase of a Best product. A masterkey service charge will be assessed for each order for cylinders or cores for use in non-Best manufactured locks for which Best has an equivalent product. Best Patented Masterkey System products shall not be provided without the associated masterkey services being provided by dormakaba USA. All Masterkey Services provided by dormakaba USA shall be subject to the terms and conditions of the Best Masterkey Service Order Acknowledgment which shall be provided upon acceptance of the order for Masterkey Services.

#### **B. BEST BESTCODE:**

dormakaba USA may, in its sole discretion, make available its BESTCode masterkey code management tool to select Authorized Distributors that meet certain training and certification requirements. If offered, BESTCode will be made available for an annual subscription fee as outlined in the Best pricing catalog. All codes made available to Authorized Distributors in the BESTCode system shall be subject to the BESTCode User License Agreement and will be provided in accordance with this Policy. The BESTCode masterkey code management tool is not available for use with Stanley Commercial Hardware products.

#### BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY

#### III. FORMS

For a copy of the following forms please contact the dormakaba USA End User Consultant.

- End User Information and Code Release Agreement
- Best Patented Masterkey System Distributor Agreement Addendum (Exhibit B)
- Best Patented Masterkey System Security Authorization Form
- Best Patented Key Systems Security Procedure
- Best Patented Masterkey System Exclusive Keyway Addendum
- Best Patented Masterkey System End User Specific Distributor Agreement Addendum (Exhibit D)

dormakaba USA reserves the right to change, modify or update this Policy at any time, in its sole discretion.

### Keying Guide | Keying Options | Key Stamping

## **KEYING OPTIONS**

| Order | Description                                 | Qty | List Price |
|-------|---|-----|------------|
| KD    | Keyed Different                             | 1   | NC         |
| KA    | Keyed Alike                                 | 1   | NC         |
| MK    | Master Keyed (One Level Only)               | 1   | 16.00      |
| CK    | Construction Keyed (AKA as Protecto Keying) | 1   | 16.00      |
| CMK   | Construction & Master Keyed                 | 1   | 16.00      |
| MAIS  | Maison Keyed / Cross Keyed                  | 1   | 16.00      |
| GMK   | Grand Master Keyed                          | 1   | 16.00      |
| GGMK  | Great Grand Master Keyed                    | 1   | 16.00      |

## KEY STAMPING OPTIONS

| Order | Description  | Qty | List Price |
|-------|--|-----|------------|
| VCK0  | No bitting or keyset stamping on keys                          | 1   | NC         |
| VCK1  | Visual Key Stamping (Keys Only)                                | 1   | NC         |
| VCK2  | Special Key Stamping (Other than standard symbols)             | 1   | 6.30       |
| VCK3  | Visual Key Control (Cylinder Face Only - Levers and Deadbolts) | 1   | 6.30       |
| VCK4  | Visual Key Control (Keys & Cylinder Face)                      | 1   | 11.00      |
| DND   | Keys stamped with "Do Not Duplicate"                           | 1   | NC         |
| CKC2  | Concealed Key Control (Cylinders & VKC Keys)                   | 1   | 11.00      |
| CKC3  | Concealed Key Control (Cylinders Only)                         | 1   | 11.00      |

- Maximum Characters: Keys - 6

Cylinder Face - 4

CKC Cylinders - 6

### Keying Guide | Key Blanks

## KEY BLANKS (SOLD IN QUANTITIES OF 50)

| Description   | Each | Service Part # | List Price |  |  |  |  |
|---|------|----------------|------------|--|--|--|--|
| 6-PIN KEY BLANKS  |      |                |            |  |  |  |  |
| Kwikset KW 6-Pin Blank (STANLEY Bow, Embossed One Side)                   | 1    | 6AQ1KW16       | 2.50       |  |  |  |  |
| Weiser WE 6-Pin Blank (STANLEY Bow, Embossed One Side)                    | 1    | 6AQ1WE16       | 2.50       |  |  |  |  |
| Schlage SC 6-Pin Blank (STANLEY Bow, Embossed One Side)                   | 1    | 6AQ1SC16       | 2.50       |  |  |  |  |
| Sargent LA 6-Pin Blank (Ilco Standard Bow)                                | 1    | 6AQ1LA16       | 2.50       |  |  |  |  |
| Yale GA 6-Pin Blank (Ilco Standard Bow)                                   | 1    | 6AQ1GA16       | 2.50       |  |  |  |  |
| STANLEY BF 6-Pin Blank (Ilco Bow, Do Not Duplicate)                       | 1    | 6AQ1BF16DND    | 2.50       |  |  |  |  |
| Kwikset KW 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1    | 6AQ1KW16DND    | 2.50       |  |  |  |  |
| Weiser WE 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate)  | 1    | 6AQ1WE16DND    | 2.50       |  |  |  |  |
| Schlage SC 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1    | 6AQ1SC16DND    | 2.50       |  |  |  |  |
| 5-PIN KEY BLANKS  |      |                |            |  |  |  |  |
| Kwikset KW 5-Pin Blank (STANLEY Bow, Embossed One Side)                   | 1    | 6AQ1KW15       | 2.50       |  |  |  |  |
| Kwikset KW 5-Pin Blank for QDB288 Control Cylinder                        | 1    | 6AQ2KW15       | 2.50       |  |  |  |  |
| Weiser WE 5-Pin Blank (STANLEY Bow, Embossed One Side)                    | 1    | 6AQ1WE15       | 2.50       |  |  |  |  |
| Schlage SC 5-Pin Blank (STANLEY Bow, Embossed One Side)                   | 1    | 6AQ1SC15       | 2.50       |  |  |  |  |
| Kwikset KW 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1    | 6AQ1KW15DND    | 2.50       |  |  |  |  |
| Weiser WE 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate)  | 1    | 6AQ1WE15DND    | 2.50       |  |  |  |  |
| Schlage SC 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1    | 6AQ1SC15DND    | 2.50       |  |  |  |  |

<sup>\*</sup> Key blanks sold in quantities of 50.

### Keying Guide | Cut Keys

## **CUT KEYS**

| Description   | Qty | Part #      | List Price |  |  |  |  |  |
|---|-----|-------------|------------|--|--|--|--|--|
| 6-PIN CUT KEYS  |     |             |            |  |  |  |  |  |
| STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side)                   | 1   | 6AQ1BF26    | 6.10       |  |  |  |  |  |
| STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)       | 1   | 6AQ3BF26    | 6.10       |  |  |  |  |  |
| Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side)                   | 1   | 6AQ1KW26    | 6.10       |  |  |  |  |  |
| Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)       | 1   | 6AQ3KW26    | 6.10       |  |  |  |  |  |
| Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side)                    | 1   | 6AQ1WE26    | 6.10       |  |  |  |  |  |
| Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)        | 1   | 6AQ3WE26    | 6.10       |  |  |  |  |  |
| Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side)                   | 1   | 6AQ1SC26    | 6.10       |  |  |  |  |  |
| Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)       | 1   | 6AQ3SC26    | 6.10       |  |  |  |  |  |
| Sargent LA 6-Pin Cut Key (Ilco Standard Bow)                                | 1   | 6AQ1LA26    | 6.10       |  |  |  |  |  |
| Sargent LA 6-Pin Cut Key (Ilco Standard Bow, Master Key)                    | 1   | 6AQ3LA26    | 6.10       |  |  |  |  |  |
| Yale GA 6-Pin Cut Key (Ilco Standard Bow)                                   | 1   | 6AQ1GA26    | 6.10       |  |  |  |  |  |
| Yale GA 6-Pin Cut Key (Ilco Standard Bow, Master Key)                       | 1   | 6AQ3GA26    | 6.10       |  |  |  |  |  |
| STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1   | 6AQ1BF26DND | 6.10       |  |  |  |  |  |
| Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1   | 6AQ1KW26DND | 6.10       |  |  |  |  |  |
| Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate)  | 1   | 6AQ1WE26DND | 6.10       |  |  |  |  |  |
| Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1   | 6AQ1SC26DND | 6.10       |  |  |  |  |  |
| 5-PIN CUT KEYS  |     |             |            |  |  |  |  |  |
| Kwikset KW 5-Pin Cut Key (STANLEY Bow, Embossed One Side)                   | 1   | 6AQ1KW25    | 6.10       |  |  |  |  |  |
| Kwikset KW 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)       | 1   | 6AQ3KW25    | 6.10       |  |  |  |  |  |
| Kwikset KW 5-Pin Cut Key for QDB288 Control Cylinder                        | 1   | 6AQ2KW25    | 6.10       |  |  |  |  |  |
| Weiser WE 5-Pin Cut Key (STANLEY Bow, Embossed One Side)                    | 1   | 6AQ1WE25    | 6.10       |  |  |  |  |  |
| Weiser WE 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)        | 1   | 6AQ3WE25    | 6.10       |  |  |  |  |  |
| Schlage SC 5-Pin Cut Key (STANLEY Bow, Embossed One Side)                   | 1   | 6AQ1SC25    | 6.10       |  |  |  |  |  |
| Schlage SC 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)       | 1   | 6AQ3SC25    | 6.10       |  |  |  |  |  |

<sup>\*</sup> All cut keys require specification of keyway and key combination.

<sup>\*</sup> When being ordered separate from product Master Keys, Top Level Masters, and Do Not Duplicate Keys require Signature Authority.

<sup>\*</sup> Builder key orders get 10 builder keys at no charge.

<sup>\*</sup> Master key orders get 1 master key at no charge.

#### Keying Guide | Key Blanks

## Uncombinated Cores (SFIC)

|            | How To Order           |   |                  |  |         |  |  |
|------------|------------------------|---|------------------|--|---------|--|--|
| 7CS        | 7                      | Α   | 1                | 626  |         |  |  |
| Core Type  | Lock Body              | Keyway  | Combinating Code | Finish   | Price   |  |  |
| 7CS - SFIC | 6 - 6-pin<br>7 – 7-pin | Designate<br>specific keyway<br>(A, D, E, etc.) | 1 - Uncombinated | 626 – Satin Chrome<br>606 – Satin Brass<br>613 – Oil Rubbed Bronze | \$30.00 |  |  |

## Combinated Cores (SFIC)

| How To Order - SFIC Cores |                       |             |                  |                   |            |  |  |
|---------------------------|-----------------------|-------------|------------------|-------------------|------------|--|--|
| 6CS 7 BF 2 626            |                       |             |                  |                   |            |  |  |
| Core Type                 | Lock Body             | Keyway      | Combinating Code | Finish            | List Price |  |  |
| 6CS - SFIC                | 6- 6-pin<br>7 - 7-pin | BF - BEST F | 2 - Combinated   | 605<br>626<br>690 | \$46.00    |  |  |

## 6-7 PIN SFIC Key Blanks

|                |           |   | How To Order |   |       |
|----------------|-----------|---|--------------|---|-------|
| 7AS            | 1         | Α   | 1            |   |       |
| Series         | Key Type  | Keyway  | Cut Code     | Key Stamp   | Price |
| 7AS - Standard | 1 - Blank | Designate<br>specific keyway<br>(A, D, E, etc.) | 1 - Blank    | KS915 x KS800 – " DUPLICATION<br>PROHIBITED" with stars on Front<br>and a blank back - Standard |       |

#### NOTES:

Consult factory for lead times.

7CS packaged in mulitples of 50 cores and 7AS packaged in multiples of 100 keys. A 10% broken box service fee applies unless total order exceeds \$5,000.

#### Cylinder Guide

## Key-in-Lever and Deadbolt Cylinders

| How To Order               |                                  |           |  |                                   |         |  |                     |  |
|----------------------------|----------------------------------|-----------|--|-----------------------------------|---------|--|---------------------|--|
| 6EQ D 6 BF 2 626 QDB180 CC |                                  |           |  |                                   |         |  |                     |  |
| Cylinder Type              | Cylinder Type                    | Lock Body | Keyway   | <b>Combinating Code</b>           | Finish  | Tailpiece                              | Options             |  |
| 6EQ - Standard<br>Cylinder | L – Key in Lever<br>D – Deadbolt |           | KW – Kwikset<br>WE – Weiser<br>SC – Schlage C<br>GA – Yale<br>LA – Sargent | 2 – Combinated<br>5 – Zero Bitted | 606 626 | Must<br>specify<br>Series/<br>Function | CC -<br>Constuction |  |

| Keyway         | Price with Lock | Service Part List Price |
|----------------|-----------------|-------------------------|
| KW - Kwikset   |                 |                         |
| WE - Weiser    | NC              | \$27.00                 |
| SC - Schlage C |                 |                         |
| GA - Yale      | NC              | ¢56.00                  |
| LA - Sargent   | INC.            | \$56.00                 |

## Mortise and Rim Cylinders

|                            | How To Order           |                        |  |                                   |                |   |                                    |                     |  |  |  |
|----------------------------|------------------------|------------------------|--|-----------------------------------|----------------|---|------------------------------------|---------------------|--|--|--|
| 6EQ                        | М                      | 6                      | KW   | 2                                 | 626            | E   | 118                                | СС                  |  |  |  |
| Cylinder Type              | Cylinder<br>Type       | Lock Body              | Keyway   | <b>Combinating Code</b>           | Finish         | Cam   | Length                             | Options             |  |  |  |
| 6EQ - Standard<br>Cylinder | M – Mortise<br>R – Rim | 5 - 5-pin<br>6 – 6-pin | KW – Kwikset<br>WE – Weiser<br>SC – Schlage C<br>GA – Yale<br>LA – Sargent | 2 – Combinated<br>5 – Zero Bitted | 606 613<br>626 | For Mortise Cylinders: M – Cloverleaf Cam E – Straight Cam A – Adams Rite Cam | 118 –<br>1-1/8"<br>138 –<br>1-3/8" | CC -<br>Constuction |  |  |  |

| Keyway         | Price with Lock | Service Part List Price |
|----------------|-----------------|-------------------------|
| KW - Kwikset   |                 |                         |
| WE - Weiser    |                 |                         |
| SC - Schlage C | NC              | \$58.00                 |
| GA - Yale      |                 |                         |
| LA - Sargent   |                 |                         |

NOTES:

M-Cloverleaf Cam 1-1/8'' is standard for QMS/QME/QML mortise locks. 1-3/8'' is available for thick doors. E-Straight Cam 1-1/8'' is standard for QED exit devices and QET trims that use mortise cylinders. Refer to BEST Cylinders (1E) when SFIC mortise cylinders are required.

For all cylinders, consult factory for lead times.

### Cylinder Guide | Parts

## CYLINDER PARTS


|  | Description   | Series            | Service Part<br># | List Price |
|--|---|-------------------|-------------------|------------|
|  | Cylinder Locking Pin  | All               | 8Q00209           | 1.30       |
|  | Cylinder Locking Cap  | All               | 8Q00210           | 1.90       |
| O TO TO THE OWNER OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OW | Cylinder Locking Spring   | All               | 8Q00211           | 1.30       |
|  | Tailpiece QCL1 50/QCL1 70 - Entry/Storeroom                       | QCL100            | 8Q00069           | 2.70       |
|  | Tailpiece QCL160 - Classroom (all keyways except KW)              | QCL100            | 8Q00070           | 2.70       |
|  | Tailpiece QCL160 - Classroom (KW keyway only)                     | QCL100            | 8Q00071           | 2.70       |
| AP   | Cylinder Plug Holder QCL100 Series                                | QCL100            | 8Q00065           | 1.90       |
|  | Tailpiece QCL250/QCL270/QCl250 - Entry/Storeroom/<br>Interconnect | QCL200/<br>QCI200 | 8Q00072           | 2.70       |
|  | Tailpiece QCL260 - Classroom                                      | QCL200            | 8Q00074           | 2.70       |
|  | SFIC Tailpiece QCL200 Series                                      | QCL200            | 8Q00302           | 2.60       |
|  | Cylinder Plug Holder QCL200 Series                                | QCL200            | 8Q00066           | 1.90       |
|  | Tailpiece QCI200 Series Interconnect Deadbolt                     | QCI200            | 8Q00076           | 2.70       |

### Cylinder Guide | Parts

## CYLINDER PARTS (CONTINUED)

|      | Description   | Series               | Service Part<br># | List Price |
|------|---|----------------------|-------------------|------------|
|      | Tailpiece QTL200/QRT300 Series  | QTL200/QRT300        | 8Q00073           | 2.70       |
|      | Cylinder Plug Holder for QTL200 Series - Summit Style                                 | QTL200               | 8Q00067           | 2.10       |
|      | Cylinder Plug Holder for QTL200 Series - Sierra Style                                 | QTL200               | 8Q00068           | 2.10       |
|      | Tailpiece QDB100/QDB200 Series Single Cylinder  | QDB100/QDB200        | 8Q00083           | 2.70       |
|      | Tailpiece QDB100/QDB200 Series Double Cylinder (QTY 2)                                | QDB100/QDB200        | 8Q00085           | 2.70       |
| 0    | Thick door kit - Tailpiece for QDB100/QDB200 Series Single Cylinder (1-3/4" - 2-1/4") | QDB100/QDB200        | 8Q00084           | 2.70       |
|      | Cylinder Screw QDB100/QDB200 Series   | QDB100/QDB200        | 8Q00086           | 2.70       |
|      | Standard Cam for Mortise Cylinder   | Mortise Cylinders    | 8Q00119           | 4.90       |
|      | Cam Mounting Screws for Mortise Cylinders (QTY 2)                                     | Mortise<br>Cylinders | 8Q00118           | 1.60       |
| Zmm) | Rim Cylinder Tailpiece  | RimCylinders         | 8Q00140           | 2.70       |
| Zmmz | Rim Cylinder Tailpiece For Thick Doors  | RimCylinders         | 8Q00480           | 2.70       |
|      | Cloverleaf Mortise Cam for QME/QMS/QML  | QME, QMS, QML        | 8Q01084           | 1.90       |
|      | Adams Rite Cam  |                      | 8Q00571           | 1.90       |

#### QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks



#### **Example**

If you ordered: QME160 E626 BF6 KD

You would get: Grade 1 Classroom Mortise Lock, Sierra Lever Escutcheon Trim, Satin Chrome, SFIC "F" Keyway, Keyed Different.

#### QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks



| Model/Series | Functions            | Style | Cylinders | Case Qty | List   | Price              |
|--------------|----------------------|-------|-----------|----------|--------|--------------------|
| Model/Series | Functions            | Style | Cylinders | Case Qty | 626    | 605, 613, 619, 625 |
| QMS120       | Single Dummy         | E/M/A |           | 4        | 148.00 | 163.00             |
| QMS122       | Full Dummy           | E/M/A |           | 4        | 293.00 | 308.00             |
| QMS130       | Passage              | E/M/A |           | 4        | 447.00 | 462.00             |
| QMS140       | Privacy              | E/M/A |           | 4        | 453.00 | 468.00             |
| QMS145       | Privacy w/ Dead bolt | E/M/A |           | 4        | 480.00 | 495.00             |
| QMS150       | Entry                | E/M/A | Sgl       | 4        | 525.00 | 540.00             |
| QMS152       | Exit                 | E/M/A | Sgl       | 4        | 525.00 | 540.00             |
| QMS154       | Corridor             | E/M/A | Sgl       | 4        | 525.00 | 540.00             |
| QMS158       | Dormitory            | E/M/A | Dbl       | 4        | 576.00 | 591.00             |
| QMS160       | Classroom            | E/M/A | Sgl       | 4        | 525.00 | 540.00             |
| QMS162       | Classroom Security   | E/M/A | Dbl       | 4        | 576.00 | 591.00             |
| QMS164       | Apartment            | E/M/A | Dbl       | 4        | 576.00 | 591.00             |
| QMS170       | Storeroom            | E/M/A | Sgl       | 4        | 525.00 | 540.00             |
| QMS172       | Institutional        | E/M/A | Dbl       | 4        | 576.00 | 591.00             |
| QMS174       | Store Door           | E/M/A | Dbl       | 4        | 576.00 | 591.00             |

|    | Less Cylinder | List Price   |
|----|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |

NOTES:

Consult factory for lead times on 605 & 625 finishes.

Prices include standard cylinders. Reference cylinder options for complete listing.

#### QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks



| Model/Series  | Functions            | Ctulo | Cylinders | Case Qty | List l | Price              |
|---------------|----------------------|-------|-----------|----------|--------|--------------------|
| wiodei/series | Functions            | Style | Cylinders | Case Qty | 626    | 605, 613, 619, 625 |
| QME120        | Single Dummy         | E/M/A |           | 4        | 180.00 | 196.00             |
| QME122        | Full Dummy           | E/M/A |           | 4        | 357.00 | 374.00             |
| QME130        | Passage              | E/M/A |           | 4        | 508.00 | 524.00             |
| QME140        | Privacy              | E/M/A |           | 4        | 513.00 | 528.00             |
| QME145        | Privacy w/ Dead bolt | E/M/A |           | 4        | 540.00 | 557.00             |
| QME150        | Entry                | E/M/A | Sgl       | 4        | 583.00 | 600.00             |
| QME152        | Exit                 | E/M/A | Sgl       | 4        | 583.00 | 600.00             |
| QME154        | Corridor             | E/M/A | Sgl       | 4        | 583.00 | 600.00             |
| QME158        | Dormitory            | E/M/A | Dbl       | 4        | 633.00 | 648.00             |
| QME160        | Classroom            | E/M/A | Sgl       | 4        | 583.00 | 600.00             |
| QME162        | Classroom Security   | E/M/A | Dbl       | 4        | 633.00 | 648.00             |
| QME164        | Apartment            | E/M/A | Dbl       | 4        | 633.00 | 648.00             |
| QME170        | Storeroom            | E/M/A | Sgl       | 4        | 583.00 | 600.00             |
| QME172        | Institutional        | E/M/A | Dbl       | 4        | 633.00 | 648.00             |
| QME174        | Store Door           | E/M/A | Dbl       | 4        | 633.00 | 648.00             |

|    | Less Cylinder | List Price   |
|----|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |

NOTES:

Consult factory for lead times on 605 & 625 finishes.

Prices include standard cylinders. Reference cylinder options for complete listing.

#### QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

## CYLINDER RING CHART - ESCUTCHEON TRIMS

| Mode       | el#                | Door<br>Thick-<br>ness | Cylin-<br>der<br>Length | Guard<br>Dimen-<br>sion | Part<br>Number | Qty* | List Price<br>Single | Mod                                  | el#                          | Door<br>Thick-<br>ness | Cylin-<br>der<br>Length | Guard<br>Dimen-<br>sion | Part<br>Num-<br>ber | Qty* | List Price<br>Double |
|------------|--------------------|------------------------|-------------------------|-------------------------|----------------|------|----------------------|--------------------------------------|------------------------------|------------------------|-------------------------|-------------------------|---------------------|------|----------------------|
|            |                    |                        | 1″                      |                         | -              |      |                      |                                      |                              |                        | 1″                      | -                       |                     |      |                      |
|            |                    |                        | 1-1/8"                  |                         | -              |      |                      |                                      |                              |                        | 1-1/8"                  |                         | N/A                 |      |                      |
|            |                    | 1-3/4"                 | 1-1/4"                  |                         | -              |      |                      | - Escutcheon<br>Double<br>- Cylinder |                              | 1-3/4"                 | 1-1/4"                  |                         | N/A                 |      |                      |
|            |                    |                        | 1-3/8"                  | 1/2"                    | 8Q01086        | 1    | 26.00                |                                      |                              |                        | 1-3/8"                  | 1/2"                    | 8Q01086             | 1    | 26.00                |
|            |                    |                        | 1-1/2"                  | 1/2"                    | 8Q01086        | 1    | 26.00                |                                      |                              |                        | 1-1/2"                  | 5/8"                    | 8Q01087             | 1    | 30.00                |
|            |                    |                        | 1″                      |                         | N/A            |      |                      |                                      |                              |                        | 1″                      | N/A                     |                     |      |                      |
| Escutcheon | QME150,<br>QME152, |                        | 1-1/8"                  |                         | -              |      |                      |                                      | QME158,<br>QME162,           |                        | 1-1/8"                  |                         | -                   |      |                      |
| Single     | QME154,            | 2"                     | 1-1/4"                  |                         | -              |      |                      |                                      | QME164,<br>QME172,<br>QME174 | 2"                     | 1-1/4"                  |                         | N/A                 |      |                      |
| Cylinder   | QME160,<br>QME170  |                        | 1-3/8"                  |                         | -              |      |                      |                                      |                              |                        | 1-3/8"                  |                         | N/A                 |      |                      |
|            |                    |                        | 1-1/2"                  | 1/2"                    | 8Q01086        | 1    | 26.00                |                                      |                              |                        | 1-1/2"                  | 1/2"                    | 8Q01086             | 1    | 26.00                |
|            |                    |                        | 1″                      |                         | N/A            |      | -                    |                                      |                              |                        | 1″                      |                         | N/A                 |      |                      |
|            |                    |                        | 1-1/8"                  |                         | N/A            |      |                      |                                      |                              |                        | 1-1/8"                  |                         | N/A                 |      |                      |
|            |                    | 2-1/4"                 | 1-1/4"                  |                         | -              |      | -                    |                                      |                              | 2-1/4"                 | 1-1/4"                  | -                       |                     |      |                      |
|            |                    |                        | 1-3/8"                  |                         | -              |      |                      |                                      |                              |                        | 1-3/8"                  |                         | -                   |      |                      |
|            |                    |                        | 1-1/2"                  |                         | -              |      |                      |                                      |                              |                        | 1-1/2"                  |                         | N/A                 |      |                      |

NOTES:

## CYLINDER RING CHART - SECTIONAL TRIMS

| Model #   |                    | Door<br>Thick-<br>ness | Cylin-<br>der<br>Length | Guard<br>Dimen-<br>sion | Part<br>Num-<br>ber | Qty* | List Price<br>Single | Mod                               | el#                          | Door<br>Thick-<br>ness | Cylin-<br>der<br>Length | Guard<br>Dimen-<br>sion | Part<br>Num-<br>ber | Qty* | List Price<br>Double |
|-----------|--------------------|------------------------|-------------------------|-------------------------|---------------------|------|----------------------|-----------------------------------|------------------------------|------------------------|-------------------------|-------------------------|---------------------|------|----------------------|
|           |                    |                        | 1″                      |                         |                     |      |                      |                                   |                              |                        | 1″                      |                         |                     |      |                      |
|           |                    |                        | 1-1/8"                  |                         | -                   |      |                      | - Sectional<br>Double<br>Cylinder |                              |                        | 1-1/8"                  | 1/16"                   | 8Q01088             | 1    | 17.00                |
|           |                    | 1-3/4"                 | 1-1/4"                  |                         | _                   |      |                      |                                   |                              | 1-3/4"                 | 1-1/4"                  | 3/16"                   | 8Q01089             | 1    | 21.00                |
|           |                    |                        | 1-3/8"                  | 3/16"                   | 8Q01089             | 1    | 21.00                |                                   |                              |                        | 1-3/8"                  | 5/16"                   | 8Q01090             | 1    | 26.00                |
|           |                    |                        | 1-1/2"                  | 5/16"                   | 8Q01090             | 1    | 26.00                |                                   |                              |                        | 1-1/2"                  | 7/16"                   | 8Q01091             | 1    | 30.00                |
|           |                    |                        | 1″                      |                         | N/A                 |      |                      |                                   |                              |                        | 1″                      |                         | N/A                 |      |                      |
| Sectional | QMS150,<br>QMS152, |                        | 1-1/8"                  |                         | -                   |      |                      |                                   | QMS158,<br>QMS162,           |                        | 1-1/8"                  |                         | -                   |      |                      |
| Single    | QMS154,            | 2"                     | 1-1/4"                  |                         |                     |      |                      |                                   | QMS164,<br>QMS172,<br>QMS174 | 2"                     | 1-1/4"                  | 1/16"                   | 8Q01088             | 1    | 17.00                |
| Cylinder  | QMS160,<br>QMS170  |                        | 1-3/8"                  |                         |                     |      |                      |                                   |                              |                        | 1-3/8"                  | 3/16"                   | 8Q01089             | 1    | 21.00                |
|           |                    |                        | 1-1/2"                  | 1/16"                   | 8Q01088             | 1    | 17.00                |                                   |                              |                        | 1-1/2"                  | 5/16"                   | 8Q01090             | 1    | 26.00                |
|           |                    |                        | 1″                      |                         | N/A                 |      |                      |                                   |                              |                        | 1″                      |                         | N/A                 |      |                      |
|           |                    |                        | 1-1/8"                  |                         | N/A                 |      |                      |                                   |                              |                        | 1-1/8"                  |                         | N/A                 |      |                      |
|           |                    | 2-1/4"                 | 1-1/4"                  |                         |                     |      |                      |                                   |                              | 2-1/4"                 | 1-1/4"                  |                         |                     |      |                      |
|           |                    |                        | 1-3/8"                  |                         | -                   |      |                      |                                   |                              |                        | 1-3/8"                  | 1/16"                   | 8Q01088             | 1    | 17.00                |
|           |                    |                        | 1-1/2"                  |                         | _                   |      |                      |                                   |                              |                        | 1-1/2"                  | 3/16"                   | 8Q01089             | 1    | 21.00                |

NOTES:

<sup>&</sup>quot;-" Additional cylinder spacers not required.

<sup>&</sup>quot;N/A" Cylinder length not compatible with door thickness.

<sup>&</sup>quot;-" Additional cylinder spacers not required.

<sup>&</sup>quot;N/A" Cylinder length not compatible with door thickness.

#### QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

## TIONAL TRIM KITS (SPECIFY FINISH WHEN ORDERING)

Sectional trim kits include interior and exterior trims, screw pack for trim installation and strike dust box. Trim kits are shipped in the standard mortise packaging allowing mortise cases to be configured for a complete lock.

|         | Tr                              | im Description   |             | Order   |     | Master | List   | Price              |
|---------|---------------------------------|--|-------------|---------|-----|--------|--------|--------------------|
| Model # | Exterior (Secure)               | Interior   | Lever Style | Part #  | Qty | Carton | 626    | 603, 613, 625, 626 |
| OMC120  | Lover                           | Lover  | Е           | 8Q01093 |     |        |        |                    |
| QMS130  | Lever                           | Lever  | М           | 8Q01094 |     |        |        |                    |
| QMS 140 | Lever, - emergency access plate | Lever,   | E           | 8Q01066 |     |        |        |                    |
| QMS 145 |                                 | turnpiece  | М           | 8Q01067 |     |        |        |                    |
| QMS150  |                                 |  | -           | 0001072 |     |        |        |                    |
| QMS 160 | Lever,<br>cylinder<br>collar    | Lever  | E           | 8Q01072 |     |        |        |                    |
| QMS 170 |                                 |  | М           | 8Q01073 |     |        |        |                    |
| QMS152  | Lever,<br>cylinder              | Lever, turnpiece   | E           | 8Q01070 | 1   | 4      | 294.00 | 307.00             |
| QMS 154 | collar                          |  | М           | 8Q01071 |     |        |        |                    |
| QMS158  |                                 |  |             |         |     |        |        |                    |
| QMS 162 |                                 |  | E           | 8Q01068 |     |        |        |                    |
| QMS 164 | Lever, cylinder,<br>collar      | Lever, cylinder,<br>collar                                 |             |         |     |        |        |                    |
| QMS 172 |                                 |  | M           | 8Q01069 |     |        |        |                    |
| QMS 174 |                                 |  | IVI         | 5Q01009 |     |        |        |                    |
| ALL     | (Includes standard              | linder collar kit<br>d cylinder guard, w<br>nd gap washer) | ave washer  | 8Q01016 | 1   | 1      | 37.00  | 44.00              |
| ALL     |                                 | npiece assembly<br>screw pack 8Q010                        | 30)         | 8Q01014 | 1   | 1      | 42.00  | 48.00              |

#### QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

## TCHEON TRIM KITS (SPECIFY FINISH WHEN ORDERING)

Escutcheon trim kits include interior and exterior trims, screw pack for trim installation and strike dust box. Trim kits are shipped in the standard mortise packaging allowing mortise cases to be configured for a complete lock.

|          | Trim Do                            | escription                 |             | Order   | 0.  | Master | List I | Price              |
|----------|------------------------------------|----------------------------|-------------|---------|-----|--------|--------|--------------------|
| Model #  | Exterior (Secure)                  | Interior                   | Lever Style | Part #  | Qty | Carton | 626    | 605, 613, 619, 625 |
| QME130   | Lever                              | Lever                      | Е           | 8Q01074 |     |        |        |                    |
| QIVIETSU | Level                              | Level                      | М           | 8Q01075 |     |        |        |                    |
| QME140   |                                    |                            | E           | 8Q01076 |     |        |        |                    |
| QME145   | Lever,<br>Emergency<br>Access Hole | Lever,<br>Turnpiece        | М           | 8Q01077 |     |        |        |                    |
| QME150   |                                    |                            | E           | 8Q01082 |     |        |        |                    |
| QME160   | Lever,                             |                            | M           | 8Q01083 |     |        |        |                    |
| QME170   | Cylinder<br>Hole                   | Lever                      |             |         |     |        | 372.00 | 372.00             |
| QME152   | Lever,<br>Cylinder                 | Lever,<br>Turnpiece        | Е           | 8Q01080 | 1   | 4      |        |                    |
| QME154   | Hole                               |                            | M           | 8Q01081 |     |        |        |                    |
| QME158   |                                    |                            | E           | 8Q01078 |     |        |        |                    |
| QME162   |                                    |                            |             | 5Q01076 |     |        |        |                    |
| QME164   | Lever,<br>Cylinder<br>Hole         | Lever,<br>Cylinder<br>Hole |             |         |     |        |        |                    |
| QME172   |                                    |                            | M           | 8Q01079 |     |        |        |                    |
| QME174   |                                    |                            |             |         |     |        |        |                    |

#### QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

## MORTISE CASE KITS

Mortise case kits include case, instruction sheets & template, and case mounting screws.

| Model #    | Case Description |                       | Order Part # | QTY | List Price |
|------------|------------------|-----------------------|--------------|-----|------------|
| QMS/QME130 | F1               | Passage               | 8Q01059      | 1   | 149.00     |
| QMS/QME140 | F22              | Privacy               | 8Q01054      | 1   | 155.00     |
| QMS/QME145 | F19              | Privacy with Deadbolt | 8Q01061      |     |            |
| QMS/QME150 | F4               | Entry                 | 8Q01058      |     |            |
| QMS/QME152 | F13              | Exit                  | 8Q01063      |     |            |
| QMS/QME154 | F20              | Corridor              | 8Q01060      |     |            |
| QMS/QME158 | F11              | Dormitory             | 8Q01064      |     |            |
| QMS/QME160 | F5               | Classroom             | 8Q01057      | 1   | 179.00     |
| QMS/QME162 | F32              | Classroom Security    | 8Q01052      |     |            |
| QMS/QME164 | F9               | Apartment             | 8Q01055      |     |            |
| QMS/QME170 | F7               | Storeroom             | 8Q01056      |     |            |
| QMS/QME172 | F30              | Institutional         | 8Q01053      |     |            |
| QMS/QME174 | F14              | Store Door            | 8Q01062      |     |            |

## ARMOR FRONT KITS (SPECIFY FINISH WHEN ORDERING)

Armor front kits include a finished armor front and installation screws.

| Model #    |       |          | Description |        | Order Part # | Qty     | List Price |  |  |
|------------|-------|----------|-------------|--------|--------------|---------|------------|--|--|
| model "    | Latch | Deadbolt | Auxiliary   | Toggle | Oraci raicii | 2.,     | 2.5011160  |  |  |
| QMS/QME120 |       |          |             |        | 8Q01040      |         |            |  |  |
| QMS/QME130 | х     |          |             |        | 9001022      |         |            |  |  |
| QMS/QME140 | x     |          |             |        | 8Q01033      |         |            |  |  |
| QMS/QME145 |       |          |             |        |              |         |            |  |  |
| QMS/QME152 | x     |          |             |        | 8Q01043      | 8Q01043 | 8Q01043    |  |  |
| QMS/QME174 |       |          |             |        |              |         |            |  |  |
| QMS/QME150 | х     |          | х           | х      | 8Q01042      | 1       | 17.00      |  |  |
| QMS/QME154 |       |          |             |        | 9001022      |         | 17.00      |  |  |
| QMS/QME158 | X     | X        |             | X      | 8Q01032      |         |            |  |  |
| QMS/QME160 |       |          |             |        |              |         |            |  |  |
| QMS/QME162 |       |          |             |        |              |         |            |  |  |
| QMS/QME164 | x     |          | x           |        | 8Q01031      |         |            |  |  |
| QMS/QME170 |       |          |             |        |              |         |            |  |  |
| QMS/QME172 |       |          |             |        |              |         |            |  |  |

#### QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

## STRIKE KITS (SPECIFY FINISH WHEN ORDERING)


Strike kits include finished strike and installation screws.

| Model #    | Strike Description  | Order Part # | Qty | List Price |
|------------|---|--------------|-----|------------|
| QMS/QME130 |   |              |     |            |
| QMS/QME140 |   |              |     |            |
| QMS/QME150 |   |              |     |            |
| QMS/QME160 | Strike for locks with latch bolt only or latch bolt with auxiliary. | 9001035      |     |            |
| QMS/QME162 | Strike for locks with laten boit only or laten boit with auxiliary. | 8Q01035      |     |            |
| QMS/QME164 |   |              |     |            |
| QMS/QME170 |   |              | 1   | 16.00      |
| QMS/QME172 |   |              |     |            |
| QMS/QME145 |   |              |     |            |
| QMS/QME152 |   |              |     |            |
| QMS/QME154 | Strike for locks with latch bolt with dead bolt.                    | 8Q01036      |     |            |
| QMS/QME158 |   |              |     |            |
| QMS/QME174 |   |              |     |            |
| ALL        | Strike dust box, black plastic                                      | 8Q01045      | 1   | 6.70       |

## SCREW PACKS AND OTHER PARTS

| Part Description  | Order Part # | QTY | List Price |
|---|--------------|-----|------------|
| Mortise case front bracket (bracket that connects armor front to lock case)   | 8Q01028      | 1   | 15.00      |
| Screw pack - Trim only. Specify finish. (2 - M4x0.7 x 35mm flat head machine screws)  | 8Q01029      | 1   | 6.30       |
| Screw pack - Turnpiece / Sectional Emergency Plate. Specify finish.  (2 - M4 x 19mm flat head machine screws and 2 - #8-32 x 3/4" flat head wood screws)  | 8Q01030      | 1   | 6.30       |
| Sectional Thick Door Kit - interior lever assembly for 2" - 2-1/4" doors  | 8Q01044      | 1   | 34.00      |
| Spanner wrench for sectional lever installation   | 8Q01046      | 1   | 6.30       |
| Screw pack - Armor Front. Specify finish. (2 - 0.7 x 5mm flat head machine screws)  | 8Q01047      | 1   | 5.70       |
| Screw pack - Mortise Case.  | 8Q01048      | 1   | 6.30       |
| Screw pack - Escutcheon Trims (for installation of trims, armor front and strike). Specify finish. (2 - M4 x 0.7 x 35mm flat head machine screws; 2 - #12 x 3/4" dual purpose screws; 2 - M4 x 0.7 x 5mm flat head machine screws)  | 8Q01049      | 1   | 15.00      |
| Screw pack - Sectional Trims (for installation of trims, armor front and strike). Specify finish. (2 - M4 x 0.7 x 35mm flat head machine screws; 2 - #12 x 3/4" dual purpose screws; 2 - M4 x 0.7 x 5mm flat head machine screws; 2 - #8-32 x 3/4" flat head wood screws; 2 - M4 x 19mm flat head machine screws; 1 /8" allen wrench) | 8Q01050      | 1   | 17.00      |
| Mortise cam - Cloverleaf (All STANLEY Commercial Hardware Mortise Locks & Deadlocks)  | 8Q01084      | 1   | 1.90       |

#### QML100 Series | Grade 1 | Heavy Duty Mortise Locks



#### Example

If you ordered: QML186 626 RH BF6 KD

You would get: Grade 1 Classroom Mortise Lock, Satin Chrome, Right-Hand, SFIC "F" Keyway, Keyed Different.

\*Classroom function requires handed cylinder turn. Specify handing when ordering.

#### QML100 Series | Grade 1 | Heavy Duty Mortise Locks

QML 180



| M            | Functions                 |     | List Price |                    |  |
|--------------|---------------------------|-----|------------|--------------------|--|
| Model/Series | odel/Series Functions Qty | Qty | 626        | 605, 613, 619, 625 |  |
| QML180       | Single Cylinder           | 10  | 254.00     | 265.00             |  |
| QML182       | Double Cylinder           | 10  | 285.00     | 297.00             |  |
| QML184       | Cylinder Only             | 10  | 215.00     | 215.00             |  |
| QML186*      | Classroom                 | 10  | 260.00     | 269.00             |  |

#### NOTES:

<sup>\*</sup>QML100 are special order, consult factory for lead times.

<sup>\*</sup>Classroom function requires handed cylinder turn. Specify handing when ordering. Prices include standard cylinders. Reference cylinder options for complete listing.

### QML100 Series | Grade 1 | Heavy Duty Mortise Locks

## MORTISE DEADLOCK KITS

Mortise deadlock kits include case, instruction sheets & template, and case mounting screws.

| Model # | Description           | Order Part # | Qty | List Price |
|---------|-----------------------|--------------|-----|------------|
| ALL QML | Mortise deadlock case | 8Q01051      | 1   | 141.00     |

## ARMOR FRONT KITS (SPECIFY FINISH WHEN ORDERING)

Armor front kits include a finished armor front and installation screws.

| Model # | Description                  | Order Part # | Qty | List Price |
|---------|------------------------------|--------------|-----|------------|
| ALL QML | Mortise deadlock armor front | 8Q01039      | 1   | 12.00      |

## STRIKE KITS (SPECIFY FINISH WHEN ORDERING)

Strike kits include finished strike and installation screws.

| Model # | Description                             | Order Part # | Qty | List Price |
|---------|---|--------------|-----|------------|
| ALL QML | Mortise deadlock strike                 | 8Q01034      | 1   | 9.60       |
| ALL QML | Deadlock strike dust box, black plastic | 8Q01085      | 1   | 6.10       |

## DEADLOCK TRIM KITS (SPECIFY FINISH WHEN ORDERING)

|   |             |     | List Price |                    |  |
|---|-------------|-----|------------|--------------------|--|
| Description   | OrderPart # | Qty | 626        | 605, 613, 619, 625 |  |
| Cylinder guard kit (Includes standard cylinder guard, wave washer and gap washer) | 8Q01016     | 1   | 37.00      | 44.00              |  |
| Turnpiece assembly (Requires screw pack 8Q01030)                                  | 8Q01014     | 1   | 42.00      | 48.00              |  |

### MISC.

| Model # | Description                           | Order Part # | Qty | List Price |
|---------|---------------------------------------|--------------|-----|------------|
| QML 186 | Left hand mortise cylinder thumbturn  | 8Q01005      | 1   | 53.00      |
| QML 186 | Right hand mortise cylinder thumbturn | 8Q01006      | 1   | 53.00      |

### QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

| 20     | Single Dumm    | у           |        | ADDI        | ED FUNCT                               | IONS              |                   |        |                        |            |                 |         |              |
|--------|----------------|-------------|--------|-------------|--|-------------------|-------------------|--------|------------------------|------------|-----------------|---------|--------------|
| 30     | Passage        |             |        | 92          | Electro                                | nically Locked    | (fail safe)       |        |                        |            |                 |         |              |
| 35     | Communicati    | ng          |        | 93          | Electronically Locked SFIC (fail safe) |                   |                   |        |                        |            |                 |         |              |
| 40     | Privacy        |             |        | 94          | Electro                                | nically Unlocke   | ed (fail secure)  |        |                        |            |                 |         |              |
| 50     | Entry/Office   |             |        | 95          | Electro                                | nically Unlocke   | ed SFIC (fail sec | cure)  |                        |            |                 |         |              |
| 51     | Entry/Office S | FIC         |        |             |  |                   |                   |        |                        |            |                 |         |              |
| 54     | Corridor       |             |        |             |  |                   |                   |        |                        | ••         |                 |         |              |
| 55     | Corridor SFIC  |             |        |             |  |                   |                   | BF     | BEST"F" SFIC           |            |                 |         |              |
| 60     | Classroom      |             |        |             |  |                   |                   | KW     | Kwikset "KW"           |            |                 |         |              |
| 61     | Classroom SFI  | C           |        |             | 605                                    | Bright Brass      |                   | WE     | Weiser "E"             |            |                 |         |              |
| 68     | Classroom Sec  | curity      |        |             | 613                                    | Oil Rubbed Bro    | onze              | SC     | Schlage "C"            |            |                 |         |              |
| 69     | Classroom Sec  | curity SFIC |        |             | 619                                    | Satin Nickel      |                   | GA     | Yale "GA"              |            | ·····           | ·····   |              |
| 70     | Storeroom      |             |        |             | 625                                    | Bright Chrome     |                   | LA     | Sargent "LA"           |            | 24V             | 24 Volt | AC/DC        |
| 71     | Storeroom SF   | C           |        |             | 626                                    | Satin Chrome      |                   | LC     | Less Cylinder          |            | 12V             | 12 Volt | AC/DC        |
|        |                |             |        |             |  |                   |                   |        |                        |            |                 |         |              |
|        |                |             | Ba     | ase Part Nu | ımber                                  |                   |                   |        |                        | Addition   | al Optior       | ns      |              |
| Series | Function       | Design      | Finish |             | Strike                                 | Keyway            | # Of Pins         | Keying | Hurricane<br>Compliant | Power      | Reque<br>To Exi | st      | 2nd<br>inish |
| QCL1   | 71             | Е           | 626    | S4          | 4785                                   | BF                | 6                 | KA     | Н                      | _          | _               |         | _            |
|        |                |             |        |             |  |                   | 1                 |        | J [                    |            | l               |         |              |
|        | - c            | I           |        |             | 4706                                   | A N I CL 4 7 / II | 11/11 6 1         |        |                        | 625        | Bright Ch       | ırome   |              |
|        |                | erra        |        |             | 478S                                   | ANSI 47%" x       | ····· <del></del> |        |                        |            | 5.19.10         |         |              |
|        | ·····          | ummit       |        |             | 118F                                   | ANSI 11/8" x 2    | 2-74 SUIKE        |        |                        |            |                 |         |              |
|        | A SI           | ate         |        |             | NOS                                    | No Strike         |                   |        |                        |            |                 |         |              |
|        |                |             |        |             |  |                   |                   |        |                        |            | ···!            |         |              |
|        |                |             |        | _ATCH TABLE |  |                   |                   | KD     | Keyed Different        |            |                 |         |              |
|        |                |             | FR4    | Radius 2-3/ |  |                   |                   | KA     | Keyed Alike            |            |                 |         |              |
|        |                |             | FS4    | Square 2-3/ | 4 with 3/4                             | throw             |                   | SK     | Special Keying         |            |                 |         |              |
|        |                |             | NOL    | No Latch    |  |                   |                   |        | -Construction Key      |            |                 |         |              |
|        |                |             | R4     | Radius 2-3/ |  |                   |                   |        | -Construction Mas      | ster Keyed |                 |         |              |
|        |                |             | R8     | Radius 2-3/ |  |                   |                   |        | -Maison Keyed          |            |                 |         |              |
|        |                |             | S4     | Square 2-3/ | 4                                      |                   |                   |        | -Master Keyed          |            |                 |         |              |
|        |                |             | S5     | Square 5    |  |                   |                   |        | -Grand Master Key      |            |                 |         |              |
|        |                |             | S8     | Square 2-3/ | 8                                      |                   |                   |        | -Great Grand Mass      | ter Keyed  |                 |         |              |
|        |                |             |        |             |  |                   |                   | ZB     | Zero Bitted            |            |                 |         |              |

#### Example

If you ordered: QCL171 E626 S4 478S BF6 KA H

You would get: Grade 1 Hurricane Compliant Cylindrical Storeroom Lock, Sierra Lock, Satin Chrome,  $2 \frac{3}{4}$ " Deadlatch Square, ANSI  $4\frac{7}{8}$ " x  $1\frac{1}{4}$ " Strike, BEST "F" Keyway, Keyed Alike.

#### QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

Sierra (E)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625\*

#### Summit (M)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625\*

#### Slate (A)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625\*







| NA           | Ematina                 | Stylo | C Ot     | List Price |                    |  |
|--------------|-------------------------|-------|----------|------------|--------------------|--|
| Model/Series | /Series Functions Style |       | Case Qty | 626        | 605, 613, 619, 625 |  |
| QCL120       | Half Dummy              | E/M/A | 12       | 130.00     | 135.00             |  |
| QCL130       | Passage                 | E/M/A | 6        | 254.00     | 264.00             |  |
| QCL135       | Communicating           | E/M/A | 6        | 287.00     | 297.00             |  |
| QCL140*      | Privacy                 | E/M/A | 6        | 307.00     | 317.00             |  |
| QCL150       | Entrance/Office         | E/M/A | 6        | 351.00     | 361.00             |  |
| QCL151       | Entrance/Office SFIC    | E/M/A | 6        | 397.00     | 407.00             |  |
| QCL154       | Corridor                | E/M/A | 6        | 351.00     | 361.00             |  |
| QCL155       | Corridor SFIC           | E/M/A | 6        | 397.00     | 407.00             |  |
| QCL160       | Classroom               | E/M/A | 6        | 351.00     | 361.00             |  |
| QCL161       | Classroom SFIC          | E/M/A | 6        | 397.00     | 407.00             |  |
| QCL168       | Classroom Security      | E/M/A | 6        | 379.00     | 389.00             |  |
| QCL169       | Classroom Security SFIC | E/M/A | 6        | 425.00     | 435.00             |  |
| QCL170       | Storeroom               | E/M/A | 6        | 351.00     | 361.00             |  |
| QCL171       | Storeroom SFIC          | E/M/A | 6        | 397.00     | 407.00             |  |

|   | Options             | Add  |
|---|---------------------|------|
| Н | Hurricane Compliant | 5.50 |

#### NOTES:

<sup>\*</sup> Privacy split finishes are priced at the highest finish price.

#### QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

## ELECTRIFIED OPTIONS (CONSULT FACTORY FOR LEAD TIMES)



| Model #            | Description  | List Price |             |
|--------------------|--|------------|-------------|
| Wodel #            | Model # Description  |            | 605/613/625 |
| QCL192             | Electronically locked (fail safe). Outside lever continuously locked electrically. Unlocked by key outside, by switch, or by power failure. Inside always free for | 714.00     | 726.00      |
| QCL193 (SFIC)      | immediate egress.  | 768.00     | 781.00      |
| QCL194             | Electronically unlocked (fail secure). Outside lever continuously locked until   | 714.00     | 726.00      |
| QCL195(SFIC)       | unlocked by key or electric current. Inside always free for immediate egress.  | 768.00     | 781.00      |
| QCL170X            | Request to exit. Switch monitors inside lever rotation. Incorporates into alarm  | 665.00     | 679.00      |
| QCL171X(SFIC)      | systems or in conjunction with an electromagnet.   | 721.00     | 733.00      |
| QCL192X            | Electronically locked (fail safe) with request to exit. Outside lever continuously locked electrically. Unlocked by key outside, by switch, or by power failure.   | 976.00     | 990.00      |
| QCL193<br>X(SCFIC) | Inside always free for immediate egress. Ability to tie into alarm systems.  | 1029.00    | 1044.00     |
| QCL194X            | Electronically unlocked (fail secure) with request to exit. Outside lever  | 976.00     | 990.00      |
| QCL195<br>X(SCFIC) | continuously locked until unlocked by key or electric current. Inside always free for immediate egress. Ability to tie into alarm systems.                         | 1029.00    | 1044.00     |
| 8Q00314            | Fail Safe / Fail Secure 24VDC Power Supply   | 864.00     | 864.00      |

#### **Electrified Product Specifications**

- Consult Factory for lead times.
- Electrification prices should be added to list price of lock.
- Standard door prep.
- Deadlocking latch.
- Key override allows key to retract latchbolt momentarily on electronically locked models.
- Inside lever always free for immediate egress.
- · Continuous duty solenoids.
- · Tie into alarm systems and electromagnetic locks.
- 12V AC/DC with .250 amp current.
   24V AC/DC with .150 amp current.
- Specify voltage when ordering.
- Lifetime warranty on lock body; 1 year warranty on electric components.
- Uses power supply 8Q00314.
- Warranty: 1 Year Electrical.

#### **Power Supply Specifications**

- Consult Factory for lead times.
- · Provides power for fail safe or fail secure locking devices.
- UL listed, US & Canada, Class 2.
- Filtered and regulated 24DC constant voltage.
- 2 AMP load capacity.
- Over voltage/short circuit protection.
- · Surge suppression for locking devices.
- Interface relay to isolate the locking device current from the control switch.
- Auxilliary 24VDC constant voltage for powering stand alone devices such as keypads, motion detectors, status indicators, etc.
- Field terminal block set at 45° for ease of installation.
- Can power up to 12 24V Cylindrical fail safe/ fail secure levers refer to installation manual for additional details.

### QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

## LATCH OPTIONS (SPECIFY FINISH)

| Order #<br>With Lock                                     |          | Description Service Part #                             |           | Price With Lock | Service Part List<br>Price |
|--|----------|--|-----------|-----------------|----------------------------|
| 1 -1/8" X 2 -1/4" I                                      | FACE PL  |  |           |                 |                            |
|  | C 4      | 2 3/4" dead latch - square corner                      | 8Q00172   | NC              | 14.00                      |
| Grade 1 -  | S4       | 2 3/4" dead latch - square corner - corridor function  | 8Q00574   | NC              | 14.00                      |
| Deadlatch  | R4       | 2 3/4" dead latch - radius corner                      | 8Q00171   | NC              | 14.00                      |
|  | K4       | 2 3/4" dead latch - radius corner - corridor function  | 8Q00573   | NC              | 14.00                      |
|  | CO       | 2 3/8" dead latch - square corner                      | 8Q00174   | NC              | 14.00                      |
|  | S8       | 2 3/8" dead latch - square corner - corridor function  | 8Q00576   | NC              | 14.00                      |
|  | R8       | 2 3/8" dead latch - radius corner                      | 8Q00173   | NC              | 14.00                      |
|  | К        | 2 3/8"" dead latch - radius corner - corridor function | 8Q00575   | NC              | 14.00                      |
|  | S5       | 5" dead latch - square corner                          | 8Q00175   | Add 24.00       | 39.00                      |
| Grade 1 -  |          |  | 8Q00180   | Add 24.00       | 36.00                      |
| Springlatch  S5  5" spring latch passage - square corner |          | 8Q00185  | Add 24.00 | 36.00           |                            |
| 1 -1/8" X 2 -1/4" I<br>3/4" THROW, 3 F                   |          | ATE, 1" HOUSING DIAMETER, GRADE 1,                     |           |                 |                            |
| FS4 FR4  |          | 2 3/4" dead latch - square corner, 3/4" throw          | 8Q00438   | Add 104.00      | 117.00                     |
|  |          | 2 3/4" dead latch - radius corner, 3/4" throw          | 8Q00437   | Add 104.00      | 117.00                     |
| NO LATCH   | NO LATCH |  |           |                 |                            |
| NOL  |          | No Latch   |           | Deduct 12.60    |                            |

### QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

## STRIKE OPTIONS (SPECIFY FINISH)

| Order #<br>With Lock |       | Description  | Service Part # | Price<br>With Lock | Service Part<br>List Price |
|----------------------|-------|--|----------------|--------------------|----------------------------|
|                      | 118 F | 1 1/8" x 2 3/4"T-Strike<br>(Does not include screws.<br>Screwpack 8Q00058)     | 8Q00165        | NC                 | 5.10                       |
|                      | 478S  | 4 7/8" x 1 1/4" ANSI Strike<br>(Does not include screws.<br>Screwpack 8Q00058) | 8Q00166        | NC                 | 8.00                       |

|     | Less Cylinder      | List Price   |
|-----|--------------------|--------------|
| 1.0 | Less Cylinder      | Deduct 21.00 |
| LC  | Less SFIC Cylinder | Deduct 46.00 |

### QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

## OTHER PARTS & SCREW PACKS

|    | Description  | Service Part # | Service Part<br>List Price |
|----|--|----------------|----------------------------|
|    | Installation Jig for Cylindrical Levers  | 8Q00075        | 13.00                      |
|    | Tailpiece QCL150/QCL170 - Entry/Storeroom  | 8Q00069        | 2.70                       |
|    | Tailpiece QCL160 - Classroom (all keyways except KW)   | 8Q00070        | 2.70                       |
|    | Tailpiece QCL160 - Classroom (KW keyway only)  | 8Q00071        | 2.70                       |
| FF | Cylinder Plug Holder QCL100 Series   | 8Q00065        | 1.90                       |
|    | Screw Pack for QCL100 Series Dummy (Specify finish)  | 8Q00056        | 1.90                       |
|    | Screw Pack for QCL100 Series (Specify finish)  | 8Q00057        | 2.70                       |
|    | Screw Pack for T-Strike<br>(Specify finish)  | 8Q00058        | 2.00                       |
|    | Trim Ring for Cylindrical Locks<br>(Shims Lock off door approximately 1/8")<br>(Available in 605, 613, 619, 626) | 8Q00221        | 25.00                      |

#### QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

| 20 | Single Dummy      |  |
|----|-------------------|--|
| 30 | Passage           |  |
| 35 | Communicating     |  |
| 40 | Privacy           |  |
| 50 | Entry/Office      |  |
| 51 | Entry/Office SFIC |  |
| 54 | Corridor          |  |
| 55 | Corridor SFIC     |  |
| 60 | Classroom         |  |
| 61 | Classroom SFIC    |  |
| 70 | Storeroom         |  |
| 71 | Storeroom SFIC    |  |
|    |                   |  |

| 605 | Bright Brass                            |
|-----|---|
| 613 | Oil Rubbed Bronze                       |
| 619 | Satin Nickel                            |
| 625 | Bright Chrome                           |
| 626 | Satin Chrome                            |
|     | • |

| BF | BEST "F" SFIC |
|----|---------------|
| KW | Kwikset "KW"  |
| WE | Weiser "E"    |
| SC | Schlage "C"   |
| GA | Yale "GA"     |
| LA | Sargent "LA"  |
| LC | Less Cylinder |
|    |               |

| Base Part Number |          |        |        |       |        |        |           |        |
|------------------|----------|--------|--------|-------|--------|--------|-----------|--------|
| Series           | Function | Design | Finish | Latch | Strike | Keyway | # of Pins | Keying |
| QCL2             | 71       | Е      | 626    | S4    | 4785   | BF     | 6         | KA     |
|                  |          | 1      |        | 1     | 1      |        |           | 1      |

| <b>Additional Options</b> |        |  |
|---------------------------|--------|--|
| Hurricane                 | 2nd    |  |
| Compliant                 | Finish |  |
| Н                         | 625    |  |

Oil Rubbed Bronze

Bright Chrome

| Е | Sierra |
|---|--------|
| М | Summit |
| Α | Slate  |
|   | •      |

| QCL2 LA | QCL2 LATCH TABLE            |  |
|---------|-----------------------------|--|
| FR4     | Radius 2-3/4 with 3/4 throw |  |
| FS4     | Square 2-3/4 with 3/4 throw |  |
| NOL     | No Latch                    |  |
| NR4     | Narrow Radius 2-3/4         |  |
| NR8     | Narrow Radius 2-3/8         |  |
| NS4     | Narrow Square 2-3/4         |  |
| NS8     | Narrow Square 2-3/8         |  |
| R4      | Radius 2-3/4                |  |
| R8      | Radius 2-3/8                |  |
| S3      | Square 3-3/4                |  |
| S4      | Square 2-3/4                |  |
| S5      | Square 5                    |  |
| S8      | Square 2-3/8                |  |

| 4785 | ANSI 4%" x 1¼" Strike                |  |  |
|------|--------------------------------------|--|--|
| 118F | ANSI 11⁄8" x 23⁄4" Strike            |  |  |
| FLS  | Full Lip Square Corner Strike        |  |  |
| FLR  | FLR Full Lip ¼" Radius Corner Strike |  |  |
| NOS  | No Strike                            |  |  |

| KD | Keyed Different            |
|----|----------------------------|
| KA | Keyed Alike                |
| SK | Special Keying             |
|    | -Construction Keyed        |
|    | -Construction Master Keyed |
|    | -Maison Keyed              |
|    | -Master Keyed              |
|    | -Grand Master Keyed        |
|    | -Great Grand Master Keyed  |
| ZB | Zero Bitted                |
|    |                            |

625

#### **Example**

**If you ordered:** QCL271 E626 S4 478S BF6 KA H 625

You would get: Grade 2 Hurricane Compliant Cylindrical Storeroom Lock, Sierra Lever, Satin Chrome x Bright Chrome, 2 \*\* Deadlatch Square, ANSI 4 \*\* x 1 \*\* Strike, BEST "F" SFIC Keyway, Keyed Alike.

#### QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

Sierra (E)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613\*

#### Summit (M)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613\*

#### Slate (A)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613\*







| Model / Series | Functions            | Style | Cara Otro | List Price |                    |
|----------------|----------------------|-------|-----------|------------|--------------------|
| Model / Series |                      |       | Case Qty  | 626        | 605, 613, 619, 625 |
| QCL220         | Half Dummy           | E/M/A | 12        | 70.00      | 75.00              |
| QCL230         | Passage              | E/M/A | 6         | 142.00     | 152.00             |
| QCL235         | Communicating        | E/M/A | 6         | 151.00     | 161.00             |
| QCL240*        | Privacy              | E/M/A | 6         | 151.00     | 161.00             |
| QCL250         | Entrance/Office      | E/M/A | 6         | 178.00     | 188.00             |
| QCL251         | Entrance/Office SFIC | E/M/A | 6         | 224.00     | 234.00             |
| QCL254         | Corridor             | E/M/A | 6         | 178.00     | 188.00             |
| QCL255         | Corridor SFIC        | E/M/A | 6         | 224.00     | 234.00             |
| QCL260         | Classroom            | E/M/A | 6         | 178.00     | 188.00             |
| QCL261         | Classroom SFIC       | E/M/A | 6         | 224.00     | 234.00             |
| QCL270         | Storeroom            | E/M/A | 6         | 178.00     | 188.00             |
| QCL271         | Storeroom SFIC       | E/M/A | 6         | 224.00     | 234.00             |

| Less Cylinder |                    | List Price   |  |  |
|---------------|--------------------|--------------|--|--|
| LC            | Less Cylinder      | Deduct 21.00 |  |  |
|               | Less SFIC Cylinder | Deduct 46.00 |  |  |

| Options |                     | Add  |  |
|---------|---------------------|------|--|
| Н       | Hurricane Compliant | 5.00 |  |

NOTES:

<sup>\*</sup> Privacy split finishes are priced at the highest finish price.

## QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

## LATCH OPTIONS (SPECIFY FINISH)

| Order # With Lock  |             | Description  | Service Part #    | Price With<br>Lock | Service Part<br>List Price |
|--|-------------|--|-------------------|--------------------|----------------------------|
| 1 1/8" X 2 1/4" FACE PLATE, 7/8" HOUSING DIAMETER, GRADE 2, UL (WIDE FACE) |             |  |                   |                    |                            |
|  | S4          | 2 3/4" dead latch - square corner                                      | 8Q00187           | NC                 | 9.10                       |
| Grade 2 - Deadlatch  | 34          | 2 3/4" dead latch - square corner - corridor function                  | 8Q00578           | NC                 | 9.10                       |
|  | R4          | 2 3/4" dead latch - radius corner                                      | 8Q00186           | NC                 | 9.10                       |
|  | K4          | 2 3/4" dead latch - radius corner- corridor function                   | 8Q00577           | NC                 | 9.10                       |
|  | CO          | 2 3/8" dead latch - square corner                                      | 8Q00189           | NC                 | 9.10                       |
|  | S8          | 2 3/8" dead latch - square corner - corridor function                  | 8Q00580           | NC                 | 9.10                       |
|  | DO          | 2 3/8" dead latch - radius corner                                      | 8Q00188           | NC                 | 9.10                       |
|  | R8          | 2 3/8" dead latch - radius corner - corridor function                  | 8Q00579           | NC                 | 9.10                       |
|  | S3          | 3 3/4" dead latch - square corner                                      | 8Q00190           | Add 17.00          | 26.00                      |
|  | S5          | 5" dead latch - square corner  | 8Q00191           | Add 19.00          | 32.00                      |
| 1" X 2 1/4" FACE PLATE, 7/8" HOUSING DIAMETER, GRADE 2, UL (NARROW FACE)   |             |  |                   |                    |                            |
| Grade 2 - Deadlatch  | NS4         | 2 3/4" dead latch - square corner                                      | 8Q00231           | NC                 | 9.10                       |
|  | NR4         | 2 3/4" dead latch - radius corner                                      | 8Q00230           | NC                 | 9.10                       |
|  | NS8         | 2 3/8" dead latch - square corner                                      | 8Q00233           | NC                 | 9.10                       |
|  | NR8         | 2 3/8" dead latch - radius corner                                      | 8Q00232           | NC                 | 9.10                       |
| 1 1/8" X 2 1/4" FA   | CE PLATE, 1 | "HOUSING DIAMETER, GRADE 1,3/4" THROW, 3 HR U                          | JL                |                    |                            |
|  | FS4         | 2 3/4" dead latch, square corner, 3/4" throw                           | 8Q00438           | Add 104.00         | 117.00                     |
|  | FR4         | 2 3/4" dead latch, radius corner, 3/4" throw                           | 8Q00437           | Add 104.00         | 117.00                     |
| WIDE FACE LATO   | H FILLER    |  |                   |                    |                            |
| o o  |             | Wide face latch adaptor plate (converts 1" latch face plate to 1 1/8") | etch face 8Q00217 |                    | 1.50                       |
| NO LATCH   |             |  |                   |                    |                            |
| NOL  |             | No Latch   |                   | Deduct 8.20        |                            |

### QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

# STRIKE OPTIONS (SPECIFY FINISH)


| Order<br>With Lo |       | Description   | Service<br>Part # | Price<br>With Lock | Service Part<br>List Price |
|------------------|-------|---|-------------------|--------------------|----------------------------|
|                  | 118 F | 2 3/4" x 11/8"T-Strike<br>(Does not include screws. 8Q00165<br>Screwpack 8Q00058) |                   | NC                 | 5.10                       |
|                  | 4785  | 4 7/8" x 1 1/4" ANSI Strike<br>(Does not include screws.<br>Screwpack 8Q00058)    | 8Q00166           | NC                 | 8.00                       |
|                  | FLR   | 2 1/4" Full Lip Round Corner Strike UL  | 8Q00241           | NC                 | 4.80                       |
|                  | FLS   | 2 1/4" Full Lip Square Corner Strike UL   | 8Q00240           | NC                 | 4.80                       |
| NO STRIKE        |       |   |                   |                    |                            |
| NOS              |       | No Strike   |                   | Deduct 4.40        |                            |

### QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

# OTHER PARTS & SCREW PACKS

|     | Description  | Service Part # | Service Part<br>List Price |
|-----|--|----------------|----------------------------|
|     | Installation Jig for Cylindrical Levers  | 8Q00075        | 13.00                      |
|     | Tailpiece QCL250/QCL270 - Entry/Storeroom  | 8Q00072        | 2.70                       |
|     | Tailpiece QCL260 - Classroom   | 8Q00074        | 2.70                       |
|     | SFIC Tailpiece for QCL200 Series   | 8Q00302        | 2.60                       |
|     | Cylinder Plug Holder QCL200 Series   | 8Q00066        | 1.90                       |
|     | Screw Pack & Tailpiece SFIC for QCL200 Series (Specify finish)   | 8Q00064        | 3.90                       |
| 000 | Screw Pack for QCL200 Series Dummy<br>(Specify finish)   | 8Q00059        | 2.00                       |
|     | Screw Pack for QCL200 Series<br>(Specify finish)   | 8Q00061        | 2.70                       |
|     | Screw Pack for T-Strike<br>(Specify finish)  | 8Q00058        | 2.00                       |
|     | Trim Ring for Cylindrical Locks (Shims Lock off door approximately 1/8") (Available in 605, 613, 619, 626) | 8Q00221        | 25.00                      |

#### QCI200 Series | Grade 2 | Standard Duty Interconnected Locks



| 605 Bright Brass |                   |  |  |
|------------------|-------------------|--|--|
| 613              | Oil Rubbed Bronze |  |  |
| 619              | Satin Nickel      |  |  |
| 626              | Satin Chrome      |  |  |
|                  | •                 |  |  |

| BF  | BEST "F" SFIC |  |
|-----|---------------|--|
| SMT | SmartKey*     |  |
| KW  | Kwikset "KW"  |  |
| WE  | Weiser "E"    |  |
| SC  | Schlage "C"   |  |
| GA  | Yale "GA"     |  |
| LA  | Sargent "LA"  |  |
| LC  | Less Cylinder |  |
|     |               |  |

| Base Part Number  |    |   |     |     |      |    |        |    |
|---|----|---|-----|-----|------|----|--------|----|
| Series Function Design Finish Latch Strike Keyway # Of Pins Keyin |    |   |     |     |      |    | Keying |    |
| QCI2  | 31 | E | 626 | NR4 | 118F | BF | 6      | KD |

| Е | Sierra |
|---|--------|
| M | Summit |
| Α | Slate  |

| Order w/Lock            | Lever & Deadbolt Latch |
|-------------------------|------------------------|
| NR4                     | Narrow Radius 2-3/4    |
| NS4 Narrow Square 2-3/4 |                        |
| NS8                     | Narrow Square 2-3/8    |
| R4                      | Radius 2-3/4           |
| S4                      | Square 2-3/4           |
| S8                      | Square 2-3/8           |

| Order w/Lock | Lever Latch         | Deadbolt Latch      |
|--------------|---------------------|---------------------|
| NR8          | Narrow Radius 2-3/8 | Narrow Radius 2-3/4 |
| R8           | Radius 2-3/8        | Radius 2-3/4        |

|    | Į.                         |
|----|----------------------------|
| KD | Keyed Different            |
| KA | Keyed Alike                |
| SK | Special Keying             |
|    | -Construction Keyed        |
|    | -Construction Master Keyed |
|    | -Maison Keyed              |
|    | -Master Keyed              |
|    | -Grand Master Keyed        |
| -  | -Great Grand Master Keyed  |
| ZB | Zero Bitted                |
| •  | •                          |

| Order w/Lock | Lever Strike | Deadbolt Strike |  |
|--------------|--------------|-----------------|--|
| 118F         | 118F         | DBS             |  |
| 478S         | 478S         | DBS             |  |
| FLS          | FLS          | DBS             |  |
| FLR          | FLR          | DBS             |  |
| FLS2         | FLS          | FLS             |  |
| FLR2         | FLR          | FLR             |  |
| NOS          | No Strikes   |                 |  |

#### NOTES:

#### **Example**

If you ordered: QCI231 E626 NR4 118F BF6 KD

You would get: Grade 2 Interconnect Single SFIC Lock, Sierra Lever, Satin Chrome, 2¾" Narrow Radius Latches, "T" Strike with Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different.

<sup>\*</sup> SmartKey available on QCI230 function only

#### QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

|           | Sierra (E)               |               | Summit (M)         |               | Slate (A)          |
|-----------|--------------------------|---------------|--------------------|---------------|--------------------|
| Available | e in: 605, 613, 619, 626 | Available in: | 605, 613, 619, 626 | Available in: | 605, 613, 619, 626 |
|           |                          |               |                    |               |                    |

| Madal/Carias | Franchicas                          | Case  | Case | List Price |               |
|--------------|-------------------------------------|-------|------|------------|---------------|
| Model/Series | /Series Functions Style             |       | Qty  | 626        | 605, 613, 619 |
| QCI230       | Single Locking (Passage Lever)      | E/M/A | 6    | 324.00     | 336.00        |
| QCI231       | Single Locking SFIC (Passage Lever) | E/M/A | 6    | 351.00     | 365.00        |
| QCI250       | Double Locking (Entry Lever)        | E/M/A | 6    | 360.00     | 372.00        |
| QCI251       | Double Locking SFIC                 | E/M/A | 6    | 458.00     | 473.00        |
| QCI285       | Indicator                           | E/M/A | 6    | 363.00     | 378.00        |

|     | Less Cylinder      | List Price   |
|-----|--------------------|--------------|
| 1.6 | Less Cylinder      | Deduct 21.00 |
| LC  | Less SFIC Cylinder | Deduct 46.00 |

| Order w/ Lock | Description                     | w/ Lock   |
|---------------|---------------------------------|-----------|
| FT            | QCI200 Exterior Escutcheon Trim | Add 26.00 |

NOTES:

SmartKey Available on QCl230 Functions only. Consult factory for lead times on 605 finish.

### QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

# LATCH COMBINATIONS (SPECIFY FINISH)

| Order # W       | /ith Lock | Lever Latch                                   | Deadbolt Latch                                | Price With Lock |
|-----------------|-----------|---|---|-----------------|
|                 | S4        | 2 3/4" dead latch, square corner, 1 1/8" Face | 2 3/4" bolt latch, square corner, 1 1/8" Face | NC              |
|                 | R4        | 2 3/4" dead latch, radius corner, 1 1/8" Face | 2 3/4" bolt latch, radius corner, 1 1/8" Face | NC              |
|                 | S8        | 2 3/8" dead latch, square corner, 1 1/8" Face | 2 3/8" bolt latch, square corner, 11/8" Face  | NC              |
| All OCI Carrian | R8        | 2 3/8" dead latch, radius corner, 1 1/8" Face | 2 3/8" bolt latch, radius corner, 1 1/8" Face | NC              |
| All QCI Series  | NS4       | 2 3/4" dead latch, square corner, 1" Face     | 2 3/4" bolt latch, square corner, 1" Face     | NC              |
|                 | NR4       | 2 3/4" dead latch, radius corner, 1 " Face    | 2 3/4" bolt latch, radius corner, 1" Face     | NC              |
|                 | NS8       | 2 3/8" dead latch, square corner, 1" Face     | 2 3/8" bolt latch, square corner, 1" Face     | NC              |
|                 | NR8       | 2 3/8" dead latch, radius corner, 1" Face     | 2 3/8" bolt latch, radius corner, 1" Face     | NC              |
| NO LATCH        |           |   |   |                 |
| NC              | DL .      | No Latch (Leve                                | er & Deadbolt)                                | Deduct 24.00    |

## LATCH OPTIONS (SPECIFY FINISH)

| Order as parts only |                          | Description                       | Service Part #              | Service Part<br>List Price |
|---------------------|--------------------------|-----------------------------------|-----------------------------|----------------------------|
| Grade 2 -           | 1 -1/8" X 2 -1/4"        | FACE PLATE, 7/8" HOUSING DIAMETE  | ER, GRADE 2, UL (WIDE FACE) |                            |
| Deadlatch           | S4                       | 2 3/4" dead latch - square corner | 8Q00187                     | 9.10                       |
|                     | R4                       | 2 3/4" dead latch - radius corner | 8Q00186                     | 9.10                       |
|                     | S8                       | 2 3/8" dead latch - square corner | 8Q00189                     | 9.10                       |
|                     | R8                       | 2 3/8" dead latch - radius corner | 8Q00188                     | 9.10                       |
| Grade 2 -           | 1"X 2-1/4" NARF<br>FACE) | ROW FACE PLATE,7/8" HOUSING DIAI  | METER, GRADE 2, UL (NARROW  |                            |
| Deadlatch           | NS4                      | 2 3/4" dead latch - square corner | 8Q00231                     | 9.10                       |
|                     | NR4                      | 2 3/4" dead latch - radius corner | 8Q00230                     | 9.10                       |
|                     | NS8                      | 2 3/8" dead latch - square corner | 8Q00233                     | 9.10                       |
|                     | NR8                      | 2 3/8" dead latch - radius corner | 8Q00232                     | 9.10                       |

### QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

# DEADBOLT OPTIONS (SPECIFY FINISH)

| Order as parts only    |                | Description  | Service<br>Part # | Service Part<br>List Price |
|------------------------|----------------|--|-------------------|----------------------------|
|                        | DEADBOLT: 1 -1 | /8" X 2 -1/4" FACE PLATE, DEADBOLT, UL (WIDE FACE)                       |                   |                            |
| Grade 2 -<br>Boltlatch | S4             | 2 3/4" deadbolt - square corner  | 8Q00170           | 17.00                      |
| 0                      | R4             | 2 3/4" deadbolt - radius corner  | 8Q00169           | 17.00                      |
|                        | S8             | 2 3/8" deadbolt - square corner  | 8Q00168           | 17.00                      |
|                        | R8             | 2 3/8" deadbolt - radius corner  | 8Q00167           | 17.00                      |
|                        | DEADBOLT: 1")  |  |                   |                            |
| Grade 2 -<br>Boltlatch | NS4            | 2 3/4" deadbolt - square corner  | 8Q00442           | 17.00                      |
|                        | NR4            | 2 3/4" deadbolt - radius corner  | 8Q00441           | 17.00                      |
|                        | NS8            | 2 3/8" deadbolt - square corner  | 8Q00440           | 17.00                      |
|                        | NR8            | 2 3/8" deadbolt - radius corner  | 8Q00439           | 17.00                      |
|                        | WIDE FACE LAT  | CH FILLER  |                   |                            |
|                        |                | Wide face latch adaptor plate<br>(converts 1" latch face plate to 11/8") | 8Q00217           | 1.50                       |

### QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

# STRIKE COMBINATIONS (SPECIFY FINISH)

| Order #<br>With Lock | Lever Latch                   | Deadbolt Latch                | Service Part<br>List Price |
|----------------------|-------------------------------|-------------------------------|----------------------------|
| 118F                 | 2 3/4" x 1 1/8"T-Strike       | Standard Deadbolt Strike      | NC                         |
| 4785                 | ANSI 4 7/8" x 1 1/4" Strike   | Standard Deadbolt Strike      | Add 2.80                   |
| FLS                  | Full Lip Square Corner Strike | Standard Deadbolt Strike      | NC                         |
| FLR                  | Full Lip Radius Corner Strike | Standard Deadbolt Strike      | NC                         |
| FLS2                 | Full Lip Square Corner Strike | Full Lip Square Corner Strike | NC                         |
| FLR2                 | Full Lip Radius Corner Strike | Full Lip Radius Corner Strike | NC                         |
| NO STRIKE            |                               |                               |                            |
| NOS                  | No Strike                     |                               | Deduct 8.80                |

| Order as parts only |       | Description                                   | Service<br>Part # | Service Part<br>List Price |  |
|---------------------|-------|---|-------------------|----------------------------|--|
| LEVER               |       |   |                   |                            |  |
|                     | 118 F | 2 3/4" x 11/8"T-Strike                        | 8Q00165           | 5.10                       |  |
| 0                   | 4785  | ANSI 4 7/8" x 11/4" Strike                    | 8Q00166           | 8.00                       |  |
|                     | FLS   | Full Lip Square Corner Strike                 | 8Q00240           | 4.80                       |  |
|                     | FLR   | Full Lip Radius Corner Strike                 | 8Q00241           | 4.80                       |  |
| DEADBOLT            |       |   |                   |                            |  |
| 0                   | DBS   | 2 3/4" x 11/8" Deadbolt Strike - Square       | 8Q00164           | 4.90                       |  |
|                     | DBR   | 2 3/4" x 11/8" Deadbolt Strike - Radius       | 8Q00530           | 4.90                       |  |
|                     | 478DS | ANSI 4 7/8" x 11/4" Deadbolt Strike           | 8Q00244           | 8.00                       |  |
| 0                   | FLS   | 2 1/4" Full Lip Square Corner Deadbolt Strike | 8Q00317           | 4.90                       |  |
|                     | FLR   | 2 1/4" Full Lip Radius Corner Deadbolt Strike | 8Q00316           | 4.90                       |  |

| <b>Less Cylinder</b> |                    | List Price   |
|----------------------|--------------------|--------------|
| 1.0                  | Less Cylinder      | Deduct 21.00 |
| LC                   | Less SFIC Cylinder | Deduct 46.00 |

### QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

# OTHER PARTS & SCREW PACKS

|          | Description  | Service Part # | Service Part<br>List Price |
|----------|--|----------------|----------------------------|
|          | QCI200 Series deadbolt tailpiece   | 8Q00083        | 2.70                       |
|          | Tailpiece QCI200 Series  | 8Q00072        | 2.70                       |
|          | QCI200 Series outside escutcheon trim - 4' center to center (Specify finish) | 8Q00303        | 25.00                      |
| NO IMAGE | QCI200 Series Screw Pack   | 8Q00304        | 2.70                       |
| NO IMAGE | QCI251 Screw Pack  | 8Q00305        | 2.70                       |
| NO IMAGE | QCI231 Screw Pack  | 8Q00306        | 2.70                       |
| NO IMAGE | QCI200 Series Door Thickness Adjustment Gauge                                | 8Q00307        | 2.00                       |
| NO IMAGE | QCI200 Series IC Core Tailpiece  | 8Q00308        | 2.70                       |
| NO IMAGE | Indicator Emergency Key  | 8Q00531        | 2.50                       |
|          | SmartKey Learn Tool  | 8Q00555        | 4.90                       |

#### QTL200 Series | Grade 2 | Standard Duty Tubular Locks

| 20 | Single D     | )mmv       |   |            |                |         |                    |               |        |   |               |
|----|--------------|------------|---|------------|----------------|---------|--------------------|---------------|--------|---|---------------|
| 30 | Passage      |            |   |            |                |         |                    |               |        |   |               |
| 40 | Privacy      |            |   |            |                |         | BF                 | BEST "F" SFIC |        |   |               |
| 50 | Entry/O      | ffice      |   |            |                |         | KW                 | Kwikset "KW"  |        |   |               |
| 51 | <del>j</del> | ffice SFIC | · · · · · · · · · · · · · · · · · · ·   | 605        | Bright Brass   |         | WE                 | Weiser "E"    |        |   |               |
| 60 | Classroc     | om         | · · · · · · · · · · · · · · · · · · ·   | 613        | Oil Rubbed Bro | nze     | SC                 | Schlage "C"   |        |   |               |
| 61 | Classroc     | om SFIC    |   | 619        | Satin Nickel   |         | GA                 | Yale "GA"     |        |   |               |
| 70 | Storeroc     | om         |   | 625        | Bright Chrome  |         | LA                 | Sargent "LA"  |        |   |               |
| 71 | Storeroc     | om SFIC    |   | 626        | Satin Chrome   |         | LC                 | Less Cylinder |        |   |               |
|    |              |            | ••••••••••••••••••••••••••••••••••••••• |            | •              | •       |                    | •             |        |   |               |
|    |              | <u> </u>   |   | <u> </u>   | Dana Dant Nam  |         | I                  |               |        | A dalah   |               |
|    |              | l =        | - ·                                     | T          | Base Part Nu   |         |                    | ,, CD.        |        | Additiona   | <del>-</del>  |
|    | Series       | Function   | Design                                  | Finish     | Latch          | Strik   | e Keyway           | # of Pins     | Keying | Hurricane<br>Compliant  | 2nd<br>Finish |
|    | QTL2         | 71         | E                                       | 626        | SA             | FLF     | R BF               | 6             | KA     | Н   | 625           |
|    |              | E          | Sierra                                  |            |                | 478S    | ANSI 47/8" x 11/4" | <br>Strika    | .      | <b>625</b> Bright C   | hrome         |
|    |              | M          | Summit                                  |            |                | 118F    | ANSI 11/8" x 23/4" |               |        | 023 Bright C  | iioiiic       |
|    |              | A          | Slate                                   |            |                | FLS     | Full Lip Square    |               |        |   |               |
|    |              | i^         | Jacc                                    | <b>i</b>   |                | FLR     | Full Lip ¼" Radi   |               |        |   |               |
|    |              |            |   |            |                | NOS     | No Strike          |               |        |   |               |
|    |              |            | QTL2 L/                                 | ATCH TABLI | E (New)        | <u></u> | <u>:</u>           |               | KD     | Keyed Different   |               |
|    |              |            | RA                                      | Adjustab   | le Radius      |         |                    |               | KA     | Keyed Alike   |               |
|    |              |            | SA                                      | Adjustab   | le Square      |         |                    |               | SK     | Special Keying  |               |
|    |              |            |   |            |                |         |                    |               |        |   |               |
|    |              |            | NOL                                     | No Latch   |                |         |                    |               |        | -Construction Keye  | d             |
|    |              |            |   | •          |                |         |                    |               |        | -Construction Keye<br>-Construction Mast                          |               |
|    |              |            |   | •          |                |         |                    |               |        | ··· <del>·</del>  |               |
|    |              |            |   | •          |                |         |                    |               |        | -Construction Mast  |               |
|    |              |            |   | •          |                |         |                    |               |        | -Construction Mast -Maison Keyed -Master Keyed -Grand Master Keye | er Keyed<br>d |
|    |              |            |   | •          |                |         |                    |               |        | -Construction Mast<br>-Maison Keyed<br>-Master Keyed              | er Keyed<br>d |

#### **Example**

If you ordered: QTL271 E 626 SA FLR BF 6 KA H 625

You would get: Grade 2 Hurricane Compliant Tubular Storeroom SFIC Lock, Sierra Lever, Satin Chrome x Bright Chrome, Adjustable Square Latch, Full Lip ¼" Radius Corner Strike, Standard "F" Keyway, Keyed Alike.

#### QTL200 Series | Grade 2 | Standard Duty Tubular Locks

Sierra (E)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625\*

#### Summit (M)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625\*

#### Slate (A)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625\*







| Model/Series  | el/Series Functions Style Case Oty |       | List I   | Price  |                    |
|---------------|------------------------------------|-------|----------|--------|--------------------|
| Wiodel/Series | Functions                          | Style | Case Qty | 626    | 605, 613, 619, 625 |
| QTL220        | Half Dummy                         | E/M/A | 12       | 55.00  | 62.00              |
| QTL230        | Passage                            | E/M/A | 10       | 110.00 | 124.00             |
| QTL240*       | Privacy                            | E/M/A | 10       | 118.00 | 132.00             |
| QTL250        | Entry/Office                       | E/M/A | 10       | 133.00 | 146.00             |
| QTL251        | Entry/Office SFIC                  | E/M/A | 10       | 183.00 | 198.00             |
| QTL260        | Classroom                          | E/M/A | 10       | 133.00 | 146.00             |
| QTL261        | Classroom SFIC                     | E/M/A | 10       | 183.00 | 198.00             |
| QTL270        | Storeroom                          | E/M/A | 10       | 133.00 | 146.00             |
| QTL271        | Storeroom SFIC                     | E/M/A | 10       | 183.00 | 198.00             |

|     | Less Cylinder      | List Price   |
|-----|--------------------|--------------|
| 1.0 | Less Cylinder      | Deduct 21.00 |
| LC  | Less SFIC Cylinder | Deduct 46.00 |

| Options |                     | Add  |
|---------|---------------------|------|
| Н       | Hurricane Compliant | 5.00 |

NOTES:

<sup>\*</sup> Privacy split finishes are priced at the highest finish price.

### QTL200 Series | Grade 2 | Standard Duty Tubular Locks

# LATCH OPTIONS (SPECIFY FINISH)

| Order #<br>With Lock |              | Description Service Part #  |         | Price<br>With Lock | Service Part<br>List Price |
|----------------------|--------------|---|---------|--------------------|----------------------------|
| 1" X 2 -1/4" FACE    | PLATE, GRADE |   |         |                    |                            |
|                      | SA           | Adjustable tubular dead latch,<br>1" square corner face plate G2 UL       | 8Q00162 | NC                 | 11.00                      |
| RA                   |              | Adjustable tubular dead latch, 1" radius corner face plate G2 UL  8Q00204 |         | NC                 | 11.00                      |
| WIDE FACE LATO       | CH FILLER    |   |         |                    |                            |
|                      |              | Wide face latch adaptor plate<br>(converts 1" latch face plate to 11/8")  | 8Q00217 | N/A                | 1.50                       |
| NO LATCH             | NO LATCH     |   |         |                    |                            |
| NOL                  |              | No Latch  |         | Deduct 9.90        |                            |

### QTL200 Series | Grade 2 | Standard Duty Tubular Locks

# STRIKE OPTIONS (SPECIFY FINISH)


|           | er#<br>Lock                                | Description   | Service<br>Part # | Price<br>With Lock | Service Part<br>List Price |
|-----------|--|---|-------------------|--------------------|----------------------------|
|           | 118 F                                      | 2 3/4" x 11/8"T-Strike<br>(Does not include screws.<br>Screwpack 8Q00058)     | 8Q00165           | NC                 | 5.10                       |
|           | 4785                                       | 4 7/8" x 11/4" ANSI Strike<br>(Does not include screws.<br>Screwpack 8Q00058) | 8Q00166           | NC                 | 8.00                       |
|           | FLR 2 1/4" Full Lip Round Corner Strike UL |   | 8Q00241           | NC                 | 4.80                       |
| FLS       |  | 2 1/4" Full Lip Square Corner Strike UL                                       | 8Q00240           | NC                 | 4.80                       |
| NO STRIKE |  |   |                   |                    |                            |
| NOS       |  | No Strike   |                   | Deduct 4.40        |                            |

### QTL200 Series | Grade 2 | Standard Duty Tubular Locks

# OTHER PARTS & SCREW PACKS

| Description  | Service Part # | Service Part<br>List Price |
|--|----------------|----------------------------|
| Tailpiece QTL200 & QRT300 Series                                 | 8Q00073        | 2.70                       |
| Cylinder Plug Holder QTL200 Series - Summit Style                | 8Q00067        | 2.10                       |
| Cylinder Plug Holder QTL200 Series - Sierra Style                | 8Q00068        | 2.10                       |
| Screw Pack for QTL200 Series<br>(Specify Finish)                 | 8Q00062        | 2.10                       |
| Screw Pack for T-Strike<br>(Specify Finish)                      | 8Q00058        | 2.00                       |
| Thick Door Pack for QTL200 Series (1 3/4" - 2") (Specify Finish) | 8Q00063        | 2.10                       |

#### QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts



#### Example

If you ordered: QDB281 626 S8 DBS BF 6 KD H

You would get: Grade 1 Single Cylinder SFIC Auxiliary Deadbolt, Satin Chrome, 2 ½" Deadbolt Latch Square, Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different, Hurricane Compliant.

#### QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

#### **Single Cylinder**

Available in: 605, 613, 619, 625, 626

#### **Double Cylinder**

Available in: 605, 613, 619, 625, 626





| Model/Series | Functions            | Casa Otru | List Price |                    |  |
|--------------|----------------------|-----------|------------|--------------------|--|
| Model/Series | runctions            | Case Qty  | 626        | 605, 613, 619, 625 |  |
| QDB180       | Single Cylinder      | 12        | 130.00     | 135.00             |  |
| QDB181       | Single Cylinder SFIC | 12        | 176.00     | 181.00             |  |
| QDB182       | Double Cylinder      | 12        | 167.00     | 172.00             |  |
| QDB183       | Double Cylinder SFIC | 12        | 259.00     | 264.00             |  |
| QDB186       | Classroom            | 12        | 136.00     | 141.00             |  |
| QDB187       | Classroom SFIC       | 12        | 182.00     | 187.00             |  |

|    | Less Cylinder      | List Price   |
|----|--------------------|--------------|
| LC | Less Cylinder      | Deduct 21.00 |
|    | Less SFIC Cylinder | Deduct 46.00 |

| Options |                     | Add  |
|---------|---------------------|------|
| Н       | Hurricane Compliant | 5.00 |

Consult factory for lead times on 605, 625 finishes.

### QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

# DEADBOLT OPTIONS (SPECIFY FINISH)

| Order #<br>With Lock |                 | Description Service Part #  |         | Price<br>With Lock | Service Part<br>List Price |
|----------------------|-----------------|---|---------|--------------------|----------------------------|
| 1 -1/8" X 2 -1/4"    | FACE PLATE, DEA |   |         |                    |                            |
|                      | S4              | 2 3/4" deadbolt - square corner   | 8Q00170 | NC                 | 16.00                      |
| 0                    | R4              | 2 3/4" deadbolt - radius corner   | 8Q00169 | NC                 | 16.00                      |
| 9                    | \$8             | 2 3/8" deadbolt - square corner   | 8Q00168 | NC                 | 16.00                      |
|                      | R8              | 2 3/8" deadbolt - radius corner   | 8Q00167 | NC                 | 16.00                      |
| 1" X 2 -1/4" FACI    | E PLATE, DEADBO | OLT, UL (NARROW FACE)   |         |                    |                            |
|                      | NS4             | 2 3/4" deadbolt - square corner   | 8Q00237 | NC                 | 16.00                      |
| 0                    | NR4             | 2 3/4" deadbolt - radius corner   | 8Q00236 | NC                 | 16.00                      |
| 0                    | NS8             | 2 3/8" deadbolt - square corner   | 8Q00235 | NC                 | 16.00                      |
|                      | NR8             | 2 3/8" deadbolt - radius corner   | 8Q00234 | NC                 | 16.00                      |
| WIDE FACE LAT        | CH FILLER       |   |         |                    |                            |
|                      |                 | Wide face latch adaptor plate<br>(converts 1" latch face plate to 1-1/8") |         | N/A                | 1.50                       |
| NO LATCH             | NO LATCH        |   |         |                    |                            |
| N                    | OL              | No Latch  |         | Deduct 15.00       |                            |

### QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

# STRIKE OPTIONS (SPECIFY FINISH)

|                            | er#<br>Lock | Description  | Service<br>Part# | Price<br>With Lock | Service Part<br>List Price |
|----------------------------|-------------|--|------------------|--------------------|----------------------------|
| 0                          | DBS         | 23/4" x 11/8" Standard Deadbolt<br>Strike and Reinforcer         | 8Q00164          | NC                 | 4.90                       |
|                            | DBR         | DBR 23/4" x 11/8" Standard Radius Deadbolt Strike and Reinforcer |                  | NC                 | 4.90                       |
|                            | 4785        | 478S 4 7/8" x 11/4" ANSI Strike                                  |                  | Add 3.40           | 8.00                       |
| FLR 21/4" Full Lip Round 0 |             | 21/4" Full Lip Round Corner Strike UL                            | 8Q00316          | NC                 | 4.90                       |
| FLS                        |             | 2 1/4" Full Lip Square Corner Strike UL                          | 8Q00317          | NC                 | 4.90                       |
|                            |             | Plastic Strike Box for QDB100 & QDB200 Series (DBS Strike only)  | 8Q00161          | N/A                | 2.70                       |
| NO STRIKE                  |             |  |                  |                    |                            |
| NOS                        |             | No Strike  |                  | Deduct 4.50        |                            |

### QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

# OTHER PARTS & SCREW PACKS

| Description   | Service Part # | Service Part<br>List Price |
|---|----------------|----------------------------|
| Tailpiece for QDB100 & QDB200 Series Double Cylinder (Qty 2)                                      | 8Q00085        | 2.70                       |
| Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series                                   | 8Q00083        | 2.70                       |
| Spacer for Double Cylinder Deadbolt SFIC QDB100 & QDB200 Series (Specify finish)                  | 8Q00082        | 2.70                       |
| Thick Door Pack for QDB100 Series Single Cylinder (1 3/4"- 2 1/4") (Specify finish)               | 8Q00077        | 2.70                       |
| Thick Door Pack for QDB100 & QDB200 Series Double Cylinder (1 3/4"- 2 1/4") (Specify finish)      | 8Q00079        | 2.70                       |
| Thick Door Kit - Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series (1 3/4"- 2 1/4") | 8Q00084        | 2.70                       |
| Cylinder Screw QDB100 & QDB200 Series   | 8Q00086        | 2.70                       |
| Screw Pack for T-Strike<br>(Specify finish)   | 8Q00058        | 2.00                       |
| Screw Pack for QDB100 Series Single Cylinder<br>(Specify finish)                                  | 8Q00076        | 2.70                       |
| Screw Pack for QDB100 & QDB200 Series Double Cylinder (Specify finish)                            | 8Q00078        | 2.70                       |

#### QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

| 80                                | Single Cy | /linder             | •   |                    |              |                   |                       |  |                        |
|-----------------------------------|-----------|---------------------|---|--------------------|--------------|-------------------|-----------------------|--|------------------------|
| 81                                | Single Cy | /linder SFIC        | •   |                    |              | BF                | BEST"F" SFIC          |  |                        |
| 82                                | Double (  | Cylinder            |   |                    |              | SMT               | SmartKey*             |  |                        |
| 83                                | Double (  | Cylinder SFIC       |   |                    |              | KW                | Kwikset "KW"          |  |                        |
| 84                                | Inside Tu | rnbolt              | 605   | Bright Brass       |              | WE                | Weiser "E"            |  |                        |
| 85                                | Indicator |                     | 613   | Oil Rubbed Bronz   | ze .         | SC                | Schlage "C"           |  |                        |
| 86                                | Classroor | m                   | 619   | Satin Nickel       |              | GA                | Yale "GA"             |  |                        |
| 87                                | Classroor | m SFIC              | 625   | Bright Chrome      |              | LA                | Sargent "LA"          |  |                        |
| 88                                | Key Cont  | trol <sup>†</sup>   | 626   | Satin Chrome       |              | LC                | Less Cylinder         |  |                        |
|                                   |           |                     |   |                    |              |                   |                       |  | Additiona              |
|                                   |           |                     |   | Base Part          | Number       |                   |                       |  | Options                |
|                                   | Series    | Function            | Finish  | Deadbolt           | Strike       | Keyway            | # of Pins             | Keying   | Hurricane<br>Compliant |
|                                   | QDB2      | 81                  | 626   | S8                 | DBS          | BF                | 6                     | KD   | Н                      |
|                                   |           | NOL NR4 NR8 NS4 NS8 | No Latch  Narrow Radius  Narrow Square  Narrow Square | s 2-3/8<br>e 2-3/4 |              |                   | SK                    | Special Keying -Construction I -Construction I -Maison Keyed -Master Keyed | Master Keyed           |
|                                   |           | RA                  | Adjustable Rad  | dius*              |              |                   |                       | -Grand Master  | Keyed                  |
|                                   |           | R4                  | Radius 2-3/4  |                    |              |                   |                       | -Great Grand N   | Naster Keyed           |
|                                   |           | R8                  | Radius 2-3/8  |                    |              |                   | ZB                    | Zero Bitted  |                        |
|                                   |           | SA                  | Adjustable Squ  | uare*              |              |                   |                       |  |                        |
|                                   |           | S4                  | Square 2-3/4  |                    | 4700         | A N I C I 47/ II  | /II Chaille           |  |                        |
|                                   |           | S8                  | Square 2-3/8  |                    | 478S         | ANSI 4½ x 1½      |                       |  |                        |
|                                   |           |                     |   |                    | DBS          | <del></del>       | ke 11/8" x 23/4" Squa |  |                        |
|                                   |           |                     |   | DBR                | <del>-</del> | ke 1½" x 2¾" Radi | us                    |  |                        |
| FLS Full Lip Square Corner Strike |           |                     |   |                    |              |                   |                       |  |                        |
|                                   |           |                     |   |                    | FLR<br>NOS   | No Strike         | dius Corner Strike    |  |                        |
|                                   |           |                     |   |                    | INUS         | INO SUIKE         |                       | <u></u>  |                        |

#### NOTES:

- † QDB288 Key Control deadbolt only available with SmartKey cylinders. SmartKey cylinder option on QDB280 only.
- \* QDB288 is only available with either SA or RA latches. SA and RA latches not available on other deadbolts.

#### Example

If you ordered: QDB281 626 S8 DBS BF6 KD H

You would get: Grade 2 Single Cylinder SFIC Auxiliary Deadbolt, Satin Chrome, 2 %" Deadbolt Latch Square, Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different, Hurricane Compliant.

#### QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

Single Cylinder

Available in: 605, 613, 619, 625, 626

Double Cylinder

Available in: 605, 613, 619, 625, 626

QDB285 Indicator

Available in: 605, 613, 619, 625, 626\*

QDB288 Key Control

Available in: 605, 619, 626









| Madal/Carias | Formations           | Casa Otro | List Price |                    |  |
|--------------|----------------------|-----------|------------|--------------------|--|
| Model/Series | Functions            | Case Qty  | 626        | 605, 613, 619, 625 |  |
| QDB280       | Single Cylinder      | 12        | 80.00      | 87.00              |  |
| QDB281       | Single Cylinder SFIC | 12        | 103.00     | 109.00             |  |
| QDB282       | Double Cylinder      | 12        | 100.00     | 105.00             |  |
| QDB283       | Double Cylinder SFIC | 12        | 149.00     | 154.00             |  |
| QDB284       | Inside Turnbolt      | 20        | 40.00      | 46.00              |  |
| QDB285       | Indicator            | 12        | 66.00      | 71.00              |  |
| QDB286       | Classroom            | 12        | 86.00      | 91.00              |  |
| QDB287       | Classroom SFIC       | 12        | 108.00     | 115.00             |  |
| QDB288†      | Key Control          | 12        | 94.00      | 100.00             |  |

| Options |                     | Add  |
|---------|---------------------|------|
| Н       | Hurricane Compliant | 5.00 |

#### NOTES:

 $<sup>^\</sup>dagger \text{QDB288 Key Control deadbolt only available with SmartKey cylinders. SmartKey cylinder option on QDB280 only.}$ 

<sup>\*</sup> QDB288 is only available with either SA or RA latches. SA and RA latches not available on other deadbolts. Subject to availability. Consult factory.

### QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

# DEADBOLT OPTIONS (SPECIFY FINISH)

| Order #<br>With Lock |             | Description   | Service<br>Part# | Price<br>With Lock | Service Part<br>List Price |
|----------------------|-------------|---|------------------|--------------------|----------------------------|
| 1 1/8" X 2 1/4" FA   | CE PLATE, D | EADBOLT, UL (WIDE FACE)   |                  |                    |                            |
|                      | S4          | 2 3/4" deadbolt - square corner                                       | 8Q00170          | NC                 | 16.00                      |
| 0                    | R4          | 2 3/4" deadbolt - radius corner                                       | 8Q00169          | NC                 | 16.00                      |
| 9                    | S8          | 2 3/8" deadbolt - square corner                                       | 8Q00168          | NC                 | 16.00                      |
|                      | R8          | 2 3/8" deadbolt - radius corner                                       | 8Q00167          | NC                 | 16.00                      |
| 1" X 2 1/4" FACE I   | PLATE, DEAD | DBOLT, UL (NARROW FACE)   |                  |                    |                            |
|                      | NS4         | 2 3/4" deadbolt - square corner                                       | 8Q00237          | NC                 | 16.00                      |
| 0                    | NR4         | 2 3/4" deadbolt - radius corner                                       | 8Q00236          | NC                 | 16.00                      |
| 0                    | NS8         | 2 3/8" deadbolt - square corner                                       | 8Q00235          | NC                 | 16.00                      |
|                      | NR8         | 2 3/8" deadbolt - radius corner                                       | 8Q00234          | NC                 | 16.00                      |
| 6 WAY ADJUSTA        | BLE LATCHE  | S, DEADBOLT, UL (NARROW)  |                  |                    |                            |
|                      | 6A          | 1" square corner, 1" round corner and drive-<br>in                    | 8Q00482          | Add 2.60           | 17.00                      |
| QDB288 KEY CO        | NTROL LATO  | HES, 1" X 21/4" FACE PLATE, ADJUSTABLE                                | BACKSET, UL      |                    |                            |
| 9 F 100              | SA          | Square corner adjustable deadbolt                                     | 8Q00451          | NC                 | 16.00                      |
|                      | RA          | Round corner adjustable deadbolt                                      | 8Q00450          | NC                 | 16.00                      |
| WIDE FACE LATC       | H FILLER    |   |                  |                    |                            |
|                      |             | Wide face latch adaptor plate (converts 1" latch face plate to 11/8") | 8Q00217          | N/A                | 1.50                       |
| NO LATCH             |             |   |                  |                    |                            |
| NOL                  |             | No Latch  |                  | Deduct 15.00       |                            |

### QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

# STRIKE OPTIONS (SPECIFY FINISH)

| Order<br>With Lo |      | Description  | Service<br>Part # | Price<br>With Lock | Service Part<br>List Price |
|------------------|------|--|-------------------|--------------------|----------------------------|
| 0                | DBS  | 2 3/4" x 11/8" Standard Deadbolt<br>Strike and Reinforcer          | 8Q00164           | NC                 | 4.90                       |
|                  | DBR  | 2 3/4" x 11/8" Standard Radius Deadbolt<br>Strike and Reinforcer   | 8Q00530           | NC                 | 4.90                       |
|                  | 4785 | 4 7/8" x 11/4" ANSI Strike   | 8Q00244           | Add 3.40           | 8.00                       |
| 0                | FLR  | 2 1/4" Full Lip Round Corner Strike UL                             | 8Q00316           | NC                 | 4.90                       |
| 0                | FLS  | 2 1/4" Full Lip Square Corner Strike UL                            | 8Q00317           | NC                 | 4.90                       |
|                  |      | Plastic Strike Box for QDB100 & QDB200 Series<br>(DBS Strike only) | 8Q00161           | N/A                | 2.70                       |
| NO STRIKE        |      |  |                   |                    |                            |
| NOS              |      | No Strike  |                   | Deduct 4.50        |                            |

### QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

# CYLINDER OPTIONS (SPECIFY FINISH)

| Order #<br>With Lock | Description        | Price<br>With Lock |
|----------------------|--------------------|--------------------|
| LESS CYLIN           | DER                |                    |
| 1.6                  | Less Cylinder      | Deduct 23.00       |
| LC                   | Less SFIC Cylinder | Deduct 45.00       |

### QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

# OTHER PARTS & SCREW PACKS


|          | Description  | Service Part # | Service Part<br>List Price |
|----------|--|----------------|----------------------------|
|          | Tailpiece for QDB100 & QDB200 Series Double Cylinder (Qty 2)                                 | 8Q00085        | 2.70                       |
|          | Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series                              | 8Q00083        | 2.70                       |
|          | Spacer for Double Cylinder Deadbolt SFIC QDB100 & QDB200 Series (Specify finish)             | 8Q00082        | 2.70                       |
|          | Thick Door Pack for QDB200 Series Single Cylinder (1 3/4" - 2 1/4") (Specify finish)         | 8Q00081        | 2.70                       |
|          | Thick Door Pack for QDB100 & QDB200 Series Double Cylinder (1 3/4"- 2 1/4") (Specify finish) | 8Q00079        | 2.70                       |
| 0        | Thick Door Kit - Tailpiece and washer for Single Cylinder (1 3/4"- 21/4")                    | 8Q00084        | 2.70                       |
| 0        | Thick Door Kit - Tailpiece and washer for Single SFIC Cylinder (1 3/4" - 21/4")              | 8Q00588        | 2.70                       |
|          | Cylinder Screw QDB100 & QDB200 Series  | 8Q00086        | 2.70                       |
|          | Screw Pack for T-Strike (Specifyfinish)  | 8Q00058        | 2.00                       |
|          | Screw Pack for QDB200 Series Single Cylinder (Specifyfinish)                                 | 8Q00080        | 2.70                       |
|          | Screw Pack for QDB100 & QDB200 Series Double Cylinder (Specify finish)                       | 8Q00078        | 2.70                       |
| NO IMAGE | Indicator Emergency Key  | 8Q00531        | 2.50                       |
|          | SmartKey Learn Tool  | 8Q00555        | 4.90                       |

### QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

# OTHER PARTS & SCREW PACKS

| Description                                     | Service Part # | Service Part<br>List Price |
|---|----------------|----------------------------|
| Cylinder Cover for QDB288 Key Control           | 8Q00453        | 3.00                       |
| Mounting screws for QDB288 Key Control          | 8Q00477        | 1.90                       |
| Torque blade for QDB288 Key Control             | 8Q00476        | 1.90                       |
| Gear assembly for QDB288 Key Control            | 8Q00474        | 7.00                       |
| Screws for gear assembly for QDB288 Key Control | 8Q00475        | 1.70                       |
| Reset Cradle for SmartKey cylinders             | 8Q00484        | 46.00                      |

#### QED100 Series | Grade 1 | Heavy Duty Exit Devices



<sup>\*</sup> Applies to Vertical Rods only.

#### **Example**

If you ordered: QED115 36" 7FT 313AN BF KD

**You would get:** Grade 1 Heavy Duty Architectural Surface Vertical Rod Exit Device with Cylinder Dogging for a 7 Foot Door, in Anodized Duronodic Bronze finish. SFIC "F" Keyway, Keyed Different.

<sup>\*\*</sup> Applies to Cylinder Dogged only.

<sup>+</sup> HC is only available for QED111-QED116.

#### QED100 Series | Grade 1 | Heavy Duty Exit Devices



| Model/Series  | Functions                          | Stulo | Coso Otro | List Price |            |
|---------------|------------------------------------|-------|-----------|------------|------------|
| wiodel/Series | Functions                          | Style | Case Qty  | 626        | 605, 313AN |
| QED111        | Rim - Hex Dog                      |       | 1         | 967.00     | 1001.00    |
| QED112        | Rim - Cylinder Dog                 |       | 1         | 1026.00    | 1060.00    |
| QED113        | Rim - Fire Rated                   |       | 1         | 1033.00    | 1067.00    |
| QED114        | SVR - Hex Dog                      | 7FT   | 1         | 1272.00    | 1306.00    |
| QED115        | SVR - Cylinder Dog                 | 7FT   | 1         | 1331.00    | 1365.00    |
| QED116        | SVR - Fire Rated                   | 7FT   | 1         | 1337.00    | 1371.00    |
| QED117        | SVR Less Bottom Rod - Hex Dog      | 7FT   | 1         | 1232.00    | 1266.00    |
| QED118        | SVR Less Bottom Rod - Cylinder Dog | 7FT   | 1         | 1292.00    | 1326.00    |
| QED119        | SVR Less Bottom Rod - Fire Rated   | 7FT   | 1         | 1298.00    | 1332.00    |
| QED124        | CVR - Hex Dog                      | 7FT   | 1         | 1337.00    | 1371.00    |
| QED125        | CVR - Cylinder Dog                 | 7FT   | 1         | 1395.00    | 1429.00    |
| QED126        | CVR - Fire Rated                   | 7FT   | 1         | 1406.00    | 1440.00    |
| QED127        | CVR - LBR - Hex Dog                | 7FT   | 1         | 1318.00    | 1352.00    |
| QED128        | CVR - LBR - Cylinder Dog           | 7FT   | 1         | 1376.00    | 1410.00    |
| QED129        | CVR - LBR - Fire Rated             | 7FT   | 1         | 1383.00    | 1417.00    |

| Less Cylinder |               | List Price   |  |
|---------------|---------------|--------------|--|
| LC            | Less Cylinder | Deduct 47.00 |  |

| Options |  | Add    |
|---------|--|--------|
| 8FT     | Vertical rod kit for 8FT door application  | 44.00  |
| 48"     | 48" Device (Consult factory for lead-time) | 50.00  |
| НС      | Hurricane Compliant Rim                    | 103.00 |
|         | Hurricane Compliant SVR                    | 23.00  |

NOTES:

All LBR fire rated devices include a bottom fire bolt. Consult factory for lead times on 605 finish.

#### QED100 Series | Grade 1 | Heavy Duty Exit Devices

## ELECTRIFIED OPTIONS (CONSULT FACTORY FOR LEAD TIMES)



**QED 100 Series** 

| Model # | Description   | List Price<br>Adder |
|---------|---|---------------------|
| QEDLR   | Electrified Latch Retraction (LR) allows for the remote unlatching of exit devices. Continuous duty solenoids retract latches momentarily or for extended periods of time. Requires the use of power supply 8Q00312 or 8Q00313.   | 910.00              |
| QEDED   | Electrified Dogging (ED) allows continuous latch retraction and dogging simultaneously. ED requires first time mechanical activation after which the push bar will continuously hold the push bar and latch retracted. When power is removed or interrupted from the device, the latch bolt will extend and push bar will release. Uses power supply 8Q00314 (on page 50) | 785.00              |
| QEDX    | Request to Exit (X) is an SPDT (Single Pole Double Throw) switch which monitors the push bar of the exit device. The X switch can be used to activate a door alarm, control a magnetic locking device, shunt a door alarm or signal a control console when the push bar is depressed.   | 292.00              |
| QEDLRX  | Electrified Latch Retraction (LR) device with a Request to Exit (X) switch. Requires the use of power supply 8Q00312 or 8Q00313.  | 1130.00             |
| QEDEDX  | Electrified Dogging (ED) device with a Request to Exit (X) switch. Uses power supply 8Q00314 (on page 50)   | 1006.00             |

## POWER SUPPLY OPTIONS (CONSULT FACTORY FOR LEAD TIMES)

| Model # | Description   | List Price<br>Adder |
|---------|---|---------------------|
| 8Q00312 | Power supply for Electronic Latch Retraction Devices (LR/LRX)                     | 977.00              |
| 8Q00313 | Power supply with Day/Night mode for Electronic Latch Retraction Devices (LR/LRX) | 1111.00             |

#### **Electrified Product Specifications**


- Consult Factory for lead times
- Electrification prices should be added to price of device
- · Continuous duty solenoids
- Lifetime warranty on exit device; 1 year warranty on electronic components
- LR or LRX requires power supply 8Q00312 or 8Q00313
- Minimum door width 36"
- LR and ED requires the removal of mechanical dogging mechanism
- Options can be used in any Hex Dog or Fire Rated QED 100 Series Device (How to order example: QED111LR 36"626)

#### Power Supply Specifications (10" x 10" x 4.25")

#### 8000312

- Provides power for up to two LR or LRX devices
- Supplied with wiring diagram in detailed instructions
- · Automatic door operator interface
- Independent control of single exit devices (one or two single doors) or sequential operation of two devices (pair of doors) field adjustable latch retraction time delay
- 24VDC or 12 VDC auxiliary power, unfiltered & unregulated
   8000313
- Same as 8Q00312 with the addition of a day/night mode
- Provides separate input for retracting one exit device or two exit devices sequentially without activating the auto door operator.
   While the latches are held retracted auto operator can be activated independently from a different output.

### QED200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Devices



#### NOTES:

Rim devices with ALS Strike and SVR devices require minimum stile width of 2". Rim devices with HMS and CVR devices require minimum stile wide of 3.5".

#### **Example**

If you ordered: QED215 36" 7FT 626 BF KD

You would get: Grade 1 Heavy Duty Narrow Stile Surface Vertical Rod Exit Device with Cylinder Dogging for a 7 Foot Door, in Brushed Chrome finish, SFIC "F" Keyway, Keyed Different.

<sup>\*\*</sup> Applies to Cylinder Dogged only.

<sup>†</sup> QED213 available with HMS strike only.

### QED200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Devices



| Model/Series | Functions                          | Style | Case Qty |
|--------------|------------------------------------|-------|----------|
| QED211       | Rim - Hex Dog                      |       | 1        |
| QED212       | Rim - Cylinder Dog                 |       | 1        |
| QED213       | Rim - Fire Rated                   |       | 1        |
| QED214       | SVR - Hex Dog                      | 7FT   | 1        |
| QED215       | SVR - Cylinder Dog                 | 7FT   | 1        |
| QED216       | SVR - Fire Rated                   | 7FT   | 1        |
| QED217       | SVR Less Bottom Rod - Hex Dog      | 7FT   | 1        |
| QED218       | SVR Less Bottom Rod - Cylinder Dog | 7FT   | 1        |
| QED219       | SVR Less Bottom Rod - Fire Rated   | 7FT   | 1        |
| QED224       | CVR - Hex Dog                      | 7FT   | 1        |
| QED225       | CVR - Cylinder Dog                 | 7FT   | 1        |
| QED226       | CVR - Fire Rated                   | 7FT   | 1        |
| QED227       | CVR - LBR - Hex Dog                | 7FT   | 1        |
| QED228       | CVR - LBR - Cylinder Dog           | 7FT   | 1        |
| QED229       | CVR - LBR - Fire Rated             | 7FT   | 1        |

| List Price |            |  |
|------------|------------|--|
| 626        | 605, 313AN |  |
| 1136.00    | 1177.00    |  |
| 1192.00    | 1233.00    |  |
| 1201.00    | 1242.00    |  |
| 1533.00    | 1576.00    |  |
| 1588.00    | 1630.00    |  |
| 1598.00    | 1639.00    |  |
| 1493.00    | 1533.00    |  |
| 1548.00    | 1588.00    |  |
| 1557.00    | 1598.00    |  |
| 1589.00    | 1632.00    |  |
| 1644.00    | 1686.00    |  |
| 1655.00    | 1696.00    |  |
| 1555.00    | 1596.00    |  |
| 1610.00    | 1652.00    |  |
| 1619.00    | 1661.00    |  |

|    | Less Cylinder |
|----|---------------|
| LC | Less Cylinder |

| List Price   |
|--------------|
| Deduct 47.00 |

|     | Options                                    |       |
|-----|--|-------|
| 8FT | Vertical rod kit for 8FT door application  | 41.00 |
| 48" | 48" Device (Consult factory for lead-time) | 48.00 |

<sup>\*</sup> QED213 available with HMS strike only.

NOTES:

All LBR fire rated devices include a bottom fire bolt.

Consult factory for lead times on 605 finish.

Rim devices with ALS Strike and SVR devices require minimum stile width of 2".

Rim devices with HMS and CVR devices require minimum stile wide of 3.5".

### QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

# LATCH & ROD PARTS (SPECIFY FINISH)

|          | Description   | Service Part # | List Price |
|----------|---|----------------|------------|
|          | Top Rod Latch for SVR & LBR - QED100/200<br>(requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw<br>Packs)                                     | 8Q00256        | 152.00     |
|          | Top Rod Latch for CVR - QED100<br>(requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw<br>Packs)   | 8Q00271        | 152.00     |
| inni;    | Top Rod Latch for CVR - QED200<br>(requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw<br>Packs)   | 8Q00584        | 115.00     |
|          | Bottom Rod Latch for SVR - QED100/200<br>(requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw<br>Packs)  | 8Q00257        | 152.00     |
|          | Bottom Rod Latch for CVR - QED100<br>(requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw<br>Packs)  | 8Q00272        | 152.00     |
|          | Bottom Rod Latch for CVR - QED200<br>(requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw<br>Packs)  | 8Q00585        | 115.00     |
|          | Fire Latch for QED100/200 LBR Fire Rated * Can only be used with fire rated LBR devices.  | 8Q00279        | 80.00      |
| NOIMAGE  | Bottom Rod for SVR - QED100/200<br>(requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw<br>Packs)  | 8Q00258        | 37.00      |
| NO IMAGE | Bottom Rod for CVR - QED100/200   | 8Q00280        | 37.00      |
| NO IMAGE | 7'Top Rod for SVR & LBR - QED100/200  | 8Q00259        | 37.00      |
| NO IMAGE | 7'Top Rod for CVR - QED100/200  | 8Q00281        | 37.00      |
| NO IMAGE | 8'Top Rod for SVR & LBR - QED100/200  | 8Q00260        | 44.00      |
| NO IMAGE | 8'Top Rod for CVR - QED100/200  | 8Q00282        | 44.00      |
| NO IMAGE | QED100/200 Series SVR & LBR, 7'Top Rod Cover Set (includes top rod and base plate) (requires screw pack 8Q00261 - see QED100/200 Other Parts & Screw Packs) | 8Q00249        | 71.00      |
| NO IMAGE | QED100/200 Series SVR & LBR, 8'Top Rod Cover Set (includes cover and base plate) (requires screw pack 8Q00261 - see QED100/200 Other Parts & Screw Packs)   | 8Q00250        | 76.00      |
| NO IMAGE | QED100/200 Series SVR, Bottom Rod Cover Set<br>(includes cover and base plate) (requires screw pack 8Q00261- see<br>QED100/200 Other Parts & Screw Packs)   | 8Q00251        | 65.00      |

### QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

# STRIKE PARTS

| Description   | Service Part # | List Price |
|---|----------------|------------|
| Strike Kit for Rim Panic - QED100/200<br>(includes mounting hardware)                   | 8Q00254        | 37.00      |
| Strike Kit for Rim Fire Rated - QED100/200 (includes mounting hardware)                 | 8Q00255        | 44.00      |
| Double Door Strike Kit for Rim - QED111 & QED112 (includes mounting hardware)           | 8Q00269        | 65.00      |
| Strike Kit for Top Latch for SVR Panic - QED100/200 (includes mounting hardware)        | 8Q00247        | 50.00      |
| Strike Kit for Top Latch for CVR Panic - QED100/200                                     | 8Q00273        | 50.00      |
| Strike Kit for Top Latch for SVR Fire - QED100/200 (includes mounting hardware)         | 8Q00248        | 58.00      |
| Strike Kit for Top Latch for CVR Fire - QED100/200                                      | 8Q00274        | 58.00      |
| Strike Kit for Bottom Latch for SVR/CVR Panic - QED100/200 (includes mounting hardware) | 8Q00265        | 50.00      |
| Strike Kit for Bottom Latch for SVR/CVR Fire - QED100/200 (includes mounting hardware)  | 8Q00266        | 50.00      |
| Strike Shim Kit for QED100/200 Series Rim Devices - 1 Piece                             | 8Q00285        | 7.30       |
| Blade Stop Strike For Aluminum Door Application - QED200                                | S988           | 93.00      |

### QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

# OTHER PARTS & SCREW PACKS

|      | Description  | Service Part # | Qty | List Price |
|------|--|----------------|-----|------------|
|      | QED100/200 Series End Cap (Specify finish)   | 8Q00264        | 1   | 37.00      |
|      | QED100/200 Series End Cap Bracket and Screw Pack                                     | 8Q00246        | 1   | 17.00      |
|      | QED100/200 Series SVR & LBR, Top & Bottom Latch Screw Pack (Specify finish)          | 8Q00268        | 1   | 23.00      |
|      | QED100/200 Series SVR & LBR, Rod Cover Screw Pack                                    | 8Q00261        | 1   | 20.00      |
|      | QED100/200 Series SVR & LBR, Latch Cover Screw Pack (Specify finish)                 | 8Q00262        | 1   | 7.90       |
|      | QED100/200 Series SVR, Rod Connector Kit (connects top & bottom rod to exit device)) | 8Q00263        | 1   | 23.00      |
|      | QED100/200 Series Sex Bolts (Qty 4)<br>(Specify finish)                              | 8Q00267        | 1   | 25.00      |
|      | QED100/200 Series LBR, Head Cap Plug (black)   | 8Q00270        | 1   | 7.90       |
| 000  | QED100/200 Series Cylinder Mounting Kit for Cylinder Dog Devices (Specify finish)    | 8Q00252        | 1   | 37.00      |
|      | QED100/200 Series Hex Wrench for Hex Dog Devices                                     | 8Q00253        | 1   | 6.80       |
| (a)o | Standard Cam for Mortise Cylinder  | 8Q00119        | 1   | 4.90       |
|      | Cam Mounting Screws for Mortise Cylinders (Qty 2)                                    | 8Q00118        | 1   | 1.60       |
|      | QED100/200 Series CVR Rod Connector  | 8Q00275        | 1   | 23.00      |
|      | QED100/200 Series CVR-LBR Rod Connector  | 8Q00276        | 1   | 23.00      |
| T    | QED100/200 Series CVR Installation Jig   | 8Q00277        | 1   | 9.40       |
|      | QED100/200 Series CVR Latch Screw Pack   | 8Q00278        | 1   | 23.00      |

#### QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

# THICK DOOR KITS (TDK's)

Thick door kits (TDK's) are used to extend the length of the exit trim spindle for non-standard ( $1\frac{3}{4}$ ") thick doors. These kits include appropriate length exit trim spindles and fasteners.






| Trim   | Door Thickness |         |         |         | List Dries |
|--------|----------------|---------|---------|---------|------------|
| Irim   | 2"             | 2 1 /4" | 2 1/2"  | 2 3/4"  | List Price |
| QET130 |                |         |         |         |            |
| QET160 | 8Q00427        | 8Q00428 | 8Q00429 | 8Q00430 | 25.00      |
| QET180 |                |         |         |         | 25.00      |
| QET165 | 8Q00431        | 8Q00432 | 8Q00433 | 8Q00434 |            |


# GLASS BEAD KITS (GBK's) (SPECIFY FINISH)

- Glass bead kits (GBK's) are used to shim exit devices off the face of a door with raised glass beads. Each kit contains (2) 1/8" shims
- (total clearance of 1/4") and fasteners.
- Requires the use of a thick door kit (TDK) if using an exit device trim.
- Available finishes: 605, 313, 626



| Part #  | Model                      | Finishes           | List Price |
|---------|----------------------------|--------------------|------------|
| 8Q00414 | QED100 Rim and CVR Devices | 605, 313AN,<br>626 | 76.00      |
| 8Q00415 | QED100 SVR 7FT Device      | 605, 313AN,<br>626 | 192.00     |
| 8Q00416 | QED100 SVR 8FT Device      | 605, 313AN,<br>626 | 198.00     |
| 8Q00586 | QED200 Rim and CVR Device  | 605                |            |
| 8Q00546 | QED200 Rim and CVR Device  | 313AN              | 76.00      |
| 8Q00547 | QED200 Rim and CVR Device  | 626                |            |
| 8Q00548 | QED200 SVR 7FT Device      | 605                |            |
| 8Q00549 | QED200 SVR 7FT Device      | 313AN              | 192.00     |
| 8Q00550 | QED200 SVR 7FT Device      | 626                |            |
| 8Q00551 | QED200 SVR 8FT Device      | 605                |            |
| 8Q00552 | QED200 SVR 8FT Device      | 313AN              | 198.00     |
| 8Q00553 | QED200 SVR 8FT Device      | 626                |            |

#### QRM100 Series | Grade 1 | Mullions



#### **Example**

If you ordered: QRM111 HC KR 8' 600

**You would get:** Keyed Removable, Hurricane Compliant mullion, 8' height, with Primer finish. Prepped for QED100 Series strike.

#### QRM100 Series | Grade 1 | Mullions

#### **Applications**

**Hurricane Compliant** 

Use with Rim Exit Devices on pairs of doors.

QRM111 HCKR OR QRM113 HCKR

#### **Product Specifications**

- 2"x 3" (51 mm x 76 mm) steel mullion tube. 1/8" wall thickness.
- Hurricane: 2" x 3" steel mullion tube. 5/16" wall thickness.
- Size: Standard for openings 8'0" high, field sizeable for openings less than 8'0". 9', 10', 11' & 12' also available and are field sizeable.
- Mullion is pre-prepped for QED100 Series Exit Devices
- Fire and Hurricane Rating 8' 0" high max.
- Available Finishes: Primer (600), Aluminum (689) and Dark Bronze (695)




# KEYED REMOVEABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

| Order#              | Description   | List Price |          |
|---------------------|---|------------|----------|
| Order#              | Order # Description   |            | 689, 695 |
|                     | Mullion Tube, Cap, Base, Fasteners. Cylinder not included. Keyed Removable          |            |          |
| Mullions utilize St | tandard Rim Cylinders. Reference Cylinders, Keys & Keying section for more details. |            |          |
| QRM111 KR*          | Keyed Removable Mullion   | 1096.00    | 1231.00  |
| QRM111 HC KR        | Hurricane Compliant, Keyed Removable Mullion  | 1412.00    | 1504.00  |
| QRM113 KR           | Fire Rated, Keyed Removable Mullion   | 1318.00    | 1412.00  |
| QRM113 HC KR        | Fire Rated, Hurricane Compliant, Keyed Removable Mullion                            | 1594.00    | 1539.00  |
|                     | *NOTE: For heights greater than 8', add \$21 for each additional 12".               |            |          |

# REMOVEABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

| Order#    | Description  | List Price |          |
|-----------|--|------------|----------|
|           |  | 600        | 689, 695 |
|           | Mullions include: Mullion Tube, Cap, Base, Fasteners |            |          |
| QRM111 *  | Removable Mullion                                    | 639.00     | 730.00   |
| QRM111 HC | Hurricane Compliant, Removable Mullion               | 910.00     | 1002.00  |
| QRM113    | Fire Rated, Removable Mullion                        | 822.00     | 910.00   |
| QRM113 HC | Fire Rated, Hurricane Compliant, Removable Mullion   | 1096.00    | 1184.00  |

### QET100 Series | Grade 1 | Heavy Duty Exit Trims



### **Example**

If you ordered: QET160 M 626 BF KD

**You would get:** Grade 1 Escutcheon Trim Lever, Summit design, Satin Chrome Finish SFIC "F" Keyway, Keyed Different. This Trim Matches to the QED100 Series Exit Devices

 $<sup>^\</sup>dagger 613$  Finish available for lever escutcheon trims; 690 finish available for escutcheon pull trims

### QET100 Series | Grade 1 | Heavy Duty Exit Trims



### **Escutcheon Trims Sierra (E)**

Available in: 605, 613\*\*, 626



### **Escutcheon Trims Summit (M)**

Available in: 605, 613\*\*, 626

| Madal/Carias | Functions   | Stude | Cylinder Type Ca | Casa Oty | List Price    |
|--------------|---|-------|------------------|----------|---------------|
| Model/Series | Functions   | Style | Cylinder Type    | Case Qty | 605, 613, 626 |
| QET120       | Dummy Escutcheon Lever - ANSI 02                      | E/M/A | -                | 6        | 424.00        |
| QET130       | Passage Escutcheon Lever - ANSI 14                    | E/M/A | -                | 6        | 424.00        |
| QET160       | Keyed Escutcheon Lever (Classroom)<br>- ANSI 08       | E/M/A | Mortise          | 6        | 478.00        |
| QET170*      | Night Escutcheon Latch (Storeroom)<br>- ANSI 03       | E/M/A | Rim              | 6        | 478.00        |
| QET180       | Night Latch Escutcheon Latch<br>(Storeroom) - ANSI 09 | E/M/A | Mortise          | 6        | 478.00        |

### NOTES:

\* Not recommended for use on exit devices with vertical rods.

\*\* 613 Finish trims match 313 finish exit devices.

Consult factory for lead times on 605 finish.



Dummy Pull QET125



Thumb Piece QET165



Dummy Thumb Piece QET167



Night Latch Pull QET175



Flat Plate QET190

| Madal/Carias | Franchica                                  | Cérdo | Cylinder Type | Casa Otiv | List Price    |
|--------------|--|-------|---------------|-----------|---------------|
| Model/Series | Functions                                  | Style |               | Case Qty  | 605, 626, 690 |
| QET125       | Dummy Escutcheon Pull - ANSI 02            | L     | -             | 6         | 137.00        |
| QET165*      | Thumbpiece Escutcheon Pull - ANSI 05       | L     | Mortise       | 6         | 315.00        |
| QET167       | Dummy Thumbpiece Escutcheon Pull - ANSI 02 | L     | -             | 6         | 137.00        |
| QET175*      | Night Latch Escutcheon Pull - ANSI 03      | L     | Rim           | 6         | 191.00        |
| QET190       | Flat Escutcheon Plate - ANSI 01            | L     | -             | 6         | 82.00         |

|    | Less Cylinder | List Price   |
|----|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |


### NOTES:

Consult factory for lead times on 605 finish.

<sup>\*</sup> Not recommended for use on exit devices with vertical rods.

<sup>\*\* 613</sup> Finish trims match 313 finish exit devices.

### QET200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Trims



### **Example**

If you ordered: QET260 M 626 BF KD

**You would get:** Grade 1 Escutcheon Trim Lever, Summit design, Satin Chrome Finish SFIC "F" Keyway, Keyed Different. This Trim Matches to the QED200 Series Exit Devices

 $<sup>^\</sup>dagger 613$  Finish available for lever escutcheon trims; 690 finish available for escutcheon pull trims

### QET200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Trims



### **Escutcheon Trims** Sierra (E)

Available in: 605, 613\*\*, 626



### **Escutcheon Trims** Summit (M)

Available in: 605, 613\*\*, 626



### **Escutcheon Trims** Slate (A)

Available in: 605, 613\*\*, 626

| Model/Series | Functions  | Style | tyle Cylinder Type | Case Qty | List Price    |
|--------------|--|-------|--------------------|----------|---------------|
|              | runctions  | Style | Cyllider Type      | Case Qty | 605, 613, 626 |
| QET220       | Dummy Escutcheon Lever - ANSI 02                   | E/M/A | -                  | 6        | 427.00        |
| QET230       | Passage Escutcheon Lever - ANSI 14                 | E/M/A | -                  | 6        | 427.00        |
| QET260       | Keyed Escutcheon Lever (Classroom) - ANSI 08       | E/M/A | Mortise            | 6        | 483.00        |
| QET270*      | Night Escutcheon Latch (Storeroom) - ANSI 03       | E/M/A | Rim                | 6        | 483.00        |
| QET280       | Night Latch Escutcheon Latch (Storeroom) - ANSI 09 | E/M/A | Mortise            | 6        | 483.00        |

### NOTES:

Consult factory for lead times on 605 finish.



Dummy Pull QET225



Night Latch Pull QET275



QET290

### Available in: 605, 626, 690

| Model/Series | Functions                                   | Ctulo               | Style Cylinder Type | Casa Otra     | List Price |
|--------------|---|---------------------|---------------------|---------------|------------|
| Wodel/Series | Functions                                   | Style Cyllider Type | Case Qty            | 605, 626, 690 |            |
| QET225       | Dummy Escutcheon Pull for Rim/SVR - ANSI 02 | L                   | -                   | 6             | 138.00     |
| QET226       | Dummy Escutcheon Pull for CVR - ANSI 02     | L                   | -                   | 6             | 138.00     |
| QET275*      | Night Latch Escutcheon Pull - ANSI 03       | L                   | Rim                 | 6             | 193.00     |
| QET290       | Flat Escutcheon Plate for Rim/SVR - ANSI 01 | L                   | -                   | 6             | 82.00      |
| QET291       | Flat Escutcheon Plate for CVR - ANSI 01     | L                   | -                   | 6             | 82.00      |

|    | Less Cylinder | List Price   |
|----|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |

### NOTES:

Consult factory for lead times on 605 finish.

<sup>\*</sup> Not recommended for use on exit devices with vertical rods.

<sup>\*\* 613</sup> Finish trims match 313 finish exit devices.

<sup>\*</sup> Not recommended for use on exit devices with vertical rods.


<sup>\*\* 613</sup> Finish trims match 313 finish exit devices.

## QET100/200 Series | Grade 1 | Heavy Duty Exit Trims

# OTHER PARTS & SCREW PACKS

|          | Description   | Service<br>Part# | Qty | List Price |
|----------|---|------------------|-----|------------|
|          | QET100/200 Series Screw Pack and Square Pin for Escutcheon Trims                          | 8Q00132          | 1   | 4.90       |
| - da     | QET100/200 Series Screw Pack for Pull Plates  | 8Q00134          | 1   | 1.40       |
| 000      | QET100/200 Series Cylinder Mounting Kit (Specify finish)                                  | 8Q00135          | 1   | 25.00      |
|          | QET100/200 Series Cylinder Lock and Screw Packfor Thumb Piece<br>Pulls - (Specify finish) | 8Q00136          | 1   | 6.10       |
|          | QET100/200 Series Sex Nuts for Flat Plate - (Qty 2) (Specify finish)                      | 8Q00139          | 1   | 6.10       |
|          | Rim Cylinder Tailpiece  | 8Q00140          | 1   | 2.70       |
| ZIIIIII) | Rim Cylinder Tailpiece – Thick Door (Measures 2-3/8")                                     | 8Q00480          | 1   | 2.70       |
| (9)      | Standard Cam for Mortise Cylinder   | 8Q00119          | 1   | 4.90       |
|          | Cam Mounting Screws for Mortise Cylinders (Qty 2)   | 8Q00118          | 1   | 1.60       |
| NO IMAGE | Rim Cylinder Retaining Cup  | 8Q00529          | 1   | 6.10       |

### QED300 Series | Grade 1 | Standard Duty Exit Devices



### **Example**

If you ordered: QED315 36" 7FT 689 BF KD


You would get: Grade 1 Standard Duty Surface Vertical Rod Exit Device 36", with Cylinder Dogging

for a 7 Foot Door, in Painted Aluminum finish. SFIC "F" Keyway, Keyed Different.

## QED300 Series | Grade 1 | Standard Duty Exit Devices

### **Standard Duty Exit Device**

Available in: 689 & 690



| Model/Series  | Functions   | Ctulo | Casa Oty | List Price |
|---------------|---|-------|----------|------------|
| Model/ Series | runctions   | Style | Case Qty | 689, 690   |
| QED311        | Rim - Hex Dog                                       |       | 4        | 291.00     |
| QED312        | Rim - Cylinder Dog                                  |       | 4        | 347.00     |
| QED313        | Rim - Fire Rated                                    |       | 4        | 393.00     |
| QED314        | Surface Vertical Rod - Hex Dog                      | 7FT   | 4        | 477.00     |
| QED315        | Surface Vertical Rod - Cylinder Dog                 | 7FT   | 4        | 534.00     |
| QED316        | Surface Vertical Rod - Fire Rated                   | 7FT   | 4        | 607.00     |
| QED317        | Surface Vertical Rod Less Bottom Rod - Hex Dog      | 7FT   | 4        | 463.00     |
| QED318        | Surface Vertical Rod Less Bottom Rod - Cylinder Dog | 7FT   | 4        | 520.00     |
| QED319*       | Surface Vertical Rod Less Bottom Rod - Fired Rated  | 7FT   | 4        | 607.00     |

|    | Less Cylinder | List Price   |
|----|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |

| Trim Options |   | List Price |
|--------------|---|------------|
| 8FT          | Vertical rod kit for 8FT door application | Add 16.00  |
| 48"          | 48" Device                                | Add 23.00  |

NOTES:

<sup>\*</sup>QED319 Includes Bottom Fire Latch.

## QED300 Series | Grade 1 | Standard Duty Exit Devices

# LATCH & ROD PARTS (SPECIFY FINISH)

| Description   | Service<br>Part# | List Price |
|---|------------------|------------|
| Top Rod Latch for SVR & LBR - QED314-QED319 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs)  | 8Q00111          | 100.00     |
| Bottom Rod Latch for SVR - QED314 & QED315 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs)   | 8Q00112          | 100.00     |
| Bottom Rod Latch for SVR Fire Rated - QED316 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs) | 8Q00113          | 100.00     |
| Fire Latch for QED319 SVR-LBR-Fire Rated *Can only be used with Fire Rated LBR devices.                           | 8Q00279          | 80.00      |
| Top Rod for SVR & LBR - QED314 - QED319 (7 Foot)  | 8Q00114          | 36.00      |
| Top Rod for SVR & LBR - QED314 - QED319 (8 Foot)  | 8Q00115          | 41.00      |
| Bottom Rod for SVR - QED314, QED315, QED316   | 8Q00116          | 36.00      |

## QED300 Series | Grade 1 | Standard Duty Exit Devices

# STRIKE PARTS

| Description  | Service Part # | List Price |
|--|----------------|------------|
| Strike for Rim Panic - QED311 & QED312 (includes mounting hardware)                    | 8Q00120        | 26.00      |
| Strike for Rim Fire Rated - QED313<br>(includes mounting hardware)                     | 8Q00121        | 26.00      |
| Double Door Strike for Rim Panic - QED311 & QED312 (includes mounting hardware)        | 8Q00208        | 61.00      |
| Strike for Top Latch for SVR & LBR - QED314 - QED319 (includes mounting hardware)      | 8Q00128        | 26.00      |
| Strike for Bottom Latch for SVR - QED314, QED315 & QED316 (includes mounting hardware) | 8Q00127        | 26.00      |
| Strike Shim Kit for Rim Devices - 1 piece<br>(2 3/8" Backset for QED300 series)        | 8Q00285        | 7.30       |
| Strike Shim Kit for Rim Devices - 4 piece<br>(2 3/4" Backset for QED300 series)        | 8Q00286        | 23.00      |

Price List 68CH

## QED300 Series | Grade 1 | Standard Duty Exit Devices

# OTHER PARTS & SCREW PACKS

|    | Description   | Service Part # | Qty | List Price |
|----|---|----------------|-----|------------|
|    | QED300 Series Rim, Head Cap<br>(Specify finish)   | 8Q00109        | 1   | 49.00      |
|    | QED300 Series SVR, Head Cap<br>(Specify finish)   | 8Q00110        | 1   | 49.00      |
|    | Standard Cam for Mortise Cylinder   | 8Q00119        | 1   | 4.90       |
|    | Cam Mounting Screws for Mortise Cylinders (Qty 2)   | 8Q00118        | 1   | 1.60       |
|    | QED300 Series Cylinder Mounting Kit for Cylinder Dog Device -<br>QED312, QED315 & QED318 (Specify finish) | 8Q00122        | 1   | 25.00      |
|    | QED300 Series LBR, Head Cap Plug (black)  | 8Q00117        | 1   | 1.60       |
|    | QED300 Series Hex Wrench for Hex Dog Devices -<br>QED311, QED314 & QED317                                 | 8Q00124        | 1   | 1.60       |
|    | QED300 Series Device Mounting Screw Pack  | 8Q00125        | 1   | 5.30       |
|    | QED300 Series SVR & LBR, Rod Holder Brackets and Screw Pac-<br>QED314 - QED319 (Specify finish)           | 8Q00126        | 1   | 5.30       |
|    | QED300 Series SVR & LBR, Top & Bottom Latch Screw Pac (Specify finish)                                    | 8Q00130        | 1   | 5.30       |
|    | QED300 Series Sex Bolts (Qty 4)<br>(Specify finish)   | 8Q00131        | 1   | 6.70       |
| 8p | QED300 Series End Cap<br>(Specify finish)   | 8Q00123        | 1   | 25.00      |

### QED300 Series | Grade 1 | Standard Duty Exit Devices

# THICK DOOR KITS (TDK's)

Thick door kits (TDK's) are used to extend the length of the exit trim spindle for non-standard ( $1\frac{1}{4}$ ") thick doors. These kits include appropriate length exit trim spindles and fasteners.







| Tuina  |         | List Duiss |         |         |            |
|--------|---------|------------|---------|---------|------------|
| Trim   | 2"      | 2 1/4″     | 2 1/2"  | 2 3/4"  | List Price |
| QET330 |         |            |         |         |            |
| QET360 | 8Q00419 | 8Q00420    | 8Q00421 | 8Q00422 | 21.00      |
| QET370 |         |            |         |         | 21.00      |
| QET365 | 8Q00423 | 8Q00424    | 8Q00425 | 8Q00426 |            |

# GLASS BEAD KITS (GBK's) (SPECIFY FINISH)

- Glass bead kits (GBK's) are used to shim exit devices off the face of a door with raised glass beads. Each kit contains (2)  $\frac{1}{8}$ " shims (total clearance of  $\frac{1}{4}$ ") and fasteners.
- Requires the use of a thick door kit (TDK) if using an exit device trim.
- Available finishes: 689, 690








| Part #  | Device Type | Model                  | Finishes  | List Price |
|---------|-------------|------------------------|-----------|------------|
| 8Q00411 | RIM         | QED311, QED312, QED313 | 600 % 600 | 47.00      |
| 8Q00412 | SVR         | QED314, QED315, QED316 | 689 & 690 | 61.00      |

### QRM300 Series | Grade 1 | Mullions



### Example

If you ordered: QRM313 KR 8' 689

**You would get:** Keyed Removable, Fire Rated mullion, 8' height, with Aluminum finish. Prepped for QED300 Series strike.

### QRM300 Series | Grade 1 | Mullions

### **Applications**

**Removable Keyed Mullion** 

Use with Rim Exit Devices on pairs of doors.

### **Product Specifications**

- 2"x 3" (51 mm x 76 mm) steel mullion tube. 1/8" wall thickness.
- Size: Standard for openings 8'0" high, field sizeable for openings less than 8'0". 9', 10', 11' & 12' also available and are field sizeable.
- Mullion is pre-prepped for QED300 Series Exit Devices.
- Fire Rating 8' 0" high max.
- Available Finishes: Primer (600), Aluminum (689) and Dark Bronze (695)




# KEYED REMOVABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

| Order#  | D   | List Price |         |  |
|---|---|------------|---------|--|
| Order#  | Description   | 600        | 689,695 |  |
|   | nullion Tube, Cap, Base, Fasteners. Cylinder not included. Keyed Removable Mullions<br>on Cylinders. Reference Cylinders, Keys & Keying section for more details. |            |         |  |
| QRM311 KR*  | Keyed Removable Mullion   | 1086.00    | 1218.00 |  |
| QRM313 KR   | Fire Rated, Keyed Removable Mullion   | 1306.00    | 1397.00 |  |
| *NOTE: For heights greater than 8', add \$21 for each additional 12". |   |            |         |  |

# REMOVABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

| Oud 5 11 # |   | List Price |         |  |  |
|------------|---|------------|---------|--|--|
| Order #    | Description   | 600        | 689,695 |  |  |
|            | Mullions include: Mullion Tube, Cap, Base, Fasteners.                 |            |         |  |  |
| QRM311 *   | Removable Mullion   | 632.00     | 720.00  |  |  |
| QRM313     | Fire Rated, Removable Mullion   | 815.00     | 903.00  |  |  |
|            | *NOTE: For heights greater than 8', add \$21 for each additional 12". |            |         |  |  |

### QET300 Series | Grade 1 | Standard Duty Exit Trims



### Example

If you ordered: QET360 M 689 BF KD

**You would get:** Grade 1 Escutcheon Trim Lever, Summit design, Aluminum Finish SFIC "F" Keyway, Keyed Different. This Trim Matches to the QED300 Series Exit Devices

## QET300 Series | Grade 1 | Standard Duty Exit Trims



### Escutcheon Trims Sierra (E)

Available in: 689, 690



### **Escutcheon Trims Summit (M)**

Available in: 689, 690

| Madal/Carias | Functions   | Style | Colin day Toma | Case Qty | List Price |
|--------------|---|-------|----------------|----------|------------|
| Model/Series | runctions   | Style | Cylinder Type  |          | 689, 690   |
| QET320       | Dummy Escutcheon Lever - ANSI 02                      | E/M/A | -              | 12       | 189.00     |
| QET330       | Passage Escutcheon Lever - ANSI 14                    | E/M/A | -              | 12       | 189.00     |
| QET360       | Keyed Escutcheon Lever (Classroom)<br>- ANSI 08       | E/M/A | Mortise        | 12       | 245.00     |
| QET370*      | Night Latch Escutcheon Latch<br>(Storeroom) - ANSI 03 | E/M/A | Mortise        | 12       | 245.00     |
| QET380       | Night Latch Escutcheon Latch<br>(Storeroom) - ANSI 09 | E/M/A | Mortise        | 12       | 245.00     |

#### NOTES:

### **Escutcheon Trims Pull & Flat Plates**

Available in: 689, 690













Dummy Pull QET325

Thumb Piece QET365

Dummy Thumb Piece QET367

Night Latch Pull QET375

Gull Wing Pull QET377

Flat Plate QET390

| M   -   /C   | Functions                                   | Chil     | Calling day Tarra | 6 01 | List Price |
|--------------|---|----------|-------------------|------|------------|
| Model/Series | Functions Style Cylinder Type               | Case Qty | 689, 690          |      |            |
| QET325       | Dummy Escutcheon Pull - ANSI 02             | L        |                   | 12   | 90.00      |
| QET365*      | Thumb Piece Escutcheon Pull - ANSI 05       | L        | Mortise           | 12   | 265.00     |
| QET367       | Dummy Thumb Piece Escutcheon Pull - ANSI 02 | L        |                   | 12   | 90.00      |
| QET375*      | Night Latch Escutcheon Pull - ANSI<br>03    | L        | Rim               | 12   | 144.00     |
| QET377       | Gull Wing Escutcheon Pull                   | L        | Rim               | 12   | 92.00      |
| QET390       | Flat Escutcheon Plate - ANSI 01             | L        |                   | 12   | 49.00      |

### NOTES:

<sup>\*</sup> Not recommended for use on exit devices with vertical rods.

|    | Less Cylinder | List Price   |
|----|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |


<sup>\*</sup> Not recommended for use on exit devices with vertical rods.

## QET300 Series | Grade 1 | Standard Duty Exit Trims

# OTHER PARTS & SCREW PACKS

|          | Description   | Service Part # | Qty | List Price |
|----------|---|----------------|-----|------------|
| 9        | QET300 Series Screw Pack for Pull Plates -<br>QET325 & QET375   | 8Q00134        | 1   | 1.40       |
|          | QET300 Series Cylinder Lock and Screw Pack for Thumb Piece<br>Pulls - QET365                                    | 8Q00136        | 1   | 6.10       |
|          | QET300 Series Screw Pack, Cylinder Mounting Hardware & Square Pin for Escutcheon Trims - QET360, QET370, QET380 | 8Q00137        | 1   | 9.70       |
|          | QET300 Series Screw Pack & Square Pin for Escutcheon Trims - QET320 & QET330                                    | 8Q00206        | 1   | 4.90       |
|          | QET300 Series Cylinder Collar<br>(Specify finish)   | 8Q00138        | 1   | 26.00      |
|          | QET300 Series Sex Nuts for Flat Plate - QET390 (Qty 2) (Specify finish)   | 8Q00139        | 1   | 6.10       |
|          | Rim Cylinder Tailpiece  | 8Q00140        | 1   | 2.70       |
|          | Rim Cylinder Tailpiece – Thick Door (Measures 2-3/8")   | 8Q00480        | 1   | 2.70       |
| 90       | Standard Cam for Mortise Cylinder   | 8Q00119        | 1   | 4.90       |
|          | Cam Mounting Screws for Mortise Cylinders (Qty 2)   | 8Q00118        | 1   | 1.60       |
| NO IMAGE | Rim Cylinder Retaining Cup  | 8Q00529        | 1   | 6.10       |

### QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims



<sup>\*</sup> BEST "F" SFIC only on QRT 361 and QRT 371.

### **Example**

If you ordered: QRT361 E 689 BF KD

**You would get:** Standard Duty Keyed Lever Round Rose Trim, Sierra Lever, Painted Aluminum Finish, SFIC "F" Keyway, Keyed Different. This Trim Matches to the QED300 Series Exit Devices

## QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims

# Round Rose Trims Sierra (E) Available in: 689, 690

### Round Rose Trims Summit (M)

Available in: 689, 690







| Model / Series | Functions                          | Stylo | Case Qty | List Price | List Price |
|----------------|------------------------------------|-------|----------|------------|------------|
| Model / Series | Functions                          | Style | Case Qty | 626        | 689, 690   |
| QRT320         | Dummy Lever                        | E/M   | 12       | 157.00     | 124.00     |
| QRT330         | Passage Lever                      | E/M   | 12       | 157.00     | 124.00     |
| QRT360         | Keyed Lever (Classroom)            | E/M   | 12       | 198.00     | 165.00     |
| QRT361         | Keyed Lever SFIC (Classroom)       | E/M   | 12       | 222.00     | 189.00     |
| QRT370         | Night Latch Lever (Storeroom)      | E/M   | 12       | 198.00     | 165.00     |
| QRT371         | Night Latch Lever SFIC (Storeroom) | E/M   | 12       | 222.00     | 189.00     |


## QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims

# OTHER PARTS & SCREW PACKS

|              | Description  | Service Part # | Qty | List Price |
|--------------|--|----------------|-----|------------|
|              | Tailpiece QRT300 Series  | 8Q00073        | 1   | 2.70       |
|              | Screw pack for QRT300 series trims (Specify finish)                          | 8Q00219        | 1   | 2.50       |
|              | Strike shim kit for rim devices- 1 piece (2 3/8" Backset for QED300 series)  | 8Q00285        | 1   | 7.30       |
| 6.06.06.06.0 | Strike shim kit for rim devices - 4 piece (2 3/4" Backset for QED300 series) | 8Q00286        | 1   | 23.00      |

|     | Less Cylinder      | List Price   |
|-----|--------------------|--------------|
| 1.6 | Less Cylinder      | Deduct 21.00 |
| LC  | Less SFIC Cylinder | Deduct 46.00 |

### QDC100 Series | Grade 1 | Extra Duty Door Closers



\* R - Ships standard

NOTES:

Sex nuts and self tapping screws come standard with QDC100 series door closers.

### **Example**

If you ordered: QDC111 R 689

You would get: Grade 1 Extra Duty Closer - Full Adjustable (Sized 1-6),

Tri-pack Arm with Both Delayed Action & Back Check

Standard, Round Plastic Cover, Sex Nuts, Self Tapping Screws, Painted Aluminum finish

## QDC100 Series | Grade 1 | Extra Duty Door Closers



**Tri-Pack Arm** 

Available in: 689, 690 & 696

| Madal/Carias | Functions  | Casa Otro | List Price     |
|--------------|--|-----------|----------------|
| Model/Series | Functions  | Case Qty  | 689, 690 & 696 |
| QDC100       | Closer Body (Includes Rounded Cover, Screws & Sex Bolt)                        | 3         | 302.00         |
| QDC100BF     | Closer Body w/Barrier Free Option (Includes Rounded Cover, Screws & Sex Bolts) | 3         | 302.00         |
| QDC111       | Tri-Pack Arm   | 3         | 370.00         |
| QDC112       | Tri-Pack Arm with Hold-Open  | 1         | 418.00         |
| QDC113       | Extra Duty Arm with Compression Stop   | 1         | 433.00         |
| QDC114       | Extra Duty Arm with Hold-Open and Compression Stop                             | 1         | 457.00         |
| QDC115       | Extra Duty Arm   | 1         | 400.00         |
| QDC116       | Extra Duty Arm with Hold-Open  | 1         | 424.00         |
| QDC117       | Extra Duty Arm with Stop   | 1         | 412.00         |
| QDC118       | Extra Duty Arm with Hold-Open and Stop   | 1         | 435.00         |
| QDC119       | Extra Duty Arm with Spring Stop  | 1         | 508.00         |
| QDC120       | Extra Duty Arm with Hold Open and Spring Stop                                  | 1         | 531.00         |

|          | Order With<br>Closer | Description                          | With Closer | Service Part # | List Price |
|----------|----------------------|--------------------------------------|-------------|----------------|------------|
|          | SN                   | Sex Nuts (Qty 4) (Specify finish)    | NC          | 8Q00097        | 6.70       |
|          | S/TAP                | Self Tapping Screws (Specify Finish) | NC          | 8Q00436        | 16.00      |
|          | М                    | QDC100 Series Metal Cover - RH       | Add 60.00   | 8Q01140        | 60.00      |
|          | М                    | QDC100 Series Metal Cover - LH       | Add 60.00   | 8Q01141        | 60.00      |
|          |                      | Rounded Plastic Cover 689            |             | 8Q00540        |            |
| NO IMAGE | R                    | Rounded Plastic Cover 690            | NC          | 8Q00541        | 31.00      |
|          |                      | Rounded Plastic Cover 696            |             | 8Q00542        |            |

NOTES:

Consult factory for lead times on Barrier Free (BF) closers and on 696 finish.

# QDC100 Series | Grade 1 | Extra Duty Door Closers

# OTHER PARTS & SCREW PACKS (SPECIFY FINISH)


|   | Description   | Service<br>Part# | Qty | List<br>Price |
|---|---|------------------|-----|---------------|
| (III)                                   | Tri-Pack Arm<br>(requires screw pack 8Q00457)   | 8Q00462          | 1   | 68.00         |
|   | Tri-Pack Arm with Hold-Open<br>(requires screw pack 8Q00458)  | 8Q00463          | 1   | 129.00        |
|   | Extra Duty Arm with Compression Stop<br>(requires screw pack 8Q00459)   | 8Q00464          | 1   | 144.00        |
|   | Extra Duty Arm with Hold-Open and Compression Stop (requires screw pack 8Q00459)                                | 8Q00465          | 1   | 159.00        |
| (°, 5)                                  | Extra Duty Arm<br>(requires screw pack 8Q00460)   | 8Q00466          | 1   | 133.00        |
|   | Extra Duty Arm with Hold-Open - Right Hand (requires screw pack 8Q00460)  | 8Q00467          | 1   | 147.00        |
|   | Extra Duty Arm with Hold-Open - Left Hand (requires screw pack 8Q00460)   | 8Q00468          | 1   | 147.00        |
|   | Extra Duty Arm with Stop<br>(requires screw pack 8Q00459)   | 8Q01142          | 1   | 137.00        |
|   | Extra Duty Arm with Hold-Open and Stop<br>(requires screw pack 8Q00459)   | 8Q01143          | 1   | 152.00        |
|   | QDC100 Series Plastic Cover   | 8Q00461          | 1   | 34.00         |
|   | Mounting Screw Pack for QDC100 Series   | 8Q00456          | 1   | 27.00         |
|   | Screw Pack for QDC111 Tri-Pack Arm  | 8Q00587          | 1   | 16.00         |
|   | Screw Pack for QDC112 Tri-Pack Arm with Hold-Open   | 8Q00458          | 1   | 15.00         |
|   | Screw Pack for QDC113 Extra Duty Arm with Hold-Open & QDC114 Extra Duty Arm with Hold-Open and Compression Stop | 8Q00459          | 1   | 15.00         |
|   | Screw Pack for QDC115 Extra Duty Arm & QDC116 Extra Duty Arm with Hold-Open                                     | 8Q00460          | 1   | 15.00         |
| 6:00                                    | QDC100 Drop Plate Kit - Pull Side, Regular Arm  | 8Q00469          | 1   | 50.00         |
| 0 | QDC100 Drop Plate Kit - Push Side, Top Jamb   | 8Q00470          | 1   | 50.00         |
| \$                                      | QDC100 Drop Plate Kit - Push Side, Parallel Arm   | 8Q00471          | 1   | 50.00         |
| \$ 0. 00<br>\$ 0. 00                    | QDC100 Drop Plate Kit - Push Side, Top Jamb   | 8Q00472          | 1   | 50.00         |
|   | Screw Pack for QDC100 Drop Plates   | 8Q00473          | 1   | 3.10          |

## QDC100 Series | Grade 1 | Extra Duty Door Closers

# OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

|          | Description  | Service<br>Part # | Qty | List<br>Price |
|----------|--|-------------------|-----|---------------|
| NO IMAGE | Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 689 | 8Q00584           | 1   | 115.00        |
| NO IMAGE | Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 690 | 8Q00585           | 1   | 115.00        |
| NO IMAGE | Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 696 | 8Q00586           | 1   | 76.00         |
| NO IMAGE | Extra Duty Arm with Spring Stop in Finish 689                        | 8Q00534           | 1   | 233.00        |
| NO IMAGE | Extra Duty Arm with Spring Stop in Finish 690                        | 8Q00535           | 1   | 233.00        |
| NO IMAGE | Extra Duty Arm with Spring Stop in Finish 696                        | 8Q00536           | 1   | 233.00        |
| NO IMAGE | Extra Duty Arm with Hold-Open and Spring Stop in Finish 689          | 8Q00537           | 1   | 248.00        |
| NO IMAGE | Extra Duty Arm with Hold-Open and Spring Stop in Finish 690          | 8Q00538           | 1   | 248.00        |
| NO IMAGE | Extra Duty Arm with Hold-Open and Spring Stop in Finish 696          | 8Q00539           | 1   | 248.00        |

### QDC200 Series | Grade 1 | Heavy Duty Door Closers



### NOTES:

Sex nuts and self tapping screws come standard with QDC200 series door closers.

### **Example**

If you ordered: QDC211 F 689

**You would get:** Grade 1 Heavy Duty Slim line Non-Hold Open Door Closer - Full Adjustable (Sized 1-6), Tri-packed Arms with Both Delayed Action & Back Check Standard, Full Sized cover, Painted Aluminum finish, Sex Nuts and Self Tapping Screws

### QDC200 Series | Grade 1 | Heavy Duty Door Closers

**Tri-Pack Arm** 

Available in: 689, 690 & 696

**Tri-Pack Arm** with Hold-Open

Available in: 689, 690 & 696

**Heavy Duty Arm** with Compression Stop

Available in: 689, 690 & 696

**Heavy Duty Arm** with Hold-Open and Compression Stop

Available in: 689, 690 & 696









| Model / Series | Functions   | Casa Oty | List Price     |
|----------------|---|----------|----------------|
|                | runctions   | Case Qty | 689, 690 & 696 |
| QDC200         | Closer Body (Includes Closer Body, Cover, Screws & Sex Bolts) | 6        | 208.00         |
| QDC211         | Tri-Pack Arm  | 6        | 255.00         |
| QDC212         | Tri-Pack Arm with Hold-Open                                   | 6        | 296.00         |
| QDC213         | Heavy Duty Arm with Compression Stop                          | 3        | 369.00         |
| QDC214         | Heavy Duty Arm with Hold-Open and Compression Stop            | 3        | 390.00         |

| Order with<br>Closer | Description                                     | With Closer<br>689, 690 & 696 | · Service Part # | List Price<br>689, 690 & 696 |
|----------------------|---|-------------------------------|------------------|------------------------------|
| F                    | Full Size Cover<br>(Specify Finish)             | NC                            | 8Q00094          | 24.00                        |
| S                    | Slim Cover<br>(Specify Finish)                  | NC                            | 8Q00096          | 24.00                        |
| SN                   | Sex Nuts (Qty 4)<br>(Specify Finish)            | NC                            | 8Q00097          | 6.70                         |
| S/TAP                | Self Tapping Screws (Qty 8)<br>(Specify Finish) | NC                            | 8Q00436          | 16.00                        |

Consult factory for lead times on 696 finish.


www.stanleyhardwarefordoors.com • Phone: (855) 365-2407 • Fax: (877) 835-1030

## QDC200 Series | Grade 1 | Heavy Duty Door Closers

# OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

|      | Description  | Service Part # | Qty | List Price |
|------|--|----------------|-----|------------|
|      | QDC200 Series Plastic Installation Template  | 8Q00454        | 1   | 44.00      |
|      | Tri-Pack Arm<br>(requires screw pack 8Q00100)  | 8Q00087        | 1   | 47.00      |
|      | Tri-Pack Arm with Hold-Open<br>(requires screw pack 8Q00099)   | 8Q00088        | 1   | 90.00      |
| 9    | Heavy Duty Arm with Compression Stop<br>(requires screw pack 8Q00098)  | 8Q00089        | 1   | 103.00     |
|      | Heavy Duty Arm with Hold-Open and Compression<br>Stop<br>(requires screw pack 8Q00098)                                 | 8Q00090        | 1   | 115.00     |
|      | Pinion Cap - QDC200 Series   | 8Q00092        | 1   | 6.70       |
|      | Parallel Arm Bracket<br>(requires screw pack 8Q00102)  | 8Q00093        | 1   | 9.40       |
| 4/// | Screw Pack for QDC213 Heavy Duty Arm with Compression Stop & QDC214 Heavy Duty Arm with Hold-Open and Compression Stop | 8Q00098        | 1   | 3.00       |
|      | Screw Pack for QDC212 Tri-Pack Arm with Hold<br>Open   | 8Q00099        | 1   | 3.00       |
|      | Mounting Screw Pack for QDC200 Series  | 8Q00100        | 1   | 3.00       |
|      | Screw Pack for Parallel Arm Bracket  | 8Q00102        | 1   | 3.00       |
|      | Self Tapping Screw Pack (Qty 8)  | 8Q00436        | 1   | 16.00      |
|      | Small Drop Plate Kit for QDC200 Series, Pull & Push (2.44" x 12.97") Top Jamb & Regular Arm                            | 8Q00105        | 1   | 44.00      |
|      | Large Drop Plate Kit for QDC200 Series, Pull & Push (3.47" x 12.97") Top Jamb & Regular Arm                            | 8Q00106        | 1   | 44.00      |
|      | Small Drop Plate Kit for QDC200 Series, Push (2.94" x 12.97") Parallel Arm   |                | 1   | 44.00      |
|      | Large Drop Plate Kit for QDC200 Series, Push<br>Parallel Arm   | 8Q00108        | 1   | 44.00      |

### QDC300 Series | Grade 1 | Standard Duty Door Closers



### NOTES:

Sex nuts and self tapping screws come standard with QDC300 series door closers.

### **Example**

If you ordered: QDC311 F 689

You would get: Grade 1 Standard Duty Non-Hold Open Door Closer - Full Adjustable
(Sized 1-6), Tri-packed Arms with Both Delayed Action & Back Check Standard, Full Sized cover,
Painted Aluminum finish, Sex Nuts and Self Tapping Screws

### QDC300 Series | Grade 1 | Standard Duty Door Closers

Tri-Pack Arm

Available in: 689, 690 & 696

Tri-Pack Arm with Open Arm

Available in: 689, 690 & 696

Heavy Duty Arm with CompressionStop

Available in: 689, 690 & 696

Heavy Duty Arm with Hold Open and Compression Stop

Available in: 689, 690 & 696









| Model / Series | Functions   | Cose Otry | List Price     |
|----------------|---|-----------|----------------|
| woder / Series | runctions   | Case Qty  | 689, 690 & 696 |
| QDC300         | Closer Body (Includes Closer Body, Cover, Screws & Sex Bolts) | 6         | 136.00         |
| QDC311         | Tri-Pack Arm  | 6         | 205.00         |
| QDC312         | Tri-Pack Arm with Hold-Open                                   | 6         | 243.00         |
| QDC313         | Heavy Duty Arm with Compression Stop                          | 3         | 315.00         |
| QDC314         | Heavy Duty Arm with Hold-Open and Compression Stop            | 3         | 334.00         |

| Order With Closer |       | Description                          | With Closer | Service<br>Part # | List Price |
|-------------------|-------|--------------------------------------|-------------|-------------------|------------|
|                   | F     | Full Size Cover<br>(Specify finish)  | Add 24.00   | 8Q00095           | 24.00      |
|                   | SN    | Sex Nuts (Qty 4)<br>(Specify finish) | NC          | 8Q00097           | 6.70       |
|                   | S/TAP | Self Tapping Screws (Qty 8)          | NC          | 8Q00436           | 16.00      |

NOTES:

Consult factory for lead times on Barrier Free (BF) closers and on 696 finish.

## QDC300 Series | Grade 1 | Standard Duty Door Closers

# OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

|  | Description  | Service Part<br># | Qty | List<br>Price |
|--|--|-------------------|-----|---------------|
|  | QDC300 Series Plastic Installation Template  | 8Q00455           | 1   | 41.00         |
|  | Tri-Pack Arm<br>(requires screw pack 8Q00100)  | 8Q00087           | 1   | 47.00         |
|  | Tri-Pack Arm with Hold-Open<br>(requires screw pack 8Q00099)                           | 8Q00088           | 1   | 90.00         |
| 2                                      | Heavy Duty Arm with Compression Stop<br>(requires screw pack 8Q00098)                  | 8Q00089           | 1   | 103.00        |
|  | Heavy Duty Arm with Hold-Open and Compression<br>Stop<br>(requires screw pack 8Q00098) | 8Q00090           | 1   | 115.00        |
|  | Pinion Cap - QDC300 Series 80  |                   | 1   | 6.70          |
|  | Parallel Arm Bracket (requires screw pack 8Q00102)                                     | 8Q00093           | 1   | 9.40          |
|  | Screw Pack for QDC313 Dead Stop (Cush) Arm & QDC314 Dead Stop (Cush) Arm Hold-Open     | 8Q00098           | 1   | 3.00          |
|  | Screw Pack for QDC312 Hold-Open Arm  | 8Q00099           | 1   | 3.00          |
|  | Mounting Screw Pack for QDC300 Series  | 8Q00100           | 1   | 3.00          |
|  | Screw Pack for Parallel Arm Bracket  | 8Q00102           | 1   | 3.00          |
|  | Self tapping screw pack (Qty 8)  | 8Q00436           | 1   | 16.00         |
| ······································ | Small Drop Plate Kit for QDC300 Series,<br>(2.38" x 9.76")                             |                   | 1   | 41.00         |
|  | Large Drop Plate Kit for QDC300 Series,<br>(3.27" x 9.76")                             | 8Q00104           | 1   | 41.00         |

|            |                                   |             |          |            |        | Case Box |        |        | Unit Box |        |
|------------|-----------------------------------|-------------|----------|------------|--------|----------|--------|--------|----------|--------|
| Product    | Function                          | Unit Weight | Case Qty | Pallet Qty | Length | Width    | Height | Length | Width    | Height |
| QMS/QME/QM | IL SERIES - GRADE 1 MORTISE LOCKS |             |          |            |        |          |        |        |          |        |
|            |                                   |             | Section  | al Trims   |        |          |        |        |          |        |
| QMS120     | Single Dummy Sectional            | 1.23        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS122     | Full Dummy Sectional              | 1.8         | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS130     | Passage Sectional                 | 4.83        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS140     | Privacy Sectional                 | 5.75        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS145     | Privacy w/ Deadbolt Sectional     | 6           | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS150     | Entry Sectional                   | 5.85        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS152     | Exit Sectional                    | 6.50        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS154     | Corridor Sectional                | 6.56        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS158     | Dormitory Sectional               | 6.64        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS160     | Classroom Sectional               | 5.79        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS162     | Classroom Security Sectional      | 6.42        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS164     | Apartment Sectional               | 6.42        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS170     | Storeroom Sectional               | 5.61        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS172     | Institutional Sectional           | 6.20        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QMS174     | Store Door Sectional              | 6.53        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
|            |                                   |             | Escutche | on Trims   |        |          |        |        |          |        |
| QME120     | Single Dummy Escutcheon           | 2.30        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME122     | Full Dummy Escutcheon             | 3.80        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME130     | Passage Escutcheon                | 6.04        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME140     | Privacy Escutcheon                | 6.44        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME145     | Privacy w/ Deadbolt Escutcheon    | 6.68        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME150     | Entry Escutcheon                  | 6.93        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME152     | Exit Escutcheon                   | 7.45        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME154     | Corridor Escutcheon               | 7.51        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME158     | Dormitory Escutcheon              | 7.65        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME160     | Classroom Escutcheon              | 6.78        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME162     | Classroom Security Escutcheon     | 7.41        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME164     | Apartment Escutcheon              | 7.41        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME170     | Storeroom Escutcheon              | 6.58        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME172     | Institutional Escutcheon          | 7.18        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
| QME174     | Store Door Escutcheon             | 7.52        | 4        | 96         | 17     | 14.25    | 10     | 13.38  | 8.63     | 4      |
|            |                                   | ,           | Dead     | locks      |        |          |        |        |          |        |
| QML180     | Single Cylinder Deadlock          | 2.68        | 10       | 300        | 20.87  | 13.39    | 7.09   | 10     | 5.9      | 2.36   |
| QML182     | Double Cylinder Deadlock          | 2.95        | 10       | 300        | 20.87  | 13.39    | 7.09   | 10     | 5.9      | 2.36   |
| QML184     | Single Sided Deadlock             | 2.28        | 10       | 300        | 20.87  | 13.39    | 7.09   | 10     | 5.9      | 2.36   |
| QML186     | Classroom Deadlock                | 2.68        | 10       | 300        | 20.87  | 13.39    | 7.09   | 10     | 5.9      | 2.36   |

|                 |                             |             |          |            |        | Case Box |        |        | Unit Box |        |
|-----------------|-----------------------------|-------------|----------|------------|--------|----------|--------|--------|----------|--------|
| Product         | Function                    | Unit Weight | Case Qty | Pallet Qty | Length | Width    | Height | Length | Width    | Height |
| QCL100 SERIES - | - GRADE 1 CYLINDRICAL LOCKS |             |          |            |        |          |        |        |          |        |
| QCL120          | Dummy                       | 1.55        | 12       | 432        | 14     | 11.75    | 7.5    | 6.75   | 3.75     | 3.25   |
| QCL130          | Passage                     | 4.7         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL135          | Communicating               | 4.8         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL140          | Privacy                     | 4.8         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL150          | Entry                       | 5           | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL151          | Entry SFIC                  | 5           | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL160          | Classroom                   | 5           | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL161          | Classroom SFIC              | 5           | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL170          | Storeroom                   | 5           | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL171          | Storeroom SFIC              | 5           | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL200 SERIES - | - GRADE 2 CYLINDRICAL LOCKS |             |          |            |        |          |        |        |          |        |
| QCL220          | Dummy                       | 1.2         | 12       | 432        | 14     | 11.75    | 7.5    | 6.75   | 3.75     | 3.25   |
| QCL230          | Passage                     | 4           | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL235          | Communicating               | 4           | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL240          | Privacy                     | 4.75        | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL250          | Entry                       | 4.5         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL251          | Entry SFIC                  | 4.5         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL260          | Classroom                   | 4.5         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL261          | Classroom SFIC              | 4.5         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL270          | Storeroom                   | 4.5         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCL271          | Storeroom SFIC              | 4.5         | 6        | 192        | 15.5   | 12.5     | 10.25  | 7.5    | 9.75     | 4      |
| QCI200 SERIES - | GRADE 2 INTERCONNECT LOCKS  |             |          |            |        |          |        |        |          |        |
| QCI230          | Single Locking              | 5.5         | 6        | 192        | 15.5   | 12.25    | 10.63  | 9.63   | 7.5      | 4      |
| QCI231          | Single Locking SFIC         | 5.5         | 6        | 192        | 15.5   | 12.25    | 10.63  | 9.63   | 7.5      | 4      |
| QCI250          | Double Locking              | 5.5         | 6        | 192        | 15.5   | 12.25    | 10.63  | 9.63   | 7.5      | 4      |
| QCI251          | Double Locking SFIC         | 5.5         | 6        | 192        | 15.5   | 12.25    | 10.63  | 9.63   | 7.5      | 4      |
| QTL200 SERIES - | - GRADE 2 TUBULAR LOCKS     |             |          |            |        |          |        |        |          |        |
| QTL220          | Dummy                       | 1.2         | 12       | 432        | 13.75  | 12.5     | 7      | 6      | 3.75     | 3.25   |
| QTL230          | Passage                     | 2.3         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QTL235          | Communicating               | 2.5         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QTL240          | Privacy                     | 2.8         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QTL250          | Entry                       | 2.8         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QTL251          | Entry SFIC                  | 2.8         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QTL260          | Classroom                   | 2.8         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QTL261          | Classroom SFIC              | 2.8         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QTL270          | Storeroom                   | 2.8         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QTL271          | Storeroom SFIC              | 2.8         | 10       | 320        | 17     | 13.25    | 8.75   | 8      | 6        | 3.25   |
| QDB100 SERIES   | - GRADE 1 DEADBOLTS         |             |          |            |        |          |        |        |          |        |
| QDB180          | Single Cylinder             | 2.5         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB181          | Single Cylinder SFIC        | 2.5         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB182          | Double Cylinder             | 2.8         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB183          | Double Cylinder SFIC        | 2.8         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB186          | Classroom                   | 2.5         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB187          | Classroom SFIC              | 2.5         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |

|                 |   |             |          |            |        | Case Box |        |        | Unit Box |        |
|-----------------|---|-------------|----------|------------|--------|----------|--------|--------|----------|--------|
| Product         | Function                                  | Unit Weight | Case Qty | Pallet Qty | Length | Width    | Height | Length | Width    | Height |
| QDB200 SERIES - | GRADE 2 DEADBOLTS                         |             |          |            |        |          |        |        |          |        |
| QDB280          | Single Cylinder                           | 2.3         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB281          | Single Cylinder SFIC                      | 2.3         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB282          | Double Cylinder                           | 2.7         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB283          | Double Cylinder SFIC                      | 2.7         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB284          | Inside Turnbolt                           | 2           | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB285          | Indicator                                 | 1.27        | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB286          | Classroom                                 | 2.3         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB287          | Classroom SFIC                            | 2.3         | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QDB288          | Key Control                               | 2.25        | 12       | 384        | 15.75  | 13.5     | 6.5    | 3      | 4        | 5      |
| QED100 SERIES - | GRADE 1 HEAVY DUTY EXIT DEVICES & TRIMS   |             |          |            |        |          |        |        |          |        |
| QED111 36"      | Rim Hex Dogging                           | 11.7        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED112 36"      | Rim Cylinder Dogging                      | 11.7        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED113 36"      | Rim Fire Rated                            | 11.5        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED11436"7'     | Surface Vertical Rod - Hex Dogging        | 14.7        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED11436"8'     | Surface Vertical Rod - Hex Dogging        | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED115 36"7'    | Surface Vertical Rod - Cylinder Dogging   | 14.7        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED115 36"8'    | Surface Vertical Rod - Cylinder Dogging   | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED116 36"7'    | Surface Vertical Rod - Fire Rated         | 14.5        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED116 36"8'    | Surface Vertical Rod - Fire Rated         | 14.7        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED117 36"7'    | SVR - Less Bottom Rod - Hex Dogging       | 14.2        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED117 36"8'    | SVR - Less Bottom Rod - Hex Dogging       | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED118 36"7'    | SVR - Less Bottom Rod - Cylinder Dogging  | 14.2        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED118 36"8'    | SVR - Less Bottom Rod - Cylinder Dogging  | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED119 36"7'    | SVR - Less Bottom Rod - Fire Rated        | 14.7        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED119 36"8'    | SVR - Less Bottom Rod - Fire Rated        | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED124 36"7'    | Concealed Vertical Rod - Hex Dogging      | 14.7        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED124 36"8'    | Concealed Vertical Rod - Hex Dogging      | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED125 36"7'    | Concealed Vertical Rod - Cylinder Dogging | 14.7        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED125 36"8'    | Concealed Vertical Rod - Cylinder Dogging | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED126 36"7'    | Concealed Vertical Rod - Fire Rated       | 14.5        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED126 36"8'    | Concealed Vertical Rod - Fire Rated       | 14.7        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED127 36"7'    | CVR - Less Bottom Rod - Hex Dogging       | 14.2        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED127 36"8'    | CVR - Less Bottom Rod - Hex Dogging       | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED128 36"7'    | CVR - Less Bottom Rod - Cylinder Dogging  | 14.2        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED128 36" 8'   | CVR - Less Bottom Rod - Cylinder Dogging  | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED129 36"7'    | CVR - Less Bottom Rod - Fire Rated        | 14.7        | 1        | 40         | 36     | 10.25    | 5      | 36     | 10.25    | 5      |
| QED129 36"8'    | CVR - Less Bottom Rod - Fire Rated        | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED111 48"      | Rim Hex Dogging                           | 11.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED112 48"      | Rim Cylinder Dogging                      | 11.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED113 48"      | Rim Fire Rated                            | 11.7        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED114 48"7'    | Surface Vertical Rod - Hex Dogging        | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED114 48"8'    | Surface Vertical Rod - Hex Dogging        | 15.1        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED115 48"7'    | Surface Vertical Rod - Cylinder Dogging   | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED115 48"8'    | Surface Vertical Rod - Cylinder Dogging   | 15.1        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |

| Weights | & | Measurements |
|---------|---|--------------|
|         |   |              |

| Poduct   |                    |   |             |          |            |        | Case Box |        |        | Unit Box |        |
|--|--------------------|---|-------------|----------|------------|--------|----------|--------|--------|----------|--------|
| QED11648*8*   Surface Vertical Rod - Fine Rated   14.9   | Product            | Function                                  | Unit Weight | Case Qty | Pallet Qty | Length | Width    | Height | Length | Width    | Height |
| QEDITA 48"   | QED116 48"7'       | Surface Vertical Rod - Fire Rated         | 14.7        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QEDI1748'8   SVR - Less Bottom Rod - Hev Dogging   14.6   1   40   48   10.25   5   48   10.25   5   5   5   48   10.25   5   5   5   5   5   5   5   5   5   | QED116 48"8'       | Surface Vertical Rod - Fire Rated         | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| OED118-48"7   SVR-Less Bottom Rod - Cylinder Dogging   | QED117 48"7'       | SVR - Less Bottom Rod - Hex Dogging       | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| OED11848"8   SVR - Less Bottom Rod - Gylinder Doggling   14.6  | QED117 48"8'       | SVR - Less Bottom Rod - Hex Dogging       | 14.6        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QEDI1948"7   SVR-Less Bottom Rod - Fire Rated   14.9   1   | QED118 48"7'       | SVR - Less Bottom Rod - Cylinder Dogging  | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QEDI1948*8*   SVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   SEDI1948*8*   Concealed Vertical Rod - Hex Dogging   14.9   1   40   48   10.25   5   48   10.25   5   SEDI1948*8*   Concealed Vertical Rod - Evologing   15.1   1   40   48   10.25   5   48   10.25   5   SEDI1958*8*   Concealed Vertical Rod - Cylinder Dogging   14.9   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   Concealed Vertical Rod - Cylinder Dogging   14.9   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   Concealed Vertical Rod - Cylinder Dogging   14.7   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   Concealed Vertical Rod - Fire Rated   14.7   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   Concealed Vertical Rod - Fire Rated   14.9   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Hex Dogging   14.4   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Hex Dogging   14.4   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Springer   15.1   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Springer   15.1   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Springer   15.1   1   40   48   10.25   5   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Springer   15.1   1   40   48   10.25   5   48   10.25   5   SEDI1958*8**   CWR-Less Bottom Rod - Springer   15.1   1   40   48   10.25 | QED118 48"8'       | SVR - Less Bottom Rod - Cylinder Dogging  | 14.6        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED124 48"7"   Concealed Vertical Rod - Hex Dogging   14.9   | QED119 48"7'       | SVR - Less Bottom Rod - Fire Rated        | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED124 48"8"   Concealed Vertical Rod - Hex Dogging   15.1   | QED119 48"8'       | SVR - Less Bottom Rod - Fire Rated        | 15.1        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED125 48"7"   Concealed Vertical Rod - Cylinder Dogging   15.1   1   40   48   10.25   5 | QED124 48"7'       | Concealed Vertical Rod - Hex Dogging      | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED125 48"8"   Concealed Vertical Rod - Cylinder Dogging   15.1   1   40   48   10.25   5   48   10.25   5   | QED124 48"8'       | Concealed Vertical Rod - Hex Dogging      | 15.1        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED126 48"8"   Concealed Vertical Rod - Fire Rated   14.7  | QED125 48"7'       | Concealed Vertical Rod - Cylinder Dogging | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED126 48"8"   Concealed Vertical Rod - Fire Rated   14.9  | QED125 48"8'       | Concealed Vertical Rod - Cylinder Dogging | 15.1        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED127 48"7"   CVR-Less Bottom Rod - Hex Dogging   14.4   1   40   48   10.25   5   48   10.25   5   GED128 48"8"   CVR-Less Bottom Rod - Jex Dogging   14.6   1   40   48   10.25   5   48   10.25   5   GED128 48"8"   CVR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   GED128 48"8"   CVR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   GED128 48"8"   CVR-Less Bottom Rod - Gylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   15.1   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   1.2   6   288   16.81   14.25   9.13   8.27   5.34   3.34   GED130 48"   CVR-Less Bottom Rod - Fire Rated   1.2   6   288   16.81   14.25   9.13   8.27   5.34   3.34   GED130 48"   CVR-Less Bottom Rod - Fire Rated   1.4   6   162   14.9   10.35   8.7   14.37   3.15   3.86   GED130 48"   CVR-Less Bottom Rod - Fire Rated   1.4   6   162   14.9   10.35   8.7   14.37   3.15   3.86   GED131 36"   SVR-Less Bottom Rod - Hex Dogging   8.4   4   48   36.5   16   8.2   36.5   7.2 | QED126 48"7'       | Concealed Vertical Rod - Fire Rated       | 14.7        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED127 48"8"   CVR-Less Bottom Rod - Hev Dogging   14.6   1   40   48   10.25   5   48   10.25   5   QED128 48"7"   CVR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   GED128 48"8"   CVR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   GED128 48"8"   CVR-Less Bottom Rod - Cylinder Dogging   14.4   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   1   40   48   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   10.25   5   48   10.25   5   GED129 48"8"   CVR-Less Bottom Rod - Fire Rated   14.9   10.35   8.7   14.37   3.15   3.86   GED120   CVR-Less Bottom Rod - Fire Rated   14.9   10.35   8.7   14.37   3.15   3.86   GED130   CVR-Less Bottom Rod - Fire Rated   14.9   10.35   8.7   14.37   3.15   3.86   GED130   CVR-Less Bottom Rod - Fire Rated   14.9   10.35   8.7   14.37   3.15   3.86   GED130   CVR-Less Bottom Rod - Fire Rated   14.9   10.35   8.7   14.37   3.15   3.86   GED130   CVR-Less Bottom Rod - Fire Rated   14.9   10.35   8.7   14.37   3.15   3.86   GED130   CVR-Less Bottom Rod - Fire Rated   14.9   10.35   8.7   14.37   3.15   3.86   GED131 36"   Rim Hex Dogging   6.2   4   48   36.5   16   8.2   36.5   7.25   3.75   GED313 36"   Rim Fire Rated   6   4   48   36.5   16   8.2   36.5   7.25   3.75   GED313 36"   Surface Vertical Rod - Fire Rated   8.2   4  | QED126 48"8'       | Concealed Vertical Rod - Fire Rated       | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED128 48"7"         CVR - Less Bottom Rod - Cylinder Dogging         14.4         1         40         48         10.25         5         48         10.25         5           QED128 48"8"         CVR - Less Bottom Rod - Cylinder Dogging         14.4         1         40         48         10.25         5         48         10.25         5           QED129 48"8"         CVR - Less Bottom Rod - Fire Rated         14.9         1         40         48         10.25         5         48         10.25         5           QED129 48"8"         CVR - Less Bottom Rod - Fire Rated         11.9         40         48         10.25         5         48         10.25         5           QET120 Submit Statistic Descriptions of Fire Rated         11.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET120 Dummy Escutcheon Pull         1.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET126 Dummy Escutcheon Lever (Classroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET165 Dummy Escutcheon Pull         1.9         6 </td <td>QED127 48"7'</td> <td>CVR - Less Bottom Rod - Hex Dogging</td> <td>14.4</td> <td>1</td> <td>40</td> <td>48</td> <td>10.25</td> <td>5</td> <td>48</td> <td>10.25</td> <td>5</td>   | QED127 48"7'       | CVR - Less Bottom Rod - Hex Dogging       | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED128 48"8"         CVR - Less Bottom Rod - Cylinder Dogging         14.4         1         40         48         10.25         5         48         10.25         5           QED129 48"8" / CVR - Less Bottom Rod - Fire Rated         15.1         1         40         48         10.25         5         48         10.25         5           QED129 48"8" / CVR - Less Bottom Rod - Fire Rated         15.1         1         40         48         10.25         5         48         10.25         5           QED129 48"8" / CVR - Less Bottom Rod - Fire Rated         15.1         1         40         48         10.25         5         48         10.25         5           QET120 Dummy Excutcheon Exter Irim         3         4         14.25         9.13         8.27         5.34         3.34           QET130 Passage Excutcheon Lever (Classroom)         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET160 Keyed Excutcheon Lever (Classroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET160 Thumbpiece Excutcheon Lever (Storoom)         2.9         6         288         16.81         14.2   | QED127 48"8'       | CVR - Less Bottom Rod - Hex Dogging       | 14.6        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QED129 48"7"         CVR - Less Bottom Rod - Fire Rated         14.9         1         40         48         10.25         5         48         10.25         5           QED129 48"8"         CVR - Less Bottom Rod - Fire Rated         15.1         1         40         48         10.25         5         48         10.25         5           QED129 48"8"         CVR - Less Bottom Rod - Fire Rated         15.1         1         40         48         10.25         5         48         10.25         5           OET130         Dummy Escutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET130         Passage Escutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET160         Keyed Escutcheon Lever (Classroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET160         Thumbpiece Escutcheon Pull         3.1         6         162         14.9         10.35         8.7         14.37         3.15         3.86           OET167         Thumbpiece D   | QED128 48"7'       | CVR - Less Bottom Rod - Cylinder Dogging  | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| OED129 48"8"         CVR - Less Bottom Rod - Fire Rated         15.1         1         40         48         10.25         5         48         10.25         5           OET100 Series - Heavy Duty Escutcheon Ever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET125         Dummy Escutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET130         Passage Escutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET160         Keyed Escutcheon Lever (Classroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET160         Thumbpiece Escutcheon Pull         3.1         6         162         14.9         10.35         8.7         14.37         3.15         3.86           OET170         Night Latch Pull (Storeon)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           OET175         Night Latch Pull (Storeon) <td>QED128 48"8'</td> <td>CVR - Less Bottom Rod - Cylinder Dogging</td> <td>14.4</td> <td>1</td> <td>40</td> <td>48</td> <td>10.25</td> <td>5</td> <td>48</td> <td>10.25</td> <td>5</td>  | QED128 48"8'       | CVR - Less Bottom Rod - Cylinder Dogging  | 14.4        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| OET100 Series - Heavy Duty Esoutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET125         Dummy Escutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET130         Passage Escutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET130         Rassage Escutcheon Lever (Glassroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           OET165         Thumbpiece Escutcheon Pull         3.1         6         162         14.9         10.35         8.7         14.37         3.15         3.86           OET167         Thumbpiece Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           OET170         Night Latch Pull (Storenom)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           OET175         Night Latch Pull (Storen  | QED129 48"7'       | CVR - Less Bottom Rod - Fire Rated        | 14.9        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QET120         Dummy Escutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET125         Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET130         Passage Escutcheon Lever (Glasroom)         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET160         Keyed Escutcheon Lever (Glasroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET165         Thumbpiece Escutcheon Pull         3.1         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET167         Thumbpiece Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET170         Night Latch Pull (Storeom)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET175         Night Latch Escu   | QED129 48"8'       | CVR - Less Bottom Rod - Fire Rated        | 15.1        | 1        | 40         | 48     | 10.25    | 5      | 48     | 10.25    | 5      |
| QET125         Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET130         Passage Escutcheon Lever         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET160         Keyed Escutcheon Lever (Classroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET165         Thumbpiece Escutcheon Pull         3.1         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET167         Thumbpiece Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET170         Night Latch Escutcheon Lever (Storeroom)         2.8         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET175         Night Latch Pull (Storeroom)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET1790         Flat/   | QET100 Series - He | eavy Duty Escutcheon Exit Trim            |             |          |            |        |          |        |        |          |        |
| QET130         Passage Escutcheon Lever (Classroom)         2.2         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET160         Keyed Escutcheon Lever (Classroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET165         Thumbpiece Escutcheon Pull         3.1         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET167         Thumbpiece Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET170         Night Latch Escutcheon Lever (Storeroom)         2.8         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET170         Flat/Blank Escutcheon Plate         1.4         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET190         Flat/Blank Escutcheon Plate         1.4         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QED310 Sign F  | QET120             | Dummy Escutcheon Lever                    | 2.2         | 6        | 288        | 16.81  | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QET160         Keyed Escutcheon Lever (Classroom)         2.9         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET165         Thumbpiece Escutcheon Pull         3.1         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET167         Thumbpiece Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET170         Night Latch Escutcheon Lever (Storeroom)         2.8         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET175         Night Latch Pull (Storeroom)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET190         Flatz/Blank Escutcheon Plate         1.4         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QED310 SERIES- GRADE 1 STANDARD DUTY EXIT DEVICES & TRIMS         8         36.5         16         8.2         36.5         7.25         3.75           QED3113 6"         Rim Fire Rated         6   | QET125             | Dummy Escutcheon Pull                     | 1.9         | 6        | 162        | 14.9   | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QET165         Thumbpiece Escutcheon Pull         3.1         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET167         Thumbpiece Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET170         Night Latch Escutcheon Lever (Storeroom)         2.8         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET175         Night Latch Pull (Storeroom)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET190         Flat/Blank Escutcheon Plate         1.4         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QED300 SERIES - GRADE 1 STANDARD DUTY EXIT DEVICES & TRIMS          4         48         36.5         16         8.2         36.5         7.25         3.75           QED311 36"         Rim Gylinder Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED313 36"         Rim Fir  | QET130             | Passage Escutcheon Lever                  | 2.2         | 6        | 288        | 16.81  | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QET167         Thumbpiece Dummy Escutcheon Pull         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET170         Night Latch Escutcheon Lever (Storeroom)         2.8         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET175         Night Latch Pull (Storeroom)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET190         Flat/Blank Escutcheon Plate         1.4         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QED310 SERIES - GRADE I STANDARD DUTY EXIT DEVICES & TRIMS         VIEW DEVICES & TRIMS           QED311 36"         Rim Hex Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED313 36"         Rim Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"7'         Surface Vertical Rod - Hex Dogging         8.4         4         48         36.5         16         8.2  | QET160             | Keyed Escutcheon Lever (Classroom)        | 2.9         | 6        | 288        | 16.81  | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QET170         Night Latch Escutcheon Lever (Storeroom)         2.8         6         288         16.81         14.25         9.13         8.27         5.34         3.34           QET175         Night Latch Pull (Storeroom)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET190         Flat/Blank Escutcheon Plate         1.4         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QED310 SERIES - GRADE 1 STANDARD DUTY EXIT DEVICES & TRIMS         Temperature         16         8.2         36.5         7.25         3.75           QED311 36"         Rim Hex Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED313 36"         Rim Fire Rated         6         4         48         36.5         16         8.2         36.5         7.25         3.75           QED3143 36"         Rim Fire Rated         6         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"7'         Surface Vertical Rod - Hex Dogging         8.2         4         48   | QET165             | Thumbpiece Escutcheon Pull                | 3.1         | 6        | 162        | 14.9   | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QET175         Night Latch Pull (Storeroom)         1.9         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QET190         Flat/Blank Escutcheon Plate         1.4         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QED310 SERIES - GRADE 1 STANDARD DUTY EXIT DEVICES & TRIMS         URD311 36"         Rim Hex Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED312 36"         Rim Cylinder Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED313 36"         Rim Fire Rated         6         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"8'         Surface Vertical Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Gylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75 <td>QET167</td> <td>Thumbpiece Dummy Escutcheon Pull</td> <td>1.9</td> <td>6</td> <td>162</td> <td>14.9</td> <td>10.35</td> <td>8.7</td> <td>14.37</td> <td>3.15</td> <td>3.86</td>  | QET167             | Thumbpiece Dummy Escutcheon Pull          | 1.9         | 6        | 162        | 14.9   | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QET190         Flat/Blank Escutcheon Plate         1.4         6         162         14.9         10.35         8.7         14.37         3.15         3.86           QED310 SERIES - GRADE 1 STANDARD DUTY EXIT DEVICES & TRIMS           QED311 36"         Rim Hex Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED312 36"         Rim Cylinder Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED313 36"         Rim Fire Rated         6         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"7'         Surface Vertical Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Gylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Gylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25 <t< td=""><td>QET170</td><td>Night Latch Escutcheon Lever (Storeroom)</td><td>2.8</td><td>6</td><td>288</td><td>16.81</td><td>14.25</td><td>9.13</td><td>8.27</td><td>5.34</td><td>3.34</td></t<>   | QET170             | Night Latch Escutcheon Lever (Storeroom)  | 2.8         | 6        | 288        | 16.81  | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QED310 SERIES - GRADE 1 STANDARD DUTY EXIT DEVICES & TRIMS           QED311 36"         Rim Hex Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED312 36"         Rim Cylinder Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED313 36"         Rim Fire Rated         6         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"7'         Surface Vertical Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"8'         Surface Vertical Rod - Hex Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Cylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Gylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25   | QET175             | Night Latch Pull (Storeroom)              | 1.9         | 6        | 162        | 14.9   | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QED311 36"         Rim Hex Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED312 36"         Rim Cylinder Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED313 36"         Rim Fire Rated         6         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"7'         Surface Vertical Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"8'         Surface Vertical Rod - Hex Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Gylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertic   | QET190             | Flat/Blank Escutcheon Plate               | 1.4         | 6        | 162        | 14.9   | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QED312 36"         Rim Cylinder Dogging         6.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED313 36"         Rim Fire Rated         6         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"7'         Surface Vertical Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"8'         Surface Vertical Rod - Hex Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"7'         Surface Vertical Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Gylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8'  | QED300 SERIES - G  | RADE 1 STANDARD DUTY EXIT DEVICES & TRIMS | 5           |          |            |        |          |        |        |          |        |
| QED313 36"         Rim Fire Rated         6         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"7'         Surface Vertical Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"8'         Surface Vertical Rod - Hex Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Cylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8  | QED311 36"         | Rim Hex Dogging                           | 6.2         | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED314 36"7'         Surface Vertical Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED314 36"8'         Surface Vertical Rod - Hex Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"7'         Surface Vertical Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Cylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75   | QED312 36"         | Rim Cylinder Dogging                      | 6.2         | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED314 36"8'         Surface Vertical Rod - Hex Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"7'         Surface Vertical Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Cylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"7'         Surface Vertical Rod - Fire Rated         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75      <  | QED313 36"         | Rim Fire Rated                            | 6           | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED315 36"7'         Surface Vertical Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED315 36"8'         Surface Vertical Rod - Cylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"7'         Surface Vertical Rod - Fire Rated         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"7'         SVR - Less Bottom Rod - Hex Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75  | QED314 36"7'       | Surface Vertical Rod - Hex Dogging        | 8.2         | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED315 36"8'         Surface Vertical Rod - Cylinder Dogging         8.4         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"7'         Surface Vertical Rod - Fire Rated         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"7'         SVR - Less Bottom Rod - Hex Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"8'         SVR - Less Bottom Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75 <td>QED314 36"8'</td> <td>Surface Vertical Rod - Hex Dogging</td> <td>8.4</td> <td>4</td> <td>48</td> <td>36.5</td> <td>16</td> <td>8.2</td> <td>36.5</td> <td>7.25</td> <td>3.75</td>  | QED314 36"8'       | Surface Vertical Rod - Hex Dogging        | 8.4         | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED316 36"7'         Surface Vertical Rod - Fire Rated         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED316 36"8'         Surface Vertical Rod - Fire Rated         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"7'         SVR - Less Bottom Rod - Hex Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"8'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75  | QED315 36"7'       | Surface Vertical Rod - Cylinder Dogging   | 8.2         | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED316 36"8'         Surface Vertical Rod - Fire Rated         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"7'         SVR - Less Bottom Rod - Hex Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"8'         SVR - Less Bottom Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75   | QED315 36"8'       | Surface Vertical Rod - Cylinder Dogging   | 8.4         | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED317 36"7'         SVR - Less Bottom Rod - Hex Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"8'         SVR - Less Bottom Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75  | QED316 36"7'       | Surface Vertical Rod - Fire Rated         | 8           | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"8'         SVR - Less Bottom Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75   | QED316 36"8'       | Surface Vertical Rod - Fire Rated         | 8.2         | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED317 36"8'         SVR - Less Bottom Rod - Hex Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"8'         SVR - Less Bottom Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75   | QED317 36"7'       | SVR - Less Bottom Rod - Hex Dogging       | 8           | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED318 36"7'         SVR - Less Bottom Rod - Cylinder Dogging         8         4         48         36.5         16         8.2         36.5         7.25         3.75           QED318 36"8'         SVR - Less Bottom Rod - Cylinder Dogging         8.2         4         48         36.5         16         8.2         36.5         7.25         3.75  |                    |   |             |          | 48         |        |          |        |        |          | 3.75   |
| QED318 36"8' SVR - Less Bottom Rod - Cylinder Dogging 8.2 4 48 36.5 16 8.2 36.5 7.25 3.75  |                    |   |             |          |            |        |          |        |        |          |        |
|  |                    |   |             |          |            |        |          |        |        |          | _      |
| , UED3 19:36" /    SVK - Less Bottom Kod - Fire Kated   8.2   4   48   36.5   16   8.2   36.5   7.25   3.75  | QED319 36"7'       | SVR - Less Bottom Rod - Fire Rated        | 8.2         | 4        | 48         | 36.5   | 16       | 8.2    | 36.5   | 7.25     | 3.75   |

|              | & Measurements  |             |               |            |          | Case Box |        |        | Unit Box |        |
|--------------|---|-------------|---------------|------------|----------|----------|--------|--------|----------|--------|
| Product      | Function  | Unit Weight | Case Qty      | Pallet Qty | Length   | Width    | Height | Length | Width    | Height |
| 0ED319 36"8' | SVR - Less Bottom Rod - Fire Rated                    | 8.4         | 4             | 48         | 36.5     | 16       | 8.2    | 36.5   | 7.25     | 3.75   |
| QED311 48"   | Rim Hex Dogging                                       | 6.4         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED312 48"   | Rim Cylinder Dogging                                  | 6.4         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED313 48"   | Rim Fire Rated  | 6.2         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED314 48"7' | Surface Vertical Rod - Hex Dogging                    | 8.4         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED314 48"8' | Surface Vertical Rod - Hex Dogging                    | 8.6         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED315 48"7' | Surface Vertical Rod - Cylinder Dogging               | 8.4         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED315 48"8' | Surface Vertical Rod - Cylinder Dogging               | 8.6         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED316 48"7' | Surface Vertical Rod - Fire Rated                     | 8.2         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED316 48"8' | Surface Vertical Rod - Fire Rated                     | 8.4         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED317 48"7' | SVR - Less Bottom Rod - Hex Dogging                   | 8.2         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED317 48"8' | SVR - Less Bottom Rod - Hex Dogging                   | 8.4         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED318 48"7' | SVR - Less Bottom Rod - Cylinder Dogging              | 8.2         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED318 48"8' | SVR - Less Bottom Rod - Cylinder Dogging              | 8.4         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED319 48"7' | SVR - Less Bottom Rod - Fire Rated                    | 8.4         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
| QED319 48"8' | SVR - Less Bottom Rod - Fire Rated                    | 8.6         | 4             | 48         | 48.5     | 16       | 8.2    | 48.5   | 7.25     | 3.75   |
|              | tandard Duty Escutcheon Exit Trim                     | 0.0         |               |            | .0.0     |          | 0.2    | 1015   | 7,123    | 31.3   |
| QET320       | Dummy Escutcheon Lever                                | 2.25        | 12            | 324        | 16.81    | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QET325       | Dummy Escutcheon Pull                                 | 1.9         | 6             | 162        | 14.9     | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QET330       | Passage Escutcheon Lever                              | 2.8         | 12            | 324        | 16.81    | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QET360       | Keyed Escutcheon Lever (Classroom)                    | 2.8         | 12            | 324        | 16.81    | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QET365       | Thumbpiece Escutcheon Pull                            | 3.1         | 6             | 162        | 14.9     | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QET367       | Thumbpiece Dummy Escutcheon Pull                      | 1.9         | 6             | 162        | 14.9     | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QET370       | Night Latch Escutcheon Lever (Storeroom)              | 2.8         | 12            | 324        | 16.81    | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QET375       | Night Latch Pull (Storeroom)                          | 1.9         | 6             | 162        | 14.9     | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
| QET377       | Gull Wing Trim (Storeroom)                            | 1.7         | 12            | 324        | 16.81    | 14.25    | 9.13   | 8.27   | 5.34     | 3.34   |
| QET390       | Flat/Blank Escutcheon Plate                           | 1.4         | 6             | 162        | 14.9     | 10.35    | 8.7    | 14.37  | 3.15     | 3.86   |
|              | tandard Duty Round Rose Trim                          |             |               | 102        |          | 1000     | -      |        |          |        |
| QRT320       | Dummy Round Rose                                      | 2.07        | 12            | 432        | 14       | 11.75    | 7.5    | 7.5    | 6.75     | 3.75   |
| QRT330       | Passage Round Rose                                    | 2.07        | 12            | 432        | 14       | 11.75    | 7.5    | 7.5    | 6.75     | 3.75   |
| QRT360       | Entry Round Rose (Classroom)                          | 2.8         | 12            | 432        | 14       | 11.75    | 7.5    | 7.5    | 6.75     | 3.75   |
| QRT361       | Entry Round Rose SFIC (Classroom)                     | 2.8         | 12            | 432        | 14       | 11.75    | 7.5    | 7.5    | 6.75     | 3.75   |
| QRT370       | Night Latch Round Rose (Storeroom)                    | 2.8         | 12            | 432        | 14       | 11.75    | 7.5    | 7.5    | 6.75     | 3.75   |
| QRT371       | Night Latch Round Rose SFIC (Storeroom)               | 2.8         | 12            | 432        | 14       | 11.75    | 7.5    | 7.5    | 6.75     | 3.75   |
| DOOR CLOSERS | , , ,   |             |               |            |          |          |        |        |          |        |
|              |   |             | Extra D       | uty        |          |          |        |        |          |        |
| QDC111       | Tri-pack  | 12.3        | 3             | 126        | 14.25    | 16.5     | 6      | 14.25  | 5.5      | 6      |
| QDC112       | Tri-pack with Hold Open                               | 13.3        | 1             | 138        | 14.25    | 5.5      | 7      | 14.25  | 5.5      | 7      |
| QDC113       | Extra Duty Arm with Compression Stop                  | 14          | 1             | 138        | 14.25    | 5.5      | 7      | 14.25  | 5.5      | 7      |
| QDC114       | Extra Duty Arm with Hold Open and Compression Stop    | 14          | 1             | 115        | 14.25    | 5.5      | 8      | 14.25  | 5.5      | 8      |
| QDC115       | Extra Duty Arm  | 13.6        | 1             | 138        | 14.25    | 5.5      | 7      | 14.25  | 5.5      | 7      |
| QDC116       | Extra Duty Arm with Hold Open                         | 13.8        | 1             | 138        | 14.25    | 5.5      | 7      | 14.25  | 5.5      | 7      |
|              | , ,   |             | Heavy D       |            |          |          | ,      |        |          |        |
| QDC211       | Tri-pack  | 6.6         | 6             | 180        | 14.25    | 15.75    | 7.5    | 13.5   | 4.875    | 3.25   |
| QDC212       | Tri-pack with Hold Open                               | 8           | 6             | 180        | 14.25    | 15.75    | 7.5    | 13.5   | 4.875    | 3.25   |
| QDC213       | Heavy Duty Arm with Compression Stop                  | 8.5         | 3             | 216        | 14.25    | 15.75    | 7.5    | 13.375 | 7.875    | 3.25   |
| QDC214       | Heavy Duty Arm with Hold Open and<br>Compression Stop | 8.7         | 3             | 216        | 14.25    | 15.75    | 7.5    | 13.375 | 7.875    | 3.25   |
|              | compression stop                                      |             | Standard      | Duty       | <u> </u> |          |        |        |          |        |
| QDC311       | Tri-pack  | 6.3         | Standard<br>6 | 180        | 14.25    | 15.75    | 7.5    | 13.5   | 4.875    | 3.25   |
| QDC311       | Tri-pack with Hold Open                               | 7.7         | 6             | 180        | 14.25    | 15.75    | 7.5    | 13.5   | 4.875    | 3.25   |
| QDC312       | Heavy Duty Arm with Compression Stop                  | 8.2         | 3             | 216        | 14.25    | 15.75    | 7.5    | 13.375 | 7.875    | 3.25   |
|              | Heavy Duty Arm with Hold Open and                     |             |               |            |          |          |        |        |          |        |
| QDC314       | Compression Stop                                      | 8.4         | 3             | 216        | 14.25    | 15.75    | 7.5    | 13.375 | 7.875    | 3.25   |

### **QUOTING & ORDERING**

Price quotations are based on one (1) shipment to one (1) location, and are valid as identified in the quote but in no case longer than <u>one year</u> from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba USA Inc. ("dormakaba USA") Representative where the project is located.

**QUOTING PROCESS AND PROCEDURES:** The following information is necessary to secure a price quotation from dormakaba USA.

- Distributor Name
- Distributor Location
- Distributor Contact Name and Phone Number
- Distributor e-mail contact
- Project Name
- Project Location
- Bid Date
- Architects Name, Phone Number and Architects Location
- Specification Writer Name, Phone Number and Location
- Competitive Influence / Specification
- List of materials to be quoted

Every attempt will be made by dormakaba USA to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba USA Customer Service Department in Indianapolis for processing.

**NON-STANDARD PRODUCT REQUEST:** Please contact your dormakaba USA Representative to complete a Non-Standard Product Request Form.

All requests should be submitted to the following email address: **Email:** product.request.us@dormakaba.com

Upon receipt of a special order request, dormakaba USA will review the configuration and determine if dormakaba USA is capable of making the special order product and will provide a response to the customer. If dormakaba USA is able to make the special order product, dormakaba USA will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

**ORDERING:** The following information is required for dormakaba USA to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba USA Approved Quote

Please send all orders to BAS-orderentry.us@dormakaba.com or by fax to 877-835-1030

**NOTE:** For detailed information on how to place an order for dormakaba USA products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

**ADD ON ORDERS FOR QUOTED PROJECTS:** To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba USA's original order number. Add-On orders will be accepted for a period one (1) year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba USA Representative for re-quote.

**STOCKING ORDERS:** All orders for stock replenishment should be marked as "Stock" and indicate a "Ship To" address that coincides with the stocking Distributor warehouse location.

**INCOMPLETE ORDER PROCESS:** All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba USA Customer Service will make one (1) attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba USA at that time the order will be referred to the local dormakaba USA Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen (14) calendar days.

**PRICE DISCREPANCY PROCESS:** All entered orders are reviewed by dormakaba USA Customer Service for accuracy and pricing consistency between the Distributor and dormakaba USA. Any order determined by dormakaba USA, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba USA for a Price Discrepancy. dormakaba USA quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba USA Representative.

**ORDER CANCELLATION/CHANGES:** All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc) should be sent directly to dormakaba USA Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

Email: BAS-cshelp.us@dormakaba.com Fax: 1-877-835-1030

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba USA's Terms and Conditions of Sale.

**PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE" REQUESTS:** All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (*Required Date, Expected Date, etc. do not apply*) These orders will be scheduled to ship on or after the date listed.

### QUOTING & ORDERING (continued)

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: BAS-cshelp.us@dormakaba.com.

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

### **EXPEDITE REQUESTS:**

• Expedite requests will be reviewed and accommodated by dormakaba USA based on production lead times and availability.

**Email**: BAS-expediterequest.us@dormakaba.com

• See the then current dormakaba USA Quick Ship Program for details.

**WHOLESALE PURCHASE:** Distributors are also free to utilize dormakaba USA's Authorized Wholesalers to purchase product. dormakaba USA does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba USA shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.

### RETURN AUTHORIZATION FORM REQUEST ☐ Return for Replacement ☐ Return for Credit Date of Request: **NATURE OF PROBLEM** Original Order: Date of Request: Original P.O.: \_\_\_\_\_ **☐** Manufacturing Defect Invoice #: \_\_\_\_\_ ■ Warranty Evaluation Customer Name:\_\_\_\_\_ Missing Parts ■ Wrong Material Received Account Number: \_\_\_\_\_ Wrong Material Ordered ■ Wrong Quantity City: State: \_\_\_\_\_Zip: \_\_\_\_ ■ Return Inventory Contact Name: \_\_\_\_\_ □ Other: E-mail: NOTE: All returns shall be subject to dormakaba USA Inc.'s current Terms of Sale and Warranty as outlined in the price Phone: catalog. ☐ Ship Replacement Material to Address Above ☐ Ship Replacement Material to Address on Order **DETAILED DESCRIPTION OF DEFECT OR REASON FOR RETURN RETURN MATERIAL** Line Item # Quantity **Product Nomenclature Product Description**

Please e-mail completed form to BAS-rgacreditgrp.us@dormakaba.com or Fax to 1-877-835-1030

### **RETURNED AUTHORIZATION (RA)**

**RA REQUESTS:** A Return Authorization Form ("RA") must be utilized to return defective products <u>still under warranty</u> or products deemed repairable by dormakaba USA Inc. ("dormakaba USA"). All products returned to dormakaba USA must have a correct Return Authorization (RA) number applied to the outside of the shipping carton. All products must be returned within sixty (60) calendar days of RA issue date. This process can take up to seven (7) days after product is received at dormakaba USA's factory. If a defective product presents a security risk, an advance replacement may be requested.

**RA PROCESS:** Requests for warranty related returns can be initiated by submitting an e-mail to

### BAS-rgacreditgrp.us@dormakaba.com.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

End User Name

- Sales Order Number
- Account Number
- Item Number
- Contact Name
- Item Quantity
- Phone Number
- · Description of the Problem
- Purchaser Order Number
  - Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member.
  - Once a claim number is issued, this number should be noted on all references and communications regarding the applicable situation to ensure a claim is easily identified.
  - Defective product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75<sup>th</sup> Street Indianapolis, IN 46250

- When material is received at dormakaba USA's factory, dormakaba USA will assess and determine the nature of the defect.
- Defective goods are replaced upon dormakaba USA's determination.
- Credit for material and freight is issued only if deemed appropriate by dormakaba USA. If approved, credit is initiated and a credit memo is mailed to the Distributor within fifteen (15) business days.

### **PURCHASE ORDERS:**

A Purchase Order (PO) will be required if the Product is:

- 1. Defective and not under warranty, or
- An advance replacement is required <u>without</u> verification of whether the product is defective and under warranty.

Please send Purchase Orders to the following:

- Preferred Method e-mail:
  - BAS-rgacreditgrp.us@dormakaba.com
- Fax: 1-877-835-1030

May 2018

### RETURNED AUTHORIZATION (RA) NON-WARRANTY

**RA POLICY:** A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non-warranty related return. All materials returned to dormakaba USA Inc. ("dormakaba USA") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A thirty percent (30%) re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba USA with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

**RA PROCESS:** Requests for non-warranty related returns can be initiated by submitting an e-mail to **BAS-rgacreditgrp.us@dormakaba.com**.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
- Sales Order Number
- Account Number
- Item Number
- Contact Name
- Item Quantity
- Phone Number
- Description of the Problem
- Purchaser Order Number
- Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member:
- 2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
- Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75<sup>th</sup> Street Indianapolis, IN 46250

- The RA will be processed once material is received at dormakaba USA's factory provided it is received in its original packaging and is in saleable condition.
- Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

### FULFILLMENT ISSUES

Any quality issues (missing parts, wrong parts, handing, finish, etc) should be submitted electronically to: BAS-rgacreditgrp.us@dormakaba.com or your Local dormakaba USA Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

**1) ITEMS MISSING FROM A SHIPMENT:** If you have signed your shipment short, dormakaba USA Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba USA Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued.

If dormakaba USA Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The quality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba USA order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

**2) WRONG ITEMS RECEIVED** (parts, handing, function, finish, etc):

Advanced replacements will be issued for any wrong items received. Such orders will be charged based on pricing/ discounts from the original order. The issue will be forwarded to dormakaba USA's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba USA order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba USA order entry and/or manufacturing errors.

|           |                                  |                           | PU             | PURCHASE             | H          | SE                               | 0 8          | ORDER  |                  |                  | (ATTAC                   | H KEY SYS                           | (ATTACH KEY SYSTEM SUMMARY)             |
|-----------|----------------------------------|---------------------------|----------------|----------------------|------------|----------------------------------|--------------|--|------------------|------------------|--------------------------|-------------------------------------|---|
|           |                                  | CUS                       | TOMER          | CUSTOMER SERVICE:    |            | FOR ADD                          | ITIONAL INF  | FOR ADDITIONAL INFORMATION, CONTACT:         | NTACT:           |                  | dorn                     | nakaba USA                          | dormakaba USA Inc. USE ONLY             |
|           |                                  | 3)                        | (855) 365-2407 | 5-2407               |            | NAME:                            |              |  |                  | SALES ORDER #:   | DER #:                   |                                     |   |
|           |                                  | FA                        | FAX ORDERS TO: | ERS TO:              |            | PHONE:                           |              |  |                  | RED'D/EDITED BY: | ITED BY:                 |                                     | DATE:                                   |
|           |                                  | <b>9</b>                  | (877) 835-1030 | 5-1030               |            | E-MAIL:                          |              |  |                  | ENTERED BY:      | BY:                      |                                     | DATE:                                   |
| BILL TO C | BILL TO CUSTOMER ID:             | DATE WRITTEN:             | TTEN:          | REQUESTED SHIP DATE: | HIP DATE:  | PURCHASE ORDER #:                | ORDER #:     | QUOTE #:                                     |                  | VERIFIED BY:     | BY:                      |                                     | DATE:                                   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  | ORDER TYPE:      | PE:                      |                                     | PCR/BID#:                               |
| SOLC      | SOLD TO: Customer Name & Address | me & Address              |                |                      | SHIP TO:   | SHIP TO: Customer Name & Address | ıme & Addre: | SS   |                  |                  | SPECIAL INST             | SPECIAL INSTRUCTIONS/JOB NAME ETC.: | 8 NAME ETC.:                            |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           | ٠              | · · REO              | UIRED      | INFOR                            | MATION       | REQUIRED INFORMATION FOR ORDERING PROCESSING | PERING           | PROCES           | SING                     |                                     |   |
|           | PROL                             | PRODUCT DESCRIPTION CODES | IPTION C       | ODES                 |            |                                  |              | KEYING CONFIGURATION                         | GURATION         |                  | MULTIPLIER               |                                     | DETAILED NOTES & INFORMATION            |
| Line Qty  | Series/<br>Function<br>(Part #)  | Style                     | Finish         | Latch                | Strike     | Кеумау                           | Keying       | Door/Unit<br>Markings or<br>Key Groups       | Key<br>Symbol(s) | MK<br>Symbol(s)  | List Price<br>(Required) | Net Price<br>(Auto Fill)            | Additional Details<br>to Complete Order |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           | $\top$         |                      | $\uparrow$ |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           | $\uparrow$     | 1                    | $\uparrow$ |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           | $\top$         |                      | 1          |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |
|           |                                  |                           |                |                      |            |                                  |              |  |                  |                  |                          |                                     |   |

|  | DETAILED NOTES & INFORMATION | Additional Details<br>to Complete Order |  |  |  |  |  |  |  |  |  |  |  |  | JOB NAME:            |
|--|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|----------------------|
| •  |                              | Net Price<br>(Auto Fill)                |  |  |  |  |  |  |  |  |  |  |  |  |                      |
| SING   | MULTIPLIER                   | List Price<br>(Required)                |  |  |  |  |  |  |  |  |  |  |  |  |                      |
| PROCES                                       |                              | MK<br>Symbol(s)                         |  |  |  |  |  |  |  |  |  |  |  |  | DATE WRITTEN:        |
| ERING  | GURATION                     | Key<br>Symbol(s)                        |  |  |  |  |  |  |  |  |  |  |  |  | DATEW                |
| REQUIRED INFORMATION FOR ORDERING PROCESSING | KEYING CONFIGURATION         | Door/Unit<br>Markings or<br>Key Groups  |  |  |  |  |  |  |  |  |  |  |  |  | PURCHASE ORDER #:    |
| MATION                                       | _                            | Keying                                  |  |  |  |  |  |  |  |  |  |  |  |  | PURCHAS              |
| DINFOR                                       |                              | Кеуwау                                  |  |  |  |  |  |  |  |  |  |  |  |  | CUSTOMER NAME:       |
| QUIRE  |                              | Strike                                  |  |  |  |  |  |  |  |  |  |  |  |  | CUSTON               |
| • • RE                                       | CODES                        | Latch                                   |  |  |  |  |  |  |  |  |  |  |  |  | IER ID:              |
| Ĭ  | CRIPTION (                   | Finish                                  |  |  |  |  |  |  |  |  |  |  |  |  | BILL TO CUSTOMER ID: |
|  | PRODUCT DESCRIPTION CODES    | Style                                   |  |  |  |  |  |  |  |  |  |  |  |  | BILLTO               |
|  | PROL                         | Series/<br>Function<br>(Part #)         |  |  |  |  |  |  |  |  |  |  |  |  |                      |
|  |                              | Qty                                     |  |  |  |  |  |  |  |  |  |  |  |  |                      |
|  |                              | Line<br>Item                            |  |  |  |  |  |  |  |  |  |  |  |  |                      |

| Keying System Summa   | iry   |                 |                                    |                       |
|---|---|-----------------|------------------------------------|-----------------------|
| SHEET   | DATE:   | PURCHASE ORD    | ER #:                              | SALES ORDER #:        |
| 1 of 2  |   |                 |                                    |                       |
| SOL   | DTO:  |                 | SHIP TO                            | :                     |
|   |   |                 |                                    |                       |
|   |   |                 |                                    |                       |
|   |   |                 |                                    |                       |
| 1. JOB NAM  | E & ADDRESS   |                 | 5. KEY QUAN                        |                       |
|   |   | MASTER LEVEL    | STAMF                              | P QTY                 |
|   |   | ☐ GGM           |                                    | <u>.</u>              |
|   |   | ☐ GM            | •••••                              |                       |
| 2. SYSTE  | M STATUS  |                 | ••••••                             |                       |
| NEW   | EXISTING  | MK/GROUP        |                                    |                       |
| 2.6767  | EM TVDE   |                 |                                    |                       |
|   | EM TYPE   | OTHER           |                                    |                       |
| SKD   | Maison (Cross Keying)   | OTHER           |                                    |                       |
| MK  | CK (Construction Keying)  | OTHER           |                                    |                       |
| ☐ GMK   |   |                 |                                    |                       |
| GGMK  |   | CHANGE KEYS*    |                                    | QTY                   |
| 4. k  | KEYS  | PER CYLINDER/L  |                                    |                       |
| KEYWAY SELECTION  |   | PER KEYED ALIKE | = GKOUP<br>nge keys are standard p | per lockset/cvlinder. |
| KWIKSET   | YALE - GA   | Key blar        | nks cannot be substitut            | ed for cut keys       |
| WEISER  | SARGENT - LA  |                 | 6. CROSS KE                        | YING                  |
| SCHLAGE - C   | SFIC - F (IC CORE)  | KEY SYMBOL      | TO BE OPER                         | RATED BY (OBY)        |
| KEY & CYL STAMPING  |   |                 |                                    |                       |
| VKCO No Bitting or Key Set Stamping on Keys                       | CKC2 Concealed Key Control<br>Cylinders & VKC Keys                      |                 |                                    |                       |
| VKC1 Visual Key Stamping (Keys Only)                              | CKC3 Concealed Key Control Cylinders Only                               |                 |                                    |                       |
| VKC2 Special Stamping (other than standard                        | DND Do Not Duplicate (Keys Stamped)                                     |                 |                                    |                       |
| symbols)  | - Keys: up to 6 characters  |                 |                                    |                       |
| VKC3 Visual Key Control (Cylinder face only - levers & deadbolts) | - Cylinder face: Up to 4 characters - Cylinder side: Up to 6 characters |                 |                                    |                       |
| VKC4 Visual Key Control (Keys & Cylinder face)                    | - cyllituer slue: Up to o characters                                    |                 |                                    |                       |

# Keying System Summary

| SHEET  | DATE: | PURCHASE ORDER #: | SALES ORDER #: |
|--------|-------|-------------------|----------------|
| 2 of 2 |       |                   |                |

| SOLD TO:   | 10. BITTING LIST   |
|--|--|
| 302010.  | PROVIDE BITTING LIST FOR THIS ORDER:   |
|  |  |
|  | YES NO   |
| 7. PACKAGING & MARKINGS  | LETTER OF AUTHORIZATION:   |
| DACK CHANICE KEVC WITH   | ATTACHED   |
| PACK CHANGE KEYS WITH LOCKS/CYLINDERS (STANDARD)   | MAIL BITTING LIST TO:  |
| PACK CHANGE KEYS SEPARATELY  | WALL BITTING LIST TO.  |
| LABEL ENVELOPES:   |  |
| KEY SYMBOL DOOR NUMBER   |  |
| JOB NAME OTHER*  | ATTENTION:   |
| *MARKINGS FOR OTHER:   |  |
| TWW WWW. WEST OF CONTROL OF CONTR | 11. CONTACT  |
| SHIP CHANGE KEYS TO:   | NAME OF INDIVIDUAL IN YOUR ORGANIZATION WHO  |
|  | IS KNOWLEDGEABLE ABOUT THIS PROJECT, SHOULD ANY CLARIFICATION BY NECESSARY (Please Print): |
|  |  |
| ATTENTION:   | NAME:  |
| 8. SHIPPING INSTRUCTIONS FOR MASTER KEYS   | PHONE #:   |
| SHIP MASTER KEYS TO:   |  |
|  | THIS FORM HAS BEEN COMPLETED BY (Please Print):  |
|  | NAME:  |
| ATTENTIONI   |  |
| ATTENTION:   | ADDITIONAL INFORMATION (ATTACH)  |
| 9. SHIPPING INSTRUCTIONS FOR CONSTRUCTION KEYS   |  |
| SHIP CONSTRUCTION KEYS TO:   |  |
|  |  |
|  |  |
| ATTENTION:   |  |

## **STANLEY**.

6161 East 75th Street Indianapolis, IN 46250 USA

Phone 855-365-2407

stanleyhardwarefordoors.com

