

Sliding and Folding Hardware

PRICE LIST 67SF

EFFECTIVE: JANUARY 2, 2019



General Index

Contact Information	2
Terms and Conditions of Sale	3-4
Limited Warranty	5
Bifold Track and Hardware	6-9
ByPass Track and Hardware	10-14
Pocket Door Track, Hardware and Frames	15-16
Cross Reference of EDP Number to Class Number	17-18
Quoting and Ordering	19-20
Returned Authorization (RA)	21
Returned Authorization (RA) Non-Warranty	22
Fullfillment Issues	22
Return Order Request	23

STANLEY Sliding and Folding Hardware

Hours of Operation: Monday - Friday, 8:00 am - 5:00 pm EST

Toll Free Phone: 1.855.365.2407
Toll Free Fax: 1.877.835.1030

TERMS AND CONDITIONS OF SALE

The terms and conditions contained herein shall govern the sale of all products located in the price catalog and/or offered for sale by dormakaba USA Inc. ("dormakaba USA"), except for those products as set forth under separate Value Added Reseller Agreements. The acceptance of any order is expressly made conditional upon your assent to these Terms and Conditions of Sale.

PRICES: dormakaba USA reserves the right, in its sole discretion, to change or amend its price list (including, but not limited to, adding or removing Products from the price list), and standard terms and conditions of sale as contained in its catalogs, price list or published sales policies, without incurring any liability whatsoever to its Customer or others. All orders will be filled at the List Price in effect at the time of order placement. All prices are subject to change without notice and are not quaranteed.

TAXES: List prices do not include federal, state or local taxes.

ORDERS: No order for Products shall be deemed to have been accepted by dormakaba USA until written notice of its acceptance is received by the Customer from dormakaba USA via an order acknowledgement. dormakaba USA reserves the right, in its sole discretion, to decline to accept any order. Purchase Orders will bind dormakaba USA only to the extent accepted by dormakaba USA's written confirmation or delivery.

dormakaba USA will attempt to fill orders in the order in which they are received, subject to prior orders. However, dormakaba USA reserves the right to allocate orders or fill an order or orders ahead of prior orders, if, in its judgment, the facts warrant such a change.

Any additional provisions in a Purchase Order, including any pre-printed terms, shall be void and not binding on dormakaba USA, unless expressly accepted by dormakaba USA. For greater certainty, the acceptance by dormakaba USA of a Purchase Order shall not be deemed acceptance of the additional terms of such Purchase Order.

dormakaba USA will accept orders via phone, email, fax or courier. dormakaba USA will send out an order acknowledgement for all orders received via email, phone or fax.

NOTE: Receipt or possession of this price catalog does not grant approval to quote or purchase products. Please contact your dormakaba USA Sales Representative for further details.

KEYING SYSTEM ORDERS: All orders of keying systems specifying delayed fulfillment must be fulfilled within twelve (12) months of the order date. Said request for fulfillment must include complete keying instructions for the order to be acknowledged with an estimated delivery date. Failure to properly request fulfillment of the order within twelve (12) months of the order date will make the order void and nonrefundable.

SPECIAL ORDERS: Any modification to a standard product configuration is considered a special order. No credits will be issued for returned special orders unless authorized by dormakaba USA Customer Service.

INCOMPLETE ORDERS: An incomplete order is one that is not fully specified according to the appropriate nomenclature required for that product. Any incomplete order will not be entered and will be referred to the appropriate dormakaba USA Sales Representative for resolution.

SAMPLES: Please contact your local dormakaba USA Sales Representative for sample requests.

MINIMUM CHARGE: The expense of handling an order necessitates a minimum charge of \$50.00 net per invoice.

CREDIT LIMITS: dormakaba USA's policy is to extend Net 30-day terms/open account combined with a credit line based on financial capacity. For all accounts dormakaba USA requires a Credit Application and Sales Tax Exempt Certificate (if applicable). dormakaba USA evaluates traditional sources of credit information: D&B, trade and bank references, financial information, and business plans. The supply of credit herein shall be at the discretion of dormakaba USA. If available information and/or financial circumstances will not support open accounts terms, dormakaba USA offers Cash in Advance and Credit Card (MasterCard or VISA) terms. dormakaba USA performs periodic reviews of credit lines and terms of payment and may request updated financial information.

dormakaba USA reserves the right to withhold delivery of Product if Customer does not meet dormakaba USA's credit requirements for the amount of Product ordered, or the amount of Product which remains unpaid (whether or not overdue) exceeds the limit established by dormakaba USA for Customer. Customer shall provide, at dormakaba USA's request, an acceptable letter of credit or guarantee or security in a form and amount determined by dormakaba USA.

If Customer shall become overdue on its account or otherwise defaults in any payment to dormakaba USA or if its financial condition shall at any time appear inadequate to warranty further shipment on an open account basis, dormakaba USA shall have the right, without liability, to refuse to accept any or all orders, to cancel any and all orders, to delay shipments, or to require advance payment before accepting or shipping any orders. All orders and all shipments are subject to approval by the dormakaba USA Credit Department.

PAYMENT TERMS: dormakaba USA standard payment terms are 2% 15, net 30 days from date of invoice.

Effective September 28, 2014, a \$45.00 convenience fee will apply to all payments made by Credit Card towards open invoices on your account. You may choose to pay by credit card by reaching out to your Credit Analyst directly in order to process payment. You can avoid paying the \$45.00 convenience fee by enrolling and paying open invoices via Billtrust Invoice Gateway (https://secure.billtrust.com/stanleymechanical/ig/signin) with an ACH Payment (bank transfer from checking or savings account) free of charge. Payments by check, or money order should continue to be sent directly to the remit-to address noted on invoices.

dormakaba USA shall be entitled to charge and Customer shall pay interest on overdue invoices at the rate of two percent (2%) per month calculated from the date of the invoice to the date of payment, including any attorney fees incurred by dormakaba USA resulting from the collection of such overdue payment. Customer shall pay all sums owing to dormakaba USA without any deduction or abatement and Customer shall have no right of set-off.

In the event that Customer disputes any portion of the payment due, Customer shall be obligated to pay the balance which is not the subject of dispute.

Without limiting any other rights it may have under these terms of sale and applicable law, all of dormakaba USA's obligations under this Agreement, including obligations of supply, or any Purchase Order, can be suspended or cancelled should Customer be delinquent in making payment for previously shipped Products.

INTERNATIONAL SALES:

International Resellers located outside of the United States of America who place orders are subject to and must pay by (1) Cash in Advance, (2) Confirmed Irrevocable Letter of Credit, (3) Standby Letter of Credit.

All international shipments shall be FCA (Incoterms 2010) from dormakaba USA's facility in Indianapolis, Indiana USA. dormakaba USA shall be deemed to have delivered all Products and related goods when such are put in the custody of a carrier at dormakaba USA's plant or warehouse above, at which time all title and risk of loss or damage shall pass to Customer.

TERMS AND CONDITIONS OF SALE (continued)

SHIPPING/FREIGHT: All Products shall be shipped FOB Origin domestic or FCA International (INCOTERMS 2010) from dormakaba USA's facility in Indianapolis, Indiana USA. dormakaba USA shall be deemed to have delivered all Products and related goods when such are put in the custody of a carrier at dormakaba USA's plant or warehouse above, at which time all title, risk of loss or damage shall pass to Customer. All shipments will be made in accordance with the preferred routing, carrier assignments, and operational guidelines of dormakaba USA. Customer shall bear all costs of freight, insurance and associated costs and shall make all arrangements for same.

Single or combined shipments including dormakaba USA lock sets, exit devices, hinges and door closers will be considered for free freight with orders at or above \$5000 net (product combination must be on same purchase order). Orders less than \$5,000 will be shipped freight prepaid with shipping cost added to the invoice, including a nominal freight charge to be determined by dormakaba USA at time of shipping.

Hinge only orders will be considered for free fright with orders at or above \$750 net. Orders less than \$750 will be shipped freight prepaid with shipping cost added to the invoice, including a nominal freight charge to be determined by dormakaba USA at time of shipping.

These freight terms apply only to a single destination within the contiguous United States.

Should a shipment qualify for one of dormakaba USA's free freight programs, the Products shall be shipped FOB Origin domestic (with exception to prepaid freight) or FCA International (INCOTERMS 2010) (with exception to prepaid freight) from dormakaba USA's facility in Indianapolis, Indiana USA.

DELIVERY: Orders shall be acknowledged and given a scheduled delivery date based on estimated manufacturing lead times. Manufacturing lead time will begin once all information is received to process an order. Delivery dates given by dormakaba USA as part of order acknowledgment for accepted orders for Products or related goods will be honored by dormakaba USA on a best effort basis. Shipping dates shown on order acknowledgments are based upon dormakaba USA's estimate and cannot be guaranteed. dormakaba USA will not be liable for any loss or damage resulting from delay in filling orders, including any direct or consequential loss or damage. dormakaba USA reserves the right to make partial shipments unless the order specifies otherwise.

CHANGES/CANCELLATIONS: After orders are entered for manufacturing, changes or cancellations cannot be accepted without dormakaba USA written permission, and may be subject to a change or cancellation charge equivalent to 30% of the purchase price.

Orders for special and/or custom designed goods not immediately saleable to another customer are not changeable, cancelable, or returnable.

RETURNED GOODS: dormakaba USA Customer Service MUST authorize all returns. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Use fax number 888-214-1918 for returned goods authorization only. Only goods with an invoice date of less than one (1) year will be considered for a Return Goods Authorization (RGA). All material returned to dormakaba USA, regardless of the reason, must have a correct RGA number applied to the outside of the shipping carton. A restocking charge of 30% of the purchase price will be applied to the Customer's account except for warranty returns. Transportation charges of returned goods must be prepaid by Customer. All goods must be returned within sixty (60) calendar days of RGA issue date. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Product not returned in salable condition or after sixty (60) days of the RGA issue date is subject to disposal by dormakaba USA with no credit issued.

dormakaba USA cannot authorize the return of discontinued product. Under no circumstances will special order items be accepted for return, unless covered by warranty.

EXPORT REGULATIONS: Customer agrees to conform to, and abide by, the export laws and regulations of the US, including, but not limited to, the Export Administration Act of 1979 as amended and its implementing regulations. Diversion contrary to US laws and regulations is prohibited.

MASTERKEYING: Best Masterkey Code and Masterkey Service Policy can be found at www.bestaccess.com.

LIMITATION OF LIABILITY: EXCEPT AS OTHERWISE REQUIRED BY APPLICABLE LAW, dormakaba USA SHALL HAVE NO LIABILITY FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, EXEMPLARY, LIQUIDATED OR PUNITIVE DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS, COSTS OF DELAY, ANY FAILURE OF DELIVERY, OR BUSINESS INTERRUPTION, REGARDLESS OF WHETHER THE CLAIM GIVING RISE TO SUCH DAMAGES IS BASED UPON BREACH OF WARRANTY, BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), PRODUCT LIABILITY, OR OTHERWISE, EVEN IF dormakaba USA HAS BEEN ADVISED OF THE POSSIBILITY THEREOF. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT WILL dormakaba USA's TOTAL AGGREGATE LIABILITY TO CUSTOMER, UNDER ANY LEGAL THEORY, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), PRODUCT LIABILITY, INFRINGEMENT OF OR DAMAGE TO ANY PATENT, COPYRIGHT, TRADEMARK, OR OTHER INTELLECTUAL PROPERTY RIGHTS OF ANY PERSON OR ENTITY, OR OTHERWISE IN RELATION TO THE SALE OF dormakaba USA PRODUCTS TO CUSTOMER, EXCEED THE AGGREGATE OF THE AMOUNT PAID OR PAYABLE TO dormakaba USA BY CUSTOMER FOR THE ORDER GIVING RISE TO THE ALLEGED LIABILITY.

LIMITED WARRANTY: The terms and conditions outlined above are subject to dormabaka USA's Limited Warranty, which is included in the Price Catalog and is incorporated herein by reference. Upon return of a defective product, dormakaba USA shall either repair or replace the product, in its sole discretion, in accordance with our standard warranty.

EXCEPT AS SET FORTH HEREIN, dormakaba USA MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, AND BUYER ACKNOWLEDGES THAT NO REPRESENTATIONS, WARRANTIES, PROMISES OR STATEMENTS HAVE BEEN MADE BY dormakaba USA, WITH RESPECT TO THIS PRODUCT, OR ANY PART OR PORTION THEREOF, IN ADDITION, dormakaba USA MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THIS PRODUCT OR ANY PART OR PORTION THEREOF, FOR ANY PURPOSE, NOR ANY WARRANTY WHICH EXTENDS BEYOND THE DESCRIPTION ON THE FACE HEREOF. dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES SUFFERED BY BUYER OR ANYONE CLAIMING BY, THROUGH OR UNDER BUYER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF, AND THERE ARE NO ORAL OR WRITTEN UNDERTAKINGS OR AGREEMENTS OF ANY TYPE PROVIDED BY dormakaba USA EXCEPT AS EXPRESSLY SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

GOVERNING LAW: These Terms and Conditions of Sale and any subsequent sales agreements between dormakaba USA and Customer shall be construed in accordance with the laws of the State of Indiana. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to this Agreement.



LIMITED WARRANTY

<u>What is Covered</u>: dormakaba USA Inc. ("dormakaba USA") warrants that the Products manufactured by dormakaba USA, identified below, and sold under its trade names "STANLEY" and "STANLEY HINGES AND DOOR ACCESSORIES" are free of defects in materials and workmanship as outlined below. The sole and exclusive liability of dormakaba USA under this warranty is limited to the repair or replacement of any Product or component part covered by the warranty at the sole discretion of dormakaba USA.

<u>Who is Covered</u>: This warranty is extended only to the Seller's distributors of products and the end user who purchases products for purposes other than resale (collectively, "Purchaser").

Hardware Warranty Period:

- · All Electrified Hinges (Butt and Continuous with CE/CS option) shall be warranted for one (1) year from the date of sale.
- All two, three or five knuckle "F" (Plain Bearing), "FBB", (Ball Bearing), and "CB" (Concealed Bearing) mechanical hinges warranty term shall be limited lifetime for a period of the useful life of the building in which the products are originally installed.
- 2060R Series (Spring Hinges) warranty term shall be limited lifetime for a period of the useful life of the building in which the products are
 originally installed.
- Pin and Barrel Continuous Hinges (640 and 650 Series) warranty term shall be (5) years from date of sale.
- Geared Aluminum Continuous Hinges (660 Series) warranty term shall be limited lifetime for a period of the useful life of the building in which the products are originally installed.
- Sliding and Folding hardware (Bi-Fold, By-Pass, and Pocket Door) shall be warranted for (1) year from the date of sale.
- Miscellaneous Hardware Portfolio Offering (Wardrobe Pivots, Emergency Hardware, Olive Knuckle Hinges, Detention Hinges, Residential Hinges, and Parts) shall be warranted for (1) year from the date of sale.
- Finishes shall be warranted for (3) years from the date of sale excluding US10B/613 "Oil Rubbed Bronze" finish.

<u>Warranty Claims</u>: Any Products believed to be defective as covered by this warranty may not be returned without prior written Returned Materials Authorization (RMA) from dormakaba USA Product Support (855) 365-2407 covering specific items and quantities within thirty (30) days from the discovery of the alleged defect(s). dormakaba USA will inform the purchaser where to ship said Product(s), shipping charges prepaid by you, for examination. In the event such examination reveals a defect covered by this warranty; dormakaba USA will, at its sole option, repair or replace the Product, and return it or its replacement to the purchaser, with charges only for shipping.

<u>Exclusions</u>: This warranty is subject to the use of the Products in accordance with dormakaba USA's standard recommendations for door sizes and frequency of operation. This warranty specifically excludes, and dormakaba USA shall not be held responsible for the following:

- a) COSTS ASSOCIATED WITH INSTALLING, REMOVING OR REINSTALLATION OF THE PRODUCT.
- b) Damage caused by Product malfunction or failure attributable to acts of God.
- c) Improper use or installation.
- d) Poor or no maintenance.
- e) Work performed by someone other than an Authorized dormakaba USA technician.
- f) Failure to follow dormakaba USA's operating instructions or environmental specifications.
- g) Incorrect application, modification, vandalism, erosion or corrosion, shipping and/or handling, improper storage, accident, misuse, abuse or any other cause not within the control of dormakaba USA.
- h) This warranty is void if any modification is made to the warranty product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk and expense of the party making the modifications.
- i) dormakaba USA shall not be liable for any repairs, replacements, or adjustments to the product or any costs of labor performed by the Purchaser or others without dormakaba USA's prior written approval.
- j) dormakaba USA provides no warranty or guarantee that its cores and/or cylinders will function properly or be mechanically compatible with products not manufactured by dormakaba USA.
- k) The US10B/613 finish is considered to be a living finish that will change over time with use and age and is expressly excluded from this warranty. The finish changes that occur are indicative of normal wear and tear and reflect the essence of a living finish. The finish changes are not considered manufacturing defects and are not covered by this warranty.

Third Party Warranty: Except as otherwise provided above, dormakaba USA makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Customer's sole recourse for warranty claims is with the manufacturer of the Product. However, dormakaba USA agrees to pass through any third-party warranty that dormakaba USA receives from the manufacturer of the Products to Purchaser. The extent of any third-party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the Products.

LIMITATION OF WARRANTIES: THIS WARRANTY IS GIVEN EXPRESSLY AND IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THERE ARE NO UNDERSTANDINGS, AGREEMENTS, REPRESENTATIONS, OR WARRANTIES NOT SPECIFIED HEREIN.

dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES SUFFERED BY PURCHASER OR ANYONE CLAIMING BY, THROUGH OR UNDER PURCHASER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

THIS WARRANTY IS GOVERNED BY THE LAW OF THE STATE OF INDIANA WITHOUT REGARD TO ITS CONFLICTS OF LAW PRINCIPLES. dormakaba USA AND PURCHASER AGREE THAT THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS SHALL NOT APPLY TO SALE OF THE PRODUCTS COVERED BY THIS WARRANTY.

			Bi-Fo	old Trac	k and Ha	dware				Continued o	n next page
	Model	Size	Finish	ВНМА	EDP#	Stock Item	List Price	Order Multiple	Box Qty	Carton Oty	MPG
	BF20-10^ Top Pivot Bracket		2C	602	524236001		0.67		200 Ea.	200 Ea.	M4
- H	BF20-31^ Top Pivot Guide		2C	602	524208001		0.11		400 Ea.	400 Ea.	M4
	BF25-31^ Spring Loaded Top Guide Pivot		2C	602	524452001	V	0.45		200 Ea.	200 Ea.	M4
	BF30-00-30 2 Door Bifold Retail Set	30" Open- ing			402025	√	10.12	6 Sets	6 Sets	6 Sets	M4
2 Door	BF30-00-36 2 Door Bifold Retail Set	36" Open- ing			402032	√	10.68	6 Sets	6 Sets	6 Sets	M4
4 Door	BF30-00-48 4 Door Bifold Retail Set	48" Open- ing			402044	√	15.18	6 Sets	6 Sets	6 Sets	M4
	BF30-00-60 4 Door Bifold Retail Set	60" Open- ing			402054	√	16.49	6 Sets	6 Sets	6 Sets	M4
	BF30-00-72 4 Door Bifold Retail Set	72" Open- ing			402064	√	17.80	6 Sets	6 Sets	6 Sets	M4
	BF30-01-24^ Steel Track with Pivot Bracket-2 Door	23-3/4"	White		522004001	V	1.62	25 Ea.	25 Ea.	25 Ea.	M4
	BF30-01-30^	29-3/4"	White		522032001	√	1.89	25 Ea.	25 Ea.	25 Ea.	M4
	BF30-01-362^	35-3/4"	White		522060001	√	2.16	25 Ea.	25 Ea.	25 Ea.	M4
	BF30-01-364^ Steel Track with Pivot Bracket-4 Door	35-3/4"	White		522064001	V	2.25	25 Ea.	25 Ea.	25 Ea.	M4
	BF30-01-48^	47-3/4"	White		522068001	√	2.74	25 Ea.	25 Ea.	25 Ea.	M4
	BF30-01-60^	59-3/4"	White		522092001	√	3.24	25 Ea.	25 Ea.	25 Ea.	M4
	BF30-01-72^	71-3/4"	White		522120001	√	3.78	25 Ea.	25 Ea.	25 Ea.	M4
	BF30-01-96^	95-3/4"	White		522148001	√	4.81	25 Ea.	25 Ea.	25 Ea.	M4
	BF30-02-362^	35-3/4"	White		522316001	V	2.11	25 Ea.	25 Ea.	25 Ea.	M4
Bracket Only	BF30-10^ Top Pivot Bracket		2C	602	522236001	V	0.47	200 Ea.	200 Ea.	200 Ea.	M4
2 Door	BF30-22^ Snugger-2 Door				522240001	√	0.27	200 Ea.	200 Ea.	200 Ea.	M4
4 Door	BF30-24^ Snugger-4 Door				522244001	V	0.35	100 Ea.	100 Ea.	100 Ea.	M4
	BF30-25^ Slide Guide				522372001	Stanley National	0.57	200 Ea.	200 Ea.	200 Ea.	M4

		В	Bi-Fold T	rack a	nd Hardw	are (con	t.)			Continued o	n next page
	Model	Size	Finish	ВНМА	EDP#	Stock Item	List Price	Order Multiple	Box Oty	Carton Oty	MPG
	BF30-31^ Top Pivot 3/8" Hole Prep.		2C	602	522612001	√	0.31	200 Ea.	200 Ea.	200 Ea.	M4
	BF30-32^ Guide Wheel 3/8" Hole Prep.		2C	602	522620001	√	0.43	200 Ea.	200 Ea.	200 Ea.	M4
	BF30-33^ Bottom Pivot 3/8" Hole Prep.		2C	602	524212001	√	0.30	200 Ea.	200 Ea.	200 Ea.	M4
	BF30-35^ Guide Wheel 7/16" Hole Prep.		2C	602	522280001	√	0.53	200 Ea.	200 Ea.	200 Ea.	M4
	BF30-36^ Bottom Pivot 7/16" Hole Prep.		2C	602	523248001	√	0.38	200 Ea.	200 Ea.	200 Ea.	M4
	BF30-81^ Jamb Bracket 3/4" Screws		2C	602	524200001	√	0.46	200 Ea.	200 Ea.	200 Ea.	M4
_	Bagset 2400				522017001	√	2.57	100 Sets	100 Sets	100 Sets	M4
	Bagset 2405				522016001		2.57	100 Sets	100 Sets	100 Sets	M4
	Bagset 2453				522007001	√	2.13	100 Sets	100 Sets	100 Sets	M4
	Bagset 2454				522011001	√	1.93	100 Sets	100 Sets	100 Sets	M4
	Bagset 2455				522012001		2.84	100 Sets	100 Sets	100 Sets	M4
	Bagset 2568				523128001		3.83	100 Sets	100 Sets	100 Sets	M4
	BF50-01-48^ Aluminum Track	47-7/8"	Mill		402321001	√	10.49	10 Ea.	10 Ea.	10 Ea.	M4
	BF50-01-60^	59-7/8"	Mill		402322001	√	12.89	10 Ea.	10 Ea.	10 Ea.	M4
	BF50-01-72^	71-7/8"	Mill		402323001	√	15.63	10 Ea.	10 Ea.	10 Ea.	M4
	BF50-01-96^	96"	Mill		402324001	√	20.65	10 Ea.	10 Ea.	10 Ea.	M4
	BF50-01-120^	120"	Mill		402326001	√	25.79	10 Ea.	10 Ea.	10 Ea.	M4
	BF50-01-144^	144"	Mill		402327001		33.87	10 Ea.	10 Ea.	10 Ea.	M4
	BF50-01-192^	192"	Mill		402328001		45.13	10 Ea.	10 Ea.	10 Ea.	M4
	BF50-11^ Pivot Bracket		2C	602	402304001		0.74	200Ea	200Ea	200Ea.	M4
	BF50-22^ Snugger-2 Door				402306001		0.51	100 Ea.	100 Ea.	100 Ea.	M4
	BF50-33^ Bottom Pivot		2C	602	522276001	√	0.66			200 Ea.	M4
	BF50-34s^ Top Pivot 7/16" Hole Prep.				522272001	√	0.50	200 Ea.	200 Ea.	200 Ea.	M4
063	BF50-41s Hanger		2C	602	402303001	√	4.81	10 Ea.	10 Ea.	10 Ea.	M4
	BF50-61^ Plastic Knob		Almond		521244001		0.25	100 Ea.	100 Ea.	100 Ea.	M4
	BF50-62^ Wood knob		Unf. Wood		521280001	√	0.36	100 Ea.	100 Ea.	100 Ea.	M4
	BF50-72^ Aligners		2C	602	522224001	√	0.42	100 Pr.	100 Pr.	100 Pr.	M4
	BF50-81^ Jamb Bracket with Pivot Block with 3/4" Screws		2C	602	522252001	√	0.62	200 Ea.	200 Ea.	200 Ea.	M4

(X) Item must be ordered in these increments. ^For orders having less than the order multiple quantity, add ½ (1.5 multiplier) to the net price.

		В	i-Fold T	Frack a	nd Hardw	are (con	t.)			Continued o	n next page
	Model	Size	Finish	ВНМА	EDP#	Stock Item	List Price	Order Multiple	Box Qty	Carton Oty	MPG
	BF50-83^ Floor Bracket		2C	602	522264001		0.81	200 Ea.	200 Ea.	200 Ea.	M4
	BF50-84^ Heavy Duty Jamb Bracket with 3/4" Screws		2C	602	523236001		0.66	200 Ea.	200 Ea.	200 Ea.	M4
	BF50-HDW^ Hardware Set Set consists of: 1 ea. BF-50-11, 1 ea. BF50-81, 1 ea. BF50- 34, 1 ea. BF50-33, 1 ea. BP250-99, and BF50-25.				402308001	V	3.17	10 Sets	10 Sets	10 Sets	M4
	BFC50-00-36^										
2 Door	Complete Poly Wrap Packaged Sets										
4 Door	2 door set consists of: 1 ea. BF50-01, BF50-11, BF50-22, BF50-33, BF50-34, BF50-41, BF50-62, BF50-81, and BP250-99. Hinges Not Included	36" Open- ing			402293001	√	21.85	10 Sets	10 Sets	10 Sets	M4
	4 door set consists of: 1 ea. BF50-01, BF50- 24, 2 ea. BF50-11, BF50-33, BF50-34, BF50-41, BF50-62, BF50-82, 1 pr. BF50-72 and BP250-99. Hinges Not Included										
	BFC50-00-48^	48" Open- ing			402294001	√	32.34	10 Sets	10 Sets	10 Sets	M4
	BFC50-00-60^	60" Open- ing			402295001	√	35.08	10 Sets	10 Sets	10 Sets	M4
	BFC50-00-72^	72" Open- ing			402296001		36.61	10 Sets	10 Sets	10 Sets	M4
	BFC50-00-96^	96" Open- ing			402298001	√	41.38	10 Sets	10 Sets	10 Sets	M4
	BF125-71 Floor Guide		2C	602	402309001	√	1.86	10 Ea.	10 Ea.	10 Ea.	M4
	BF125-91^ Aluminum Floor Track Guide	8'	Mill		402310001		10.49	10 Ea.	10 Ea.	10 Ea.	M4
	BF125N-21 Snugger-2 Door				524254001		0.58	100 Ea.	100 Ea.	100 Ea.	M4
Top Pivot	BF125N-31^										
	Top and Bottom Pivot Set				405302001	√	21.22	10 Sets	10 Sets	10 Sets	M4
Bottom Pivot											
0 539	BF125N-41^ Hanger Set				405301001	√	16.94	10 Ea.	10 Ea.	10 Ea.	M4

		В	i-Fold 1	Frack a	nd Hardw	are (con	t.)				
	Model	Size	Finish	ВНМА	EDP#	Stock Item	List Price	Order Multiple	Box Qty	Carton Oty	MPG
	BFC125N-00-30 125 lb. Bifold Contrac- tor Set-2 Door										
Top Pivot	2 door set consists of: 1 ea. BP250N-01, BF125N-21, BF125N-41, BP250-99, 1 set BF125N-31, 3 ea. 741 3-1/2x3-1/2, and 741 4x4.	30" Open- ing			405225	√	49.12	1 Set	1 Set	1 Sets	M4
10014400	BFC125N-00-36	36" Open- ing			405232	√	51.30	1 Set	1 Set	1 Sets	M4
	BFC125N-02-48	48" Open- ing			405242	√	57.86	1 Set	1 Set	1 Sets	M4
Bottom Pivot	BFC125N-04-48 125 lb. Bifold Contractor Set-4 Door 4 door set consists of: 1 ea. BP250N-01, BP250-99, 2 ea. BF125N-21, BF125N-41, 6 ea. 741 3-1/2x3-1/2, 741 4x4, and 2 sets BF125N-31.	48" Open- ing			405244	V	88.46	1 Set	1 Set	1 Sets	M4
	BFC125N-00-60	60" Open-			405254	√	92.83	1 Set	1 Set	1 Sets	M4
	BFC125N-00-72	72" Open-			405264	√	99.38	1 Set	1 Set	1 Sets	M4
2 83	BFC125N-00-96	96" Open- ing			405284	√	109.22	1 Set	1 Set	1 Sets	M4
(h)	214-SC Screws For 224/234 Hinge	8"x5/8"	Brass- tone		521000001		0.21	300 Sets	300 Sets	300 Sets	M4
(4)	214-121SC Self Drilling Screws for 224/234 Hinges	8"x5/8"	Brass- tone		521004001		0.42	300 Sets	300 Sets	300 Sets	M4
(+)	220-121SC Drill Point Screws For 220 Hinge	6"x7/8"	Brass- tone		521024001		0.42	600 Sets	600 Sets	600 Sets	M4
0000	220-3^ Non Mortise Hinge with Inline Holes w/ Screws	3"	Brass- tone		521012001	√	0.82	300 Pr.	300 Pr.	300 Pr.	M4
	220-3LS^ Non Mortise Hinge with Inline Holes, Less Screws	3"	Brass- tone		521016001	V	0.60	300 Pr.	300 Pr.	300 Pr.	M4
	221-3^ Non Mortise Hinge with Offset Holes, Less Screws	3"	Brass- tone		521032001	V	0.60	300 Pr.	300 Pr.	300 Pr.	M6
(F)	221-SC^ Screws for 220-3/221-3 Hinges	6"x7/8"	Brass- tone		521040001		0.25	600 Sets	600 Sets	600 Sets	M6
0 0	224^ Flatback Hinge, Less Screws	2-1/2"x1- 5/8"	Satin- Brass		521052001		0.62	300 Pr.	300 Pr.	300 Pr.	M4
0 0	234^ Flatback Hinge, Less Screws	2-1/2"x1- 5/8"	2C	602	521076001		0.43	300 Pr.	300 Pr.	300 Pr.	M4

		ByPa	ss Trac	k and Hardv	vare					
Model	Size	Finish	ВНМА	EDP#	Stock Item	List Price	Order Multiple	Box Oty	Carton Oty	MPG
BP60-HDW (8400BX) Hardware Bagset				541100001	√	2.98	10 Sets	10 Sets	10 Sets	
BP60-HDW-2 (8401-BX) Hardware Bagset				541116001		4.08	10 Sets	10 Sets	10 Sets	
BP60-HDW-3 (8900-BX) Hardware Bagset				541252001	√	3.31	10 Sets	10 Sets	10 Sets- Set	
BP60-HDW-4 (8901-BX) Hardware Bagset				541280001		2.98	10 Sets	10 Sets	10 Sets- Set	
BP60-HDW-5 (8902-BX) Hardware Bagset				541292001		4.52	10 Sets	10 Sets	10 Sets	
BP60-00-48 Complete Set with Slot Adjust Hangers and BP75-03Track 2 door set consists of: 1 ea. BP75-03, BP150-71, 1 pr. BP60-45, BP60-44, and 2 ea. BP150-61	47" Open- ing			403040	V	8.56	6 Sets	6 Sets	6 Sets	M4
BP60-00-60	59" Open- ing			403050	√	9.83	6 Sets	6 Sets	6 Sets	M4
BP60-00-72	71" Open-			403060	√	11.29	6 Sets	6 Sets	6 Sets	M4
BP60-00-96	95" Open- ing			403080	√	16.39	6 Sets	6 Sets	6 Sets	M4
BP60-41^ Dial Adjust Hanger 7/16" Offset		2C	602	541024001	√	1.21	100 Ea.	100 Ea.	100 Ea.	M4
BP60-42^ Dial Adjust Hanger 1/8" Offset		2C	602	541028001	√	1.37	100 Ea.	100 Ea.	100 Ea.	M4
BP60-43^ Single Wheel Hanger 1/4" Offset with 7 Ea. 5/8 Scs.		2C	602	541268001	√	1.05	50 Pr.	50 Pr.	50 Pr.	M4
BP60-44^ Single Wheel Hanger 1/4" Offset with 4 Ea. 5/8 and 3 Ea. 1-1/2 Scs.		2C	602	541272001	V	1.18	50 Pr.	50 Pr.	50 Pr.	M4
BP60-45^ Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs.		2C	602	541284001	√	1.16	50 Pr.	50 Pr.	50 Pr.	M4
BP60-46^ Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 and 3 Ea. 1-1/2 Scs.		2C	602	541288001	√	1.11	50 Pr.	50 Pr.	50 Pr.	M4
BPC60-00-48 60 lb. By Pass Contractor Set with Slot Adjust Hangers and BP75-01 Track 2 door set consists of: 1 ea. BP75-01, BP150- 71, 2 pr. BP60-45, and 2 ea. BP150-61	47" Open- ing			403006001	√	8.74	10 Sets	10 Sets	10 Sets	M4
BPC60-00-60	59" Open-			403008001	√	10.16	10 Sets	10 Sets	10 Sets	M4
BPC60-00-72	71" Open- ing			403010001	√	12.02	10 Sets	10 Sets	10 Sets	M4
BPC60-00-96	95" Open- ing			403012001	√	18.79	10 Sets	10 Sets	10 Sets	M4
BPC60A-00-48 Complete Set with Slot Adjust Hangers and BP75-02Track	47" Open- ing			403020001	√	11.62	10 Sets	10 Sets	10 Sets	M4
	BP60-HDW (8400BX) Hardware Bagset BP60-HDW-2 (8401-BX) Hardware Bagset BP60-HDW-3 (8900-BX) Hardware Bagset BP60-HDW-4 (8901-BX) Hardware Bagset BP60-HDW-5 (8902-BX) Hardware Bagset BP60-O0-48 Complete Set with Slot Adjust Hangers and BP75-03, BP150-71, 1 pr. BP60-45, BP60-44, and 2 ea. BP150-61 BP60-00-60 BP60-00-72 BP60-00-96 BP60-41^A Dial Adjust Hanger 1/8" Offset with 7 Ea. 5/8 Scs. BP60-44^A Single Wheel Hanger 1/4" Offset with 4 Ea. 5/8 and 3 Ea. 1-1/2 Scs. BP60-45^A Single Wheel Hanger 1/2" Offset with 5 Ea. 5/8 Scs. BP60-45^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-45-A Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 and 3 Ea. 1-1/2 Scs. BP60-45-A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-45-A Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 and 3 Ea. 1-1/2 Scs. BP60-45-A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-45-A Single Wheel Hanger 1/2" Offset with 5 Ea. 5/8 Scs. BP60-45-A Single Wheel Hanger 1/2" Offset with 5 Ea. 5/8 Scs. BP60-45-A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-45-A Single Wheel Hanger 1/2" Offset with 1 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 1 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 1 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 1 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 1 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/8 BP60-45-A Single Wheel Hanger 1/2" Offset with 3 Ea. 5/	## BP60-HDW (8400BX) Hardware Bagset	BP60-HDW (8400BX) Hardware Bagset BP60-HDW-2 (8401-BX) Hardware Bagset BP60-HDW-3 (8900-BX) Hardware Bagset BP60-HDW-5 (8902-BX) Hardware Bagset BP60-O0-48 Complete Set with Slot Adjust Hangers and BP75-03 Frack 2 door set consists of: 1 ea. BB75-03 BP150-71, 1 pr. BP60-45, BB0-44, and 2 ea. BP150-61 BP60-00-60 BP60-00-72 BP60-41^A Dial Adjust Hanger 7/16" Offset BP60-42^A Dial Adjust Hanger 1/4" Offset with 7 Ea. 5/8 Scs. BP60-44^A Single Wheel Hanger 1/4" Offset with 7 Ea. 5/8 Scs. BP60-45^A Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 and 3 Ea. 1-1/2 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 and 3 Ea. 1-1/2 Scs. BP60-46^A Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 4 Ea. 5/8 and 3 Ea. 1-1/2 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 6 Ea. 5/8 and 7 Ea. 1-1/2 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Offset with 7 Ea. 5/8 Scs. BP60-46 Single Wheel Hanger 1/2" Of	BP60-HDW (84008X) Hardware Bagset	BP60-HDW (8400BX) Hardware & 541100001	BF60-HDW Size Fillish BHMA EUP Item	BP60-HDW-2 BP60-HDW-3 BP60-HDW-3 BP60-HDW-3 BP60-HDW-4 Bagest BP60-HDW-5 Bagest BP60-HDW-5 Bagest BP60-HDW-6 BP60-HDW	BP60-HDW BROWN Hardware BROWN BROWN	Model Size Finish BHMA EDP# Stack List Price Order Multiple Box Bay	Model Size Finish BHMA EDP# Steek List Price Multiple Bax Day Curton Multiple Beach Curton C

⁽X) Item must be ordered in these increments. AFor orders having less than the order multiple quantity, add ½ (1.5 multiplier) to the net price.

		В	yPass 1	Frack ar	nd Hardware	(con	t.)			Continued or	n next page
	Model	Size	Finish	внма	EDP#	Stock Item	List Price	Order Multiple	Box Qty	Carton Oty	MPG
	BPC60A-00-60 Complete Set with Slot Adjust Hangers and BP75-02 Track	59" Open- ing			403021001	V	12.78	10 Sets	10 Sets	10 Sets	M4
	BPC60A-00-72 Complete Set with Slot Adjust Hangers and BP75-02 Track	71" Open- ing			403022001	V	14.20	10 Sets	10 Sets	10 Sets	M4
	BPD60-00-48 Complete Set with Slot Adjust Hangers and BP75-03 Track Set consists of: 1 ea. BP75-03, BP150-71, BP60-41, 1pr. BP60-42, and 2 ea. BP150-61	47" Open- ing			403140	V	10.93	6 Sets	6 Sets	6 Sets	M4
	BPD60-00-60	59" Open- ing			403150	√	12.19	6 Sets	6 Sets	6 Sets	M4
(1)	BPD60-00-72	71" Open- ing			403160	√	13.11	6 Sets	6 Sets	6 Sets	M4
•	BPD60-00-96	95" Open- ing			403180	√	18.39	6 Sets	6 Sets	6 Sets	M4
	BPD60A-00-48 Complete Set with Dial Adjust Hangers and BP75-02 Track Set consists of: 1 ea. BP75-02, BP150-71, 1 pr. BP60-42, BP150-71, 1 pr. BP60-41, and 2 ea. BP150-61	47" Open- ing			403240001	V	13.29	6 Sets	6 Sets	10 Sets	M4
	BP75-HDW-1 (8100BX) Hardware Bagset				541036001	√	4.15	10 Sets	10 Sets	10 Sets	
	BP75-01-48s^ Steel Double Track	46-1/2"	Galv.		541416001	√	3.72	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-01-60^	58-1/2"	Galv.		541420001	√	4.59	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-01-72^	70-1/2"	Galv.		541424001	√	5.46	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-01-96^	93-1/2"	Galv.		541436001	√	7.21	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-01-120^	120"	Galv.		541444001	√	9.29	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-02-48^ Aluminum Double Track	46-3/8"	Mill		541232001	√	5.57	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-02-60^	58-3/8"	Mill		541236001	√	6.88	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-02-72^	70-3/8"	Mill		541240001	√	9.40	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-02-96^	93-3/8"	Mill		541248001	√	12.35	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-02-144^	144"	Mill		541264001	√	20.54	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-03-48^ Steel Double Track	46-3/8"	Galv.		593096001	√	3.17	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-03-60^	58-3/8"	Galv.		593100001	√	3.50	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-03-72^	70-3/8"	Galv.		593104001	√	4.26	10 Ea.	10 Ea.	10 Ea.	M4

		E	ByPass T	rack ar	nd Hardware	(con	t.)			Continued o	n next page
	Model	Size	Finish	ВНМА	EDP#	Stock Item	List Price	Order Multiple	Box Qty	Carton Oty	MPG
-1]-	BP75-07-48^ Aluminum Double Track	46-7/8"	Mill		541368001		9.62	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-07-60^	58-7/8"	Mill		541372001		12.13	10 Ea.	10 Ea.	10 Ea.	M4
	BP75-07-72^	70-7/8"	Mill		541376001		14.42	10 Ea.	10 Ea.	10 Ea.	M4
<u> </u>	BP75-43^ Twin Wheel Hanger		2C	602	541296001		1.86	50 Pr.	50 Pr.	50 Pr.	M4
© 3 0 []]	BP75-45^ Twin Wheel Hanger		2C	602	541304001	√	1.62	50 Pr.	50 Pr.	50 Pr.	M4
	BP75-76^ Center Stop for BP75 Tracks		2C	602	403998001	V	3.33	20 Ea.	20 Ea.	20 Ea.	M4
0	BP150-61^ Finger Pull		Bright- Brass		521224001	√	0.19	200 Ea.	200 Ea.	200 Ea.	M4
	BP150-62^ Finger Pull	3/4"	Brushed Nickel		521233001		0.20	200 Ea.	200 Ea.	200 Ea.	M4
	BP150-71^ Adjustable Floor Guide		Zinc/ White		541008001	V	0.94	50 Ea.	50 Ea.	50 Ea.	M4
& A	BP150-72^ Floor Guide		White		541020001	√	0.81	100 Ea.	100 Ea.	100 Ea.	M4
	BP150-73^ Floor Guide		White		541000001	√	0.36	100 Ea.	100 Ea.	100 Ea.	M4
	BP150-74^ Carpet Riser		2C	602	541016001	√	0.63	50 Ea.	50 Ea.	50 Ea.	M4
	BP150-75^ Adjustable Floor Guide		Zinc/ White		541012001	V	0.63	50 Ea.	50 Ea.	50 Ea.	M4
969 	BP150N-41^ Hanger		Brass- Tone		405304001	√	6.23	20 Pr	20 Pr	20 Pr.	M4
000	BP150N-HDW^ Hardware Set Set consists of: 1 ea. BP250-71, BP250-99, and 2 pr. BP150N-41				405860001	√	16.23	10 Sets	10 Sets	10 Sets	M4

		E	ByPass T	rack aı	nd Hardware	e (con	t.)			Continued o	n next page
	Model	Size	Finish	внма	EDP#	Stock Item	List Price	Order Multiple	Box Qty	Carton Oty	MPG
	BPC150N-00-48 150 lb. By Pass Contractor Set Set consists of: 2 ea. BP250N-01, 1 pr. TR250-00, 2 pr. BP150N-41, 1 ea. BP250-71, and BP250-99.	48" Opening			405664	√	32.73	1 Set	1 Set	6 Sets	M4
£ 63	BPC150N-00-60	60" Open- ing			405665	√	37.10	1 Set	1 Set	6 Sets	M4
	BPC150N-00-72	72" Open- ing			405666	√	40.38	1 Set	1 Set	6 Sets	M4
	BPC150N-00-96	96" Open- ing			405668	√	48.03	1 Set	1 Set	6 Sets	M4
CARD	BP250-00^ (TR250)Track Spacer				405306001	√	0.49	20 Pr.	20 Pr.	20 Pr.	M4
	BP250-61^ Round Flush Pull	2-1/8"	Bright- Brass		521228001	√	0.71	20 Ea.	20 Ea.	20 Ea.	M4
	BP250-62^ Round Flush Pull	2-1/8"	Antique- Brass		521240001		0.95	100 Ea	100 Ea	100 Ea.	M4
	BP150-63^ Finger Pull	2 1/8"	Brushed Nickel		521243001		0.70	200 Ea.	200 Ea.	200 Ea.	M4
	BP250-71^ Adjustable Floor Guide		2C	602	403534001	√	2.99	50 Ea	50 Ea	50 Ea.	M4
o q	BP250-75^ Angle Stop		2C	602	541004001	√	0.66	100 Ea.	100 Ea.	100 Ea.	M4
Q o	BP250-77 Center Stop for BP150N-01 Track		2C	602	400004001	√	2.79	20 Ea.	20 Ea.	20 Ea.	M4
5_B	BP250-99^ Adjusting Wrench		2C	602	522232001	√	0.20	400 Ea.	400 Ea.	400 Ea.	M4
000	BP250N-41 Hanger				405305001	√	28.85	10 Pr.	10 Pr.	10 Pr.	M4
	BP250N-HDW^ Hardware Set Set consists of: 2 pr. BP250N-41, 1 ea. BP250-71, and BP250-99.				405790001	√	33.85	1 Set	1 Set	6 Sets	M4
	BP250N-01-48^ AluminumTrack Order 2 pieces per opening	48"			405102001	√	7.43	10 Ea.	10 Ea.	10 Ea.	M4
•	BP250N-01-60^	60"			405103001	√	9.07	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-01-72^	72"			405104001	√	10.49	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-01-96^	96"			405105001	√	14.42	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-01-120^	120"			405106001	√ ,	18.25	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-01-144^	144"			405107001	√ ,	21.64	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-01-192^	192"			405108001	√	29.29	10 Ea.	10 Ea.	10 Ea.	M4
124	BP250N-02-48^ Aluminum Fascia for BP250N-01 Track	48"			405200001	√	14.64	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-02-60^	60"			405201001	√	18.14	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-02-72^	72"			405202001	√	21.09	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-02-96^	96"			405203001	√	28.74	10 Ea.	10 Ea.	10 Ea.	M4
	BP250N-02-120^	120"			405204001		36.39	10 Ea.	10 Ea.	10 Ea.	M4

(X) Item must be ordered in these increments. For orders having less than the order multiple quantity, add ½ (1.5 multiplier) to the net price.

STANLEY Sliding & Folding Hardware

	ByPass Track and Hardware (cont.)														
	Model	Size	Finish	ВНМА	EDP#	Stock Item	List Price	Order Multiple	Box Qty	Carton Oty	MPG				
	Hanger 250 lb. By Pass Con- tractor Set														
9	Set consists of: 2 ea. BP250N-01, 1 pr. TR250-00, 2 pr. BP250N-41, 1 ea. BP250-71, and BP250-99.	60" Open- ing			405750	√	102.66	1 Set	1 Set	6 Sets	M4				
2 63	BPC250N-00-72	72" Open- ing			405760	√	108.13	1 Set	1 Set	6 Sets	M4				
	BPC250N-00-96	96" Open- ing			405780	√	121.24	1 Set	1 Set	6 Sets	M4				

		Pock	et Doo	r Trac	k, Hardware	and Fr	ames			Continued o	n next page
	Model	Size	Finish	внма	EDP#	Stock Item	List Price	Order Multiple	Box Oty	Carton Oty	MPG
0	BP150-61^ Finger Pull		Bright- Brass		521224001	√	0.19	200 Ea.	200 Ea.	200 Ea.	M4
0 50	BP150N-41^ Hanger		Brass- Tone		405304001	√	6.23	20 Pr	20 Pr	20 Pr.	M4
0	BP250-61^ Round Flush Pull	2-1/8"	Bright- Brass		521228001	√	0.71	20 Ea.	20 Ea.	20 Ea.	M4
<u> </u>	BP250-62^ Round Flush Pull	2-1/8"	Antique- Brass		521240001		0.95	100 Ea	100 Ea	100 Ea.	M4
969 **	BP250N-41 Hanger				405305001	√	28.85	10 Pr.	10 Pr.	10 Pr.	M4
	PD75-00-36 75Lb. Track and Hardware Set Set consists of: 1 ea. PD75-01, PD250-77, BP250-99, 1 pr. BP75-41, and 2 ea. PD250-71				403903	√	11.29	6 Sets	6 Sets	6 Sets	
060	PD150N-HDW Hardware Set Set consists of: 1 pr. BP150N-41, 1 ea. PD250-74, PD250-77, and BP250-99. 1-3/8 door guide only. Provide PD250-71 for all others (40-3530).				405845001	√	7.50	10 Sets	10 Sets	10 Sets	M4
	PDC150N-00-36 150 Ib.Track and Hardware Contractor Set Set consists of: 1 ea. PD150-01-72, PD250-77, BP250-99, 1 pr. BP150N-41, and 2 ea. PD250-71.				405843		37.10	1 Set	1 Set	1 Set	M4
5 65	PDC150N-00-48				405844		44.75	1 Set	1 Set	1 Set	M4
	PDFC150N-00-68 Pocket Door Frame and Hardware Set consists of: 1 ea. PDF250N-01, PD250-77, BP250-99, 1 pr. BP150N-41, 1 set PDF250-51, 2 ea. PD250-71, and 9-57	3'0"x6'8" Opening			403925	√	111.24	1 Set	1 Set	1 Set	M4
5	PDFC150N-00-70	3'0"x7'0" Opening			405940001	√	117.96	1 Set	1 Set	1 Set	M4
เกเก	PDFC150N-00-80	3'0"x8'0" Opening			405942001	√	126.70	1 Set	1 Set	1 Set	M4
	PD250-62 Pocket Door Privacy Latch	3-3/4"			404040		11.97	1 Ea.	5 Ea.	5 Ea.	M4
	PD250-71^ Bottom Guide		White		403530001	√	1.39	100 Ea	100 Ea	100 Ea.	M4

		Pocket [oor Tr	ack, H	ardware an	d Fram	es (con	t.)			
	Model	Size	Finish	внма	EDP#	Stock Item	List Price	Order Multiple	Box Qty	Carton Oty	MPG
~ P	PD250-72s^ Door Guide for 1-3/4" Doors		2C	602	403997001	√	2.08	50 Ea.	50 Ea.	50 Ea.	M4
	PD250-74s^ Door Guide for 1-3/8" Doors		2C	602	403993001	√	0.72	50 Ea.	50 Ea.	50 Ea.	M4
-(1)	PD250-77^ Bumper Stop				403969001	V	0.16	100 Ea.	100 Ea.	100 Ea.	M4
$\begin{bmatrix} 0 \\ 0 \end{bmatrix}$	PD250-95-97^	97-3/4"	PS		403965001		10.00	20 Pr.	20 Pr.	20 Pr.	M4
	PD250-96^ Jamb Stiffener	81-3/4"	PS		403965001		5.19			20	M4
No. of the last of	PD250-98^ Jamb Spacer				403996001	√	0.33	100 Ea.	100 Ea.	100 Ea.	M4
	PD250N-01-47^ Pocket Door Aluminum Track	46-7/8"			405109001	V	7.43	10 Ea.	10 Ea.	10 Ea.	M4
	PD250N-01-55^	54-7/8"			405110001	√	8.34	10 Ea.	10 Ea.	10 Ea.	M4
	PD250N-01-59^	58-7/8"			405111001	√	9.07	10 Ea.	10 Ea.	10 Ea.	M4
	PD250N-01-63^	62-7/8"			405112001	√	9.48	10 Ea.	10 Ea.	10 Ea.	M4
	PD250N-01-71^	70-7/8"			405113001	√	10.49	10 Ea.	10 Ea.	10 Ea.	M4
	PD250N-01-95^	94-7/8"			405114001	√	14.42	10 Ea.	10 Ea.	10 Ea.	M4
	PD250N-01-120^	120"			405106001	√	18.25	10 Ea.	10 Ea.	10 Ea.	M4
	PD250N-01-144^	144"			405107001	√	21.64	10 Ea.	10 Ea.	10 Ea.	M4
	PD250N-01-192^	192"			405108001	√	29.29	10 Ea.	10 Ea.	10 Ea.	M4
	PDF250N-05s^ Bi-Parting Bracket Inc. gal. nails & 4 ea. BP250-77 stops				405960001	V	23.82	1 Set	1 Set	10 Set	M4
	PDFC250N-00-80 Pocket Door Frame and Hardware Set consists of: 1 ea. PDF250N-01, PD250-77, BP250-99, 1 pr. BP150N-41, 1 set PDF250-51, 2 ea. PD250-71, and 9-57	4'0"x8'0" Opening			405950001	V	166.04		1 Set	1 Set	M4

EDP Number to Class Number Cross Reference

402025 BF30-00-30 30" Opening 6 402032 BF30-00-36 36" Opening 6 402044 BF30-00-60 60" Opening 6 402064 BF30-00-72 72" Opening 6 402064 BF30-00-72 72" Opening 10 403040 BP60-00-48 47" Opening 10 403050 BP60-00-60 59" Opening 10 403080 BP60-00-60 59" Opening 10 403140 BPD60-00-68 59" Opening 11 403150 BPD60-00-68 59" Opening 11 403150 BPD60-00-68 59" Opening 11 403180 BPD60-00-68 59" Opening 11 403180 BPD60-00-86 59" Opening 15 40522 BFC125N-00-30 30" Opening 15 405232 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-30 30" Opening 9 405242 BFC125N-00-48 48" Opening 9 405243 BFC125N-00-60 60" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-60 60" Opening 13 405264 BFC125N-00-72 72" Opening 13 405264 BFC125N-00-86 59" Opening 13 405666 BPC150N-00-86 59" Opening 13 405666 BPC150N-00-86 59" Opening 13 405666 BPC150N-00-80 59" Opening 13 405666 BPC150N-00-80 59" Opening 14 405750 BPC250N-00-60 60" Opening 14 405780 BPC250N-00-60 60" Opening 14 405780 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-72 72" Opening 14 405293001 BFC50-00-36 59" Opening 14 402293001 BFC50-00-36 59" Opening 14 402294001 BPC50-00-72 72" Opening 14 402294001 BFC50-00-80 60" Opening 14 402294001 BFC50-00-80 60" Opening 14 402306001 BFC50-00-80 60" Opening 14 402306001 BFC50-00-80 60" Opening 14 402306001 BFC50-00-96 98" Opening 15 402320001 BFS0-01-10 120" Mill 87838996634 7 402320001 BFS0-01-120 120" Mill 87838996630 7 402320001 BFS0-01-120 120" Mill 87838996631 7 402320001 BFS0-01-120 120" Mill 87838996630 7 402320001 BFS0-01-120 120" Mill 87838996630 7 402320001 BFC60-00-72 71" Opening 87838996630 10	EDP Number	Class Number	Size	Finish	UPC#	Page
402032 BF30-00-36 36" Opening 6 6 402064 BF30-00-60 60" Opening 6 6 402064 BF30-00-60 60" Opening 6 6 402064 BF30-00-60 50" Opening 6 6 403040 BF60-00-08 50" Opening 10 403050 BF60-00-08 50" Opening 10 403060 BF60-00-72 71" Opening 10 403140 BP060-00-72 71" Opening 10 403140 BP060-00-60 50" Opening 11 403150 BP060-00-60 50" Opening 11 403160 BP060-00-60 50" Opening 11 403160 BP060-00-60 50" Opening 11 403160 BP060-00-60 50" Opening 11 403180 BP060-00-60 50" Opening 11 403180 BP060-00-60 50" Opening 11 403193 PD75-00-36 403925 PDFC150N-00-68 30" Opening 15 403925 BFC125N-00-30 30" Opening 9 405224 BFC125N-00-36 36" Opening 9 405242 BFC125N-00-36 36" Opening 9 405242 BFC125N-00-36 36" Opening 9 405244 BFC125N-00-72 72" Opening 9 405244 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-72 72" Opening 13 405665 BPC150N-00-60 60" Opening 9 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 14 405667 BPC250N-00-72 72" Opening 14 405680 BPC250N-00-72 72" Opening 14 405681 BPC250N-00-36 60" Opening 14 405684 PC150N-00-48 48" Opening 14 405685 BPC250N-00-96 96" Opening 14 405686 BPC250N-00-96 96" Opening 14 405686 BPC250N-00-96 96" Opening 14 405687 BPC250N-00-96 96" Opening 15 405760 BPC250N-00-96 96" Opening 14 405840 BPC250N-00-96 96" Opening 15 405780 BPC250N-00-96 96" Opening 15 405780 BPC250N-00-96 96" Opening 15 405840 BPC250N-00-96 96" Opening 15 40529001 BPC50-00-08 887838996500 8 402299001 BPC50-00-08 48" Opening 187838996500 8 402299001 BPC50-00-08 60" Opening 187838996500 8 402290001 BPC50-00-08 887838996500 7 402304001 BPS0-01-192 192" Mill 887838996531 7 402324001 BPS0-01-192 192" Mill 887838996632 7 402324001 BPS0-01-192 192" Mill 887838996631 7 403300001 BPS0-01-192 192" Mill 887838996631 7 403300001 BPS0-01-192 192" Mill 887838996631 7 403300001 BPS0-01-192 192" Mill 887838996631 7						Ť
402044 BF30-00-48 48" Opening 6 6 402064 BF30-00-72 72" Opening 6 6 403040 BF60-00-60 59" Opening 10 403050 BF60-00-60 59" Opening 10 403060 BF60-00-60 59" Opening 10 403080 BF60-00-72 71" Opening 11 403140 BF060-00-84 47" Opening 11 403150 BP60-00-60 59" Opening 11 403160 BPD60-00-86 59" Opening 11 403160 BPD60-00-86 59" Opening 11 403180 BPD60-00-86 59" Opening 11 403180 BPD60-00-86 59" Opening 11 403180 BPD60-00-86 30" Opening 10 405225 BFC125N-00-86 48" Opening 10 405232 BFC125N-00-86 48" Opening 10 405242 BFC125N-00-86 49" Opening 10 405243 BFC125N-00-86 59" Opening 10 405264 BFC125N-00-86 59" Opening 10 405264 BFC125N-00-72 72" Opening 10 405666 BPC150N-00-86 59" Opening 13 405666 BPC150N-00-86 59" Opening 13 405666 BPC150N-00-86 59" Opening 13 405668 BPC150N-00-86 59" Opening 14 405780 BPC250N-00-86 59" Opening 14 405780 BPC250N-00-86 59" Opening 14 40004001 BP250-77 2C B87838096501 8 402294001 BFC50-00-08 59" Opening 887838096501 8 402295001 BFC50-00-08 59" Opening 887838096501 8 402295001 BFC50-00-08 59" Opening 887838096501 8 402303001 BF50-01-80 59-78" Mill 88783809630 7 402304001 BF50-01-96 59-78" Mill 88783809630 7 402324001 BF50-01-96 59-78" Mill 88783809643 7 402324001 BF50-01-96 59-799ning 88783809643 7	402032	BF30-00-36			6	
402054 BF30-00-60 60" Opening 6 6 402064 BF30-00-72 72" Opening 10 403040 BP60-00-48 47" Opening 10 403060 BP60-00-60 59" Opening 10 403080 BP60-00-72 71" Opening 10 403080 BP60-00-60 59" Opening 10 403140 BPD60-00-68 59" Opening 111 403150 BPD60-00-60 59" Opening 111 403160 BPD60-00-72 71" Opening 111 403180 BPD60-00-60 59" Opening 111 403180 BPD60-00-60 59" Opening 111 403193 BPD60-00-86 30" A6" Opening 115 403193 PDF0-00-36 30" Opening 115 40325 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-30 30" Opening 9 405242 BFC125N-00-48 48" Opening 9 405244 BFC125N-00-48 48" Opening 9 405254 BFC125N-00-48 48" Opening 9 405264 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-80 60" Opening 9 405668 BPC150N-00-80 80" Opening 13 405668 BPC150N-00-80 80" Opening 13 405668 BPC150N-00-90 96" Opening 13 405668 BPC150N-00-90 96" Opening 13 405668 BPC150N-00-90 96" Opening 14 405760 BPC25ON-00-90 96" Opening 14 405844 PDC15ON-00-48 48" Opening 15 405843 PDC15ON-00-48 48" Opening 14 405760 BPC25ON-00-90 96" Opening 14 405980 BPC5O-00-90 96" Opening 14 402299001 BPC5O-00-90 96" Opening 14 402299001 BPC5O-00-90 96" Opening 18783809651 8 402295001 BFC5O-00-90 96" Opening 18783809651 8 402295001 BFC5O-00-90 96" Opening 18783809651 8 40230001 BF5O-01-19 12 2C 88783809630 7 40230001 BF5O-01-19 12" Mill 88783809630 7 402324001 BF5O-01-19 12" Mill 88783809630 7 402324001 BF5O-01-19 12" Mill 88783809631 7 402324001 BF5O-01-19 12" Mill 887838096616 7 402324001 BF5O-01-19 12" Mill 887838096616 7 402324001 BFCO-00-06 59" Opening 1887838096616 10 403300001 BPC60-00-60 59" Opening 1887838096616 10	402044	BF30-00-48			6	
403040 BP60-00-48 47" Opening 10 403050 BP60-00-60 59" Opening 10 403080 BP60-00-72 71" Opening 10 403080 BP60-00-72 71" Opening 10 403140 BP60-00-60 59" Opening 111 403150 BPD60-00-60 59" Opening 111 403160 BPD60-00-60 59" Opening 111 403180 BPD60-00-61 59" Opening 111 403180 BPD60-00-68 95" Opening 111 403190 PD75-00-36 155 403925 PDFC150N-00-68 30" Opening 115 404040 PD250-62 3-34" 155 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-00-48 48" Opening 9 405244 BFC125N-00-48 48" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-60 60" Opening 9 405264 BFC150N-00-60 60" Opening 9 405665 BPC150N-00-60 60" Opening 13 405665 BPC150N-00-60 60" Opening 13 405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 144 405760 BPC250N-00-72 72" Opening 13 405668 BPC150N-00-89 96" Opening 144 405780 BPC250N-00-72 72" Opening 144 405780 BPC250N-00-72 72" Opening 144 405780 BPC250N-00-72 72" Opening 144 405844 PDC150N-00-86 96" Opening 144 405864 BPC150N-00-86 96" Opening 144 405865 BPC150N-00-86 96" Opening 154 405864 BPC150N-00-86 96" Opening 164 405780 BPC250N-00-72 72" Opening 174 405780 BPC250N-00-72 72" Opening 174 405844 PDC150N-00-86 96" Opening 174 402293001 BPC50-00-86 96" Opening 187838096494 8 402294001 BPC50-00-86 96" Opening 187838096494 8 402294001 BPC50-00-72 48" Opening 187838096497 7 402293001 BFC50-00-72 887838096470 7 402293001 BF50-11 2C 887838096470 7 402303001 BF50-11 2C 887838096470 7 402303001 BF50-11 2C 887838096470 7 402303001 BF50-11-8 47-7/8" Mill 88783809630 7 402310001 BF50-01-96 96" Mill 88783809630 7 402323001 BF50-01-96 96" Mill 88783809630 7 402324001 BF50-01-192 192" Mill 88783809666 10 403008001 BPC60-00-48 47" Opening 88783809666 10	402054	BF30-00-60				
403050 BP60-00-60 59" Opening 10 403060 BP60-00-72 71" Opening 10 403080 BP60-00-96 95" Opening 11 403140 BPD60-00-64 7" Opening 111 403150 BPD60-00-60 59" Opening 111 403160 BPD60-00-72 71" Opening 111 403180 BPD60-00-69 95" Opening 111 403180 BPD60-00-96 95" Opening 111 403193 PDF-10-0-36 15" Opening 115 403925 PDFC150N-00-68 3"0"%6'8" Opening 15 404040 PD250-62 3-3'4" 15 405224 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-00-48 48" Opening 9 405243 BFC125N-00-60 60" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-84 48" Opening 9 405665 BPC150N-00-48 48" Opening 9 405666 BPC150N-00-48 48" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-72 72" Opening 13 405666 BPC150N-00-72 72" Opening 13 405660 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-72 72" Opening 15 405844 PDC150N-00-86 96" Opening 14 405780 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-72 72" Opening 15 405840 BPC150N-00-86 86" Opening 15 405840 BPC150N-00-86 86" Opening 16 402293001 BPC50-00-86 86" Opening 17 402293001 BPC50-00-86 86" Opening 1887838096517 8 402293001 BPC50-00-96 86" Opening 1887838096501 8 402303001 BP50-11 2C 88783809633 7 402303001 BP50-11 2C 88783809633 7 402303001 BP50-11 2C 88783809633 7 402303001 BP50-11-92 19" Mill 88783809637 7 402323001 BP50-01-96 96" Mill 88783809637 7 402323001 BP50-01-192 190" Mill 88783809637 7 402323001 BP50-01-192 190" Mill 887838096616 10 403008001 BPC60-00-86 99" Opening 887838096616 10	402064	BF30-00-72				6
403060 BP60-00-72 71" Opening 10 403080 BP60-00-96 95" Opening 11 403140 BPD60-00-48 47" Opening 11 403150 BPD60-00-60 59" Opening 11 403160 BPD60-00-96 95" Opening 111 403180 BPD60-00-96 95" Opening 111 403190 PD75-00-36 15 403925 PDFC150N-00-68 3"O"x6'8" Opening 15 404040 PD250-62 3-34" 15 405225 BFC125N-00-36 36" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-00-48 48" Opening 9 405244 BFC125N-00-48 48" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-72 72" Opening 13 405666 BPC150N-00-86 60" Opening 13 405666 BPC150N-00-89 96" Opening 13 405666 BPC150N-00-96 96" Opening 13 405666 BPC150N-00-96 96" Opening 13 405668 BPC150N-00-96 96" Opening 13 405668 BPC150N-00-96 96" Opening 14 405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-38 48" Opening 14 405980 BPC150N-00-38 48" Opening 14 402294001 BPC50-00-36 36" Opening 14 402294001 BPC50-00-36 36" Opening 15 402295001 BPC50-00-48 48" Opening 15 402295001 BPC50-00-96 96" Opening 16 402294001 BPC50-00-96 98" Opening 17 402308001 BPC50-00-96 88783809650 8 402293001 BPC50-00-96 88783809650 8 402293001 BPC50-00-96 98" Opening 18 402308001 BPS0-21 98 887838096520 7 402308001 BPS0-01-120 10" Mill 887838096319 7 402322001 BPS0-01-120 10" Mill 887838096320 7 402322001 BPS0-01-192 192" Mill 887838096637 17 402322001 BPS0-01-192 192" Mill 887838096637 7 402328001 BPC0-01-192 192" Mill 887838096637 17 402328001 BPC0-01-192 192" Mill 887838096637 17 402328001 BPC0-01-192 192" Mill 887838096637 17 402328001 BPC0-01-06 59" Opening 887838096637 17	403040	BP60-00-48	47" Opening			10
403080 BP60-00-96 95" Opening 10 403140 BPD60-00-48 47" Opening 11 403150 BPD60-00-60 59" Opening 11 403160 BPD60-00-60 59" Opening 11 403180 BPD60-00-96 95" Opening 11 403903 PD75-00-36 15 403925 PDFC150N-00-68 30" X6"8" Opening 15 404040 PD250-62 3-3/4" 15 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-30 36" Opening 9 405242 BFC125N-00-36 36" Opening 9 405244 BFC125N-00-48 48" Opening 9 405254 BFC125N-00-48 48" Opening 9 405264 BFC125N-00-48 48" Opening 9 405264 BFC125N-00-48 48" Opening 9 405264 BFC125N-00-60 60" Opening 9 405268 BFC125N-00-48 48" Opening 13 405664 BPC150N-00-60 60" Opening 13 405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405668 BPC150N-00-60 60" Opening 13 405669 BPC250N-00-60 60" Opening 14 405750 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405760 BPC250N-00-72 72" Opening 14 405843 PDC150N-00-86 60" Opening 14 405844 PDC150N-00-86 60" Opening 14 405844 PDC150N-00-86 60" Opening 14 405844 PDC150N-00-86 60" Opening 14 402294001 BFC50-00-96 96" Opening 15 402294001 BFC50-00-86 887838096501 8 402295001 BFC50-00-86 887838096501 8 402295001 BFC50-00-96 887838096501 8 40230001 BF50-41s 2C 887838096501 8 40230001 BF50-11 2C 887838096501 8 40230001 BF50-11 2C 88783809631 7 402308001 BF50-01-84 47-7/8" Mill 88783809632 7 402322001 BF50-01-86 96" Mill 88783809631 7 402322001 BF50-01-120 120" Mill 88783809631 7 402322001 BF50-01-120 120" Mill 88783809631 7 402322001 BF50-01-104 144" Mill 88783809631 7 402322001 BF50-01-104 144" Mill 88783809631 7 402322001 BF50-01-104 144" Mill 88783809631 7 402328001 BF50-01-104 144" Mill 88783809663 7 403308001 BPC60-00-06 59" Opening 88783809663 7 403308001 BPC60-00-06 59" Opening 88783809663 7 403308001 BPC60-00-06 59" Opening 88783809663 7	403050	BP60-00-60	59" Opening			10
403140 BPD60-00-48 47" Opening 11 403150 BPD60-00-60 59" Opening 11 403160 BPD60-00-72 71" Opening 11 403180 BPD60-00-72 95" Opening 11 403903 PD75-00-36 15 403905 PDFC150N-00-68 30" X6"8" Opening 15 404040 PD250-62 3-34" 15 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-00-48 48" Opening 9 405244 BFC125N-00-48 48" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-48 48" Opening 9 405264 BFC125N-00-48 48" Opening 9 405666 BPC150N-00-80 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405760 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-60 60" Opening 14 405780 BPC250N-00-60 60" Opening 14 405843 PDC150N-00-36 15 405844 PDC150N-00-36 15 405844 PDC150N-00-36 15 405844 PDC150N-00-36 15 40529001 BFC50-00-36 36" Opening 88783809651 8 402293001 BFC50-00-48 48" Opening 88783809651 8 402294001 BFC50-00-60 60" Opening 88783809651 8 402295001 BFC50-00-60 60" Opening 88783809651 8 402295001 BFC50-00-60 59-78" Mill 88783809634 7 402308001 BF50-11 2C 88783809634 7 402308001 BF50-01-96 96" Mill 88783809631 7 402322001 BF50-01-96 96" Mill 88783809631 7 402322001 BF50-01-96 96" Mill 88783809631 7 402322001 BF50-01-10 120" Mill 88783809636 7 402322001 BF50-01-10 120" Mill 88783809636 7 402322001 BF50-01-10 120" Mill 88783809631 7 402322001 BF50-01-10 120" Mill 88783809661 10 403000001 BPC60-00-60 59" Opening 88783809663 7 402322001 BF50-01-10 120" Mill 88783809661 10	403060	BP60-00-72	71" Opening			10
403150 BPD60-00-60 59" Opening 11 403160 BPD60-00-72 71" Opening 11 403180 BPD60-00-96 95" Opening 11 403903 PD75-00-36 15 403925 PDFC150N-00-68 30" Opening 15 404040 PD250-62 3-3/4" 15 405225 BFC125N-00-36 36" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-00-48 48" Opening 9 405244 BFC125N-00-67 72" Opening 9 405264 BFC125N-00-67 72" Opening 9 405264 BFC125N-00-72 72" Opening 9 405264 BFC150N-00-69 60" Opening 9 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-72 72" Opening 13 405666 BPC250N-00-60 60" Opening 13 405666 BPC250N-00-80 60" Opening 13 405666 BPC250N-00-80 60" Opening 13 405660 BPC250N-00-80 60" Opening 13 405660 BPC250N-00-80 60" Opening 14 405750 BPC250N-00-80 60" Opening 14 405760 BPC250N-00-80 60" Opening 14 405780 BPC250N-00-80 60" Opening 14 405844 PDC150N-00-88 15 40294001 BPC50-00-96 86" Opening 14 402293001 BPC50-00-84 48" Opening 887838096494 8 402294001 BPC50-00-84 48" Opening 887838096500 8 402294001 BFC50-00-86 60" Opening 887838096500 8 402294001 BFC50-00-72 887838096501 8 402294001 BFC50-00-96 887838096501 8 402303001 BF50-41s 2C 887838096501 8 40230001 BF50-41s 2C 887838096501 8 40230001 BF50-1DW 887838096501 8 40230001 BF50-11 2C 887838096502 7 40230001 BF50-01-84 47-7/8" Mill 887838096502 7 402322001 BF00-1-86 59-7/8" Mill 887838096507 7 402322001 BF50-01-48 47-7/8" Mill 887838096507 7 402304001 BF50-01-48 47-7/8" Mill 887838096507 7 402322001 BF50-01-10 120" Mill 887838096637 7 402322001 BF00-01-10 120" Mill 887838096637 7 402322001 BF00-01-10 120" Mill 887838096500 7 402322001 BF00-01-10 120" Mill 887838096500 7 402322001 BF00-01-10 120" Mill 88783809663 7	403080	BP60-00-96	95" Opening			10
403160 BPD60-00-72 71" Opening 111 403180 BPD60-00-96 95" Opening 111 403903 PD75-00-36 15 403905 PDFC150N-00-68 30" Opening 15 404040 PD250-62 3-34" 15 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-02-48 48" Opening 9 405244 BFC125N-00-48 48" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-48 48" Opening 9 405264 BFC125N-00-48 48" Opening 9 405264 BFC125N-00-48 48" Opening 9 405264 BFC125N-00-96 60" Opening 9 405264 BFC125N-00-96 60" Opening 13 405664 BPC150N-00-48 48" Opening 13 405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405668 BPC150N-00-60 60" Opening 13 405668 BPC250N-00-60 60" Opening 13 405750 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-80 60" Opening 14 405844 PDC150N-00-36 40" Opening 14 405844 PDC150N-00-36 40" Opening 15 405844 PDC150N-00-36 48" Opening 887838096494 8 402294001 BFC50-00-60 60" Opening 887838096494 8 402294001 BFC50-00-60 60" Opening 887838096500 8 402295001 BFC50-00-72 887838096517 8 402296001 BFC50-00-96 887838096517 8 40230001 BF50-41s 2C 887838096517 8 40230001 BF50-41s 2C 887838096517 8 40230001 BF50-11 2C 887838096517 8 40230001 BF50-11 2C 887838096517 8 40230001 BF50-10-00 59-7/8" Mill 887838096519 7 402322001 BF50-01-60 59-7/8" Mill 887838096319 7 402322001 BF50-01-120 120" Mill 887838096319 7 402322001 BF50-01-144 144" Mill 887838096317 7 402322001 BF50-01-144 144" Mill 887838096316 7 402328001 BF50-01-144 144" Mill 887838096316 7 403300001 BPC60-00-60 59" Opening 88783809663 7	403140	BPD60-00-48	47" Opening			11
403180 BPD60-00-96 95" Opening 115 403903 PD75-00-36 30" A6'8" 15 403925 PDFC150N-00-68 30" A6'8" 15 404040 PD250-62 3-3/4" 15 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-30 30" Opening 9 405244 BFC125N-02-48 48" Opening 9 405244 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-60 60" Opening 9 405666 BPC150N-00-60 60" Opening 9 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405668 BPC150N-00-60 60" Opening 13 405760 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-60 60" Opening 14 405780 BPC250N-00-60 60" Opening 14 402294001 BPC50-00-86 48" Opening 887838096501 8 402293001 BFC50-00-86 60" Opening 887838096501 8 402295001 BFC50-00-86 60" Opening 887838096501 8 402296001 BFC50-00-96 887838096501 8 402296001 BFC50-00-96 887838096501 8 402303001 BF50-01-12 2C 887838096501 7 402308001 BF50-01-88 47-7/8" Mill 88783809630 7 402309001 BF125-71 2C 88783809630 7 402302001 BF50-01-72 71-7/8" Mill 88783809630 7 402322001 BF50-01-120 120" Mill 88783809631 7 402322001 BF50-01-120 120" Mill 88783809631 7 402328001 BF60-01-120 120" Mill 88783809631 7	403150	BPD60-00-60	59" Opening			11
403903 PD75-00-36 403925 PDFC150N-00-68 3'0"x6'8" Opening 404040 PD250-62 3-3/4" 15 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-00-36 36" Opening 9 405243 BFC125N-00-48 48" Opening 9 405244 BFC125N-00-48 48" Opening 9 405254 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-72 72" Opening 9 405264 BFC150N-00-60 60" Opening 9 405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405668 BPC150N-00-96 96" Opening 13 405668 BPC150N-00-96 96" Opening 14 405760 BPC250N-00-96 96" Opening 14 405780 BPC250N-00-72 72" Opening 14 405843 PDC150N-00-36 405844 PDC150N-00-36 405844 PDC150N-00-36 405843 PDC150N-00-36 405844 PDC150N-00-48 400004001 BP250-77 2C 887838078643 13 402294001 BFC50-00-48 402294001 BFC50-00-60 60" Opening 887838096501 8402298001 BFC50-00-72 887838096501 887838096507 7 402298001 BFC50-00-96 60" Opening 887838096507 7 402298001 BFC50-00-72 887838096507 887838096507 7 402303001 BF50-41s 2C 887838096300 7 402304001 BF50-11 887838096300 7 402304001 BF50-11 887838096300 7 402304001 BF50-1-12 10 BF50-11 887838096300 7 402324001 BF50-01-60 59-7/8" Mill 887838096326 7 402324001 BF50-01-120 120" Mill 887838096371 7 402324001 BF50-01-144 144" Mill 887838096326 7 402324001 BF50-01-144 144" Mill 887838096326 7 402328001 BF50-01-120 120" Mill 887838096616 10 403006001 BP50-01-144 144" Mill 887838096616 10 403006001 BP50-01-144 144" Mill 887838096637 7 402328001 BF50-01-120 120" Mill 887838096663 7 403300001 BP50-01-144 144" Mill 887838096663 7 403300001 BP50-01-100 120" Mill 887838096667 7 402328001 BP50-01-100 120" Mill 887838096663 7	403160	BPD60-00-72	71" Opening			11
403925 PDFC150N-00-68 3'0"x6'8" Opening Opening 15 404040 PD250-62 3-3/4" 15 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-02-48 48" Opening 9 405242 BFC125N-02-48 48" Opening 9 405244 BFC125N-00-60 60" Opening 9 405254 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-97 72" Opening 9 405264 BFC125N-00-96 96" Opening 9 405664 BPC150N-00-96 96" Opening 13 405665 BPC150N-00-60 60" Opening 13 405668 BPC150N-00-72 72" Opening 13 405760 BPC250N-00-60 60" Opening 14 405780 BPC250N-00-96 96" Opening 14 405780 BPC250N-00-96 96" Opening 15 40004001 BP250-77 2C 87838096494 8 402294001 BFC50-00-36 <th>403180</th> <th>BPD60-00-96</th> <th>95" Opening</th> <th></th> <th></th> <th>11</th>	403180	BPD60-00-96	95" Opening			11
404040 PD250-62 3-3/4" 15 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-02-48 48" Opening 9 405244 BFC125N-02-48 48" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-72 72" Opening 9 405264 BFC15N-00-72 72" Opening 9 405264 BFC15N-00-60 60" Opening 9 405668 BFC15N-00-60 60" Opening 9 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-72 72" Opening 13 405668 BPC150N-00-96 96" Opening 13 405750 BFC250N-00-96 96" Opening 14 405780 BPC250N-00-96 96" Opening 14 405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-36 40" Opening 14 40293001 BFC50-00-36 36" Opening 887838096494 8 402293001 BFC50-00-48 48" Opening 887838096501 8 402294001 BFC50-00-72 887838096501 8 402296001 BFC50-00-96 80" Opening 88783809651 8 402304001 BF50-11 2C 887838096301 7 402304001 BF50-11 2C 887838096302 7 402304001 BF50-11 2C 887838096301 7 402304001 BF50-1-10 59-7/8" Mill 887838096302 7 402304001 BF50-01-48 47-7/8" Mill 887838096302 7 402322001 BF50-01-120 120" Mill 887838096361 7 402322001 BF50-01-120 120" Mill 887838096653 7 402328001 BF50-01-120 120" Mill 887838096653 7 402328001 BF50-01-144 144" Mill 88783809661 7 402328001 BF50-01-120 120" Mill 88783809661 7 402328001 BF50-01-144 144" Mill 887838096361 7 402328001 BF50-01-144 144" Mill 88783809661 7	403903	PD75-00-36				15
404040 PD250-62 3-3/4" 405225 BFC125N-00-30 30" Opening 9 405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-02-48 48" Opening 9 405244 BFC125N-00-60 60" Opening 9 405254 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-72 72" Opening 9 405664 BFC150N-00-60 60" Opening 9 405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-72 72" Opening 13 405666 BPC150N-00-72 72" Opening 13 405668 BPC150N-00-72 72" Opening 13 405668 BPC150N-00-72 72" Opening 14 405750 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-72 72" Opening 14 405844 PDC150N-00-36 96" Opening 14 405844 PDC150N-00-36 96" Opening 15 402293001 BFC50-00-60 60" Opening 887838096494 8 402294001 BPC50N-00-60 60" Opening 887838096500 8 402294001 BFC50-00-60 60" Opening 887838096501 8 402293001 BFC50-00-96 60" Opening 887838096501 8 402293001 BFC50-00-96 80" Opening 887838096501 8 402293001 BFC50-00-96 80" Opening 887838096501 8 402303001 BF50-11 2C 887838096501 8 402304001 BF50-11 2C 887838096302 7 402308001 BF50-14 2C 887838096390 7 402308001 BF50-14 2C 887838096390 7 402308001 BF50-14 2C 887838096391 7 402308001 BF50-1-10 59-7/8" Mill 88783809630 7 40232001 BF50-01-48 47-7/8" Mill 88783809630 7 40232001 BF50-01-10 120" Mill 88783809631 7 402326001 BF50-01-10 120" Mill 88783809631 7 402328001 BF50-01-100 120" Mill 88783809631 7 402328001 BF50-01-100 120" Mill 88783809631 7 402328001 BF50-01-100 120" Mill 88783809631 7	403925	PDFC150N-00-68				15
405232 BFC125N-00-36 36" Opening 9 405242 BFC125N-02-48 48" Opening 9 405244 BFC125N-04-48 48" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-72 72" Opening 9 405264 BFC125N-00-60 60" Opening 9 405665 BFC15ON-00-60 60" Opening 13 405666 BPC15ON-00-72 72" Opening 13 405666 BPC15ON-00-72 72" Opening 13 405668 BPC15ON-00-72 72" Opening 13 405750 BPC25ON-00-60 60" Opening 14 405760 BPC25ON-00-72 72" Opening 14 405780 BPC25ON-00-72 72" Opening 14 405843 PDC15ON-00-36 60" Opening 14 405844 PDC15ON-00-36 15 402293001 BFC50-00-36 36" Opening 887838096494 8 402294001 BFC50-00-60 60" Opening 88783809650 8 402294001 BFC50-00-60 60" Opening 88783809650 8 402294001 BFC50-00-72 887838096517 8 402296001 BFC50-00-72 887838096524 8 402303001 BF50-41s 2C 887838096533 7 402304001 BF50-11 2C 88783809647 7 402309001 BF50-11 2C 887838096487 8 402309001 BF50-11 2C 887838096497 7 402309001 BF50-10-60 59-7/8" Mill 88783809630 7 40232001 BF50-01-60 59-7/8" Mill 88783809631 7 40232001 BF50-01-72 71-7/8" Mill 88783809637 7 402324001 BF50-01-120 120" Mill 88783809637 7 402324001 BF50-01-120 120" Mill 88783809665 7 402328001 BF50-01-144 144" Mill 88783809665 7 402328001 BF50-01-144 144" Mill 887838096661 10 403008001 BPC60-00-68 59" Opening 887838096662 10	404040	PD250-62				15
405242 BFC125N-02-48 48" Opening 9 405244 BFC125N-04-48 48" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-72 72" Opening 9 405284 BFC125N-00-96 96" Opening 9 405665 BPC150N-00-48 48" Opening 13 405666 BPC150N-00-72 72" Opening 13 405666 BPC150N-00-96 60" Opening 13 405760 BPC250N-00-60 60" Opening 14 405780 BPC250N-00-72 72" Opening 14 405843 PDC150N-00-36 60" Opening 15 405844 PDC150N-00-48 15 400004001 BP250-77 2C 887838096494 8 402293001 BFC50-00-36 36" Opening 887838096500 8 402294001 BFC50-00-60 60" Opening 887838096517 8 402298001 BFC50-00-72 887838096524 8 402304001<	405225	BFC125N-00-30	30" Opening			9
405244 BFC125N-04-48 48" Opening 9 405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-72 72" Opening 9 405284 BFC125N-00-96 60" Opening 9 405664 BPC150N-00-48 48" Opening 13 405665 BPC150N-00-72 72" Opening 13 405666 BPC150N-00-96 60" Opening 13 405668 BPC150N-00-96 96" Opening 14 405760 BPC250N-00-96 60" Opening 14 405780 BPC250N-00-72 72" Opening 14 405843 PDC150N-00-36 15 40004001 BPC50-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096494 8 402294001 BFC50-00-60 60" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-60 60" Opening 887838096517	405232	BFC125N-00-36	36" Opening			9
405254 BFC125N-00-60 60" Opening 9 405264 BFC125N-00-72 72" Opening 9 405284 BFC125N-00-96 96" Opening 9 405664 BPC150N-00-48 48" Opening 13 405665 BPC150N-00-72 72" Opening 13 405666 BPC150N-00-72 72" Opening 13 405750 BPC250N-00-60 60" Opening 14 405780 BPC250N-00-72 72" Opening 14 405843 PDC150N-00-36 15 15 405844 PDC150N-00-36 15 15 40004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 87838096500 8 402294001 BFC50-00-48 48" Opening 887838096501 8 402296001 BFC50-00-72 887838096524 8 402298001 BFC50-01-20 887838096531 8 402304001 BF50-41s 2C 887838096333 7	405242	BFC125N-02-48	48" Opening			9
405264 BFC125N-00-72 72" Opening 9 405284 BFC125N-00-96 96" Opening 9 405664 BPC150N-00-48 48" Opening 13 405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-72 72" Opening 13 405750 BPC250N-00-60 60" Opening 14 405780 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-36 96" Opening 14 405843 PDC150N-00-36 15 15 40004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096500 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-72 887838096517 8 402298001 BFC50-00-96 887838096524 8 402304001 BF50-41s 2C 87838096333 7 402304001 BF50-D1 2C 887838096333	405244	BFC125N-04-48	48" Opening			9
405284 BFC125N-00-96 96" Opening 9 405664 BPC150N-00-48 48" Opening 13 405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-72 72" Opening 13 405750 BPC250N-00-96 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-96 96" Opening 14 405780 BPC250N-00-36 15 15 405843 PDC150N-00-36 15 15 400004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096500 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-72 887838096517 8 402298001 BFC50-00-96 887838096524 8 402303001 BF50-41s 2C 87838096531 8 402304001 BF50-11 2C 87838096333 <t< th=""><th>405254</th><th>BFC125N-00-60</th><th>60" Opening</th><th></th><th></th><th>9</th></t<>	405254	BFC125N-00-60	60" Opening			9
405664 BPC150N-00-48 48" Opening 13 405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-72 72" Opening 13 405668 BPC150N-00-96 96" Opening 14 405750 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-36 15 405844 PDC150N-00-48 15 40004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 87838096500 8 402295001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096501 8 402298001 BFC50-00-96 887838096524 8 402303001 BF50-41s 2C 887838096633 7 402306001 BF50-11 2C 88783809633 7 402308001 BF50-01-60 59-78" Miil 887838	405264	BFC125N-00-72	72" Opening			9
405665 BPC150N-00-60 60" Opening 13 405666 BPC150N-00-72 72" Opening 13 405668 BPC150N-00-96 96" Opening 13 405750 BPC250N-00-96 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-36 96" Opening 14 405844 PDC150N-00-36 15 400004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 87838096500 8 402294001 BFC50-00-48 48" Opening 887838096501 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402298001 BFC50-00-72 887838096531 8 402303001 BF50-41s 2C 887838096631 8 402304001 BF50-11 2C 88783809633 7 402309001 BF125-71 2C	405284	BFC125N-00-96	96" Opening			9
405666 BPC150N-00-72 72" Opening 13 405668 BPC150N-00-96 96" Opening 13 405750 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-36 15 40004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096500 8 402294001 BFC50-00-36 36" Opening 887838096500 8 402295001 BFC50-00-48 48" Opening 887838096517 8 402296001 BFC50-00-72 887838096517 8 402298001 BFC50-00-96 887838096531 8 402303001 BF50-41s 2C 88783809631 8 402304001 BF50-11 2C 887838096333 7 402308001 BF50-41s 2C 887838096333 7 402309001 BF125-71 2C 8878380966487 8 402310001 BF50-01-48 </th <th>405664</th> <th>BPC150N-00-48</th> <th colspan="2"></th> <th></th> <th>13</th>	405664	BPC150N-00-48				13
405668 BPC150N-00-96 96" Opening 13 405750 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-36 15 405844 PDC150N-00-48 15 400004001 BP250-77 2C 887838096494 8 402293001 BFC50-00-36 36" Opening 887838096500 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096524 8 402298001 BFC50-00-96 887838096531 8 402303001 BF50-41s 2C 887838096531 8 402304001 BF50-11 2C 887838096333 7 402308001 BF50-41 2C 887838096340 7 402309001 BF125-71 2C 887838096696 8 402321001 BF50-01-48 47-7/8"	405665	BPC150N-00-60	60" Opening			13
405750 BPC250N-00-60 60" Opening 14 405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-48 15 400004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 8878380966494 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096524 8 402303001 BF50-41s 2C 887838096531 8 402304001 BF50-11 2C 887838096333 7 402304001 BF50-11 2C 887838096340 7 402308001 BF50-41 2C 887838096340 7 402309001 BF125-71 2C 887838096340 7 402310001 BF125-91 8 402321001 BF50-01-48 47-7/8" Mill 887838096302 7 402322001	405666	BPC150N-00-72	72" Opening			13
405760 BPC250N-00-72 72" Opening 14 405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-36 15 405844 PDC150N-00-48 15 400004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096494 8 402294001 BFC50-00-48 48" Opening 887838096510 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096531 8 402303001 BF50-41s 2C 887838096531 8 402304001 BF50-41s 2C 887838096333 7 402304001 BF50-11 2C 887838096333 7 402308001 BF50-HDW 887838096487 8 402309001 BF125-71 2C 88783809650 8 402310001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-72 71-7/8" Mill 887838096319 7	405668	BPC150N-00-96	96" Opening			13
405780 BPC250N-00-96 96" Opening 14 405843 PDC150N-00-36 15 405844 PDC150N-00-48 15 400004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096494 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096524 8 402298001 BFC50-00-96 887838096531 8 402303001 BF50-41s 2C 887838096333 7 402304001 BF50-11 2C 887838096333 7 402308001 BF50-BF0-1 2C 887838096340 7 402308001 BF50-HDW 887838096487 8 402310001 BF125-71 2C 887838096500 8 402322001 BF50-01-48 47-7/8" Mill 887838096302 7 402322001 BF50-01-72 71-7/8" Mill 887838096319 7 </th <th>405750</th> <th>BPC250N-00-60</th> <th>60" Opening</th> <th></th> <th></th> <th>14</th>	405750	BPC250N-00-60	60" Opening			14
405843 PDC150N-00-36 15 405844 PDC150N-00-48 15 400004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096494 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402298001 BFC50-00-96 887838096524 8 402303001 BF50-41s 2C 887838096531 8 402304001 BF50-41s 2C 887838096333 7 402304001 BF50-11 2C 887838096340 7 402308001 BF50-122 887838096340 7 402309001 BF125-71 2C 887838096487 8 402310001 BF125-91 8 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-72 71-7/8" Mill 887838096319 7 <th>405760</th> <th>BPC250N-00-72</th> <th>72" Opening</th> <th colspan="2">72" Opening</th> <th>14</th>	405760	BPC250N-00-72	72" Opening	72" Opening		14
405844 PDC150N-00-48 15 400004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096494 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096524 8 402303001 BF50-41s 2C 887838096531 8 402304001 BF50-41s 2C 887838096333 7 402304001 BF50-11 2C 887838096340 7 402308001 BF50-1DW 887838096340 7 402309001 BF125-71 2C 887838078650 8 402310001 BF125-91 8 40232001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096319 7 402324001 BF50-01-120 120" Mill 887838096	405780	BPC250N-00-96	96" Opening			14
400004001 BP250-77 2C 887838078643 13 402293001 BFC50-00-36 36" Opening 887838096494 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096524 8 402298001 BFC50-00-96 887838096531 8 402303001 BF50-41s 2C 887838096333 7 402304001 BF50-11 2C 887838096340 7 402308001 BF50-1DW 887838096340 7 402309001 BF125-71 2C 887838078650 8 402310001 BF125-91 8 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-120 120" Mill 887838096371 7 402326001 <th>405843</th> <th>PDC150N-00-36</th> <th></th> <th></th> <th></th> <th>15</th>	405843	PDC150N-00-36				15
402293001 BFC50-00-36 36" Opening 887838096494 8 402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096524 8 402298001 BFC50-00-96 887838096531 8 402303001 BF50-41s 2C 887838096347 7 402304001 BF50-11 2C 887838096340 7 402306001 BF50-22 887838096340 7 402308001 BF50-HDW 887838096340 7 402309001 BF125-71 2C 887838078650 8 402310001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-96 96" Mill 887838096319 7 402324001 BF50-01-120 120" Mill 887838096371 7		PDC150N-00-48				15
402294001 BFC50-00-48 48" Opening 887838096500 8 402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096524 8 402298001 BFC50-00-96 887838096531 8 402303001 BF50-41s 2C 887838096470 7 402304001 BF50-11 2C 887838096333 7 402306001 BF50-22 887838096340 7 402308001 BF50-HDW 887838096487 8 402310001 BF125-71 2C 88783809650 8 402310001 BF125-91 8 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402322001 BF50-01-196 96" Mill 887838096319 7 402324001 BF50-01-120 120" Mill 887838096371 7 402326001				2C	887838078643	13
402295001 BFC50-00-60 60" Opening 887838096517 8 402296001 BFC50-00-72 887838096524 8 402298001 BFC50-00-96 887838096524 8 402303001 BF50-41s 2C 887838096470 7 402304001 BF50-11 2C 887838096333 7 402306001 BF50-22 887838096487 8 402309001 BF50-HDW 887838096487 8 402310001 BF125-71 2C 887838078650 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096326 7 402324001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-120 120" Mill 887838096463 7 402328001 BF50-01-192 192" Mill 887838096463<						
402296001 BFC50-00-72 887838096524 8 402298001 BFC50-00-96 887838096531 8 402303001 BF50-41s 2C 887838096470 7 402304001 BF50-11 2C 887838096333 7 402306001 BF50-22 887838096340 7 402308001 BF50-HDW 887838096487 8 402309001 BF125-71 2C 887838078650 8 402310001 BF125-91 8 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-120 120" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7	402294001		48" Opening		887838096500	8
402298001 BFC50-00-96 887838096531 8 402303001 BF50-41s 2C 887838096470 7 402304001 BF50-11 2C 887838096333 7 402306001 BF50-22 887838096340 7 402309001 BF50-HDW 887838096487 8 402310001 BF125-71 2C 887838078650 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096466 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48			60" Opening			
402303001 BF50-41s 2C 887838096470 7 402304001 BF50-11 2C 887838096333 7 402306001 BF50-22 887838096340 7 402308001 BF50-HDW 887838096487 8 402309001 BF125-71 2C 887838078650 8 402310001 BF125-91 8 8402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096623						
402304001 BF50-11 2C 887838096333 7 402306001 BF50-22 887838096340 7 402308001 BF50-HDW 887838096487 8 402309001 BF125-71 2C 887838078650 8 402310001 BF125-91 8 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 40308001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10				00		
402306001 BF50-22 887838096340 7 402308001 BF50-HDW 887838096487 8 402309001 BF125-71 2C 887838078650 8 402310001 BF125-91 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 403238001 BF50-01-192 192" Mill 887838096663 7 403006001 BPC60-00-48 47" Opening 887838096623 10						
402308001 BF50-HDW 887838096487 8 402309001 BF125-71 2C 887838078650 8 402310001 BF125-91 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096466 7 403006001 BPC60-00-48 47" Opening 887838096623 10 403008001 BPC60-00-60 59" Opening 887838096623 10				2C		
402309001 BF125-71 2C 887838078650 8 402310001 BF125-91 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10						
402310001 BF125-91 8 402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10				20		
402321001 BF50-01-48 47-7/8" Mill 887838096296 7 402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10				20	00/0300/0000	
402322001 BF50-01-60 59-7/8" Mill 887838096302 7 402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10			/17_7/8"	Mill	887838096396	
402323001 BF50-01-72 71-7/8" Mill 887838096319 7 402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10						
402324001 BF50-01-96 96" Mill 887838096326 7 402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10						
402326001 BF50-01-120 120" Mill 887838096371 7 402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10						
402327001 BF50-01-144 144" Mill 887838096456 7 402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10						
402328001 BF50-01-192 192" Mill 887838096463 7 403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10						
403006001 BPC60-00-48 47" Opening 887838096616 10 403008001 BPC60-00-60 59" Opening 887838096623 10						
403008001 BPC60-00-60 59" Opening 887838096623 10						
10 00 00 12 /1 Opening						
		2. 000 00 72	· · · · · · · · · · · · · · · · · · ·			

EDP Number	Class Number	Size	Finish	UPC#	Page
403012001	BPC60-00-96- 2DRSET	95" Opening		887838078674	10
403020001	BPC60A-00-48		887838078681	10	
403021001	BPC60A-00-60			887838078698	11
403022001	BPC60A-00-72			887838078704	11
403240001	BPD60A-00-48	47" Opening		887838078711	11
403250001	BPD60A-00-60	59" Opening		887838096685	11
403260001	BPD60A-00-72	71" Opening		887838096692	11
403530001	PD250-71		White	887838078735	15
403534001	BP250-71		2C	887838078742	13
403966001	PD250-96	81-3/4"	PS	887838078773	16
403969001	PD250-77			887838078797	16
403993001	PD250-74s			887838078803	16
403996001	PD250-98			887838078810	16
403997001	PD250-72s		2C	887838078827	16
403998001	BP75-76	4011	2C	887838078834	12
405102001 405103001	BP250N-01-48 BP250N-01-60	48" 60"		887838078841 887838078858	13 13
405103001	BP250N-01-72	72"		887838078865	13
405105001	BP250N-01-96	96"		887838078872	13
405106001	BP250N-01-120	120"		887838078889	13
405107001	BP250N-01-144	144"		887838078896	13
405108001	BP250N-01-192	192"		887838078902	13
405109001	PD250N-01-47				16
405110001	PD250N-01-55				16
405111001	PD250N-01-59				16
405112001	PD250N-01-63				16
405113001	PD250N-01-71				16
405114001	PD250N-01-95				16
405200001	BP250N-02-48	48"		887838078964	13
405201001	BP250N-02-60	60"		887838078971	13
405202001	BP250N-02-72	72"		887838078988	13
405203001	BP250N-02-96	96"		887838078995	13
405204001	BP250N-02-120				13
405301001	BF125N-41			887838079084	8
405302001	BF125N-31			887838079091	8
405304001	BP150N-41		BrassTone	887838079107	12
405304001	BP150N-41		BrassTone	887838079107	15
405305001 405306001	BP250N-41			887838079114	15 13
405790001	BP250-00 (TR250) BP250N-HDW			887838079121 887838079183	13
405845001	PD150N-HDW			887838079213	15
405860001	BP150N-HDW			887838079220	12
405940001	PDFC150N-00-70	3'0"x7'0"		887838079237	15
405942001	PDFC150N-00-80	Opening 3'0"x8'0"		887838079244	15
405950001	PDFC250N-00-80	Opening 4'0"x8'0"		887838079251	16
405960001	PDF250N-05s	Opening		887838096920	16
521000001	214-SC	8x5/8	Brasstone	887838082244	9
521004001	214-121SC	8x5/8	Brasstone	887838082251	9
521012001	220-3	3	Brasstone	887838082268	9
521016001	220-3LS	3	Brasstone	887838082275	9
521024001	220-121SC	6x7/8	Brasstone	887838082282	9
521032001	221-3	3	Brasstone	887838082299	9
521040001	221-SC	6x7/8	Brasstone	887838082305	9
521052001	224	2-1/2x1-5/8	SatinBrass	887838082312	9

EDP Number to Class Number Cross Reference

EDP Number	Class Number	Size	Finish	UPC#	Page
521076001	234	2-1/2x1-5/8	2C	887838082336	9
521224001	BP150-61		BrightBrass	887838082343	12
521224001	BP150-61		BrightBrass	887838082343	15
521228001	BP250-61	2-1/8"	BrightBrass	887838082350	13
521228001	BP250-61	2-1/8"	BrightBrass	887838082350	15
521233001	BP150-62	3/4"	Brushed		12
521240001	BP250-62	2-1/8"	Nickel AntiqueBrass	887838082367	13
521240001	BP250-62	2-1/8"	AntiqueBrass	887838082367	15
			Brushed	00/03000230/	
521243001	BP250-63	2 1/8"	Nickel		13
521244001	BF50-61	2-3/4" x 1	Almond	887838096388	7
521276001	PD250-64	15/16"		887838082381	14
521280001	BF50-62		Unf.Wood	887838096395	7
522004001	BF30-01-24	23-3/4"	White	887838096012	6
522007001	2453			887838096289	7
522011001	2454			887838082398	7
522012001	2455			887838082404	7
522016001	2405			887838082411	7
522017001	2400			887838082428	7
522032001	BF30-01-30	29-3/4"	White	887838096036	6
522060001	BF30-01-362	35-3/4"	White	887838096050	6
522064001	BF30-01-364	35-3/4"	White	887838096067	6
522068001	BF30-01-48	47-3/4"	White	887838096074	6
522092001	BF30-01-60	59-3/4"	White	887838096081	6
522120001	BF30-01-72	71-3/4"	White	887838096098	6
522148001	BF30-01-96	95-3/4"	White	887838096111	6
522224001	BF50-72		2C	887838096418	7
522232001	BP250-99		2C 2C	887838082435 887838096166	13
522236001 522240001	BF30-10		20	887838096166	6
522240001	BF30-22 BF30-24			887838096180	6
522252001	BF50-24		2C	887838096425	7
522264001	BF50-83		2C	887838096432	8
522272001	BF50-34s		20	887838096364	7
522276001	BF50-33		2C	887838096357	7
522280001	BF30-35		2C	887838096234	7
522284001	BF30-02-24	23-3/4"	White	887838096128	6
522316001	BF30-02-362	35-3/4"	White	887838096142	6
522372001	BF30-25			887838096197	6
522528001	2385			887838096272	7
522612001	BF30-31		2C	887838096203	7
522620001	BF30-32		2C	887838096210	7
523128001	2568			887838082459	7
523236001	BF50-84		2C	887838096449	8
523248001	BF30-36		2C	887838096241	7
524200001	BF30-81		2C	887838096258	7
524208001	BF20-31		2C	887838095930	6
524212001	BF30-33		2C	887838096227	7
524236001	BF20-10		2C	887838095923	6
524254001	BF125N-21			887838082466	8
524452001	BF25-31		2C	887838095947	6
541000001	BP150-73		White	887838082480	12
541004001	BP250-75		2C	887838082497	13
541008001	BP150-71		Zinc/White	887838082503	12
541012001	BP150-75		Zinc/White	887838082510	12
541016001	BP150-74		2C	887838082527	12
541020001	BP150-72		White	887838082534	12

EDP Number	Class Number	Size	Finish	UPC#	Page
541024001	BP60-41		2C	887838096593	10
541028001	BP60-42		2C	887838082541	10
541036001	BP75-HDW-1 BP60-HDW			887838096708	11
541100001	(8400BX)				10
541116001	BP60-HDW-2 (8401-BX)				10
541232001	BP75-02-48	46-3/8"	Mill	887838096722	11
541236001	BP75-02-60	58-3/8"	Mill	887838096739	11
541240001	BP75-02-72	70-3/8"	Mill	887838082589	11
541248001	BP60-HDW-3			887838082596	10
E412E2001	(8900-BX) BP60-HDW-3				10
541252001	(8900-BX)				10
541264001	BP60-43		2C	887838082619	10
541268001	BP60-43		2C	887838082626	10
541272001	BP60-44		2C	887838096609	10
541280001	BP60-45		2C	007020002040	10
541284001	BP60-45 BP60-46		2C	887838082640	10
541288001	BP60-46 BP60-HDW-5		2C	887838082657	10
541292001	(8902-BX)				10
541296001	BP75-43		2C	887838082671	12
541304001	BP75-45		2C	887838082688	12
541368001	BP75-07-48	46-7/8"	Mill	887838082718	12
541372001	BP75-07-60	58-7/8"	Mill	887838082725	12
541376001	BP75-07-72	70-7/8"	Mill	887838082732	12
541416001	BP75-01-48s	46-1/2"	Galv.	887838082770	11
541420001	BP75-01-60	58-1/2"	Galv.	887838082787	11
541424001	BP75-01-72	70-1/2"	Galv.	887838082794	11
541436001	BP75-01-96	93-1/2"	Galv.	887838082817	11
541444001	BP75-01-120	120"	Galv.	887838082824	11
593096001	BP75-03-48	46-3/8"	Galv.	887838096746	11
593100001	BP75-03-60	58-3/8"	Galv.	887838096753	11
593104001	BP75-03-72	70-3/8"	Galv.	887838096760	11

QUOTING & ORDERING

Price quotations are based on one (1) shipment to one (1) location, and are valid as identified in the quote but in no case longer than <u>one year</u> from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba USA Inc. ("dormakaba USA") Representative where the project is located.

QUOTING PROCESS AND PROCEDURES: The following information is necessary to secure a price quotation from dormakaba USA.

- Distributor Name
- Distributor Location
- Distributor Contact Name and Phone Number
- Distributor e-mail contact
- Project Name
- Project Location
- Bid Date
- Architects Name, Phone Number and Architects Location
- Specification Writer Name, Phone Number and Location
- Competitive Influence / Specification
- · List of materials to be quoted

Every attempt will be made by dormakaba USA to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba USA Customer Service Department in Indianapolis for processing.

NON-STANDARD PRODUCT REQUEST: Please contact your dormakaba USA Representative to complete a Non-Standard Product Request Form.

All requests should be submitted to the following email address: **Email:** product.request.us@dormakaba.com

Upon receipt of a special order request, dormakaba USA will review the configuration and determine if dormakaba USA is capable of making the special order product and will provide a response to the customer. If dormakaba USA is able to make the special order product, dormakaba USA will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

ORDERING: The following information is required for dormakaba USA to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba USA Approved Quote

Please send all orders to BAS-orderentry.us@dormakaba.com or by fax to 877-835-1030

NOTE: For detailed information on how to place an order for dormakaba USA products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

ADD ON ORDERS FOR QUOTED PROJECTS: To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba USA's original order number. Add-On orders will be accepted for a period one (1) year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba USA Representative for re-quote.

STOCKING ORDERS: All orders for stock replenishment should be marked as "Stock" and indicate a "Ship To" address that coincides with the stocking Distributor warehouse location.

INCOMPLETE ORDER PROCESS: All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba USA Customer Service will make one (1) attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba USA at that time the order will be referred to the local dormakaba USA Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen (14) calendar days.

PRICE DISCREPANCY PROCESS: All entered orders are reviewed by dormakaba USA Customer Service for accuracy and pricing consistency between the Distributor and dormakaba USA. Any order determined by dormakaba USA, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba USA for a Price Discrepancy. dormakaba USA quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba USA Representative.

ORDER CANCELLATION/CHANGES: All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc) should be sent directly to dormakaba USA Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

Email: BAS-cshelp.us@dormakaba.com Fax: 1-877-835-1030

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba USA's Terms and Conditions of Sale.

PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE" REQUESTS: All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (*Required Date, Expected Date, etc. do not apply*) These orders will be scheduled to ship on or after the date listed.

QUOTING & ORDERING (continued)

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: BAS-cshelp.us@dormakaba.com.

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

EXPEDITE REQUESTS:

 Expedite requests will be reviewed and accommodated by dormakaba USA based on production lead times and availability.

Email: BAS-expediterequest.us@dormakaba.com

• See the then current dormakaba USA Quick Ship Program for details.

WHOLESALE PURCHASE: Distributors are also free to utilize dormakaba USA's Authorized Wholesalers to purchase product. dormakaba USA does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba USA shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.

RETURNED AUTHORIZATION (RA)

RA REQUESTS: A Return Authorization Form ("RA") must be utilized to return defective products <u>still under warranty</u> or products deemed repairable by dormakaba USA Inc. ("dormakaba USA"). All products returned to dormakaba USA must have a correct Return Authorization (RA) number applied to the outside of the shipping carton. All products must be returned within sixty (60) calendar days of RA issue date. This process can take up to seven (7) days after product is received at dormakaba USA's factory. If a defective product presents a security risk, an advance replacement may be requested.

RA PROCESS: Requests for warranty related returns can be initiated by submitting an e-mail to

BAS-rgacreditgrp.us@dormakaba.com.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- End User Name
- Sales Order Number
- Account Number
- Item Number
- Contact Name
- Item Quantity
- Phone Number
- Description of the Problem
- Purchaser Order Number
 - Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member.
- Once a claim number is issued, this number should be noted on all references and communications regarding the applicable situation to ensure a claim is easily identified.
- Defective product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75th Street Indianapolis, IN 46250

- When material is received at dormakaba USA's factory, dormakaba USA will assess and determine the nature of the defect.
- Defective goods are replaced upon dormakaba USA's determination.
- Credit for material and freight is issued only if deemed appropriate by dormakaba USA. If approved, credit is initiated and a credit memo is mailed to the Distributor within fifteen (15) business days.

PURCHASE ORDERS:

A Purchase Order (PO) will be required if the Product is:

- 1. Defective and not under warranty, or
- An advance replacement is required <u>without</u> verification of whether the product is defective and under warranty.

Please send Purchase Orders to the following:

- Preferred Method e-mail:
 - BAS-rgacreditgrp.us@dormakaba.com
- Fax: 1-877-835-1030

RETURNED AUTHORIZATION (RA) NON-WARRANTY

RA POLICY: A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non-warranty related return. All materials returned to dormakaba USA Inc. ("dormakaba USA") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A thirty percent (30%) re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba USA with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

RA PROCESS: Requests for non-warranty related returns can be initiated by submitting an e-mail to **BAS-rgacreditgrp.us@dormakaba.com**.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
- Sales Order Number
- Account Number
- Item Number
- Contact Name
- Item Quantity
- Phone Number
- Description of the Problem
- Purchaser Order Number
- Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member:
- 2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
- 3. Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75th Street Indianapolis, IN 46250

- The RA will be processed once material is received at dormakaba USA's factory provided it is received in its original packaging and is in saleable condition.
- Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

FULFILLMENT ISSUES

Any quality issues (missing parts, wrong parts, handing, finish, etc) should be submitted electronically to: BAS-rgacreditgrp.us@dormakaba.com or your Local dormakaba USA Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

1) ITEMS MISSING FROM A SHIPMENT: If you have signed your shipment short, dormakaba USA Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba USA Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued.

If dormakaba USA Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The quality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba USA order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

2) WRONG ITEMS RECEIVED (parts, handing, function, finish, etc):

Advanced replacements will be issued for any wrong items received. Such orders will be charged based on pricing/ discounts from the original order. The issue will be forwarded to dormakaba USA's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba USA order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba USA order entry and/or manufacturing errors.

RETURN AUTHORIZATION FORM REQUEST

☐ Return for Repla	cement	☐ Return for Credit				
Date of Request:						
Original Order:			NATURE OF PROBLEM			
Date of Request:						
Original P.O.:			☐ Manufacturing Defect			
Invoice #:			☐ Warranty Evaluation			
Customer Name:			☐ Missing Parts			
Account Number:			☐ Wrong Material Received			
Address:			☐ Wrong Material Ordered			
City:			☐ Wrong Quantity			
State:		Zip:	☐ Return Inventory			
Contact Name:			☐ Other:			
E-mail:			NOTE: All returns shall be subject to dormakaba USA Inc. current Terms of Sale and Warranty as outlined in the pric catalog.			
□ Ship Replaceme	nt Mate	rial to Address Above	☐ Ship Replacement Material to Address on Order			
DETAILED DESCR	RIPTIO	N OF DEFECT OR REASON	N FOR RETURN			
		RETURN	MATERIAL			
Line Item # Qua	antity	Product Nomenclature	Product Description			

Please e-mail completed form to BAS-rgacreditgrp.us@dormakaba.com or Fax to 1-877-835-1030

Notes	
	—
	—
	—
	_
	—

Notes	

6161 East 75th Street Indianapolis, IN 46250 USA

Phone 855-365-2407

stanley hardware for doors.com

